Illinois Medicare-Medicaid Alignment Initiative Demonstration

Summary of Contract Changes

The three-way contract was re-executed effective on October 1, 2023 with the following changes:

- Updated the new demonstration end date to December 31, 2025 and updated demonstration dates accordingly throughout the contract
- Updated the Aggregate Savings Percentage for DY 10 and 11 (Sections 4.2.3.10 and 4.2.3.11)
- Updated the Coding Intensity Adjustment Methodology for calendar year 2024 (DY 10) and 2025 (DY 11) (Sections 4.2.4.1.5 and 4.2.4.1.6)
- Added demonstration phase-out requirements for the end of the demonstration (Section 3.3)
- Made edits based on the CY 2024 Medicare Advantage and Part D rule 422.111(e)
 - o Clarified "emergency medical condition" definition (Section 1.49)
 - Clarified requirements regarding written notice of provider termination (Section 2.8.1.2.1)
 - O Clarified appointment timelines for enrollees requiring medical attention emergency medical conditions (Section 2.8.6)
 - Added requirement that information regarding authorization decisions be readily accessible (Section 2.9.4.6.5)
 - Added language regarding utilization management committee requirement (Section 2.9.5.4.1.)
 - Added provision requiring plans to incorporate one or more activities that reduce disparities in health and health care (Section 2.13.1.9)
 - O Clarified requirements for marketing, outreach, and enrollee communications materials (Section 2.14.2)
- Made edits to align with the Community Transition Initiative amendment to Medicaid Managed Care HealthChoice Illinois contract (Section 2.5.4.7)
- Made edits to comply with new language added in state law IL 215 ILCS 200/25 to clarify telehealth and face-to-face procedures and requirements (*Sections 2.9.4.6.1 and 2.9.4.6.2*)
- Made edits to prior authorization timelines based on new state law IL 215 ILCS 200/25 (Sections 2.9.4.6.1 and 2.9.4.6.2)
- Included a state-directed payment arrangement to reward quality in NF services based on higher per diem supplemental payments for higher NF Star Ratings (Section 2.15.5.2.2.4)