

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)
Unduplicated Edits Report by Edit ID

Table of Contents

-1000	Format Fatal	4
-1001	Format Fatal	4
-1002	Format Fatal	4
-1003	Format Fatal	4
-1007	Consistency Fatal	4
-1008	Consistency Fatal	4
-1009	Format Fatal	4
-1010	Format Fatal	12
-1011	Format Fatal	12
-1012	Format Fatal	12
-1013	Format Fatal	13
-1014	Consistency Fatal	13
-1015	Consistency Fatal	13
-1016	Format Fatal	13
-1017	Format Fatal	14
-1018	Format Fatal	14
-1019	Format Fatal	15
-1020	Format Fatal	15
-1021	Consistency Fatal	15
-1022	Consistency Warning.....	15
-1025	Consistency Fatal	15
-1026	Consistency Fatal	15
-1027	Format Fatal	15
-1028	Consistency Fatal	16
-1029	Consistency Fatal	16
-1030	Format Fatal	16
-1031	Format Warning.....	17
-1033	Consistency Fatal	17
-1034	Consistency Fatal	17
-1036	Consistency Fatal	17
-1037	Format Fatal	17
-1038	Format Fatal	17
-1039	Format Fatal	18
-3010	Consistency Fatal	18
-3011	Consistency Fatal	18
-3012	Consistency Fatal	18
-3013	Consistency Fatal	18
-3014	Consistency Fatal	18
-3015	Consistency Fatal	18
-3016	Consistency Fatal	19
-3017	Consistency Fatal	19
-3018	Consistency Fatal	19
-3019	Consistency Fatal	19
-3020	Consistency Fatal	19
-3021	Consistency Fatal	19
-3025	Consistency Fatal	19
-3034	Consistency Fatal	19
-3036	Consistency Fatal	20
-3039	Consistency Fatal	20
-3043	Consistency Fatal	20
-3044	Consistency Fatal	20
-3049	Consistency Fatal	20
-3542	Consistency Fatal	21
-3543	Consistency Fatal	21
-3544	Consistency Fatal	21

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)
Unduplicated Edits Report by Edit ID

-3545	Consistency Fatal	21
-3546	Consistency Fatal	21
-3547	Consistency Fatal	21
-3548	Consistency Fatal	21
-3549	Consistency Fatal	21
-3550	Consistency Fatal	22
-3551	Consistency Fatal	22
-3552	Consistency Fatal	22
-3553	Consistency Fatal	22
-3573	Consistency Fatal	22
-3662	Consistency Fatal	22
-3663	Consistency Fatal	23
-3664	Consistency Fatal	23
-3665	Consistency Fatal	23
-3666	Consistency Fatal	23
-3667	Consistency Fatal	23
-3745	Consistency Fatal	24
-3749	Consistency Warning.....	24
-3790	Consistency Fatal	24
-3810	Consistency Warning.....	24
-3852	Format Fatal	25
-3863	Consistency Warning.....	25
-3900	Consistency Warning.....	25
-3924	Format Fatal	30
-3932	Consistency Fatal	30
-3933	Consistency Warning.....	30
-3936	Consistency Fatal	31
-3937	Consistency Fatal	31
-3938	Consistency Fatal	31
-3940	Consistency Fatal	31
-3941	Consistency Fatal	31
-3942	Consistency Fatal	31
-3943	Consistency Fatal	32
-3944	Consistency Fatal	33
-3947	Consistency Fatal	33
-3948	Consistency Fatal	33
-3949	Consistency Fatal	33
-3950	Consistency Fatal	33
-3952	Format Warning	33
-3953	Format Warning	33
-3954	Consistency Warning.....	34
-3955	Consistency Fatal	34
-3956	Consistency Fatal	34
-3957	Skip Fatal.....	34
-3958	Consistency Fatal	35
-3959	Consistency Fatal	35
-3960	Consistency Fatal	35
-3961	Consistency Fatal	35
-3962	Consistency Fatal	35
-3963	Consistency Fatal	36
-3964	Consistency Fatal	36
-3966	Consistency Fatal	36
-3967	Consistency Fatal	36
-3969	Skip Fatal.....	37
-3970	Skip Fatal.....	37
-3971	Skip Fatal.....	37
-3972	Skip Fatal.....	37

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)
Unduplicated Edits Report by Edit ID

-3973	Consistency Fatal	38
-3974	Consistency Fatal	39
-3975	Consistency Fatal	39
-3976	Consistency Fatal	39
-3977	Consistency Fatal	39
-3978	Consistency Fatal	39
-3979	Consistency Fatal	40
-3980	Consistency Fatal	40
-3981	Consistency Fatal	40
-3982	Consistency Fatal	40
-3983	Consistency Fatal	40
-3984	Consistency Fatal	41
-3985	Consistency Fatal	41
-3986	Consistency Fatal	42
-3987	Skip Fatal	42
-3988	Consistency Fatal	42
-3989	Skip Fatal	42
-3990	Skip Fatal	42
-3991	Skip Fatal	42
-3992	Skip Fatal	43
-3993	Skip Fatal	43
-3994	Consistency Fatal	43
-3995	Consistency Fatal	43
-3996	Consistency Fatal	44
-3997	Consistency Fatal	44
-3998	Consistency Fatal	44
-3999	Consistency Fatal	44
-4000	Consistency Fatal	44
-4001	Consistency Fatal	45
-4002	Consistency Fatal	45
-4003	Consistency Fatal	45
-4004	Consistency Fatal	45
-4005	Consistency Fatal	45
-4006	Consistency Fatal	46
-4007	Consistency Fatal	46
-4008	Consistency Fatal	46
-4009	Consistency Fatal	47
-4011	Skip Fatal	47
-4012	Skip Fatal	47
-4013	Skip Fatal	47
-4014	Consistency Warning	48
-4015	Skip Fatal	48
-4016	Skip Fatal	49
-4017	Consistency Fatal	49
-4018	Consistency Fatal	49
-4022	Consistency Fatal	50
-4023	Fatal Fatal	50
-4024	Fatal Fatal	51
-4025	Fatal Fatal	51
-9001	Information None	52
-9002	Information None	52

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1000	Format	Fatal	<p>If the value is not equal to [^], it must be 9 characters long.</p> <p>Items: A0600A Social Security Number</p>
-1001	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p>Items: A0600A Social Security Number</p>
-1002	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items: A0600A Social Security Number</p>
-1003	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p>Items: A0100A Facility National Provider Identifier (NPI)</p>
-1007	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows: Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs.</p> <p>Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX].</p> <p>Items: A0200 Type of provider A0250 Reason for Assessment</p>
-1008	Consistency	Fatal	<p>A0900 (Birth Date) cannot be more than 140 years earlier than the current date.</p> <p>Items: A0900 Birth Date</p>
-1009	Format	Fatal	<p>Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Items: ASMT_SYS_CD Assessment system code ITM_SBST_CD Item subset code STATE_CD Facility's state postal code A0050 Type of record A0200 Type of provider A0250 Reason for Assessment A0800 Gender A1005A Ethnicity: No, not Hispanic, Latino/a, Spanish A1005B Ethnicity: Yes, Mex, Mex Amer, Chicano/a A1005C Ethnicity: Yes, Puerto Rican A1005D Ethnicity: Yes, Cuban A1005E Ethnicity: Yes, another Hispanic/Latino/Spanish</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			A1005X Ethnicity: Patient unable to respond
			A1005Y Ethnicity: Patient declines to respond
			A1010A Race: White
			A1010B Race: Black or African American
			A1010C Race: American Indian or Alaska Native
			A1010D Race: Asian Indian
			A1010E Race: Chinese
			A1010F Race: Filipino
			A1010G Race: Japanese
			A1010H Race: Korean
			A1010I Race: Vietnamese
			A1010J Race: Other Asian
			A1010K Race: Native Hawaiian
			A1010L Race: Guamanian or Chamorro
			A1010M Race: Samoan
			A1010N Race: Other Pacific Islander
			A1010X Race: Patient unable to respond
			A1010Y Race: Patient declines to respond
			A1010Z Race: None of the above
			A1110B Does the patient need or want an interpreter
			A1200 Marital status
			A1250A Transportation: Yes, medical
			A1250B Transportation: Yes, non-medical
			A1250C Transportation: No
			A1250X Transportation: Patient unable to respond
			A1250Y Transportation: Patient declines to respond
			A1400A Payer: Medicare (FFS)
			A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)
			A1400C Payer: Medicaid (FFS)
			A1400D Payer: Medicaid (managed care)
			A1400E Payer: Workers' compensation
			A1400F Payer: Title programs
			A1400G Payer: Other Government
			A1400H Payer: Private insurance/Medigap
			A1400I Payer: Private managed care
			A1400J Payer: Self-pay
			A1400K Payer: No payer source
			A1400X Payer: Unknown
			A1400Y Payer: Other
			A1805 Admitted from
			A1990 Discharged against medical advice
			A2105 Discharge location
			A2121 Current Reconciled Medication List - Provider

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			A2122A Provider Trans - Electronic Health Record
			A2122B Provider Trans - Health Info Exchange
			A2122C Provider Trans - Verbal
			A2122D Provider Trans - Paper-based
			A2122E Provider Trans - Other Methods
			A2123 Current Reconciled Medication List - Ptnt/Fam/Care
			A2124A Patient Trans - Electronic Health Record
			A2124B Patient Trans - Health Info Exchange
			A2124C Patient Trans - Verbal
			A2124D Patient Trans - Paper-based
			A2124E Patient Trans - Other Methods
			B0100 Comatose
			B0200 Hearing
			B1000 Vision
			B1300 Health Literacy
			BB0700 Expression of Ideas and Wants (3-day asmt period)
			BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)
			C0100 Brief Interview for Mental Status
			C0200 Repetition of three words
			C0300A Temporal Orientation: Able to report correct year
			C0300B Temporal Orientation: Able to report correct month
			C0300C Temporal Orientation: Able to report correct day
			C0400A Recall: Able to recall "sock"
			C0400B Recall: Able to recall "blue"
			C0400C Recall: Able to recall "bed"
			C1310A Delirium: Acute Onset Mental Status Change
			C1310B Delirium: Inattention
			C1310C Delirium: Disorganized thinking
			C1310D Delirium: Altered level of consciousness
			D0150A1 Mood: Little interest/pleasure doing things: Pres
			D0150A2 Mood: Little interest/pleasure doing things: Freq
			D0150B1 Mood: Feeling down, depressed, or hopeless: Pres
			D0150B2 Mood: Feeling down, depressed, or hopeless: Freq
			D0150C1 Mood: Trouble falling or staying asleep: Pres
			D0150C2 Mood: Trouble falling or staying asleep: Freq
			D0150D1 Mood: Feeling tired or having little energy: Pres
			D0150D2 Mood: Feeling tired or having little energy: Freq
			D0150E1 Mood: Poor appetite or overeating: Pres
			D0150E2 Mood: Poor appetite or overeating: Freq
			D0150F1 Mood: Feeling bad about yourself: Pres
			D0150F2 Mood: Feeling bad about yourself: Freq
			D0150G1 Mood: Trouble concentrating on things: Pres
			D0150G2 Mood: Trouble concentrating on things: Freq

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			D0150H1 Mood: Moving or speaking so slowly: Pres
			D0150H2 Mood: Moving or speaking so slowly: Freq
			D0150I1 Mood: Thoughts of better off dead: Pres
			D0150I2 Mood: Thoughts of better off dead: Freq
			D0700 Social Isolation
			GG0100B Indoor Mobility (Ambulation)
			GG0110A Manual wheelchair
			GG0110B Motorized wheelchair and/or scooter
			GG0110C Mechanical lift
			GG0110Z None of the above
			GG0130A1 Self-Care (Adm Perf) - Eating
			GG0130A2 Self-Care (Dschg Goal) - Eating
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B1 Self-Care (Adm Perf) - Oral hygiene
			GG0130B2 Self-Care (Dschg Goal) - Oral hygiene
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C1 Self-Care (Adm Perf) - Toileting hygiene
			GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130D1 Self-Care (Adm Perf) - Wash upper body
			GG0130D2 Self-Care (Dschg Goal) - Wash upper body
			GG0130D3 Self-Care (Dschg Perf) - Wash upper body
			GG0170A1 Func Mobil (Adm Perf) - Roll left and right
			GG0170A2 Func Mobil (Dschg Goal) - Roll left and right
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B1 Func Mobil (Adm Perf) - Sit to lying
			GG0170B2 Func Mobil (Dschg Goal) - Sit to lying
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C1 Func Mobil (Adm Perf) - Lying to sitting on side
			GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D1 Func Mobil (Adm Perf) - Sit to stand
			GG0170D2 Func Mobil (Dschg Goal) - Sit to stand
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand
			GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans
			GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
			GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			GG0170F1 Func Mobil (Adm Perf) - Toilet transfer
			GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer
			GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer
			GG0170G1 Func Mobil (Adm Perf) - Car Transfer
			GG0170G2 Func Mobil (Dschg Goal) - Car Transfer
			GG0170G3 Mobil Perf (Dischrg Perf) - Car Transfer

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet
			GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet
			GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns
			GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
			GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet
			GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
			GG0170L1 Func Mobil (Adm Perf) - Walking 10ft uneven surf
			GG0170L2 Func Mobil (Dschg Goal) - Walk 10ft uneven surf
			GG0170L3 Func Mobil (Dschg Perf) - Walk 10ft uneven surf
			GG0170M1 Func Mobil (Adm Perf) - 1 step (curb)
			GG0170M2 Func Mobil (Dschg Goal) - 1 step (crub)
			GG0170M3 Func Mobil (Dschg Perf) - 1 step (curb)
			GG0170N1 Func Mobil (Adm Perf) - 4 steps
			GG0170N2 Func Mobil (Dschg Goal) - 4 steps
			GG0170N3 Func Mobil (Dschg Perf) - 4 steps
			GG0170O1 Func Mobil (Adm Perf) - 12 steps
			GG0170O2 Func Mobil (Dschg Goal) - 12 steps
			GG0170O3 Func Mobil (Dschg Perf) - 12 steps
			GG0170P1 Func Mobil (Adm Perf) - Picking up an object
			GG0170P2 Func Mobil (Dschg Goal) - Picking up an object
			GG0170P3 Func Mobil (Dschg Perf) - Picking up an object
			GG0170Q1 Does the patient use a wheelchair and/or scooter
			GG0170Q3 Does the patient use a wheelchair and/or scooter
			GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
			GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
			GG0170RR1 Indicate the type of wheelchair or scooter used
			GG0170RR3 Indicate the type of wheelchair or scooter used
			GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet
			GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
			GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet
			GG0170SS1 Indicate the type of wheelchair or scooter used
			GG0170SS3 Indicate the type of wheelchair or scooter used.
			H0350 Bladder continence
			H0400 Bowel continence
			I0050 Patient primary medical condition
			I0103 Metastatic Cancer
			I0104 Severe Cancer
			I0605 Severe Left Systolic/Ventricular Dysfunction
			I0900 Peripheral vascular disease (PVD) or PAD

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			I1501 Chronic Kidney Disease, Stage 5
			I1502 Acute Renal Failure
			I2101 Septicemia, Sepsis, Systemic Inflammatory Response
			I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect
			I2900 Diabetes mellitus (DM)
			I4100 Major Lower Limb Amputation
			I4501 Stroke
			I4801 Dementia
			I4900 Hemiplegia or Hemiparesis
			I5000 Paraplegia
			I5101 Complete Tetraplegia
			I5102 Incomplete Tetraplegia
			I5110 Other Spinal Cord Disorder/Injury
			I5200 Multiple Sclerosis (MS)
			I5250 Huntington's Disease
			I5300 Parkinson's Disease
			I5450 Amyotrophic Lateral Sclerosis
			I5455 Other Progressive Neuromuscular Disease
			I5460 Locked-In State
			I5470 Severe Anoxic Brain Damage, Cerebral Edema
			I5480 Other Severe Neurological Injury-Disease-Dysfunc
			I5601 Malnutrition
			I7100 Lung Transplant
			I7101 Heart Transplant
			I7102 Liver Transplant
			I7103 Kidney Transplant
			I7104 Bone Marrow Transplant
			I7900 None of the Above
			J0510 Pain Effect on Sleep
			J0520 Pain Interference with Therapy Activities
			J0530 Pain Interference with Day-to-Day Activities
			J1800 Any Falls Since Admission
			J1900A Num Falls Since Admission - No injury
			J1900B Num Falls Since Admission - Injury (except major)
			J1900C Num Falls Since Admission - Major injury
			K0520A1 Nutritional Approaches (Admission): Parenteral
			K0520A4 Nutritional Approaches (7 days): Parenteral
			K0520A5 Nutritional Approaches (Discharge): Parenteral
			K0520B1 Nutritional Approaches (Admission): Feeding tube
			K0520B4 Nutritional Approaches (7 days): Feeding tube
			K0520B5 Nutritional Approaches (Discharge): Feeding Tube
			K0520C1 Nutritional Approaches (Admission) : Mech Alt Diet
			K0520C4 Nutritional Approaches (7 days): Mech Alt Diet

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			K0520C5 Nutritional Approaches (Discharge): Mech Alt Diet
			K0520D1 Nutritional Approaches (Admission) : Therapeutic
			K0520D4 Nutritional Approaches (7 day): Therapeutic
			K0520D5 Nutritional Approaches (Discharge): Therapeutic
			K0520Z1 Nutritional Approaches (Admission) : None
			K0520Z4 Nutritional Approaches (7 days): None
			K0520Z5 Nutritional Approaches (Discharge): None
			M0210 Patient has 1+ unhealed pressure ulcers/injuries
			N0415A1 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2 High-Risk Drug (Indication) : Antipsychotic
			N0415E1 High-Risk Drug (Is taking): Anticoagulant
			N0415E2 High-Risk Drug (Indication): Anticoagulant
			N0415F1 High-Risk Drug (Is taking): Antibiotic
			N0415F2 High-Risk Drug (Indication): Antibiotic
			N0415H1 High-Risk Drug (Is taking): Opioid
			N0415H2 High-Drug Risk (Indication): Opioid
			N0415I1 High-Risk Drug (Is taking): Antiplatelet
			N0415I2 High-Risk Drug (Indication): Antiplatelet
			N0415J1 High-Risk Drug (Is taking): Hypoglycemic
			N0415J2 High-Risk Drug (Indication): Hypoglycemic
			N0415Z1 High-Risk Drug (Is taking): None of the above
			N2001 Drug Regimen Review
			N2003 Medication Follow-up
			N2005 Medication Intervention
			O0110A1A Treatment: Chemotherapy (Admission)
			O0110A1C Treatment: Chemotherapy (Discharge)
			O0110A2A Treatment: Chemo - IV (Admission)
			O0110A2C Treatment: Chemo - IV (Discharge)
			O0110A3A Treatment: Chemo - Oral (Admission)
			O0110A3C Treatment: Chemo - Oral (Discharge)
			O0110A10A Treatment: Chemo - Other (Admission)
			O0110A10C Treatment: Chemo - Other (Discharge)
			O0110B1A Treatment: Radiation (Admission)
			O0110B1C Treatment: Radiation (Discharge)
			O0110C1A Therapies: Oxygen Therapy (Admission)
			O0110C1C Therapies: Oxygen Therapy (Discharge)
			O0110C2A Therapies: Oxygen - Continuous (Admission)
			O0110C2C Therapies: Oxygen - Continuous (Discharge)
			O0110C3A Therapies: Oxygen - Intermittent (Admission)
			O0110C3C Therapies: Oxygen - Intermittent (Discharge)
			O0110C4A Therapies: Oxygen - High-concentration (Admission)
			O0110C4C Therapies: Oxygen - High-concentration (Discharge)
			O0110D1A Therapies: Suctioning (Admission)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			O0110D1C Therapies: Suctioning (Discharge)
			O0110D2A Therapies: Suctioning - Scheduled (Admission)
			O0110D2C Therapies: Suctioning - Scheduled (Discharge)
			O0110D3A Therapies: Suctioning - As Needed (Admission)
			O0110D3C Therapies: Suctioning - As Needed (Discharge)
			O0110E1A Therapies: Tracheostomy Care (Admission)
			O0110E1C Therapies: Tracheostomy Care (Discharge)
			O0110F1C Therapies: Invasive Mechanical Ventilator (Disch)
			O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)
			O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch)
			O0110G2A Therapies: BiPAP (Admission)
			O0110G2C Therapies: BiPAP (Discharge)
			O0110G3A Therapies: CPAP (Admission)
			O0110G3C Therapies: CPAP (Discharge)
			O0110H1A Other: IV Medications (Admission)
			O0110H1C Other: IV Medications (Discharge)
			O0110H2A Other: IV - Vasoactive medications (Admission)
			O0110H2C Other: IV - Vasoactive medications (Discharge)
			O0110H3A Other: IV - Antibiotics (Admission)
			O0110H3C Other: IV - Antibiotics (Discharge)
			O0110H4A Other: IV - Anticoagulation (Admission)
			O0110H4C Other: IV - Anticoagulation (Discharge)
			O0110H10A Other: IV - Other (Admission)
			O0110H10C Other: IV - Other (Discharge)
			O0110I1A Other: Transfusions (Admission)
			O0110I1C Other: Transfusions (Discharge)
			O0110J1A Other: Dialysis (Admission)
			O0110J1C Other: Dialysis (Discharge)
			O0110J2A Other: Hemodialysis (Admission)
			O0110J2C Other: Hemodialysis (Discharge)
			O0110J3A Other: Peritoneal dialysis (Admission)
			O0110J3C Other: Peritoneal dialysis (Discharge)
			O0110O1A Other: IV Access (Admission)
			O0110O1C Other: IV Access (Discharge)
			O0110O2A Other: IV Access - Peripheral (Admission)
			O0110O2C Other: IV Access - Peripheral (Discharge)
			O0110O3A Other: IV Access - Midline (Admission)
			O0110O3C Other: IV Access - Midline (Discharge)
			O0110O4A Other: IV Access - Central (Admission)
			O0110O4C Other: IV Access - Central (Discharge)
			O0110Z1A Other: None of the above (Admission)
			O0110Z1C Other: None of the above (Discharge)
			O0150A SBT: Invasive Mechanical Ventilation Support

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0150A2 SBT: Ventilator Weaning Status O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2 O0200A Invasive Mechanical Ventilator - Liberation Status
-1010	Format	Fatal	<p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9.</p> <p>YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> Items: A0210 Assessment reference date A0220 Admission date A0270 Discharge date Z0500B Date assessment signed as complete
-1011	Format	Fatal	<p>This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9.</p> <p>YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909."</p> Items: A0900 Birth Date
-1012	Format	Fatal	<p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are not accepted.</p> Items: A0055 Correction number C0500 BIMS Summary Score D0160 Total severity score K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm
-1013	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01].</p> <p>The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> Items: A0055 Correction number C0500 BIMS Summary Score D0160 Total severity score K0200A Height (in inches) K0200B Weight (in pounds)
-1014	Consistency	Fatal	<p>If the SFTWR_VNDR_ID=[^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NAME Software vendor company name SFTWR_VNDR_EMAIL_ADR Software vendor email address
-1015	Consistency	Fatal	<p>If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NAME Software vendor company name SFTWR_VNDR_EMAIL_ADR Software vendor email address
-1016	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string.</p> <p>This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> Items: SFTWR_VNDR_ID Software vendor federal employer tax ID A0100A Facility National Provider Identifier (NPI) A0600A Social Security Number

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items															
-1017	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string.</p> <p>This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <table><tr><td>Items:</td><td>A0100B</td><td>Facility CMS Certification Number (CCN)</td></tr><tr><td></td><td>A0100C</td><td>State Medicaid provider number</td></tr><tr><td></td><td>A0600B</td><td>Medicare/railroad insurance number</td></tr><tr><td></td><td>A0700</td><td>Medicaid number</td></tr></table>	Items:	A0100B	Facility CMS Certification Number (CCN)		A0100C	State Medicaid provider number		A0600B	Medicare/railroad insurance number		A0700	Medicaid number			
Items:	A0100B	Facility CMS Certification Number (CCN)																
	A0100C	State Medicaid provider number																
	A0600B	Medicare/railroad insurance number																
	A0700	Medicaid number																
-1018	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string.</p> <p>This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p> [@] (at sign)</p> <p> ['] (single quote)</p> <p> [/] (forward slash)</p> <p> [+] (plus sign)</p> <p> [,] (comma)</p> <p> [.] (period)</p> <p> [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> <table><tr><td>Items:</td><td>SFTWR_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td></td><td>A0500A</td><td>Patient first name</td></tr><tr><td></td><td>A0500C</td><td>Patient last name</td></tr><tr><td></td><td>A0500D</td><td>Patient name suffix</td></tr><tr><td></td><td>A1110A</td><td>Preferred language</td></tr></table>	Items:	SFTWR_PROD_VRSN_CD	Software product version code		A0500A	Patient first name		A0500C	Patient last name		A0500D	Patient name suffix		A1110A	Preferred language
Items:	SFTWR_PROD_VRSN_CD	Software product version code																
	A0500A	Patient first name																
	A0500C	Patient last name																
	A0500D	Patient name suffix																
	A1110A	Preferred language																

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1019	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>Items: A0500B Patient middle initial</p>
-1020	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address is accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p> <p>Items: SFTWR_VNDR_EMAIL_ADR Software vendor email address</p>
-1021	Consistency	Fatal	<p>The value submitted for FAC_ID is inconsistent with the information stored in iQIES.</p> <p>It must match the FAC_ID in iQIES for the provider. The FAC_ID is the provider's submission ID.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p>
-1022	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the iQIES database. If the values do not match, a warning will be issued.</p> <p>Items: A0100B Facility CMS Certification Number (CCN)</p>
-1025	Consistency	Fatal	<p>For the first record that is submitted to correct or inactivate an existing record, A0055 (correction number) must equal "01". If that correction/inactivation is accepted and if a subsequent correction/inactivation is required A0055 must equal "02", and so on.</p> <p>If the value submitted in A0055 is incorrect, a fatal error will result and the submitted record will be rejected.</p> <p>Items: A0055 Correction number</p>
-1026	Consistency	Fatal	<p>If A0050=[1], then A0055 (correction number) must equal [0].</p> <p>Items: A0055 Correction number</p> <p>A0050 Type of record</p>
-1027	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID</p> <p>SFTWR_VNDR_NAME Software vendor company name</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: SFTWR_VNDR_EMAIL_ADR Software vendor email address SFTWR_PROD_NAME Software product name SFTWR_PROD_VRSN_CD Software product version code A0100A Facility National Provider Identifier (NPI) A0100C State Medicaid provider number A0500A Patient first name A0500B Patient middle initial A0500C Patient last name A0500D Patient name suffix A0600A Social Security Number A0600B Medicare/railroad insurance number A0700 Medicaid number A1110A Preferred language
-1028	Consistency	Fatal	<p>If SFTWR_PROD_NAME=[^], then SFTWR_PROD_VRSN_CD must be equal to [^].</p> Items: SFTWR_PROD_NAME Software product name SFTWR_PROD_VRN_CDS Software product version code
-1029	Consistency	Fatal	<p>If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> Items: SFTWR_PROD_NAME Software product name SFTWR_PROD_VRN_CDS Software product version code
-1030	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [&] (ampersand) [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> Items: SFTWR_VNDR_NAME Software vendor company name SFTWR_PROD_NAME Software product name

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1031	Format	Warning	<p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <p>Items: ITM_SET_VRSN_CD Item set version code SPEC_VRSN_CD Specifications version code</p>
-1033	Consistency	Fatal	<p>A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p>
-1034	Consistency	Fatal	<p>iQIES will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p>Items: ITM_SBST_CD Item subset code</p>
-1036	Consistency	Fatal	<p>If A0050 = [2,3], then A0055 must not be equal to [0].</p> <p>Items: A0055 Correction number A0050 Type of record</p>
-1037	Format	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> <p>Items: A0600B Medicare/railroad insurance number</p>
-1038	Format	Fatal	<p>Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> <p>Items: M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1039	Format	Fatal	<p>Incorrect Medicare Beneficiary Identifier (MBI): This item must conform to the format defined below: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0) The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B and Z) or numeric.</p> <p>Items: A0600B Medicare/railroad insurance number</p>
-3010	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>
-3011	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>
-3012	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3013	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3014	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3015	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3016	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm</p>
-3017	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm</p>
-3018	Consistency	Fatal	<p>If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3019	Consistency	Fatal	<p>(a) If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3020	Consistency	Fatal	<p>If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm</p>
-3021	Consistency	Fatal	<p>(a) If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm</p>
-3025	Consistency	Fatal	<p>If A0250=[01], then A0270 must equal [^].</p> <p>Items: A0250 Reason for Assessment A0270 Discharge date</p>
-3034	Consistency	Fatal	<p>If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> <p>Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm
-3036	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: B0100 Comatose BB0700 Expression of Ideas and Wants (3-day asmt period) BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)
-3039	Consistency	Fatal	<p>a) If GG0110Z=[1], then all active items from GG0110A through GG0110C must equal [0]. b) If GG0110Z=[0], then at least one active item from GG0110A through GG0110C must not be equal to [0]. c) If GG0110Z=[-], then all active items from GG0110A through GG0110C must equal [0,-].</p> Items: GG0110A Manual wheelchair GG0110B Motorized wheelchair and/or scooter GG0110C Mechanical lift GG0110Z None of the above
-3043	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.1***</p> Items: GG0170Q1 Does the patient use a wheelchair and/or scooter GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170RR1 Indicate the type of wheelchair or scooter used GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet GG0170SS1 Indicate the type of wheelchair or scooter used
-3044	Consistency	Fatal	<p>a) If I0050=[5], then I0050A must not be equal to [^]. b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].</p> Items: I0050 Patient primary medical condition I0050A Other medical condition - ICD code
-3049	Consistency	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must be equal to [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^], and at least one of these items must equal [-,1,2].</p> Items: J1800 Any Falls Since Admission

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J1900A Num Falls Since Admission - No injury J1900B Num Falls Since Admission - Injury (except major) J1900C Num Falls Since Admission - Major injury
-3542	Consistency	Fatal	<p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present
-3543	Consistency	Fatal	<p>If M0210=[1], then M0300C1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300C1 Stage 3 pressure ulcers: number present
-3544	Consistency	Fatal	<p>If M0210=[1], then M0300D1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300D1 Stage 4 pressure ulcers: number present
-3545	Consistency	Fatal	<p>If M0210=[1], then M0300E1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300E1 Unstageable due to dressing/device: number present
-3546	Consistency	Fatal	<p>If M0210=[1], then M0300F1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300F1 Unstageable slough/eschar: number present
-3547	Consistency	Fatal	<p>If M0210=[1], then M0300G1 must not equal [^].</p> Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300G1 Unstageable as deep tissue: num present
-3548	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].</p> Items: A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit
-3549	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].</p> Items: A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3550	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3551	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm</p>
-3552	Consistency	Fatal	<p>If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3553	Consistency	Fatal	<p>If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].</p> <p>Items: A0250 Reason for Assessment M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm</p>
-3573	Consistency	Fatal	<p>Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birth date) <= A0220 (admission date) <= A0210 (assessment reference date) = A0270 (discharge date) <= Z0500B (date assessment signed as complete) <= current date</p> <p>Items: A0210 Assessment reference date A0220 Admission date A0270 Discharge date A0900 Birth Date Z0500B Date assessment signed as complete</p>
-3662	Consistency	Fatal	<p>If M0300B1=[1-9], then one of the following must be true: a) M0300B2 must be equal to [-] OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <p>Items: M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>

ID	Type	Severity	Text/Items
-3663	Consistency	Fatal	<p>If M0300C1=[1-9], then one of the following must be true:</p> <ul style="list-style-type: none"> a) M0300C2 must be equal to [-] OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1. <p>Items: M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3664	Consistency	Fatal	<p>If M0300D1=[1-9], then one of the following must be true:</p> <ul style="list-style-type: none"> a) M0300D2 must be equal to [-] OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1. <p>Items: M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3665	Consistency	Fatal	<p>If M0300E1=[1-9], then one of the following must be true:</p> <ul style="list-style-type: none"> a) M0300E2 must be equal to [-] OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1. <p>Items: M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm</p>
-3666	Consistency	Fatal	<p>If M0300F1=[1-9], then one of the following must be true:</p> <ul style="list-style-type: none"> a) M0300F2 must be equal to [-] OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1. <p>Items: M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit</p>
-3667	Consistency	Fatal	<p>If M0300G1=[1-9], then one of the following must be true:</p> <ul style="list-style-type: none"> a) M0300G2 must be equal to [-] OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1. <p>Items: M0300G1 Unstageable as deep tissue: num present M0300G2 Unstageable as deep tissue: num at adm</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3745	Consistency	Fatal	<p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by iQIES, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <p>a) A0220 (admission date) when A0250 = 01</p> <p>b) A0250 (reason for assessment)</p> <p>c) A0270 (discharge date) when A0250 = 10, 11, 12</p> <p>d) A0500A (patient first name)</p> <p>e) A0500C (patient last name)</p> <p>f) A0600A (social security number)</p> <p>g) A0800 (gender)</p> <p>h) A0900 (birth date)</p> <table><tr><td>Items:</td><td>A0220</td><td>Admission date</td></tr><tr><td></td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr><tr><td></td><td>A0500A</td><td>Patient first name</td></tr><tr><td></td><td>A0500C</td><td>Patient last name</td></tr><tr><td></td><td>A0600A</td><td>Social Security Number</td></tr><tr><td></td><td>A0800</td><td>Gender</td></tr><tr><td></td><td>A0900</td><td>Birth Date</td></tr></table>	Items:	A0220	Admission date		A0250	Reason for Assessment		A0270	Discharge date		A0500A	Patient first name		A0500C	Patient last name		A0600A	Social Security Number		A0800	Gender		A0900	Birth Date
Items:	A0220	Admission date																									
	A0250	Reason for Assessment																									
	A0270	Discharge date																									
	A0500A	Patient first name																									
	A0500C	Patient last name																									
	A0600A	Social Security Number																									
	A0800	Gender																									
	A0900	Birth Date																									
-3749	Consistency	Warning	<p>Record Completion Timing Rule</p> <p>The following rule describes allowable spans between pairs of dates. The rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values):</p> <p>Z0500B (completion date) - A0210 (assessment reference date) <= 5 days.</p> <table><tr><td>Items:</td><td>A0210</td><td>Assessment reference date</td></tr><tr><td></td><td>Z0500B</td><td>Date assessment signed as complete</td></tr></table>	Items:	A0210	Assessment reference date		Z0500B	Date assessment signed as complete																		
Items:	A0210	Assessment reference date																									
	Z0500B	Date assessment signed as complete																									
-3790	Consistency	Fatal	<p>If A0250=[10, 11, 12], then A0270 must not equal [^].</p> <table><tr><td>Items:</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>A0270</td><td>Discharge date</td></tr></table>	Items:	A0250	Reason for Assessment		A0270	Discharge date																		
Items:	A0250	Reason for Assessment																									
	A0270	Discharge date																									
-3810	Consistency	Warning	<p>The record was submitted Late.</p> <p>The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.</p> <table><tr><td>Items:</td><td>A0050</td><td>Type of record</td></tr><tr><td></td><td>Z0500B</td><td>Date assessment signed as complete</td></tr></table>	Items:	A0050	Type of record		Z0500B	Date assessment signed as complete																		
Items:	A0050	Type of record																									
	Z0500B	Date assessment signed as complete																									

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES. ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Items: I0050A Other medical condition - ICD code</p>
-3863	Consistency	Warning	<p>If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0].</p> <p>Items: A1400A Payer: Medicare (FFS)</p> <p>A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)</p> <p>A1400C Payer: Medicaid (FFS)</p> <p>A1400D Payer: Medicaid (managed care)</p> <p>A1400E Payer: Workers' compensation</p> <p>A1400F Payer: Title programs</p> <p>A1400G Payer: Other Government</p> <p>A1400H Payer: Private insurance/Medigap</p> <p>A1400I Payer: Private managed care</p> <p>A1400J Payer: Self-pay</p> <p>A1400K Payer: No payer source</p> <p>A1400X Payer: Unknown</p> <p>A1400Y Payer: Other</p>
-3900	Consistency	Warning	<p>A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items: A1110A Preferred language</p> <p>B0100 Comatose</p> <p>B0200 Hearing</p> <p>B1000 Vision</p> <p>BB0700 Expression of Ideas and Wants (3-day asmt period)</p> <p>BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)</p> <p>C0100 Brief Interview for Mental Status</p> <p>C0200 Repetition of three words</p> <p>C0300A Temporal Orientation: Able to report correct year</p> <p>C0300B Temporal Orientation: Able to report correct month</p> <p>C0300C Temporal Orientation: Able to report correct day</p> <p>C0400A Recall: Able to recall "sock"</p> <p>C0400B Recall: Able to recall "blue"</p> <p>C0400C Recall: Able to recall "bed"</p> <p>C0500 BIMS Summary Score</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			C1310A Delirium: Acute Onset Mental Status Change
			C1310B Delirium: Inattention
			C1310C Delirium: Disorganized thinking
			C1310D Delirium: Altered level of consciousness
			D0150A1 Mood: Little interest/pleasure doing things: Pres
			D0150A2 Mood: Little interest/pleasure doing things: Freq
			D0150B1 Mood: Feeling down, depressed, or hopeless: Pres
			D0150B2 Mood: Feeling down, depressed, or hopeless: Freq
			D0150C1 Mood: Trouble falling or staying asleep: Pres
			D0150C2 Mood: Trouble falling or staying asleep: Freq
			D0150D1 Mood: Feeling tired or having little energy: Pres
			D0150D2 Mood: Feeling tired or having little energy: Freq
			D0150E1 Mood: Poor appetite or overeating: Pres
			D0150E2 Mood: Poor appetite or overeating: Freq
			D0150F1 Mood: Feeling bad about yourself: Pres
			D0150F2 Mood: Feeling bad about yourself: Freq
			D0150G1 Mood: Trouble concentrating on things: Pres
			D0150G2 Mood: Trouble concentrating on things: Freq
			D0150H1 Mood: Moving or speaking so slowly: Pres
			D0150H2 Mood: Moving or speaking so slowly: Freq
			D0150I1 Mood: Thoughts of better off dead: Pres
			D0150I2 Mood: Thoughts of better off dead: Freq
			D0160 Total severity score
			GG0130A1 Self-Care (Adm Perf) - Eating
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B1 Self-Care (Adm Perf) - Oral hygiene
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C1 Self-Care (Adm Perf) - Toileting hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130D1 Self-Care (Adm Perf) - Wash upper body
			GG0130D3 Self-Care (Dschg Perf) - Wash upper body
			GG0170A1 Func Mobil (Adm Perf) - Roll left and right
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B1 Func Mobil (Adm Perf) - Sit to lying
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C1 Func Mobil (Adm Perf) - Lying to sitting on side
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D1 Func Mobil (Adm Perf) - Sit to stand
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand
			GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans
			GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			GG0170F1 Func Mobil (Adm Perf) - Toilet transfer
			GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			GG0170G1 Func Mobil (Adm Perf) - Car Transfer
			GG0170G3 Mobil Perf (Dischrg Perf) - Car Transfer
			GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet
			GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
			GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
			GG0170L1 Func Mobil (Adm Perf) - Walking 10ft uneven surf
			GG0170L3 Func Mobil (Dschg Perf) - Walk 10ft uneven surf
			GG0170M1 Func Mobil (Adm Perf) - 1 step (curb)
			GG0170M3 Func Mobil (Dschg Perf) - 1 step (curb)
			GG0170N1 Func Mobil (Adm Perf) - 4 steps
			GG0170N3 Func Mobil (Dschg Perf) - 4 steps
			GG0170O1 Func Mobil (Adm Perf) - 12 steps
			GG0170O3 Func Mobil (Dschg Perf) - 12 steps
			GG0170P1 Func Mobil (Adm Perf) - Picking up an object
			GG0170P3 Func Mobil (Dschg Perf) - Picking up an object
			GG0170Q1 Does the patient use a wheelchair and/or scooter
			GG0170Q3 Does the patient use a wheelchair and/or scooter
			GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
			GG0170RR1 Indicate the type of wheelchair or scooter used
			GG0170RR3 Indicate the type of wheelchair or scooter used
			GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet
			GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet
			GG0170SS1 Indicate the type of wheelchair or scooter used
			GG0170SS3 Indicate the type of wheelchair or scooter used.
			H0350 Bladder continence
			H0400 Bowel continence
			I0900 Peripheral vascular disease (PVD) or PAD
			I2900 Diabetes mellitus (DM)
			J1900C Num Falls Since Admission - Major injury
			K0200A Height (in inches)
			K0200B Weight (in pounds)
			K0520A1 Nutritional Approaches (Admission): Parenteral
			K0520A4 Nutritional Approaches (7 days): Parenteral
			K0520A5 Nutritional Approaches (Discharge): Parenteral
			K0520B1 Nutritional Approaches (Admission): Feeding tube
			K0520B4 Nutritional Approaches (7 days): Feeding tube
			K0520B5 Nutritional Approaches (Discharge): Feeding Tube
			K0520C1 Nutritional Approaches (Admission) : Mech Alt Diet
			K0520C4 Nutritional Approaches (7 days): Mech Alt Diet

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			K0520C5 Nutritional Approaches (Discharge): Mech Alt Diet
			K0520D1 Nutritional Approaches (Admission) : Therapeutic
			K0520D4 Nutritional Approaches (7 day): Therapeutic
			K0520D5 Nutritional Approaches (Discharge): Therapeutic
			K0520Z1 Nutritional Approaches (Admission) : None
			K0520Z4 Nutritional Approaches (7 days): None
			K0520Z5 Nutritional Approaches (Discharge): None
			M0300B1 Stage 2 pressure ulcers: number present
			M0300B2 Stage 2 pressure ulcers: number at admit
			M0300C1 Stage 3 pressure ulcers: number present
			M0300C2 Stage 3 pressure ulcers: number at admit
			M0300D1 Stage 4 pressure ulcers: number present
			M0300D2 Stage 4 pressure ulcers: number at admit
			M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
			N0415A1 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2 High-Risk Drug (Indication) : Antipsychotic
			N0415E1 High-Risk Drug (Is taking): Anticoagulant
			N0415E2 High-Risk Drug (Indication): Anticoagulant
			N0415F1 High-Risk Drug (Is taking): Antibiotic
			N0415F2 High-Risk Drug (Indication): Antibiotic
			N0415H1 High-Risk Drug (Is taking): Opioid
			N0415H2 High-Drug Risk (Indication): Opioid
			N0415I1 High-Risk Drug (Is taking): Antiplatelet
			N0415I2 High-Risk Drug (Indication): Antiplatelet
			N0415J1 High-Risk Drug (Is taking): Hypoglycemic
			N0415J2 High-Risk Drug (Indication): Hypoglycemic
			N0415Z1 High-Risk Drug (Is taking): None of the above
			N2001 Drug Regimen Review
			N2003 Medication Follow-up
			N2005 Medication Intervention
			O0110A1A Treatment: Chemotherapy (Admission)
			O0110A1C Treatment: Chemotherapy (Discharge)
			O0110A2A Treatment: Chemo - IV (Admission)
			O0110A2C Treatment: Chemo - IV (Discharge)
			O0110A3A Treatment: Chemo - Oral (Admission)
			O0110A3C Treatment: Chemo - Oral (Discharge)
			O0110A10A Treatment: Chemo - Other (Admission)
			O0110A10C Treatment: Chemo - Other (Discharge)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			00110B1A Treatment: Radiation (Admission)
			00110B1C Treatment: Radiation (Discharge)
			00110C1A Therapies: Oxygen Therapy (Admission)
			00110C1C Therapies: Oxygen Therapy (Discharge)
			00110C2A Therapies: Oxygen - Continuous (Admission)
			00110C2C Therapies: Oxygen - Continuous (Discharge)
			00110C3A Therapies: Oxygen - Intermittent (Admission)
			00110C3C Therapies: Oxygen - Intermittent (Discharge)
			00110C4A Therapies: Oxygen - High-concentration (Admission)
			00110C4C Therapies: Oxygen - High-concentration (Discharge)
			00110D1A Therapies: Suctioning (Admission)
			00110D1C Therapies: Suctioning (Discharge)
			00110D2A Therapies: Suctioning - Scheduled (Admission)
			00110D2C Therapies: Suctioning - Scheduled (Discharge)
			00110D3A Therapies: Suctioning - As Needed (Admission)
			00110D3C Therapies: Suctioning - As Needed (Discharge)
			00110E1A Therapies: Tracheostomy Care (Admission)
			00110E1C Therapies: Tracheostomy Care (Discharge)
			00110F1C Therapies: Invasive Mechanical Ventilator (Disch)
			00110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)
			00110G1C Therapies: Non-Invas Mechanical Ventilator (Disch)
			00110G2A Therapies: BiPAP (Admission)
			00110G2C Therapies: BiPAP (Discharge)
			00110G3A Therapies: CPAP (Admission)
			00110G3C Therapies: CPAP (Discharge)
			00110H1A Other: IV Medications (Admission)
			00110H1C Other: IV Medications (Discharge)
			00110H2A Other: IV - Vasoactive medications (Admission)
			00110H2C Other: IV - Vasoactive medications (Discharge)
			00110H3A Other: IV - Antibiotics (Admission)
			00110H3C Other: IV - Antibiotics (Discharge)
			00110H4A Other: IV - Anticoagulation (Admission)
			00110H4C Other: IV - Anticoagulation (Discharge)
			00110H10A Other: IV - Other (Admission)
			00110H10C Other: IV - Other (Discharge)
			00110I1A Other: Transfusions (Admission)
			00110I1C Other: Transfusions (Discharge)
			00110J1A Other: Dialysis (Admission)
			00110J1C Other: Dialysis (Discharge)
			00110J2A Other: Hemodialysis (Admission)
			00110J2C Other: Hemodialysis (Discharge)
			00110J3A Other: Peritoneal dialysis (Admission)
			00110J3C Other: Peritoneal dialysis (Discharge)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O011001A Other: IV Access (Admission) O011001C Other: IV Access (Discharge) O011002A Other: IV Access - Peripheral (Admission) O011002C Other: IV Access - Peripheral (Discharge) O011003A Other: IV Access - Midline (Admission) O011003C Other: IV Access - Midline (Discharge) O011004A Other: IV Access - Central (Admission) O011004C Other: IV Access - Central (Discharge) O0110Z1A Other: None of the above (Admission) O0110Z1C Other: None of the above (Discharge) O0150A SBT: Invasive Mechanical Ventilation Support O0150A2 SBT: Ventilator Weaning Status O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2 O0200A Invasive Mechanical Ventilator - Liberation Status
-3924	Format	Fatal	The CMS Certification Number (CCN) must be exactly 6 characters in length. Items: A0100B Facility CMS Certification Number (CCN)
-3932	Consistency	Fatal	***THIS EDIT WAS DELETED IN V4.00.0*** Items: B0100 Comatose
-3933	Consistency	Warning	***THIS EDIT WAS DELETED IN V4.00.0*** Items: GG0130A2 Self-Care (Dschg Goal) - Eating GG0130B2 Self-Care (Dschg Goal) - Oral hygiene GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene GG0130D2 Self-Care (Dschg Goal) - Wash upper body GG0170A2 Func Mobil (Dschg Goal) - Roll left and right GG0170B2 Func Mobil (Dschg Goal) - Sit to lying GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side GG0170D2 Func Mobil (Dschg Goal) - Sit to stand GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer GG0170G2 Func Mobil (Dschg Goal) - Car Transfer GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet GG0170L2 Func Mobil (Dschg Goal) - Walk 10ft uneven surf GG0170M2 Func Mobil (Dschg Goal) - 1 step (crub)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170N2 Func Mobil (Dschg Goal) - 4 steps GG0170O2 Func Mobil (Dschg Goal) - 12 steps GG0170P2 Func Mobil (Dschg Goal) - Picking up an object GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
-3936	Consistency	Fatal	<p>If GG0170Q1=[-], then all active items from GG0170R1 through GG0170SS1 must be equal to [-].</p> Items: GG0170Q1 Does the patient use a wheelchair and/or scooter GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170RR1 Indicate the type of wheelchair or scooter used GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet GG0170SS1 Indicate the type of wheelchair or scooter used
-3937	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.1***</p> Items: GG0170Q3 Does the patient use a wheelchair and/or scooter GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns GG0170RR3 Indicate the type of wheelchair or scooter used GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet GG0170SS3 Indicate the type of wheelchair or scooter used.
-3938	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: A0250 Reason for Assessment
-3940	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
-3941	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
-3942	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: I0103 Metastatic Cancer I0104 Severe Cancer I0605 Severe Left Systolic/Ventricular Dysfunction I0900 Peripheral vascular disease (PVD) or PAD I1501 Chronic Kidney Disease, Stage 5

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: I1502 Acute Renal Failure I2101 Septicemia, Sepsis, Systemic Inflammatory Response I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect I2900 Diabetes mellitus (DM) I4100 Major Lower Limb Amputation I4501 Stroke I4801 Dementia I4900 Hemiplegia or Hemiparesis I5000 Paraplegia I5101 Complete Tetraplegia I5102 Incomplete Tetraplegia I5110 Other Spinal Cord Disorder/Injury I5200 Multiple Sclerosis (MS) I5250 Huntington's Disease I5300 Parkinson's Disease I5450 Amyotrophic Lateral Sclerosis I5455 Other Progressive Neuromuscular Disease I5460 Locked-In State I5470 Severe Anoxic Brain Damage, Cerebral Edema I5480 Other Severe Neurological Injury-Disease-Dysfunc I5601 Malnutrition I7100 Lung Transplant I7101 Heart Transplant I7102 Liver Transplant I7103 Kidney Transplant I7104 Bone Marrow Transplant I7900 None of the Above
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit M0300E1 Unstageable due to dressing/device: number present M0300E2 Unstageable due to dressing/device: number at adm M0300F1 Unstageable slough/eschar: number present M0300F2 Unstageable slough/eschar: number at admit M0300G1 Unstageable as deep tissue: num present

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300G2 Unstageable as deep tissue: num at adm
-3944	Consistency	Fatal	<p>a) If N2001=[0,9], then N2003 must be equal to [^]. b) If N2001=[1], then N2003 must not be equal to [^]. c) If N2001=[-], then N2003 must be equal to [-].</p> Items: N2001 Drug Regimen Review N2003 Medication Follow-up
-3947	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> Items: O0150A SBT: Invasive Mechanical Ventilation Support O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-3948	Consistency	Fatal	<p>(a) If O0150B=[0], then all active items from O0150C through O0150E must equal [^]. (b) If O0150B=[1], then O0150C must not equal [^]. (c) If O0150B=[-], then all active items from O0150C through O0150E must equal [-].</p> Items: O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-3949	Consistency	Fatal	<p>(a) If O0150C=[0], then O0150D must not equal [^]. (b) If O0150C=[1], then O0150D must equal [^]. (c) If O0150C=[-], then O0150D must equal [-].</p> Items: O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready
-3950	Consistency	Fatal	<p>(a) If O0150D=[0,1], then O0150E must equal [^]. (b) If O0150D=[-], then O0150E must equal [-].</p> Items: O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-3952	Format	Warning	<p>The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.</p> Items: K0200A Height (in inches)
-3953	Format	Warning	<p>The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.</p> Items: K0200B Weight (in pounds)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																											
-3954	Consistency	Warning	<p>Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <table><tr><td>Items:</td><td>A0250</td><td>Reason for Assessment</td></tr><tr><td></td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr><tr><td></td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300E1</td><td>Unstageable due to dressing/device: number present</td></tr><tr><td></td><td>M0300F1</td><td>Unstageable slough/eschar: number present</td></tr><tr><td></td><td>M0300G1</td><td>Unstageable as deep tissue: num present</td></tr></table>	Items:	A0250	Reason for Assessment		M0300B1	Stage 2 pressure ulcers: number present		M0300C1	Stage 3 pressure ulcers: number present		M0300D1	Stage 4 pressure ulcers: number present		M0300E1	Unstageable due to dressing/device: number present		M0300F1	Unstageable slough/eschar: number present		M0300G1	Unstageable as deep tissue: num present						
Items:	A0250	Reason for Assessment																												
	M0300B1	Stage 2 pressure ulcers: number present																												
	M0300C1	Stage 3 pressure ulcers: number present																												
	M0300D1	Stage 4 pressure ulcers: number present																												
	M0300E1	Unstageable due to dressing/device: number present																												
	M0300F1	Unstageable slough/eschar: number present																												
	M0300G1	Unstageable as deep tissue: num present																												
-3955	Consistency	Fatal	<p>(a) If C0100=[0], then all active items from C0200 through C0500 must equal [^].</p> <p>(b) If C0100=[1], then all active items from C0200 through C0500 must not equal [^].</p> <p>(c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].</p> <table><tr><td>Items:</td><td>C0100</td><td>Brief Interview for Mental Status</td></tr><tr><td></td><td>C0200</td><td>Repetition of three words</td></tr><tr><td></td><td>C0300A</td><td>Temporal Orientation: Able to report correct year</td></tr><tr><td></td><td>C0300B</td><td>Temporal Orientation: Able to report correct month</td></tr><tr><td></td><td>C0300C</td><td>Temporal Orientation: Able to report correct day</td></tr><tr><td></td><td>C0400A</td><td>Recall: Able to recall "sock"</td></tr><tr><td></td><td>C0400B</td><td>Recall: Able to recall "blue"</td></tr><tr><td></td><td>C0400C</td><td>Recall: Able to recall "bed"</td></tr><tr><td></td><td>C0500</td><td>BIMS Summary Score</td></tr></table>	Items:	C0100	Brief Interview for Mental Status		C0200	Repetition of three words		C0300A	Temporal Orientation: Able to report correct year		C0300B	Temporal Orientation: Able to report correct month		C0300C	Temporal Orientation: Able to report correct day		C0400A	Recall: Able to recall "sock"		C0400B	Recall: Able to recall "blue"		C0400C	Recall: Able to recall "bed"		C0500	BIMS Summary Score
Items:	C0100	Brief Interview for Mental Status																												
	C0200	Repetition of three words																												
	C0300A	Temporal Orientation: Able to report correct year																												
	C0300B	Temporal Orientation: Able to report correct month																												
	C0300C	Temporal Orientation: Able to report correct day																												
	C0400A	Recall: Able to recall "sock"																												
	C0400B	Recall: Able to recall "blue"																												
	C0400C	Recall: Able to recall "bed"																												
	C0500	BIMS Summary Score																												
-3956	Consistency	Fatal	<p>(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0].</p> <p>(b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].</p> <table><tr><td>Items:</td><td>O0110H1A</td><td>Other: IV Medications (Admission)</td></tr><tr><td></td><td>O0110H2A</td><td>Other: IV - Vasoactive medications (Admission)</td></tr><tr><td></td><td>O0110H3A</td><td>Other: IV - Antibiotics (Admission)</td></tr><tr><td></td><td>O0110H4A</td><td>Other: IV - Anticoagulation (Admission)</td></tr><tr><td></td><td>O0110H10A</td><td>Other: IV - Other (Admission)</td></tr></table>	Items:	O0110H1A	Other: IV Medications (Admission)		O0110H2A	Other: IV - Vasoactive medications (Admission)		O0110H3A	Other: IV - Antibiotics (Admission)		O0110H4A	Other: IV - Anticoagulation (Admission)		O0110H10A	Other: IV - Other (Admission)												
Items:	O0110H1A	Other: IV Medications (Admission)																												
	O0110H2A	Other: IV - Vasoactive medications (Admission)																												
	O0110H3A	Other: IV - Antibiotics (Admission)																												
	O0110H4A	Other: IV - Anticoagulation (Admission)																												
	O0110H10A	Other: IV - Other (Admission)																												
-3957	Skip	Fatal	<p>(a) If GG0170F1=[07,09,10,88] then GG0170G1 must equal [^].</p> <p>(b) If GG0170F1=[01,02,03,04,05,06] then GG0170G1 must not equal [^].</p> <p>(c) If GG0170F1=[-] then GG0170G1 must equal [-].</p> <table><tr><td>Items:</td><td>GG0170F1</td><td>Func Mobil (Adm Perf) - Toilet transfer</td></tr><tr><td></td><td>GG0170G1</td><td>Func Mobil (Adm Perf) - Car Transfer</td></tr></table>	Items:	GG0170F1	Func Mobil (Adm Perf) - Toilet transfer		GG0170G1	Func Mobil (Adm Perf) - Car Transfer																					
Items:	GG0170F1	Func Mobil (Adm Perf) - Toilet transfer																												
	GG0170G1	Func Mobil (Adm Perf) - Car Transfer																												

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items								
-3958	Consistency	Fatal	<p>(a) If GG0170I1=[07,09,10,88], then the following items must equal [^]: GG0170J1, GG0170K1, GG0170L1.</p> <p>(b) If GG0170I1=[01,02,03,04,05,06], then the following items must not equal [^]: GG0170J1, GG0170K1, GG0170L1.</p> <p>(c) If GG0170I1=[-], then the following items must equal [-]: GG0170J1, GG0170K1, GG0170L1.</p> <p>Items:</p> <table><tr><td>GG0170I1</td><td>Func Mobil (Adm Perf) - Walk 10 feet</td></tr><tr><td>GG0170J1</td><td>Func Mobil (Adm Perf) - Walk 50 feet w/2 turns</td></tr><tr><td>GG0170K1</td><td>Func Mobil (Adm Perf) - Walk 150 feet</td></tr><tr><td>GG0170L1</td><td>Func Mobil (Adm Perf) - Walking 10ft uneven surf</td></tr></table>	GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet	GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns	GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet	GG0170L1	Func Mobil (Adm Perf) - Walking 10ft uneven surf
GG0170I1	Func Mobil (Adm Perf) - Walk 10 feet										
GG0170J1	Func Mobil (Adm Perf) - Walk 50 feet w/2 turns										
GG0170K1	Func Mobil (Adm Perf) - Walk 150 feet										
GG0170L1	Func Mobil (Adm Perf) - Walking 10ft uneven surf										
-3959	Consistency	Fatal	<p>(a) If GG0170I3=[07,09,10,88], then the following items must equal [^]: GG0170J3, GG0170K3, GG0170L3.</p> <p>(b) If GG0170I3=[01,02,03,04,05,06], then the following items must not equal [^]: GG0170J3, GG0170K3, GG0170L3.</p> <p>(c) If GG0170I3=[-], then the following items must equal [-]: GG0170J3, GG0170K3, GG0170L3.</p> <p>Items:</p> <table><tr><td>GG0170I3</td><td>Func Mobil (Dschg Perf) - Walk 10 feet</td></tr><tr><td>GG0170J3</td><td>Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns</td></tr><tr><td>GG0170K3</td><td>Func Mobil (Dschg Perf) - Walk 150 feet</td></tr><tr><td>GG0170L3</td><td>Func Mobil (Dschg Perf) - Walk 10ft uneven surf</td></tr></table>	GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet	GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns	GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet	GG0170L3	Func Mobil (Dschg Perf) - Walk 10ft uneven surf
GG0170I3	Func Mobil (Dschg Perf) - Walk 10 feet										
GG0170J3	Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns										
GG0170K3	Func Mobil (Dschg Perf) - Walk 150 feet										
GG0170L3	Func Mobil (Dschg Perf) - Walk 10ft uneven surf										
-3960	Consistency	Fatal	<p>(a) If GG0170M1=[07,09,10,88], then GG0170N1 and GG0170O1 must equal [^].</p> <p>(b) If GG0170M1=[01,02,03,04,05,06], then GG0170N1 and GG0170O1 must not equal [^].</p> <p>(c) If GG0170M1=[-], then GG0170N1 and GG0170O1 must equal [-].</p> <p>Items:</p> <table><tr><td>GG0170M1</td><td>Func Mobil (Adm Perf) - 1 step (curb)</td></tr><tr><td>GG0170N1</td><td>Func Mobil (Adm Perf) - 4 steps</td></tr><tr><td>GG0170O1</td><td>Func Mobil (Adm Perf) - 12 steps</td></tr></table>	GG0170M1	Func Mobil (Adm Perf) - 1 step (curb)	GG0170N1	Func Mobil (Adm Perf) - 4 steps	GG0170O1	Func Mobil (Adm Perf) - 12 steps		
GG0170M1	Func Mobil (Adm Perf) - 1 step (curb)										
GG0170N1	Func Mobil (Adm Perf) - 4 steps										
GG0170O1	Func Mobil (Adm Perf) - 12 steps										
-3961	Consistency	Fatal	<p>(a) If GG0170M3=[07,09,10,88], then GG0170N3 and GG0170O3 must equal [^].</p> <p>(b) If GG0170M3=[01,02,03,04,05,06], then GG0170N3 and GG0170O3 must not equal [^].</p> <p>(c) If GG0170M3=[-], then GG0170N3 and GG0170O3 must equal [-].</p> <p>Items:</p> <table><tr><td>GG0170M3</td><td>Func Mobil (Dschg Perf) - 1 step (curb)</td></tr><tr><td>GG0170N3</td><td>Func Mobil (Dschg Perf) - 4 steps</td></tr><tr><td>GG0170O3</td><td>Func Mobil (Dschg Perf) - 12 steps</td></tr></table>	GG0170M3	Func Mobil (Dschg Perf) - 1 step (curb)	GG0170N3	Func Mobil (Dschg Perf) - 4 steps	GG0170O3	Func Mobil (Dschg Perf) - 12 steps		
GG0170M3	Func Mobil (Dschg Perf) - 1 step (curb)										
GG0170N3	Func Mobil (Dschg Perf) - 4 steps										
GG0170O3	Func Mobil (Dschg Perf) - 12 steps										
-3962	Consistency	Fatal	<p>(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^].</p> <p>(b) If GG0170N1=[01,02,03,04,05,06], then GG0170O1 must not equal [^].</p> <p>(c) If GG0170N1=[-], then GG0170O1 must equal [-].</p> <p>Items:</p> <table><tr><td>GG0170N1</td><td>Func Mobil (Adm Perf) - 4 steps</td></tr><tr><td>GG0170O1</td><td>Func Mobil (Adm Perf) - 12 steps</td></tr></table>	GG0170N1	Func Mobil (Adm Perf) - 4 steps	GG0170O1	Func Mobil (Adm Perf) - 12 steps				
GG0170N1	Func Mobil (Adm Perf) - 4 steps										
GG0170O1	Func Mobil (Adm Perf) - 12 steps										

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3963	Consistency	Fatal	<p>(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^].</p> <p>(b) If GG0170N3=[01,02,03,04,05,06], then GG0170O3 must not equal [^].</p> <p>(c) If GG0170N3=[-], then GG0170O3 must equal [-].</p> <p>Items: GG0170N3 Func Mobil (Dschg Perf) - 4 steps</p> <p>GG0170O3 Func Mobil (Dschg Perf) - 12 steps</p>
-3964	Consistency	Fatal	<p>(a) If J0510=[0], then the following items J0520 and J0530 must equal [^].</p> <p>(b) If J0510=[1,2,3,4,8], then the following items J0520 and J0530 must not equal [^].</p> <p>Items: J0510 Pain Effect on Sleep</p> <p>J0520 Pain Interference with Therapy Activities</p> <p>J0530 Pain Interference with Day-to-Day Activities</p>
-3966	Consistency	Fatal	<p>(a) At least one active item from A1250A to A1250C must equal [1].</p> <p>(b) If A1250A=[1] or A1250B=[1], then A1250C and A1250Y must equal [0].</p> <p>(c) If A1250C=[1], then A1250A and A1250B must equal [0].</p> <p>(d) If A1250X=[1], then A1250Y must equal [0].</p> <p>(e) If A1250Y=[1], then the following items must equal [0]: A1250A, A1250B, A1250C, A1250X.</p> <p>Items: A1250A Transportation: Yes, medical</p> <p>A1250B Transportation: Yes, non-medical</p> <p>A1250C Transportation: No</p> <p>A1250X Transportation: Patient unable to respond</p> <p>A1250Y Transportation: Patient declines to respond</p>
-3967	Consistency	Fatal	<p>(a) At least one active item from A1010A through A1010Z must equal [1].</p> <p>(b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0].</p> <p>(c) If A1010X=[1], then A1010Y must equal [0].</p> <p>(d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0].</p> <p>(e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].</p> <p>Items: A1010A Race: White</p> <p>A1010B Race: Black or African American</p> <p>A1010C Race: American Indian or Alaska Native</p> <p>A1010D Race: Asian Indian</p> <p>A1010E Race: Chinese</p> <p>A1010F Race: Filipino</p> <p>A1010G Race: Japanese</p> <p>A1010H Race: Korean</p> <p>A1010I Race: Vietnamese</p> <p>A1010J Race: Other Asian</p> <p>A1010K Race: Native Hawaiian</p> <p>A1010L Race: Guamanian or Chamorro</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1010M Race: Samoan A1010N Race: Other Pacific Islander A1010X Race: Patient unable to respond A1010Y Race: Patient declines to respond A1010Z Race: None of the above
-3969	Skip	Fatal	<p>(a) If A2121=[0], then all active items from A2122A through A2122E must equal [^]. (b) If A2121=[1], then all active items from A2122A through A2122E must not equal [^]. (c) If A2121=[1], then at least one active item from A2122A through A2122E must equal [1].</p> Items: A2121 Current Reconciled Medication List - Provider A2122A Provider Trans - Electronic Health Record A2122B Provider Trans - Health Info Exchange A2122C Provider Trans - Verbal A2122D Provider Trans - Paper-based A2122E Provider Trans - Other Methods
-3970	Skip	Fatal	<p>(a) If A2123=[0], then all active items from A2124A through A2124E must equal [^]. (b) If A2123=[1], then all active items from A2124A through A2124E must not equal [^]. (c) If A2123=[1], then at least one active item from A2124A through A2124E must equal [1].</p> Items: A2123 Current Reconciled Medication List - Ptnt/Fam/Care A2124A Patient Trans - Electronic Health Record A2124B Patient Trans - Health Info Exchange A2124C Patient Trans - Verbal A2124D Patient Trans - Paper-based A2124E Patient Trans - Other Methods
-3971	Skip	Fatal	<p>If A0250=[11], then all active items from C1310A through C1310D must not be equal to [^].</p> Items: A0250 Reason for Assessment C1310A Delirium: Acute Onset Mental Status Change C1310B Delirium: Inattention C1310C Delirium: Disorganized thinking C1310D Delirium: Altered level of consciousness
-3972	Skip	Fatal	<p>If B0100=[1], then all active fields from B0200 through D0700 must equal [^].</p> Items: B0100 Comatose B0200 Hearing B1000 Vision B1300 Health Literacy BB0700 Expression of Ideas and Wants (3-day asmt period) BB0800 Understand Verbal/Non-Verbal Content (3-day asmt) C0100 Brief Interview for Mental Status

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: C0200 Repetition of three words C0300A Temporal Orientation: Able to report correct year C0300B Temporal Orientation: Able to report correct month C0300C Temporal Orientation: Able to report correct day C0400A Recall: Able to recall "sock" C0400B Recall: Able to recall "blue" C0400C Recall: Able to recall "bed" C0500 BIMS Summary Score C1310A Delirium: Acute Onset Mental Status Change C1310B Delirium: Inattention C1310C Delirium: Disorganized thinking C1310D Delirium: Altered level of consciousness D0150A1 Mood: Little interest/pleasure doing things: Pres D0150A2 Mood: Little interest/pleasure doing things: Freq D0150B1 Mood: Feeling down, depressed, or hopeless: Pres D0150B2 Mood: Feeling down, depressed, or hopeless: Freq D0150C1 Mood: Trouble falling or staying asleep: Pres D0150C2 Mood: Trouble falling or staying asleep: Freq D0150D1 Mood: Feeling tired or having little energy: Pres D0150D2 Mood: Feeling tired or having little energy: Freq D0150E1 Mood: Poor appetite or overeating: Pres D0150E2 Mood: Poor appetite or overeating: Freq D0150F1 Mood: Feeling bad about yourself: Pres D0150F2 Mood: Feeling bad about yourself: Freq D0150G1 Mood: Trouble concentrating on things: Pres D0150G2 Mood: Trouble concentrating on things: Freq D0150H1 Mood: Moving or speaking so slowly: Pres D0150H2 Mood: Moving or speaking so slowly: Freq D0150I1 Mood: Thoughts of better off dead: Pres D0150I2 Mood: Thoughts of better off dead: Freq D0160 Total severity score D0700 Social Isolation
-3973	Consistency	Fatal	<p>(a) If D0150A1=[0], then D0150A2 must equal [0]. (b) If D0150A1=[1], then D0150A2 must equal [0,1,2,3]. (c) If D0150A1=[9], then D0150A2 must equal [^]. (d) If D0150A1=[-], then D0150A2 must equal [-].</p> Items: D0150A1 Mood: Little interest/pleasure doing things: Pres D0150A2 Mood: Little interest/pleasure doing things: Freq

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3974	Consistency	Fatal	<p>(a) If D0150B1=[0], then D0150B2 must equal [0]. (b) If D0150B1=[1], then D0150B2 must equal [0,1,2,3]. (c) If D0150B1=[9], then D0150B2 must equal [^]. (d) If D0150B1=[-], then D0150B2 must equal [-].</p> <p>Items: D0150B1 Mood: Feeling down, depressed, or hopeless: Pres D0150B2 Mood: Feeling down, depressed, or hopeless: Freq</p>
-3975	Consistency	Fatal	<p>(a) If D0150C1=[0], then D0150C2 must equal [0]. (b) If D0150C1=[1], then D0150C2 must equal [0,1,2,3]. (c) If D0150C1=[9,^], then D0150C2 must equal [^]. (d) If D0150C1=[-], then D0150C2 must equal [-].</p> <p>Items: D0150C1 Mood: Trouble falling or staying asleep: Pres D0150C2 Mood: Trouble falling or staying asleep: Freq</p>
-3976	Consistency	Fatal	<p>(a) If D0150D1=[0], then D0150D2 must equal [0]. (b) If D0150D1=[1], then D0150D2 must equal [0,1,2,3]. (c) If D0150D1=[9,^], then D0150D2 must equal [^]. (d) If D0150D1=[-], then D0150D2 must equal [-].</p> <p>Items: D0150D1 Mood: Feeling tired or having little energy: Pres D0150D2 Mood: Feeling tired or having little energy: Freq</p>
-3977	Consistency	Fatal	<p>(a) If D0150E1=[0], then D0150E2 must equal [0]. (b) If D0150E1=[1], then D0150E2 must equal [0,1,2,3]. (c) If D0150E1=[9,^], then D0150E2 must equal [^]. (d) If D0150E1=[-], then D0150E2 must equal [-].</p> <p>Items: D0150E1 Mood: Poor appetite or overeating: Pres D0150E2 Mood: Poor appetite or overeating: Freq</p>
-3978	Consistency	Fatal	<p>(a) If D0150F1=[0], then D0150F2 must equal [0]. (b) If D0150F1=[1], then D0150F2 must equal [0,1,2,3]. (c) If D0150F1=[9,^], then D0150F2 must equal [^]. (d) If D0150F1=[-], then D0150F2 must equal [-].</p> <p>Items: D0150F1 Mood: Feeling bad about yourself: Pres D0150F2 Mood: Feeling bad about yourself: Freq</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3979	Consistency	Fatal	<p>(a) If D0150G1=[0], then D0150G2 must equal [0].</p> <p>(b) If D0150G1=[1], then D0150G2 must equal [0,1,2,3].</p> <p>(c) If D0150G1=[9,^], then D0150G2 must equal [^].</p> <p>(d) If D0150G1=[-], then D0150G2 must equal [-].</p> <p>Items: D0150G1 Mood: Trouble concentrating on things: Pres</p> <p>D0150G2 Mood: Trouble concentrating on things: Freq</p>
-3980	Consistency	Fatal	<p>(a) If D0150H1=[0], then D0150H2 must equal [0].</p> <p>(b) If D0150H1=[1], then D0150H2 must equal [0,1,2,3].</p> <p>(c) If D0150H1=[9,^], then D0150H2 must equal [^].</p> <p>(d) If D0150H1=[-], then D0150H2 must equal [-].</p> <p>Items: D0150H1 Mood: Moving or speaking so slowly: Pres</p> <p>D0150H2 Mood: Moving or speaking so slowly: Freq</p>
-3981	Consistency	Fatal	<p>(a) If D0150I1=[0], then D0150I2 must equal [0].</p> <p>(b) If D0150I1=[1], then D0150I2 must equal [0,1,2,3].</p> <p>(c) If D0150I1=[9,^], then D0150I2 must equal [^].</p> <p>(d) If D0150I1=[-], then D0150I2 must equal [-].</p> <p>Items: D0150I1 Mood: Thoughts of better off dead: Pres</p> <p>D0150I2 Mood: Thoughts of better off dead: Freq</p>
-3982	Consistency	Fatal	<p>(a) If D0150A2 and D0150B2 = [0,1,^,-], then the following active items must equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1.</p> <p>(b) If D0150A2 or D0150B2 = [2,3], then the following active items must not equal [^]: D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1</p> <p>Items: D0150A2 Mood: Little interest/pleasure doing things: Freq</p> <p>D0150B2 Mood: Feeling down, depressed, or hopeless: Freq</p> <p>D0150C1 Mood: Trouble falling or staying asleep: Pres</p> <p>D0150D1 Mood: Feeling tired or having little energy: Pres</p> <p>D0150E1 Mood: Poor appetite or overeating: Pres</p> <p>D0150F1 Mood: Feeling bad about yourself: Pres</p> <p>D0150G1 Mood: Trouble concentrating on things: Pres</p> <p>D0150H1 Mood: Moving or speaking so slowly: Pres</p> <p>D0150I1 Mood: Thoughts of better off dead: Pres</p>
-3983	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash.</p> <p>a) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer.</p> <p>c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer.</p> <p>d) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^,-] and B0100 is equal to [0], then D0160 must equal [99].</p> <p>Items: D0150A2 Mood: Little interest/pleasure doing things: Freq D0150B2 Mood: Feeling down, depressed, or hopeless: Freq D0150C2 Mood: Trouble falling or staying asleep: Freq D0150D2 Mood: Feeling tired or having little energy: Freq D0150E2 Mood: Poor appetite or overeating: Freq D0150F2 Mood: Feeling bad about yourself: Freq D0150G2 Mood: Trouble concentrating on things: Freq D0150H2 Mood: Moving or speaking so slowly: Freq D0150I2 Mood: Thoughts of better off dead: Freq D0160 Total severity score</p>
-3984	Consistency	Fatal	<p>(a) If K0520Z1=[1], then all active items from K0520A1 through K0520D1 must equal [0].</p> <p>(b) If K0520Z1=[0], then at least one active item from K0520A1 through K0520D1 must equal [1].</p> <p>(c) If K0520Z1 = [-], then at least one active item from K0520A1 through K0520D1</p> <p>Items: K0520A1 Nutritional Approaches (Admission): Parenteral K0520B1 Nutritional Approaches (Admission): Feeding tube K0520C1 Nutritional Approaches (Admission) : Mech Alt Diet K0520D1 Nutritional Approaches (Admission) : Therapeutic K0520Z1 Nutritional Approaches (Admission) : None</p>
-3985	Consistency	Fatal	<p>(a) If K0520Z4=[1], then the following items must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4.</p> <p>(b) If K0520Z4=[0], then at least one of the following items must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4.</p> <p>(c) If K0520Z4 = [-], then at least one of the following items must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4).</p> <p>Items: K0520A4 Nutritional Approaches (7 days): Parenteral K0520B4 Nutritional Approaches (7 days): Feeding tube K0520C4 Nutritional Approaches (7 days): Mech Alt Diet K0520D4 Nutritional Approaches (7 day): Therapeutic K0520Z4 Nutritional Approaches (7 days): None</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3986	Consistency	Fatal	<p>(a) If K0520Z5=[1], then the following items must equal [0]: K0520A5, K0520B5, K0520C5, K0520D5.</p> <p>(b) If K0520Z5=[0], then at least one of the following items must equal [1]: K0520A5, K0520B5, K0520C5, K0520D5.</p> <p>(c) If K0520Z5=[-], then at least one of the following items must equal [-] and all remaining active items must equal [0,-]: K0520A5, K0520B5, K0520C5, K0520D5.</p> <p>Items: K0520A5 Nutritional Approaches (Discharge): Parenteral K0520B5 Nutritional Approaches (Discharge): Feeding Tube K0520C5 Nutritional Approaches (Discharge): Mech Alt Diet K0520D5 Nutritional Approaches (Discharge): Therapeutic K0520Z5 Nutritional Approaches (Discharge): None</p>
-3987	Skip	Fatal	<p>(a) If N0415A1=[0], then N0415A2 must equal [^].</p> <p>(b) If N0415A1=[1], then N0415A2 must not equal [^].</p> <p>(c) If N0415A1=[-], then N0415A2 must equal [-].</p> <p>Items: N0415A1 High-Risk Drug (Is Taking): Antipsychotic N0415A2 High-Risk Drug (Indication) : Antipsychotic</p>
-3988	Consistency	Fatal	<p>(a) If N0415E1=[0], then N0415E2 must equal [^].</p> <p>(b) If N0415E1=[1], then N0415E2 must not equal [^].</p> <p>(c) If N0415E1=[-], then N0415E2 must equal [-].</p> <p>Items: N0415E1 High-Risk Drug (Is taking): Anticoagulant N0415E2 High-Risk Drug (Indication): Anticoagulant</p>
-3989	Skip	Fatal	<p>(a) If N0415F1=[0], then N0415F2 must equal [^].</p> <p>(b) If N0415F1=[1], then N0415F2 must not equal [^].</p> <p>(c) If N0415F1=[-], then N0415F2 must equal [-].</p> <p>Items: N0415F1 High-Risk Drug (Is taking): Antibiotic N0415F2 High-Risk Drug (Indication): Antibiotic</p>
-3990	Skip	Fatal	<p>(a) If N0415H1=[0], then N0415H2 must equal [^].</p> <p>(b) If N0415H1=[1], then N0415H2 must not equal [^].</p> <p>(c) If N0415H1=[-], then N0415H2 must equal [-].</p> <p>Items: N0415H1 High-Risk Drug (Is taking): Opioid N0415H2 High-Drug Risk (Indication): Opioid</p>
-3991	Skip	Fatal	<p>(a) If N0415I1=[0], then N0415I2 must equal [^].</p> <p>(b) If N0415I1=[1], then N0415I2 must not equal [^].</p> <p>(c) If N0415I1=[-], then N0415I2 must equal [-].</p> <p>Items: N0415I1 High-Risk Drug (Is taking): Antiplatelet N0415I2 High-Risk Drug (Indication): Antiplatelet</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3992	Skip	Fatal	<p>(a) If N0415J1=[0], then N0415J2 must equal [^].</p> <p>(b) If N0415J1=[1], then N0415J2 must not equal [^].</p> <p>(c) If N0415J1=[-], then N0415J2 must equal [-].</p> <p>Items: N0415J1 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415J2 High-Risk Drug (Indication): Hypoglycemic</p>
-3993	Skip	Fatal	<p>(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p>(b) If N0415Z1=[0], then at least one of the following active items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p>(c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the remaining items must equal [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.</p> <p>Items: N0415A1 High-Risk Drug (Is Taking): Antipsychotic</p> <p>N0415E1 High-Risk Drug (Is taking): Anticoagulant</p> <p>N0415F1 High-Risk Drug (Is taking): Antibiotic</p> <p>N0415H1 High-Risk Drug (Is taking): Opioid</p> <p>N0415I1 High-Risk Drug (Is taking): Antiplatelet</p> <p>N0415J1 High-Risk Drug (Is taking): Hypoglycemic</p> <p>N0415Z1 High-Risk Drug (Is taking): None of the above</p>
-3994	Consistency	Fatal	<p>(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0].</p> <p>(b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1].</p> <p>(c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].</p> <p>Items: O0110A1A Treatment: Chemotherapy (Admission)</p> <p>O0110A2A Treatment: Chemo - IV (Admission)</p> <p>O0110A3A Treatment: Chemo - Oral (Admission)</p> <p>O0110A10A Treatment: Chemo - Other (Admission)</p>
-3995	Consistency	Fatal	<p>(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0].</p> <p>(b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1].</p> <p>(c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].</p> <p>Items: O0110C1A Therapies: Oxygen Therapy (Admission)</p> <p>O0110C2A Therapies: Oxygen - Continuous (Admission)</p> <p>O0110C3A Therapies: Oxygen - Intermittent (Admission)</p> <p>O0110C4A Therapies: Oxygen - High-concentration (Admission)</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3996	Consistency	Fatal	<p>(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0].</p> <p>(b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1].</p> <p>Items: O0110D1A Therapies: Suctioning (Admission)</p> <p>O0110D2A Therapies: Suctioning - Scheduled (Admission)</p> <p>O0110D3A Therapies: Suctioning - As Needed (Admission)</p>
-3997	Consistency	Fatal	<p>(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0].</p> <p>(b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A.</p> <p>(c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-].</p> <p>Items: O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis)</p> <p>O0110G2A Therapies: BiPAP (Admission)</p> <p>O0110G3A Therapies: CPAP (Admission)</p>
-3998	Consistency	Fatal	<p>(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0].</p> <p>(b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and all remaining items must equal [0,1].</p> <p>(c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].</p> <p>Items: O0110A1C Treatment: Chemotherapy (Discharge)</p> <p>O0110A2C Treatment: Chemo - IV (Discharge)</p> <p>O0110A3C Treatment: Chemo - Oral (Discharge)</p> <p>O0110A10C Treatment: Chemo - Other (Discharge)</p>
-3999	Consistency	Fatal	<p>(a) if O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0].</p> <p>(b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1].</p> <p>(c) If O0110C1C=[-], then at least one active item from O0110C2C through O0110C4C must equal [-], and the remaining items must equal [0,-].</p> <p>Items: O0110C1C Therapies: Oxygen Therapy (Discharge)</p> <p>O0110C2C Therapies: Oxygen - Continuous (Discharge)</p> <p>O0110C3C Therapies: Oxygen - Intermittent (Discharge)</p> <p>O0110C4C Therapies: Oxygen - High-concentration (Discharge)</p>
-4000	Consistency	Fatal	<p>(a) If O0110D1C=[0], then all active items from O0110D2C through O0110D3C must equal [0].</p> <p>(b) If O0110D1C=[1], then at least one active item from O0110D2C through O0110D3C must equal [1], and remaining items must equal [0,1].</p> <p>(c) If O0110D1C=[-], then all active items from O0110D2C through O0110D3C must equal [-].</p> <p>Items: O0110D1C Therapies: Suctioning (Discharge)</p> <p>O0110D2C Therapies: Suctioning - Scheduled (Discharge)</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0110D3C Therapies: Suctioning - As Needed (Discharge)
-4001	Consistency	Fatal	<p>(a) If O0110G1C=[0], then all active items from O0110G2C through O0110G3C must equal [0].</p> <p>(b) If O0110G1C=[1], then at least one active item from O0110G2C through O0110G3C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110G1C=[-], then all active items from O0110G2C through O0110G3C must equal [-].</p> Items: O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch) O0110G2C Therapies: BiPAP (Discharge) O0110G3C Therapies: CPAP (Discharge)
-4002	Consistency	Fatal	<p>(a) if O0110J1C=[0], then items O0110J2C and O0110J3C must equal [0].</p> <p>(b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C.</p> <p>(c) If O0110J1C=[-], then items O0110J2C and O0110J3C must equal [-].</p> Items: O0110J1C Other: Dialysis (Discharge) O0110J2C Other: Hemodialysis (Discharge) O0110J3C Other: Peritoneal dialysis (Discharge)
-4003	Consistency	Fatal	<p>(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0].</p> <p>(b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].</p> Items: O0110H1C Other: IV Medications (Discharge) O0110H2C Other: IV - Vasoactive medications (Discharge) O0110H3C Other: IV - Antibiotics (Discharge) O0110H4C Other: IV - Anticoagulation (Discharge) O0110H10C Other: IV - Other (Discharge)
-4004	Consistency	Fatal	<p>(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0].</p> <p>(b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A.</p> <p>(c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-].</p> Items: O0110J1A Other: Dialysis (Admission) O0110J2A Other: Hemodialysis (Admission) O0110J3A Other: Peritoneal dialysis (Admission)
-4005	Consistency	Fatal	<p>(a) If O0110O1A=[0], then all active items from O0110O2A through O0110O4A must equal [0].</p> <p>(b) If O0110O1A=[1], then at least one active item from O0110O2A through O0110O4A must equal [1], and all remaining items must equal [0,1].</p> <p>(c) If O0110O1A=[-], then all active items from O0110O2A through O0110O4A must equal [-].</p> Items: O0110O1A Other: IV Access (Admission)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O011002A Other: IV Access - Peripheral (Admission) O011003A Other: IV Access - Midline (Admission) O011004A Other: IV Access - Central (Admission)
-4006	Consistency	Fatal	<p>(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0].</p> <p>(b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and the remaining items must equal [0,1].</p> <p>(c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].</p> Items: O011001C Other: IV Access (Discharge) O011002C Other: IV Access - Peripheral (Discharge) O011003C Other: IV Access - Midline (Discharge) O011004C Other: IV Access - Central (Discharge)
-4007	Consistency	Fatal	<p>(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(b) if O0110Z1A=[0], then at least one item of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> <p>(c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.</p> Items: O0110A1A Treatment: Chemotherapy (Admission) O0110B1A Treatment: Radiation (Admission) O0110C1A Therapies: Oxygen Therapy (Admission) O0110D1A Therapies: Suctioning (Admission) O0110E1A Therapies: Tracheostomy Care (Admission) O0110G1A Therapies: Non-Invas Mechanical Ventilator (Admis) O0110H1A Other: IV Medications (Admission) O0110I1A Other: Transfusions (Admission) O0110J1A Other: Dialysis (Admission) O0110O1A Other: IV Access (Admission) O0110Z1A Other: None of the above (Admission)
-4008	Consistency	Fatal	<p>(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) if O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> Items: O0110A1C Treatment: Chemotherapy (Discharge) O0110B1C Treatment: Radiation (Discharge) O0110C1C Therapies: Oxygen Therapy (Discharge) O0110D1C Therapies: Suctioning (Discharge)

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0110E1C Therapies: Tracheostomy Care (Discharge) O0110F1C Therapies: Invasive Mechanical Ventilator (Disch) O0110G1C Therapies: Non-Invas Mechanical Ventilator (Disch) O0110H1C Other: IV Medications (Discharge) O0110I1C Other: Transfusions (Discharge) O0110J1C Other: Dialysis (Discharge) O0110O1C Other: IV Access (Discharge) O0110Z1C Other: None of the above (Discharge)
-4009	Consistency	Fatal	(a) If O0150A=[0], then all active items from O0150A2 through O0150E must equal [^]. (b) If O0150A=[1], then O0150A2 must not equal [^]. Items: O0150A SBT: Invasive Mechanical Ventilation Support O0150A2 SBT: Ventilator Weaning Status O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-4011	Skip	Fatal	(a) If GG0170Q1=[0], then the following items must equal [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. (b) If GG0170Q1=[1], then the following items must not equal [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. Items: GG0170Q1 Does the patient use a wheelchair and/or scooter GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170RR1 Indicate the type of wheelchair or scooter used GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet GG0170SS1 Indicate the type of wheelchair or scooter used
-4012	Skip	Fatal	(a) If GG0170F3=[07, 09, 10, 88], then GG0170G3 must equal [^]. (b) If GG0170F3=[01, 02, 03, 04, 05, 06], then GG0170G3 must not equal [^]. (c) If GG0170F3=[-], then GG0170G3 must equal [-]. Items: GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer GG0170G3 Mobil Perf (Dischrg Perf) - Car Transfer
-4013	Skip	Fatal	(a) If GG0170Q3=[0], then all active items from GG0170R3 through GG0170SS3 must equal [^]. (b) If GG0170Q3=[1], then all active items from GG0170R3 through GG0170SS3 must not equal [^]. (c) If GG0170Q3=[-], then all active items from GG0170R3 through GG0170SS3 must equal [-]. Items: GG0170Q3 Does the patient use a wheelchair and/or scooter GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns GG0170RR3 Indicate the type of wheelchair or scooter used GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170SS3 Indicate the type of wheelchair or scooter used.
-4014	Consistency	Warning	<p>Self-Care and Mobility Discharge Goals: At least one of the following Discharge Goal items should be equal to [01,02,03,04,05,06,07,09,10,88]: GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2.</p> <p>Entering the dash [-] as the response to all of the Discharge Goal items may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p>Items:</p> <ul style="list-style-type: none"> GG0130A2 Self-Care (Dschg Goal) - Eating GG0130B2 Self-Care (Dschg Goal) - Oral hygiene GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene GG0130D2 Self-Care (Dschg Goal) - Wash upper body GG0170A2 Func Mobil (Dschg Goal) - Roll left and right GG0170B2 Func Mobil (Dschg Goal) - Sit to lying GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side GG0170D2 Func Mobil (Dschg Goal) - Sit to stand GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer GG0170G2 Func Mobil (Dschg Goal) - Car Transfer GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet GG0170L2 Func Mobil (Dschg Goal) - Walk 10ft uneven surf GG0170M2 Func Mobil (Dschg Goal) - 1 step (crub) GG0170N2 Func Mobil (Dschg Goal) - 4 steps GG0170O2 Func Mobil (Dschg Goal) - 12 steps GG0170P2 Func Mobil (Dschg Goal) - Picking up an object GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
-4015	Skip	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.1***</p> <p>Items:</p> <ul style="list-style-type: none"> A2105 Discharge location A2121 Current Reconciled Medication List - Provider A2122A Provider Trans - Electronic Health Record A2122B Provider Trans - Health Info Exchange A2122C Provider Trans - Verbal A2122D Provider Trans - Paper-based A2122E Provider Trans - Other Methods

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4016	Skip	Fatal	<p>(a) If O0150A2=[0], then all active items from O0150B through O0150E must equal [^].</p> <p>(b) If O0150A2=[1], then O0150B must not equal [^].</p> <p>Items: O0150A2 SBT: Ventilator Weaning Status</p> <p>O0150B SBT: Assessed for readiness by day 2</p> <p>O0150C SBT: Deemed medically ready by day 2</p> <p>O0150D SBT: Documentation of reason(s) - patient unready</p> <p>O0150E SBT: Performed by day 2</p>
-4017	Consistency	Fatal	<p>BIMS Interview Summary Score: The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.</p> <p>a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>b) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <p>Items: C0200 Repetition of three words</p> <p>C0300A Temporal Orientation: Able to report correct year</p> <p>C0300B Temporal Orientation: Able to report correct month</p> <p>C0300C Temporal Orientation: Able to report correct day</p> <p>C0400A Recall: Able to recall "sock"</p> <p>C0400B Recall: Able to recall "blue"</p> <p>C0400C Recall: Able to recall "bed"</p> <p>C0500 BIMS Summary Score</p>
-4018	Consistency	Fatal	<p>a) If I7900=[1], then all active items from I0103 through I7104 must be equal to [0].</p> <p>b) If I7900=[0], then at least one active item from I0103 through I7104 must not be equal to [0].</p> <p>c) If I7900=[-], then at least one active item from I0103 through I7104 must be equal to [-], and the other active items must be equal to [0,-].</p> <p>Items: I0103 Metastatic Cancer</p> <p>I0104 Severe Cancer</p> <p>I0605 Severe Left Systolic/Ventricular Dysfunction</p> <p>I0900 Peripheral vascular disease (PVD) or PAD</p> <p>I1501 Chronic Kidney Disease, Stage 5</p> <p>I1502 Acute Renal Failure</p> <p>I2101 Septicemia, Sepsis, Systemic Inflammatory Response</p> <p>I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect</p> <p>I2900 Diabetes mellitus (DM)</p> <p>I4100 Major Lower Limb Amputation</p> <p>I4501 Stroke</p> <p>I4801 Dementia</p>

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: I4900 Hemiplegia or Hemiparesis I5000 Paraplegia I5101 Complete Tetraplegia I5102 Incomplete Tetraplegia I5110 Other Spinal Cord Disorder/Injury I5200 Multiple Sclerosis (MS) I5250 Huntington's Disease I5300 Parkinson's Disease I5450 Amyotrophic Lateral Sclerosis I5455 Other Progressive Neuromuscular Disease I5460 Locked-In State I5470 Severe Anoxic Brain Damage, Cerebral Edema I5480 Other Severe Neurological Injury-Disease-Dysfunc I5601 Malnutrition I7100 Lung Transplant I7101 Heart Transplant I7102 Liver Transplant I7103 Kidney Transplant I7104 Bone Marrow Transplant I7900 None of the Above
-4022	Consistency	Fatal	<p>(a) At least one active item from A1005A to A1005Y must equal [1]. (b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0]. (c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0]. (d) If A1005X=[1], then A1005Y must equal [0]. (e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].</p> Items: A1005A Ethnicity: No, not Hispanic, Latino/a, Spanish A1005B Ethnicity: Yes, Mex, Mex Amer, Chicano/a A1005C Ethnicity: Yes, Puerto Rican A1005D Ethnicity: Yes, Cuban A1005E Ethnicity: Yes, another Hispanic/Latino/Spanish A1005X Ethnicity: Patient unable to respond A1005Y Ethnicity: Patient declines to respond
-4023	Fatal	Fatal	<p>At least one active item from A1400A through A1400Y must equal [1].</p> Items: A1400A Payer: Medicare (FFS) A1400B Payer: Medicare (managed care/Part C/Mcr Advant.) A1400C Payer: Medicaid (FFS) A1400D Payer: Medicaid (managed care) A1400E Payer: Workers' compensation A1400F Payer: Title programs A1400G Payer: Other Government

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1400H Payer: Private insurance/Medigap A1400I Payer: Private managed care A1400J Payer: Self-pay A1400K Payer: No payer source A1400X Payer: Unknown A1400Y Payer: Other
-4024	Fatal	Fatal	<p>If B0100=[0], then the following fields, when active, must not equal [^]: B0200, B1000, B1300, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1, D0160, D0700.</p> Items: B0100 Comatose B0200 Hearing B1000 Vision B1300 Health Literacy BB0700 Expression of Ideas and Wants (3-day asmt period) BB0800 Understand Verbal/Non-Verbal Content (3-day asmt) C0100 Brief Interview for Mental Status C1310A Delirium: Acute Onset Mental Status Change C1310B Delirium: Inattention C1310C Delirium: Disorganized thinking C1310D Delirium: Altered level of consciousness D0150A1 Mood: Little interest/pleasure doing things: Pres D0150B1 Mood: Feeling down, depressed, or hopeless: Pres D0160 Total severity score D0700 Social Isolation
-4025	Fatal	Fatal	<p>If B0100=[-], then the following fields, when active, must equal [-]: B0200, B1000, BB0700, BB0800, C0100, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150B1.</p> Items: B0100 Comatose B0200 Hearing B1000 Vision BB0700 Expression of Ideas and Wants (3-day asmt period) BB0800 Understand Verbal/Non-Verbal Content (3-day asmt) C0100 Brief Interview for Mental Status C1310A Delirium: Acute Onset Mental Status Change C1310B Delirium: Inattention C1310C Delirium: Disorganized thinking C1310D Delirium: Altered level of consciousness D0150A1 Mood: Little interest/pleasure doing things: Pres D0150B1 Mood: Feeling down, depressed, or hopeless: Pres

Data Submission Specifications for the LTCH – CARE Data Set (V4.00.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9001	Information	None	<p>The target date is defined as follows:</p> <p>a) If A0250=[01], then the target date is equal to A0220 (admission date).</p> <p>b) If A0250=[10,11,12], then the target date is equal to A0270 (discharge date).</p> <p>Items: TARGET_DATE Target date</p>
-9002	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA]</p> <p>If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP]</p> <p>If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU]</p> <p>If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE]</p> <p>If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p>Items: ITM_SBST_CD Item subset code</p> <p> A0050 Type of record</p> <p> A0250 Reason for Assessment</p>