

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J0100A	4
Item ID: J0100B	5
Item ID: J0100C	6
Item ID: J0200.....	7
Item ID: J0300.....	9
Item ID: J0400.....	11
Item ID: J0500A	13
Item ID: J0500B	15
Item ID: J0600A	17
Item ID: J0600B	19
Item ID: J0700.....	21
Item ID: J0800A	23
Item ID: J0800B	25
Item ID: J0800C	27
Item ID: J0800D	29
Item ID: J0800Z.....	31
Item ID: J0850.....	33
Item ID: J1100A	35
Item ID: J1100B	36
Item ID: J1100C	37
Item ID: J1100Z.....	38
Item ID: J1300.....	39
Item ID: J1400.....	40
Item ID: J1550A	41

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J1550B	42
Item ID: J1550C	43
Item ID: J1550D	44
Item ID: J1550Z.....	45
Item ID: J1700A	46
Item ID: J1700B	47
Item ID: J1700C	48
Item ID: J1800.....	49
Item ID: J1900A	50
Item ID: J1900B	51
Item ID: J1900C	52
Item ID: J2000.....	54
Item ID: J2100.....	55
Item ID: J2300.....	57
Item ID: J2310.....	58
Item ID: J2320.....	59
Item ID: J2330.....	60
Item ID: J2400.....	61
Item ID: J2410.....	62
Item ID: J2420.....	63
Item ID: J2499.....	64
Item ID: J2500.....	65
Item ID: J2510.....	66
Item ID: J2520.....	67
Item ID: J2530.....	68

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2599.....	69
Item ID: J2600.....	70
Item ID: J2610.....	71
Item ID: J2620.....	72
Item ID: J2699.....	73
Item ID: J2700.....	74
Item ID: J2710.....	75
Item ID: J2799.....	76
Item ID: J2800.....	77
Item ID: J2810.....	78
Item ID: J2899.....	79
Item ID: J2900.....	80
Item ID: J2910.....	81
Item ID: J2920.....	82
Item ID: J2930.....	83
Item ID: J2940.....	84
Item ID: J5000.....	85

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain: received scheduled pain med regimen	Asmt		Code	1	831-831

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain: received PRN pain medications	Asmt		Code	1	832-832

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain: received non-medication intervention	Asmt		Code	1	833-833

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Should pain assessment interview be conducted	Asmt		Code	1	834-834

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No (resident rarely/never understood)
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3831	Consistency	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3918	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must equal [-].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C.</p> <p>Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.</p> <p>[V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.</p>
Consistency	-3784	<p>[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700.</p> <p>[V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).</p>
Consistency	-3831	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3918.
Consistency	-3918	[V3.00.0]-New edit. Replaces edit -3831.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: presence	Asmt		Code	1	835-835

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3751	Consistency	Warning	A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

c) If J0300=[9], then the following rules apply:

---c1) All active items from J0400 through J0700 must equal [^].

---c2) All active items from J0800A through J0800Z must not equal [^].

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: frequency	Asmt		Code	1	836-836

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Almost constantly
2		Frequently
3		Occasionally
4		Rarely
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

c) If J0300=[9], then the following rules apply:

---c1) All active items from J0400 through J0700 must equal [^].

---c2) All active items from J0800A through J0800Z must not equal [^].

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3788	Consistency	Fatal	Consistency rules for J0700: a) If J0400=[1,2,3,4,-], then if J0700 is active it must equal [0]. b) If J0400=[9], then if J0700 is active it must equal [1,-].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).
Consistency	-3788	[V3.00.0]-Revised subedit a text to include the dash [-] as a valid value for J0400. Revised subedit b text to exclude the dash [-] as a valid value for J0400. [V3.00.1]-The V3.00.0 note was revised per errata issue 07.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: made it hard to sleep	Asmt		Code	1	837-837

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: limited daily activities	Asmt		Code	1	838-838

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0600A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: intensity rating scale	Asmt		Number	2	839-840

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
00		Minimum value
10		Maximum value
99		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>
-3751	Consistency	Warning	<p>A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").</p>

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

-3784	Consistency	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3785	Consistency	Fatal	<p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0400 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0400 through J0500B must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0400 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0400 through J0600B must equal [-].</p> <p>---d2) If J0700 is an active item, it must not equal [^].</p>
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Format	-3680	[V3.00.0]-Added mappings to new items O0425A1 through O0430.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700.
		[V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0600B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: verbal descriptor scale	Asmt		Code	1	841-841

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Mild
2		Moderate
3		Severe
4		Very severe, horrible
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

c) If J0300=[9], then the following rules apply:

---c1) All active items from J0400 through J0700 must equal [^].

---c2) All active items from J0800A through J0800Z must not equal [^].

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Should staff assessment for pain be conducted	Asmt		Code	1	842-842

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No (J0400=1 thru 4)
1		Yes (J0200=0 or J0300=9 or J0400=9)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

			c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3788	Consistency	Fatal	Consistency rules for J0700: a) If J0400=[1,2,3,4,-], then if J0700 is active it must equal [0]. b) If J0400=[9], then if J0700 is active it must equal [1,-].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).
Consistency	-3788	[V3.00.0]-Revised subedit a text to include the dash [-] as a valid value for J0400. Revised subedit b text to exclude the dash [-] as a valid value for J0400. [V3.00.1]-The V3.00.0 note was revised per errata issue 07.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J0800A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: non-verbal sounds	Asmt		Checklist	1	843-843

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

			c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0800B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: vocal complaints of pain	Asmt		Checklist	1	844-844

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

			c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0800C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: facial expressions	Asmt		Checklist	1	845-845

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

			c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J0800D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: protective movements/postures	Asmt		Checklist	1	846-846

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

-3786	Consistency	Fatal	c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^].
			d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
			a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].
			c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J0800Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: none of these signs observed	Asmt		Checklist	1	847-847

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3784	Consistency	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

			c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3787	Skip pattern	Fatal	a) If J0800Z=[0], then if J0850 is active it must not equal [^]. b) If J0800Z=[1,^], then if J0850 is active it must equal [^]. c) If J0800Z=[-], then if J0850 is active it must equal [-].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3508	None of above	Fatal	If J0800A through J0800D and J0800Z are all active, then the following rules apply: a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1]. b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0]. c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3784	[V3.00.0]-Revised subedit c text to refer to J0600 instead of J0700. [V3.00.1]-The V3.00.0 note was revised per errata issue 07. Revised subedit c again to only control J0300, since J0300 controls J0400 through J0600B in edit -3785 subedit d1 (post-errata).
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J0850

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: frequency of pain	Asmt		Code	1	848-848

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
1		Indicators of pain or possible pain observed 1 to 2 days
2		Indicators of pain or possible pain observed 3 to 4 days
3		Indicators of possible pain observed daily
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3785	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0400 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0400 through J0500B must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0400 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0400 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].

Data Submission Specifications for the MDS Item Set (V3.00.1) **Detailed Data Specifications Report** **Section: J**

-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3787	Skip pattern	Fatal	a) If J0800Z=[0], then if J0850 is active it must not equal [^]. b) If J0800Z=[1,^], then if J0850 is active it must equal [^]. c) If J0800Z=[-], then if J0850 is active it must equal [-].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3785	[V3.00.1]-Revised subedit d2 in order to not conflict with edit -3786 (post-errata).

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: with exertion	Asmt		Checklist	1	849-849

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3509	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1100A through J1100C.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: sitting at rest	Asmt		Checklist	1	850-850

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C.
		[V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3509	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1100A through J1100C.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: lying flat	Asmt		Checklist	1	851-851

Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD
 Inactive: NT,NPE,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3509	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1100A through J1100C.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: none of above	Asmt		Checklist	1	852-852

Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD
 Inactive: NT,NPE,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3509	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1100A through J1100C.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Current tobacco use	Asmt		Code	1	853-853

Item Subsets

Active: NC
 Inactive: ND,NT,NPE,IPA,OSA,SP,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prognosis: life expectancy of less than 6 months	Asmt		Code	1	854-854

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
 Inactive: NT,NPE,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1550A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: fever	Asmt		Checklist	1	855-855

Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD
 Inactive: NT,NPE,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3510	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1550A through J1550D.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1550B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: vomiting	Asmt		Checklist	1	856-856

Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD
 Inactive: NT,NPE,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3510	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1550A through J1550D.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1550C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: dehydrated	Asmt		Checklist	1	857-857

Item Subsets

Active: NC,NQ,NP,ND,OSA,SP,SD
 Inactive: NT,NPE,IPA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3510	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1550A through J1550D.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1550D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: internal bleeding	Asmt		Checklist	1	858-858

Item Subsets

Active: NC,NQ,NP,ND,OSA,SP,SD
 Inactive: NT,NPE,IPA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3510	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1550A through J1550D.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1550Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: none of the above	Asmt		Checklist	1	859-859

Item Subsets

Active: NC,NQ,NP,ND,IPA,OSA,SP,SD
 Inactive: NT,NPE,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
None of above	-3510	[V3.00.0]-Revised wording to indicate that the edit applies for the active items from J1550A through J1550D.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1700A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fall during month before admission	Asmt		Code	1	860-860

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^]. b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1700B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fall 2-6 months before admission	Asmt		Code	1	861-861

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^]. b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J1700C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fracture from fall 6 month pre admit	Asmt		Code	1	862-862

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^]. b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: any falls	Asmt		Code	1	863-863

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD
 Inactive: NT,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: no injury	Asmt		Code	1	864-864

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD
 Inactive: NT,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1900B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: injury (not major)	Asmt		Code	1	865-865

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD
 Inactive: NT,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J1900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: major injury	Asmt		Code	1	866-866

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD
 Inactive: NT,IPA,OSA,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].
-3897	Consistency	Warning	Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Consistency	-3897	[V3.00.0]-The mappings to this edit were revised in the errata for the V2.02.1 data specs. The following mappings were added: GG0130E1, GG0130E3, GG0130F1, GG0130F3, GG0130G1, GG0130G3, GG0130H1, GG0130H3, GG0170A1, GG0170A3, GG0170G1, GG0170G3, GG0170I1, GG0170I3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, GG0170Q1, GG0170Q3, H0400, I0900, I2900, K0200A, K0200B.
-------------	-------	---

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prior Surgery (100 days)	Asmt		Code	1	1697-1697

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Unknown
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3904	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V3.00.0***
-3925	Skip pattern	Fatal	a) If A0310B=[01], then if J2000 is active, it must not be equal to [^]. b) If A0310B=[99], then if J2000 is active, it must be equal to [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Skip pattern	-3904	[V3.00.0]-This edit was deleted, since the valid values for item A0310B have changed. Replaced by edit -3925.
Skip pattern	-3925	[V3.00.0]-New edit. Replaces edit -3904.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Recent Surgery Requiring Active SNF Care	Asmt		Code	1	1734-1734

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Unknown
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].
-3942	Skip pattern	Fatal	a) If A0310B=[01,08], then if J2100 is active, it must not be equal to [^]. b) If A0310B=[99], then if J2100 is active, it must be equal to [^].

Version Changes

Type	ID	Description
Item	J2100	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Skip pattern	-3942	[V3.00.0]-New edit.
--------------	-------	---------------------

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Knee Replacement - partial or total	Asmt		Checklist	1	1735-1735

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2300	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2310

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hip Replacement - partial or total	Asmt		Checklist	1	1736-1736

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2310	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2320

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ankle Replacement - partial or total	Asmt		Checklist	1	1737-1737

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2320	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2330

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Shoulder Replacement - partial or total	Asmt		Checklist	1	1738-1738

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2330	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal Surgery-spinal cord or major spinal nerves	Asmt		Checklist	1	1739-1739

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2400	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2410

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - fusion of spinal bones	Asmt		Checklist	1	1740-1740

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2410	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2420

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - lamina, discs, or facets	Asmt		Checklist	1	1741-1741

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2420	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2499

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - other	Asmt		Checklist	1	1742-1742

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2499	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr frctrd shoulder/arm	Asmt		Checklist	1	1743-1743

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2500	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2510

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr frctrd pelvis/hip/leg/knee/ankle	Asmt		Checklist	1	1744-1744

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2510	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2520

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr but not replace joints	Asmt		Checklist	1	1745-1745

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2520	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2530

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgry - rpr other bones	Asmt		Checklist	1	1746-1746

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2530	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2599

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgry - other	Asmt		Checklist	1	1747-1747

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2599	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neuro surgery - brain, surrounding tissue	Asmt		Checklist	1	1748-1748

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2600	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2610

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neuro surgery - nervous system	Asmt		Checklist	1	1749-1749

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2610	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2620

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neuro surgery - nsrt neural/brain neurostimulators	Asmt		Checklist	1	1750-1750

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2620	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2699

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neuro surgery - other	Asmt		Checklist	1	1751-1751

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2699	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - heart/mjr bld vssls	Asmt		Checklist	1	1752-1752

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2700	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2710

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - respiratory system	Asmt		Checklist	1	1753-1753

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2710	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2799

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - other	Asmt		Checklist	1	1754-1754

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2799	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - male or female organs	Asmt		Checklist	1	1755-1755

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2800	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2810

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - kidneys	Asmt		Checklist	1	1756-1756

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2810	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2899

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - other	Asmt		Checklist	1	1757-1757

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2899	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - tendons, ligament, or muscles	Asmt		Checklist	1	1758-1758

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2900	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2910

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - GI tract/abdominal contents	Asmt		Checklist	1	1759-1759

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2910	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)
Detailed Data Specifications Report
Section: J

Item ID: J2920

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - endocrine organs	Asmt		Checklist	1	1760-1760

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2920	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2930

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - breast	Asmt		Checklist	1	1761-1761

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2930	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J2940

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - repair deep ulcers	Asmt		Checklist	1	1762-1762

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J2940	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.

Data Submission Specifications for the MDS Item Set (V3.00.1)

Detailed Data Specifications Report

Section: J

Item ID: J5000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - other not listed above	Asmt		Checklist	1	1763-1763

Item Subsets

Active: NC,NQ,NP,IPA,SP
 Inactive: ND,NT,NPE,OSA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

Version Changes

Type	ID	Description
Item	J5000	[V3.00.0]-New item.
Format	-3676	[V3.00.0]-Mappings to the following items were deleted, since the items were deleted: A0310C, A0310D, D0350, D0650, K0510C1, K0510D1, K0710A1, K0710B1, O0100L2, X0600C, X0600D, X0900E, Z0100C. Mappings to the following new items were added: A0300A, A0300B, A0310G1, GG0130A5, GG0130B5, GG0130C5, GG0170B5, GG0170C5, GG0170D5, GG0170E5, GG0170F5, GG0170I5, GG0170J5, GG0170K5, J2100, J2300, J2310, J2320, J2330, J2400, J2410, J2420, J2499, J2500, J2510, J2520, J2530, J2599, J2600, J2610, J2620, J2699, J2700, J2710, J2799, J2800, J2810, J2899, J2900, J2910, J2920, J2930, J2940, J5000, X0570B, Z0200C. [V3.00.1]-Mapping to new item X0570A was added, per errata issue 04.
Consistency	-3943	[V3.00.0]-New edit.