

# Data Submission Specifications for the MDS Item Set (V1.15.0)

## Detailed Data Specifications Report

### Section: E

Item ID: E0100A.....	2
Item ID: E0100B.....	3
Item ID: E0100Z.....	4
Item ID: E0200A.....	5
Item ID: E0200B.....	6
Item ID: E0200C.....	7
Item ID: E0300.....	8
Item ID: E0500A.....	9
Item ID: E0500B.....	10
Item ID: E0500C.....	11
Item ID: E0600A.....	12
Item ID: E0600B.....	13
Item ID: E0600C.....	14
Item ID: E0800.....	15
Item ID: E0900.....	16
Item ID: E1000A.....	17
Item ID: E1000B.....	18
Item ID: E1100.....	19

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0100A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychosis: hallucinations	Asmt		Checklist	1	588-588

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0100B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychosis: delusions	Asmt		Checklist	1	589-589

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0100Z**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychosis: none of the above	Asmt		Checklist	1	590-590

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3503	None of above	Fatal	If E0100A through E0100B and E0100Z are all active, then the following rules apply: a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1]. b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0]. c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0200A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical behav symptoms directed toward others	Asmt		Code	1	591-591

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0200B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Verbal behav symptoms directed toward others	Asmt		Code	1	592-592

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0200C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other behav symptoms not directed toward others	Asmt		Code	1	593-593

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0300**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Overall presence of behavioral symptoms	Asmt		Code	1	594-594

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3675	Consistency	Fatal	a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1]. b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0]. c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3523	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^]. b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0500A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms put res at risk for illness/injury	Asmt		Code	1	595-595

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0500B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms interfere with resident care	Asmt		Code	1	596-596

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0500C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms interfere with social activities	Asmt		Code	1	597-597

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0600A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms put others at risk for injury	Asmt		Code	1	598-598

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0600B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms intrude on privacy of others	Asmt		Code	1	599-599

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0600C**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Behav symptoms disrupt care or living environment	Asmt		Code	1	600-600

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3531	Skip pattern	Fatal	a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0800**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Rejection of care: presence and frequency	Asmt		Code	1	601-601

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3524	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^]. b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E0900**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wandering: presence and frequency	Asmt		Code	1	602-602

**Item Subsets**

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD  
 Inactive: NS,NT,SS,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		Behavior not exhibited
1		Behavior of this type occurred 1 to 3 days
2		Behavior of this type occurred 4 to 6 days, but less than daily
3		Behavior of this type occurred daily
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3524	Skip pattern	Fatal	a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^]. b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E1000A**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wandering: risk of getting to dangerous place	Asmt		Code	1	603-603

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E1000B**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wandering: intrude on privacy of others	Asmt		Code	1	604-604

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3532	Skip pattern	Fatal	a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].

**Data Submission Specifications for the MDS Item Set (V1.15.0)**  
**Detailed Data Specifications Report**  
**Section: E**

**Item ID: E1100**

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Change in behavioral or other symptoms	Asmt		Code	1	605-605

**Item Subsets**

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

**Item Values**

Value	LOINC Code	Value Text
0		Same
1		Improved
2		Worse
3		N/A because no prior MDS assessment
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3525	Skip pattern	Fatal	a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^]. b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].