

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0100A	Appliances: indwelling catheter	Asmt		Checklist	1	682-682

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	If H0100A through H0100D and H0100Z are all active, then the following rules apply: a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0100B	Appliances: external catheter	Asmt		Checklist	1	683-683

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	If H0100A through H0100D and H0100Z are all active, then the following rules apply: a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0100C	Appliances: ostomy	Asmt		Checklist	1	684-684

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	If H0100A through H0100D and H0100Z are all active, then the following rules apply: a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0100D	Appliances: intermittent catheterization	Asmt		Checklist	1	685-685

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	If H0100A through H0100D and H0100Z are all active, then the following rules apply: a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0100Z	Appliances: none of the above	Asmt		Checklist	1	686-686

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3506	None of above	Fatal	If H0100A through H0100D and H0100Z are all active, then the following rules apply: a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1]. b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0]. c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0200A	Urinary toileting program: has been attempted	Asmt		Code	1	687-687

Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD

Inactive: ND,NT,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-].
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0200B	Urinary toileting program: response	Asmt		Code	1	688-688

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No improvement
1		Decreased wetness
2		Completely dry (continent)
9		Unable to determine or trial in progress
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0200C	Urinary toileting program: current program/trial	Asmt		Code	1	689-689

Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD
 Inactive: ND,NT,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0300	Urinary continence	Asmt		Code	1	690-690

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Always continent
1		Occasionally incontinent (less than 7 episodes of incontinence)
2		Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)
3		Always incontinent (no episodes of continent voiding)
9		Not rated, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for entire 7 days
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0400	Bowel continence	Asmt		Code	1	691-691

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Always continent
1		Occasionally incontinent (one episode of bowel incontinence)
2		Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)
3		Always incontinent (no episodes of continent bowel movements)
9		Not rated, resident had an ostomy or did not have a bowel movement for the entire 7 days
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0500	Bowel toileting program being used	Asmt		Code	1	692-692

Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD

Inactive: ND,NT,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	<p>Values of Code and Checklist Items:</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p>

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: H

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
H0600	Constipation	Asmt		Code	1	693-693

Item Subsets

Active: NC
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX
 State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.