

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0100A | Risk determination: has ulcer, scar, or dressing | Asmt | | Checklist | 1 | 893-893 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3595 | None of above | Fatal | If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| M0100B | Risk determination: formal assessment | Asmt | | Checklist | 1 | 894-894 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3595 | None of above | Fatal | If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0100C | Risk determination: clinical assessment | Asmt | | Checklist | 1 | 895-895 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3595 | None of above | Fatal | If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| M0100Z | Risk determination: none of the above | Asmt | | Checklist | 1 | 896-896 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3595 | None of above | Fatal | If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0150 | Is resident at risk of developing pressure ulcer | Asmt | | Code | 1 | 897-897 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | No |
| 1 | | Yes |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0210 | Resident has Stage 1 or higher pressure ulcers | Asmt | | Code | 1 | 898-898 |

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | No |
| 1 | | Yes |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3596 | Consistency | Fatal | a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-]. |
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
| -3542 | Skip pattern | Fatal | If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^]. |
| -3543 | Skip pattern | Fatal | If M0210=[1], then if M0300C1 is active it must not equal [^]. |
| -3544 | Skip pattern | Fatal | If M0210=[1], then if M0300D1 is active it must not equal [^]. |
| -3545 | Skip pattern | Fatal | If M0210=[1], then if M0300E1 is active it must not equal [^]. |
| -3546 | Skip pattern | Fatal | If M0210=[1], then if M0300F1 is active it must not equal [^]. |
| -3547 | Skip pattern | Fatal | If M0210=[1], then if M0300G1 is active it must not equal [^]. |
| -3705 | Skip pattern | Fatal | a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300A | Stage 1 pressure ulcers: number present | Asmt | | Number | 1 | 899-899 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> |
| -3542 | Skip pattern | Fatal | <p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300B1 | Stage 2 pressure ulcers: number present | Asmt | | Number | 1 | 900-900 |

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3662 | Consistency | Fatal | <p>If M0300B1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300B2 must be equal to [-], OR</p> <p>b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3847 | Consistency | Fatal | <p>If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1.</p> |
| -3857 | Consistency | Fatal | <p>If A0310E=[0] and M0300B1=[-], then M0800A must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|--------------|-------|---|
| -3542 | Skip pattern | Fatal | If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^]. |
| -3548 | Skip pattern | Fatal | a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^]. b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^]. c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-]. |

Changes for Version

| Type | ID | Description |
|-------------|-------|---------------------|
| Consistency | -3857 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300B2 | Stage 2 pressure ulcers: number at admit/reentry | Asmt | | Number | 1 | 901-901 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3662 | Consistency | Fatal | <p>If M0300B1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300B2 must be equal to [-], OR</p> <p>b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3548 | Skip pattern | Fatal | <p>a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^].</p> <p>b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^].</p> <p>c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300B3 | Stage 2 pressure ulcers: date of oldest | Asmt | | Date | 8 | 902-909 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|----------|------------|---------------------------------------|
| YYYYMMDD | | Date of oldest Stage 2 pressure ulcer |
| ----- | | Unknown |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -3677 | Format | Fatal | <p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> |
| -3573 | Consistency | Fatal | ***THIS EDIT WAS DELETED IN V1.13.0 OF THE DATA SPECS AND REPLACED BY EDIT -3851 |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> |
| -3851 | Consistency | Fatal | <p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> |

GROUP A RULES (Edit -3851a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=
 A1600 (entry date) <=
 A2300 (assessment reference date) = A2000 (discharge date) <=

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

Z0500B (date RN signed assessment as complete) <=
V0200B2 (CAT assessment process signature date) <=
V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit –3851b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
M0300B3 (date of oldest Stage 2 pressure ulcer)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit –3851c1)

If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

Data Submission Specifications for the MDS 3.0 (V1.14.1)
Detailed Data Specifications Report
Section: M

RULE C2: (Edit -3851c2)
 If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:
 A0900 (birthdate) <=
 A2200 (previous ARD for significant correction) <=
 A2300 (assessment reference date)

 GROUP D (Edit -3851d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
 O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3548 Skip pattern Fatal

- a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^].
- b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^].
- c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].

Changes for Version

| Type | ID |
|-------------|-----------|
| Format | -3677 |
| Consistency | -3851 |

Description

[V1.14.0]-Added A1900 to item list.
 [V1.14.0]-Added Group D dates (edit -3851d).
 [V1.14.1]-This edit will be implemented retroactively and will apply to all records regardless of target date that are submitted after the ASAP system downtime that is scheduled for 09/21/2014.

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300C1 | Stage 3 pressure ulcers: number present | Asmt | | Number | 1 | 910-910 |

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |
| -3663 | Consistency | Fatal | <p>If M0300C1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300C2 must be equal to [-], OR</p> <p>b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|--------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
| -3848 | Consistency | Fatal | If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1. |
| -3858 | Consistency | Fatal | If A0310E=[0] and M0300C1=[-], then M0800B must equal [-]. |
| -3543 | Skip pattern | Fatal | If M0210=[1], then if M0300C1 is active it must not equal [^]. |
| -3549 | Skip pattern | Fatal | a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-]. |

Changes for Version

| Type | ID | Description |
|-------------|-------|---------------------|
| Consistency | -3858 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300C2 | Stage 3 pressure ulcers: number at admit/reentry | Asmt | | Number | 1 | 911-911 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3663 | Consistency | Fatal | <p>If M0300C1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300C2 must be equal to [-], OR</p> <p>b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3549 | Skip pattern | Fatal | <p>a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^].</p> <p>b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^].</p> <p>c) If M0300C1=[-], then if M0300C2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300D1 | Stage 4 pressure ulcers: number present | Asmt | | Number | 1 | 912-912 |

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |
| -3664 | Consistency | Fatal | <p>If M0300D1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300D2 must be equal to [-], OR</p> <p>b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|--------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
| -3849 | Consistency | Fatal | If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1. |
| -3859 | Consistency | Fatal | If A0310E=[0] and M0300D1=[-], then M0800C must equal [-]. |
| -3544 | Skip pattern | Fatal | If M0210=[1], then if M0300D1 is active it must not equal [^]. |
| -3550 | Skip pattern | Fatal | a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-]. |

Changes for Version

| Type | ID | Description |
|-------------|-------|---------------------|
| Consistency | -3859 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300D2 | Stage 4 pressure ulcers: number at admit/reentry | Asmt | | Number | 1 | 913-913 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3664 | Consistency | Fatal | <p>If M0300D1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300D2 must be equal to [-], OR</p> <p>b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3550 | Skip pattern | Fatal | <p>a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^].</p> <p>b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^].</p> <p>c) If M0300D1=[-], then if M0300D2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300E1 | Unstaged due to dressing: number present | Asmt | | Number | 1 | 914-914 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3665 | Consistency | Fatal | <p>If M0300E1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300E2 must be equal to [-], OR</p> <p>b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3545 | Skip pattern | Fatal | <p>If M0210=[1], then if M0300E1 is active it must not equal [^].</p> |
| -3551 | Skip pattern | Fatal | <p>a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^].</p> <p>b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)
Detailed Data Specifications Report
Section: M

c) If M0300E1=[-], then if M0300E2 is active it must equal [-].

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300E2 | Unstaged due to dressing: number at admit/reentry | Asmt | | Number | 1 | 915-915 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3665 | Consistency | Fatal | <p>If M0300E1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300E2 must be equal to [-], OR</p> <p>b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3551 | Skip pattern | Fatal | <p>a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^].</p> <p>b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^].</p> <p>c) If M0300E1=[-], then if M0300E2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300F1 | Unstaged slough/eschar: number present | Asmt | | Number | 1 | 916-916 |

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD

Inactive: NS,NT,SS,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |
| -3666 | Consistency | Fatal | <p>If M0300F1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300F2 must be equal to [-], OR</p> <p>b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|--------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
| -3546 | Skip pattern | Fatal | If M0210=[1], then if M0300F1 is active it must not equal [^]. |
| -3552 | Skip pattern | Fatal | a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300F2 | Unstaged slough/eschar: number at admit/reentry | Asmt | | Number | 1 | 917-917 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3666 | Consistency | Fatal | <p>If M0300F1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300F2 must be equal to [-], OR</p> <p>b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3552 | Skip pattern | Fatal | <p>a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^].</p> <p>b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^].</p> <p>c) If M0300F1=[-], then if M0300F2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M0300G1 | Unstageable - deep tissue: number present | Asmt | | Number | 1 | 918-918 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3667 | Consistency | Fatal | <p>If M0300G1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3547 | Skip pattern | Fatal | <p>If M0210=[1], then if M0300G1 is active it must not equal [^].</p> |
| -3553 | Skip pattern | Fatal | <p>a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0300G2 | Unstageable - deep tissue: number at admit/reentry | Asmt | | Number | 1 | 919-919 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3667 | Consistency | Fatal | <p>If M0300G1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300G2 must be equal to [-], OR</p> <p>b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> |
| -3612 | Consistency | Fatal | <p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> |
| -3553 | Skip pattern | Fatal | <p>a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^].</p> <p>b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^].</p> <p>c) If M0300G1=[-], then if M0300G2 is active it must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0610A | Stage 3 or 4 pressure ulcer longest length | Asmt | | Number | 4 | 920-923 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 00.0 | | Minimum length (cm) |
| 99.9 | | Maximum length (cm) |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3682 | Format | Fatal | <p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|-------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
|-------|-------------|-------|---|

Supplemental Information

| Info ID | Type | Text |
|----------------|-------------|--|
| -9014 | Information | Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0610B | Stage 3 or 4 pressure ulcer width (same ulcer) | Asmt | | Number | 4 | 924-927 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 00.0 | | Minimum width (cm) |
| 99.9 | | Maximum width (cm) |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3682 | Format | Fatal | <p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|-------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
|-------|-------------|-------|---|

Supplemental Information

| Info ID | Type | Text |
|----------------|-------------|--|
| -9014 | Information | Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0610C | Stage 3 or 4 pressure ulcer depth (same ulcer) | Asmt | | Number | 4 | 928-931 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 00.0 | | Minimum depth (cm) |
| 99.9 | | Maximum depth (cm) |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3682 | Format | Fatal | <p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p> |
| -3593 | Consistency | Fatal | <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].</p> <p>b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| | | | |
|-------|-------------|-------|---|
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
|-------|-------------|-------|---|

Supplemental Information

| Info ID | Type | Text |
|----------------|-------------|--|
| -9014 | Information | Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0700 | Tissue type for ulcer at most advanced stage | Asmt | | Code | 1 | 932-932 |

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|--|
| 1 | | Epithelial tissue-new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin. |
| 2 | | Granulation tissue-pink or red tissue with shiny, moist, granular appearance |
| 3 | | Slough-yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous |
| 4 | | Eschar-black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin. |
| 9 | | None of the above |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. |
| -3705 | Skip pattern | Fatal | a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0800A | Worsened since prior asmt: Stage 2 pressure ulcers | Asmt | | Number | 1 | 933-933 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3596 | Consistency | Fatal | <p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> |
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. |
| -3847 | Consistency | Fatal | If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1. |
| -3857 | Consistency | Fatal | If A0310E=[0] and M0300B1=[-], then M0800A must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)
Detailed Data Specifications Report
Section: M

Changes for Version

| Type | ID | Description |
|-------------|-----------|---------------------|
| Consistency | -3857 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0800B | Worsened since prior asmt: Stage 3 pressure ulcers | Asmt | | Number | 1 | 934-934 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3596 | Consistency | Fatal | <p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> |
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. |
| -3848 | Consistency | Fatal | If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1. |
| -3858 | Consistency | Fatal | If A0310E=[0] and M0300C1=[-], then M0800B must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)
Detailed Data Specifications Report
Section: M

Changes for Version

| Type | ID | Description |
|-------------|-----------|---------------------|
| Consistency | -3858 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M0800C | Worsened since prior asmt: Stage 4 pressure ulcers | Asmt | | Number | 1 | 935-935 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3596 | Consistency | Fatal | <p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> |
| -3612 | Consistency | Fatal | a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. |
| -3849 | Consistency | Fatal | If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1. |
| -3859 | Consistency | Fatal | If A0310E=[0] and M0300D1=[-], then M0800C must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)
Detailed Data Specifications Report
Section: M

Changes for Version

| Type | ID | Description |
|-------------|-----------|---------------------|
| Consistency | -3859 | [V1.14.0]-New edit. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| M0900A | Pressure ulcers on prior assessment | Asmt | | Code | 1 | 936-936 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | No |
| 1 | | Yes |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3670 | Skip pattern | Fatal | If A0310E=[1], then all active items from M0900A through M0900D must equal [^]. |
| -3597 | Skip pattern | Fatal | If A0310E=[0], then if M0900A is active it must equal [0,1,-]. |
| -3598 | Skip pattern | Fatal | a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------|------------|------------|-----------|------------|------------------------------|
| M0900B | Healed pressure ulcers: Stage 2 | Asmt | | Number | 1 | 937-937 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3670 | Skip pattern | Fatal | If A0310E=[1], then all active items from M0900A through M0900D must equal [^]. |
| -3598 | Skip pattern | Fatal | <p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------|------------|------------|-----------|------------|------------------------------|
| M0900C | Healed pressure ulcers: Stage 3 | Asmt | | Number | 1 | 938-938 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
 Inactive: NS,NO,NT,SS,SO,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3670 | Skip pattern | Fatal | If A0310E=[1], then all active items from M0900A through M0900D must equal [^]. |
| -3598 | Skip pattern | Fatal | <p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------|------------|------------|-----------|------------|------------------------------|
| M0900D | Healed pressure ulcers: Stage 4 | Asmt | | Number | 1 | 939-939 |

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD

Inactive: NS,NO,NT,SS,SO,ST,XX

State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |
| -3670 | Skip pattern | Fatal | If A0310E=[1], then all active items from M0900A through M0900D must equal [^]. |
| -3598 | Skip pattern | Fatal | <p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1030 | Number of venous and arterial ulcers | Asmt | | Number | 1 | 940-940 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Minimum value |
| 9 | | Maximum value |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--|
| -3679 | Format | Fatal | <p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> |
| -3680 | Format | Fatal | <p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M1040A | Other skin probs: infection of the foot | Asmt | | Checklist | 1 | 941-941 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1040B | Other skin probs: diabetic foot ulcer(s) | Asmt | | Checklist | 1 | 942-942 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1040C | Other skin probs: other open lesion(s) on the foot | Asmt | | Checklist | 1 | 943-943 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1040D | Other skin probs: lesions not ulcers, rashes, cuts | Asmt | | Checklist | 1 | 944-944 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1040E | Other skin probs: surgical wound(s) | Asmt | | Checklist | 1 | 945-945 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1040F | Other skin probs: burns (second or third degree) | Asmt | | Checklist | 1 | 946-946 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------|------------|------------|-----------|------------|------------------------------|
| M1040G | Skin Tear(s) | Asmt | | Checklist | 1 | 1454-1454 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1040H | Moisture Associated Skin Damage (MASD) | Asmt | | Checklist | 1 | 1455-1455 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1040Z | Other skin probs: none of the above | Asmt | | Checklist | 1 | 947-947 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3828 | None of above | Fatal | If M1040A through M1040H and M1040Z are all active, then the following rules apply: a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1]. b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0]. c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1200A | Skin/ulcer treat: pressure reduce device for chair | Asmt | | Checklist | 1 | 948-948 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1200B | Skin/ulcer treat: pressure reducing device for bed | Asmt | | Checklist | 1 | 949-949 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M1200C | Skin/ulcer treat: turning/repositioning | Asmt | | Checklist | 1 | 950-950 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1200D | Skin/ulcer treat: nutrition/hydration | Asmt | | Checklist | 1 | 951-951 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1200E | Skin/ulcer treat: pressure ulcer care | Asmt | | Checklist | 1 | 952-952 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1200F | Skin/ulcer treat: surgical wound care | Asmt | | Checklist | 1 | 953-953 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| M1200G | Skin/ulcer treat: application of dressings | Asmt | | Checklist | 1 | 954-954 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M1200H | Skin/ulcer treat: apply ointments/medications | Asmt | | Checklist | 1 | 955-955 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| M1200I | Skin/ulcer treat: apply dressings to feet | Asmt | | Checklist | 1 | 956-956 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |

Data Submission Specifications for the MDS 3.0 (V1.14.1)

Detailed Data Specifications Report

Section: M

| Item ID | Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| M1200Z | Skin/ulcer treat: none of the above | Asmt | | Checklist | 1 | 957-957 |

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|-----------------------------|
| 0 | | Not checked (No) |
| 1 | | Checked (Yes) |
| - | | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3676 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3515 | None of above | Fatal | If M1200A through M1200I and M1200Z are all active, then the following rules apply: a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1]. b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0]. c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-]. |