

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_LTC_14_DA	4
Item ID: M1000_DC_SNF_14_DA.....	5
Item ID: M1000_DC_IPPS_14_DA	6
Item ID: M1000_DC_LTCH_14_DA.....	7
Item ID: M1000_DC_IRF_14_DA.....	8
Item ID: M1000_DC_PSYCH_14_DA.....	9
Item ID: M1000_DC_OTH_14_DA.....	10
Item ID: M1000_DC_NONE_14_DA	11
Item ID: M1005_INP_DISCHARGE_DT	12
Item ID: M1005_INP_DSCHG_UNKNOWN.....	14
Item ID: M1021_PRIMARY_DIAG_ICD	15
Item ID: M1021_PRIMARY_DIAG_SEVERITY	18
Item ID: M1023_OTH_DIAG1_ICD	20
Item ID: M1023_OTH_DIAG1_SEVERITY	23
Item ID: M1023_OTH_DIAG2_ICD	25
Item ID: M1023_OTH_DIAG2_SEVERITY	28
Item ID: M1023_OTH_DIAG3_ICD	30
Item ID: M1023_OTH_DIAG3_SEVERITY	33
Item ID: M1023_OTH_DIAG4_ICD	35
Item ID: M1023_OTH_DIAG4_SEVERITY	38
Item ID: M1023_OTH_DIAG5_ICD	40

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG5_SEVERITY	43
Item ID: M1028_ACTV_DIAG_PVD_PAD	45
Item ID: M1028_ACTV_DIAG_DM	46
Item ID: M1028_ACTV_DIAG_NOA	47
Item ID: M1030_THH_IV_INFUSION	48
Item ID: M1030_THH_PAR_NUTRITION	50
Item ID: M1030_THH_ENT_NUTRITION	52
Item ID: M1030_THH_NONE_ABOVE	54
Item ID: M1033_HOSP_RISK_HSTRY_FALLS	56
Item ID: M1033_HOSP_RISK_WEIGHT_LOSS	57
Item ID: M1033_HOSP_RISK_MLTPL_HOSPZTN	58
Item ID: M1033_HOSP_RISK_MLTPL_ED_VISIT	59
Item ID: M1033_HOSP_RISK_MNTL_BHV_DCLN	60
Item ID: M1033_HOSP_RISK_COMPLIANCE	61
Item ID: M1033_HOSP_RISK_5PLUS_MDCTN	62
Item ID: M1033_HOSP_RISK_CRNT_EXHSTN	63
Item ID: M1033_HOSP_RISK_OTHR_RISK	64
Item ID: M1033_HOSP_RISK_NONE_ABOVE	65
Item ID: M1041_IN_INFLNZ_SEASON	66
Item ID: M1046_INFLNZ_REC'D_CRNT_SEASON	67
Item ID: M1051_PVX_RCVD_AGENCY	68

Data Submission Specifications for the OASIS Item Set (V2.31.0)
Detailed Data Specifications Report
Section: Patient History and Diagnoses

Item ID: M1056_PVX_RSN_NOT_RCVD_AGENCY 69

Item ID: M1060_HEIGHT_A..... 71

Item ID: M1060_WEIGHT_B..... 73

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_LTC_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from LTC NH	Asmt		Code	1	464-464

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_SNF_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from skilled nursing facility	Asmt		Code	1	465-465

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_IPPS_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from short stay acute hospital	Asmt		Code	1	466-466

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_LTCH_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from long term care hospital	Asmt		Code	1	467-467

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_IRF_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from inpatient rehab facility	Asmt		Code	1	468-468

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_PSYCH_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from psych hospital or unit	Asmt		Code	1	469-469

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_OTH_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from other	Asmt		Code	1	470-470

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1000_DC_NONE_14_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: not disch from inpatient facility	Asmt		Code	1	471-471

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-5320	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].
-4921	Skip pattern	Fatal	If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1005_INP_DISCHARGE_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Most recent inpatient discharge date	Asmt		Date	8	472-479

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Most recent inpatient discharge date
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".
-3261	Consistency	Fatal	DATE ITEM CONSISTENCY: PATTERN 1 Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply: M0066_PAT_BIRTH_DT < M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0030_START_CARE_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT <</p> <p>M0030_START_CARE_DT <=</p> <p>M1005_INP_DISCHARGE_DT <=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT <=</p> <p>M0032_ROC_DT <=</p> <p>M1307_OLDST_STG2_ONST_DT <=</p> <p>M0906_DC_TRAN_DTH_DT <=</p> <p>M0090_INFO_COMPLETED_DT <=</p> <p>Current date</p>
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p>
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p>
-3450	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p>
-3460	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].</p>
-4921	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1005_INP_DSCHG_UNKNOWN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Inpatient discharge date unknown	Asmt		Code	1	480-480

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3450	Consistency	Fatal	If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].
-3460	Consistency	Fatal	If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].
-5320	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].
-4921	Skip pattern	Fatal	If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1021_PRIMARY_DIAG_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary diagnosis ICD code	Asmt		ICD	8	1359-1366

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p>
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example: -The ICD-10 code "A12." would be submitted as [A12.^^^].</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.3" would be submitted as [A12.3^^^].
- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1021_PRIMAR Y_DIAG_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1021_PRIMARY_DIAG_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary diagnosis severity rating	Asmt		Code	2	1367-1368

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-4990	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.31.0***
-4991	Consistency	Warning	If M0100_ASSMT_REASON=[01,03], then M1021_PRIMARY_DIAG_SEVERITY should equal [01,02,03,04,^].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1021_PRIMAR Y_DIAG_SEVERI TY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-4990	[V2.31.0]-Deleted and replaced by -4991.
Consistency	-4991	[V2.31.0]-New edit, replacing -4990.
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG1_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 1: ICD code	Asmt		ICD	8	1369-1376

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON=[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none">-The ICD-10 code "A12." would be submitted as [A12.^^^^].-The ICD-10 code "A12.3" would be submitted as [A12.3^^^^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG1_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG1_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 1: severity rating	Asmt		Code	2	1377-1378

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

not equal [^].

-5220 Consistency Fatal

THIS EDIT WAS DELETED IN V2.31.0

-5221 Consistency Fatal

If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG1_SEVERITY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG2_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 2: ICD code	Asmt		ICD	8	1379-1386

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none">-The ICD-10 code "A12." would be submitted as [A12.^^^].-The ICD-10 code "A12.3" would be submitted as [A12.3^^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG2_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG2_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 2: severity rating	Asmt		Code	2	1387-1388

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

not equal [^].

-5220 Consistency Fatal

THIS EDIT WAS DELETED IN V2.31.0

-5221 Consistency Fatal

If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG2_SEVERITY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG3_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 3: ICD code	Asmt		ICD	8	1389-1396

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example: -The ICD-10 code "A12." would be submitted as [A12.^^^]. -The ICD-10 code "A12.3" would be submitted as [A12.3^^].</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG3_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG3_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 3: severity rating	Asmt		Code	2	1397-1398

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

not equal [^].

-5220 Consistency Fatal

THIS EDIT WAS DELETED IN V2.31.0

-5221 Consistency Fatal

If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG3_SEVERITY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG4_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 4: ICD code	Asmt		ICD	8	1399-1406

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON=[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none">-The ICD-10 code "A12." would be submitted as [A12.^^^].-The ICD-10 code "A12.3" would be submitted as [A12.3^^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG4_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG4_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 4: severity rating	Asmt		Code	2	1407-1408

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

not equal [^].

-5220 Consistency Fatal

THIS EDIT WAS DELETED IN V2.31.0

-5221 Consistency Fatal

If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG4_SEVERITY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG5_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 5: ICD code	Asmt		ICD	8	1409-1416

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5000	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5001	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

the remaining items in this list.

-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5221	Consistency	Fatal	If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none">-The ICD-10 code "A12." would be submitted as [A12.^^^].-The ICD-10 code "A12.3" would be submitted as [A12.3^^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

- The ICD-10 code "A12.34" would be submitted as [A12.34^^].
- The ICD-10 code "A12.345" would be submitted as [A12.345^]
- The ICD-10 code "A12.3456" would be submitted as [A12.3456]
- An entirely blank ICD-10 code would be submitted as [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG5_ICD	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5000	[V2.31.0]-Replaced by edit -5001
Consistency	-5001	[V2.31.0]-New edit replacing edit -5000
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1023_OTH_DIAG5_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 5: severity rating	Asmt		Code	2	1417-1418

Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5211	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

not equal [^].

-5220 Consistency Fatal

THIS EDIT WAS DELETED IN V2.31.0

-5221 Consistency Fatal

If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

Changes for Version

Type	ID	Description
Item	M1023_OTH_DI AG5_SEVERITY	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-5200	[V2.31.0]-Replaced by edit -5201
Consistency	-5201	[V2.31.0]-New edit replacing edit -5200
Consistency	-5210	[V2.31.0]-Replaced by edit -5211
Consistency	-5211	[V2.31.0]-New edit replacing edit -5210
Consistency	-5220	[V2.31.0]-Replaced by edit -5221
Consistency	-5221	[V2.31.0]-New edit replacing edit -5220

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1028_ACTV_DIAG_PVD_PAD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - PVD or PAD	Asmt		Code	1	1553-1553

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1028_ACTV_DIAG_DM

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - Diabetes Mellitus	Asmt		Code	1	1554-1554

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1028_ACTV_DIAG_NOA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - None of the above	Asmt		Code	1	1627-1627

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1030_THH_IV_INFUSION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: intravenous, infusion	Asmt		Code	1	743-743

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-3880	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-3881	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]
-3890	Consistency	Fatal	***THIS EDIT DELETED IN V2.31.0***
-3891	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NURITION must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Changes for Version

Type	ID	Description
Item	M1030_THH_IV _INFUSION	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-3880	[V2.31.0]-Replaced by edit -3881
Consistency	-3881	[V2.31.0]-New edit -3881 replaces -3880
Consistency	-3890	[V2.31.0]-Replaced by edit -3891
Consistency	-3891	[V2.31.0]-New edit replacing -3890

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1030_THH_PAR_NUTRITION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: parenteral nutrition	Asmt		Code	1	744-744

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-3880	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-3881	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]
-3890	Consistency	Fatal	***THIS EDIT DELETED IN V2.31.0***
-3891	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Changes for Version

Type	ID	Description
Item	M1030_THH_PA R_NUTRITION	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-3880	[V2.31.0]-Replaced by edit -3881
Consistency	-3881	[V2.31.0]-New edit -3881 replaces -3880
Consistency	-3890	[V2.31.0]-Replaced by edit -3891
Consistency	-3891	[V2.31.0]-New edit replacing -3890

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1030_THH_ENT_NUTRITION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: enteral nutrition	Asmt		Code	1	745-745

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-3880	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-3881	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]
-3890	Consistency	Fatal	***THIS EDIT DELETED IN V2.31.0***
-3891	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NURITION must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Changes for Version

Type	ID	Description
Item	M1030_THH_E NT_NUTRITION	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-3880	[V2.31.0]-Replaced by edit -3881
Consistency	-3881	[V2.31.0]-New edit -3881 replaces -3880
Consistency	-3890	[V2.31.0]-Replaced by edit -3891
Consistency	-3891	[V2.31.0]-New edit replacing -3890

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1030_THH_NONE_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: none of the above	Asmt		Code	1	746-746

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
-3880	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-3881	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]
-3890	Consistency	Fatal	***THIS EDIT DELETED IN V2.31.0***
-3891	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NURITION must equal [0].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Changes for Version

Type	ID	Description
Item	M1030_THH_N ONE_ABOVE	[V2.31.0]-Added new item value [=].
Format	-5690	[V2.31.0]-New edit
Consistency	-3880	[V2.31.0]-Replaced by edit -3881
Consistency	-3881	[V2.31.0]-New edit -3881 replaces -3880
Consistency	-3890	[V2.31.0]-Replaced by edit -3891
Consistency	-3891	[V2.31.0]-New edit replacing -3890

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_HSTRY_FALLS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ falls or injury fall in past year	Asmt		Code	1	1515-1515

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_HSTRY_FALLS	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_WEIGHT_LOSS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: unintentional weight loss	Asmt		Code	1	1516-1516

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_WEIGHT_LOSS	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_MLTPL_HOSPZTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ hospitalizations in past 6 months	Asmt		Code	1	1517-1517

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_MLTPL_HOSPZTN	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_MLTPL_ED_VISIT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ emergency dept visits in past 6 months	Asmt		Code	1	1518-1518

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_MLTPL_ED_VISIT	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_MNTL_BHV_DCLN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: decline mental/emotional/behav status	Asmt		Code	1	1519-1519

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_MNTL_BHV_DCLN	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_COMPLIANCE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: difficulty with medical instructions	Asmt		Code	1	1520-1520

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_COMPLIANCE	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_5PLUS_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: taking five or more medications	Asmt		Code	1	1521-1521

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_5PLUS_MDCTN	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_CRNT_EXHSTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: current exhaustion	Asmt		Code	1	1522-1522

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_CRNT_EXHSTN	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_OTHR_RISK

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: other risk(s) not listed	Asmt		Code	1	1523-1523

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_OTHR_RISK	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1033_HOSP_RISK_NONE_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: none of the above	Asmt		Code	1	1524-1524

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

Changes for Version

Type	ID	Description
Item	M1033_HOSP_RISK_NONE_ABOVE	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1041_IN_INFLNZ_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does episode include Oct 1 thru Mar 31	Asmt		Code	1	1525-1525

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1046_INFLNZ_RECD_CRNT_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Did patient receive influenza vaccine	Asmt		Code	2	1526-1527

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
01		Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)
02		Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
03		Yes; received from another health care provider (for example, physician, pharmacist)
04		No; patient offered and declined
05		No; patient assessed and determined to have medical contraindication(s)
06		No; not indicated - patient does not meet age/condition guidelines for influenza vaccine
07		No; inability to obtain vaccine due to declared shortage
08		No; patient did not receive the vaccine due to reasons other than those listed in responses 4 - 7
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1051_PVX_RCVD_AGENCY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was pneumococcal vaccine received	Asmt		Code	1	1528-1528

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5090	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5100	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***

Changes for Version

Type	ID	Description
Item	M1051_PVX_RC VD_AGENCY	[V2.31.0]-Added new item value [=].
Skip pattern	-5090	[V2.31.0]-Edit deleted.
Skip pattern	-5100	[V2.31.0]-Edit deleted.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1056_PVX_RSN_NOT_RCVD_AGENCY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If pneumococcal vacc not received, state reason	Asmt		Code	2	1529-1530

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
01		Offered and declined
02		Assessed and determined to have medical contraindication(s)
03		Not indicated; patient does not meet age/condition guidelines for PVX
04		None of the above
^		Blank (skip pattern)
=		Ignored

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5090	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5100	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***

Changes for Version

Type	ID	Description
Item	M1056_PVX_RS N_NOT_RCVD_ AGENCY	[V2.31.0]-Added new item value [=].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Skip pattern	-5090	[V2.31.0]-Edit deleted.
Skip pattern	-5100	[V2.31.0]-Edit deleted.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1060_HEIGHT_A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Height (in inches)	Asmt		Number	2	1555-1556

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
50		Minimum value
80		Maximum value
-		Not assessed (no information)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Supplemental Information

Info ID	Type	Text
-9190	Information	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Item ID: M1060_WEIGHT_B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight (in pounds)	Asmt		Number	3	1557-1559

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
065		Minimum value
440		Maximum value
-		Not assessed (no information)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Patient History and Diagnoses

Supplemental Information

Info ID	Type	Text
-9190	Information	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>