

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0080_ASSESSOR_DISCIPLINE	2
Item ID: M0090_INFO_COMPLETED_DT.....	3
Item ID: M0100_ASSMT_REASON.....	7
Item ID: M0102_PHYSN_ORDRD_SOCROC_DT.....	12
Item ID: M0102_PHYSN_ORDRD_SOCROC_DT_NA.....	14
Item ID: M0104_PHYSN_RFRL_DT	15
Item ID: M0110_EPISODE_TIMING	16

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0080_ASSESSOR_DISCIPLINE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Discipline of person completing assessment	Asmt		Code	2	433-434

Item Subsets

Active: 01,03,04,05,06,07,08,09
Inactive: XX

Item Values

Value	LOINC Code	Value Text
01		RN
02		PT
03		SLP/ST
04		OT

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0090_INFO_COMPLETED_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date assessment completed	Asmt		Date	8	435-442

Item Subsets

Active: 01,03,04,05,06,07,08,09,XX

Inactive:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date assessment completed

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".
-3190	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items: M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

M0069_PAT_GENDER
M0090_INFO_COMPLETED_DT
M0100_ASSMT_REASON
M0906_DC_TRAN_DTH_DT

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT < M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0030_START_CARE_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p>
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT < M0030_START_CARE_DT <= M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0032_ROC_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p>
-3300	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.</p>
-3310	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.</p>
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.

-3330	Consistency	Warning	If TRANS_TYPE_CD=[1] (new record), then submission date SUBMSN_DT minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.
-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.</p> <p>b) Patient age at the time the assessment was completed cannot be less than 18 years.</p> <p>c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p>
-5460	Consistency	Fatal	The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.

Supplemental Information

Info ID	Type	Text
-9060	Information	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.

-9080

Information

COMPLETION OF FOLLOW-UP ASSESSMENTS

The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.

More formally, the rules can be stated as follows:

-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).

-Let SOC be the start of care date (M0030_START_CARE_DT).

-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.

Given these symbols, the rule for completion of follow-up assessments is as follows:

$$SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$$

Where j=1, 2, 3, etc.

If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0100_ASSMT_REASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Reason for assessment	Asmt		Code	2	443-444

Item Subsets

Active: 01,03,04,05,06,07,08,09,XX

Inactive:

Item Values

Value	LOINC Code	Value Text
01		Start of care - further visits planned
03		Resumption of care (after inpatient stay)
04		Recertification (follow-up) reassessment
05		Other follow-up
06		Transferred to an inpatient facility - patient not discharged from agency
07		Transferred to an inpatient facility - patient discharged from agency
08		Death at home
09		Discharge from agency

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3190	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items: M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

M0040_PAT_LNAME
M0064_SSN
M0064_SSN_UK
M0066_PAT_BIRTH_DT
M0069_PAT_GENDER
M0090_INFO_COMPLETED_DT
M0100_ASSMT_REASON
M0906_DC_TRAN_DTH_DT

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3280	Consistency	Warning	If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.
-3290	Consistency	Warning	If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.
-3300	Consistency	Warning	If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.
-3310	Consistency	Warning	If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.
-3320	Consistency	Warning	If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.
-4320	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].
-4350	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-4351	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M1620_BWL_INCONT is active it cannot equal [UK].
-4480	Consistency	Fatal	If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].
-4490	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-4570	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].
-4580	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].
-4730	Consistency	Fatal	If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

-4740	Consistency	Fatal	If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].
-4820	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.31.0***
-5290	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].
-5300	Consistency	Fatal	If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].
-5340	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.
-5350	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.
-5660	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***
-5661	Consistency	Fatal	If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5680	Consistency	Fatal	***THIS EDIT DELETED IN V2.31.0***
-5681	Consistency	Fatal	a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA]. b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].

Supplemental Information

Info ID	Type	Text
-9060	Information	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p>
-9080	Information	<p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.

More formally, the rules can be stated as follows:

- Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).
- Let SOC be the start of care date (M0030_START_CARE_DT).
- Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.

Given these symbols, the rule for completion of follow-up assessments is as follows:

$$\text{SOC} + (60*j) - 5 \leq \text{FCD} \leq \text{SOC} + (60*j) - 1$$

Where j=1, 2, 3, etc.

If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.

-9160

Information

The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:

If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01]
then ITM_SBST_CD = [01]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03]
then ITM_SBST_CD = [03]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04]
then ITM_SBST_CD = [04]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05]
then ITM_SBST_CD = [05]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06]
then ITM_SBST_CD = [06]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07]
then ITM_SBST_CD = [07]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08]
then ITM_SBST_CD = [08]
If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09]

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

then ITM_SBST_CD = [09]

If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09]

then ITM_SBST_CD = [XX]

For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.

Changes for Version

Type	ID	Description
Consistency	-4350	[V2.31.0]-Replaced by edit -4351
Consistency	-4351	[V2.31.0]-New edit replacing edit -4350
Consistency	-4490	[V2.31.0]-Edit deleted.
Consistency	-4820	[V2.31.0]-Edit deleted.
Consistency	-5660	[V2.31.0]-Replaced by edit -5661
Consistency	-5661	[V2.31.0]-New edit replacing edit -5660
Consistency	-5680	[V2.31.0]-Replaced by edit -5681
Consistency	-5681	[V2.31.0]- New edit replacing edit -5680

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0102_PHYSN_ORDRD_SOCROC_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physician ordered SOC/ROC date	Asmt		Date	8	445-452

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Physician ordered SOC/ROC date
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".
-3261	Consistency	Fatal	DATE ITEM CONSISTENCY: PATTERN 1 Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply: M0066_PAT_BIRTH_DT < M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0030_START_CARE_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT <</p> <p>M0030_START_CARE_DT <=</p> <p>M1005_INP_DISCHARGE_DT <=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT <=</p> <p>M0032_ROC_DT <=</p> <p>M1307_OLDST_STG2_ONST_DT <=</p> <p>M0906_DC_TRAN_DTH_DT <=</p> <p>M0090_INFO_COMPLETED_DT <=</p> <p>Current date</p>
-3570	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].</p>
-3580	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].</p>
-3590	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].</p>
-3600	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].</p>

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0102_PHYSN_ORDRD_SOCROC_DT_NA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physician ordered SOC/ROC date - NA	Asmt		Code	1	453-453

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (no)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3570	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].
-3580	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0104_PHYSN_RFRL_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physician date of referral	Asmt		Date	8	454-461

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Physician date of referral
^		Blank (not available or unknown)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".
-3590	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].
-3600	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].
-5340	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.
-5350	Consistency	Fatal	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Detailed Data Specifications Report

Section: Clinical Record Items

Item ID: M0110_EPISODE_TIMING

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Episode timing	Asmt		Code	2	462-463

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
01		Early
02		Later
UK		Unknown
NA		Not Applicable: No Medicare case mix group to be defined by this assessment.

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3610	Consistency	Fatal	***THIS EDIT WAS DELETED IN V.2.31.0***

Changes for Version

Type	ID	Description
Consistency	-3610	[V2.31.0]-Edit deleted.