

## Data Submission Specifications for the OASIS Item Set (V2.31.0)

### Detailed Data Specifications Report

#### Section: Admission or Discharge Items

Item ID: M2401_INTRVTN_SMRY_DBTS_FT .....	2
Item ID: M2401_INTRVTN_SMRY_FALL_PRVNT .....	3
Item ID: M2401_INTRVTN_SMRY_DPRSN .....	4
Item ID: M2401_INTRVTN_SMRY_PAIN_MNTR.....	5
Item ID: M2401_INTRVTN_SMRY_PRSULC_PRVN .....	6
Item ID: M2401_INTRVTN_SMRY_PRSULC_WET.....	7
Item ID: M2410_INPAT_FACILITY.....	8
Item ID: M2420_DSCHRG_DISP .....	9
Item ID: M0906_DC_TRAN_DTH_DT.....	10

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_DBTS\_FT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: diabetic foot care	Asmt		Code	2	1615-1616

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable
=		Ignored

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Item	M2401_INTRVTN_SMRY_DBTS_FT	[V2.31.0]-Added new item value [=].

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_FALL\_PRVNT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: falls prevention	Asmt		Code	2	1617-1618

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

## Data Submission Specifications for the OASIS Item Set (V2.31.0)

### Detailed Data Specifications Report

#### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_DPRSN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: depression intervention	Asmt		Code	2	1619-1620

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_PAIN\_MNTR

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: monitor and mitigate pain	Asmt		Code	2	1621-1622

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

## Data Submission Specifications for the OASIS Item Set (V2.31.0)

### Detailed Data Specifications Report

#### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_PRSULC\_PRVN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: prevent pressure ulcers	Asmt		Code	2	1623-1624

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

## Data Submission Specifications for the OASIS Item Set (V2.31.0)

### Detailed Data Specifications Report

#### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_PRSULC\_WET

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: PU moist wound treatment	Asmt		Code	2	1625-1626

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2410\_INPAT\_FACILITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Inpatient facility	Asmt		Code	2	1013-1014

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Hospital
02		Rehabilitation facility
03		Nursing home
04		Hospice
NA		No inpatient facility admission

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4570	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].
-4580	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].



## Data Submission Specifications for the OASIS Item Set (V2.31.0)

### Detailed Data Specifications Report

#### Section: Admission or Discharge Items

Item ID: M2420\_DSCHRG\_DISP

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Discharge disposition	Asmt		Code	2	1015-1016

#### Item Subsets

Active: 09  
Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Patient remained in the community (without formal assistive services).
02		Patient remained in the community (with formal assistive services).
03		Patient transferred to a non-institutional hospice.
04		Unknown because patient moved to a geographical location not served by this agency.
UK		Other unknown.

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M0906\_DC\_TRAN\_DTH\_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Discharge, transfer, death date	Asmt		Date	8	1053-1060

#### Item Subsets

Active: 06,07,08,09,XX  
Inactive: 01,03,04,05

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Discharge, transfer, death date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	VALUES OF DATE ITEMS This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".

-3190	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:
-------	-------------	-------	---

M0030\_START\_CARE\_DT  
M0032\_ROC\_DT  
M0032\_ROC\_DT\_NA  
M0040\_PAT\_FNAME  
M0040\_PAT\_LNAME  
M0064\_SSN  
M0064\_SSN\_UK  
M0066\_PAT\_BIRTH\_DT

# Data Submission Specifications for the OASIS Item Set (V2.31.0)

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M0069\_PAT\_GENDER  
M0090\_INFO\_COMPLETED\_DT  
M0100\_ASSMT\_REASON  
M0906\_DC\_TRAN\_DTH\_DT

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt; M1005_INP_DISCHARGE_DT &lt;= M0102_PHYSN_ORDRD_SOCROC_DT &lt;= M0030_START_CARE_DT &lt;= M1307_OLDST_STG2_ONST_DT &lt;= M0906_DC_TRAN_DTH_DT &lt;= M0090_INFO_COMPLETED_DT &lt;= Current date</p>
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt; M0030_START_CARE_DT &lt;= M1005_INP_DISCHARGE_DT &lt;= M0102_PHYSN_ORDRD_SOCROC_DT &lt;= M0032_ROC_DT &lt;= M1307_OLDST_STG2_ONST_DT &lt;= M0906_DC_TRAN_DTH_DT &lt;= M0090_INFO_COMPLETED_DT &lt;= Current date</p>
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p>
-5290	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].</p>
-5300	Consistency	Fatal	<p>If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].</p>

**Data Submission Specifications for the OASIS Item Set (V2.31.0)**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

***Supplemental Information***

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9060	Information	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p>