

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Emergent Care**

Item ID: M2301_EMER_USE_AFTR_LAST_ASMT .....	2
Item ID: M2310_ECR_MEDICATION .....	6
Item ID: M2310_ECR_HYPOGLYC.....	11
Item ID: M2310_ECR_OTHER.....	16
Item ID: M2310_ECR_UNKNOWN.....	21

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Item ID: M2301\_EMER\_USE\_AFTR\_LAST\_ASMT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care: use since most recent SOC/ROC	Asmt		Code	2	1613-1614

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes, used hospital emergency department WITHOUT hospital admission
02		Yes, used hospital emergency department WITH hospital admission
UK		Unknown

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

#### Change for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE, M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_Cmplctn  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRy  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_Cmplctn  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRy  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Item ID: M2310\_ECR\_MEDICATION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: medication	Asmt		Code	1	981-981

#### Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

#### Change for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Emergent Care**

M1018\_PRIOR\_MEM\_LOSS  
M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

		M2430_HOSP_RSPRTRY_INFCTN
		M2430_HOSP_RSPRTRY_OTHR
		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-4550	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Item ID: M2310\_ECR\_HYPOGLYC

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: hypoglycemia/hyperglycemia	Asmt		Code	1	990-990

#### Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

#### Change for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M1018\_PRIOR\_MEM\_LOSS  
M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN, M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-4550	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Emergent Care**

M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN

Skip pattern        -4541

[V2.30.0]-Mappings were removed to the following deleted items:

M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Item ID: M2310\_ECR\_OTHER

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: other than above	Asmt		Code	1	999-999

#### Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

#### Change for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M1018\_PRIOR\_MEM\_LOSS  
M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN.
Consistency	-4550	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Item ID: M2310\_ECR\_UNKNOWN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: unknown	Asmt		Code	1	1000-1000

#### Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

#### Change for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Emergent Care**

M1018\_PRIOR\_MEM\_LOSS  
M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Emergent Care**

		M2430_HOSP_SCHLD_TRTMT
		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-4550	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTHM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Emergent Care

Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN