

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

Item ID: M2401_INTRVTN_SMRY_DBTS_FT.....	2
Item ID: M2401_INTRVTN_SMRY_FALL_PRVNT .....	5
Item ID: M2401_INTRVTN_SMRY_DPRSN.....	8
Item ID: M2401_INTRVTN_SMRY_PAIN_MNTR.....	11
Item ID: M2401_INTRVTN_SMRY_PRSULC_PRVN .....	14
Item ID: M2401_INTRVTN_SMRY_PRSULC_WET.....	17
Item ID: M2410_INPAT_FACILITY.....	20
Item ID: M2420_DSCHRG_DISP.....	24
Item ID: M0906_DC_TRAN_DTH_DT.....	27

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_DBTS\_FT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: diabetic foot care	Asmt		Code	2	1615-1616

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

Item ID: M2401\_INTRVTN\_SMRY\_FALL\_PRVNT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: falls prevention	Asmt		Code	2	1617-1618

**Item Subsets**

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

**Item Values**

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Changes for Version**

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS, M1036_RSK_NONE M1036_RSK_OBESITY

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_DPRSN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: depression intervention	Asmt		Code	2	1619-1620

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRANSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_PAIN\_MNTR

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: monitor and mitigate pain	Asmt		Code	2	1621-1622

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS, M1036_RSK_NONE M1036_RSK_OBESITY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRANSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

Item ID: M2401\_INTRVTN\_SMRY\_PRSULC\_PRVN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: prevent pressure ulcers	Asmt		Code	2	1623-1624

**Item Subsets**

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

**Item Values**

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Changes for Version**

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS, M1036_RSK_NONE M1036_RSK_OBESITY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRANSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2401\_INTRVTN\_SMRY\_PRSULC\_WET

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Intervention synopsis: PU moist wound treatment	Asmt		Code	2	1625-1626

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not applicable

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS, M1036_RSK_NONE M1036_RSK_OBESITY

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRANSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2410\_INPAT\_FACILITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Inpatient facility	Asmt		Code	2	1013-1014

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Hospital
02		Rehabilitation facility
03		Nursing home
04		Hospice
NA		No inpatient facility admission

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4570	Consistency	Fatal	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].
-4580	Consistency	Fatal	If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].
-4590	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4600	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

Skip pattern	-4590	M2430_HOSP_UR_TRACT
Skip pattern	-4600	M2430_HOSP_WND_INFCTN
		[V2.30.0]-This edit was deleted, since the M2430 items were deleted.
		[V2.30.0]-This edit was deleted, since the M2430 items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M2420\_DSCHRG\_DISP

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Discharge disposition	Asmt		Code	2	1015-1016

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Patient remained in the community (without formal assistive services).
02		Patient remained in the community (with formal assistive services).
03		Patient transferred to a non-institutional hospice.
04		Unknown because patient moved to a geographical location not served by this agency.
UK		Other unknown.

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

Item ID: M0906\_DC\_TRAN\_DTH\_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Discharge, transfer, death date	Asmt		Date	8	1053-1060

#### Item Subsets

Active: 06,07,08,09,XX  
 Inactive: 01,03,04,05

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Discharge, transfer, death date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p>
-3190	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the ASAP system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT                      M0032_ROC_DT                      M0032_ROC_DT_NA                      M0040_PAT_FNAME                      M0040_PAT_LNAME                      M0064_SSN                      M0064_SSN_UK                      M0066_PAT_BIRTH_DT                      M0069_PAT_GENDER                      M0090_INFO_COMPLETED_DT                      M0100_ASSMT_REASON                      M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p>
-3260	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p>

# Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

## Detailed Data Specifications Report

### Section: Admission or Discharge Items

-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;</p> <p>M1005_INP_DISCHARGE_DT &lt;=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT &lt;=</p> <p>M0030_START_CARE_DT &lt;=</p> <p>M1307_OLDST_STG2_ONST_DT &lt;=</p> <p>M0906_DC_TRAN_DTH_DT &lt;=</p> <p>M0090_INFO_COMPLETED_DT &lt;=</p> <p>Current date</p>
-3270	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p>
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;</p> <p>M0030_START_CARE_DT &lt;=</p> <p>M1005_INP_DISCHARGE_DT &lt;=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT &lt;=</p> <p>M0032_ROC_DT &lt;=</p> <p>M1307_OLDST_STG2_ONST_DT &lt;=</p> <p>M0906_DC_TRAN_DTH_DT &lt;=</p> <p>M0090_INFO_COMPLETED_DT &lt;=</p> <p>Current date</p>
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p>
-5290	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].</p>
-5300	Consistency	Fatal	<p>If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].</p>

### Supplemental Information

Info ID	Type	Text
-9060	Information	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p>

**Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT**  
**Detailed Data Specifications Report**  
**Section: Admission or Discharge Items**

**Changes for Version**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3070	[V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted.
Consistency	-3261	[V2.30.0]-New edit. Replaces edit -3260.
Consistency	-3271	[V2.30.0]-New edit. Replaces edit -3270.