

CLIA Annual Laboratory Registry Overview

1. CFR 493.1850 requires that once a year CMS make available to physicians and the general public specific information (including information provided to CMS by the Office of the Inspector General-OIG) that is useful in evaluating the performance of laboratories.
 - a. In January a letter is sent to each CMS Operations Location requesting any sanctions taken against a laboratory in the previous calendar year.
 - b. Letters are also sent to each Accreditation Organization (AO) and Exempt State (ES).
 - c. Time frame -the CMS Operations Locations, AOs and ESs have 60 days to respond and submit actions to CMS Baltimore.

2. Once the information is received from the CMS Locations, AOs, and the ESs, it has to be sorted and put in numerical order within each category. There are 10 regulatory sections.
 1. A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing or kickbacks.
 2. A list of laboratories that have had their CLIA certificate suspended, limited, or revoked, and the reason for the adverse actions.
 3. A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
 4. A list of laboratories on which alternative sanctions have been imposed, showing-
 - (i) the effective date off the sanctions;
 - (ii) the reason for imposing them;
 - (iii) any corrective action taken by the laboratory;
 - (iv) if the laboratory has achieved compliance, the verified date of compliance
 5. A list of laboratories whose accreditation has been withdrawn or revoked and the reason for the withdrawal or decision and includes all other adverse actions taken by the accreditation organization.
 6. All appeals and hearing decisions.
 7. A list of laboratories against which CMS has brought suit under Section 493.1846 and the reason for those actions.
 8. A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.
 9. This Section is for "Corrections of any Erroneous Statements of Information that Appeared in a previous Registry".
 10. Other Actions. This Section includes other Specific information that may be useful in evaluating the performance of Laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt status.

The Registry can also include SETTLEMENTS which is generally supplied by the Office of the Inspector General.

3. Once the CMS Operations Locations have finished input for the calendar year under review into the data system (AEM -ASPEN Enforcement Manager), a report is run that collates the information in numerical order and per section (1 through 10). All actions taken by the AOs and ESs must be entered into AEM manually.
4. A final Laboratory Registry report is run when all of the information is complete. This report is checked for accuracy by the CMS Locations, AOs, ESs, and CMS Baltimore prior to publication on the CLIA website.



2021 CLIA LAB REGISTRY

Laboratory Registry Activity from 01/01/2021 thru 12/31/2021

(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

*** NO DATA FOUND ***

2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

NISHA BHATIA, DIRECTOR
CARDIAC SOLUTIONS - SUN CITY WEST
14420 W MEEKER BLVD, SUITE A-305
SUN CITY WEST, AZ 85375
CLIA ID# 03D1059101

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: March 4, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

GOPAL REDDY GADE, DIRECTOR
GOPAL REDDY GADE MD INC
6183 N FRESNO ST STE 105
FRESNO, CA 93710
CLIA ID# 05D0713674

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 18, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

HONG LI MD, DIRECTOR
CORONA PATHOLOGY CPS INC
4444 W RIVERSIDE DR STE 308
BURBANK, CA 91505
CLIA ID# 05D0879836

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 18, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ANTONIO GARCIA, MD, DIRECTOR
ANTONIO M GARCIA, MD
586 E MISSION BLVD
POMONA, CA 91766
CLIA ID# 05D0887027

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 16, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

JAMES DIBDIN, DIRECTOR
HEALTH CARE PROVIDERS LABORATORY
14411 PALMROSE AVE
BALDWIN PARK, CA 91706
CLIA ID# 05D0895741

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: December 17, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

OMAR TIRMIZI MD, DIRECTOR
OMNI DIAGNOSTIC LABORATORY, LLC
1888 WEST 6TH STREET, SUITE H
CORONA, CA 92882
CLIA ID# 05D2128426

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: November 18, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ALAN TANNENBAUM, DIRECTOR
OPTIMUS LABS LLC
523 CAPE CORAL PKWY E
CAPE CORAL, FL 33904
CLIA ID# 10D0908796

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: January 1, 2021
REASON: Unsuccessful PT

CELSO CHAVEZ, DIRECTOR
VANNVEI LLC DBA TRI-STATE HEALTH SERVICES
TRI-STATE CLEARWATER MEDICAL CLINIC
1522 17TH ST
LEWISTON, ID 83501
CLIA ID# 13D0521095

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: December 15, 2021
REASON: Condition Level Non-Compliance
Unsuccessful PT

Larry Heller, DIRECTOR
STEWART MEMORIAL COMMUNITY HOSPITAL
1301 WEST MAIN STREET
LAKE CITY, IA 51449
CLIA ID# 16D0385663

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: March 14, 2021
REASON: Unsuccessful PT
STATUS: Suspension And Limitation Lifted

BRANDON BOURGEOUS, DIRECTOR
CEDAR RAPIDS OB GYN SPECIALISTS, PC
788 8TH AVENUE SE, SUITE 100
CEDAR RAPIDS, IA 52401
CLIA ID# 16D0386979

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 28, 2021
REASON: Unsuccessful PT

PRITI PATEL, DIRECTOR
INTERNAL MEDICINE & PREVENTIVE CARE PC
233 WINTHROP STREET
TAUNTON, MA 02780
CLIA ID# 22D1030094

SANCTION: Cancel Medicare/Medicaid Approval
EFFECTIVE DATE: December 2, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC
STATUS: Revocation of CLIA Certificate

BART SHAW, DIRECTOR
SALEM MEMORIAL DISTRICT HOSPITAL
35629 HWY 72
SALEM, MO 65560
CLIA ID# 26D0046398

SANCTION: Limitation of CLIA Certificate
EFFECTIVE DATE: October 24, 2021
REASON: Unsuccessful PT

SANJAY GHOSH, DIRECTOR
ARP DIAGNOSTICS
1080 CAROLINE DRIVE STE 200
WASHINGTON, MO 63090
CLIA ID# 26D0882114

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: November 5, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Lab Owner/Oper Prohibited From Owning Lab
STATUS: Revocation of CLIA Certificate

LUIS TUMIALAN, DIRECTOR
CLINLAB, INC
763 S NEW BALLAS ROAD, STE 160
SAINT LOUIS, MO 63141
CLIA ID# 26D0995726

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate
EFFECTIVE DATE: January 21, 2021
January 21, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab
STATUS: Revocation of CLIA Certificate

DAVID SMALLEY, DIRECTOR
GAMMA HEALTHCARE, INC - POPLAR BLUFF
1717 WEST MAUD ST
POPLAR BLUFF, MO 63901
CLIA ID# 26D1041510

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: May 25, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab
STATUS: Revocation of CLIA Certificate

HABIB MUNSHI, DIRECTOR
BRANSON PULMONOLOGY & SLEEP LLC
875 E STATE HIGHWAY 76
BRANSON, MO 65616
CLIA ID# 26D2005747

SANCTION: Suspension of CLIA Certificate
EFFECTIVE DATE: December 8, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Failure To Submit Acceptable POC or AOC

Walz, Stacy BURSON, Michael, DIRECTOR
GAMMA HEALTHCARE INC - SPRINGFIELD
228 E PRIMROSE
SPRINGFIELD, MO 65807
CLIA ID# 26D2102945

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: May 25, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

JUSTIN CAMILLO, DIRECTOR
ACN MEDICAL LABS, LLC
16216 BAXTER ROAD, SUITE 300B
CHESTERFIELD, MO 63017
CLIA ID# 26D2147784

SANCTION: Revocation of CLIA Certificate
EFFECTIVE DATE: April 29, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab
STATUS: Revocation of CLIA Certificate
Hearing Decision Sustained CMS Sanc Determ

SAM MITCHELL, DIRECTOR
MSU UNIVERSITY HEALTH PARTNERS
MONTANA STATE UNIVERSITY, SWINGLE STUDENT HEALTH
BOZEMAN, MT 59715
CLIA ID# 27D0042135

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: January 15, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance achieved on 07/15/2021.

RANDALL SHANNON, DIRECTOR
RUBY VALLEY HOSPITAL DBA RUBY VALLEY MEDICAL CTR
321 MADISON ST
SHERIDAN, MT 59749
CLIA ID# 27D0410751

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: January 1, 2021

REASON: Unsuccessful PT Certificate

STATUS: Reinstated
Compliance Achieved

REASON: Laboratory achieved compliance June 4, 2021

VICKI LAWTON, DIRECTOR
PINE LAKE HEALTH DBA HEALTH FIRST NEBRASKA
9370 G STREET
OMAHA, NE 68127
CLIA ID# 28D2192482

SANCTION: Suspension of CLIA Certificate

EFFECTIVE DATE: December 27, 2021

REASON: Cancellation of Medicare Approval Suspension Medicare
Cancellation/Suspension
Condition Level Non-Compliance with IJ

THOMAS DOMENICO, DIRECTOR
GENESIS DIAGNOSTICS
900 TOWNE CENTER DRIVE
LANGHORNE, PA 19047
CLIA ID# 39D1099562

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: August 23, 2021
November 19, 2021

REASON: 2 Year Prohibition From Owning, Operating and Directing Condition Level Non-
Compliance with IJ
Failure to Correct Deficiencies

STATUS: Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab
Revocation of CLIA Certificate
Appeal Filed By Laboratory

HELEN DEL TORO SEGARRA, DIRECTOR
LAB CONCORDIA LUGARO
8151 CALLE CONCORDIA SUITE 2
PONCE, PR 00717
CLIA ID# 40D0658188

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: November 9, 2021
November 9, 2021

REASON: Cancellation of Medicare Approval Revocation
Improper PT Testing Referral Activities
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate
Hearing Decision Sustained CMS Sanc Determ
Hearing Requested
Appeal Filed By Laboratory

JOHN JOSEPH, DIRECTOR
MILLENNIUM PHYSICIANS DBA MILLENIUM ONCOLOGY
17323 RED OAK DRIVE
HOUSTON, TX 77090
CLIA ID# 45D2064518

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: March 12, 2021

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

*** NO DATA FOUND ***

4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

NISHA BHATIA, DIRECTOR
CARDIAC SOLUTIONS - SUN CITY WEST
14420 W MEEKER BLVD, SUITE A-305
SUN CITY WEST, AZ 85375
CLIA ID# 03D1059101

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: March 2, 2021
March 4, 2021

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

MAX MIROT, DIRECTOR
COPPER QUEEN COMMUNITY HOSPITAL
ED DEPARTMENT DOUGLAS
100 E 5TH ST
DOUGLAS, AZ 85607
CLIA ID# 03D2124326

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 19, 2021

REASON: Condition Level Non-Compliance
Unsuccessful PT

GARY ANZALONE, DIRECTOR
MAGNOLIA REGIONAL HEALTH SYSTEM INC
101 HOSPITAL DRIVE
MAGNOLIA, AR 71753
CLIA ID# 04D0465641

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: October 15, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

BRAD BALTZ, DIRECTOR
CHI ST VINCENT ONCOLOGY
500 S UNIVERSITY, SUITE 815
LITTLE ROCK, AR 72205
CLIA ID# 04D2148459

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 22, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

GOPAL REDDY GADE, DIRECTOR
GOPAL REDDY GADE MD INC
6183 N FRESNO ST STE 105
FRESNO, CA 93710
CLIA ID# 05D0713674

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: October 18, 2021
November 18, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

HONG LI MD, DIRECTOR
CORONA PATHOLOGY CPS INC
4444 W RIVERSIDE DR STE 308
BURBANK, CA 91505
CLIA ID# 05D0879836

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: October 18, 2021
November 18, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ANTONIO GARCIA, MD, DIRECTOR
ANTONIO M GARCIA, MD
586 E MISSION BLVD
POMONA, CA 91766
CLIA ID# 05D0887027

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 18, 2021
November 16, 2021

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

JAMES DIBDIN, DIRECTOR
HEALTH CARE PROVIDERS LABORATORY
14411 PALMROSE AVE
BALDWIN PARK, CA 91706
CLIA ID# 05D0895741

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 18, 2021
December 17, 2021

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

OMAR TIRMIZI MD, DIRECTOR
OMNI DIAGNOSTIC LABORATORY, LLC
1888 WEST 6TH STREET, SUITE H
CORONA, CA 92882
CLIA ID# 05D2128426

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 18, 2021
November 18, 2021

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ALAN TANNENBAUM, DIRECTOR
OPTIMUS LABS LLC
523 CAPE CORAL PKWY E
CAPE CORAL, FL 33904
CLIA ID# 10D0908796

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 1, 2021
January 1, 2021

REASON: Unsuccessful PT

SATISH PATEL, DIRECTOR
MAINSTREAM DIAGNOSTIC LABORATORY LLC
5354 GULF DR
NEW PORT RICHEY, FL 34652
CLIA ID# 10D2177660

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 17, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

CELSO CHAVEZ, DIRECTOR
VANNVEI LLC DBA TRI-STATE HEALTH SERVICES
TRI-STATE CLEARWATER MEDICAL CLINIC
1522 17TH ST
LEWISTON, ID 83501
CLIA ID# 13D0521095

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: December 15, 2021
December 15, 2021

REASON: Condition Level Non-Compliance
Unsuccessful PT

Larry Heller, DIRECTOR
STEWART MEMORIAL COMMUNITY HOSPITAL
1301 WEST MAIN STREET LAKE CITY, IA
51449 CLIA ID# 16D0385663

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 12, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

BRANDON BOURGEOUS, DIRECTOR
CEDAR RAPIDS OB GYN SPECIALISTS, PC
788 8TH AVENUE SE, SUITE 100
CEDAR RAPIDS, IA 52401
CLIA ID# 16D0386979

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 28, 2021
REASON: Unsuccessful PT

LEE PANKEY, DIRECTOR
EAST CARROLL PARISH HOSPITAL
336 NORTH HOOD STREET
LAKE PROVIDENCE, LA 71254
CLIA ID# 19D0673263

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 22, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

JESSICA FULLER, DIRECTOR
CALDWELL MEMORIAL HOSPITAL, INC
411 MAIN STREET
COLUMBIA, LA 71418
CLIA ID# 19D1082041

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 22, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

GRACE CENTOLA, DIRECTOR
NEW ENGLAND CRYOGENIC CENTER, INC
500 DONALD J LYNCH BLVD
MARLBOROUGH, MA 01752
CLIA ID# 22D2007508

SANCTION: Civil Money Penalty
EFFECTIVE DATE: November 29, 2021
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved
REASON: Acceptable plan of correction submitted. Laboratory compliance reinstated December 2021.

DANIELLE SCHRAMM, DIRECTOR
FUTURE DIAGNOSTIC CENTER
4619 ALLEN
ALLEN PARK, MI 48101
CLIA ID# 23D2155339

SANCTION: Civil Money Penalty
EFFECTIVE DATE: October 30, 2021
REASON: Condition Level Non-Compliance
STATUS: Compliance Achieved

BART SHAW, DIRECTOR
SALEM MEMORIAL DISTRICT HOSPITAL
35629 HWY 72
SALEM, MO 65560
CLIA ID# 26D0046398

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 24, 2021
REASON: Unsuccessful PT

RUSSELL YOCUM, DIRECTOR
MERITAS HEALTH CORPORATION DBA MERITAS HEALTH PLATTE CITY
2600 RUNNING HORSE ROAD
PLATTE CITY, MO 64079
CLIA ID# 26D0443110

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 6, 2021
March 6, 2021
REASON: Improper PT Testing Referral Activities

LUIS TUMIALAN, DIRECTOR
CLINLAB, INC
763 S NEW BALLAS ROAD, STE 160
SAINT LOUIS, MO 63141
CLIA ID# 26D0995726

SANCTION: Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: January 21, 2021
REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

REASON: Alternative Sanction Suspension of part of Medicare/Medicaid should not have appeared on the 2020 Registry. Effective date of Alternative Sanction was 1/21/2021. Refer to Section 4.

DAVID SMALLEY, DIRECTOR
GAMMA HEALTHCARE, INC - POPLAR BLUFF
1717 WEST MAUD ST
POPLAR BLUFF, MO 63901
CLIA ID# 26D1041510

SANCTION: Civil Money Penalty
EFFECTIVE DATE: May 25, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

Walz, Stacy BURSON, Michael, DIRECTOR
GAMMA HEALTHCARE INC - SPRINGFIELD
228 E PRIMROSE
SPRINGFIELD, MO 65807
CLIA ID# 26D2102945

SANCTION: Civil Money Penalty
EFFECTIVE DATE: May 25, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

JUSTIN CAMILLO, DIRECTOR
ACN MEDICAL LABS, LLC
16216 BAXTER ROAD, SUITE 300B
CHESTERFIELD, MO 63017
CLIA ID# 26D2147784

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE: April 29, 2021
April 29, 2021
April 29, 2021
REASON: 2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance with IJ
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC
Lab Owner/Oper Prohibited From Owning Lab

SAM MITCHELL, DIRECTOR
MSU UNIVERSITY HEALTH PARTNERS
MONTANA STATE UNIVERSITY, SWINGLE STUDENT HEALTH
BOZEMAN, MT 59715
CLIA ID# 27D0042135

SANCTION: Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: January 5, 2021
REASON: Condition Level Non-Compliance
Unsuccessful PT
STATUS: Compliance Achieved

REASON: Compliance achieved on 07/15/2021.

RANDALL SHANNON, DIRECTOR
RUBY VALLEY HOSPITAL DBA RUBY VALLEY MEDICAL CTR
321 MADISON ST
SHERIDAN, MT 59749
CLIA ID# 27D0410751

SANCTION: Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: January 1, 2021
REASON: Unsuccessful PT
STATUS: Certificate Reinstated
Compliance Achieved

REASON: Laboratory achieved compliance June 4, 2021.

DAVID BORG, DIRECTOR
FAMILY MEDICINE
3307 BARADA STREET
FALLS CITY, NE 68355
CLIA ID# 28D0454747

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: March 31, 2021
March 31, 2021
REASON: Improper PT Testing Referral Activities

WHITNEY LIPPOLD, DIRECTOR
HUMBOLDT FAMILY MEDICINE
1120 GRAND AVENUE
HUMBOLDT, NE 68376
CLIA ID# 28D1041323

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 31, 2021
March 31, 2021

REASON: Improper PT Testing Referral Activities

WILLIAM MITCHELL, DIRECTOR
SOUTHERN ONCOLOGY SPECIALISTS
10320 MALLARD CREEK ROAD, SUITE 100
CHARLOTTE, NC 28262
CLIA ID# 34D2043657

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 7, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

JODY THOMPSON, DIRECTOR
SANFORD BROADWAY CLINIC
737 N BROADWAY DR
FARGO, ND 58102
CLIA ID# 35D0655616

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 14, 2021
December 14, 2021

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

MELVIN VAN BOVEN DO, DIRECTOR
WAGONER COMMUNITY HOSPITAL
1200 W CHEROKEE
WAGONER, OK 74467
CLIA ID# 37D0475339

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: October 15, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

THOMAS DOMENICO, DIRECTOR
GENESIS DIAGNOSTICS
900 TOWNE CENTER DRIVE
LANGHORNE, PA 19047
CLIA ID# 39D1099562

SANCTION: Suspension of All of Medicare/Medicaid
Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE: August 23, 2021
September 10, 2021
REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ Failure
to Correct Deficiencies
STATUS: Hearing Requested
Appeal Filed By Laboratory

HELEN DEL TORO SEGARRA, DIRECTOR
LAB CONCORDIA LUGARO
8151 CALLE CONCORDIA SUITE 2
PONCE, PR 00717
CLIA ID# 40D0658188

SANCTION: Civil Money Penalty
EFFECTIVE DATE: November 9, 2021
REASON: Cancellation of Medicare Approval Revocation
Improper PT Testing Referral Activities
Revocation of CLIA Certificate
STATUS: Revocation of CLIA Certificate
Hearing Decision Sustained CMS Sanc Determ
Hearing Requested
Appeal Filed by Laboratory

BRIAN KNUTSON MD, DIRECTOR
AVERA MEDICAL GROUP - DERMATOLOGY
6701 S MINNESOTA AVENUE
SIOUX FALLS, SD 57108
CLIA ID# 43D0407150

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 16, 2021
October 1, 2021

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

JOYCE FLETCHER MD, DIRECTOR
AVERA MEDICAL GROUP - PIERRE MOHS LABORATORY
THE HELMSLEY CENTER
PIERRE, SD 57501
CLIA ID# 43D2123371

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 16, 2021
October 1, 2021

REASON: Improper PT Testing Referral Activities

JANIS JACKSON, DIRECTOR
EAST TEXAS BORDER HEALTH CLINIC
DBA GENESIS PRIMECARE-ELLINGTON MEMORIAL CLINIC
1011 S WILLIAM STREET
ATLANTA, TX 75551
CLIA ID# 45D0976266

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: October 15, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

TIFFINI GIBSON, DIRECTOR
HOUSTON IVF
929 GESSNER, SUITE 2300
HOUSTON, TX 77024
CLIA ID# 45D0999095

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 19, 2021
February 19, 2021

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

KEITH LAMY, DIRECTOR
FAMILY MEDICINE CLINIC PA
704 E WONSLEY DRIVE, SUITE 100
AUSTIN, TX 78753
CLIA ID# 45D1000973

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 18, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

CHRIS BURLING, DIRECTOR
CHRIS BURLING MD, PA
DBA MT PLEASANT FAMILY PRACTICE
618 N JEFFERSON SUITE 1
MOUNT PLEASANT, TX 75455
CLIA ID# 45D1016874

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 3, 2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved

CLAUDIA JORDAN, DIRECTOR
MEDICAL SPECIALISTS OF TEXARKANA
1002 TEXAS BLVD SUITE 201
TEXARKANA, TX 75501
CLIA ID# 45D1038982

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: December 3, 2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved

ROBIN BRUNNEMANN, DIRECTOR
FIRST SURGICAL HOSPITAL
4801 BISSONNET STREET
BELLAIRE, TX 77401
CLIA ID# 45D1063733

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 19, 2021
REASON: Unsuccessful PT Compliance
STATUS: Achieved

ANN MARIE BAKER, DIRECTOR
B PEDIATRICS
4503 TEXAS BOULEVARD
TEXARKANA, TX 75503
CLIA ID# 45D2047065

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 4, 2021
REASON: Unsuccessful PT

REASON: Changed type to Certificate of Waiver

JOHN JOSEPH, DIRECTOR
MILLENNIUM PHYSICIANS DBA MILLENIUM ONCOLOGY
17323 RED OAK DRIVE
HOUSTON, TX 77090
CLIA ID# 45D2064518

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE: March 12, 2021
March 12, 2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily Ceased Testing

TIFFINI GIBSON, DIRECTOR
HOUSTON IVF MED CENTER
7400 FANNIN SUITE 910
HOUSTON, TX 77054
CLIA ID# 45D2102384

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
EFFECTIVE DATE: February 19, 2021
February 19, 2021
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

CARLOS TORRES, DIRECTOR
PRO HEALTH DIAGNOSTIC, LLC
2695 VILLA CREEK DR SUITE B109
FARMERS BRANCH, TX 75234
CLIA ID# 45D2105916

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 4, 2021
REASON: Condition Level Non-Compliance
STATUS: Compliance Achieved

ASAD AHMAD, DIRECTOR
PRECISE DIAGNOSTICS, LLC
2695 VILLA CREEK DR STE B255
FARMERS BRANCH, TX 75234
CLIA ID# 45D2122137

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: January 4, 2021
REASON: Condition Level Non-Compliance
STATUS: Compliance Achieved

TIFFINI GIBSON, DIRECTOR
HOUSTON IVF-SUGAR LAND
16545 SOUTHWEST FREEWAY SUITE 200
SUGAR LAND, TX 77479
CLIA ID# 45D2161660

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: February 19, 2021
REASON: Improper PT Testing Referral Activities
STATUS: Compliance Achieved

5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

RONALD MCCOY, DIRECTOR
AVALON MEDICAL CENTER PC
2410 AVALON AVENUE
MUSCLE SHOALS, AL 35661
CLIA ID# 01D0302664 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 4/12/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TIFFANY MULLINS, DIRECTOR
GADSDEN REGIONAL MEDICAL CENTER
1007 GOODYEAR AVENUE
GADSDEN, AL 35903
CLIA ID# 01D0303540 (TJC)

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: 02/26/2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved. Reinstated effective 09/14/2021

REASON: Cease Testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SOPHIA SHER, DIRECTOR
REGIONAL MEDICAL CENTER OF CENTRAL ALABAMA
29 L V STABLER DRIVE
GREENVILLE, AL 36037
CLIA ID# 01D0303828 (TJC)

SANCTION: Cease Testing for Prothrombin Time

EFFECTIVE DATE: 05/18/2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved. Reinstated effective 11/22/2021

REASON: Cease Testing for Prothrombin Time
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THOMAS LAWRENCE, DIRECTOR
ANDALUSIA HEALTH COMMUNITY HOSPITAL OF ANDLUSIA, LLC
849 SOUTH THREE NOTCH STREET
ANDALUSIA, AL 36420
CLIA ID# 01D0641733 (TJC)

SANCTION: Cease Testing for pO2
EFFECTIVE DATE: 10/07/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for pO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

REX BUTLER, DIRECTOR
SOUTH CENTRAL MEDICAL CENTER, PC
843 S THREE NOTCH STREET
ANDALUSIA, AL 36420
CLIA ID# 01D0999503 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 9/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

PHIL HEMSTREET, DIRECTOR
ALABAMA HEART AND VASCULAR MEDICINE
100 RICE MINE ROAD SUITE 104
TUSCALOOSA, AL 35406
CLIA ID# 01D2135538 (COLA)

SANCTION: Cease testing for Prothrombin Time (PT)
EFFECTIVE DATE: 8/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Prothrombin Time (PT)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ELIZABETH ROLL, DIRECTOR
HOOPER BAY SUBREGIONAL CLINIC LABORATORY
49 AIRPORT ROAD
HOOPER BAY, AK 99604
CLIA ID# 02D1106123 (CAP)

SANCTION: Cease Testing for Hematocrit
EFFECTIVE DATE: 11/2/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TRINIDAD LIM, DIRECTOR
YUMA NEPHROLOGY PC
1220 W 24TH STREET STE #1
YUMA, AZ 85364
CLIA ID# 03D0866021 (COLA)

SANCTION: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
EFFECTIVE DATE: 9/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SUSAN FERGUSON, DIRECTOR
WEST WASHINGTON COUNTY CLINIC WASHINGTON REGIONAL
106 PARK ST
LINCOLN, AR 72744
CLIA ID# 04D0468752 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 8/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL ALLEN, DIRECTOR
ASHLEY COUNTY MEDICAL CENTER
1015 UNITY ROAD
CROSSETT, AR 71635
CLIA ID# 04D0701990 (COLA)

SANCTION: Cease testing for Bacteriology
EFFECTIVE DATE: 4/12/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Test Reinstated on 12/07/2021
REASON: Cease testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KEITH AGRE, DIRECTOR
KEITH AGRE MD MED CORP
1125 S BEVERLY DR, STE 110
LOS ANGELES, CA 90035
CLIA ID# 05D0546307 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 04/05/2021; 08/25/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved for Albumin, Urea (BUN). Test Reinstated on 12/07/2021; As of 12/31/2021 Cease Testing for Chloride Still in Effect
REASON: Cease testing for Albumin, Urea (BUN) on 04/05/2021; Cease testing for Chloride on 08/25/2021.
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SY SONG, DIRECTOR
SAN DIEGO ONCOLOGY MEDICAL CLINIC
750 MEDICAL CENTER CT STE 9
CHULA VISTA, CA 91911
CLIA ID# 05D0565924 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 09/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SY SONG, DIRECTOR
SAN DIEGO ONCOLOGY MEDICAL CLINIC
7930 FROST ST STE 405
SAN DIEGO, CA 92123
CLIA ID# 05D0571469 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 09/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RUBEN GAMEZ, DIRECTOR
GENOLAB INC
5250 SANTA MONICA BLVD, STE 218
LOS ANGELES, CA 90029
CLIA ID# 05D0581126 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 02/16/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 06/03/2021. No longer Accredited by COLA
REASON: Cease testing for Calcium, Total, Aspartate Aminotransferase (AST) (SGOT), Potassium, Glucose, Creatinine, Alkaline Phosphatase (ALP), Albumin, Triglyceride, Protein, Total, Sodium, Thyroxine, Free (FT4), Uric Acid, Urea (BUN), HDL Cholesterol, Chloride, Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC), Hemoglobin, Hematocrit, Red Blood Cell Count (Erythrocyte Count) (RBC), Bilirubin, Total, Alanine Aminotransferase (ALT) (SGPT), Thyroid Stimulating Hormone (TSH), Cholesterol
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EDWARD MOORE, DIRECTOR
SAN DIEGO REFERENCE LABORATORY
6565 NANCY RIDGE DR
SAN DIEGO, CA 92121
CLIA ID# 05D0642965 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 12/8/2021
REASON: Failure to Correct Deficiencies
STATUS: As of 12/31/2021 Probation Still in Effect

REASON: Probation.
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections;
Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas
of the Laboratory

GAURI KELEKAR, DIRECTOR
SUTTER PACIFIC MEDICAL FOUNDATION (SPMFS ONCOLOGY/INFUSION)
2324 SACRAMENTO STREET SUITE 111
SAN FRANCISCO, CA 94115
CLIA ID# 05D0670976 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 05/18/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Reinstated on 12/07/2021

REASON: Cease testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JYUHN CHEN, DIRECTOR
VIBRA HOSPITAL OF SACRAMENTO
330 MONTROSE DR
FOLSOM, CA 95630
CLIA ID# 05D0708161 (COLA)

SANCTION: Cease testing for Urea (BUN)
EFFECTIVE DATE: 07/01/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Urea (BUN)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DAVID SU, DIRECTOR
DAVID K SU MD (SOHARA LABORATORY)
600 N GARFIELD AVE STE 305
MONTEREY PARK, CA 91754
CLIA ID# 05D0866548 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 02/16/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 07/09/2021
No longer Accredited by COLA

REASON: Cease testing for Bilirubin, Total, Aspartate Aminotransferase (AST) (SGOT), Alkaline Phosphatase (ALP), Alanine Aminotransferase (ALT) (SGPT), Albumin, Triglyceride, Cholesterol, Creatinine
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WILLIAM TEMPLE, DIRECTOR
UNIVERSAL DIAGNOSTIC LABORATORIES
6700 VALJEAN AVE
VAN NUYS, CA 91406
CLIA ID# 05D0938253 (CAP)

SANCTION: Cease Testing for Anti-HIV
EFFECTIVE DATE: 3/10/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Allowed to Resume Testing on 10/07/2021

REASON: Cease Testing for Anti-HIV
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AARON SASSOON, DIRECTOR
CHAN SOON-SHIONG INSTITUTE FOR MEDICINE (CSSIFM)
2040 E MARIPOSA
EL SEGUNDO, CA 90245
CLIA ID# 05D2144811 (COLA)

SANCTION: Cease testing for Serum HCG, qual
EFFECTIVE DATE: 02/15/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Serum HCG, qual
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DONALD KARCHER, DIRECTOR
UNITED MEDICAL CENTER DEPARTMENT OF PATHOLOGY - LABORATORY
1310 SOUTHERN AVE SE
WASHINGTON, DC 20032
CLIA ID# 09D0208885 (CAP)

SANCTION: Cease Testing for pO2
EFFECTIVE DATE: 8/6/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for pO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ANDRES CANDELA, DIRECTOR
NORTH OKALOOSA MEDICAL CENTER CLINICAL LABORATORY
151 E REDSTONE AVE
CRESTVIEW, FL 32539
CLIA ID# 10D0271357 (TJC)

SANCTION: Cease Testing, multiple analytes
EFFECTIVE DATE: 08/16/2021; 11/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Human Chorionic Gonadotropin on 08/16/2021; Cease Testing for Total Bilirubin on 11/17/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ELIZABETH BENSON, DIRECTOR
SANTA ROSA MEDICAL CENTER CLINICAL LAB
6002 BERRYHILL RD
MILTON, FL 32570
CLIA ID# 10D0271665 (TJC)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 09/09/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WALTER SZYDLOWSKI JR, DIRECTOR
WALTER J SZYDLOWSKI JR MD PA
11347 CORTEZ BLVD
BROOKSVILLE, FL 34613
CLIA ID# 10D0296582 (COLA)

SANCTION: Cease testing for Alkaline Phosphatase (ALP)
EFFECTIVE DATE: 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Alkaline Phosphatase (ALP)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEPHEN NOEL, DIRECTOR
MEDICAL ASSOCIATES OF WEST FLORIDA LLP
7575 SR 52
BAYONET POINT, FL 34667
CLIA ID# 10D0298163 (COLA)

SANCTION: Cease testing for Triglyceride, HDL Cholesterol
EFFECTIVE DATE: 03/29/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 09/07/2021. No longer Accredited by COLA
REASON: Cease for Triglyceride, HDL Cholesterol
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ASOKA WIJETILLEKE, DIRECTOR
ADVENTHEALTH MEDICAL GROUP PEDIATRICS AT VERO BEACH
787 37TH PLACE STE E170
VERO BEACH, FL 32960
CLIA ID# 10D0673392 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 05/18/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Test Reinstated on 12/07/2021
REASON: Cease for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

PRADIP JAMNADAS, DIRECTOR
CARDIOVASCULAR INTERVENTIONS PA
1900 N MILLS AVE
ORLANDO, FL 32803
CLIA ID# 10D0912317 (COLA)

SANCTION: Cease testing for Thyroid Stimulating Hormone (TSH)
EFFECTIVE DATE: 08/3/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Thyroid Stimulating Hormone (TSH)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JEROME JACOBSON, DIRECTOR
FORT PIERCE FAMILY CARE INC
3851 VIRGINIA AVE
FORT PIERCE, FL 34981
CLIA ID# 10D2035315 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 09/17/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ALINA BUDEJEN, DIRECTOR
CENTURION DIAGNOSTIC INC
1640 TOWN CENTER CIRCLE, SUITE 202
SUNRISE, FL 33326
CLIA ID# 10D2041925 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 05/18/2021

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily withdrew accreditation on 09/13/2021
No longer Accredited by COLA

REASON: Cease testing for Treponema pallidum Antibodies (includes Reagin), Activated Partial
Thromboplastin Time (APTT), Hematocrit, Prothrombin Time (PT), WBC count, T3, WBC Diff, RBC
count, HIV-1 and HIV-2 Antibodies, PLT Count, Hemoglobin
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GIRISH PATEL, DIRECTOR
NORTH PORT PRIMARY CARE ASSOCIATION PL
2500 BOBCAT VILLAGE CENTER RD STE E
NORTH PORT, FL 34288
CLIA ID# 10D2076717 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 05/18/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEVEN YUCHT, DIRECTOR
EMERGENCY PHYSICIANS MEDICAL CENTER
9181 NW 39TH AVE
GAINESVILLE, FL 32606
CLIA ID# 10D2087539 (COLA)

SANCTION: Cease testing for Hematocrit
EFFECTIVE DATE: 09/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DACELIN ST MARTIN, DIRECTOR
PEDIM LABORATORY
11371 N WILLIAM ST UNIT 3
DUNNELLON, FL 34432
CLIA ID# 10D2090248 (COLA)

SANCTION: Cease testing for Thyroid Stimulating Hormone (TSH)
EFFECTIVE DATE: 04/05/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Thyroid Stimulating Hormone (TSH)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TETYANA METYK, DIRECTOR
MEDIC INFUSION PA
3191 HARBOR BLVD STE D
PORT CHARLOTTE, FL 33952
CLIA ID# 10D2125445 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)
EFFECTIVE DATE: 09/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOEL ROSENSTOCK, DIRECTOR
ABSOLUTECARE MEDICAL CENTER
2140 PEACHTREE ROAD, NW, SUITE 232
ATLANTA, GA 30309
CLIA ID# 11D0978763 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 04/28/2021; 08/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Amylase on 04/28/2021; Cease testing for White Blood Cell
Differential (WBC Diff) on 08/25/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CHRISTOPHER LOUGH, DIRECTOR
LIFESOUTH COMMUNITY BLOOD CENTERS, INC DONOR TESTING LABORATORY
1625 ROCK MOUNTAIN BOULEVARD
STONE MOUNTAIN, GA 30083
CLIA ID# 11D2166017 (AABB)

SANCTION: Accreditation Status: Conditional
EFFECTIVE DATE: 12/30/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021: Conditional Accreditation Status still in effect

REASON: Non-Compliance Due to Unsuccessful Participation in Babesia NAT Proficiency Testing

CHAD DEFRAIN, DIRECTOR
ST JOSEPH HOSPITAL - CLINICAL LABORATORY
12866 TROXLER AVE
HIGHLAND, IL 62249
CLIA ID# 14D0434373 (CAP)

SANCTION: Cease Testing for Bacteriology
EFFECTIVE DATE: 11/8/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EIMAD ZAKARIYA, DIRECTOR
AMERICAN MEDICAL LAB LTD
10604 SOUTHWEST HIGHWAY - STE 105
CHICAGO RIDGE, IL 60415
CLIA ID# 14D2042488 (COLA)

SANCTION: Cease testing for Bacteriology
EFFECTIVE DATE: 09/08/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAY WOODY, DIRECTOR
RIVERVIEW HEALTH EMERGENCY DEPARTMENT & URGENT CARE FISHERS
9690 E 116TH STREET
FISHERS, IN 46037
CLIA ID# 15D2172986 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/09/2021; 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for PCO2 on 08/09/2021; Cease testing for PO2 on 11/22/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL HITCHCOCK, DIRECTOR
ANNA JAQUES HOSPITAL
25 HIGHLAND AVENUE
NEWBURYPORT, MA 01950
CLIA ID# 22D0073266 (CAP)

SANCTION: Cease Testing for Rubella IgG, Qualitative
EFFECTIVE DATE: 10/20/2021
REASON: Unsuccessful PT
STATUS: As of 11/11/2021 Permanently Ceased Testing for Analyte

REASON: Cease Testing for Rubella IgG, Qualitative
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THOMAS GORDON, DIRECTOR
HERITAGE CLINIC FOR WOMEN
320 E FULTON STREET
GRAND RAPIDS, MI 49503
CLIA ID# 23D0380163 (COLA)

SANCTION: Cease testing for D(Rho) Type
EFFECTIVE DATE: 06/02/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for D(Rho) Type
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HARRY SHECTER, DIRECTOR
FORD BIO MEDICAL LABORTORY
5601 SCHAEFER ROAD
DEARBORN, MI 48126
CLIA ID# 23D0960256 (COLA)

SANCTION: Cease testing for Hematocrit
EFFECTIVE DATE: 08/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AARON SYKES, DIRECTOR
INNOVIS HEALTH - PARK RAPIDS
705 PLEASANT AVE PARK
RAPIDS, MN 56470
CLIA ID# 24D0406205 (COLA)

SANCTION: Cease testing for Gardnerella vaginalis
EFFECTIVE DATE: 07/21/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Gardnerella vaginalis
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

NATALIE BROOKINS REDDIX, DIRECTOR
REDDIX MEDICAL GROUP
6501 DOGWOOD VIEW PARKWAY, SUITE B
JACKSON, MS 39213
CLIA ID# 25D0920737 (COLA)

SANCTION: Cease testing for Magnesium
EFFECTIVE DATE: 04/05/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Magnesium
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

PASCALE SALEM, DIRECTOR
SSM CANCER CARE-LSL
400 MEDICAL PLAZA, STE 100
LAKE SAINT LOUIS, MO 63367
CLIA ID# 26D0696116 (COLA)

SANCTION: Cease testing for Alanine Aminotransferase (ALT) (SGPT)
EFFECTIVE DATE: 04/12/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Test Reinstated 11/11/2021

REASON: Cease testing for Alanine Aminotransferase (ALT) (SGPT)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BRENT KEENPORTZ, DIRECTOR
CHI HEALTH ST FRANCIS
2620 W FAIDLEY AVE BOX 9804
GRAND ISLAND, NE 68803
CLIA ID# 28D0455828 (TJC)

SANCTION: Cease Testing for pO2
EFFECTIVE DATE: 05/10/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved; Reinstated effective 11/10/2021

REASON: Cease Testing for pO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARK PANDORI, DIRECTOR
NEVADA STATE PUBLIC HEALTH LABORATORY (UNIVERSITY OF NEVADA SCHOOL OF MEDICINE)
1660 N VIRGINIA ST MS 0385
RENO, NV 89557
CLIA ID# 29D0652748 (CAP)

SANCTION: Probation
EFFECTIVE DATE: 6/23/2021
REASON: Failure to Correct Deficiencies
STATUS: As of 12/31/2021 Probation Still in Effect

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

BEAULA KODURI, DIRECTOR
HEMATOLOGY ONCOLOGY CONSULTANTS LLC
2110 OAK TREE ROAD
EDISON, NJ 08820
CLIA ID# 31D1100090 (COLA)

SANCTION: Cease testing for Platelet Count
EFFECTIVE DATE: 01/18/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Test Reinstated 09/15/2021

REASON: Cease testing for Platelet Count
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ALBERT GIANNONE, DIRECTOR
MEDICAL SPECIALTY ASSOCIATES, LLP
225 NASSAU BOULEVARD
WEST HEMPSTEAD, NY 11552
CLIA ID# 33D0154687 (COLA)

SANCTION: Cease testing for Thyroid Stimulating Hormone (TSH)
EFFECTIVE DATE: 04/05/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 08/09/2021
No longer Accredited by COLA

REASON: Cease testing for Thyroid Stimulating Hormone (TSH)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ARNOLD WEG, DIRECTOR
ARNOLD LEON WEG MD
710 PARK AVE STE 1-C
NEW YORK, NY 10021
CLIA ID# 33D0887555 (COLA)

SANCTION: Denial of Accreditation
EFFECTIVE DATE: 06/02/2021
REASON: Failure to Adhere to COLA – Imposed Required Improvements
STATUS: Accreditation Denied 06/02/2021. No longer Accredited by COLA
REASON: Failure to Adhere to COLA – Imposed Required Improvements

DENISE NUNEZ, DIRECTOR
DOCTOR URGENT MEDICAL CARE PLLC
538 EAST FORDHAM ROAD
BRONX, NY 10458
CLIA ID# 33D2157539 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 05/24/2021; 09/8/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 10/19/2021.
No longer Accredited by COLA

REASON: Cease testing for Prothrombin Time (PT), Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff) on 05/24/2021; Cease testing for Blood Gases, PCO₂, PO₂ on 09/8/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOE VOGEL, DIRECTOR
ASHE MEMORIAL HOSPITAL LABORATORY
200 HOSPITAL AVENUE
JEFFERSON, NC 28640
CLIA ID# 34D0018976 (TJC)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 11/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WILLIAM SELBY, DIRECTOR
SWAIN COMMUNITY HOSPITAL
45 PLATEAU STREET
BRYSON CITY, NC 28713
CLIA ID# 34D0019097 (TJC)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 09/24/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT WATKINS, DIRECTOR
MACGREGOR FAMILY PHYSICIANS PA
580 NEW WAVERLY PLACE, SUITE 120
CARY, NC 27511
CLIA ID# 34D0239451 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 05/18/2021; 09/17/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hemoglobin on 05/18/2021; Cease testing for Hematocrit, Platelet Count, Red Blood Cell Count (Erythrocyte Count)(RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff) on 09/17/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

R FRERICHS, DIRECTOR
NORTH RALEIGH PEDIATRIC GROUP PA
7205 STONEHENGE DR
RALEIGH, NC 27613
CLIA ID# 34D0240868 (COLA)

SANCTION: Cease testing for Hematocrit
EFFECTIVE DATE: 09/17/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 10/05/2021.
No longer Accredited by COLA

REASON: Cease testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOEL MILZOFF, DIRECTOR
PELICAN FAMILY MEDICINE, PA
5429 WRIGHTSVILLE AVENUE
WILMINGTON, NC 28403
CLIA ID# 34D0993818 (COLA)

SANCTION: Cease testing for Sodium
EFFECTIVE DATE: 04/05/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Sodium
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DANIEL SEWARD, DIRECTOR
PROMED HEALTHCARE PLLC - CHARLOTTE
7004 SMITH CORNERS BLVD STE A
CHARLOTTE, NC 28269
CLIA ID# 34D1071465 (COLA)

SANCTION: Cease testing for Hematocrit
EFFECTIVE DATE: 09/08/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BILL CROWELL, DIRECTOR
AXIS LABORATORY SERVICES PROPHYLAXIS HEALTHCARE, LLC DBA
12816 S MEMORIAL DR, STE 124
BIXBY, OK 74008
CLIA ID# 34D2114648 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Cortisol, Thyroxine, Free (FT4), Thyroid Stimulating Hormone (TSH),
Thyroxine (T4), Triiodothyronine (T3)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARTIN BAUTISTA, DIRECTOR
SPECIALTY CLINICS OF ST ANNE
350 NE 12TH STREET
GUYMON, OK 73942
CLIA ID# 37D0960643 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Alanine Aminotransferase (ALT) (SGPT), Alkaline Phosphatase (ALP), Albumin, Aspartate Aminotransferase (AST) (SGOT), Bilirubin, Total, Calcium, Protein, Total, Chloride, Creatinine, Glucose, Cholesterol, HDL Cholesterol, Potassium, Sodium, Thyroid Stimulating Hormone (TSH), Triglycerides, Urea (BUN), Uric Acid
Non-Compliance Due to Unsuccessful Participation in Proficiency Test

KENNETH BLICK, DIRECTOR
MARQUIS LABS, LLC
13301 N MERIDIAN AVE, STE 704-A
OKLAHOMA CITY, OK 73120
CLIA ID# 37D2108849 (COLA)

SANCTION: Cease testing for Triiodothyronine Uptake (T3U) (TU)
EFFECTIVE DATE: 03/02/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Triiodothyronine Uptake (T3U) (TU)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JESSE HOWARD, DIRECTOR
NATIONS LABORATORY SERVICES
204 E WALNUT
TECUMSEH, OK 74873
CLIA ID# 37D2151072 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 04/28/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 06/03/2021
No longer Accredited by COLA

REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit, Hemoglobin, White Blood Cell Differential (WBC Diff), Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THOMAS DOMENICO, DIRECTOR
GENESIS DIAGNOSTICS - LABORATORY
900 TOWNE CENTER DRIVE
LANGHORNE, PA 19047
CLIA ID# 39D1099562 (CAP)

SANCTION: Probation; Denial of Accreditation
EFFECTIVE DATE: 7/28/2021; 09/08/2021
REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation
STATUS: Revocation of Accreditation. As of 09/08/2021, Not Accredited by CAP
REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

STEVEN VALLERY, DIRECTOR
GEORGETOWN MEMORIAL HOSPITAL
606 BLACK RIVER RD
GEORGETOWN, SC 29440
CLIA ID# 42D0251058 (TJC)

SANCTION: Cease Testing for pCO2
EFFECTIVE DATE: 07/01/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for pCO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HEMARANI SIVARAJAN, DIRECTOR
HOUSTON HEMATOLOGY AND CANCER INSTITUTE
1610 WEST BAKER ROAD, SUITE A
BAYTOWN, TX 77521
CLIA ID# 45D0496534 (COLA)

SANCTION: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
EFFECTIVE DATE: 08/25/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN METTER, DIRECTOR
METHODIST SPECIALTY & TRANSPLANT HOSPITAL - MSTH LABORATORY
8026 FLOYD CURL DRIVE
SAN ANTONIO, TX 78229
CLIA ID# 45D0668252 (CAP)

SANCTION: Cease Testing for pO2
EFFECTIVE DATE: 8/14/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for pO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ZSOFIA INTODY, DIRECTOR
TEXAS CHILDRENS PEDIATRICS WESTCHASE
3131 BRIARPARK STE #108
HOUSTON, TX 77042
CLIA ID# 45D0675037 (COLA)

SANCTION: Cease testing for Hematocrit
EFFECTIVE DATE: 05/18/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DAVID PRIER, DIRECTOR
HUNTSVILLE PEDIATRIC & ADULT MEDICINE ASSOC
100 MEDICAL CENTER PARKWAY SUITE 1000
HUNTSVILLE, TX 77340
CLIA ID# 45D0721321 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 04/28/2021
REASON: Unsuccessful PT
STATUS: Compliance Achieved. Test Reinstated 12/07/2021.

REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAN PICKETT, DIRECTOR
PICKETT MEDICAL CENTER
6600 PAIGE RD, STE 105
THE COLONY, TX 75056
CLIA ID# 45D0953409 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 01/18/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EDUARDO SANCHEZ, DIRECTOR
CLINICA DEL NORTE PEDIATRICS PLLC
102 BABCOCK ROAD SUITE 100
SAN ANTONIO, TX 78201
CLIA ID# 45D1003363 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 08/25/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit, Hemoglobin,
White Blood Cell Differential (WBC Diff), Platelet Count, White Blood Cell Count (Leukocyte Count)
(WBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JEFFREY CHRISTAL, DIRECTOR
METHODIST HOSPITAL TEXSAN LABORATORY
6700 IH 10 WEST
SAN ANTONIO, TX 78201
CLIA ID# 45D1018034 (CAP)

SANCTION: Cease Testing for Compatibility Testing

EFFECTIVE DATE: 10/27/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021, Cease Testing Still in Effect

REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HERIBERTO ALANIZ, DIRECTOR
VALLEY URGENT CARE LLC
6316 N 10TH STREET BLDG C 1
MCALLEN, TX 78504
CLIA ID# 45D1046985 (COLA)

SANCTION: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)

EFFECTIVE DATE: 04/05/2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved. Test Reinstated 10/05/2021

REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DAVID RAMOS, DIRECTOR
R FAMILY MEDICAL GROUP
3110 NOGALITOS #105
SAN ANTONIO, TX 78225
CLIA ID# 45D1056849 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 08/25/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit, Hemoglobin,
White Blood Cell Differential (WBC Diff), Platelet Count, White Blood Cell Count (Leukocyte Count)
(WBC)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

FLORENCIA PEREZ, DIRECTOR
FLORENCIA PEREZ MD PA
5505 N MCCOLL ROAD
MCALLEN, TX 78504
CLIA ID# 45D1083151 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 09/17/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TODD NGUYEN, DIRECTOR
TRANSCEND MEDICAL GROUP
1119 W RANDOL MILL ROAD , SUITE 103
ARLINGTON, TX 76012
CLIA ID# 45D1092331 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/25/2021; 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Thyroxine, Free (FT4), Total Protein on 08/25/2021; Cease testing for Calcium, Total, Sodium, Thyroid Stimulating Hormone (TSH) on 11/22/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROSIE MUNOZ, DIRECTOR
MEDWIN FAMILY MEDICINE AND REHAB
315 JOSE MARTI BLVD
BROWNSVILLE, TX 78526
CLIA ID# 45D1106299 (COLA)

SANCTION: Cease testing for Bilirubin, Total
EFFECTIVE DATE: 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Bilirubin, Total
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DEVENDRA SRIVASTVA, DIRECTOR
EXPRESS BIOMEDICAL LAB LLC
13921 OLD CHOCOLATE BAYOU RD
HOUSTON, TX 77048
CLIA ID# 45D2008492 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 05/07/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Chloride, Creatinine, Albumin, Calcium, Potassium, Sodium, Aspartate Aminotransferase (AST) (SGOT)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

WILFRED MUNOZ, DIRECTOR
RIO GRANDE VALLEY PHYSICIANS PLLC
700 LINDBERG AVE
MCALLEN, TX 78501
CLIA ID# 45D2020455 (COLA)

SANCTION: Cease testing for Bilirubin, Total
EFFECTIVE DATE: 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Bilirubin, Total
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TRAVIS SCHAEFER, DIRECTOR
CHOICE CLINICAL LAB, LLC DBA GREENLEAVES DIAGNOSTIC
12000 FORD RD SUITE 150
FARMERS BRANCH, TX 75234
CLIA ID# 45D2026299 (TJC)

SANCTION: Cease Testing for Lactate Dehydrogenase
EFFECTIVE DATE: 05/30/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for Lactate Dehydrogenase
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN PAPPAS, DIRECTOR
CORPUS CHRISTI CARDIOVASCULAR & RHYTHM CENTER
1521 STAPLE STREET STE 102
CORPUS CHRISTI, TX 78404
CLIA ID# 45D2040353 (COLA)

SANCTION: Cease testing for Hemoglobin
EFFECTIVE DATE: 11/22/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/21 Cease Testing Still in Effect
REASON: Cease testing for Hemoglobin
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MOHAMMAD KHAN, DIRECTOR
TEXAS WALK-IN & URGENT CARE
6407 SOUTH COOPER STREET, SUITE # 117
ARLINGTON, TX 76001
CLIA ID# 45D2041343 (COLA)

SANCTION: Cease testing for Lactate Dehydrogenase (LDH)

EFFECTIVE DATE: 11/22/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Lactate Dehydrogenase (LDH),
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

AURORA MCKINNEY, DIRECTOR
MD KIDS PEDIATRICS-529
20403 FM 529 ROAD SUITE 200
CYPRESS, TX 77433
CLIA ID# 45D2101633 (COLA)

SANCTION: Cease testing for Bacteriology

EFFECTIVE DATE: 04/12/2021

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily withdrew accreditation on 10/19/2021
No longer Accredited by COLA

REASON: Cease testing for Bacteriology
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BRIAN MENDENHALL, DIRECTOR
EXCEL ER-LONGVIEW (PINEY WOODS ER II, LLC)
120 EAST LOOP 281
LONGVIEW, TX 75605
CLIA ID# 45D2113078 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 04/05/2021; 08/09/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Blood gases, PCO2 on 04/05/2021; Cease
testing for Blood gases, PCO2 on 08/09/2021
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

LLANA GREVER, DIRECTOR
MOC SAN ANTONIO II LLC
6035 ECKHERT ROAD
SAN ANTONIO, TX 78240
CLIA ID# 45D2129451 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 05/18/2021

REASON: Unsuccessful PT

STATUS: Compliance Achieved. Tests Reinstated 11/18/2021

REASON: Cease testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SHOPANA GANPATH, DIRECTOR
VAN ALSTYNE MEDICAL
920 W VAN ALSTYNE PARKAY
VAN ALSTYNE, TX 75495
CLIA ID# 45D2134741 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 03/02/2021

REASON: Unsuccessful PT

STATUS: Laboratory voluntarily withdrew accreditation on 05/07/2021.
No longer Accredited by COLA

REASON: Cease testing for Hemoglobin, Red Blood Cell Count (Erythrocyte Count) (RBC), Hematocrit, White Blood Cell Count (Leukocyte Count) (WBC), Platelet Count, White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ILANA GREVER, DIRECTOR
MOC ROUND ROCK, LLC
16219 RANCH ROAD 620
NORTH AUSTIN, TX 78717
CLIA ID# 45D2135862 (COLA)

SANCTION: Cease testing, multiple analytes

EFFECTIVE DATE: 09/17/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN TURNER, DIRECTOR
MY EMERGENCY ROOM 24/7
4438 S CLACK ST STE 100
ABILENE, TX 79606
CLIA ID# 45D2136204 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/26/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Chloride, Potassium, Creatinine, Glucose, Urea (BUN), Sodium
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MELORA BERARDO, DIRECTOR
SOUTHCROSS HOSPITAL LLC
4243 E SOUTHCROSS BLVD STE 100
SAN ANTONIO, TX 78222
CLIA ID# 45D2161352 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 04/05/2021
REASON: Unsuccessful PT
STATUS: Laboratory voluntarily withdrew accreditation on 06/03/2021.
No longer Accredited by COLA
REASON: Cease testing for HCG, Total, Serum, Quantitative, White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT DOWSE, DIRECTOR
PREMIER PEDIATRICS - CEDAR CITY
1251 N NORTHFIELD RD STE 301
CEDAR CITY, UT 84721
CLIA ID# 46D0989035 (COLA)

SANCTION: Cease testing, multiple analytes
EFFECTIVE DATE: 08/26/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte
Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THOMAS STERLING, DIRECTOR
MANCHESTER MEDICAL CENTER
34 BONNET ST
MANCHESTER CENTER, VT 05255
CLIA ID# 47D2165977 (COLA)

SANCTION: Cease testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: 04/22/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease testing for White Blood Cell Differential (WBC Diff)
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CHAD JOHNSON, DIRECTOR
VIRGINIA REPRODUCTIVE LABS
11150 SUNSET HILLS ROAD -
SUITE 100 RESTON, VA 20190
CLIA ID# 49D0995390 (CAP)

SANCTION: Probation

EFFECTIVE DATE: 3/24/2021

REASON: Failure to Correct Deficiencies

STATUS: As of 04/29/2021, Voluntarily Withdrawn from Accreditation Program While
Probation Still in Effect

REASON: Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain
Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or
More Areas of the Laboratory

LAEEKHA ALI, DIRECTOR
DIVINE SAVIOR HEALTHCARE INC
2817 NEW PINERY RD
PORTAGE, WI 53901
CLIA ID# 52D0662006 (TJC)

SANCTION: Cease Testing for Compatibility Testing

EFFECTIVE DATE: 07/16/2021

REASON: Unsuccessful PT

STATUS: As of 12/31/2021 Cease Testing Still in Effect

REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL STRASSMAN, DIRECTOR
MERCY WALWORTH LABORATORY
N2950 STATE ROAD 67
LAKE GENEVA, WI 53147
CLIA ID# 52D0895947 (TJC)

SANCTION: Cease Testing for pO2
EFFECTIVE DATE: 11/03/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for pO2
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HEIDI BERTRAM, DIRECTOR
ASCENSION SE WISCONSIN HOSPITAL- FRANKLIN CAMPUS
LABORATORY 1ST FLOOR
FRANKLIN, WI 53132
CLIA ID# 52D1075632 (TJC)

SANCTION: Cease Testing for Compatibility Testing
EFFECTIVE DATE: 09/27/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for Compatibility Testing
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DANIEL MOCKLER, DIRECTOR
EUROPEAN LABORATORY OF NUTRIENTS (WORLD HEALTH LABORATORY)
REGULIERENRING 9,
LA BUNNIK, NLO 3981 LA
CLIA ID# 99D0990365 (CAP)

SANCTION: Cease Testing for Sodium
EFFECTIVE DATE: 7/10/2021
REASON: Unsuccessful PT
STATUS: As of 12/31/2021 Cease Testing Still in Effect
REASON: Cease Testing for Sodium
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

Justin Camillo and ACN Medical Labs

26D2147784

DECISION NUMBER: CR5861

DECISION DATE: April 29, 2021

DECISION: FOR CMS

Laboratorio Concordia Lugaro

40D0658188

DECISION NUMBER: CR5976

DECISION DATE: November 9, 2021

DECISION: FOR CMS

7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

*** NO DATA FOUND ***

8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

*** NO DATA FOUND ***

9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2020 REGISTRY.

DARLA HARRIS, DIRECTOR
MEDICAL CENTER URGENTCARE
291 NEW TOWNE DRIVE
BOWLING GREEN, KY 42103
CLIA ID# 18D2096982

REASON: Principal Sanction, Limitation of CLIA Certificate, and Alternative Sanctions, Suspension of Part of Medicare/Medicaid, and Directed Plan of Correction (DPOC), should have appeared on the 2020 Registry. REASON: Unsuccessful PT. Effective date 10/2/2020.

LUIS TUMIALAN, DIRECTOR
CLINLAB, INC
763 S NEW BALLAS ROAD, STE 160
SAINT LOUIS, MO 63141
CLIA ID# 26D0995726

REASON: Principal Sanctions, Revocation of CLIA Certificate and Cancel Medicare/Medicaid Approval should not have appeared on the 2020 Registry. Effective date of Principal Sanctions was 1/21/2021. Refer to Section 2; Alternative Sanction Suspension of part of Medicare/Medicaid should not have appeared on the 2020 Registry. Effective date of Alternative Sanction was 1/21/2021. Refer to Section 4.

DAVID SMALLEY, DIRECTOR
GAMMA HEALTHCARE, INC - POPLAR BLUFF
1717 WEST MAUD ST
POPLAR BLUFF, MO 63901
CLIA ID# 26D1041510

REASON: Principal Sanction, Cancel Medicare/Medicaid Approval, should have appeared on 2020 Registry. Effective date 10/26/2020. Refer to Sections 2 & 4.

Walz, Stacy BURSON, Michael, DIRECTOR
GAMMA HEALTHCARE INC - SPRINGFIELD
228 E PRIMROSE
SPRINGFIELD, MO 65807
CLIA ID# 26D2102945

REASON: Principal Sanction Cancel Medicare/Medicaid Approval should have appeared on 2020 Registry. Effective date: 10/26/2020. Refer to Sections 2 & 4.

10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL IN EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1859(A). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES

DOROTHY WONG, DIRECTOR
AVELLINO LAB USA, INC.
1505 ADAMS DRIVE, SUITE B2
MENLO PARK, CA 94025
CLIA ID# 05D2048075

EFFECTIVE DATE: 6/3/2021
REASON: NY State Permit Void
Laboratory failed to meet reporting requirements for change in director
NY State Permit is Void

ARLA BUSH, DIRECTOR
STRAND DIAGNOSTICS, INC
5770 DECATUR BOULEVARD, SUITE A
INDIANAPOLIS, IN 46241
CLIA ID# 15D1083389

EFFECTIVE DATE: 3/10/2021
REASON: NY State Permit Void
Laboratory failed to meet reporting requirements for change in owner
NY State Permit is Void

AMRIK SAHOTA, DIRECTOR
RUTGERS CLINICAL GENOMICS LABORATORY (RUCDR INFINITE BIOLOGICS)
30 KNIGHTSBRIDGE ROAD, BUILDING 3
PISCATAWAY NJ 08854
CLIA ID# 31D2077913

EFFECTIVE DATE: 3/29/2021
REASON: NY State Permit Void
Laboratory failed to meet reporting requirements for change in owner
NY State Permit is Void

NORMAN ROSEN, DIRECTOR
NORTH BROADWAY ADVANCED ONCOLOGY ASSOCIATES
OF MONTEFIORE
984 NORTH BROADWAY SUITE 311
YONKERS, NY 10701
CLIA ID# 33D0136633

EFFECTIVE DATE: 1/21/21
REASON: NY State Permit Voided on 1/21/2021
Failure to maintain proficiency testing participation – laboratory was temporarily closed for 2020.
NY State Permit is Void

QIANG XIE, DIRECTOR
BAYSIDE LABORATORIES INC
45-57 BELL BOULEVARD,
BAYSIDE, NY 11361
CLIA ID# 33D0149650

EFFECTIVE DATE: 1/14/2021
REASON: Cease testing for PT/PTT: Use of unverified reagents, identified on survey
Cease testing for COVID IgG: No director-approved procedure for testing, identified during survey
As of 12/31/2021, cease testing still in effect

RABIA MIR, DIRECTOR
BETHPAGE MEDICAL LABORATORIES
4045 HEMPSTEAD TPKE STE 200
BETHPAGE, NY 11714
CLIA ID# 33D0156362

EFFECTIVE DATE: 10/8/2021
REASON: NY State Permit Void
Laboratory failed to meet permit reapplication requirements and laboratory director resigned.
NY State Permit is Void

JAGMOHAN SIDHU, DIRECTOR
UHS BINGHAMTON GENERAL BINGHAMPTON GEN HOSPITAL DIV LAB
10-42 MITCHELL AVE
BINGHAMTON, NY 13903
CLIA ID# 33D0654716

EFFECTIVE DATE: 8/2/2021
REASON: Civil Money Penalty imposed on 8/2/2021
Improper PT handling: interlaboratory communication during a PT event
Fine paid

KRABILL KEITH, DIRECTOR
KALEIDA HEALTH CENTER FOR LABORATORY MEDICINE WILLIAMSVILLE
115 FLINT ROAD
WILLIAMSVILLE, NY 14221-3097
CLIA ID# 33D0669255

EFFECTIVE DATE: 10/27/2021
REASON: Cease testing for bacteria identification
Subsequent unsuccessful proficiency testing performance
As of 12/31/2021, cease testing still in effect

ALEXANDRA JIMENEZ, DIRECTOR
NEW YORK BLOOD CENTER – LIC
45-01 VERNON BLVD
LONG ISLAND CITY, NY 11101
CLIA ID# 33D0673132

EFFECTIVE DATE: 8/2/2021
REASON: Civil Money Penalty imposed on 8/2/2021
Improper PT handling: interlaboratory communication during a PT event
Fine paid

MAGDA BASKHAROUN-GUIRGUIS, DIRECTOR
BIODIAGNOSTIC LABS INC
2380 EAST 22ND STREET
BROOKLYN NY 11229
CLIA ID# 33D0713273

EFFECTIVE DATE: 2/9/2021
REASON: Cease testing for viral antigen
Failure to maintain proficiency testing participation
Cease testing order rescinded 3/25/2021

WILHELMINA CRUZ-VETRANO, DIRECTOR
WYCKOFF HEIGHTS MEDICAL CENTER
374 STOCKHOLM ST
BROOKLYN NY 11237
CLIA ID# 33D0726426

EFFECTIVE DATE: 12/29/2021
REASON: Cease testing for RBC count
Subsequent unsuccessful proficiency testing performance
As of 12/31/2021, cease testing still in effect

ROBERT PHELPS, DIRECTOR
MOUNT SINAI DIVISION OF DERMATOLOGIC SURGERY
234-236 EAST 85TH STREET 5TH FLOOR
MANHATTAN, NY 10028
CLIA ID# 33D0993439

EFFECTIVE DATE: 1/5/2021
REASON: NY State Permit Void
Laboratory director did not renew Certificate of Qualification
NY State Permit is Void

SHAWN BREEN, DIRECTOR
STRONG FERTILITY CENTER ANDROLOGY LAB
500 RED CREEK RD, SUITE 220
ROCHESTER NY 14623
CLIA ID# 33D1065077

EFFECTIVE DATE: 2/16/2021
REASON: Cease testing for hCG
Subsequent unsuccessful proficiency testing performance
Cease testing order rescinded 3/31/2021

JIANYOU TAN, DIRECTOR
NEW PATH DIAGNOSTICS
42-11 PARSONS BOULEVARD, FIRST FLOOR
FLUSHING NY 11355
CLIA ID# 33D1093401

EFFECTIVE DATE: 3/24/2021
REASON: Cease testing for COVID IgG and IgM; Cease testing for COVID nucleic acid No
director-approved procedure for testing, identified during survey.
Cease testing order rescinded 4/15/2021;
Cease testing for RUO urine FISH; No laboratory validation for use of RUO test:
As of 12/31/2021, cease testing still in effect

CHARVI CASSANO, DIRECTOR
PARCARE COMMUNITY HEALTH NETWORK LLC
6010 BAY PARKWAY 9TH FLOOR
BROOKLYN, NY 11204
CLIA ID# 33D2120901

EFFECTIVE DATE: 3/3/2021
REASON: Cease testing for COVID IgG
No director-approved procedure or validation for testing, identified during survey
Cease testing rescinded 7/22/2021

ERLAND ARNING, DIRECTOR
INSTITUTE OF METABOLIC DISEASE, BSWRI
3812 ELM ST
DALLAS, TX 75226
CLIA ID# 45D0928347

EFFECTIVE DATE: 3/10/2021
REASON: NY State Permit Void
Laboratory failed to meet reporting requirements for change in location
NY State Permit is Void

KRISTIN LEIFERMAN, DIRECTOR
IMMUNODERMATOLOGY LABORATORY
30 NORTH 1900 EAST RM 4R122 SOM
SALT LAKE CITY, UT 84132
CLIA ID# 46D0681916

EFFECTIVE DATE: 3/10/2021
REASON: NY State Permit Void
Laboratory failed to meet reporting requirements for change in location
NY State Permit is Void

SAMI ANWAR, - LEGAL OWNER, OPERATOR
ZAIN MEDICAL CENTER
2630 N COLUMBIA CENTER BLVD STE B
RICHLAND, WA 99352
CLIA ID# 50D2116058

EFFECTIVE DATE: 10/7/2021
REASON: License Revoked. Legal Owner conviction of federal fraud offenses. Violations of 70.42.150(6) RCW and 246-338-100(1)(e) WAC. Testing discontinued 12/22/2020. License Revoked 10/7/2021

VUTHY LENG, DIRECTOR
FAMILY MEDICINE CLINIC OF FEDERAL WAY LLC
34618 11TH PL S STE 100
FEDERAL WAY, WA 98003
CLIA ID# 50D1042754

EFFECTIVE DATE: 7/8/2021
REASON: Agreed Order - Laboratory Director limited from performing definitive urine toxicology testing. Billing for Tests Not Performed, Under-Reporting of Tests Performed. Site no longer operating - Medical Test Site License closed on 7/19/2021