

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

ITM_SET_VRSN_CD.....	4
SPEC_VRSN_CD.....	4
M1021_PRIMARY_DIAG_ICD.....	4
M1021_PRIMARY_DIAG_SEVERITY	4
M1023_OTH_DIAG1_ICD.....	4
M1023_OTH_DIAG1_SEVERITY	4
M1023_OTH_DIAG2_ICD.....	4
M1023_OTH_DIAG2_SEVERITY	4
M1023_OTH_DIAG3_ICD.....	4
M1023_OTH_DIAG3_SEVERITY	4
M1023_OTH_DIAG4_ICD.....	4
M1023_OTH_DIAG4_SEVERITY	4
M1023_OTH_DIAG5_ICD.....	4
M1023_OTH_DIAG5_SEVERITY	4
M1030_THH_IV_INFUSION	4
M1030_THH_PAR_NUTRITION.....	4
M1030_THH_ENT_NUTRITION.....	4
M1030_THH_NONE_ABOVE.....	4
M1033_HOSP_RISK_HSTRY_FALLS.....	4
M1033_HOSP_RISK_WEIGHT_LOSS	4
M1033_HOSP_RISK_MLTPL_HOSPZTN	4
M1033_HOSP_RISK_MLTPL_ED_VISIT	4
M1033_HOSP_RISK_MNTL_BHV_DCLN	4

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

M1033_HOSP_RISK_COMPLIANCE.....	5
M1033_HOSP_RISK_5PLUS_MDCTN.....	5
M1033_HOSP_RISK_CRNT_EXHSTN.....	5
M1033_HOSP_RISK_OTHR_RISK.....	5
M1033_HOSP_RISK_NONE_ABOVE.....	5
M1051_PVX_RCVD_AGENCY.....	5
M1056_PVX_RSN_NOT_RCVD_AGENCY.....	5
M1200_VISION.....	5
M1242_PAIN_FREQ_ACTVTY_MVMT.....	5
M1311_NBR_PRSULC_STG2_A1.....	5
M1311_NBR_PRSULC_STG3_B1.....	5
M1311_NBR_PRSULC_STG4_C1.....	5
M1311_NSTG_DRSG_D1.....	5
M1311_NSTG_CVRG_E1.....	5
M1311_NSTG_DEEP_TSUE_F1.....	5
M1322_NBR_PRSULC_STG1.....	5
M1324_STG_PRBLM_ULCER.....	5
M1330_STAS_ULCR_PRSNT.....	5
M1332_NBR_STAS_ULCR.....	5
M1334_STUS_PRBLM_STAS_ULCR.....	5
M1340_SRGL_WND_PRSNT.....	5
M1342_STUS_PRBLM_SRGL_WND.....	5
M1400_WHEN_DYSPNEIC.....	5

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

M1610_UR_INCONT	5
M1620_BWL_INCONT	5
M1630_OSTOMY	6
M1800_CRNT_GROOMING	6
M1910_MLT_FCTR_FALL_RISK_ASMT	6
M2030_CRNT_MGMT_INJCTN_MDCTN.....	6
M2200_THER_NEED_NBR	6
M2200_THER_NEED_NA	6
M2401_INTRVTN_SMRY_DBTS_FT.....	6
ITEM_FILLER_233	6
ITEM_FILLER_234	6

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

Item ID	Group	Type	Max Length	Description	Change
ITM_SET_VRSN_CD	Control	Code	10	Item set version code	[V2.31.0]-Added ending date for D-D-012019 and added [D1-012020] to value list.
SPEC_VRSN_CD	Control	Code	10	Specifications version code	[V2.31.0]-Added ending date for V2.30 and added [2.31.] to value list.
M1021_PRIMARY_DIAG_ICD	Asmt	ICD	8	Primary diagnosis ICD code	[V2.31.0]-Added new item value [=].
M1021_PRIMARY_DIAG_SEVERITY	Asmt	Code	2	Primary diagnosis severity rating	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG1_ICD	Asmt	ICD	8	Other diagnosis 1: ICD code	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG1_SEVERITY	Asmt	Code	2	Other diagnosis 1: severity rating	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG2_ICD	Asmt	ICD	8	Other diagnosis 2: ICD code	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG2_SEVERITY	Asmt	Code	2	Other diagnosis 2: severity rating	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG3_ICD	Asmt	ICD	8	Other diagnosis 3: ICD code	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG3_SEVERITY	Asmt	Code	2	Other diagnosis 3: severity rating	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG4_ICD	Asmt	ICD	8	Other diagnosis 4: ICD code	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG4_SEVERITY	Asmt	Code	2	Other diagnosis 4: severity rating	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG5_ICD	Asmt	ICD	8	Other diagnosis 5: ICD code	[V2.31.0]-Added new item value [=].
M1023_OTH_DIAG5_SEVERITY	Asmt	Code	2	Other diagnosis 5: severity rating	[V2.31.0]-Added new item value [=].
M1030_THH_IV_INFUSION	Asmt	Code	1	Therapies received at home: intravenous, infusion	[V2.31.0]-Added new item value [=].
M1030_THH_PAR_NUTRITION	Asmt	Code	1	Therapies received at home: parenteral nutrition	[V2.31.0]-Added new item value [=].
M1030_THH_ENT_NUTRITION	Asmt	Code	1	Therapies received at home: enteral nutrition	[V2.31.0]-Added new item value [=].
M1030_THH_NONE_ABOVE	Asmt	Code	1	Therapies received at home: none of the above	[V2.31.0]-Added new item value [=].
M1033_HOSP_RISK_HSTRY_FALLS	Asmt	Code	1	Hosp risk: 2+ falls or injury fall in past year	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_WEIGHT_LOSS	Asmt	Code	1	Hosp risk: unintentional weight loss	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_MLTPH_HOSPZTN	Asmt	Code	1	Hosp risk: 2+ hospitalizations in past 6 months	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_MLTPH_ED_VISIT	Asmt	Code	1	Hosp risk: 2+ emergency dept visits in past 6 months	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_MNTHL_BHV_DCLN	Asmt	Code	1	Hosp risk: decline mental/emotional/behav Status	[V2.31.0]-Item added for RFAs 04 and 05.

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

Item ID	Group	Type	Max Length	Description	Change
M1033_HOSP_RISK_COMPLIANCE	Asmt	Code	1	Hosp risk: difficulty with medical instructions	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_5PLUS_MDCTN	Asmt	Code	1	Hosp risk: taking five or more medications	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_CRNT_EXHSTN	Asmt	Code	1	Hosp risk: current exhaustion	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_OTHR_RISK	Asmt	Code	1	Hosp risk: other risk(s) not listed	[V2.31.0]-Item added for RFAs 04 and 05.
M1033_HOSP_RISK_NONE_ABOVE	Asmt	Code	1	Hosp risk: none of the above	[V2.31.0]-Item added for RFAs 04 and 05.
M1051_PVX_RCVD_AGENCY	Asmt	Code	1	Was pneumococcal vaccine received	[V2.31.0]-Added new item value [=].
M1056_PVX_RSN_NOT_RCVD_AGENCY	Asmt	Code	2	If pneumococcal vacc not received, state reason	[V2.31.0]-Added new item value [=].
M1200_VISION	Asmt	Code	2	Sensory status: vision	[V2.31.0]-Added new item value [=].
M1242_PAIN_FREQ_ACTVTY_MVMT	Asmt	Code	2	Freq of pain interfering with pt activity/movement	[V2.31.0]-Added new item value [=].
M1311_NBR_PRSULC_STG2_A1	Asmt	Number	2	Number of Stage 2 Pressure Ulcers	[V2.31.0]-Added new item value [=].
M1311_NBR_PRSULC_STG3_B1	Asmt	Number	2	Number of Stage 3 Pressure Ulcers	[V2.31.0]-Added new item value [=].
M1311_NBR_PRSULC_STG4_C1	Asmt	Number	2	Number of Stage 4 Pressure Ulcers	[V2.31.0]-Added new item value [=].
M1311_NSTG_DRSG_D1	Asmt	Number	2	Num unstage pressure ulcer non-remov dress	[V2.31.0]-Added new item value [=].
M1311_NSTG_CVRG_E1	Asmt	Number	2	Unstageable: coverage by slough or eschar	[V2.31.0]-Added new item value [=].
M1311_NSTG_DEEP_TSUE_F1	Asmt	Number	2	Unstageable: deep tissue injury	[V2.31.0]-Added new item value [=].
M1322_NBR_PRSULC_STG1	Asmt	Code	2	Number of stage 1 pressure injuries	[V2.31.0]-Added new item value [=].
M1324_STG_PRBLM_ULCER	Asmt	Code	2	Stage of most problematic pressure ulcer/injury	[V2.31.0]-Added new item value [=].
M1330_STAS_ULCR_PRSNT	Asmt	Code	2	Does this patient have a stasis ulcer	[V2.31.0]-Added new item value [=].
M1332_NBR_STAS_ULCR	Asmt	Code	2	Number of stasis ulcers	[V2.31.0]-Added new item value [=].
M1334_STUS_PRBLM_STAS_ULCR	Asmt	Code	2	Status of most problematic stasis ulcer	[V2.31.0]-Added new item value [=].
M1340_SRGL_WND_PRSNT	Asmt	Code	2	Does this patient have a surgical wound	[V2.31.0]-Added new item value [=].
M1342_STUS_PRBLM_SRGL_WND	Asmt	Code	2	Status of most problematic surgical wound	[V2.31.0]-Added new item value [=].
M1400_WHEN_DYSPNEIC	Asmt	Code	2	When dyspneic	[V2.31.0]-Added new item value [=].
M1610_UR_INCONT	Asmt	Code	2	Urinary incontinence or urinary catheter present	[V2.31.0]-Added new item value [=].
M1620_BWL_INCONT	Asmt	Code	2	Bowel incontinence frequency	[V2.31.0]-Added new item value [=].

Data Submission Specifications for the OASIS Item Set (V2.31.0)

Item Change Report: Changes for Version V2.31.0

Item ID	Group	Type	Max Length	Description	Change
M1630_OSTOMY	Asmt	Code	2	Ostomy for bowel elimination	[V2.31.0]-Added new item value [=].
M1800_CRNT_GROOMING	Asmt	Code	2	Current: grooming	[V2.31.0]-Item added for RFAs 04 and 05
M1910_MLT_FCTR_FALL_RISK_ASMT	Asmt	Code	2	Has patient had a multi-factor fall risk asmt	[V2.31.0]-Added new item value [=].
M2030_CRNT_MGMT_INJCTN_MDCTN	Asmt	Code	2	Current: management of injectable	[V2.31.0]-Added new item value [=].
M2200_THER_NEED_NBR	Asmt	Number	3	Therapy need: number of visits indicated	[V2.31.0]-Added new item value [=].
M2200_THER_NEED_NA	Asmt	Code	1	Therapy need: not applicable	[V2.31.0]-Added new item value [=].
M2401_INTRVTN_SMRY_DBTS_FT	Asmt	Code	2	Intervention synopsis: diabetic foot care	[V2.31.0]-Added new item value [=].
ITEM_FILLER_233	Filler	Filler	5	Filler: replaces SUBM_HIPPS_CODE	[V2.31.0]-Filler item to replace deleted item SUBM_HIPPS_CODE
ITEM_FILLER_234	Filler	Filler	5	Filler: replaces SUBM_HIPPS_VERSION	[V2.31.0]-Filler item to replace deleted item SUBM_HIPPS_VERSION