

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Sensory Status

Item ID: M1200_VISION	2
Item ID: M1242_PAIN_FREQ_ACTVTY_MVMT	5

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Sensory Status

Item ID: M1200_VISION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Sensory status: vision	Asmt		Code	2	771-772

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Normal vision: sees adequately in most situations; can see medication labels, newsprint.
01		Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
02		Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT
Detailed Data Specifications Report
Section: Sensory Status

M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Sensory Status

M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN.

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Sensory Status

Item ID: M1242_PAIN_FREQ_ACTVTY_MVMT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Freq of pain interfering with pt activity/movement	Asmt		Code	2	781-782

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Patient has no pain
01		Patient has pain that does not interfere with activity or movement
02		Less often than daily
03		Daily, but not constantly
04		All of the time

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Sensory Status

M1036_RSK_DRUGS, M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT

Data Submission Specifications for the OASIS Item Set (V2.30.0) – DRAFT

Detailed Data Specifications Report

Section: Sensory Status

M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN.