

KNOWLEDGE • RESOURCES • TRAINING

Screening Pap Tests & Pelvic Exams



CPT codes, descriptions and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Copyright © 2023, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.





Table of Contents

What's Changed?	3
Coverage Information	4
Documentation	6
Coding & Diagnosis Information	6
Billing Requirements	8
Payment Information	9
Claim Denial Reasons	11
Resources	11



What's Changed?

We added information on skilled nursing facility consolidated billing (page 10).

Substantive content changes are in dark red.



Together we can advance health equity and help eliminate health disparities for all minority and underserved groups. Find resources and more from the CMS Office of Minority Health:

- Health Equity Technical Assistance Program
- Disparities Impact Statement

Important female preventive health care includes screening Pap tests and pelvic exams:

- A screening Pap test (called a Pap smear) is a lab test used to detect early cervical cancer.
 A health care provider takes a cervical cell sample and interprets the test results.
- A **screening pelvic exam** helps detect precancers, genital cancers, infections, sexually transmitted infections (STIs), reproductive system abnormalities, and other genital and vaginal problems.
- **Human Papillomavirus (HPV) screening** is also a preventive service. The test detects the virus that causes cervical cancer or warts.

Note: Sections 210.2 and 210.2.1 of the <u>Medicare National Coverage Determinations Manual</u>, Chapter 1, Part 4 have more information.

Female Preventive Screenings

We cover Pap smears, pelvic exams, STI, and HPV screenings. They're similar services, and separate benefits.

Coverage Information

Medicare Part B covers all female patient screening Pap tests and pelvic exams (including clinical breast exams) when ordered and performed by 1 of these medical professionals authorized under state law:

- Doctor of medicine or osteopathy
- Certified nurse-midwife
- Physician assistant
- Nurse practitioner
- Clinical nurse specialist

Part B covers an HPV screening with a Pap test once every 5 years for all female patients ages 30–65.



Coverage Frequency

Table 1 describes how often Part B covers screening Pap tests, pelvic exams, and HPV screening.

Table 1. Medicare-Covered Screening Pap Tests, Pelvic Exams, & HPV Screening

Covered for	How Often	Additional Information
Any asymptomatic female patient	Every 24 months (at least 23 months after the most recent screening Pap test or pelvic exam)	N/A
 A female patient who meets any of these criteria: Evidence (based on their medical history or other findings) that they're at high risk for developing cervical or vaginal cancer and their physician (or authorized practitioner) recommends they have the test more frequently than every 2 years Female of childbearing age* who had a screening Pap test or pelvic exam during any of the previous 3 years indicating the presence of cervical or vaginal cancer or other abnormality 	Annually (at least 11 months after the most recent screening Pap test or pelvic exam)	 High risk factors for cervical and vaginal cancer are: Early onset of sexual activity (under 16 years old) Multiple sexual partners (5 or more in a lifetime) History of STI (including HIV infection) Fewer than 3 negative Pap tests or no Pap tests within the previous 7 years Diethylstilbestrol (DES) — exposed daughters of women who took DES during pregnancy
Any asymptomatic female patient ages 30–65 years when done with a screening Pap test	HPV Screening: Once every 5 years (at least 4 years and 11 months (59 months total) after the most recent HPV screening)	Refer to the Cervical Cancer Screening with HPV Tests service in the Medicare Preventive Services educational tool

^{*} Premenopausal female of childbearing age and a physician or qualified practitioner determines childbearing age based on medical history or other findings.

Coinsurance or Copayment & Deductible

We waive the Pap test, pelvic exam, and HPV screening coinsurance or copayment and Part B deductible if the service meets all coverage conditions. However, a charge could apply if the patient sees a non-participating provider.



Documentation

Medical records must document all coverage requirements.

Coding & Diagnosis Information

Procedure Codes & Descriptors

You can perform a screening Pap test and pelvic exam during the same patient encounter. You can also perform an HPV screening during the same encounter on any asymptomatic female patient ages 30–65 at the same time you provide a screening Pap test. When this happens, report both HCPCS procedure codes as separate claim line items.

Table 2. Screening Pap & HPV Test HCPCS Codes

HCPCS Code	Code Descriptor
G0123	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
G0143	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision
G0144	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision
G0145	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision
G0147	Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
G0148	Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening
G0476	Infectious agent detection by nucleic acid (dna or rna); human papillomavirus (hpv), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical cancer screening, must be performed in addition to pap test
P3000	Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision

CPT only copyright 2022 American Medical Association. All rights reserved.



Table 3. Physician's Interpretation: Screening Pap Test HCPCS Codes

HCPCS Code	Code Descriptor
G0124	Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, requiring interpretation by physician
G0141	Screening cytopathology smears, cervical or vaginal, performed by automated system, with manual rescreening, requiring interpretation by physician
P3001	Screening papanicolaou smear, cervical or vaginal, up to three smears, requiring interpretation by physician

Table 4. Lab Specimen: Screening Pap Test HCPCS Code

HCPCS Code	Code Descriptor	
Q0091	Screening papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory	
	lote: You may collect another specimen when a previously collected Pap screening specimen sent to the clinical lab proves unsatisfactory ar lab can't interpret the test results. To bill this re-test, annotate the clusing HCPCS code Q0091 and modifier –76 (repeat procedure or sby same physician or other qualified health care professional).	nd the laim

Table 5. Screening Pelvic Exam HCPCS Code

HCPCS Code	Code Descriptor
G0101	Cervical or vaginal cancer screening; pelvic and clinical breast examination

Diagnosis Codes & Descriptors

Report 1 of the Pap test, pelvic exam, and HPV ICD-10-CM screening diagnosis codes listed in Table 6. Use the appropriate code to indicate the patient's low- or high-risk status.

Table 6. Screening Pap Test & Pelvic Exam Diagnosis Codes

Risk Level	ICD-10-CM Diagnosis Code	Code Descriptor
Low	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings [Use additional code(s) to identify abnormal findings]
Low	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings

CPT only copyright 2022 American Medical Association. All rights reserved.



Table 6. Screening Pap Test & Pelvic Exam Diagnosis Codes (cont.)

Risk Level	ICD-10-CM Diagnosis Code	Code Descriptor	
Low	Z11.51	Encounter for screening for human papillomavirus (HPV)	
Low	Z12.4	Encounter for screening for malignant neoplasm of cervix	
Low	Z12.72	Encounter for screening for malignant neoplasm of vagina	
Low	Z12.79	Encounter for screening for malignant neoplasm of other genitourinary organs	
Low	Z12.89	Encounter for screening for malignant neoplasm of other sites	
High	Z72.51	High risk heterosexual behavior	
High	Z72.52	High risk homosexual behavior	
High	Z72.53	High risk bisexual behavior	
High	Z77.29	Contact with and (suspected) exposure to other hazardous substances	
High	Z77.9	Other contact with and (suspected) exposures hazardous to health	
High	Z91.89	Other specified personal risk factors, not elsewhere classified	
High	Z92.89	Personal history of other medical treatment	
High	Z92.850	Personal history of Chimeric Antigen Receptor T-cell therapy	
High	Z92.858	Personal history of other cellular therapy	
High	Z92.86	Personal history of gene therapy	

Billing Requirements

Professional Claims

Report the appropriate HCPCS code and corresponding ICD-10-CM diagnosis code when submiting professional claims. Include <u>place of service</u> codes on all professional claims to indicate the setting where you provided the service.

Institutional Claims

Report the appropriate HCPCS code, type of bill (TOB), revenue code, and the corresponding ICD-10-CM diagnosis code when submitting institutional claims.

Type of Bills for Institutional Claims

Submit the claim with the appropriate TOB and associated revenue code listed in Table 7.



Table 7. Screening Pap Test & Pelvic Exam Facility Types, TOBs, & Revenue Codes

Facility Type	тов	Screening Pap Test Revenue Code	Pelvic Exam Revenue Code
Hospital inpatient (Part B)	12X	0311	0770
Hospital outpatient	13X	0311	0770
Hospital other Part B (non-patient lab specimens, including critical access hospital (CAH))*	14X	0311	N/A
Skilled nursing facility (SNF) inpatient Part B	22X	0311	0770
SNF outpatient	23X	0311	0770
Rural health clinic (RHC)	71X or 73X	052X	052X
Federally Qualified Health Center (FQHC)	77X	052X	052X
CAH**	85X	0311, 096X, 097X, or 098X	0770

^{*} We don't require your CAH patients be physically present in the CAH when you collect the specimen, but they must be a CAH outpatient. Patients must get CAH outpatient services on the same day you or a CAH employee collect the specimen, or a CAH provider-based entity must collect the specimen.

Payment Information

Professional Claims

We pay for screening Pap tests and HPV screenings under the Clinical Laboratory Fee Schedule (CLFS), and screening pelvic exams under Medicare's Physician Fee Schedule (PFS).

Like other Medicare PFS services, the non-participating provider reduction and limiting charge provisions apply to all screening Pap test and pelvic exam services.

Institutional Claims

Screening Pap test or pelvic exam payment depends on the facility type providing the service. Except RHCs, FQHCs, and CAHs, we pay HCPCS codes G0123, G0143, G0144, G0145, G0147, G0148, G0476, and P3000 under the CLFS. Table 8 lists the other payment types depending on setting.



^{**} CAHs electing Method II report professional services under revenue codes 096X, 097X, or 098X.

Table 8. Screening Pap Test & Pelvic Exam Facility Payment Methods

Facility Type	Screening Pap & HPV Test Payment System	Pelvic Exam Payment System
Hospital inpatient (Part B)*	Outpatient Prospective Payment System (OPPS) HCPCS code Q0091	OPPS
Hospital outpatient*	OPPS HCPCS code Q0091	OPPS
Hospital other Part B (non-patient lab specimens, including CAH)*	OPPS HCPCS code Q0091	N/A
SNF inpatient Part B**	Medicare PFS HCPCS code Q0091	Medicare PFS
SNF outpatient	Medicare PFS HCPCS code Q0091	Medicare PFS
RHC	Part of the all-inclusive rate (AIR) payment	Part of AIR payment
FQHC	FQHC prospective payment system (PPS)	FQHC PPS
	Method I: 101% of reasonable technical components services cost	Method I : 101% of reasonable cost technical components services
CAH	Method II: 101% of reasonable technical components services cost, plus 115% of Medicare PFS professional components services non-facility rate	Method II: 101% of reasonable technical components services, plus 115% of Medicare PFS professional components services non-facility rate

^{*} We pay Maryland inpatient or outpatient hospital services according to the Maryland State Cost Containment Plan.

Note: For residents in a SNF under a Medicare Part A-covered stay, we exclude screening and preventive care from the SNF bundle. However, the SNF must still pay the provider for services and list the HCPCS code on the SNF bill for us to pay. See the General Explanation of the Major Categories for SNF Consolidated Billing, Major Category IV-Additional Excluded Preventive and Screening Services for more information.



^{**} The SNF consolidated billing provision allows separate Medicare Part B screening Pap test, pelvic exam, and HPV screenings payment for patients in a skilled Part A stay; however, the SNF must submit these services on TOB 22X. The SNF must pay for the screening Pap test and pelvic exam other facility types provide for patients in a skilled Part A stay.

Claim Denial Reasons

If a patient tries to get services before they're eligible, we may deny a screening Pap test, pelvic exam, and HPV screening in several situations, including:

- Patient (not high risk) got a covered screening within the past 2 years
- Patient (high risk) got a covered screening within the past year
- Patient (high risk) got a covered HPV screening within the past 5 years (at least 4 years and 11 months (59 months total) after the most recent HPV screening)

You may find specific payment decision information on the remittance advice (RA). The RA gives additional payment adjustment codes information. For more claims information, find your MAC's website.

Remittance Advice Information

The Health Care Payment and Remittance Advice webpage has more information.

Resources

- National Cancer Institute: Cervical Cancer Information for Health Professionals
- Section 280.4 of the Medicare Benefit Policy Manual, Chapter 15 (Screening Pap Smears)
- Sections 30 and 40 of the Medicare Claims Processing Manual, Chapter 18, (Screening Pap Smears and Screening Pelvic Exams)
- United States Preventive Services Task Force (USPSTF) Screening for Cervical Cancer Recommendations

View the Medicare Learning Network® Content Disclaimer and Department of Health & Human Services Disclosure.

The Medicare Learning Network®, MLN Connects®, and MLN Matters® are registered trademarks of the U.S. Department of Health & Human Services (HHS).

