

CMG 2.00 VERSION 2.02 GROUPER SOFTWARE EFFECTIVE ON APRIL 10, 2006 FOR USE WITH THE IRF-PAI

On April 10, 2006 a new IRF-PAI CMG package is available. The grouper package (CMG 2.00 Version 2.02 Grouper) was enhanced to remove the "overweight" comorbidity (ICD-9 278.02) from the comorbidity tier assignment list. The "overweight" comorbidity will no longer result in a comorbidity tier assignment.

This documentation is for a revised version of the CMG dynamic-link library (DLL) for use in classifying patients in Inpatient Rehabilitation Facilities (IRFs). This revision represents version 2.02 of the DLL. This revised DLL implements the second version of the CMG classification system, version 2.00. CMG 2.00 must be used to classify patients discharged on or after October 1, 2005.

This documentation and the CMG DLL are published by the Centers for Medicare & Medicaid Services (CMS). The documentation and DLL may be copied freely, as our goal is broad dissemination to facilitate accurate classification of Inpatient Rehabilitation Facility (IRF) patients with the Case Mix Group (CMG) classification system.

Introduction

This documentation describes a Windows DLL that can be used to calculate a patient's CMG group for version 2.00 of the CMG classification system from Inpatient Rehabilitation Facility Patient Assessment Instrument (IRF-PAI) data. CMG_200.DLL is a 32-bit ActiveX DLL that can be called from Visual Basic or from 32-bit C++ applications. The DLL accepts an input string containing an IRF-PAI data record in the standard CMS submission format and returns the CMG value and associated information. Documentation for the IRF-PAI standard submission format, as well as the DLL and associated documentation, is available at:

http://www.cms.hhs.gov/InpatientRehabFacPPS/06_Software.asp

The ZIP file (CMG_202.ZIP) containing the DLL software and this documentation may be freely distributed and you may freely use and distribute the DLL in your applications.

The ZIP file contains a document named TechDoc.PDF that explains how to call the DLL from Visual Basic and from C++. It describes the input and output parameters used when calling the DLL, the parameter file that must be distributed with the DLL, and the error codes that are returned by the DLL.

What is CMG 2.00?

CMG 2.00 is a new classification system for patients in Inpatient Rehabilitation Facilities (IRFs). The CMG system uses information from the IRF Patient Assessment

Instrument (IRF-PAI) to perform these classifications. CMG 2.00 must be used for all patients discharged on or after October 1, 2005.

Version 2.00 of the CMG classification system incorporates the following revisions:

1. The methodology for computing the motor score has been changed. The new methodology is described in detail in the program documentation that accompanies the DLL. Briefly, the following changes have been made: Twelve IRF-PAI items are used to calculate the motor score. In previous versions, if any of these items had a value of zero, it was recoded to 1 before computing the motor score. This is now true for all items except Item 39Ja (toileting transferring). If Item 39Ja has an input score of zero, it is recoded to a value of 2. In previous versions, the motor score was the simple sum of the 12 items after performing the recoding described above. In the new version, a weight is applied to each recoded value; the motor score is the sum of the weighted scores. The weights are provided in the program documentation (ProgDoc.PDF).
2. The list of comorbidities has been changed substantially. Comorbidities were added (PDF, 36kb) and deleted (PDF, 25kb), and many tier assignments have changed. Please refer to the Appendix C and Appendix D in ProgDoc.PDF for details.
3. The criteria used to assign cases to CMG groups have changed. Please refer to the program documentation for details. Please refer to Appendix E in ProgDoc.PDF for details.

Please contact your Fiscal Intermediary if you have any problems concerning claims submissions using CMG 2.00. If you continue to have issues with claims submissions **after** contacting your Fiscal Intermediary, please contact Pete Diaz at Pedro.Diaz@CMS.HHS.GOV or Susanne Seagrave at Susanne.Seagrave@CMS.HHS.GOV.

Providers are encouraged to obtain new versions of IRVEN or other vendor software that contain the new Version 2.00 of the CMG Grouper (for use after October 1, 2005). For submitted records requiring the new 2.00 Grouper (records with discharge on or after October 1, 2005), the provider will receive a warning on the validation report that an incorrect group code has been submitted unless the new versions of the software are used. However, the validation report will provide the correct CMG code, and the provider should use that correct CMG code for Medicare billing.

The ZIP file CMG_202.ZIP contains the CMG 2.00 grouper package and includes:

1. **CMG_200.DLL** A Windows DLL that can be called by Visual Basic 6.0 or 32-bit C++ applications to perform CMG classifications.
2. **CMG_200.DAT** A parameter file for use with CMG_200.DLL.
3. **TechDoc.PDF** Technical documentation for the use of the 2.00 DLL.
4. **ProgDoc.PDF** Programmer documentation for coding version 2.00 of the CMG classification system.

5. **VbDemo.*** A Visual Basic 6.0 demo program including source and executable code.
6. **CMGTest.TXT** A test file of IRF-PAI records with known CMG values. If you run VbDemo.exe, a log file named VbDemo.log will be produced. This log file gives the correct CMG value for each test record (as well as intermediate values such as the motor score and cognitive score).

How Can I Get CMG 2.02?

Download the grouper package ([CMG_202.ZIP](#)). (Zip file, 150kb)

Included as part of CMG_202.ZIP is the file Techdoc.pdf, which explains the use of the DLL.

Disclaimer

To the maximum extent permitted by applicable law, CMS and its contractors/distributors make no representations about the suitability, for any purpose or use, of the software and documents. THE SOFTWARE AND DOCUMENTS ARE PROVIDED "AS IS" AND WITHOUT WARRANTY OF ANY KIND. ANY WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR USE, TITLE, AND NON-INFRINGEMENT ARE HEREBY DISCLAIMED. Recipient shall not, in any event, be entitled to, and CMS or contractors/distributors shall not be liable for indirect, special, incidental, or consequential damages of any nature including, without being limited to, loss of use, data, or profit irrespective of the nature of the claim, whether in contract, tort, warranty, or otherwise.

Technical Assistance

There is an IRF-PAI Support Desk to help you with technical problems and concerns with the grouper. The number to call is 1-800-339-9313. You may also e-mail requests for assistance to irfpai_help@ifmc.org.