

## **APPENDIX C**

---

### **SAMPLE CLINICAL RECORDS INCORPORATING OASIS-B1 (1/2008) DATA SET**

Appendix C contains six sample assessment forms and a patient tracking sheet which incorporate the OASIS-B1 (1/2008) data items into the home health agency clinical record. They are not official CMS forms. Each home health agency is expected to integrate OASIS items into its comprehensive assessment form, but no specific comprehensive assessment form has been mandated or sanctioned. These forms are provided as examples of OASIS integration into clinical documentation.



# PATIENT TRACKING SHEET

1. <b>(M0010) Agency Medicare Provider Number:</b> _ _ _ _ _	2. <b>(M0012) Agency Medicaid Provider Number:</b> _ _ _ _ _
<b>Branch Identification</b>	
3. <b>(M0014) Branch State:</b> _ _	4. <b>(M0016) Branch ID Number:</b> _ _ _ _ _
5. <b>(M0020) Patient ID Number:</b> _ _ _ _ _	
6. <b>(M0030) Start of Care Date:</b> _ _ - _ _ - _ _ _ _ m m   d d   y y y y	7. <b>(M0032) Resumption of Care Date:</b> _ _ - _ _ - _ _ _ _ <input type="checkbox"/> NA - Not Applicable m m   d d   y y y y
8. <b>(M0040) Patient Name:</b> (First) (MI) (Last) (Suffix)	9. <b>Patient Address:</b> Street, Route, Apt. Number - not P.O. Box City (M0050) State (M0060) Zip Code
10. <b>Patient Phone:</b> ( _ _ _ ) _ _ _ - _ _ _ _	12. <b>(M0064) Social Security Number:</b> _ _ _ _ _ <input type="checkbox"/> UK - Unknown or Not Available
11. <b>(M0063) Medicare Number:</b> _ _ _ _ _ <input type="checkbox"/> NA - No Medicare (including suffix if any)	14. <b>(M0066) Birth Date:</b> _ _ - _ _ - _ _ _ _ m m   d d   y y y y
13. <b>(M0065) Medicaid Number:</b> _ _ _ _ _ <input type="checkbox"/> NA - No Medicaid	
15. <b>(M0069) Gender:</b> <input type="checkbox"/> 1 - Male <input type="checkbox"/> 2 - Female	
16. <b>(M0072) Primary Referring Physician ID:</b> _ _ _ _ _ (UPIN#) <input type="checkbox"/> UK - Unknown or Not Available Name _____ Phone ( _ _ _ ) _ _ _ - _ _ _ _ Address _____ FAX ( _ _ _ ) _ _ _ - _ _ _ _	
17. <b>Marital Status:</b> <input type="checkbox"/> Not Married <input type="checkbox"/> Married <input type="checkbox"/> Widowed <input type="checkbox"/> Divorced <input type="checkbox"/> Separated <input type="checkbox"/> Unknown	
18. <b>(M0140) Race/Ethnicity</b> (as identified by patient): <b>(Mark all that apply.)</b> <input type="checkbox"/> 1 - American Indian or Alaska Native <input type="checkbox"/> 3 - Black or African-American <input type="checkbox"/> 5 - Native Hawaiian or Pacific Islander <input type="checkbox"/> UK - Unknown <input type="checkbox"/> 2 - Asian <input type="checkbox"/> 4 - Hispanic or Latino <input type="checkbox"/> 6 - White	
19. <b>Emergency Contact (Name and Relationship):</b>	20. <b>Emergency Contact Address:</b>
21. <b>Emergency Contact Telephone No.:</b> ( _ _ _ ) _ _ _ - _ _ _ _	
22. <b>(M0150) Current Payment Sources for Home Care:</b> <b>(Mark all that apply.)</b> <input type="checkbox"/> 0 - None; no charge for current services <input type="checkbox"/> 1 - Medicare (traditional fee-for-service) <input type="checkbox"/> 2 - Medicare (HMO/managed care) <input type="checkbox"/> 3 - Medicaid (traditional fee-for-service) <input type="checkbox"/> 4 - Medicaid (HMO/managed care) <input type="checkbox"/> 5 - Workers' compensation <input type="checkbox"/> 6 - Title programs (e.g., Title III, V or XX) <input type="checkbox"/> 7 - Other government (e.g., CHAMPUS, VA, etc.) <input type="checkbox"/> 8 - Private insurance <input type="checkbox"/> 9 - Private HMO/managed care <input type="checkbox"/> 10 - Self-pay <input type="checkbox"/> 11 - Other (specify) _____ <input type="checkbox"/> UK - Unknown	



**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 1 of 15)

Client's Name:

Client Record No.

**A. DEMOGRAPHIC INFORMATION - Update Patient Tracking Sheet at ROC**

1. **(M0080) Discipline of Person Completing Assessment:**

- ☐ 1 - RN                      ☐ 3 - SLP/ST  
☐ 2 - PT                      ☐ 4 - OT

2. **(M0090) Date Assessment Completed:**

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y

3. **(M0100) This Assessment is Currently Being Completed for the Following Reason:**

Start/Resumption of Care

- ☐ 1 - Start of care—further visits planned  
☐ 3 - Resumption of care (after inpatient stay)

Follow-Up

- 4 - Recertification (follow-up) reassessment  
5 - Other follow-up

Transfer to an Inpatient Facility

- 6 - Transferred to an inpatient facility—patient not discharged from agency  
7 - Transferred to an inpatient facility—patient discharged from agency

Discharge from Agency — Not to an Inpatient Facility

- 8 - Death at home  
9 - Discharge from agency

4. **(M0110) Episode Timing:** Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes?

- ☐ 1 - Early  
☐ 2 - Later  
☐ UK - Unknown  
☐ NA - Not Applicable: No Medicare case mix group to be defined by this assessment.

8. **(M0190) Inpatient Diagnoses** and ICD-9-CM code categories (three digits required; five digits optional) for only those conditions treated during an inpatient facility stay within the last 14 days (no surgical or V-codes):

Inpatient Facility Diagnosis

ICD-9-CM

- a. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
b. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)

5. **Economic/Financial Problems or Needs** (describe):

9. **(M0200) Medical or Treatment Regimen Change Within Past 14 Days:** Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?

- ☐ 0 - No [ If No, go to #11 - M0220, Conditions Prior ]  
☐ 1 - Yes

6. **(M0175)** From which of the following **Inpatient Facilities** was the patient discharged during the past 14 days? **(Mark all that apply.)**

- ☐ 1 - Hospital  
☐ 2 - Rehabilitation facility  
☐ 3 - Skilled nursing facility  
☐ 4 - Other nursing home  
☐ 5 - Other (specify) \_\_\_\_\_  
☐ NA - Patient was not discharged from an inpatient facility  
[ If NA, go to #9, Medical or Treatment Regimen Change ]

10. **(M0210)** List the patient's **Medical Diagnoses** and ICD-9-CM code categories (three digits required; five digits optional) for those conditions requiring changed medical or treatment regimen (no surgical or V-codes):

Changed Medical Regimen Diagnosis

ICD-9-CM

- a. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
b. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
c. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
d. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)

7. **(M0180) Inpatient Discharge Date** (most recent):

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y

- ☐ UK - Unknown

# **START OF CARE ASSESSMENT** **(Also used for Resumption of Care Following Inpatient Stay)**

(Page 2 of 15)

Client's Name:

Client Record No.

11. **(M0220) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days:** If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the inpatient stay or change in medical or treatment regimen. **(Mark all that apply.)**

- ☐ 1 - Urinary incontinence  
☐ 2 - Indwelling/suprapubic catheter

- ☐ 3 - Intractable pain  
☐ 4 - Impaired decision-making  
☐ 5 - Disruptive or socially inappropriate behavior  
☐ 6 - Memory loss to the extent that supervision required  
☐ 7 - None of the above  
☐ NA - No inpatient facility discharge and no change in medical or treatment regimen in past 14 days  
☐ UK - Unknown

## **B. CURRENT ILLNESS**

1. **M0230/240/246 Diagnoses, Severity Index, and Payment Diagnoses:** List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/ procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

### **Code each row as follows:**

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time  
 1 - Symptoms well controlled with current therapy  
 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring  
 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring  
 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete <b>only if</b> a V code in Column 2 is reported in place of a case mix diagnosis.	Complete <b>only if</b> the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
<b>(M0230) Primary Diagnosis</b>	<b>(V codes are allowed)</b>	<b>(V or E codes NOT allowed)</b>	<b>(V or E codes NOT allowed)</b>
a. _____	a. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____ ( ____ . ____ )	a. _____ ( ____ . ____ )
<b>(M0240) Other Diagnoses</b>	<b>(V or E codes are allowed)</b>	<b>(V or E codes NOT allowed)</b>	<b>(V or E codes NOT allowed)</b>
b. _____	b. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ ( ____ . ____ )	b. _____ ( ____ . ____ )
c. _____	c. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ ( ____ . ____ )	c. _____ ( ____ . ____ )
d. _____	d. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ ( ____ . ____ )	d. _____ ( ____ . ____ )

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 3 of 15)

Client's Name:

Client Record No.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
e. _____	e. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ ( ____ . ____ )	e. _____ ( ____ . ____ )
f. _____	f. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ ( ____ . ____ )	f. _____ ( ____ . ____ )

**C. SIGNIFICANT PAST HEALTH HISTORY:**

**D. (M0250) THERAPIES** the patient receives at home: **(Mark all that apply.)**

- ☐ 1 - Intravenous or infusion therapy (excludes TPN)  
☐ 2 - Parenteral nutrition (TPN or lipids)  
☐ 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)  
☐ 4 - None of the above

**E. PROGNOSIS**

1. **(M0260) Overall Prognosis:** BEST description of patient's overall prognosis for recovery from this episode of illness.  
☐ 0 - Poor: little or no recovery is expected and/or further decline is imminent  
☐ 1 - Good/Fair: partial to full recovery is expected  
☐ UK - Unknown
2. **(M0270) Rehabilitative Prognosis:** BEST description of patient's prognosis for functional status.  
☐ 0 - Guarded: minimal improvement in functional status is expected; decline is possible  
☐ 1 - Good: marked improvement in functional status is expected  
☐ UK - Unknown
3. **(M0280) Life Expectancy:** (Physician documentation is not required.)  
☐ 0 - Life expectancy is greater than 6 months  
☐ 1 - Life expectancy is 6 months or fewer

**F. ALLERGIES:** (Environmental, drugs, food, etc.)

**G. IMMUNIZATION/SCREENING TESTS**

1. **Immunizations:** Flu Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_ Pneumonia Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_  
Tetanus Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_ Other: \_\_\_\_ Date \_\_\_\_
2. **Screening:** Cholesterol level Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_ Colon cancer screen Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_  
Mammogram Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_ Prostate cancer screen Yes \_\_\_\_ No \_\_\_\_ Date \_\_\_\_
3. **Self-Exam Frequency:** Breast self-exam frequency \_\_\_\_ Testicular self-exam frequency \_\_\_\_

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 4 of 15)

Client's Name:

Client Record No.

**H. (M0290) HIGH RISK FACTORS** characterizing this patient: **(Mark all that apply.)**

- ☐ 1 - Heavy smoking
- ☐ 2 - Obesity
- ☐ 3 - Alcohol dependency
- ☐ 4 - Drug dependency
- ☐ 5 - None of the above
- ☐ UK - Unknown

**I. LIVING ARRANGEMENTS**

**1. (M0300) Current Residence:**

- ☐ 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- ☐ 2 - Family member's residence
- ☐ 3 - Boarding home or rented room
- ☐ 4 - Board and care or assisted living facility
- ☐ 5 - Other (specify) \_\_\_\_\_

**2. (M0340) Patient Lives With: (Mark all that apply.)**

- ☐ 1 - Lives alone
- ☐ 2 - With spouse or significant other
- ☐ 3 - With other family member
- ☐ 4 - With a friend
- ☐ 5 - With paid help (other than home care agency staff)
- ☐ 6 - With other than above

**3. Physical Environment** (Check to indicate presence of problem or check, "No problems identified.")

- ☐ 1 - No problems identified
- ☐ 2 - High crime area
- ☐ 3 - Electrical hazards
- ☐ 4 - Structural hazards
- ☐ 5 - Stairs
- ☐ 6 - Water supply problems
- ☐ 7 - Sewage disposal problems
- ☐ 8 - Insect/rodent problems
- ☐ 9 - Food storage or preparation problems
- ☐ 10 - Telephone access problem
- ☐ 11 - Other

**COMMENTS:**

**J. OTHERS LIVING IN HOUSEHOLD:**

Name	Age	Sex	Relationship	Able & willing to assist?	Name	Age	Sex	Relationship	Able & willing to assist?



**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 5 of 15)

Client's Name:

Client Record No.

**K. SUPPORTIVE ASSISTANCE**

**1. Names of Persons/Organizations Providing Assistance:**

**2. (M0350) Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)**

- ☐ 1 - Relatives, friends, or neighbors living outside the home
- ☐ 2 - Person residing in the home (EXCLUDING paid help)
- ☐ 3 - Paid help
- ☐ 4 - None of the above [ If None of the above, go to **Section L - Review of Systems/Physical Assessment** ]
- ☐ UK - Unknown [ If Unknown, go to **Section L - Review of Systems/Physical Assessment** ]

**4. (M0370) How Often** does the patient receive assistance from the primary caregiver?

- ☐ 1 - Several times during day and night
- ☐ 2 - Several times during day
- ☐ 3 - Once daily
- ☐ 4 - Three or more times per week
- ☐ 5 - One to two times per week
- ☐ 6 - Less often than weekly
- ☐ UK - Unknown

**3. (M0360) Primary Caregiver** taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- ☐ 0 - No one person [ If No one person, go to **Section L - Review of Systems/Physical Assessment** ]
- ☐ 1 - Spouse or significant other
- ☐ 2 - Daughter or son
- ☐ 3 - Other family member
- ☐ 4 - Friend or neighbor or community or church member
- ☐ 5 - Paid help
- ☐ UK - Unknown [ If Unknown, go to **Section L - Review of Systems/Physical Assessment** ]

**5. (M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)**

- ☐ 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- ☐ 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- ☐ 3 - Environmental support (housing, home maintenance)
- ☐ 4 - Psychosocial support (socialization, companionship, recreation)
- ☐ 5 - Advocates or facilitates patient's participation in appropriate medical care
- ☐ 6 - Financial agent, power of attorney, or conservator of finance
- ☐ 7 - Health care agent, conservator of person, or medical power of attorney
- ☐ UK - Unknown

**Comments regarding assistance available to patient:**

**L. REVIEW OF SYSTEMS/PHYSICAL ASSESSMENT**

(Mark S for subjective, O for objectively assessed problem. If no problem present or if not assessed, mark NA.)

**1. HEAD:** \_\_\_\_\_ Dizziness \_\_\_\_\_ Headache (describe location, duration) \_\_\_\_\_

**2. EYES:** \_\_\_\_\_ Glasses \_\_\_\_\_ Blurred/double vision \_\_\_\_\_ Glaucoma  
\_\_\_\_\_ Cataracts \_\_\_\_\_ PERRL \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0390) Vision** with corrective lenses if the patient usually wears them:

- ☐ 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- ☐ 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- ☐ 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

**3. EARS:** \_\_\_\_\_ Hearing Aid \_\_\_\_\_ Tinnitus \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0400) Hearing and Ability to Understand Spoken Language** in patient's own language (with hearing aids if the patient usually uses them):

- ☐ 0 - No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.
- ☐ 1 - With minimal difficulty, able to hear and understand most multi-step instructions and ordinary conversation. May need occasional repetition, extra time, or louder voice.
- ☐ 2 - Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.
- ☐ 3 - Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time.
- ☐ 4 - Unable to hear and understand familiar words or common expressions consistently, or patient nonresponsive.

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 6 of 15)

Client's Name: \_\_\_\_\_

Client Record No. \_\_\_\_\_

4. **ORAL:** \_\_\_\_\_ Gum problems \_\_\_\_\_ Chewing problems \_\_\_\_\_ Dentures \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0410) Speech and Oral (Verbal) Expression of Language** (in patient's own language):

- ☐ 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- ☐ 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- ☐ 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- ☐ 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- ☐ 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- ☐ 5 - Patient nonresponsive or unable to speak.

5. **NOSE AND SINUS:** \_\_\_\_\_ Epistaxis \_\_\_\_\_ Other (specify) \_\_\_\_\_

6. **NECK AND THROAT:** \_\_\_\_\_ Hoarseness \_\_\_\_\_ Difficulty swallowing \_\_\_\_\_ Other (specify) \_\_\_\_\_

7. **MUSCULOSKELETAL, NEUROLOGICAL:**

_____ Hx arthritis	_____ Joint pain	_____ Syncope	_____ Paralysis (describe) _____
_____ Gout	_____ Weakness	_____ Seizure	_____ Amputation (where) _____
_____ Stiffness	_____ Leg cramps	_____ Tenderness	_____ Tremor
_____ Swollen joints	_____ Numbness	_____ Deformities	_____ Aphasia/inarticulate speech
_____ Unequal grasp	_____ Temp changes	_____ Comatose	_____ Other (specify) _____

Coordination, gait, balance (describe): \_\_\_\_\_

**COMMENTS:** (Prostheses, appliances)

**Patient's Perceived Pain Level:** \_\_\_\_\_ (Scale 0-10)

**(M0420) Frequency of Pain** interfering with patient's activity or movement:

- ☐ 0 - Patient has no pain or pain does not interfere with activity or movement
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time

**(M0430) Intractable Pain:** Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- ☐ 0 - No
- ☐ 1 - Yes

**Comments on pain management:**

# **START OF CARE ASSESSMENT** **(Also used for Resumption of Care Following Inpatient Stay)**

(Page 7 of 15)


Client's Name: \_\_\_\_\_

Client Record No. \_\_\_\_\_

## **8. INTEGUMENT:**

a. \_\_\_\_\_ Hair changes (where) \_\_\_\_\_ Pruritus \_\_\_\_\_ Other (specify) \_\_\_\_\_

b. Skin condition (Record type # on body area. Indicate size to right of numbered category.)



- | Type                     | Size |
|--------------------------|------|
| 1. Lesions               |      |
| 2. Bruises               |      |
| 3. Masses                |      |
| 4. Scars                 |      |
| 5. Stasis Ulcers         |      |
| 6. Pressure Ulcers       |      |
| 7. Surgical Wounds       |      |
| 8. Other (specify) _____ |      |

c. **(M0440)** Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- ☐ 0 - No [ If No, go to **Section 9 - Cardiorespiratory** ]  
☐ 1 - Yes

d. **(M0445)** Does this patient have a **Pressure Ulcer**?

- ☐ 0 - No [ If No, go to **#8.e - Stasis Ulcer** ]  
☐ 1 - Yes

**(M0450) Current Number of Pressure Ulcers at Each Stage:** (Circle one response for each stage.)

Pressure Ulcer Stages	Number of Pressure Ulcers				
a) Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b) Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c) Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d) Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.).	0	1	2	3	4 or more
e) In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

**(M0460) Stage of Most Problematic (Observable)**

**Pressure Ulcer:**

- ☐ 1 - Stage 1  
☐ 2 - Stage 2  
☐ 3 - Stage 3  
☐ 4 - Stage 4  
☐ NA - No observable pressure ulcer

**(M0464) Status of Most Problematic (Observable)**

**Pressure Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable pressure ulcer

Describe current treatment approach(es) for pressure ulcer(s):

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 8 of 15)

Client's Name:

Client Record No.

- e. **(M0468)** Does this patient have a **Stasis Ulcer**?  
☐ 0 - No [ If No, go to #8.f - Surgical Wound ]  
☐ 1 - Yes

**(M0470) Current Number of Observable Stasis Ulcer(s):**

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

**(M0474)** Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- ☐ 0 - No  
☐ 1 - Yes

**(M0476) Status of Most Problematic (Observable) Stasis Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable stasis ulcer

Describe current treatment approach(es) for stasis ulcer(s):

- f. **(M0482)** Does this patient have a **Surgical Wound**?  
☐ 0 - No [ If No, go to Section 9 - Cardiorespiratory ]  
☐ 1 - Yes

**(M0484) Current Number of (Observable) Surgical Wounds:**

(If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

**(M0486)** Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

- ☐ 0 - No  
☐ 1 - Yes

**(M0488) Status of Most Problematic (Observable) Surgical Wound:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable surgical wound

Describe current treatment approach(es) for surgical wound(s):

**Other Wounds Requiring Treatment**

Type of Wound:

Status:

Current treatment Approach(es):

9. **CARDIORESPIRATORY:** Temperature \_\_\_\_\_ Respirations \_\_\_\_\_  
**BLOOD PRESSURE:** Lying \_\_\_\_\_ Sitting \_\_\_\_\_ Standing \_\_\_\_\_  
**PULSE:** Apical rate \_\_\_\_\_ Radial rate \_\_\_\_\_ Rhythm \_\_\_\_\_ Quality \_\_\_\_\_

**CARDIOVASCULAR:**

\_\_\_\_ Palpitations      \_\_\_\_ Dyspnea on exertion      \_\_\_\_ BP problems      \_\_\_\_ Murmurs  
\_\_\_\_ Claudication      \_\_\_\_ Paroxysmal nocturnal dyspnea      \_\_\_\_ Chest pain      \_\_\_\_ Edema  
\_\_\_\_ Fatigues easily      \_\_\_\_ Orthopnea (# of pillows \_\_\_\_\_)      \_\_\_\_ Cardiac problems (specify) \_\_\_\_\_      \_\_\_\_ Cyanosis  
\_\_\_\_ Pacemaker \_\_\_\_\_      \_\_\_\_ Other (specify) \_\_\_\_\_      \_\_\_\_ Varicosities  
(Date of last battery change)

**COMMENTS:**

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 9 of 15)

Client's Name: \_\_\_\_\_

Client Record No. \_\_\_\_\_

**RESPIRATORY:**

History of: \_\_\_\_\_ Asthma \_\_\_\_\_ Bronchitis \_\_\_\_\_ Pneumonia \_\_\_\_\_ Other (specify) \_\_\_\_\_  
\_\_\_\_\_ TB \_\_\_\_\_ Pleurisy \_\_\_\_\_ Emphysema

**Present Condition:**

\_\_\_\_\_ Cough (describe) \_\_\_\_\_ Sputum (character and amount) \_\_\_\_\_  
\_\_\_\_\_ Breath sounds (describe) \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0490)** When is the patient dyspneic or noticeably Short of Breath?

- ☐ 0 - Never, patient is not short of breath  
☐ 1 - When walking more than 20 feet, climbing stairs  
☐ 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)  
☐ 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation  
☐ 4 - At rest (during day or night)

**(M0500) Respiratory Treatments** utilized at home: (Mark all that apply.)

- ☐ 1 - Oxygen (intermittent or continuous)  
☐ 2 - Ventilator (continually or at night)  
☐ 3 - Continuous positive airway pressure  
☐ 4 - None of the above

**COMMENTS:**

10. **GENITOURINARY TRACT:**

\_\_\_\_\_ Frequency \_\_\_\_\_ Nocturia \_\_\_\_\_ Dysmenorrhea \_\_\_\_\_ Gravida/Para  
\_\_\_\_\_ Pain \_\_\_\_\_ Urgency \_\_\_\_\_ Lesions \_\_\_\_\_ Date last PAP test  
\_\_\_\_\_ Hematuria \_\_\_\_\_ Prostate disorder \_\_\_\_\_ Hx hysterectomy \_\_\_\_\_ Contraception  
\_\_\_\_\_ Vaginal discharge/bleeding \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0510)** Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- ☐ 0 - No  
☐ 1 - Yes  
☐ NA - Patient on prophylactic treatment  
☐ UK - Unknown

**(M0530) When does Urinary Incontinence** occur?

- ☐ 0 - Timed-voiding defers incontinence  
☐ 1 - During the night only  
☐ 2 - During the day and night

**COMMENTS:** (e.g., appliances and care, bladder programs, catheter type and care)

**(M0520) Urinary Incontinence or Urinary Catheter Presence:**

- ☐ 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ If No, go to **Section 11 - Gastrointestinal Tract** ]  
☐ 1 - Patient is incontinent  
☐ 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ Go to **Section 11 - Gastrointestinal Tract** ]

11. **GASTROINTESTINAL TRACT:**

\_\_\_\_\_ Indigestion \_\_\_\_\_ Pain \_\_\_\_\_ Rectal bleeding \_\_\_\_\_ Jaundice  
\_\_\_\_\_ Nausea, vomiting \_\_\_\_\_ Hernias (where) \_\_\_\_\_ Hemorrhoids \_\_\_\_\_ Tenderness  
\_\_\_\_\_ Ulcers \_\_\_\_\_ Diarrhea/constipation \_\_\_\_\_ Gallbladder problems \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0540) Bowel Incontinence Frequency:**

- ☐ 0 - Very rarely or never has bowel incontinence  
☐ 1 - Less than once weekly  
☐ 2 - One to three times weekly  
☐ 3 - Four to six times weekly  
☐ 4 - On a daily basis  
☐ 5 - More often than once daily  
☐ NA - Patient has ostomy for bowel elimination  
☐ UK - Unknown

**(M0550) Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?

- ☐ 0 - Patient does not have an ostomy for bowel elimination.  
☐ 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.  
☐ 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

**COMMENTS:** (bowel function, use of laxatives or enemas, bowel program, GI status)

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 10 of 15)

Client's Name: \_\_\_\_\_

Client Record No. \_\_\_\_\_

12. **NUTRITIONAL STATUS:**

\_\_\_\_\_ Weight loss/gain last 3 mos. (Give amount \_\_\_\_\_) \_\_\_\_\_ Over/under weight \_\_\_\_\_ Change in appetite \_\_\_\_\_ Diet \_\_\_\_\_  
\_\_\_\_\_ Other (specify) \_\_\_\_\_ Meals prepared by \_\_\_\_\_

**COMMENTS:**

13. **BREASTS:** (For both male and female)

\_\_\_\_\_ Lumps \_\_\_\_\_ Tenderness \_\_\_\_\_ Discharge \_\_\_\_\_ Pain \_\_\_\_\_ Other (specify) \_\_\_\_\_

**COMMENTS:**

14. **NEURO/EMOTIONAL/BEHAVIORAL STATUS:**

\_\_\_\_\_ Hx of previous psych. illness \_\_\_\_\_ Other (specify) \_\_\_\_\_

**(M0560) Cognitive Functioning:** (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)

- ☐ 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
- ☐ 1 - Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions.
- ☐ 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
- ☐ 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
- ☐ 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

**(M0570) When Confused (Reported or Observed):**

- ☐ 0 - Never
- ☐ 1 - In new or complex situations only
- ☐ 2 - On awakening or at night only
- ☐ 3 - During the day and evening, but not constantly
- ☐ 4 - Constantly
- ☐ NA - Patient nonresponsive

**(M0580) When Anxious (Reported or Observed):**

- ☐ 0 - None of the time
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time
- ☐ NA - Patient nonresponsive

**(M0590) Depressive Feelings Reported or Observed in Patient:**  
**(Mark all that apply.)**

- ☐ 1 - Depressed mood (e.g., feeling sad, tearful)
- ☐ 2 - Sense of failure or self reproach
- ☐ 3 - Hopelessness
- ☐ 4 - Recurrent thoughts of death
- ☐ 5 - Thoughts of suicide
- ☐ 6 - None of the above feelings observed or reported

**(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)**

- ☐ 1 - Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- ☐ 2 - Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- ☐ 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- ☐ 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- ☐ 5 - Disruptive, infantile, or socially inappropriate behavior (**excludes** verbal actions)
- ☐ 6 - Delusional, hallucinatory, or paranoid behavior
- ☐ 7 - None of the above behaviors demonstrated

**(M0620) Frequency of Behavior Problems (Reported or Observed)** (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):

- ☐ 0 - Never
- ☐ 1 - Less than once a month
- ☐ 2 - Once a month
- ☐ 3 - Several times each month
- ☐ 4 - Several times a week
- ☐ 5 - At least daily

**(M0630) Is this patient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?**

- ☐ 0 - No
- ☐ 1 - Yes

**COMMENTS:** (describe other related behaviors or symptoms, e.g., weight loss, sleep disturbances, coping skills)

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 11 of 15)

Client's Name:

Client Record No.

**15. ENDOCRINE AND HEMATOPOIETIC:**

\_\_\_\_ Diabetes      \_\_\_\_ Polyuria      \_\_\_\_ Polydipsia      \_\_\_\_ Thyroid problem      \_\_\_\_ Excessive bleeding or bruising

Fractionals:      Usual results \_\_\_\_\_      \_\_\_\_ Intolerance to heat and cold

Frequency checked \_\_\_\_\_      \_\_\_\_ Other (specify) \_\_\_\_\_

**COMMENTS:**

**M. LIFE SYSTEM PROFILE: For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.**

1. **(M0640) Grooming:** Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

Prior Current

- ☐ ☐ 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods.  
☐ ☐ 1 - Grooming utensils must be placed within reach before able to complete grooming activities.  
☐ ☐ 2 - Someone must assist the patient to groom self.  
☐ ☐ 3 - Patient depends entirely upon someone else for grooming needs.  
☐ UK - Unknown

2. **(M0650) Ability to Dress Upper Body** (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

Prior Current

- ☐ ☐ 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.  
☐ ☐ 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.  
☐ ☐ 2 - Someone must help the patient put on upper body clothing.  
☐ ☐ 3 - Patient depends entirely upon another person to dress the upper body.  
☐ UK - Unknown

3. **(M0660) Ability to Dress Lower Body** (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

Prior Current

- ☐ ☐ 0 - Able to obtain, put on, and remove clothing and shoes without assistance.  
☐ ☐ 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.  
☐ ☐ 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.  
☐ ☐ 3 - Patient depends entirely upon another person to dress lower body.  
☐ UK - Unknown

4. **(M0670) Bathing:** Ability to wash entire body. **Excludes grooming (washing face and hands only).**

Prior Current

- ☐ ☐ 0 - Able to bathe self in shower or tub independently.  
☐ ☐ 1 - With the use of devices, is able to bathe self in shower or tub independently.  
☐ ☐ 2 - Able to bathe in shower or tub with the assistance of another person:  
(a) for intermittent supervision or encouragement or reminders, OR  
(b) to get in and out of the shower or tub, OR  
(c) for washing difficult to reach areas.  
☐ ☐ 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.  
☐ ☐ 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.  
☐ ☐ 5 - Unable to effectively participate in bathing and is totally bathed by another person.  
☐ UK - Unknown

5. **(M0680) Toileting:** Ability to get to and from the toilet or bedside commode.

Prior Current

- ☐ ☐ 0 - Able to get to and from the toilet independently with or without a device.  
☐ ☐ 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.  
☐ ☐ 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).  
☐ ☐ 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.  
☐ ☐ 4 - Is totally dependent in toileting.  
☐ UK - Unknown

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 12 of 15)

Client's Name:

Client Record No.

6. **(M0690) Transferring:** Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

Prior Current

- ☐ ☐ 0 - Able to independently transfer.  
☐ ☐ 1 - Transfers with minimal human assistance or with use of an assistive device.  
☐ ☐ 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.  
☐ ☐ 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.  
☐ ☐ 4 - Bedfast, unable to transfer but is able to turn and position self in bed.  
☐ ☐ 5 - Bedfast, unable to transfer and is unable to turn and position self.  
☐ UK - Unknown

7. **(M0700) Ambulation/Locomotion:** Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Prior Current

- ☐ ☐ 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).  
☐ ☐ 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.  
☐ ☐ 2 - Able to walk only with the supervision or assistance of another person at all times.  
☐ ☐ 3 - Chairfast, unable to ambulate but is able to wheel self independently.  
☐ ☐ 4 - Chairfast, unable to ambulate and is unable to wheel self.  
☐ ☐ 5 - Bedfast, unable to ambulate or be up in a chair.  
☐ UK - Unknown

8. **(M0710) Feeding or Eating:** Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**

Prior Current

- ☐ ☐ 0 - Able to independently feed self.  
☐ ☐ 1 - Able to feed self independently but requires:  
(a) meal set-up; OR  
(b) intermittent assistance or supervision from another person; OR  
(c) a liquid, pureed or ground meat diet.  
☐ ☐ 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.  
☐ ☐ 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.  
☐ ☐ 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.  
☐ ☐ 5 - Unable to take in nutrients orally or by tube feeding.  
☐ UK - Unknown

9. **(M0720) Planning and Preparing Light Meals** (e.g., cereal, sandwich) or reheat delivered meals:

Prior Current

- ☐ ☐ 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR  
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).  
☐ ☐ 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.  
☐ ☐ 2 - Unable to prepare any light meals or reheat any delivered meals.  
☐ UK - Unknown

10. **(M0730) Transportation:** Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).

Prior Current

- ☐ ☐ 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.  
☐ ☐ 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.  
☐ ☐ 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.  
☐ UK - Unknown

11. **(M0740) Laundry:** Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Prior Current

- ☐ ☐ 0 - (a) Able to independently take care of all laundry tasks; OR  
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).  
☐ ☐ 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.  
☐ ☐ 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.  
☐ UK - Unknown



**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 13 of 15)

Client's Name:

Client Record No.

12. **(M0750) Housekeeping:** Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.

Prior Current

- ☐ ☐ 0 - (a) Able to independently perform all housekeeping tasks; OR  
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
- ☐ ☐ 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
- ☐ ☐ 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
- ☐ ☐ 4 - Unable to effectively participate in any housekeeping tasks.
- ☐ UK - Unknown

13. **(M0760) Shopping:** Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.

Prior Current

- ☐ ☐ 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR  
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Able to go shopping, but needs some assistance:  
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR  
(b) Unable to go shopping alone, but can go with someone to assist.
- ☐ ☐ 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
- ☐ ☐ 3 - Needs someone to do all shopping and errands.
- ☐ UK - Unknown

14. **(M0770) Ability to Use Telephone:** Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.

Prior Current

- ☐ ☐ 0 - Able to dial numbers and answer calls appropriately and as desired.
- ☐ ☐ 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
- ☐ ☐ 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
- ☐ ☐ 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
- ☐ ☐ 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
- ☐ ☐ 5 - Totally unable to use the telephone.
- ☐ ☐ NA - Patient does not have a telephone.
- ☐ UK - Unknown

15. **(M0780) Management of Oral Medications:** Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. **(NOTE: This refers to ability, not compliance or willingness.)**

Prior Current

- ☐ ☐ 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
- ☐ ☐ 1 - Able to take medication(s) at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders; OR  
(c) someone develops a drug diary or chart.
- ☐ ☐ 2 - Unable to take medication unless administered by someone else.
- ☐ ☐ NA - No oral medications prescribed.
- ☐ UK - Unknown

16. **(M0790) Management of Inhalant/Mist Medications:** Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes all other forms of medication (oral tablets, injectable and IV medications).

Prior Current

- ☐ ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
- ☐ ☐ 1 - Able to take medication at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders.
- ☐ ☐ 2 - Unable to take medication unless administered by someone else.
- ☐ ☐ NA - No inhalant/mist medications prescribed.
- ☐ UK - Unknown

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**

(Page 14 of 15)

Client's Name:

Client Record No.

17. **(M0800) Management of Injectable Medications:** Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Prior Current

- ☐ ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.  
☐ ☐ 1 - Able to take injectable medication at correct times if:  
(a) individual syringes are prepared in advance by another person, OR  
(b) given daily reminders.  
☐ ☐ 2 - Unable to take injectable medications unless administered by someone else.  
☐ ☐ NA - No injectable medications prescribed.  
☐ ☐ UK - Unknown

18. **(M0810) Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies):** Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- ☐ 0 - Patient manages all tasks related to equipment completely independently.  
☐ 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.  
☐ 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.  
☐ 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.  
☐ 4 - Patient is completely dependent on someone else to manage all equipment.  
☐ NA - No equipment of this type used in care [ If NA, go to **Section N - Therapy Need** ]

19. **(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies):** Caregiver's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- ☐ 0 - Caregiver manages all tasks related to equipment completely independently.  
☐ 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.  
☐ 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.  
☐ 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).  
☐ 4 - Caregiver is completely dependent on someone else to manage all equipment.  
☐ NA - No caregiver  
☐ UK - Unknown

**N. THERAPY NEED**

1. **(M0826) Therapy Need:** In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**

(\_\_ \_\_ \_\_) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).

☐ NA - Not Applicable: No case mix group defined by this assessment.

**O. EQUIPMENT AND SUPPLIES:**

1. Equipment Needs: (check appropriate box)

	Has	Needs
a. Oxygen/Respiratory Equip.		
b. Wheelchair		
c. Hospital Bed		
d. Other (specify)		

2. Supplies Needed and Comments Regarding Equipment Needs:

3. Financial Problems/Needs:

**P. SAFETY MEASURES RECOMMENDED TO PROTECT PATIENT FROM INJURY:**

---

**START OF CARE ASSESSMENT**  
**(Also used for Resumption of Care Following Inpatient Stay)**  
(Page 15 of 15)

---

Client's Name:  
Client Record No.

---

**Q. EMERGENCY PLANS:**

---

**R. CONCLUSIONS/IMPRESSIONS AND SKILLED INTERVENTIONS PERFORMED THIS VISIT:**

Date of Assessment: \_\_\_\_\_ Signature of Assessor: \_\_\_\_\_



# FOLLOW-UP ASSESSMENT

(Page 1 of 7)

Client's Name:

Client Record No.

## A. DEMOGRAPHIC/GENERAL INFORMATION -- Update Patient Tracking Sheet as needed.

<p>1. <b>(M0080) Discipline of Person Completing Assessment:</b></p> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> 1 - RN  <input type="checkbox"/> 2 - PT         </div> <div> <input type="checkbox"/> 3 - SLP/ST  <input type="checkbox"/> 4 - OT         </div> </div>	<p>2. <b>(M0090) Date Assessment Completed:</b></p> <div style="text-align: center; margin-top: 10px;"> <div style="display: flex; justify-content: space-around; font-size: 1.2em;"> <span>—</span><span>—</span><span>—</span><span>—</span><span>—</span><span>—</span><span>—</span><span>—</span> </div> <div style="display: flex; justify-content: space-around; font-size: 0.8em;"> <span>m</span><span>m</span><span>d</span><span>d</span><span>y</span><span>y</span><span>y</span><span>y</span> </div> </div>			
<p>3. <b>(M0100) This Assessment is Currently Being Completed for the Following Reason:</b></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 0.9em;"> <tr> <td style="width: 33%; padding: 5px; vertical-align: top;"> <p><u>Start/Resumption of Care</u></p> <p>1 - Start of care—further visits planned</p> <p>3 - Resumption of care (after inpatient stay)</p> </td> <td style="width: 33%; padding: 5px; vertical-align: top;"> <p><u>Follow-Up</u></p> <p><input type="checkbox"/> 4 - Recertification (follow-up) reassessment [ Go to <b>M0110</b> ]</p> <p><input type="checkbox"/> 5 - Other follow-up [ Go to <b>M0110</b> ]</p> </td> <td style="width: 33%; padding: 5px; vertical-align: top;"> <p><u>Transfer to an Inpatient Facility</u></p> <p>6 - Transferred to an inpatient facility—patient not discharged from agency</p> <p>7 - Transferred to an inpatient facility—patient discharged from agency</p> <p><u>Discharge from Agency — Not to an Inpatient Facility</u></p> <p>8 - Death at home</p> <p>9 - Discharge from agency</p> </td> </tr> </table>		<p><u>Start/Resumption of Care</u></p> <p>1 - Start of care—further visits planned</p> <p>3 - Resumption of care (after inpatient stay)</p>	<p><u>Follow-Up</u></p> <p><input type="checkbox"/> 4 - Recertification (follow-up) reassessment [ Go to <b>M0110</b> ]</p> <p><input type="checkbox"/> 5 - Other follow-up [ Go to <b>M0110</b> ]</p>	<p><u>Transfer to an Inpatient Facility</u></p> <p>6 - Transferred to an inpatient facility—patient not discharged from agency</p> <p>7 - Transferred to an inpatient facility—patient discharged from agency</p> <p><u>Discharge from Agency — Not to an Inpatient Facility</u></p> <p>8 - Death at home</p> <p>9 - Discharge from agency</p>
<p><u>Start/Resumption of Care</u></p> <p>1 - Start of care—further visits planned</p> <p>3 - Resumption of care (after inpatient stay)</p>	<p><u>Follow-Up</u></p> <p><input type="checkbox"/> 4 - Recertification (follow-up) reassessment [ Go to <b>M0110</b> ]</p> <p><input type="checkbox"/> 5 - Other follow-up [ Go to <b>M0110</b> ]</p>	<p><u>Transfer to an Inpatient Facility</u></p> <p>6 - Transferred to an inpatient facility—patient not discharged from agency</p> <p>7 - Transferred to an inpatient facility—patient discharged from agency</p> <p><u>Discharge from Agency — Not to an Inpatient Facility</u></p> <p>8 - Death at home</p> <p>9 - Discharge from agency</p>		

4. **(M0110) Episode Timing:** Is the Medicare home health payment episode for which this assessment will define a case mix group an “early” episode or a “later” episode in the patient’s current sequence of adjacent Medicare home health payment episodes?

- ☐ 1 - Early  
☐ 2 - Later  
☐ UK - Unknown  
☐ NA - Not Applicable: No Medicare case mix group to be defined by this assessment.

5. **M0230/240/246 Diagnoses, Severity Index, and Payment Diagnoses:** List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/ procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

**Code each row as follows:**

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time  
 1 - Symptoms well controlled with current therapy  
 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring  
 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring  
 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete <b>only if</b> a V code in Column 2 is reported in place of a case mix diagnosis.	Complete <b>only if</b> the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
<b>(M0230) Primary Diagnosis</b>	<b>(V codes are allowed)</b>	<b>(V or E codes NOT allowed)</b>	<b>(V or E codes NOT allowed)</b>
a. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____	a. _____
		( ____ . ____ )	( ____ . ____ )

**FOLLOW-UP ASSESSMENT**

(Page 2 of 7)

Client's Name:

Client Record No.

<b>(M0230) Primary Diagnosis &amp; (M0240) Other Diagnoses</b>		<b>(M0246) Case Mix Diagnoses (OPTIONAL)</b>	
Column 1	Column 2	Column 3	Column 4
<b>(M0240) Other Diagnoses</b>	<b>(V or E codes are allowed)</b>	<b>(V or E codes NOT allowed)</b>	<b>(V or E codes NOT allowed)</b>
b. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ ( ____ . ____ )	b. _____ ( ____ . ____ )
c. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ ( ____ . ____ )	c. _____ ( ____ . ____ )
d. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ ( ____ . ____ )	d. _____ ( ____ . ____ )
e. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ ( ____ . ____ )	e. _____ ( ____ . ____ )
f. _____	( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ ( ____ . ____ )	f. _____ ( ____ . ____ )

**6. Patient/Family Knowledge and Coping Level Regarding Present Illness:**

Patient:

Family:

**B. (M0250) THERAPIES** the patient receives at home: **(Mark all that apply.)**

- ☐ 1 - Intravenous or infusion therapy (excludes TPN)  
☐ 2 - Parenteral nutrition (TPN or lipids)  
☐ 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)  
☐ 4 - None of the above

**C. HIGH RISK FACTORS**

Update information on risk factors:    \_\_\_ No changes    \_\_\_ Smoking    \_\_\_ Alcohol dependency    \_\_\_ Drug dependency    \_\_\_ Other

**D. LIVING ARRANGEMENTS AND SUPPORT**

Note any changes in patient's environment, living situation, or supportive assistance:

\_\_\_ No changes

\_\_\_ Changes present; describe:

## FOLLOW-UP ASSESSMENT

(Page 3 of 7)

Client's Name:

Client Record No.

### E. REVIEW OF SYSTEMS/PHYSICAL ASSESSMENT

#### 1. EYES:

(M0390) Vision with corrective lenses if the patient usually wears them:

- ☐ 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- ☐ 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- ☐ 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

#### 2. Identify and describe any changes or problems with:

Ears:

Mouth/throat:

Nose:

#### 3. MUSCULOSKELETAL, NEUROLOGICAL:

Patient's perceived pain level (scale value 0-10) \_\_\_\_\_

Comments on pain management:

(M0420) Frequency of Pain interfering with patient's activity or movement:

- ☐ 0 - Patient has no pain or pain does not interfere with activity or movement
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time


Identify and describe any neurological or musculoskeletal changes or problems assessed:

\_\_\_ Cognitive functioning    \_\_\_ Speech/language    \_\_\_ Muscle strength/weakness    \_\_\_ Joint function    \_\_\_ Balance, coordination  
\_\_\_ Level of consciousness    \_\_\_ Sensation    \_\_\_ Range of motion    \_\_\_ Posture    \_\_\_ Dizziness

COMMENTS:

#### 4. INTEGUMENT:

##### a. Skin condition (Record type # on body area. Indicate size to right of numbered category.)



- |    | <u>Type</u>           | <u>Size</u> |
|----|-----------------------|-------------|
| 1. | Lesions               |             |
| 2. | Bruises               |             |
| 3. | Masses                |             |
| 4. | Scars                 |             |
| 5. | Stasis Ulcers         |             |
| 6. | Pressure Ulcers       |             |
| 7. | Surgical Wounds       |             |
| 8. | Other (specify) _____ |             |

##### b. (M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- ☐ 0 - No [ If No, go to Section 5 - Cardiorespiratory ]
- ☐ 1 - Yes

## FOLLOW-UP ASSESSMENT

(Page 4 of 7)

Client's Name:

Client Record No.

- c. **(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage. If the patient has no pressure ulcers at a given stage, circle "0" for that stage.)**

Pressure Ulcer Stages	Number of Pressure Ulcers				
a) Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b) Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c) Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d) Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.).	0	1	2	3	4 or more
e) In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

**(M0460)** Skip this item if patient has no pressure ulcers. **Stage of Most Problematic (Observable) Pressure Ulcer:**

- ☐ 1 - Stage 1  
☐ 2 - Stage 2  
☐ 3 - Stage 3  
☐ 4 - Stage 4  
☐ NA - No observable pressure ulcer

Describe current status of pressure ulcer(s).

Describe current treatment approach(es) for pressure ulcer(s).

- d. Stasis Ulcers

**(M0470) Current Number of Observable Stasis Ulcer(s):**

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

**(M0474)** Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- ☐ 0 - No  
☐ 1 - Yes

**(M0476) Status of Most Problematic (Observable) Stasis Ulcer:**  
**If patient has no stasis ulcers Go to 4.e.**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable stasis ulcer

Describe current treatment approach(es) for stasis ulcer(s).

- e. Surgical Wounds

**(M0488) Status of Most Problematic (Observable)**

**Surgical Wound: If patient has no surgical wounds, go to 4.f.**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable surgical wound

Describe current treatment approach(es) for surgical wound(s).

- f. Other Wounds Requiring Treatment

Type of Wound:

Status:

Current treatment Approach(es):



## FOLLOW-UP ASSESSMENT

(Page 5 of 7)

Client's Name:

Client Record No.

5. **CARDIORESPIRATORY:** Temperature \_\_\_\_\_ Respirations \_\_\_\_\_

**BLOOD PRESSURE:** Lying \_\_\_\_\_ Sitting \_\_\_\_\_ Standing \_\_\_\_\_

**PULSE:** Apical rate \_\_\_\_\_ Radial rate \_\_\_\_\_ Rhythm \_\_\_\_\_ Quality \_\_\_\_\_

\_\_\_\_ Edema \_\_\_\_\_ Varicosities \_\_\_\_\_ Pacemaker \_\_\_\_\_

(Date of last battery change)

\_\_\_\_ Chest pain \_\_\_\_\_ Fatigues easily \_\_\_\_\_ Other \_\_\_\_\_

**(M0490)** When is the patient dyspneic or noticeably **Short of Breath**?

- ☐ 0 - Never, patient is not short of breath
- ☐ 1 - When walking more than 20 feet, climbing stairs
- ☐ 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- ☐ 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- ☐ 4 - At rest (during day or night)

\_\_\_\_ Orthopnea (# of pillows \_\_\_\_\_) \_\_\_\_ Cough \_\_\_\_\_ (Describe) \_\_\_\_ Breath sounds \_\_\_\_\_ (Describe)

\_\_\_\_ Cyanosis \_\_\_\_ Sputum \_\_\_\_\_ (Character and amount) \_\_\_\_ Other \_\_\_\_\_ (Specify)

**COMMENTS:**

6. **GENITOURINARY TRACT:**

**(M0520) Urinary Incontinence or Urinary Catheter Presence:**

- ☐ 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ **If No, go to M0540** ]
- ☐ 1 - Patient is incontinent
- ☐ 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ **Go to M0540** ]

**(M0530)** Skip this item if patient has no urinary incontinence or does have a urinary catheter. **When does Urinary Incontinence occur?**

- ☐ 0 - Timed-voiding defers incontinence
- ☐ 1 - During the night only
- ☐ 2 - During the day and night

**COMMENTS:** (e.g., appliances and care, bladder programs, catheter type and care)

7. **GASTROINTESTINAL TRACT:**

**(M0540) Bowel Incontinence Frequency:**

- ☐ 0 - Very rarely or never has bowel incontinence
- ☐ 1 - Less than once weekly
- ☐ 2 - One to three times weekly
- ☐ 3 - Four to six times weekly
- ☐ 4 - On a daily basis
- ☐ 5 - More often than once daily
- ☐ NA - Patient has ostomy for bowel elimination

**(M0550) Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days):  
a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?

- ☐ 0 - Patient does not have an ostomy for bowel elimination.
- ☐ 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.
- ☐ 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

**COMMENTS:** (e.g., bowel function, use of laxatives or enemas, bowel program, GI status, nutritional status)

8. **EMOTIONAL/BEHAVIORAL STATUS:**

Identify and describe any changes or problems:

- \_\_\_\_ Anxiety
- \_\_\_\_ Mood (depression, mania, lability)
- \_\_\_\_ Sleep disturbances
- \_\_\_\_ Agitation
- \_\_\_\_ Other

**COMMENTS:** (describe other related behaviors or symptoms)

## FOLLOW-UP ASSESSMENT

(Page 6 of 7)

Client's Name:

Client Record No.

### 9. OTHER UPDATED ASSESSMENTS:

#### F. LIFE SYSTEM PROFILE: For M0650-M0700, record what the patient currently is *able to do*.

1. **(M0650) Ability to Dress Upper Body** (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:
  - ☐ 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
  - ☐ 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on upper body clothing.
  - ☐ 3 - Patient depends entirely upon another person to dress the upper body.
2. **(M0660) Ability to Dress Lower Body** (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:
  - ☐ 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
  - ☐ 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
  - ☐ 3 - Patient depends entirely upon another person to dress lower body.
3. **(M0670) Bathing:** Ability to wash entire body. **Excludes grooming (washing face and hands only).**
  - ☐ 0 - Able to bathe self in shower or tub independently.
  - ☐ 1 - With the use of devices, is able to bathe self in shower or tub independently.
  - ☐ 2 - Able to bathe in shower or tub with the assistance of another person:
    - (a) for intermittent supervision or encouragement or reminders, OR
    - (b) to get in and out of the shower or tub, OR
    - (c) for washing difficult to reach areas.
  - ☐ 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
  - ☐ 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
  - ☐ 5 - Unable to effectively participate in bathing and is totally bathed by another person.
4. **(M0680) Toileting:** Ability to get to and from the toilet or bedside commode.
  - ☐ 0 - Able to get to and from the toilet independently with or without a device.
  - ☐ 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
  - ☐ 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
  - ☐ 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
  - ☐ 4 - Is totally dependent in toileting.
5. **(M0690) Transferring:** Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.
  - ☐ 0 - Able to independently transfer.
  - ☐ 1 - Transfers with minimal human assistance or with use of an assistive device.
  - ☐ 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
  - ☐ 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
  - ☐ 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
  - ☐ 5 - Bedfast, unable to transfer and is unable to turn and position self.
6. **(M0700) Ambulation/Locomotion:** Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.
  - ☐ 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
  - ☐ 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
  - ☐ 2 - Able to walk only with the supervision or assistance of another person at all times.
  - ☐ 3 - Chairfast, unable to ambulate but is able to wheel self independently.
  - ☐ 4 - Chairfast, unable to ambulate and is unable to wheel self.
  - ☐ 5 - Bedfast, unable to ambulate or be up in a chair.
7. Identify and describe any changes or problems with:
  - \_\_\_ Personal hygiene      \_\_\_ Meal preparation      \_\_\_ Medication management
  - \_\_\_ Feeding, eating      \_\_\_ Laundry, shopping, housekeeping

---

## FOLLOW-UP ASSESSMENT

(Page 7 of 7)

Client's Name:

Client Record No.

---

### G. MEDICATIONS

**(M0800) Management of Injectable Medications:** Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Current

- ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
- ☐ 1 - Able to take injectable medication at correct times if:
  - (a) individual syringes are prepared in advance by another person, OR
  - (b) given daily reminders.
- ☐ 2 - Unable to take injectable medications unless administered by someone else.
- ☐ NA - No injectable medications prescribed.

---

### H. THERAPY NEED

**(M0826) Therapy Need:** In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**

- (\_\_ \_\_ \_\_) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
- ☐ NA - Not Applicable: No case mix group defined by this assessment.

---

### H. UPDATE TO ANY OTHER ASSESSMENT AREAS:

---

### I. CONCLUSIONS/IMPRESSIONS AND SKILLED INTERVENTIONS PERFORMED THIS VISIT:



# TRANSFER TO INPATIENT FACILITY

(Page 1 of 2)

Client's Name:

Client Record No.

## A. DEMOGRAPHIC/GENERAL INFORMATION - Update Patient Tracking Sheet as needed.

1. (M0080) Discipline of Person Completing Assessment:

- ☐ 1 - RN  
☐ 2 - PT  
☐ 3 - SLP/ST  
☐ 4 - OT

2. (M0090) Date Assessment Completed:

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ \_\_ \_\_  
m m d d y y y y

3. (M0100) This Assessment is Currently Being Completed for the Following Reason:

Start/Resumption of Care

- 1 - Start of care—further visits planned  
3 - Resumption of care (after inpatient stay)

Follow-Up

- 4 - Recertification (follow-up) reassessment  
5 - Other follow-up

Transfer to an Inpatient Facility

- ☐ 6 - Transferred to an inpatient facility—patient not discharged from agency  
☐ 7 - Transferred to an inpatient facility—patient discharged from agency

Discharge from Agency — Not to an Inpatient Facility

- 8 - Death at home  
9 - Discharge from agency

## B. EMERGENT CARE

1. (M0830) Emergent Care: Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)? (Mark all that apply.)

- ☐ 0 - No emergent care services [ If no emergent care, go to **Section C #1 - Inpatient Facility** ]  
☐ 1 - Hospital emergency room (includes 23-hour holding)  
☐ 2 - Doctor's office emergency visit/house call  
☐ 3 - Outpatient department/clinic emergency (includes urgent center sites)  
☐ UK - Unknown [ If UK, go to **Section C #1 - Inpatient Facility** ]

2. (M0840) Emergent Care Reason: For what reason(s) did the patient/family seek emergent care? (Mark all that apply.)

- ☐ 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis  
☐ 2 - Nausea, dehydration, malnutrition, constipation, impaction  
☐ 3 - Injury caused by fall or accident at home  
☐ 4 - Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)  
☐ 5 - Wound infection, deteriorating wound status, new lesion/ulcer  
☐ 6 - Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)  
☐ 7 - Hypo/Hyperglycemia, diabetes out of control  
☐ 8 - GI bleeding, obstruction  
☐ 9 - Other than above reasons  
☐ UK - Reason unknown

## C. INPATIENT FACILITY ADMISSION OR DISCHARGE FROM HOME CARE

1. (M0855) To which Inpatient Facility has the patient been admitted?

- ☐ 1 - Hospital [ Go to #2 - Hospital Reason ]  
☐ 2 - Rehabilitation facility [ Go to #5 - Most Recent Home Visit Date ]  
☐ 3 - Nursing home [ Go to #4 - Reason Admitted Nursing Home ]  
☐ 4 - Hospice [ Go to #5 - Most Recent Home Visit Date ]

2. (M0890) If the patient was admitted to an acute care Hospital, for what Reason was he/she admitted?

- ☐ 1 - Hospitalization for emergent (unscheduled) care  
☐ 2 - Hospitalization for urgent (scheduled within 24 hours of admission) care  
☐ 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care  
☐ UK - Unknown

3. (M0895) Reason for Hospitalization: (Mark all that apply.)

- ☐ 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis  
☐ 2 - Injury caused by fall or accident at home  
☐ 3 - Respiratory problems (SOB, infection, obstruction)  
☐ 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer  
☐ 5 - Hypo/Hyperglycemia, diabetes out of control  
☐ 6 - GI bleeding, obstruction  
☐ 7 - Exacerbation of CHF, fluid overload, heart failure  
☐ 8 - Myocardial infarction, stroke  
☐ 9 - Chemotherapy  
☐ 10 - Scheduled surgical procedure  
☐ 11 - Urinary tract infection  
☐ 12 - IV catheter-related infection  
☐ 13 - Deep vein thrombosis, pulmonary embolus  
☐ 14 - Uncontrolled pain  
☐ 15 - Psychotic episode  
☐ 16 - Other than above reasons

(Page 2 of 2)

Client Record No.

- ☐ No [ If No, STOP here ]  
☐ Yes [ If Yes, go to **Section D** ]

OASIS-B1 TRANSFER (1/2008)

# DISCHARGE ASSESSMENT

(Page 1 of 11)

Client's Name:

Client Record No.

## A. DEMOGRAPHIC/GENERAL INFORMATION - Update Patient Tracking Sheet as Needed

1. (M0080) Discipline of Person Completing Assessment:

- ☐ 1 - RN  
☐ 2 - PT  
☐ 3 - SLP/ST  
☐ 4 - OT

2. (M0090) Date Assessment Completed:

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ \_\_ \_\_  
m m d d y y y y

3. (M0100) This Assessment is Currently Being Completed for the Following Reason:

Start/Resumption of Care

- 1 - Start of care—further visits planned  
3 - Resumption of care (after inpatient stay)

Follow-Up

- 4 - Recertification (follow-up) reassessment  
5 - Other follow-up

Transfer to an Inpatient Facility

- ☐ 6 - Transferred to an inpatient facility—patient not discharged from agency [ Go to M00830 ]  
☐ 7 - Transferred to an inpatient facility—patient discharged from agency [ Go to M0830 ]

Discharge from Agency — Not to an Inpatient Facility

- ☐ 8 - Death at home [ Go to M0906 ]  
☐ 9 - Discharge from agency

4. (M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?

- ☐ 0 - No [ If No, go to #7 ]  
☐ 1 - Yes

5. (M0210) List the patient's Medical Diagnoses and ICD-9-CM codes at the level of highest specificity for those conditions requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes):

Changed Medical Regimen Diagnosis

ICD-9-CM

- a. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
b. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
c. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)  
d. \_\_\_\_\_ (\_\_\_\_ . \_\_\_\_)

6. (M0220) Conditions Prior to Medical or Treatment Regimen Change Within Past 14 Days: If this patient experienced a change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the change in medical or treatment regimen.

(Mark all that apply.)

- ☐ 1 - Urinary incontinence  
☐ 2 - Indwelling/suprapubic catheter  
☐ 3 - Intractable pain  
☐ 4 - Impaired decision-making  
☐ 5 - Disruptive or socially inappropriate behavior  
☐ 6 - Memory loss to the extent that supervision required  
☐ 7 - None of the above

7. Patient/Family Knowledge and Coping Level Regarding Present Illness:

Patient:

Family:

B. (M0250) THERAPIES the patient receives at home: (Mark all that apply.)

- ☐ 1 - Intravenous or infusion therapy (excludes TPN)  
☐ 2 - Parenteral nutrition (TPN or lipids)  
☐ 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)  
☐ 4 - None of the above

## C. PROGNOSIS

(M0280) Life Expectancy: (Physician documentation is not required.)

- ☐ 0 - Life expectancy is greater than 6 months  
☐ 1 - Life expectancy is 6 months or fewer

## DISCHARGE ASSESSMENT

(Page 2 of 11)

Client's Name:

Client Record No.

### D. (M0290) HIGH RISK FACTORS characterizing this patient: (Mark all that apply.)

- ☐ 1 - Heavy smoking
- ☐ 2 - Obesity
- ☐ 3 - Alcohol dependency
- ☐ 4 - Drug dependency
- ☐ 5 - None of the above

### E. LIVING ARRANGEMENTS

#### 1. (M0300) Current Residence:

- ☐ 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- ☐ 2 - Family member's residence
- ☐ 3 - Boarding home or rented room
- ☐ 4 - Board and care or assisted living facility
- ☐ 5 - Other (specify) \_\_\_\_\_

#### 2. (M0340) Patient Lives With: (Mark all that apply.)

- ☐ 1 - Lives alone
- ☐ 2 - With spouse or significant other
- ☐ 3 - With other family member
- ☐ 4 - With a friend
- ☐ 5 - With paid help (other than home care agency staff)
- ☐ 6 - With other than above

#### 3. Note any changes in patient's environment or safety:

- ☐ No changes
- ☐ Changes present, describe: \_\_\_\_\_

### F. SUPPORTIVE ASSISTANCE

#### 1. Names of Persons/Organizations Providing Assistance:

#### 2. (M0350) Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)

- ☐ 1 - Relatives, friends, or neighbors living outside the home
- ☐ 2 - Person residing in the home (EXCLUDING paid help)
- ☐ 3 - Paid help
- ☐ 4 - None of the above [ If None of the above, go to **Section G - Review of Systems/Physical Assessment** ]

#### 3. (M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- ☐ 0 - No one person [ If No one person, go to **Section G - Review of Systems/Physical Assessment** ]
- ☐ 1 - Spouse or significant other
- ☐ 2 - Daughter or son
- ☐ 3 - Other family member
- ☐ 4 - Friend or neighbor or community or church member
- ☐ 5 - Paid help

Comments regarding assistance available to the patient:

#### 4. (M0370) How Often does the patient receive assistance from the primary caregiver?

- ☐ 1 - Several times during day and night
- ☐ 2 - Several times during day
- ☐ 3 - Once daily
- ☐ 4 - Three or more times per week
- ☐ 5 - One to two times per week
- ☐ 6 - Less often than weekly

#### 5. (M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- ☐ 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- ☐ 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- ☐ 3 - Environmental support (housing, home maintenance)
- ☐ 4 - Psychosocial support (socialization, companionship, recreation)
- ☐ 5 - Advocates or facilitates patient's participation in appropriate medical care
- ☐ 6 - Financial agent, power of attorney, or conservator of finance
- ☐ 7 - Health care agent, conservator of person, or medical power of attorney

### G. REVIEW OF SYSTEMS/PHYSICAL ASSESSMENT

#### 1. ORAL:

##### (M0410) Speech and Oral (Verbal) Expression of Language (in patient's own language):

- ☐ 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- ☐ 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- ☐ 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- ☐ 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- ☐ 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- ☐ 5 - Patient nonresponsive or unable to speak.



## DISCHARGE ASSESSMENT

(Page 3 of 11)

Client's Name:

Client Record No.

2. Identify and describe any changes or problems with:

Eyes:

Ears:

Mouth and Throat:

Nose:

3. **MUSCULOSKELETAL/NEUROLOGICAL:**

Patients perceived pain level (scale value 0-10) \_\_\_\_\_

**(M0420) Frequency of Pain** interfering with patient's activity or movement:

- ☐ 0 - Patient has no pain or pain does not interfere with activity or movement  
☐ 1 - Less often than daily  
☐ 2 - Daily, but not constantly  
☐ 3 - All of the time

**Comments on pain management:**

**(M0430) Intractable Pain:** Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- ☐ 0 - No  
☐ 1 - Yes

Identify and describe any neurological or musculoskeletal changes or problems assessed:


\_\_\_ Sensation      \_\_\_ Range of motion      \_\_\_ Posture      \_\_\_ Dizziness

\_\_\_ Muscle strength/weakness      \_\_\_ Joint function      \_\_\_ Balance, coordination

**Comments:**

4. **INTEGUMENT:**

a. Skin condition (Record type # on body area. Indicate size to right of numbered category.)



Type

Size

1. Lesions
2. Bruises
3. Masses
4. Scars
5. Stasis Ulcers
6. Pressure Ulcers
7. Surgical Wounds
8. Other (specify) \_\_\_\_\_

**DISCHARGE ASSESSMENT**

(Page 4 of 11)

Client's Name:

Client Record No.

- b. (M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

☐ 0 - No [ If No, go to **Section 5 - Cardiorespiratory** ]  
☐ 1 - Yes

- c. (M0445) Does this patient have a **Pressure Ulcer**?

☐ 0 - No [ If No, go to **#4d - Stasis Ulcer** ]  
☐ 1 - Yes

(M0450) **Current Number of Pressure Ulcers at Each Stage:** (Circle one response for each stage.)

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.).	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

(M0460) **Stage of Most Problematic (Observable)**

**Pressure Ulcer:**

- ☐ 1 - Stage 1  
☐ 2 - Stage 2  
☐ 3 - Stage 3  
☐ 4 - Stage 4  
☐ NA - No observable pressure ulcer

(M0464) **Status of Most Problematic (Observable)**

**Pressure Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable pressure ulcer

Describe current treatment approach(es) for pressure ulcer(s):

- d. (M0468) Does this patient have a **Stasis Ulcer**?

☐ 0 - No [ If No, go to **#4e - Surgical Wound** ]  
☐ 1 - Yes

(M0470) **Current Number of Observable Stasis Ulcer(s):**

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

(M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

☐ 0 - No  
☐ 1 - Yes

(M0476) **Status of Most Problematic (Observable)**

**Stasis Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable stasis ulcer

Describe current treatment approach(es) for stasis ulcer(s):

- e. (M0482) Does this patient have a **Surgical Wound**?

☐ 0 - No [ If No, go to **Section 5 - Cardiorespiratory** ]  
☐ 1 - Yes

(M0484) **Current Number of (Observable)**

**Surgical Wounds:** (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

(M0486) Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

☐ 0 - No  
☐ 1 - Yes

(M0488) **Status of Most Problematic (Observable)**

**Surgical Wound:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable surgical wound

Describe current treatment approach(es) for surgical wound(s):

**COMMENTS:** Describe wounds not identified above, include type, location, and size of each wound; current status; and treatment approach(es):

## DISCHARGE ASSESSMENT

(Page 5 of 11)

Client's Name: \_\_\_\_\_

Client Record No. \_\_\_\_\_

5. **CARDIORESPIRATORY:** Temperature \_\_\_\_\_ Respirations \_\_\_\_\_
- BLOOD PRESSURE:** Lying \_\_\_\_\_ Sitting \_\_\_\_\_ Standing \_\_\_\_\_
- PULSE:** Apical rate \_\_\_\_\_ Radial rate \_\_\_\_\_ Rhythm \_\_\_\_\_ Quality \_\_\_\_\_
- \_\_\_ Edema \_\_\_ Varicosities \_\_\_ Pacemaker \_\_\_\_\_  
(Date of last battery change)
- \_\_\_ Chest pain \_\_\_ Fatigue easily \_\_\_ Other \_\_\_\_\_  
(Describe)

### COMMENTS:

**(M0490)** When is the patient dyspneic or noticeably **Short of Breath**?

- ☐ 0 - Never, patient is not short of breath
- ☐ 1 - When walking more than 20 feet, climbing stairs
- ☐ 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- ☐ 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- ☐ 4 - At rest (during day or night)

\_\_\_ Orthopnea (# pillows \_\_\_) \_\_\_ Cough \_\_\_ Breath Sounds \_\_\_\_\_  
(Describe)

\_\_\_ Cyanosis \_\_\_ Sputum \_\_\_\_\_  
(character and amount) \_\_\_ Other (describe) \_\_\_\_\_

**(M0500) Respiratory Treatments** utilized at home: **(Mark all that apply.)**

- ☐ 1 - Oxygen (intermittent or continuous)
- ☐ 2 - Ventilator (continually or at night)
- ☐ 3 - Continuous positive airway pressure
- ☐ 4 - None of the above

### COMMENTS:

## 6. GENITOURINARY TRACT:

**(M0510)** Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- ☐ 0 - No
- ☐ 1 - Yes
- ☐ NA - Patient on prophylactic treatment

**(M0520) Urinary Incontinence or Urinary Catheter Presence:**

- ☐ 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ If No, go to **Section 7 - Gastrointestinal Tract** ]
- ☐ 1 - Patient is incontinent
- ☐ 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ Go to **Section 7 - Gastrointestinal Tract** ]

**(M0530) When does Urinary Incontinence occur?**

- ☐ 0 - Timed-voiding defers incontinence
- ☐ 1 - During the night only
- ☐ 2 - During the day and night

**COMMENTS** (e.g., appliances and care, bladder program, catheter type and care):

## 7. GASTROINTESTINAL TRACT:

**(M0540) Bowel Incontinence Frequency:**

- ☐ 0 - Very rarely or never has bowel incontinence
- ☐ 1 - Less than once weekly
- ☐ 2 - One to three times weekly
- ☐ 3 - Four to six times weekly
- ☐ 4 - On a daily basis
- ☐ 5 - More often than once daily
- ☐ NA - Patient has ostomy for bowel elimination

**COMMENTS** (e.g., bowel function, use of laxatives or enemas, bowel program, G.I. status, nutritional status):

**(M0550) Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days) necessitated a change in medical or treatment regimen?

- ☐ 0 - Patient does not have an ostomy for bowel elimination.
- ☐ 1 - Patient's ostomy did not necessitate change in medical or treatment regimen.
- ☐ 2 - The ostomy did necessitate change in medical or treatment regimen.

---

**DISCHARGE ASSESSMENT**

(Page 6 of 11)

Client's Name:

Client Record No.

**8. NEURO/EMOTIONAL/BEHAVIORAL STATUS:**

**(M0560) Cognitive Functioning:** (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)

- ☐ 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
- ☐ 1 - Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions.
- ☐ 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
- ☐ 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
- ☐ 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

**(M0570) When Confused (Reported or Observed):**

- ☐ 0 - Never
- ☐ 1 - In new or complex situations only
- ☐ 2 - On awakening or at night only
- ☐ 3 - During the day and evening, but not constantly
- ☐ 4 - Constantly
- ☐ NA - Patient nonresponsive

**(M0580) When Anxious (Reported or Observed):**

- ☐ 0 - None of the time
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time
- ☐ NA - Patient nonresponsive

**(M0590) Depressive Feelings Reported or Observed in Patient:**  
**(Mark all that apply.)**

- ☐ 1 - Depressed mood (e.g., feeling sad, tearful)
- ☐ 2 - Sense of failure or self reproach
- ☐ 3 - Hopelessness
- ☐ 4 - Recurrent thoughts of death
- ☐ 5 - Thoughts of suicide
- ☐ 6 - None of the above feelings observed or reported

**(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)**

- ☐ 1 - Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- ☐ 2 - Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- ☐ 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- ☐ 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- ☐ 5 - Disruptive, infantile, or socially inappropriate behavior (**excludes** verbal actions)
- ☐ 6 - Delusional, hallucinatory, or paranoid behavior
- ☐ 7 - None of the above behaviors demonstrated

**(M0620) Frequency of Behavior Problems (Reported or Observed)** (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):

- ☐ 0 - Never
- ☐ 1 - Less than once a month
- ☐ 2 - Once a month
- ☐ 3 - Several times each month
- ☐ 4 - Several times a week
- ☐ 5 - At least daily

**(M0630) Is this patient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?**

- ☐ 0 - No
- ☐ 1 - Yes

**COMMENTS** (describe other related behaviors or symptoms, e.g., weight loss, sleep disturbances, coping skills):

**9. OTHER UPDATED ASSESSMENTS:**

---

**H. LIFE SYSTEM PROFILE: For M0640-M0800, record what the patient currently is *able to do*.**

1. **(M0640) Grooming:** Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

- ☐ 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods.
- ☐ 1 - Grooming utensils must be placed within reach before able to complete grooming activities.
- ☐ 2 - Someone must assist the patient to groom self.
- ☐ 3 - Patient depends entirely upon someone else for grooming needs.

## DISCHARGE ASSESSMENT

(Page 7 of 11)

Client's Name:

Client Record No.

2. **(M0650) Ability to Dress Upper Body** (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:
- ☐ 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
  - ☐ 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on upper body clothing.
  - ☐ 3 - Patient depends entirely upon another person to dress the upper body.
3. **(M0660) Ability to Dress Lower Body** (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:
- ☐ 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
  - ☐ 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
  - ☐ 3 - Patient depends entirely upon another person to dress lower body.
4. **(M0670) Bathing:** Ability to wash entire body. **Excludes grooming (washing face and hands only).**
- ☐ 0 - Able to bathe self in shower or tub independently.
  - ☐ 1 - With the use of devices, is able to bathe self in shower or tub independently.
  - ☐ 2 - Able to bathe in shower or tub with the assistance of another person:
    - (a) for intermittent supervision or encouragement or reminders, OR
    - (b) to get in and out of the shower or tub, OR
    - (c) for washing difficult to reach areas.
  - ☐ 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
  - ☐ 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
  - ☐ 5 - Unable to effectively participate in bathing and is totally bathed by another person.
5. **(M0680) Toileting:** Ability to get to and from the toilet or bedside commode.
- ☐ 0 - Able to get to and from the toilet independently with or without a device.
  - ☐ 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
  - ☐ 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
  - ☐ 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
  - ☐ 4 - Is totally dependent in toileting.
6. **(M0690) Transferring:** Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.
- ☐ 0 - Able to independently transfer.
  - ☐ 1 - Transfers with minimal human assistance or with use of an assistive device.
  - ☐ 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
  - ☐ 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
  - ☐ 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
  - ☐ 5 - Bedfast, unable to transfer and is unable to turn and position self.
7. **(M0700) Ambulation/Locomotion:** Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.
- ☐ 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
  - ☐ 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
  - ☐ 2 - Able to walk only with the supervision or assistance of another person at all times.
  - ☐ 3 - Chairfast, unable to ambulate but is able to wheel self independently.
  - ☐ 4 - Chairfast, unable to ambulate and is unable to wheel self.
  - ☐ 5 - Bedfast, unable to ambulate or be up in a chair.
8. **(M0710) Feeding or Eating:** Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**
- ☐ 0 - Able to independently feed self.
  - ☐ 1 - Able to feed self independently but requires:
    - (a) meal set-up; OR
    - (b) intermittent assistance or supervision from another person; OR
    - (c) a liquid, pureed or ground meat diet.
  - ☐ 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.
  - ☐ 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.
  - ☐ 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
  - ☐ 5 - Unable to take in nutrients orally or by tube feeding.

---

## DISCHARGE ASSESSMENT

(Page 8 of 11)

Client's Name:

Client Record No.

---

9. **(M0720) Planning and Preparing Light Meals** (e.g., cereal, sandwich) or reheat delivered meals:
- ☐ 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR  
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
  - ☐ 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
  - ☐ 2 - Unable to prepare any light meals or reheat any delivered meals.
10. **(M0730) Transportation:** Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).
- ☐ 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.
  - ☐ 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.
  - ☐ 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.
11. **(M0740) Laundry:** Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.
- ☐ 0 - (a) Able to independently take care of all laundry tasks; OR  
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
  - ☐ 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
12. **(M0750) Housekeeping:** Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.
- ☐ 0 - (a) Able to independently perform all housekeeping tasks; OR  
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
  - ☐ 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
  - ☐ 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
  - ☐ 4 - Unable to effectively participate in any housekeeping tasks.
13. **(M0760) Shopping:** Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.
- ☐ 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR  
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to go shopping, but needs some assistance:  
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR  
(b) Unable to go shopping alone, but can go with someone to assist.
  - ☐ 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
  - ☐ 3 - Needs someone to do all shopping and errands.
14. **(M0770) Ability to Use Telephone:** Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.
- ☐ 0 - Able to dial numbers and answer calls appropriately and as desired.
  - ☐ 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
  - ☐ 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
  - ☐ 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
  - ☐ 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
  - ☐ 5 - Totally unable to use the telephone.
  - ☐ NA - Patient does not have a telephone.
15. **(M0780) Management of Oral Medications:** Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
  - ☐ 1 - Able to take medication(s) at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders; OR  
(c) someone develops a drug diary or chart.
  - ☐ 2 - Unable to take medication unless administered by someone else.
  - ☐ NA - No oral medications prescribed.

---

## DISCHARGE ASSESSMENT

(Page 9 of 11)

Client's Name:

Client Record No.

---

16. **(M0790) Management of Inhalant/Mist Medications:** Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes all other forms of medication (oral tablets, injectable and IV medications).**
- ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
  - ☐ 1 - Able to take medication at the correct times if:
    - (a) individual dosages are prepared in advance by another person, OR
    - (b) given daily reminders.
  - ☐ 2 - Unable to take medication unless administered by someone else.
  - ☐ NA - No inhalant/mist medications prescribed.
17. **(M0800) Management of Injectable Medications:** Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**
- ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
  - ☐ 1 - Able to take injectable medication at correct times if:
    - (a) individual syringes are prepared in advance by another person, OR
    - (b) given daily reminders.
  - ☐ 2 - Unable to take injectable medications unless administered by someone else.
  - ☐ NA - No injectable medications prescribed.
18. **(M0810) Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies):** Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Patient manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
  - ☐ 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
  - ☐ 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
  - ☐ 4 - Patient is completely dependent on someone else to manage all equipment.
  - ☐ NA - No equipment of this type used in care [ If NA, go to M0830 ]
19. **(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies):** Caregiver's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Caregiver manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
  - ☐ 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
  - ☐ 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
  - ☐ 4 - Caregiver is completely dependent on someone else to manage all equipment.
  - ☐ NA - No caregiver

---

### I. EMERGENT CARE

1. **(M0830) Emergent Care:** Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)? **(Mark all that apply.)**
- ☐ 0 - No emergent care services [ If no emergent care, go to Section J - Inpatient Facility Admission or Discharge ]
  - ☐ 1 - Hospital emergency room (includes 23-hour holding)
  - ☐ 2 - Doctor's office emergency visit/house call
  - ☐ 3 - Outpatient department/clinic emergency (includes urgent center sites)
  - ☐ UK - Unknown [ If UK, go to Section J - Inpatient Facility Admission or Discharge ]
2. **(M0840) Emergent Care Reason:** For what reason(s) did the patient/family seek emergent care? **(Mark all that apply.)**
- ☐ 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
  - ☐ 2 - Nausea, dehydration, malnutrition, constipation, impaction
  - ☐ 3 - Injury caused by fall or accident at home
  - ☐ 4 - Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)
  - ☐ 5 - Wound infection, deteriorating wound status, new lesion/ulcer
  - ☐ 6 - Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)
  - ☐ 7 - Hypo/Hyperglycemia, diabetes out of control
  - ☐ 8 - GI bleeding, obstruction
  - ☐ 9 - Other than above reasons
  - ☐ UK - Reason unknown

# DISCHARGE ASSESSMENT

(Page 10 of 11)

Client's Name:

Client Record No.

## J. INPATIENT FACILITY ADMISSION OR DISCHARGE FROM HOME CARE

1. (M0855) To which Inpatient Facility has the patient been admitted? (Choose only one answer.)

☐ 1 - Hospital  
↓

2. (M0890) If the patient was admitted to an acute care Hospital, for what Reason was he/she admitted?

- ☐ 1 - Hospitalization for emergent (unscheduled) care  
☐ 2 - Hospitalization for urgent (scheduled within 24 hours of admission) care  
☐ 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care  
☐ UK - Unknown

(M0895) Reason for Hospitalization: (Mark all that apply.)

- ☐ 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis  
☐ 2 - Injury caused by fall or accident at home  
☐ 3 - Respiratory problems (SOB, infection, obstruction)  
☐ 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer  
☐ 5 - Hypo/Hyperglycemia, diabetes out of control  
☐ 6 - GI bleeding, obstruction  
☐ 7 - Exacerbation of CHF, fluid overload, heart failure  
☐ 8 - Myocardial infarction, stroke  
☐ 9 - Chemotherapy  
☐ 10 - Scheduled surgical procedure  
☐ 11 - Urinary tract infection  
☐ 12 - IV catheter-related infection  
☐ 13 - Deep vein thrombosis, pulmonary embolus  
☐ 14 - Uncontrolled pain  
☐ 15 - Psychotic episode  
☐ 16 - Other than above reasons

↓  
[ Go to M0903 - Most Recent Home Visit Date ]

☐ 2 - Rehabilitation facility  
↓

[ Go to M0903 - Most Recent Home Visit Date ]

↓

↓

↓

↓

↓

☐ 3 - Nursing home  
↓

3. (M0900) For what Reason(s) was the patient Admitted to a Nursing Home? (Mark all that apply.)

- ☐ 1 - Therapy services  
☐ 2 - Respite care  
☐ 3 - Hospice care  
☐ 4 - Permanent placement  
☐ 5 - Unsafe for care at home  
☐ 6 - Other  
☐ UK - Unknown

↓  
[ Go to M0903 - Most Recent Home Visit Date ]

↓

↓

↓

↓

☐ 4 - Hospice  
↓

[ Go to M0903 - Most Recent Home Visit Date ]

↓

↓

↓

↓

↓

☐ NA - No inpatient facility admission  
↓

4. (M0870) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one answer.)

- ☐ 1 - Patient remained in the community (not in hospital, nursing home, or rehab facility) [Go to M0880 - Services or Assistance]  
☐ 2 - Patient transferred to a noninstitutional hospice [Go to M0903 - Most Recent Home Visit Date]  
☐ 3 - Unknown because patient moved to a geographic location not served by this agency [Go to M0903 - Most Recent Home Visit Date]  
☐ UK - Other unknown [Go to M0903 - Most Recent Home Visit Date]

↓  
(M0880) After discharge, does the patient receive health, personal, or support Services or Assistance? (Mark all that apply.)

- ☐ 1 - No assistance or services received  
☐ 2 - Yes, assistance or services provided by family or friends  
☐ 3 - Yes, assistance or services provided by other community resources (e.g., meals-on-wheels, home health services, homemaker assistance, transportation assistance, assisted living, board and care)

↓  
[ Go to M0903 - Most Recent Home Visit Date ]

5. (M0903) Date of Last (Most Recent) Home Visit:

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y

6. (M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y



(Page 11 of 11)

Client Record No.

## 1. Identified Problem

### Current Status

2. Overall Status at Discharge:

☐ Attending Physician

Date of Assessment: \_\_\_\_\_ Signature of Assessor: \_\_\_\_\_



# DEATH AT HOME

(Page 1 of 1)

Client's Name:

Client Record No.

## A. DEMOGRAPHIC/GENERAL INFORMATION - Update Patient Tracking Sheet as needed.

### 1. (M0080) Discipline of Person Completing Assessment:

☐ 1 - RN

☐ 3 - SLP/ST

☐ 2 - PT

☐ 4 - OT

### 2. (M0090) Date Assessment Completed:

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y

### 3. (M0100) This Assessment is Currently Being Completed for the Following Reason:

#### Start/Resumption of Care

1 - Start of care—further visits planned

3 - Resumption of care (after inpatient stay)

#### Follow-Up

4 - Recertification (follow-up) reassessment

5 - Other follow-up

#### Transfer to an Inpatient Facility

6 - Transferred to an inpatient facility—patient not discharged from agency

7 - Transferred to an inpatient facility—patient discharged from agency

#### Discharge from Agency — Not to an Inpatient Facility

☐ 8 - Death at home

9 - Discharge from agency

### 4. (M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_  
m m d d y y y y

## B. SUMMARY OF CARE PROVIDED DURING HOME CARE EPISODE:





Date of Assessment: \_\_\_\_\_ Signature of Assessor: \_\_\_\_\_



(Page 1 of 22)

Client Record No.

**A. DEMOGRAPHIC INFORMATION - Update Patient Tracking Sheet at ROC**

- At  SOC/ROC, go to #11 ( M0220).
- At  Discharge, go to #12 ( M0220).

# UNIVERSAL ASSESSMENT FORM

(Page 2 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC

=Follow-up

=Transfer

=Discharge

11. (M0220) **Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days:** If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the inpatient stay or change in medical or treatment regimen. **(Mark all that apply.)**

- ☐ 1 - Urinary incontinence  
☐ 2 - Indwelling/suprapubic catheter  
☐ 3 - Intractable pain  
☐ 4 - Impaired decision-making  
☐ 5 - Disruptive or socially inappropriate behavior  
☐ 6 - Memory loss to the extent that supervision required  
☐ 7 - None of the above  
☐ NA - No inpatient facility discharge and no change in medical or treatment regimen in past 14 days  
☐ UK - Unknown

At SOC/ROC, go to Section B (M0230/M0240/246).

12. (M0220) **Conditions Prior to Medical or Treatment Regimen Change Within Past 14 Days:** If this patient experienced a change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the change in medical or treatment regimen. **(Mark all that apply.)**

- ☐ 1 - Urinary incontinence  
☐ 2 - Indwelling/suprapubic catheter  
☐ 3 - Intractable pain  
☐ 4 - Impaired decision-making  
☐ 5 - Disruptive or socially inappropriate behavior  
☐ 6 - Memory loss to the extent that supervision required  
☐ 7 - None of the above

At Discharge, go to Section B, #2, (Patient/Family Knowledge).

## B. CURRENT ILLNESS

1. M0230/240/246 **Diagnoses, Severity Index, and Payment Diagnoses:** List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/ procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

### Code each row as follows:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time  
 1 - Symptoms well controlled with current therapy  
 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring  
 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring  
 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete <u>only if</u> a V code in Column 2 is reported in place of a case mix diagnosis.	Complete <u>only if</u> the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
(M0230) Primary Diagnosis	(V codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
a. _____	a. ( ____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____ ( ____ . ____ )	a. _____ ( ____ . ____ )

**UNIVERSAL ASSESSMENT FORM**

(Page 3 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC

=Follow-up

=Transfer

=Discharge

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
<b>(M0240) Other Diagnoses</b>	<b>(V or E codes are allowed)</b>	<b>(V or E codes NOT allowed)</b>	<b>(V or E codes NOT allowed)</b>
b. _____	b. ( _____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ ( _____ . ____ )	b. _____ ( _____ . ____ )
c. _____	c. ( _____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ ( _____ . ____ )	c. _____ ( _____ . ____ )
d. _____	d. ( _____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ ( _____ . ____ )	d. _____ ( _____ . ____ )
e. _____	e. ( _____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ ( _____ . ____ )	e. _____ ( _____ . ____ )
f. _____	f. ( _____ . ____ ) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ ( _____ . ____ )	f. _____ ( _____ . ____ )

2. **Patient/Family Knowledge and Coping Level Regarding Present Illness:**

Patient:

Family:

At Follow-up and Discharge, go to Section D (M0250).

C. **SIGNIFICANT PAST HEALTH HISTORY:**D. **(M0250) THERAPIES** the patient receives at home: (Mark all that apply.)

- ☐ 1 - Intravenous or infusion therapy (excludes TPN)
- ☐ 2 - Parenteral nutrition (TPN or lipids)
- ☐ 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
- ☐ 4 - None of the above

At Follow-up, go to Section N, Review of Systems/Physical Assessment (M0390).

At Discharge, go to Section E, #3 Life Expectancy (M0280).

E. **PROGNOSIS**1. **(M0260) Overall Prognosis:** BEST description of patient's overall prognosis for recovery from this episode of illness.

- ☐ 0 - Poor: little or no recovery is expected and/or further decline is imminent
- ☐ 1 - Good/Fair: partial to full recovery is expected
- ☐ UK - Unknown

2. **(M0270) Rehabilitative Prognosis:** BEST description of patient's prognosis for functional status.

- ☐ 0 - Guarded: minimal improvement in functional status is expected; decline is possible
- ☐ 1 - Good: marked improvement in functional status is expected
- ☐ UK - Unknown

3. **(M0280) Life Expectancy:** (Physician documentation is not required.)

- ☐ 0 - Life expectancy is greater than 6 months
- ☐ 1 - Life expectancy is 6 months or fewer

At Discharge, go to Section H, #2 (M0290).

# UNIVERSAL ASSESSMENT FORM

(Page 4 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

F. **ALLERGIES:** (Environmental, drugs, food, etc.)

## G. IMMUNIZATION/SCREENING TESTS

1. **Immunizations:** Flu Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_ Pneumonia Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_  
Tetanus Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_ Other: \_\_\_\_\_ Date \_\_\_\_\_
2. **Screening:** Cholesterol level Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_ Colon cancer screen Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_  
Mammogram Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_ Prostate cancer screen Yes \_\_\_ No \_\_\_ Date \_\_\_\_\_
3. **Self-Exam Frequency:** Breast self-exam frequency \_\_\_\_\_ Testicular self-exam frequency \_\_\_\_\_

## H. HIGH RISK FACTORS

1. (M0290) **HIGH RISK FACTORS** characterizing this patient:  
(Mark all that apply.)

- ☐ 1 - Heavy smoking  
☐ 2 - Obesity  
☐ 3 - Alcohol dependency  
☐ 4 - Drug dependency  
☐ 5 - None of the above  
☐ UK - Unknown

Go to Section I.

2. (M0290) **HIGH RISK FACTORS** characterizing this patient:  
(Mark all that apply.)

- ☐ 1 - Heavy smoking  
☐ 2 - Obesity  
☐ 3 - Alcohol dependency  
☐ 4 - Drug dependency  
☐ 5 - None of the above

Go to Section I.

3. **Update information on risk factors:**

\_\_\_ No changes \_\_\_ Smoking \_\_\_ Alcohol dependency \_\_\_ Drug dependency \_\_\_ Other

At Follow-up, go to Section M.

## I. LIVING ARRANGEMENTS

1. (M0300) **Current Residence:**

- ☐ 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)  
☐ 2 - Family member's residence  
☐ 3 - Boarding home or rented room  
☐ 4 - Board and care or assisted living facility  
☐ 5 - Other (specify) \_\_\_\_\_

2. (M0340) **Patient Lives With: (Mark all that apply.)**

- ☐ 1 - Lives alone  
☐ 2 - With spouse or significant other  
☐ 3 - With other family member  
☐ 4 - With a friend  
☐ 5 - With paid help (other than home care agency staff)  
☐ 6 - With other than above

At Discharge, skip this item.

3. **Physical Environment** (Check to indicate presence of problem or check, "No problems identified.")

- ☐ 1 - No problems identified  
☐ 2 - High crime area  
☐ 3 - Electrical hazards  
☐ 4 - Structural hazards  
☐ 5 - Stairs  
☐ 6 - Water supply problems  
☐ 7 - Sewage disposal problems  
☐ 8 - Insect/rodent problems  
☐ 9 - Food storage or preparation problems  
☐ 10 - Telephone access problem  
☐ 11 - Other

At SOC/ROC, go to Section J.

At Discharge, to Section L.

COMMENTS:



# UNIVERSAL ASSESSMENT FORM

(Page 5 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

## J. OTHERS LIVING IN HOUSEHOLD:

Name	Age	Sex	Relationship	Able & willing to assist?	Name	Age	Sex	Relationship	Able & willing to assist?

## K. SUPPORTIVE ASSISTANCE at SOC/ROC

### 1. Names of Persons/Organizations Providing Assistance:

### 2. (M0350) Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)

- ☐ 1 - Relatives, friends, or neighbors living outside the home
- ☐ 2 - Person residing in the home (EXCLUDING paid help)
- ☐ 3 - Paid help
- ☐ 4 - None of the above [ If None of the above, go to #6 Comments ]
- ☐ UK - Unknown [ If Unknown, go to #6, Comments ]

### 3. (M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- ☐ 0 - No one person [ If No one person, go to #6, Comments ]
- ☐ 1 - Spouse or significant other
- ☐ 2 - Daughter or son
- ☐ 3 - Other family member
- ☐ 4 - Friend or neighbor or community or church member
- ☐ 5 - Paid help
- ☐ UK - Unknown [ If Unknown, go to #6, Comments ]

### 4. (M0370) How Often does the patient receive assistance from the primary caregiver?

- ☐ 1 - Several times during day and night
- ☐ 2 - Several times during day
- ☐ 3 - Once daily
- ☐ 4 - Three or more times per week
- ☐ 5 - One to two times per week
- ☐ 6 - Less often than weekly
- ☐ UK - Unknown

### 5. (M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- ☐ 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- ☐ 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- ☐ 3 - Environmental support (housing, home maintenance)
- ☐ 4 - Psychosocial support (socialization, companionship, recreation)
- ☐ 5 - Advocates or facilitates patient's participation in appropriate medical care
- ☐ 6 - Financial agent, power of attorney, or conservator of finance
- ☐ 7 - Health care agent, conservator of person, or medical power of attorney
- ☐ UK - Unknown

### 6. Comments regarding assistance available to patient:

At SOC/ROC, go to Section N.

## L. SUPPORTIVE ASSISTANCE at Discharge

### 1. (M0350) Assisting Person(s) Other than Home Care Agency Staff: (Mark all that apply.)

- ☐ 1 - Relatives, friends, or neighbors living outside the home
- ☐ 2 - Person residing in the home (EXCLUDING paid help)
- ☐ 3 - Paid help
- ☐ 4 - None of the above [ If None of the above, go to #5, Comments ]

### 2. (M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- ☐ 0 - No one person [ If No one person, go to #5, Comments ]
- ☐ 1 - Spouse or significant other
- ☐ 2 - Daughter or son
- ☐ 3 - Other family member
- ☐ 4 - Friend or neighbor or community or church member
- ☐ 5 - Paid help

### 3. (M0370) How Often does the patient receive assistance from the primary caregiver?

- ☐ 1 - Several times during day and night
- ☐ 2 - Several times during day
- ☐ 3 - Once daily
- ☐ 4 - Three or more times per week
- ☐ 5 - One to two times per week
- ☐ 6 - Less often than weekly

### 4. (M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- ☐ 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- ☐ 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- ☐ 3 - Environmental support (housing, home maintenance)
- ☐ 4 - Psychosocial support (socialization, companionship, recreation)
- ☐ 5 - Advocates or facilitates patient's participation in appropriate medical care
- ☐ 6 - Financial agent, power of attorney, or conservator of finance
- ☐ 7 - Health care agent, conservator of person, or medical power of attorney

### 5. Comments regarding assistance available to patient:

At Discharge, go to Section N.

# UNIVERSAL ASSESSMENT FORM

(Page 6 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

## M. LIVING ARRANGEMENTS AND SUPPORT

Note any changes in patient's environment, living situation, or supportive assistance:

\_\_\_ No changes

\_\_\_ Changes present; describe:

## N. REVIEW OF SYSTEMS/PHYSICAL ASSESSMENT

(Mark S for subjective, O for objectively assessed problem. If no problem present or if not assessed, mark NA.)

1. **HEAD:** \_\_\_\_\_ Dizziness \_\_\_\_\_ Headache (describe location, duration) \_\_\_\_\_
2. **EYES:** \_\_\_\_\_ Glasses \_\_\_\_\_ Blurred/double vision \_\_\_\_\_ Glaucoma \_\_\_\_\_
- \_\_\_\_\_ Cataracts \_\_\_\_\_ PERRL \_\_\_\_\_ Other (specify) \_\_\_\_\_

At Discharge, go to #3 (Ears).

(M0390) **Vision** with corrective lenses if the patient usually wears them:

- ☐ 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- ☐ 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- ☐ 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

3. **EARS:** \_\_\_\_\_ Hearing Aid \_\_\_\_\_ Tinnitus \_\_\_\_\_ Other (specify) \_\_\_\_\_

At Follow-up & Discharge, go to #4 (Oral).

(M0400) **Hearing and Ability to Understand Spoken Language** in patient's own language (with hearing aids if the patient usually uses them):

- ☐ 0 - No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.
- ☐ 1 - With minimal difficulty, able to hear and understand most multi-step instructions and ordinary conversation. May need occasional repetition, extra time, or louder voice.
- ☐ 2 - Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.
- ☐ 3 - Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time.
- ☐ 4 - Unable to hear and understand familiar words or common expressions consistently, or patient nonresponsive.

4. **ORAL:** \_\_\_\_\_ Gum problems \_\_\_\_\_ Chewing problems \_\_\_\_\_ Dentures \_\_\_\_\_ Other (specify) \_\_\_\_\_

At Follow-up, go to #5 (Nose and Sinus).

(M0410) **Speech and Oral (Verbal) Expression of Language** (in patient's own language):

- ☐ 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- ☐ 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- ☐ 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- ☐ 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- ☐ 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- ☐ 5 - Patient nonresponsive or unable to speak.

5. **NOSE AND SINUS:** \_\_\_\_\_ Epistaxis \_\_\_\_\_ Other (specify) \_\_\_\_\_

6. **NECK AND THROAT:** \_\_\_\_\_ Hoarseness \_\_\_\_\_ Difficulty swallowing \_\_\_\_\_ Other (specify) \_\_\_\_\_

7. **MUSCULOSKELETAL, NEUROLOGICAL:**

___ Hx arthritis	___ Joint pain	___ Syncope	___ Paralysis (describe) _____
___ Gout	___ Weakness	___ Seizure	___ Amputation (where) _____
___ Stiffness	___ Leg cramps	___ Tenderness	___ Tremor
___ Swollen joints	___ Numbness	___ Deformities	___ Aphasia/inarticulate speech
___ Unequal grasp	___ Temp changes	___ Comatose	___ Other (specify) _____

Coordination, gait, balance (describe):

**COMMENTS:** (Prostheses, appliances)

# UNIVERSAL ASSESSMENT FORM

(Page 7 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC

=Follow-up

=Transfer

=Discharge

Patient's Perceived Pain Level: \_\_\_\_\_ (Scale 0-10)

a. (M0420) Frequency of Pain interfering with patient's activity or movement:

- ☐ 0 - Patient has no pain or pain does not interfere with activity or movement
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time

b. (M0430) Intractable Pain: Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- ☐ 0 - No
- ☐ 1 - Yes

At Follow-up, go to #7c, Comments

c. Comments on pain management:


## 8. INTEGUMENT:

a.

\_\_\_\_\_ Hair changes (where) \_\_\_\_\_ Pruritus \_\_\_\_\_ Other (specify) \_\_\_\_\_

b.

Skin condition (Record type # on body area. Indicate size to right of numbered category.)



Type

Size

1. Lesions
2. Bruises
3. Masses
4. Scars
5. Stasis Ulcers
6. Pressure Ulcers
7. Surgical Wounds
8. Other (specify) \_\_\_\_\_

c. (M0440) Does this patient have a Skin Lesion or an Open Wound? This excludes "OSTOMIES."

- ☐ 0 - No [ If No, go to Section 9 - Cardiorespiratory ]
- ☐ 1 - Yes

At Follow-up, go to M0450 (Number of Pressure Ulcers at Each Stage).

d. (M0445) Does this patient have a Pressure Ulcer?

- ☐ 0 - No [ If No, go to #8e - Stasis Ulcers ]
- ☐ 1 - Yes

**UNIVERSAL ASSESSMENT FORM**

(Page 8 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC

=Follow-up

=Transfer

=Discharge

 (M0450) **Current Number of Pressure Ulcers at Each Stage:** (Circle one response for each stage.) **At Follow-up,** circle one response for each stage. If the patient has no pressure ulcers at a given stage, circle "0" for that stage.

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.).	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

 (M0460) **Stage of Most Problematic (Observable) Pressure Ulcer:****At Follow-up,** skip this item if patient has **NO** pressure ulcers, and go to 8e (Stasis Ulcers).

- ☐ 1 - Stage 1  
☐ 2 - Stage 2  
☐ 3 - Stage 3  
☐ 4 - Stage 4  
☐ NA - No observable pressure ulcer

 (M0464) **Status of Most Problematic (Observable) Pressure Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable pressure ulcer

Describe current treatment approach(es) for pressure ulcer(s):

e. **Stasis Ulcers****At Follow-up,** if patient **HAS** stasis ulcers, go to M0470 (Current Number of Stasis Ulcers).  
if patient has **NO** stasis ulcers, go to #8f (Surgical Wounds). (M0468) Does this patient have a **Stasis Ulcer**?

- ☐ 0 - No [ If No, go to #8f, *Surgical Wounds* ]  
☐ 1 - Yes

 (M0470) **Current Number of Observable Stasis Ulcer(s):**

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

 (M0476) **Status of Most Problematic (Observable) Stasis Ulcer:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable stasis ulcer

 (M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- ☐ 0 - No  
☐ 1 - Yes

Describe current treatment approach(es) for stasis ulcer(s):

# UNIVERSAL ASSESSMENT FORM

(Page 9 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

f. **Surgical Wounds**

At **Follow-up**, if patient **HAS** surgical wounds, go to M0488 (Status).  
if patient has **NO** surgical wounds, go to #8g (Other Wounds).

**(M0482)** Does this patient have a **Surgical Wound**?

- ☐ 0 - No [ If No, go to #8g - *Other Wounds*. ]  
☐ 1 - Yes

**(M0484) Current Number of (Observable)**

**Surgical Wounds:** (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- ☐ 0 - Zero  
☐ 1 - One  
☐ 2 - Two  
☐ 3 - Three  
☐ 4 - Four or more

**(M0488) Status of Most Problematic (Observable) Surgical Wound:**

- ☐ 1 - Fully granulating  
☐ 2 - Early/partial granulation  
☐ 3 - Not healing  
☐ NA - No observable surgical wound

**(M0486)** Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

- ☐ 0 - No  
☐ 1 - Yes

Describe current treatment approach(es) for surgical wound(s):

g. **Other Wounds Requiring Treatment**

Type of Wound:

Status:

Current treatment Approach(es):

Current treatment Approach(es):

9. **CARDIORESPIRATORY:** Temperature \_\_\_\_\_ Respirations \_\_\_\_\_

**BLOOD PRESSURE:** Lying \_\_\_\_\_ Sitting \_\_\_\_\_ Standing \_\_\_\_\_

**PULSE:** Apical rate \_\_\_\_\_ Radial rate \_\_\_\_\_ Rhythm \_\_\_\_\_ Quality \_\_\_\_\_

**CARDIOVASCULAR:**

\_\_\_\_ Palpitations      \_\_\_\_ Dyspnea on exertion      \_\_\_\_ BP problems      \_\_\_\_ Murmurs  
\_\_\_\_ Claudication      \_\_\_\_ Paroxysmal nocturnal dyspnea      \_\_\_\_ Chest pain      \_\_\_\_ Edema  
\_\_\_\_ Fatigues easily      \_\_\_\_ Orthopnea (# of pillows \_\_\_\_\_)      \_\_\_\_ Cardiac problems (specify) \_\_\_\_\_      \_\_\_\_ Cyanosis  
\_\_\_\_ Pacemaker \_\_\_\_\_      Other (specify) \_\_\_\_\_      \_\_\_\_ Varicosities  
(Date of last battery change)

**COMMENTS:**

# UNIVERSAL ASSESSMENT FORM

(Page 10 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

## RESPIRATORY:

History of: \_\_\_\_\_ Asthma \_\_\_\_\_ Bronchitis \_\_\_\_\_ Pneumonia \_\_\_\_\_ Other (specify) \_\_\_\_\_  
\_\_\_\_\_ TB \_\_\_\_\_ Pleurisy \_\_\_\_\_ Emphysema

### Present Condition:

\_\_\_\_\_ Cough (describe) \_\_\_\_\_ Sputum (character and amount) \_\_\_\_\_  
\_\_\_\_\_ Breath sounds (describe) \_\_\_\_\_ Other (specify) \_\_\_\_\_

### (M0490) When is the patient dyspneic or noticeably Short of Breath?

- ☐ 0 - Never, patient is not short of breath
- ☐ 1 - When walking more than 20 feet, climbing stairs
- ☐ 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- ☐ 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- ☐ 4 - At rest (during day or night)

At Follow-up, skip M0520.

### COMMENTS:

### (M0500) Respiratory Treatments utilized at home: (Mark all that apply.)

- ☐ 1 - Oxygen (intermittent or continuous)
- ☐ 2 - Ventilator (continually or at night)
- ☐ 3 - Continuous positive airway pressure
- ☐ 4 - None of the above

## 10. GENITOURINARY TRACT:

\_\_\_\_\_ Frequency \_\_\_\_\_ Nocturia \_\_\_\_\_ Dysmenorrhea \_\_\_\_\_ Gravida/Para  
\_\_\_\_\_ Pain \_\_\_\_\_ Urgency \_\_\_\_\_ Lesions \_\_\_\_\_ Date last PAP test  
\_\_\_\_\_ Hematuria \_\_\_\_\_ Prostate disorder \_\_\_\_\_ Hx hysterectomy \_\_\_\_\_ Contraception  
\_\_\_\_\_ Vaginal discharge/bleeding \_\_\_\_\_ Other (specify) \_\_\_\_\_

At Follow-up, if patient **HAS** urinary incontinence, go to #10d (M0530).

if patient has **NO** urinary incontinence, and **NO** urinary catheter go to Section 11 (Gastro-Intestinal Tract).

if patient **DOES HAVE** a urinary catheter, go to #10e (Comments).

At Discharge, go to #10b ( M0510 ).

### a. (M0510) Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- ☐ 0 - No
- ☐ 1 - Yes
- ☐ NA - Patient on prophylactic treatment
- ☐ UK - Unknown

### b. (M0510) Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- ☐ 0 - No
- ☐ 1 - Yes
- ☐ NA - Patient on prophylactic treatment

### c. (M0520) Urinary Incontinence or Urinary Catheter Presence:

- ☐ 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ If No, go to #10e - Comments. ]
- ☐ 1 - Patient is incontinent
- ☐ 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ Go to 10e - Comments. ]

### d. (M0530) When does Urinary Incontinence occur?

- ☐ 0 - Timed-voiding defers incontinence
- ☐ 1 - During the night only
- ☐ 2 - During the day and night

### e. COMMENTS: (e.g., appliances and care, bladder programs, catheter type, frequency of irrigation and change)

**UNIVERSAL ASSESSMENT FORM**

(Page 11 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

11. **GASTROINTESTINAL TRACT:**

\_\_\_\_ Indigestion                      \_\_\_\_ Pain                      \_\_\_\_ Rectal bleeding                      \_\_\_\_ Jaundice  
\_\_\_\_ Nausea, vomiting                      \_\_\_\_ Hernias (where) \_\_\_\_\_                      \_\_\_\_ Hemorrhoids                      \_\_\_\_ Tenderness  
\_\_\_\_ Ulcers                      \_\_\_\_ Diarrhea/constipation                      \_\_\_\_ Gallbladder problems                      \_\_\_\_ Other (specify) \_\_\_\_\_

At Follow-up or Discharge, go to #11b ( M0540).

a. (**M0540**) **Bowel Incontinence Frequency:**

- ☐ 0 - Very rarely or never has bowel incontinence  
☐ 1 - Less than once weekly  
☐ 2 - One to three times weekly  
☐ 3 - Four to six times weekly  
☐ 4 - On a daily basis  
☐ 5 - More often than once daily  
☐ NA - Patient has ostomy for bowel elimination  
☐ UK - Unknown

Go to #11c ( M0550).

- c. (**M0550**) **Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days):  
a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?  
☐ 0 - Patient does not have an ostomy for bowel elimination.  
☐ 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.  
☐ 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

Go to #11e (Comments).

b. (**M0540**) **Bowel Incontinence Frequency:**

- ☐ 0 - Very rarely or never has bowel incontinence  
☐ 1 - Less than once weekly  
☐ 2 - One to three times weekly  
☐ 3 - Four to six times weekly  
☐ 4 - On a daily basis  
☐ 5 - More often than once daily  
☐ NA - Patient has ostomy for bowel elimination

At Follow-up, go to #11c ( M0550).

At Discharge, go to #11d ( M0550).

- d. (**M0550**) **Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days) necessitated a change in medical or treatment regimen?  
☐ 0 - Patient does not have an ostomy for bowel elimination.  
☐ 1 - Patient's ostomy did not necessitate change in medical or treatment regimen.  
☐ 2 - The ostomy did necessitate change in medical or treatment regimen.

Go to #11e (Comments).

- e. **COMMENTS:** (bowel function, use of laxatives or enemas, bowel program, GI status)

12. **NUTRITIONAL STATUS:**

\_\_\_\_ Weight loss/gain last 3 mos. (Give amount \_\_\_\_\_)                      \_\_\_\_ Over/under weight                      \_\_\_\_ Change in appetite                      Diet \_\_\_\_\_  
\_\_\_\_ Other (specify) \_\_\_\_\_                      Meals prepared by \_\_\_\_\_

**COMMENTS:**

At Follow-up or Discharge, go to #14.

13. **BREASTS:** (For both male and female)

\_\_\_\_ Lumps                      \_\_\_\_ Tenderness                      \_\_\_\_ Discharge                      \_\_\_\_ Pain                      \_\_\_\_ Other (specify) \_\_\_\_\_

**COMMENTS:**

# UNIVERSAL ASSESSMENT FORM

(Page 12 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

## 14. NEURO/EMOTIONAL/BEHAVIORAL STATUS:

At Follow-up, go to #14h - Comments.

\_\_\_\_\_ Hx of previous psych. illness \_\_\_\_\_ Other (specify) \_\_\_\_\_

- a. (M0560) **Cognitive Functioning:** (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)
- ☐ 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
  - ☐ 1 - Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions.
  - ☐ 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
  - ☐ 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
  - ☐ 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

b. (M0570) **When Confused (Reported or Observed):**

- ☐ 0 - Never
- ☐ 1 - In new or complex situations only
- ☐ 2 - On awakening or at night only
- ☐ 3 - During the day and evening, but not constantly
- ☐ 4 - Constantly
- ☐ NA - Patient nonresponsive

c. (M0580) **When Anxious (Reported or Observed):**

- ☐ 0 - None of the time
- ☐ 1 - Less often than daily
- ☐ 2 - Daily, but not constantly
- ☐ 3 - All of the time
- ☐ NA - Patient nonresponsive

d. (M0590) **Depressive Feelings Reported or Observed in Patient: (Mark all that apply.)**

- ☐ 1 - Depressed mood (e.g., feeling sad, tearful)
- ☐ 2 - Sense of failure or self reproach
- ☐ 3 - Hopelessness
- ☐ 4 - Recurrent thoughts of death
- ☐ 5 - Thoughts of suicide
- ☐ 6 - None of the above feelings observed or reported

h. **COMMENTS:** (describe other related behaviors or symptoms, e.g., weight loss, sleep disturbances, coping skills)

At Follow-up or Discharge, go to #16.

## 15. ENDOCRINE AND HEMATOPOIETIC:

\_\_\_\_\_ Diabetes \_\_\_\_\_ Polyuria \_\_\_\_\_ Polydipsia

\_\_\_\_\_ Thyroid problem \_\_\_\_\_ Excessive bleeding or bruising

Fractionals: Usual results \_\_\_\_\_

\_\_\_\_\_ Intolerance to heat and cold

Frequency checked \_\_\_\_\_

\_\_\_\_\_ Other (specify) \_\_\_\_\_

## 16. OTHER RELATED ASSESSMENTS:

At Follow-up or Discharge, go to Section P - Life System Profile, page 16.



# UNIVERSAL ASSESSMENT FORM

(Page 13 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

O. **LIFE SYSTEM PROFILE:** For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.

1. **(M0640) Grooming:** Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

Prior Current

- ☐ ☐ 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods.
- ☐ ☐ 1 - Grooming utensils must be placed within reach before able to complete grooming activities.
- ☐ ☐ 2 - Someone must assist the patient to groom self.
- ☐ ☐ 3 - Patient depends entirely upon someone else for grooming needs.
- ☐ UK - Unknown

2. **(M0650) Ability to Dress Upper Body** (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

Prior Current

- ☐ ☐ 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
- ☐ ☐ 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
- ☐ ☐ 2 - Someone must help the patient put on upper body clothing.
- ☐ ☐ 3 - Patient depends entirely upon another person to dress the upper body.
- ☐ UK - Unknown

3. **(M0660) Ability to Dress Lower Body** (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

Prior Current

- ☐ ☐ 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
- ☐ ☐ 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
- ☐ ☐ 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
- ☐ ☐ 3 - Patient depends entirely upon another person to dress lower body.
- ☐ UK - Unknown

4. **(M0670) Bathing:** Ability to wash entire body. **Excludes grooming (washing face and hands only).**

Prior Current

- ☐ ☐ 0 - Able to bathe self in shower or tub independently.
- ☐ ☐ 1 - With the use of devices, is able to bathe self in shower or tub independently.
- ☐ ☐ 2 - Able to bathe in shower or tub with the assistance of another person:
  - (a) for intermittent supervision or encouragement or reminders, OR
  - (b) to get in and out of the shower or tub, OR
  - (c) for washing difficult to reach areas.
- ☐ ☐ 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
- ☐ ☐ 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
- ☐ ☐ 5 - Unable to effectively participate in bathing and is totally bathed by another person.
- ☐ UK - Unknown

5. **(M0680) Toileting:** Ability to get to and from the toilet or bedside commode.

Prior Current

- ☐ ☐ 0 - Able to get to and from the toilet independently with or without a device.
- ☐ ☐ 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
- ☐ ☐ 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
- ☐ ☐ 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
- ☐ ☐ 4 - Is totally dependent in toileting.
- ☐ UK - Unknown

6. **(M0690) Transferring:** Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

Prior Current

- ☐ ☐ 0 - Able to independently transfer.
- ☐ ☐ 1 - Transfers with minimal human assistance or with use of an assistive device.
- ☐ ☐ 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
- ☐ ☐ 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
- ☐ ☐ 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
- ☐ ☐ 5 - Bedfast, unable to transfer and is unable to turn and position self.
- ☐ UK - Unknown

# UNIVERSAL ASSESSMENT FORM

(Page 14 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

7.  **(M0700) Ambulation/Locomotion:** Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Prior Current

- ☐ ☐ 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
- ☐ ☐ 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
- ☐ ☐ 2 - Able to walk only with the supervision or assistance of another person at all times.
- ☐ ☐ 3 - Chairfast, unable to ambulate but is able to wheel self independently.
- ☐ ☐ 4 - Chairfast, unable to ambulate and is unable to wheel self.
- ☐ ☐ 5 - Bedfast, unable to ambulate or be up in a chair.
- ☐ UK - Unknown

8.  **(M0710) Feeding or Eating:** Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**

Prior Current

- ☐ ☐ 0 - Able to independently feed self.
- ☐ ☐ 1 - Able to feed self independently but requires:
- (a) meal set-up; OR
- (b) intermittent assistance or supervision from another person; OR
- (c) a liquid, pureed or ground meat diet.
- ☐ ☐ 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.
- ☐ ☐ 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.
- ☐ ☐ 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
- ☐ ☐ 5 - Unable to take in nutrients orally or by tube feeding.
- ☐ UK - Unknown

9.  **(M0720) Planning and Preparing Light Meals** (e.g., cereal, sandwich) or reheat delivered meals:

Prior Current

- ☐ ☐ 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR
- (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
- ☐ ☐ 2 - Unable to prepare any light meals or reheat any delivered meals.
- ☐ UK - Unknown

10.  **(M0730) Transportation:** Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).

Prior Current

- ☐ ☐ 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.
- ☐ ☐ 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.
- ☐ ☐ 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.
- ☐ UK - Unknown

11.  **(M0740) Laundry:** Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Prior Current

- ☐ ☐ 0 - (a) Able to independently take care of all laundry tasks; OR
- (b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
- ☐ ☐ 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
- ☐ UK - Unknown

12.  **(M0750) Housekeeping:** Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.

Prior Current

- ☐ ☐ 0 - (a) Able to independently perform all housekeeping tasks; OR
- (b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
- ☐ ☐ 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
- ☐ ☐ 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
- ☐ ☐ 4 - Unable to effectively participate in any housekeeping tasks.
- ☐ UK - Unknown

# UNIVERSAL ASSESSMENT FORM

(Page 15 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

13. (M0760) **Shopping:** Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.

Prior Current

- ☐ ☐ 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR  
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
- ☐ ☐ 1 - Able to go shopping, but needs some assistance:  
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR  
(b) Unable to go shopping alone, but can go with someone to assist.
- ☐ ☐ 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
- ☐ ☐ 3 - Needs someone to do all shopping and errands.
- ☐ UK - Unknown

14. (M0770) **Ability to Use Telephone:** Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.

Prior Current

- ☐ ☐ 0 - Able to dial numbers and answer calls appropriately and as desired.
- ☐ ☐ 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
- ☐ ☐ 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
- ☐ ☐ 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
- ☐ ☐ 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
- ☐ ☐ 5 - Totally unable to use the telephone.
- ☐ ☐ NA - Patient does not have a telephone.
- ☐ UK - Unknown

15. (M0780) **Management of Oral Medications:** Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)

Prior Current

- ☐ ☐ 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
- ☐ ☐ 1 - Able to take medication(s) at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders; OR  
(c) someone develops a drug diary or chart.
- ☐ ☐ 2 - Unable to take medication unless administered by someone else.
- ☐ ☐ NA - No oral medications prescribed.
- ☐ UK - Unknown

16. (M0790) **Management of Inhalant/Mist Medications:** Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes all other forms of medication (oral tablets, injectable and IV medications).

Prior Current

- ☐ ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
- ☐ ☐ 1 - Able to take medication at the correct times if:  
(a) individual dosages are prepared in advance by another person, OR  
(b) given daily reminders.
- ☐ ☐ 2 - Unable to take medication unless administered by someone else.
- ☐ ☐ NA - No inhalant/mist medications prescribed.
- ☐ UK - Unknown

17. (M0800) **Management of Injectable Medications:** Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. Excludes IV medications.

Prior Current

- ☐ ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
- ☐ ☐ 1 - Able to take injectable medication at correct times if:  
(a) individual syringes are prepared in advance by another person, OR  
(b) given daily reminders.
- ☐ ☐ 2 - Unable to take injectable medications unless administered by someone else.
- ☐ ☐ NA - No injectable medications prescribed.
- ☐ UK - Unknown

# UNIVERSAL ASSESSMENT FORM

(Page 16 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

18. (M0810) **Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies):** Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Patient manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
  - ☐ 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
  - ☐ 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
  - ☐ 4 - Patient is completely dependent on someone else to manage all equipment.
  - ☐ NA - No equipment of this type used in care **[If NA, go to Section Q, page 18].**
19. (M0820) **Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies):** Caregiver's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Caregiver manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
  - ☐ 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
  - ☐ 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
  - ☐ 4 - Caregiver is completely dependent on someone else to manage all equipment.
  - ☐ NA - No caregiver
  - ☐ UK - Unknown

At SOC/ROC, go to Section Q, page 19.

P. **LIFE SYSTEM PROFILE: For M0640-M0800, record what the patient currently is able to do.**

At Follow-up, go to #2 (M0650).

1. (M0640) **Grooming:** Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).
- ☐ 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods.
  - ☐ 1 - Grooming utensils must be placed within reach before able to complete grooming activities.
  - ☐ 2 - Someone must assist the patient to groom self.
  - ☐ 3 - Patient depends entirely upon someone else for grooming needs.
2. (M0650) **Ability to Dress Upper Body** (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:
- ☐ 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
  - ☐ 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on upper body clothing.
  - ☐ 3 - Patient depends entirely upon another person to dress the upper body.
3. (M0660) **Ability to Dress Lower Body** (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:
- ☐ 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
  - ☐ 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
  - ☐ 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
  - ☐ 3 - Patient depends entirely upon another person to dress lower body.
4. (M0670) **Bathing:** Ability to wash entire body. **Excludes grooming (washing face and hands only).**
- ☐ 0 - Able to bathe self in shower or tub independently.
  - ☐ 1 - With the use of devices, is able to bathe self in shower or tub independently.
  - ☐ 2 - Able to bathe in shower or tub with the assistance of another person:
    - (a) for intermittent supervision or encouragement or reminders, OR
    - (b) to get in and out of the shower or tub, OR
    - (c) for washing difficult to reach areas.
  - ☐ 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
  - ☐ 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
  - ☐ 5 - Unable to effectively participate in bathing and is totally bathed by another person.

# UNIVERSAL ASSESSMENT FORM

(Page 17 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

5. (M0680) **Toileting:** Ability to get to and from the toilet or bedside commode.
- ☐ 0 - Able to get to and from the toilet independently with or without a device.
  - ☐ 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
  - ☐ 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
  - ☐ 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
  - ☐ 4 - Is totally dependent in toileting.
6. (M0690) **Transferring:** Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.
- ☐ 0 - Able to independently transfer.
  - ☐ 1 - Transfers with minimal human assistance or with use of an assistive device.
  - ☐ 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
  - ☐ 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
  - ☐ 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
  - ☐ 5 - Bedfast, unable to transfer and is unable to turn and position self.
7. (M0700) **Ambulation/Locomotion:** Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.
- ☐ 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
  - ☐ 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
  - ☐ 2 - Able to walk only with the supervision or assistance of another person at all times.
  - ☐ 3 - Chairfast, unable to ambulate but is able to wheel self independently.
  - ☐ 4 - Chairfast, unable to ambulate and is unable to wheel self.
  - ☐ 5 - Bedfast, unable to ambulate or be up in a chair.
- At Follow-up, go to #17, M0800.
8. (M0710) **Feeding or Eating:** Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**
- ☐ 0 - Able to independently feed self.
  - ☐ 1 - Able to feed self independently but requires:
    - (a) meal set-up; OR
    - (b) intermittent assistance or supervision from another person; OR
    - (c) a liquid, pureed or ground meat diet.
  - ☐ 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.
  - ☐ 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.
  - ☐ 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
  - ☐ 5 - Unable to take in nutrients orally or by tube feeding.
9. (M0720) **Planning and Preparing Light Meals** (e.g., cereal, sandwich) or reheat delivered meals:
- ☐ 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR  
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
  - ☐ 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
  - ☐ 2 - Unable to prepare any light meals or reheat any delivered meals.
10. (M0730) **Transportation:** Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).
- ☐ 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.
  - ☐ 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.
  - ☐ 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.
11. (M0740) **Laundry:** Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.
- ☐ 0 - (a) Able to independently take care of all laundry tasks; OR  
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
  - ☐ 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.

# UNIVERSAL ASSESSMENT FORM

(Page 18 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

12. (M0750) **Housekeeping:** Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.
- ☐ 0 - (a) Able to independently perform all housekeeping tasks; OR  
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
  - ☐ 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
  - ☐ 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
  - ☐ 4 - Unable to effectively participate in any housekeeping tasks.
13. (M0760) **Shopping:** Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.
- ☐ 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR  
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
  - ☐ 1 - Able to go shopping, but needs some assistance:  
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR  
(b) Unable to go shopping alone, but can go with someone to assist.
  - ☐ 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
  - ☐ 3 - Needs someone to do all shopping and errands.
14. (M0770) **Ability to Use Telephone:** Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.
- ☐ 0 - Able to dial numbers and answer calls appropriately and as desired.
  - ☐ 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
  - ☐ 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
  - ☐ 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
  - ☐ 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
  - ☐ 5 - Totally unable to use the telephone.
  - ☐ NA - Patient does not have a telephone.
15. (M0780) **Management of Oral Medications:** Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)
- ☐ 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
  - ☐ 1 - Able to take medication(s) at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders; OR  
(c) someone develops a drug diary or chart.
  - ☐ 2 - Unable to take medication unless administered by someone else.
  - ☐ NA - No oral medications prescribed.
16. (M0790) **Management of Inhalant/Mist Medications:** Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes all other forms of medication (oral tablets, injectable and IV medications).
- ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
  - ☐ 1 - Able to take medication at the correct times if:  
(a) individual dosages are prepared in advance by another person; OR  
(b) given daily reminders.
  - ☐ 2 - Unable to take medication unless administered by someone else.
  - ☐ NA - No inhalant/mist medications prescribed.
17. (M0800) **Management of Injectable Medications:** Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. Excludes IV medications.
- ☐ 0 - Able to independently take the correct medication and proper dosage at the correct times.
  - ☐ 1 - Able to take injectable medication at correct times if:  
(a) individual syringes are prepared in advance by another person; OR  
(b) given daily reminders.
  - ☐ 2 - Unable to take injectable medications unless administered by someone else.
  - ☐ NA - No injectable medications prescribed.

# UNIVERSAL ASSESSMENT FORM

(Page 19 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

18. (M0810) **Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies):** Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Patient manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
  - ☐ 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
  - ☐ 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
  - ☐ 4 - Patient is completely dependent on someone else to manage all equipment.
  - ☐ NA - No equipment of this type used in care **[If NA, go to Section Q].**

19. (M0820) **Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies):** Caregiver's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**
- ☐ 0 - Caregiver manages all tasks related to equipment completely independently.
  - ☐ 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
  - ☐ 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
  - ☐ 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
  - ☐ 4 - Caregiver is completely dependent on someone else to manage all equipment.
  - ☐ NA - No caregiver

At Discharge, go to Section Q.

20. Identify and describe any changes or problems with:

\_\_\_ Personal hygiene      \_\_\_ Meal preparation      \_\_\_ Medication management  
\_\_\_ Feeding, eating      \_\_\_ Laundry, shopping, housekeeping

Q. ANY OTHER ASSESSMENT NOTES:

At Discharge, go to Section V.

## R. THERAPY NEED

1. (M0826) **Therapy Need:** In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**
- (\_\_ \_\_ \_\_) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
- ☐ NA - Not Applicable: No case mix group defined by this assessment.

## S. EQUIPMENT AND SUPPLIES:

1. Equipment Needs: (check appropriate box)

	Has	Needs
a. Oxygen/Respiratory Equip.		
b. Wheelchair		
c. Hospital Bed		
d. Other (specify)		

2. Supplies Needed and Comments Regarding Equipment Needs:

3. Financial Problems/Needs:

# UNIVERSAL ASSESSMENT FORM

(Page 20 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

T. SAFETY MEASURES RECOMMENDED TO PROTECT PATIENT FROM INJURY:

U. EMERGENCY PLANS:

V. CONCLUSIONS/IMPRESSIONS AND SKILLED INTERVENTIONS PERFORMED THIS VISIT:

At SOC/ROC and Follow-up, go to the signature and date lines at the end of the assessment.

Q. EMERGENCY PLANS:

R. CONCLUSIONS/IMPRESSIONS AND SKILLED INTERVENTIONS PERFORMED THIS VISIT:

W. EMERGENT CARE

1. (M0830) Emergent Care: Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)?

(Mark all that apply.)

- ☐ 0 - No emergent care services [ If no emergent care, go to Section X, #1 (M0855) ]
- ☐ 1 - Hospital emergency room (includes 23-hour holding)
- ☐ 2 - Doctor's office emergency visit/house call
- ☐ 3 - Outpatient department/clinic emergency (includes urgicenter sites)
- ☐ UK - Unknown [ If UK, go to Section X, #1 (M0855) ]

2. (M0840) Emergent Care Reason: For what reason(s) did the patient/family seek emergent care? (Mark all that apply.)

- ☐ 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- ☐ 2 - Nausea, dehydration, malnutrition, constipation, impaction
- ☐ 3 - Injury caused by fall or accident at home
- ☐ 4 - Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)
- ☐ 5 - Wound infection, deteriorating wound status, new lesion/ulcer
- ☐ 6 - Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)
- ☐ 7 - Hypo/Hyperglycemia, diabetes out of control
- ☐ 8 - GI bleeding, obstruction
- ☐ 9 - Other than above reasons
- ☐ UK - Reason unknown



# UNIVERSAL ASSESSMENT FORM

(Page 21 of 22)

Client's Name:

Client Record No.

Symbol Key: =SOC/ROC =Follow-up =Transfer =Discharge

## X. INPATIENT FACILITY ADMISSION OR DISCHARGE FROM HOME CARE

1. (M0855) To which Inpatient Facility has the patient been admitted? (Choose only one answer.)

<input type="checkbox"/> 1 - Hospital	<input type="checkbox"/> 2 - Rehabilitation facility	<input type="checkbox"/> 3 - Nursing home	<input type="checkbox"/> 4 - Hospice	<input type="checkbox"/> NA - No inpatient facility admission
<p>2. (M0890) If the patient was admitted to an acute care <b>Hospital</b>, for what Reason was he/she admitted?</p> <p><input type="checkbox"/> 1 - Hospitalization for <u>emergent</u> (unscheduled) care</p> <p><input type="checkbox"/> 2 - Hospitalization for <u>urgent</u> (scheduled within 24 hours of admission) care</p> <p><input type="checkbox"/> 3 - Hospitalization for <u>elective</u> (scheduled more than 24 hours before admission) care</p> <p><input type="checkbox"/> UK - Unknown</p> <p>(M0895) Reason for Hospitalization: (Mark all that apply.)</p> <p><input type="checkbox"/> 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis</p> <p><input type="checkbox"/> 2 - Injury caused by fall or accident at home</p> <p><input type="checkbox"/> 3 - Respiratory problems (SOB, infection, obstruction)</p> <p><input type="checkbox"/> 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer</p> <p><input type="checkbox"/> 5 - Hypo/Hyperglycemia, diabetes out of control</p> <p><input type="checkbox"/> 6 - GI bleeding, obstruction</p> <p><input type="checkbox"/> 7 - Exacerbation of CHF, fluid overload, heart failure</p> <p><input type="checkbox"/> 8 - Myocardial infarction, stroke</p> <p><input type="checkbox"/> 9 - Chemotherapy</p> <p><input type="checkbox"/> 10 - Scheduled surgical procedure</p> <p><input type="checkbox"/> 11 - Urinary tract infection</p> <p><input type="checkbox"/> 12 - IV catheter-related infection</p> <p><input type="checkbox"/> 13 - Deep vein thrombosis, pulmonary embolus</p> <p><input type="checkbox"/> 14 - Uncontrolled pain</p> <p><input type="checkbox"/> 15 - Psychotic episode</p> <p><input type="checkbox"/> 16 - Other than above reasons</p> <p>[ Go to M0903 - Most Recent Home Visit Date ]</p>	<p>[ Go to M0903 - Most Recent Home Visit Date ]</p>	<p>3. (M0900) For what Reason(s) was the patient Admitted to a Nursing Home? (Mark all that apply.)</p> <p><input type="checkbox"/> 1 - Therapy services</p> <p><input type="checkbox"/> 2 - Respite care</p> <p><input type="checkbox"/> 3 - Hospice care</p> <p><input type="checkbox"/> 4 - Permanent placement</p> <p><input type="checkbox"/> 5 - Unsafe for care at home</p> <p><input type="checkbox"/> 6 - Other</p> <p><input type="checkbox"/> UK - Unknown</p> <p>[ Go M0903 - Most Recent Home Visit Date ]</p>	<p>[ Go to #5 - M0903 - Most Recent Home Visit Date ]</p>	<p>4. (M0870) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one answer.)</p> <p><input type="checkbox"/> 1 - Patient remained in the community (not in hospital, nursing home, or rehab facility) [Go to next question - M0880 - Services or Assistance]</p> <p><input type="checkbox"/> 2 - Patient transferred to a noninstitutional hospice [Go to M0903 - Most Recent Home Visit Date]</p> <p><input type="checkbox"/> 3 - Unknown because patient moved to a geographic location not served by this agency [Go to M0903 - Most Recent Home Visit Date]</p> <p><input type="checkbox"/> UK - Other unknown [Go to M0903 - Most Recent Home Visit Date]</p> <p>(M0880) After discharge, does the patient receive health, personal, or support Services or Assistance? (Mark all that apply.)</p> <p><input type="checkbox"/> 1 - No assistance or services received</p> <p><input type="checkbox"/> 2 - Yes, assistance or services provided by family or friends</p> <p><input type="checkbox"/> 3 - Yes, assistance or services provided by other community resources (e.g., meals-on-wheels, home health services, homemaker assistance, transportation assistance, assisted living, board and care)</p> <p>[ Go to M0903 - Most Recent Home Visit Date ]</p>

5. (M0903) Date of Last (Most Recent) Home Visit:

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ \_\_ \_\_

m m d d y y y y

6. (M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

\_\_ \_\_ - \_\_ \_\_ - \_\_ \_\_ \_\_ \_\_

m m d d y y y y

