Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100A	Resident participated in assessment	Asmt		Code	1	1132-1132

Item Subsets

Active:	NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD
Inactive:	ND,NT,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100B	Family/signif other participated in assessment	Asmt		Code	1	1133-1133

Item Subsets

Active:	NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD
Inactive:	ND,NT,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Resident has no family or significant other
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	Q0100B	[V1.13.0]-Changed wording for response option "9".
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0100C	Guardian/legal rep participated in assessment	Asmt		Code	1	1134-1134

Item Subsets

Active:	NC,NQ,NP,NS,NSD,NO,NOD,SP,SS,SSD,SO,SOD
Inactive:	ND,NT,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Resident has no guardian or legally authorized representative
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Item	Q0100C	[V1.13.0]-Changed wording for response option "9".
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0300A	Resident's overall goal	Asmt		Code	1	1135-1135

Item Subsets

Active:	NC,NQ,NP,SP
Inactive:	NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
1		Expects to be discharged to the community
2		Expects to remain in this facility
3		Expects to be discharged to another facility/institution
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3563	Skip pattern	Fatal	a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^]. b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0300B	Information source for resident's goal	Asmt		Code	1	1136-1136

Item Subsets

Active:	NC,NQ,NP,SP
Inactive:	NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
1		Resident
2		If not resident, then family or significant other
3		If not resident, family or significant other, then guardian or legally authorized representative
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3563	Skip pattern	Fatal	a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^]. b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0400A	Active discharge planning for return to community	Asmt		Code	1	1137-1137

Item Subsets

Active: NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
Inactive: NS,NO,NT,SS,SO,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550B must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3833	[V1.13.0]-Revised sub-edit (a) and added (a1) and (a2).

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0490	Resident's preference to avoid being asked	Asmt		Code	1	1463-1463

Item Subsets

Active: NC,NQ,NP,SP
Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Information not available
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550B must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3833	[V1.13.0]-Revised sub-edit (a) and added (a1) and (a2).

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0500B	Do you want to talk about returning to community	Asmt		Code	1	1140-1140

Item Subsets

Active:	NC,NQ,NP,SP
Inactive:	NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unknown or uncertain
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550B must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3833	[V1.13.0]-Revised sub-edit (a) and added (a1) and (a2).

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0550A	Reasking resident preference	Asmt		Code	1	1464-1464

Item Subsets

Active:	NC,NQ,NP,SP
Inactive:	NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Information not available
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550B must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3833	[V1.13.0]-Revised sub-edit (a) and added (a1) and (a2).

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0550B	Reasking resident preference source	Asmt		Code	1	1465-1465

Item Subsets

Active:	NC,NQ,NP,SP
Inactive:	NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
1		Resident
2		If not resident, then family or significant other
3		If not resident, family or significant other, then guardian or legally authorized representative
8		No information source available
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3833	Consistency	Fatal	a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply: --a1) If Q0490 is active, it must equal [^]. --a2) All active items from Q0500B through Q0550B must not equal [^]. b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^]. c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].
-3820	Skip pattern	Fatal	a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^]. b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.
Consistency	-3833	[V1.13.0]-Revised sub-edit (a) and added (a1) and (a2).

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Q0600	Referral been made to Local Contact Agency	Asmt		Code	1	1141-1141

Item Subsets

Active:	NC,NQ,NP,NSD,NOD,ND,SP,SSD,SOD,SD
Inactive:	NS,NO,NT,SS,SO,ST,XX
State optional:	

Item Values

Value	LOINC Code	Value Text
0		No - referral not needed
1		No - referral is or may be needed (For more information see Appendix C, Care Area Assessment Resources #20)
2		Yes - referral made
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.