

## Data Submission Specifications for the MDS 3.0 (V1.13.2)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																										
-3502	None of above	Fatal	<p>If C0900A through C0900D and C0900Z are all active, then the following rules apply:</p> <p>a) If C0900Z=[0], then at least one item from C0900A through C0900D must equal [1].</p> <p>b) If C0900Z=[1], then all items from C0900A through C0900D must equal [0].</p> <p>c) If C0900Z=[-], then at least one item from C0900A through C0900D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">C0900A</td> <td>Staff asmt mental status: recall current season</td> </tr> <tr> <td>C0900B</td> <td>Staff asmt mental status: recall location of room</td> </tr> <tr> <td>C0900C</td> <td>Staff asmt mental status: recall staff names/faces</td> </tr> <tr> <td>C0900D</td> <td>Staff asmt mental status: recall in nursing home</td> </tr> <tr> <td>C0900Z</td> <td>Staff asmt mental status: none of above recalled</td> </tr> </table>	C0900A	Staff asmt mental status: recall current season	C0900B	Staff asmt mental status: recall location of room	C0900C	Staff asmt mental status: recall staff names/faces	C0900D	Staff asmt mental status: recall in nursing home	C0900Z	Staff asmt mental status: none of above recalled																																
C0900A	Staff asmt mental status: recall current season																																												
C0900B	Staff asmt mental status: recall location of room																																												
C0900C	Staff asmt mental status: recall staff names/faces																																												
C0900D	Staff asmt mental status: recall in nursing home																																												
C0900Z	Staff asmt mental status: none of above recalled																																												
-3503	None of above	Fatal	<p>If E0100A through E0100B and E0100Z are all active, then the following rules apply:</p> <p>a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1].</p> <p>b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0].</p> <p>c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">E0100A</td> <td>Psychosis: hallucinations</td> </tr> <tr> <td>E0100B</td> <td>Psychosis: delusions</td> </tr> <tr> <td>E0100Z</td> <td>Psychosis: none of the above</td> </tr> </table>	E0100A	Psychosis: hallucinations	E0100B	Psychosis: delusions	E0100Z	Psychosis: none of the above																																				
E0100A	Psychosis: hallucinations																																												
E0100B	Psychosis: delusions																																												
E0100Z	Psychosis: none of the above																																												
-3504	None of above	Fatal	<p>If F0800A through F0800T and F0800Z are all active, then the following rules apply:</p> <p>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].</p> <p>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].</p> <p>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">F0800A</td> <td>Staff assessment: choosing clothes to wear</td> </tr> <tr> <td>F0800B</td> <td>Staff assessment: caring for personal belongings</td> </tr> <tr> <td>F0800C</td> <td>Staff assessment: receiving tub bath</td> </tr> <tr> <td>F0800D</td> <td>Staff assessment: receiving shower</td> </tr> <tr> <td>F0800E</td> <td>Staff assessment: receiving bed bath</td> </tr> <tr> <td>F0800F</td> <td>Staff assessment: receiving sponge bath</td> </tr> <tr> <td>F0800G</td> <td>Staff assessment: snacks between meals</td> </tr> <tr> <td>F0800H</td> <td>Staff assessment: staying up past 8PM</td> </tr> <tr> <td>F0800I</td> <td>Staff assessment: discuss care with family/other</td> </tr> <tr> <td>F0800J</td> <td>Staff assessment: use phone in private</td> </tr> <tr> <td>F0800K</td> <td>Staff assessment: place to lock personal things</td> </tr> <tr> <td>F0800L</td> <td>Staff assessment: reading books, newspapers, mags</td> </tr> <tr> <td>F0800M</td> <td>Staff assessment: listening to music</td> </tr> <tr> <td>F0800N</td> <td>Staff assessment: being around animals/pets</td> </tr> <tr> <td>F0800O</td> <td>Staff assessment: keeping up with news</td> </tr> <tr> <td>F0800P</td> <td>Staff assessment: doing things with groups</td> </tr> <tr> <td>F0800Q</td> <td>Staff assessment: participate favorite activities</td> </tr> <tr> <td>F0800R</td> <td>Staff assessment: spend time away from nursng home</td> </tr> <tr> <td>F0800S</td> <td>Staff assessment: spend time outdoors</td> </tr> <tr> <td>F0800T</td> <td>Staff assessment: participate religious activities</td> </tr> <tr> <td>F0800Z</td> <td>Staff assessment: none of above activities</td> </tr> </table>	F0800A	Staff assessment: choosing clothes to wear	F0800B	Staff assessment: caring for personal belongings	F0800C	Staff assessment: receiving tub bath	F0800D	Staff assessment: receiving shower	F0800E	Staff assessment: receiving bed bath	F0800F	Staff assessment: receiving sponge bath	F0800G	Staff assessment: snacks between meals	F0800H	Staff assessment: staying up past 8PM	F0800I	Staff assessment: discuss care with family/other	F0800J	Staff assessment: use phone in private	F0800K	Staff assessment: place to lock personal things	F0800L	Staff assessment: reading books, newspapers, mags	F0800M	Staff assessment: listening to music	F0800N	Staff assessment: being around animals/pets	F0800O	Staff assessment: keeping up with news	F0800P	Staff assessment: doing things with groups	F0800Q	Staff assessment: participate favorite activities	F0800R	Staff assessment: spend time away from nursng home	F0800S	Staff assessment: spend time outdoors	F0800T	Staff assessment: participate religious activities	F0800Z	Staff assessment: none of above activities
F0800A	Staff assessment: choosing clothes to wear																																												
F0800B	Staff assessment: caring for personal belongings																																												
F0800C	Staff assessment: receiving tub bath																																												
F0800D	Staff assessment: receiving shower																																												
F0800E	Staff assessment: receiving bed bath																																												
F0800F	Staff assessment: receiving sponge bath																																												
F0800G	Staff assessment: snacks between meals																																												
F0800H	Staff assessment: staying up past 8PM																																												
F0800I	Staff assessment: discuss care with family/other																																												
F0800J	Staff assessment: use phone in private																																												
F0800K	Staff assessment: place to lock personal things																																												
F0800L	Staff assessment: reading books, newspapers, mags																																												
F0800M	Staff assessment: listening to music																																												
F0800N	Staff assessment: being around animals/pets																																												
F0800O	Staff assessment: keeping up with news																																												
F0800P	Staff assessment: doing things with groups																																												
F0800Q	Staff assessment: participate favorite activities																																												
F0800R	Staff assessment: spend time away from nursng home																																												
F0800S	Staff assessment: spend time outdoors																																												
F0800T	Staff assessment: participate religious activities																																												
F0800Z	Staff assessment: none of above activities																																												
-3505	None of above	Fatal	<p>If G0600A through G0600D and G0600Z are all active, then the following rules apply:</p> <p>a) If G0600Z=[0], then at least one item from G0600A through G0600D must equal [1].</p> <p>b) If G0600Z=[1], then all items from G0600A through G0600D must equal [0].</p> <p>c) If G0600Z=[-], then at least one item from G0600A through G0600D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">G0600A</td> <td>Mobility devices: cane/crutch</td> </tr> <tr> <td>G0600B</td> <td>Mobility devices: walker</td> </tr> <tr> <td>G0600C</td> <td>Mobility devices: wheelchair (manual or electric)</td> </tr> <tr> <td>G0600D</td> <td>Mobility devices: limb prosthesis</td> </tr> <tr> <td>G0600Z</td> <td>Mobility devices: none of the above</td> </tr> </table>	G0600A	Mobility devices: cane/crutch	G0600B	Mobility devices: walker	G0600C	Mobility devices: wheelchair (manual or electric)	G0600D	Mobility devices: limb prosthesis	G0600Z	Mobility devices: none of the above																																
G0600A	Mobility devices: cane/crutch																																												
G0600B	Mobility devices: walker																																												
G0600C	Mobility devices: wheelchair (manual or electric)																																												
G0600D	Mobility devices: limb prosthesis																																												
G0600Z	Mobility devices: none of the above																																												

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3506	None of above	Fatal	<p>If H0100A through H0100D and H0100Z are all active, then the following rules apply:</p> <p>a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1].</p> <p>b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0].</p> <p>c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> H0100A                      Appliances: indwelling catheter  H0100B                      Appliances: external catheter  H0100C                      Appliances: ostomy  H0100D                      Appliances: intermittent catheterization  H0100Z                      Appliances: none of the above</p>
-3507	None of above	Fatal	<p>If I0100 through I6500 and I7900 are all active, then the following rules apply:</p> <p>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].</p> <p>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].</p> <p>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> I0100                      Cancer (with or without metastasis)  I0200                      Anemia  I0300                      Atrial fibrillation and other dysrhythmias  I0400                      Coronary artery disease (CAD)  I0500                      Deep venous thrombosis (DVT), PE, or PTE  I0600                      Heart failure  I0700                      Hypertension  I0800                      Orthostatic hypotension  I0900                      Peripheral vascular disease (PVD) or PAD  I1100                      Cirrhosis  I1200                      Gastroesophageal reflux disease (GERD) or ulcer  I1300                      Ulcerative colitis, Crohn's, inflam bowel disease  I1400                      Benign prostatic hyperplasia (BPH)  I1500                      Renal insufficiency, renal failure, ESRD  I1550                      Neurogenic bladder  I1650                      Obstructive uropathy  I1700                      Multidrug resistant organism (MDRO)  I2000                      Pneumonia  I2100                      Septicemia  I2200                      Tuberculosis  I2300                      Urinary tract infection (UTI) (LAST 30 DAYS)  I2400                      Viral hepatitis (includes type A, B, C, D, and E)  I2500                      Wound infection (other than foot)  I2900                      Diabetes mellitus (DM)  I3100                      Hyponatremia  I3200                      Hyperkalemia  I3300                      Hyperlipidemia (e.g., hypercholesterolemia)  I3400                      Thyroid disorder  I3700                      Arthritis  I3800                      Osteoporosis  I3900                      Hip fracture  I4000                      Other fracture  I4200                      Alzheimer's disease  I4300                      Aphasia  I4400                      Cerebral palsy  I4500                      Cerebrovascular accident (CVA), TIA, or stroke  I4800                      Non-Alzheimer's dementia  I4900                      Hemiplegia or hemiparesis</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p><b>Items:</b> I5000 Paraplegia  I5100 Quadriplegia  I5200 Multiple sclerosis  I5250 Huntington's disease  I5300 Parkinson's disease  I5350 Tourette's syndrome  I5400 Seizure disorder or epilepsy  I5500 Traumatic brain injury (TBI)  I5600 Malnutrition (protein, calorie), risk of malnutrit  I5700 Anxiety disorder  I5800 Depression (other than bipolar)  I5900 Manic depression (bipolar disease)  I5950 Psychotic disorder (other than schizophrenia)  I6000 Schizophrenia  I6100 Post-traumatic stress disorder (PTSD)  I6200 Asthma (COPD) or chronic lung disease  I6300 Respiratory failure  I6500 Cataracts, glaucoma, or macular degeneration  I7900 None of above active diseases within last 7 days</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:  a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].  b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].  c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> J0800A Staff pain asmt: non-verbal sounds  J0800B Staff pain asmt: vocal complaints of pain  J0800C Staff pain asmt: facial expressions  J0800D Staff pain asmt: protective movements/postures  J0800Z Staff pain asmt: none of these signs observed</p>
-3509	None of above	Fatal	<p>If J1100A through J1100C and J1100Z are all active, then the following rules apply:  a) If J1100Z=[0], then at least one item from J1100A through J1100C must equal [1].  b) If J1100Z=[1], then all items from J1100A through J1100C must equal [0].  c) If J1100Z=[-], then at least one item from J1100A through J1100C must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> J1100A Short breath/trouble breathing: with exertion  J1100B Short breath/trouble breathing: sitting at rest  J1100C Short breath/trouble breathing: lying flat  J1100Z Short breath/trouble breathing: none of above</p>
-3510	None of above	Fatal	<p>If J1550A through J1550D and J1550Z are all active, then the following rules apply:  a) If J1550Z=[0], then at least one item from J1550A through J1550D must equal [1].  b) If J1550Z=[1], then all items from J1550A through J1550D must equal [0].  c) If J1550Z=[-], then at least one item from J1550A through J1550D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> J1550A Problem conditions: fever  J1550B Problem conditions: vomiting  J1550C Problem conditions: dehydrated  J1550D Problem conditions: internal bleeding  J1550Z Problem conditions: none of the above</p>
-3511	None of above	Fatal	<p>If K0100A through K0100D and K0100Z are all active, then the following rules apply:  a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1].  b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0].  c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p><b>Items:</b> K0100A Swallow disorder: loss liquids/solids from mouth  K0100B Swallow disorder: holds food in mouth/cheeks  K0100C Swallow disorder: cough/choke with meals/meds  K0100D Swallow disorder: difficulty or pain swallowing  K0100Z Swallow disorder: none of the above</p>
-3513	None of above	Fatal	<p>If L0200A through L0200G and L0200Z are all active, then the following rules apply:  a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].  b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].  c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> L0200A Dental: broken or loosely fitting denture  L0200B Dental: no natural teeth or tooth fragment(s)  L0200C Dental: abnormal mouth tissue  L0200D Dental: cavity or broken natural teeth  L0200E Dental: inflamed/bleeding gums or loose teeth</p> <p><b>Items:</b> L0200F Dental: pain, discomfort, difficulty chewing  L0200G Dental: unable to examine  L0200Z Dental: none of the above</p>
-3515	None of above	Fatal	<p>If M1200A through M1200I and M1200Z are all active, then the following rules apply:  a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1].  b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0].  c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> M1200A Skin/ulcer treat: pressure reduce device for chair  M1200B Skin/ulcer treat: pressure reducing device for bed  M1200C Skin/ulcer treat: turning/repositioning  M1200D Skin/ulcer treat: nutrition/hydration  M1200E Skin/ulcer treat: pressure ulcer care  M1200F Skin/ulcer treat: surgical wound care  M1200G Skin/ulcer treat: application of dressings  M1200H Skin/ulcer treat: apply ointments/medications  M1200I Skin/ulcer treat: apply dressings to feet  M1200Z Skin/ulcer treat: none of the above</p>
-3517	Skip pattern	Fatal	<p>a) If A2400A=[0], then all active items from A2400B through A2400C must equal [^].  b) If A2400A=[1], then all active items from A2400B through A2400C must not equal [^].</p> <p><b>Items:</b> A2400A Has resident had Medicare-covered stay  A2400B Start date of most recent Medicare stay  A2400C End date of most recent Medicare stay</p>
-3518	Skip pattern	Fatal	<p>a) If A0310A=[05,06], then if A2200 is active it must not equal [^].  b) If A0310A=[01,02,03,04,99], then if A2200 is active it must equal [^].</p> <p><b>Items:</b> A0310A Type of assessment: OBRA  A2200 Previous asmt reference date for signif correction</p>
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].  b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E0100A Psychosis: hallucinations  E0100B Psychosis: delusions  E0100Z Psychosis: none of the above  E0200A Physical behav symptoms directed toward others  E0200B Verbal behav symptoms directed toward others  E0200C Other behav symptoms not directed toward others  E0300 Overall presence of behavioral symptoms</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].  b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E0800 Rejection of care: presence and frequency  E0900 Wandering: presence and frequency</p>
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].  b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E1100 Change in behavioral or other symptoms  F0300 Conduct res interview for daily/activity prefs</p>
-3527	Consistency	Fatal	<p>a) If C0100=[0,^], then all active items from C0200 through C0600 must equal [^].  b) If C0100=[1], then all active items from C0200 through C0600 must not equal [^].  c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].  d) If C0100=[-], then if C0600 is active it must equal [1,-].</p> <p><b>Items:</b> C0100 BIMS: should resident interview be conducted  C0200 BIMS res interview: repetition of three words  C0300A BIMS res interview: able to report correct year  C0300B BIMS res interview: able to report correct month  C0300C BIMS res interview: can report correct day of week  C0400A BIMS res interview: able to recall "sock"  C0400B BIMS res interview: able to recall "blue"  C0400C BIMS res interview: able to recall "bed"  C0500 BIMS res interview: summary score  C0600 Staff asmt mental status: conduct asmt</p>
-3528	Consistency	Fatal	<p>a) If C0600=[0], then all active items from C0700 through C1000 must equal [^].  b) If C0600=[1], then all active items from C0700 through C1000 must not equal [^].  c) If C0600=[-], then all active items from C0700 through C1000 must equal [-].  d) If C0600=[^] and C0100=[0], then all active items from C0700 through C1000 must not equal [^].</p> <p><b>Items:</b> C0100 BIMS: should resident interview be conducted  C0600 Staff asmt mental status: conduct asmt  C0700 Staff asmt mental status: short-term memory OK  C0800 Staff asmt mental status: long-term memory OK  C0900A Staff asmt mental status: recall current season  C0900B Staff asmt mental status: recall location of room  C0900C Staff asmt mental status: recall staff names/faces  C0900D Staff asmt mental status: recall in nursing home  C0900Z Staff asmt mental status: none of above recalled  C1000 Cognitive skills for daily decision making</p>
-3529	Skip pattern	Fatal	<p>If D0100=[1], then if D0200A1 is active it must not equal [^].</p> <p><b>Items:</b> D0100 PHQ: should resident mood interview be conducted  D0200A1 PHQ res: little interest or pleasure - presence</p>
-3531	Skip pattern	Fatal	<p>a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^].  b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^].  c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].</p> <p><b>Items:</b> E0300 Overall presence of behavioral symptoms  E0500A Behav symptoms put res at risk for illness/injury  E0500B Behav symptoms interfere with resident care  E0500C Behav symptoms interfere with social activities  E0600A Behav symptoms put others at risk for injury  E0600B Behav symptoms intrude on privacy of others  E0600C Behav symptoms disrupt care or living environment</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3532	Skip pattern	Fatal	<p>a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^].</p> <p>b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^].</p> <p>c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].</p> <p><b>Items:</b> E0900                      Wandering: presence and frequency  E1000A                      Wandering: risk of getting to dangerous place  E1000B                      Wandering: intrude on privacy of others</p>
-3533	Consistency	Fatal	<p>a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].</p> <p>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].</p> <p>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].</p> <p><b>Items:</b> F0300                      Conduct res interview for daily/activity prefs  F0400A                      Res interview: choose clothes to wear  F0400B                      Res interview: take care of personal belongings  F0400C                      Res interview: choose tub, bath, shower, sponge  F0400D                      Res interview: have snacks between meals  F0400E                      Res interview: choose own bedtime  F0400F                      Res interview: discuss care with family/friend  F0400G                      Res interview: use phone in private  F0400H                      Res interview: lock things to keep them safe  F0500A                      Res interview: have books, newspaper, mags to read  F0500B                      Res interview: listen to music  F0500C                      Res interview: be around animals/pets  F0500D                      Res interview: keep up with news  F0500E                      Res interview: do things with groups of people  F0500F                      Res interview: do favorite activities  F0500G                      Res interview: go outside when good weather  F0500H                      Res interview: participate in religious practices  F0600                      Primary respondent: daily/activities prefs  F0700                      Conduct staff assessment for daily/activity prefs</p>
-3534	Skip pattern	Fatal	<p>a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].</p> <p>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].</p> <p>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].</p> <p><b>Items:</b> F0700                      Conduct staff assessment for daily/activity prefs  F0800A                      Staff assessment: choosing clothes to wear  F0800B                      Staff assessment: caring for personal belongings  F0800C                      Staff assessment: receiving tub bath  F0800D                      Staff assessment: receiving shower  F0800E                      Staff assessment: receiving bed bath  F0800F                      Staff assessment: receiving sponge bath  F0800G                      Staff assessment: snacks between meals  F0800H                      Staff assessment: staying up past 8PM  F0800I                      Staff assessment: discuss care with family/other  F0800J                      Staff assessment: use phone in private  F0800K                      Staff assessment: place to lock personal things  F0800L                      Staff assessment: reading books, newspapers, mags  F0800M                      Staff assessment: listening to music  F0800N                      Staff assessment: being around animals/pets  F0800O                      Staff assessment: keeping up with news  F0800P                      Staff assessment: doing things with groups  F0800Q                      Staff assessment: participate favorite activities  F0800R                      Staff assessment: spend time away from nursng home  F0800S                      Staff assessment: spend time outdoors  F0800T                      Staff assessment: participate religious activities  F0800Z                      Staff assessment: none of above activities</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3535	Skip pattern	Fatal	<p>a) If A0310A=[02,03,04,05,06,99], then all active items from G0900A through G0900B must equal [^].</p> <p>b) If A0310A=[01], then all active items from G0900A through G0900B must not equal [^].</p> <p><b>Items:</b> A0310A                      Type of assessment: OBRA  G0900A                      Resident believes capable of increased independ  G0900B                      Staff believes res capable of increased independ</p>
-3536	Skip pattern	Fatal	<p>a) If H0200A=[0,9], then if H0200B is active it must equal [^].</p> <p>b) If H0200A=[1], then if H0200B is active it must not equal [^].</p> <p>c) If H0200A=[-], then if H0200B is active it must equal [-].</p> <p><b>Items:</b> H0200A                      Urinary toileting program: has been attempted  H0200B                      Urinary toileting program: response</p>
-3537	Skip pattern	Fatal	<p>a) If H0200A=[0], then if H0200C is active it must equal [^].</p> <p>b) If H0200A=[1,9], then if H0200C is active it must not equal [^].</p> <p>c) If H0200A=[-], then if H0200C is active it must equal [-].</p> <p><b>Items:</b> H0200A                      Urinary toileting program: has been attempted  H0200C                      Urinary toileting program: current program/trial</p>
-3542	Skip pattern	Fatal	<p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300A                      Stage 1 pressure ulcers: number present  M0300B1                      Stage 2 pressure ulcers: number present</p>
-3543	Skip pattern	Fatal	<p>If M0210=[1], then if M0300C1 is active it must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300C1                      Stage 3 pressure ulcers: number present</p>
-3544	Skip pattern	Fatal	<p>If M0210=[1], then if M0300D1 is active it must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300D1                      Stage 4 pressure ulcers: number present</p>
-3545	Skip pattern	Fatal	<p>If M0210=[1], then if M0300E1 is active it must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300E1                      Unstaged due to dressing: number present</p>
-3546	Skip pattern	Fatal	<p>If M0210=[1], then if M0300F1 is active it must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300F1                      Unstaged slough/eschar: number present</p>
-3547	Skip pattern	Fatal	<p>If M0210=[1], then if M0300G1 is active it must not equal [^].</p> <p><b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers  M0300G1                      Unstageable - deep tissue: number present</p>
-3548	Skip pattern	Fatal	<p>a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^].</p> <p>b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^].</p> <p>c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].</p> <p><b>Items:</b> M0300B1                      Stage 2 pressure ulcers: number present  M0300B2                      Stage 2 pressure ulcers: number at admit/reentry  M0300B3                      Stage 2 pressure ulcers: date of oldest</p>
-3549	Skip pattern	Fatal	<p>a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^].</p> <p>b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^].</p> <p>c) If M0300C1=[-], then if M0300C2 is active it must equal [-].</p> <p><b>Items:</b> M0300C1                      Stage 3 pressure ulcers: number present  M0300C2                      Stage 3 pressure ulcers: number at admit/reentry</p>
-3550	Skip pattern	Fatal	<p>a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^].</p> <p>b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^].</p> <p>c) If M0300D1=[-], then if M0300D2 is active it must equal [-].</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3551	Skip pattern	Fatal	<p><b>Items:</b> M0300D1 Stage 4 pressure ulcers: number present  M0300D2 Stage 4 pressure ulcers: number at admit/reentry</p> <p>a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^].  b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^].  c) If M0300E1=[-], then if M0300E2 is active it must equal [-].</p>
-3552	Skip pattern	Fatal	<p><b>Items:</b> M0300E1 Unstaged due to dressing: number present  M0300E2 Unstaged due to dressing: number at admit/reentry</p> <p>a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^].  b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^].  c) If M0300F1=[-], then if M0300F2 is active it must equal [-].</p>
-3553	Skip pattern	Fatal	<p><b>Items:</b> M0300F1 Unstaged slough/eschar: number present  M0300F2 Unstaged slough/eschar: number at admit/reentry</p> <p>a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^].  b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^].  c) If M0300G1=[-], then if M0300G2 is active it must equal [-].</p>
-3555	Skip pattern	Fatal	<p><b>Items:</b> M0300G1 Unstageable - deep tissue: number present  M0300G2 Unstageable - deep tissue: number at admit/reentry</p> <p>a) If O0250A=[1], then if O0250B is active it must not equal [^].  b) If O0250A=[0], then if O0250B is active it must equal [^].  c) If O0250A=[-], then if O0250B is active it must equal [-].</p>
-3556	Skip pattern	Fatal	<p><b>Items:</b> O0250A Was influenza vaccine received  O0250B Date influenza vaccine received.</p> <p>a) If O0300A=[0], then if O0300B is active it must not equal [^].  b) If O0300A=[1], then if O0300B is active it must equal [^].  c) If O0300A=[-], then if O0300B is active it must equal [-].</p>
-3557	Consistency	Fatal	<p><b>Items:</b> O0300A Is pneumococcal vaccination up to date  O0300B If pneumococcal vacc not received, state reason</p> <p>Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].  b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].  c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].</p>
-3558	Consistency	Fatal	<p><b>Items:</b> O0400A1 Speech-language/audiology: individ minutes  O0400A2 Speech-language/audiology: concur minutes  O0400A3 Speech-language/audiology: group minutes  O0400A3A Speech-language/audiology: co-treatment minutes  O0400A4 Speech-language/audiology: number of days  O0400A5 Speech-language/audiology: start date  O0400A6 Speech-language/audiology: end date</p> <p>Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].</p> <p>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].</p> <p><b>Items:</b> O0400B1 Occupational therapy: individ minutes  O0400B2 Occupational therapy: concur minutes  O0400B3 Occupational therapy: group minutes  O0400B3A Occupational therapy: co-treatment minutes  O0400B4 Occupational therapy: number of days  O0400B5 Occupational therapy: start date  O0400B6 Occupational therapy: end date</p>
-3559	Consistency	Fatal	<p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].</p> <p>c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].</p> <p><b>Items:</b> O0400C1 Physical therapy: individ minutes  O0400C2 Physical therapy: concur minutes  O0400C3 Physical therapy: group minutes  O0400C3A Physical therapy: co-treatment minutes  O0400C4 Physical therapy: number of days  O0400C5 Physical therapy: start date  O0400C6 Physical therapy: end date</p>
-3560	Skip pattern	Fatal	<p>a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^].</p> <p>b) If O0400D1=[0000], then if O0400D2 is active it must equal [^].</p> <p>c) If O0400D1=[-], then if O0400D2 is active it must equal [-].</p> <p><b>Items:</b> O0400D1 Respiratory therapy: number of minutes  O0400D2 Respiratory therapy: number of days</p>
-3561	Skip pattern	Fatal	<p>a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^].</p> <p>b) If O0400E1=[0000], then if O0400E2 is active it must equal [^].</p> <p>c) If O0400E1=[-], then if O0400E2 is active it must equal [-].</p> <p><b>Items:</b> O0400E1 Psychological therapy: number of minutes  O0400E2 Psychological therapy: number of days</p>
-3562	Skip pattern	Fatal	<p>a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^].</p> <p>b) If O0400F1=[0000], then if O0400F2 is active it must equal [^].</p> <p>c) If O0400F1=[-], then if O0400F2 is active it must equal [-].</p> <p><b>Items:</b> O0400F1 Recreational therapy: number of minutes  O0400F2 Recreational therapy: number of days</p>
-3563	Skip pattern	Fatal	<p>a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^].</p> <p>b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].</p> <p><b>Items:</b> A0310E First assessment since most recent entry</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> Q0300A Resident's overall goal Q0300B Information source for resident's goal
-3565	Format	Fatal	If the value is not equal to [^], it must be 9 characters long. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3566	Format	Fatal	If the value is not equal to [^], the first three characters must not be equal to [000]. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3567	Format	Fatal	The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999]. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3568	Format	Fatal	If A0100A is not equal to [^], then it must be 10 digits long. <b>Items:</b> A0100A Facility National Provider Identifier (NPI)
-3569	Format	Fatal	If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9]. <b>Items:</b> A0600B Resident Medicare/railroad insurance number
-3570	Format	Fatal	If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item. <b>Items:</b> A0600B Resident Medicare/railroad insurance number
-3571	Consistency	Fatal	If this is a PPS assessment (A0310B=[01,02,03,04,05,06,07]), then either the SSN (A0600A) or the Medicare or comparable railroad insurance number (A0600B) must be present (not [^]). Thus, the submission will be rejected if this is a PPS assessment and both of the following conditions are true: a) A0600A is equal to [^]. b) A0600B is equal to [^]. <b>Items:</b> A0310B Type of assessment: PPS A0600A Social Security Number A0600B Resident Medicare/railroad insurance number
-3572	Skip pattern	Fatal	a) If A1100A=[0,9], then if A1100B is active it must equal [^]. b) If A1100A=[1], then if A1100B is active it must not equal [^]. c) If A1100A=[-], then if A1100B is active it must equal [-]. <b>Items:</b> A1100A Does the resident need or want an interpreter A1100B Preferred language
-3573	Consistency	Fatal	***THIS EDIT WAS DELETED IN V1.13.0 OF THE DATA SPECS AND REPLACED BY EDIT -3851 <b>Items:</b> A0310F Entry/discharge reporting A0900 Birthdate A1600 Entry date (date of admission/reentry in facility) A1700 Type of entry A2000 Discharge date A2200 Previous asmt reference date for signif correction A2300 Assessment reference date A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay M0300B3 Stage 2 pressure ulcers: date of oldest O0250B Date influenza vaccine received. O0400A5 Speech-language/audiology: start date O0400A6 Speech-language/audiology: end date O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0400C6      Physical therapy: end date V0100C      Prior assessment reference date V0200B2      CAA-Assessment process signature date V0200C2      CAA-Care planning signature date X1100E      Correction: attestation date Z0500B      Date RN signed assessment as complete
-3586	Skip pattern	Fatal	a) If C0500=[-,99], then if C0600 is active it must equal [1,-]. b) If C0500=[00-15], then if C0600 is active it must equal [0].  <b>Items:</b> C0500      BIMS res interview: summary score C0600      Staff asmt mental status: conduct asmt
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.

The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].

- a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.
- b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.
- c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).
- e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].
- f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

<b>Items:</b> D0100	PHQ: should resident mood interview be conducted
D0200A2	PHQ res: little interest or pleasure - frequency
D0200B2	PHQ res: feeling down, depressed – frequency
D0200C2	PHQ res: trouble with sleep - frequency
D0200D2	PHQ res: feeling tired/little energy - frequency
D0200E2	PHQ res: poor appetite or overeating - frequency
D0200F2	PHQ res: feeling bad about self - frequency
D0200G2	PHQ res: trouble concentrating - frequency
D0200H2	PHQ res: slow, fidgety, restless - frequency
D0200I2	PHQ res: thoughts better off dead - frequency
D0300	PHQ res: total mood severity score

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3588	Consistency	Fatal	<p>D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.</p> <p>The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].</p> <p>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.</p> <p>b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.</p> <p>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).</p> <p>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).</p> <p>e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].</p> <p>The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.</p> <p><b>Items:</b> D0500A2 PHQ staff: little interest or pleasure - frequency  D0500B2 PHQ staff: feeling down, depressed - frequency  D0500C2 PHQ staff: trouble with sleep - frequency  D0500D2 PHQ staff: feeling tired/little energy - frequency  D0500E2 PHQ staff: poor appetite or overeating - frequency  D0500F2 PHQ staff: feeling bad about self - frequency  D0500G2 PHQ staff: trouble concentrating - frequency  D0500H2 PHQ staff: slow, fidgety, restless - frequency  D0500I2 PHQ staff: thoughts better off dead - frequency  D0500J2 PHQ staff: short-tempered - frequency  D0600 PHQ staff: total mood score</p>
-3590	Consistency	Fatal	<p>If F0300 is equal to [1], then the following rules apply:</p> <p>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].</p> <p>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].</p> <p>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].</p> <p><b>Items:</b> F0300 Conduct res interview for daily/activity prefs  F0400A Res interview: choose clothes to wear  F0400B Res interview: take care of personal belongings  F0400C Res interview: choose tub, bath, shower, sponge  F0400D Res interview: have snacks between meals  F0400E Res interview: choose own bedtime</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p><b>Items:</b> F0400F Res interview: discuss care with family/friend            F0400G Res interview: use phone in private            F0400H Res interview: lock things to keep them safe            F0500A Res interview: have books, newspaper, mags to read            F0500B Res interview: listen to music            F0500C Res interview: be around animals/pets            F0500D Res interview: keep up with news            F0500E Res interview: do things with groups of people            F0500F Res interview: do favorite activities            F0500G Res interview: go outside when good weather            F0500H Res interview: participate in religious practices            F0600 Primary respondent: daily/activities prefs            F0700 Conduct staff assessment for daily/activity prefs</p>
-3591	Format	Fatal	<p>Formatting of ICD Items            If the ICD-9 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with ^, and with a decimal point as the 6th character. The only exception to this rule is that an entirely blank ICD-9 item must be submitted as a single ^.</p> <p>For example:            -The ICD-9 code "123.4" would be submitted as [^^123.4^].            -The ICD-9 code "123." would be submitted as [^^123.^^].            -The ICD-9 code "E123.4" would be submitted as [^E123.4^].            -The ICD-9 code "V12.3" would be submitted as [^^V12.3^]            -An entirely blank ICD-9 code would be submitted as [^].</p> <p>Other formatting rules are as follows:            a) Character 1 must be [^].            b) Character 2 must be [E,^].            c) If character 2 is [^], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9].            d) Characters 4 through 5 must be [0-9].            e) Character 6 must be a decimal point.            f) Characters 7 and 8 must be [0-9,^].            g) If character 7 is a [^], then character 8 must be a [^].</p> <p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p><b>Items:</b> I8000A Additional active ICD diagnosis 1            I8000B Additional active ICD diagnosis 2            I8000C Additional active ICD diagnosis 3            I8000D Additional active ICD diagnosis 4            I8000E Additional active ICD diagnosis 5            I8000F Additional active ICD diagnosis 6            I8000G Additional active ICD diagnosis 7            I8000H Additional active ICD diagnosis 8            I8000I Additional active ICD diagnosis 9            I8000J Additional active ICD diagnosis 10</p> <p>a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].            b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].</p>
-3593	Consistency	Fatal	

## Data Submission Specifications for the MDS 3.0 (V1.13.2)

### Unduplicated Edits Report by Edit ID

			<p><b>Items:</b> M0300C1            Stage 3 pressure ulcers: number present</p> <p>              M0300D1            Stage 4 pressure ulcers: number present</p> <p>              M0300F1            Unstaged slough/eschar: number present</p> <p>              M0610A              Stage 3 or 4 pressure ulcer longest length</p> <p>              M0610B              Stage 3 or 4 pressure ulcer width (same ulcer)</p> <p>              M0610C              Stage 3 or 4 pressure ulcer depth (same ulcer)</p>
-3595	None of above	Fatal	<p>If M0100A through M0100C and M0100Z are all active, then the following rules apply:</p> <p>a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1].</p> <p>b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0].</p> <p>c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> M0100A            Risk determination: has ulcer, scar, or dressing</p> <p>              M0100B            Risk determination: formal assessment</p> <p>              M0100C            Risk determination: clinical assessment</p> <p>              M0100Z            Risk determination: none of the above</p>
-3596	Consistency	Fatal	<p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> <p><b>Items:</b> A0310E            First assessment since most recent entry</p> <p>              M0210                Resident has Stage 1 or higher pressure ulcers</p> <p>              M0800A              Worsened since prior asmt: Stage 2 pressure ulcers</p> <p>              M0800B              Worsened since prior asmt: Stage 3 pressure ulcers</p> <p>              M0800C              Worsened since prior asmt: Stage 4 pressure ulcers</p>
-3597	Skip pattern	Fatal	<p>If A0310E=[0], then if M0900A is active it must equal [0,1,-].</p> <p><b>Items:</b> A0310E            First assessment since most recent entry</p> <p>              M0900A            Pressure ulcers on prior assessment</p>
-3598	Skip pattern	Fatal	<p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> <p><b>Items:</b> M0900A            Pressure ulcers on prior assessment</p> <p>              M0900B            Healed pressure ulcers: Stage 2</p> <p>              M0900C            Healed pressure ulcers: Stage 3</p> <p>              M0900D            Healed pressure ulcers: Stage 4</p>
-3605	Consistency	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <p><b>Items:</b> J1800              Falls since admit/prior asmt: any falls</p> <p>              J1900A              Falls since admit/prior asmt: no injury</p> <p>              J1900B              Falls since admit/prior asmt: injury (not major)</p> <p>              J1900C              Falls since admit/prior asmt: major injury</p>
-3607	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Character 1 indicates the type of provider and is based upon the value of A0200, as follows:</p> <p>a) If A0200 is equal to [1] (nursing home record), then character 1 of the ISC is equal to [N].</p> <p>b) If A0200 is equal to [2] (swing bed record), then character 1 of the ISC is equal to [S].</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>Characters 2 and 3 indicate the type of record and are based upon the values of the Reason For Assessment (RFA) items A0310A, A0310B, A0310C, A0310D, and A0310F. The "Item Subset Code (ISC) Report" that accompanies the data specs lists all possible combinations of the RFA items and their associated ISCs. If the ISC that is listed in the report is equal to dashes, then the combination of RFA items is not allowed. If a record is submitted with one of these invalid RFA combinations, a fatal error will occur and it will be rejected.</p> <p>The ISC_VAL table that is contained in the data specifications Access database is used to generate the ISC report and can be used by programmers as a lookup table. In addition, an appendix of the overview document that accompanies these data specifications contains source code for a Visual Basic function (GetISC()) that can be used to determine the ISC that is associated with any combination of the RFA items.</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p><b>Items:</b> A0200                   Type of provider  A0310A                   Type of assessment: OBRA  A0310B                   Type of assessment: PPS  A0310C                   Type of assessment: OMRA  A0310D                   Swing bed clinical change assessment  A0310F                   Entry/discharge reporting</p>
-3608	Consistency	Fatal	<p>a) If A0200=[1] (this is a nursing home record) and A0310E is equal to [1], then A0310A must equal [01,02,03,04,05,06] OR A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <p>b) If A0200=[2] (this is a swing bed record) and A0310E is equal to [1], then A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <p><b>Items:</b> A0200                   Type of provider  A0310A                   Type of assessment: OBRA  A0310B                   Type of assessment: PPS  A0310E                   First assessment since most recent entry  A0310F                   Entry/discharge reporting</p>
-3609	Skip pattern	Fatal	<p>If B0100=[1], then all active items from B0200 through F0800Z must equal [^].</p> <p><b>Items:</b> B0100                   Comatose  B0200                   Hearing  B0300                   Hearing aid  B0600                   Speech clarity  B0700                   Makes self understood  B0800                   Ability to understand others  B1000                   Vision  B1200                   Corrective lenses  C0100                   BIMS: should resident interview be conducted  C0200                   BIMS res interview: repetition of three words  C0300A                   BIMS res interview: able to report correct year  C0300B                   BIMS res interview: able to report correct month  C0300C                   BIMS res interview: can report correct day of week  C0400A                   BIMS res interview: able to recall "sock"  C0400B                   BIMS res interview: able to recall "blue"  C0400C                   BIMS res interview: able to recall "bed"  C0500                   BIMS res interview: summary score  C0600                   Staff asmt mental status: conduct asmt  C0700                   Staff asmt mental status: short-term memory OK  C0800                   Staff asmt mental status: long-term memory OK</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		C0900A	Staff asmt mental status: recall current season
		C0900B	Staff asmt mental status: recall location of room
		C0900C	Staff asmt mental status: recall staff names/faces
		C0900D	Staff asmt mental status: recall in nursing home
		C0900Z	Staff asmt mental status: none of above recalled
		C1000	Cognitive skills for daily decision making
		C1300A	Signs of delirium: inattention
		C1300B	Signs of delirium: disorganized thinking
		C1300C	Signs of delirium: altered level of consciousness
		C1300D	Signs of delirium: psychomotor retardation
		C1600	Acute onset mental status change
		D0100	PHQ: should resident mood interview be conducted
		D0200A1	PHQ res: little interest or pleasure - presence
		D0200A2	PHQ res: little interest or pleasure - frequency
		D0200B1	PHQ res: feeling down, depressed - presence
		D0200B2	PHQ res: feeling down, depressed - frequency
		D0200C1	PHQ res: trouble with sleep - presence
		D0200C2	PHQ res: trouble with sleep - frequency
		D0200D1	PHQ res: feeling tired/little energy - presence
		D0200D2	PHQ res: feeling tired/little energy - frequency
		D0200E1	PHQ res: poor appetite or overeating - presence
		D0200E2	PHQ res: poor appetite or overeating - frequency
		D0200F1	PHQ res: feeling bad about self - presence
		D0200F2	PHQ res: feeling bad about self - frequency
		D0200G1	PHQ res: trouble concentrating - presence
		D0200G2	PHQ res: trouble concentrating - frequency
		D0200H1	PHQ res: slow, fidgety, restless - presence
		D0200H2	PHQ res: slow, fidgety, restless - frequency
		D0200I1	PHQ res: thoughts better off dead – presence
		D0200I2	PHQ res: thoughts better off dead - frequency
		D0300	PHQ res: total mood severity score
		D0350	PHQ res: safety notification
		D0500A1	PHQ staff: little interest or pleasure - presence
		D0500A2	PHQ staff: little interest or pleasure - frequency
		D0500B1	PHQ staff: feeling down, depressed - presence
		D0500B2	PHQ staff: feeling down, depressed - frequency
		D0500C1	PHQ staff: trouble with sleep - presence
		D0500C2	PHQ staff: trouble with sleep - frequency
		D0500D1	PHQ staff: feeling tired/little energy - presence
		D0500D2	PHQ staff: feeling tired/little energy - frequency
		D0500E1	PHQ staff: poor appetite or overeating - presence
		D0500E2	PHQ staff: poor appetite or overeating - frequency
		D0500F1	PHQ staff: feeling bad about self - presence
		D0500F2	PHQ staff: feeling bad about self - frequency
		D0500G1	PHQ staff: trouble concentrating - presence
		D0500G2	PHQ staff: trouble concentrating - frequency
		D0500H1	PHQ staff: slow, fidgety, restless - presence
		D0500H2	PHQ staff: slow, fidgety, restless - frequency
		D0500I1	PHQ staff: thoughts better off dead - presence
		D0500I2	PHQ staff: thoughts better off dead - frequency
		D0500J1	PHQ staff: short-tempered - presence
		D0500J2	PHQ staff: short-tempered - frequency
		D0600	PHQ staff: total mood score
		D0650	PHQ staff: safety notification
		E0100A	Psychosis: hallucinations

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
			E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms
			F0300 Conduct res interview for daily/activity prefs
			F0400A Res interview: choose clothes to wear
			F0400B Res interview: take care of personal belongings
			F0400C Res interview: choose tub, bath, shower, sponge
			F0400D Res interview: have snacks between meals
			F0400E Res interview: choose own bedtime
			F0400F Res interview: discuss care with family/friend
			F0400G Res interview: use phone in private
			F0400H Res interview: lock things to keep them safe
			F0500A Res interview: have books, newspaper, mags to read
			F0500B Res interview: listen to music
			F0500C Res interview: be around animals/pets
			F0500D Res interview: keep up with news
			F0500E Res interview: do things with groups of people
			F0500F Res interview: do favorite activities
			F0500G Res interview: go outside when good weather
			F0500H Res interview: participate in religious practices
			F0600 Primary respondent: daily/activities prefs
			F0700 Conduct staff assessment for daily/activity prefs
			F0800A Staff assessment: choosing clothes to wear
			F0800B Staff assessment: caring for personal belongings
			F0800C Staff assessment: receiving tub bath
			F0800D Staff assessment: receiving shower
			F0800E Staff assessment: receiving bed bath
			F0800F Staff assessment: receiving sponge bath
			F0800G Staff assessment: snacks between meals
			F0800H Staff assessment: staying up past 8PM
			F0800I Staff assessment: discuss care with family/other
			F0800J Staff assessment: use phone in private
			F0800K Staff assessment: place to lock personal things
			F0800L Staff assessment: reading books, newspapers, mags
			F0800M Staff assessment: listening to music
			F0800N Staff assessment: being around animals/pets
			F0800O Staff assessment: keeping up with news
			F0800P Staff assessment: doing things with groups
			F0800Q Staff assessment: participate favorite activities
			F0800R Staff assessment: spend time away from nursng home
			F0800S Staff assessment: spend time outdoors

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> F0800T                      Staff assessment: participate religious activities F0800Z                      Staff assessment: none of above activities
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].  <b>Items:</b> B0100                      Comatose J0200                      Should pain assessment interview be conducted J0300                      Res pain interview: presence J0400                      Res pain interview: frequency J0500A                      Res pain interview: made it hard to sleep J0500B                      Res pain interview: limited daily activities J0600A                      Res pain interview: intensity rating scale J0600B                      Res pain interview: verbal descriptor scale J0700                      Should staff assessment for pain be conducted J0800A                      Staff pain asmt: non-verbal sounds J0800B                      Staff pain asmt: vocal complaints of pain J0800C                      Staff pain asmt: facial expressions J0800D                      Staff pain asmt: protective movements/postures J0800Z                      Staff pain asmt: none of these signs observed J0850                      Staff pain asmt: frequency of pain
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].  <b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers M0300A                      Stage 1 pressure ulcers: number present M0300B1                      Stage 2 pressure ulcers: number present M0300B2                      Stage 2 pressure ulcers: number at admit/reentry M0300B3                      Stage 2 pressure ulcers: date of oldest M0300C1                      Stage 3 pressure ulcers: number present M0300C2                      Stage 3 pressure ulcers: number at admit/reentry M0300D1                      Stage 4 pressure ulcers: number present M0300D2                      Stage 4 pressure ulcers: number at admit/reentry M0300E1                      Unstaged due to dressing: number present M0300E2                      Unstaged due to dressing: number at admit/reentry M0300F1                      Unstaged slough/eschar: number present M0300F2                      Unstaged slough/eschar: number at admit/reentry M0300G1                      Unstageable - deep tissue: number present M0300G2                      Unstageable - deep tissue: number at admit/reentry M0610A                      Stage 3 or 4 pressure ulcer longest length M0610B                      Stage 3 or 4 pressure ulcer width (same ulcer) M0610C                      Stage 3 or 4 pressure ulcer depth (same ulcer) M0700                      Tissue type for ulcer at most advanced stage M0800A                      Worsened since prior asmt: Stage 2 pressure ulcers M0800B                      Worsened since prior asmt: Stage 3 pressure ulcers M0800C                      Worsened since prior asmt: Stage 4 pressure ulcers
-3616	Consistency	Warning	If the item is active and contains a value, the value should be consistent with all of the MDS items used in the RUGs classification (i.e., the RUGs calculation should be correct).  For items Z0100A, Z0100B, and Z0100C, and for items Z0150A and Z0150B, the submission system will recalculate the HIPPS code, the RUG version code, and, for Z0100C, the short stay indicator, and issue a warning if the recalculated values do not match the submitted values.  For items Z0200A, Z0200B, Z0250A, and Z0250B, the submission system will recalculate the submitted RUGs code and RUG version code if the State is using a CMS supported RUG model. A warning will be issued if the recalculated codes do not match the submitted codes.

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0100C Medicare Part A: Medicare short stay asmt Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-3617	Skip pattern	Fatal	a) If D0200I1=[0,9,^,-], then if D0350 is active it must equal [^]. b) If D0200I1=[1], then if D0350 is active it must not equal [^].  <b>Items:</b> D0200I1 PHQ res: thoughts better off dead - presence D0350 PHQ res: safety notification
-3618	Skip pattern	Fatal	a) If D0500I1=[0,^,-], then if D0650 is active it must equal [^]. b) If D0500I1=[1], then if D0650 is active it must not equal [^].  <b>Items:</b> D0500I1 PHQ staff: thoughts better off dead - presence D0650 PHQ staff: safety notification
-3619	Skip pattern	Fatal	If D0100=[1], then if D0200B1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200B1 PHQ res: feeling down, depressed - presence
-3620	Skip pattern	Fatal	If D0100=[1], then if D0200C1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200C1 PHQ res: trouble with sleep - presence
-3621	Skip pattern	Fatal	If D0100=[1], then if D0200D1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200D1 PHQ res: feeling tired/little energy - presence
-3622	Skip pattern	Fatal	If D0100=[1], then if D0200E1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200E1 PHQ res: poor appetite or overeating - presence
-3623	Skip pattern	Fatal	If D0100=[1], then if D0200F1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200F1 PHQ res: feeling bad about self – presence
-3624	Skip pattern	Fatal	If D0100=[1], then if D0200G1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200G1 PHQ res: trouble concentrating - presence
-3625	Skip pattern	Fatal	If D0100=[1], then if D0200H1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200H1 PHQ res: slow, fidgety, restless - presence
-3626	Skip pattern	Fatal	If D0100=[1], then if D0200I1 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200I1 PHQ res: thoughts better off dead - presence
-3627	Skip pattern	Fatal	If D0100=[1], then if D0300 is active it must not equal [^].  <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0300 PHQ res: total mood severity score
-3658	Consistency	Fatal	Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:  a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).  c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date)..</p> <p>Given the target date, the following rules apply:</p> <p>a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then  A0410 must be equal to [3] (federal required submission).</p> <p>b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State  requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state  but not federal required submission).</p> <p>c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p> <p>If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System.  If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.</p> <p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <p><b>Items:</b> A0310F                      Entry/discharge reporting  A0410                                      Submission requirement  A1600                                      Entry date (date of admission/reentry in facility)  A2000                                      Discharge date  A2300                                      Assessment reference date</p>
-3659	Consistency	Fatal	<p>A0900 (birthdate) cannot be more than 140 years earlier than the current date.</p> <p><b>Items:</b> A0900                      Birthdate</p>
-3660	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.</p> <p>a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.  b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].  c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].  d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <p><b>Items:</b> C0200                      BIMS res interview: repetition of three words  C0300A                                  BIMS res interview: able to report correct year  C0300B                                  BIMS res interview: able to report correct month  C0300C                                  BIMS res interview: can report correct day of week  C0400A                                  BIMS res interview: able to recall "sock"  C0400B                                  BIMS res interview: able to recall "blue"  C0400C                                  BIMS res interview: able to recall "bed"  C0500                                      BIMS res interview: summary score</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3662	Consistency	Fatal	<p>If M0300B1 is equal to [1-9], then one of the following must be true:  a) M0300B2 must be equal to [-], OR  b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <p><b>Items:</b> M0300B1                    Stage 2 pressure ulcers: number present  M0300B2                    Stage 2 pressure ulcers: number at admit/reentry</p>
-3663	Consistency	Fatal	<p>If M0300C1 is equal to [1-9], then one of the following must be true:  a) M0300C2 must be equal to [-], OR  b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> <p><b>Items:</b> M0300C1                    Stage 3 pressure ulcers: number present  M0300C2                    Stage 3 pressure ulcers: number at admit/reentry</p>
-3664	Consistency	Fatal	<p>If M0300D1 is equal to [1-9], then one of the following must be true:  a) M0300D2 must be equal to [-], OR  b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> <p><b>Items:</b> M0300D1                    Stage 4 pressure ulcers: number present  M0300D2                    Stage 4 pressure ulcers: number at admit/reentry</p>
-3665	Consistency	Fatal	<p>If M0300E1 is equal to [1-9], then one of the following must be true:  a) M0300E2 must be equal to [-], OR  b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> <p><b>Items:</b> M0300E1                    Unstaged due to dressing: number present  M0300E2                    Unstaged due to dressing: number at admit/reentry</p>
-3666	Consistency	Fatal	<p>If M0300F1 is equal to [1-9], then one of the following must be true:  a) M0300F2 must be equal to [-], OR  b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> <p><b>Items:</b> M0300F1                    Unstaged slough/eschar: number present  M0300F2                    Unstaged slough/eschar: number at admit/reentry</p>
-3667	Consistency	Fatal	<p>If M0300G1 is equal to [1-9], then one of the following must be true:  a) M0300G2 must be equal to [-], OR  b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> <p><b>Items:</b> M0300G1                    Unstageable - deep tissue: number present  M0300G2                    Unstageable - deep tissue: number at admit/reentry</p>
-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p><b>Items:</b> A1600                    Entry date (date of admission/reentry in facility)  A2300                    Assessment reference date  O0100A1                    Treatment: chemotherapy - while not resident  O0100B1                    Treatment: radiation - while not resident  O0100C1                    Treatment: oxygen therapy - while not resident  O0100D1                    Treatment: suctioning - while not resident  O0100E1                    Treatment: tracheostomy care - while not resident  O0100F1                    Treatment: vent/respirator - while not resident  O0100G1                    Treatment: BiPAP/CPAP - while not resident  O0100H1                    Treatment: IV medications - while not resident  O0100I1                    Treatment: transfusions - while not resident  O0100J1                    Treatment: dialysis - while not resident</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0100K1      Treatment: hospice care - while not resident O0100M1      Treatment: isolate/quarantine - while not resident O0100Z1      Treatment: none of above - while not resident
-3669	None of above	Fatal	<p>If A1550A through A1550E and A1550Z are all active, then the following rules apply:</p> <p>a) If A1550Z=[0], then at least one item from A1550A through A1550E must equal [1].</p> <p>b) If A1550Z=[1], then all items from A1550A through A1550E must equal [0].</p> <p>c) If A1550Z=[-], then at least one item from A1550A through A1550E must equal [-] and all remaining items must equal [0,-].</p> <b>Items:</b> A1550A      ID/DD status: Down syndrome A1550B      ID/DD status: Autism A1550C      ID/DD status: Epilepsy A1550D      ID/DD status: other organic ID/DD condition A1550E      ID/DD status: ID/DD with no organic condition A1550Z      ID/DD status: none of the above
-3670	Skip pattern	Fatal	<p>If A0310E=[1], then all active items from M0900A through M0900D must equal [^].</p> <b>Items:</b> A0310E      First assessment since most recent entry M0900A      Pressure ulcers on prior assessment M0900B      Healed pressure ulcers: Stage 2 M0900C      Healed pressure ulcers: Stage 3 M0900D      Healed pressure ulcers: Stage 4
-3673	Consistency	Warning	<p>If D0200I1 is equal to [1], then D0350 should equal [1].</p> <b>Items:</b> D0200I1      PHQ res: thoughts better off dead - presence D0350      PHQ res: safety notification
-3674	Consistency	Warning	<p>If D0500I1 is equal to [1], then D0650 should equal [1].</p> <b>Items:</b> D0500I1      PHQ staff: thoughts better off dead - presence D0650      PHQ staff: safety notification
-3675	Consistency	Fatal	<p>a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1].</p> <p>b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0].</p> <p>c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].</p> <b>Items:</b> E0200A      Physical behav symptoms directed toward others E0200B      Verbal behav symptoms directed toward others E0200C      Other behav symptoms not directed toward others E0300      Overall presence of behavioral symptoms
-3676	Format	Fatal	<p>Values of Code and Checklist Items:  Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <b>Items:</b> ASMT_SYS_CD      Assessment system code ITM_SBST_CD      Item subset code PRODN_TEST_CD      Production/test indicator STATE_CD      Facility's state postal code A0050      Type of transaction (formerly X0100) A0200      Type of provider A0310A      Type of assessment: OBRA A0310B      Type of assessment: PPS A0310C      Type of assessment: OMRA A0310D      Swing bed clinical change assessment A0310E      First assessment since most recent entry A0310F      Entry/discharge reporting A0310G      Planned/unplanned discharge

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		<b>Items:</b>	A0410 Submission requirement
			A0800 Gender
			A1000A Ethnicity: American Indian or Alaska Native
			A1000B Ethnicity: Asian
			A1000C Ethnicity: Black or African American
			A1000D Ethnicity: Hispanic or Latino
			A1000E Ethnicity: Native Hawaiian/Pacific Islander
			A1000F Ethnicity: White
			A1100A Does the resident need or want an interpreter
			A1200 Marital status
			A1500 Resident evaluated by PASRR
			A1510A Level II PASRR conditions: Serious Mental Illness
			A1510B Level II PASRR conditions: Mental Retardation
			A1510C Level II PASRR conditions: Other related condition
			A1550A ID/DD status: Down syndrome
			A1550B ID/DD status: Autism
			A1550C ID/DD status: Epilepsy
			A1550D ID/DD status: other organic ID/DD condition
			A1550E ID/DD status: ID/DD with no organic condition
			A1550Z ID/DD status: none of the above
			A1700 Type of entry
			A1800 Entered from
			A2100 Discharge status
			A2400A Has resident had Medicare-covered stay
			B0100 Comatose
			B0200 Hearing
			B0300 Hearing aid
			B0600 Speech clarity
			B0700 Makes self understood
			B0800 Ability to understand others
			B1000 Vision
			B1200 Corrective lenses
			C0100 BIMS: should resident interview be conducted
			C0200 BIMS res interview: repetition of three words
			C0300A BIMS res interview: able to report correct year
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C0800 Staff asmt mental status: long-term memory OK
			C0900A Staff asmt mental status: recall current season
			C0900B Staff asmt mental status: recall location of room
			C0900C Staff asmt mental status: recall staff names/faces
			C0900D Staff asmt mental status: recall in nursing home
			C0900Z Staff asmt mental status: none of above recalled
			C1000 Cognitive skills for daily decision making
			C1300A Signs of delirium: inattention
			C1300B Signs of delirium: disorganized thinking
			C1300C Signs of delirium: altered level of consciousness
			C1300D Signs of delirium: psychomotor retardation
			C1600 Acute onset mental status change

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
			D0200E1 PHQ res: poor appetite or overeating - presence
			D0200E2 PHQ res: poor appetite or overeating - frequency
			D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
			D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
			D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
			D0200I1 PHQ res: thoughts better off dead - presence
			D0200I2 PHQ res: thoughts better off dead - frequency
			D0350 PHQ res: safety notification
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency
			D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0650 PHQ staff: safety notification
			E0100A Psychosis: hallucinations
			E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
			E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms
			F0300 Conduct res interview for daily/activity prefs
			F0400A Res interview: choose clothes to wear
			F0400B Res interview: take care of personal belongings
			F0400C Res interview: choose tub, bath, shower, sponge
			F0400D Res interview: have snacks between meals
			F0400E Res interview: choose own bedtime
			F0400F Res interview: discuss care with family/friend
			F0400G Res interview: use phone in private
			F0400H Res interview: lock things to keep them safe
			F0500A Res interview: have books, newspaper, mags to read
			F0500B Res interview: listen to music
			F0500C Res interview: be around animals/pets
			F0500D Res interview: keep up with news
			F0500E Res interview: do things with groups of people
			F0500F Res interview: do favorite activities
			F0500G Res interview: go outside when good weather
			F0500H Res interview: participate in religious practices
			F0600 Primary respondent: daily/activities prefs
			F0700 Conduct staff assessment for daily/activity prefs
			F0800A Staff assessment: choosing clothes to wear
			F0800B Staff assessment: caring for personal belongings
			F0800C Staff assessment: receiving tub bath
			F0800D Staff assessment: receiving shower
			F0800E Staff assessment: receiving bed bath
			F0800F Staff assessment: receiving sponge bath
			F0800G Staff assessment: snacks between meals
			F0800H Staff assessment: staying up past 8PM
			F0800I Staff assessment: discuss care with family/other
			F0800J Staff assessment: use phone in private
			F0800K Staff assessment: place to lock personal things
			F0800L Staff assessment: reading books, newspapers, mags
			F0800M Staff assessment: listening to music
			F0800N Staff assessment: being around animals/pets
			F0800O Staff assessment: keeping up with news
			F0800P Staff assessment: doing things with groups
			F0800Q Staff assessment: participate favorite activities
			F0800R Staff assessment: spend time away from nursng home
			F0800S Staff assessment: spend time outdoors
			F0800T Staff assessment: participate religious activities
			F0800Z Staff assessment: none of above activities
			G0110A1 Bed mobility: self-performance
			G0110A2 Bed mobility: support provided
			G0110B1 Transfer: self-performance
			G0110B2 Transfer: support provided
			G0110C1 Walk in room: self-performance
			G0110C2 Walk in room: support provided
			G0110D1 Walk in corridor: self-performance
			G0110D2 Walk in corridor: support provided
			G0110E1 Locomotion on unit: self-performance
			G0110E2 Locomotion on unit: support provided
			G0110F1 Locomotion off unit: self-performance

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	G0110F2      Locomotion off unit: support provided
			G0110G1      Dressing: self-performance
			G0110G2      Dressing: support provided
			G0110H1      Eating: self-performance
			G0110H2      Eating: support provided
			G0110I1      Toilet use: self-performance
			G0110I2      Toilet use: support provided
			G0110J1      Personal hygiene: self-performance
			G0110J2      Personal hygiene: support provided
			G0120A      Bathing: self-performance
			G0120B      Bathing: support provided
			G0300A      Balance: moving from seated to standing position
			G0300B      Balance: walking (with assistive device if used)
			G0300C      Balance: turning around while walking
			G0300D      Balance: moving on and off toilet
			G0300E      Balance: surface-to-surface transfer
			G0400A      ROM limitation: upper extremity
			G0400B      ROM limitation: lower extremity
			G0600A      Mobility devices: cane/crutch
			G0600B      Mobility devices: walker
			G0600C      Mobility devices: wheelchair (manual or electric)
			G0600D      Mobility devices: limb prosthesis
			G0600Z      Mobility devices: none of the above
			G0900A      Resident believes capable of increased independ
			G0900B      Staff believes res capable of increased independ
			H0100A      Appliances: indwelling catheter
			H0100B      Appliances: external catheter
			H0100C      Appliances: ostomy
			H0100D      Appliances: intermittent catheterization
			H0100Z      Appliances: none of the above
			H0200A      Urinary toileting program: has been attempted
			H0200B      Urinary toileting program: response
			H0200C      Urinary toileting program: current program/trial
			H0300      Urinary continence
			H0400      Bowel continence
			H0500      Bowel toileting program being used
			H0600      Constipation
			I0100      Cancer (with or without metastasis)
			I0200      Anemia
			I0300      Atrial fibrillation and other dysrhythmias
			I0400      Coronary artery disease (CAD)
			I0500      Deep venous thrombosis (DVT), PE, or PTE
			I0600      Heart failure
			I0700      Hypertension
			I0800      Orthostatic hypotension
			I0900      Peripheral vascular disease (PVD) or PAD
			I1100      Cirrhosis
			I1200      Gastroesophageal reflux disease (GERD) or ulcer
			I1300      Ulcerative colitis, Chrohn's, inflam bowel disease
			I1400      Benign prostatic hyperplasia (BPH)
			I1500      Renal insufficiency, renal failure, ESRD
			I1550      Neurogenic bladder
			I1650      Obstructive uropathy
			I1700      Multidrug resistant organism (MDRO)
			I2000      Pneumonia

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> I2100 Septicemia
			I2200 Tuberculosis
			I2300 Urinary tract infection (UTI) (LAST 30 DAYS)
			I2400 Viral hepatitis (includes type A, B, C, D, and E)
			I2500 Wound infection (other than foot)
			I2900 Diabetes mellitus (DM)
			I3100 Hyponatremia
			I3200 Hyperkalemia
			I3300 Hyperlipidemia (e.g., hypercholesterolemia)
			I3400 Thyroid disorder
			I3700 Arthritis
			I3800 Osteoporosis
			I3900 Hip fracture
			I4000 Other fracture
			I4200 Alzheimer's disease
			I4300 Aphasia
			I4400 Cerebral palsy
			I4500 Cerebrovascular accident (CVA), TIA, or stroke
			I4800 Non-Alzheimer's dementia
			I4900 Hemiplegia or hemiparesis
			I5000 Paraplegia
			I5100 Quadriplegia
			I5200 Multiple sclerosis
			I5250 Huntington's disease
			I5300 Parkinson's disease
			I5350 Tourette's syndrome
			I5400 Seizure disorder or epilepsy
			I5500 Traumatic brain injury (TBI)
			I5600 Malnutrition (protein, calorie), risk of malnutrit
			I5700 Anxiety disorder
			I5800 Depression (other than bipolar)
			I5900 Manic depression (bipolar disease)
			I5950 Psychotic disorder (other than schizophrenia)
			I6000 Schizophrenia
			I6100 Post-traumatic stress disorder (PTSD)
			I6200 Asthma (COPD) or chronic lung disease
			I6300 Respiratory failure
			I6500 Cataracts, glaucoma, or macular degeneration
			I7900 None of above active diseases within last 7 days
			J0100A Pain: received scheduled pain med regimen
			J0100B Pain: received PRN pain medications
			J0100C Pain: received non-medication intervention
			J0200 Should pain assessment interview be conducted
			J0300 Res pain interview: presence
			J0400 Res pain interview: frequency
			J0500A Res pain interview: made it hard to sleep
			J0500B Res pain interview: limited daily activities
			J0600B Res pain interview: verbal descriptor scale
			J0700 Should staff assessment for pain be conducted
			J0800A Staff pain asmt: non-verbal sounds
			J0800B Staff pain asmt: vocal complaints of pain
			J0800C Staff pain asmt: facial expressions
			J0800D Staff pain asmt: protective movements/postures
			J0800Z Staff pain asmt: none of these signs observed
			J0850 Staff pain asmt: frequency of pain

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		J1100A	Short breath/trouble breathing: with exertion
		J1100B	Short breath/trouble breathing: sitting at rest
		J1100C	Short breath/trouble breathing: lying flat
		J1100Z	Short breath/trouble breathing: none of above
		J1300	Current tobacco use
		J1400	Prognosis: life expectancy of less than 6 months
		J1550A	Problem conditions: fever
		J1550B	Problem conditions: vomiting
		J1550C	Problem conditions: dehydrated
		J1550D	Problem conditions: internal bleeding
		J1550Z	Problem conditions: none of the above
		J1700A	Fall history: fall during month before admission
		J1700B	Fall history: fall 2-6 months before admission
		J1700C	Fall history: fracture from fall 6 month pre admit
		J1800	Falls since admit/prior asmt: any falls
		J1900A	Falls since admit/prior asmt: no injury
		J1900B	Falls since admit/prior asmt: injury (not major)
		J1900C	Falls since admit/prior asmt: major injury
		K0100A	Swallow disorder: loss liquids/solids from mouth
		K0100B	Swallow disorder: holds food in mouth/cheeks
		K0100C	Swallow disorder: cough/choke with meals/meds
		K0100D	Swallow disorder: difficulty or pain swallowing
		K0100Z	Swallow disorder: none of the above
		K0300	Weight loss
		K0310	Weight Gain
		K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
		K0510A2	Nutrition approach: Res: parenteral /IV feeding
		K0510B1	Nutrition approach: Not Res: feeding tube
		K0510B2	Nutrition approach: Res: feeding tube
		K0510C1	Nutrition approach: Not Res: mechanic altered diet
		K0510C2	Nutrition approach: Res: mechanic altered diet
		K0510D1	Nutrition approach: Not Res: therapeutic diet
		K0510D2	Nutrition approach: Res: therapeutic diet
		K0510Z1	Nutrition approach: Not Res: none of the above
		K0510Z2	Nutrition approach: Res: none of the above
		K0710A1	Prop calories parenteral/tube feed: not resident
		K0710A2	Prop calories parenteral/tube feed: while resident
		K0710A3	Prop calories parenteral/tube feed: 7 days
		K0710B1	Avg fluid intake per day IV/tube: not resident
		K0710B2	Avg fluid intake per day IV/ tube: while resident
		K0710B3	Avg fluid intake per day IV/tube: 7 days
		L0200A	Dental: broken or loosely fitting denture
		L0200B	Dental: no natural teeth or tooth fragment(s)
		L0200C	Dental: abnormal mouth tissue
		L0200D	Dental: cavity or broken natural teeth
		L0200E	Dental: inflamed/bleeding gums or loose teeth
		L0200F	Dental: pain, discomfort, difficulty chewing
		L0200G	Dental: unable to examine
		L0200Z	Dental: none of the above
		M0100A	Risk determination: has ulcer, scar, or dressing
		M0100B	Risk determination: formal assessment
		M0100C	Risk determination: clinical assessment
		M0100Z	Risk determination: none of the above
		M0150	Is resident at risk of developing pressure ulcer
		M0210	Resident has Stage 1 or higher pressure ulcers

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		M0700	Tissue type for ulcer at most advanced stage
		M0900A	Pressure ulcers on prior assessment
		M1040A	Other skin probs: infection of the foot
		M1040B	Other skin probs: diabetic foot ulcer(s)
		M1040C	Other skin probs: other open lesion(s) on the foot
		M1040D	Other skin probs: lesions not ulcers, rashes, cuts
		M1040E	Other skin probs: surgical wound(s)
		M1040F	Other skin probs: burns (second or third degree)
		M1040G	Skin Tear(s)
		M1040H	Moisture Associated Skin Damage (MASD)
		M1040Z	Other skin probs: none of the above
		M1200A	Skin/ulcer treat: pressure reduce device for chair
		M1200B	Skin/ulcer treat: pressure reducing device for bed
		M1200C	Skin/ulcer treat: turning/repositioning
		M1200D	Skin/ulcer treat: nutrition/hydration
		M1200E	Skin/ulcer treat: pressure ulcer care
		M1200F	Skin/ulcer treat: surgical wound care
		M1200G	Skin/ulcer treat: application of dressings
		M1200H	Skin/ulcer treat: apply ointments/medications
		M1200I	Skin/ulcer treat: apply dressings to feet
		M1200Z	Skin/ulcer treat: none of the above
		O0100A1	Treatment: chemotherapy - while not resident
		O0100A2	Treatment: chemotherapy - while resident
		O0100B1	Treatment: radiation - while not resident
		O0100B2	Treatment: radiation - while resident
		O0100C1	Treatment: oxygen therapy - while not resident
		O0100C2	Treatment: oxygen therapy - while resident
		O0100D1	Treatment: suctioning - while not resident
		O0100D2	Treatment: suctioning - while resident
		O0100E1	Treatment: tracheostomy care - while not resident
		O0100E2	Treatment: tracheostomy care - while resident
		O0100F1	Treatment: vent/respirator - while not resident
		O0100F2	Treatment: vent/respirator - while resident
		O0100G1	Treatment: BiPAP/CPAP - while not resident
		O0100G2	Treatment: BIPAP/CPAP - while resident
		O0100H1	Treatment: IV medications - while not resident
		O0100H2	Treatment: IV medications - while resident
		O0100I1	Treatment: transfusions - while not resident
		O0100I2	Treatment: transfusions - while resident
		O0100J1	Treatment: dialysis - while not resident
		O0100J2	Treatment: dialysis - while resident
		O0100K1	Treatment: hospice care - while not resident
		O0100K2	Treatment: hospice care - while resident
		O0100L2	Treatment: respite care - while resident
		O0100M1	Treatment: isolate/quarantine - while not resident
		O0100M2	Treatment: isolate/quarantine - while resident
		O0100Z1	Treatment: none of above - while not resident
		O0100Z2	Treatment: none of above - while resident
		O0250A	Was influenza vaccine received
		O0250C	If influenza vaccine not received, state reason
		O0300A	Is pneumococcal vaccination up to date
		O0300B	If pneumococcal vacc not received, state reason
		O0450A	Has therapy resumed
		P0100A	Restraints used in bed: bed rail
		P0100B	Restraints used in bed: trunk restraint

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		<b>Items:</b>	P0100C Restraints used in bed: limb restraint
			P0100D Restraints used in bed: other
			P0100E Restraints in chair/out of bed: trunk restraint
			P0100F Restraints in chair/out of bed: limb restraint
			P0100G Restraints in chair/out of bed: chair stops rising
			P0100H Restraints in chair/out of bed: other
			Q0100A Resident participated in assessment
			Q0100B Family/signif other participated in assessment
			Q0100C Guardian/legal rep participated in assessment
			Q0300A Resident's overall goal
			Q0300B Information source for resident's goal
			Q0400A Active discharge planning for return to community
			Q0490 Resident's preference to avoid being asked
			Q0500B Do you want to talk about returning to community
			Q0550A Reasking resident preference
			Q0550B Reasking resident preference source
			Q0600 Referral been made to Local Contact Agency
			V0100A Prior OBRA reason for assessment
			V0100B Prior PPS reason for assessment
			V0200A01A CAA-Delirium: triggered
			V0200A01B CAA-Delirium: plan
			V0200A02A CAA-Cognitive loss/dementia: triggered
			V0200A02B CAA-Cognitive loss/dementia: plan
			V0200A03A CAA-Visual function: triggered
			V0200A03B CAA-Visual function: plan
			V0200A04A CAA-Communication: triggered
			V0200A04B CAA-Communication: plan
			V0200A05A CAA-ADL functional/rehab potential: triggered
			V0200A05B CAA-ADL functional/rehab potential: plan
			V0200A06A CAA-Urinary incont/indwell catheter: triggered
			V0200A06B CAA-Urinary incont/indwell catheter: plan
			V0200A07A CAA-Psychosocial well-being: triggered
			V0200A07B CAA-Psychosocial well-being: plan
			V0200A08A CAA-Mood state: triggered
			V0200A08B CAA-Mood state: plan
			V0200A09A CAA-Behavioral symptoms: triggered
			V0200A09B CAA-Behavioral symptoms: plan
			V0200A10A CAA-Activities: triggered
			V0200A10B CAA-Activities: plan
			V0200A11A CAA-Falls: triggered
			V0200A11B CAA-Falls: plan
			V0200A12A CAA-Nutritional status: triggered
			V0200A12B CAA-Nutritional status: plan
			V0200A13A CAA-Feeding tubes: triggered
			V0200A13B CAA-Feeding tubes: plan
			V0200A14A CAA-Dehydration/fluid maintenance: triggered
			V0200A14B CAA-Dehydration/fluid maintenance: plan
			V0200A15A CAA-Dental care: triggered
			V0200A15B CAA-Dental care: plan
			V0200A16A CAA-Pressure ulcer: triggered
			V0200A16B CAA-Pressure ulcer: plan
			V0200A17A CAA-Psychotropic drug use: triggered
			V0200A17B CAA-Psychotropic drug use: plan
			V0200A18A CAA-Physical restraints: triggered
			V0200A18B CAA-Physical restraints: plan

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> V0200A19A CAA-Pain: triggered V0200A19B CAA-Pain: plan V0200A20A CAA-Return to community referral: triggered V0200A20B CAA-Return to community referral: plan X0150 Correction: type of provider X0300 Correction: resident gender X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error X1050A Correction: inact reasons - event did not occur X1050Z Correction: inact reasons - other reason Z0100C Medicare Part A: Medicare short stay asmt
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> <b>Items:</b> A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2200 Previous asmt reference date for signif correction A2300 Assessment reference date A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay M0300B3 Stage 2 pressure ulcers: date of oldest O0250B Date influenza vaccine received. O0400A5 Speech-language/audiology: start date O0400A6 Speech-language/audiology: end date O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date O0450B Therapy resumption date V0100C Prior assessment reference date V0200B2 CAA-Assessment process signature date V0200C2 CAA-Care planning signature date X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-3678	Format	Fatal	<p>Formatting of Birthdate:</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p>
			<p><b>Items:</b> A0900 Birthdate  X0400 Correction: resident birth date</p>
-3679	Format	Fatal	<p>Values of Numeric Items:  Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> <p><b>Items:</b> C0500 BIMS res interview: summary score  D0300 PHQ res: total mood severity score  D0600 PHQ staff: total mood score  J0600A Res pain interview: intensity rating scale  K0200A Height (in inches)  K0200B Weight (in pounds)  M0300A Stage 1 pressure ulcers: number present  M0300B1 Stage 2 pressure ulcers: number present  M0300B2 Stage 2 pressure ulcers: number at admit/reentry  M0300C1 Stage 3 pressure ulcers: number present  M0300C2 Stage 3 pressure ulcers: number at admit/reentry  M0300D1 Stage 4 pressure ulcers: number present  M0300D2 Stage 4 pressure ulcers: number at admit/reentry  M0300E1 Unstaged due to dressing: number present  M0300E2 Unstaged due to dressing: number at admit/reentry  M0300F1 Unstaged slough/eschar: number present  M0300F2 Unstaged slough/eschar: number at admit/reentry  M0300G1 Unstageable - deep tissue: number present  M0300G2 Unstageable - deep tissue: number at admit/reentry  M0610A Stage 3 or 4 pressure ulcer longest length  M0610B Stage 3 or 4 pressure ulcer width (same ulcer)  M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)  M0800A Worsened since prior asmt: Stage 2 pressure ulcers  M0800B Worsened since prior asmt: Stage 3 pressure ulcers  M0800C Worsened since prior asmt: Stage 4 pressure ulcers  M0900B Healed pressure ulcers: Stage 2  M0900C Healed pressure ulcers: Stage 3  M0900D Healed pressure ulcers: Stage 4  M1030 Number of venous and arterial ulcers  N0300 Number of days injectable medications received  N0350A Insulin: insulin injections  N0350B Insulin: orders for insulin  N0410A Medication received: Days: antipsychotic</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> N0410B Medication received: Days: antianxiety N0410C Medication received: Days: antidepressant N0410D Medication received: Days: hypnotic N0410E Medication received: Days: anticoagulant N0410F Medication received: Days: antibiotic N0410G Medication received: Days: diuretic O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A3A Speech-language/audiology: co-treatment minutes O0400A4 Speech-language/audiology: number of days O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B3A Occupational therapy: co-treatment minutes O0400B4 Occupational therapy: number of days O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C3A Physical therapy: co-treatment minutes O0400C4 Physical therapy: number of days O0400D1 Respiratory therapy: number of minutes O0400D2 Respiratory therapy: number of days O0400E1 Psychological therapy: number of minutes O0400E2 Psychological therapy: number of days O0400F1 Recreational therapy: number of minutes O0400F2 Recreational therapy: number of days O0420 Distinct calendar days of therapy O0500A Range of motion (passive): number of days O0500B Range of motion (active): number of days O0500C Splint or brace assistance: number of days O0500D Bed mobility training: number of days O0500E Transfer training: number of days O0500F Walking training: number of days O0500G Dressing and/or grooming training: number of days O0500H Eating and/or swallowing training: number of days O0500I Amputation/prosthesis training: number of days O0500J Communication training: number of days O0600 Physician examinations: number of days O0700 Physician orders: number of days V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score X0800 Correction: correction number
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].  <b>Items:</b> C0500 BIMS res interview: summary score D0300 PHQ res: total mood severity score

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	D0600 PHQ staff: total mood score
			J0600A Res pain interview: intensity rating scale
			K0200A Height (in inches)
			K0200B Weight (in pounds)
			M0300A Stage 1 pressure ulcers: number present
			M0300B1 Stage 2 pressure ulcers: number present
			M0300B2 Stage 2 pressure ulcers: number at admit/reentry
			M0300C1 Stage 3 pressure ulcers: number present
			M0300C2 Stage 3 pressure ulcers: number at admit/reentry
			M0300D1 Stage 4 pressure ulcers: number present
			M0300D2 Stage 4 pressure ulcers: number at admit/reentry
			M0300E1 Unstaged due to dressing: number present
			M0300E2 Unstaged due to dressing: number at admit/reentry
			M0300F1 Unstaged slough/eschar: number present
			M0300F2 Unstaged slough/eschar: number at admit/reentry
			M0300G1 Unstageable - deep tissue: number present
			M0300G2 Unstageable - deep tissue: number at admit/reentry
			M0800A Worsened since prior asmt: Stage 2 pressure ulcers
			M0800B Worsened since prior asmt: Stage 3 pressure ulcers
			M0800C Worsened since prior asmt: Stage 4 pressure ulcers
			M0900B Healed pressure ulcers: Stage 2
			M0900C Healed pressure ulcers: Stage 3
			M0900D Healed pressure ulcers: Stage 4
			M1030 Number of venous and arterial ulcers
			N0300 Number of days injectable medications received
			N0350A Insulin: insulin injections
			N0350B Insulin: orders for insulin
			N0410A Medication received: Days: antipsychotic
			N0410B Medication received: Days: antianxiety
			N0410C Medication received: Days: antidepressant
			N0410D Medication received: Days: hypnotic
			N0410E Medication received: Days: anticoagulant
			N0410F Medication received: Days: antibiotic
			N0410G Medication received: Days: diuretic
			O0400A1 Speech-language/audiology: individ minutes
			O0400A2 Speech-language/audiology: concur minutes
			O0400A3 Speech-language/audiology: group minutes
			O0400A3A Speech-language/audiology: co-treatment minutes
			O0400A4 Speech-language/audiology: number of days
			O0400B1 Occupational therapy: individ minutes
			O0400B2 Occupational therapy: concur minutes
			O0400B3 Occupational therapy: group minutes
			O0400B3A Occupational therapy: co-treatment minutes
			O0400B4 Occupational therapy: number of days
			O0400C1 Physical therapy: individ minutes
			O0400C2 Physical therapy: concur minutes
			O0400C3 Physical therapy: group minutes
			O0400C3A Physical therapy: co-treatment minutes
			O0400C4 Physical therapy: number of days
			O0400D1 Respiratory therapy: number of minutes
			O0400D2 Respiratory therapy: number of days
			O0400E1 Psychological therapy: number of minutes
			O0400E2 Psychological therapy: number of days
			O0400F1 Recreational therapy: number of minutes
			O0400F2 Recreational therapy: number of days

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0420 Distinct calendar days of therapy O0500A Range of motion (passive): number of days O0500B Range of motion (active): number of days O0500C Splint or brace assistance: number of days O0500D Bed mobility training: number of days O0500E Transfer training: number of days O0500F Walking training: number of days O0500G Dressing and/or grooming training: number of days O0500H Eating and/or swallowing training: number of days O0500I Amputation/prosthesis training: number of days O0500J Communication training: number of days O0600 Physician examinations: number of days O0700 Physician orders: number of days V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score X0800 Correction: correction number
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:  Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p>
-3686	Consistency	Fatal	<p><b>Items:</b> M0610A Stage 3 or 4 pressure ulcer longest length  M0610B Stage 3 or 4 pressure ulcer width (same ulcer)  M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)</p> <p>a) If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>b) If the SFTWR_VNDR_ID is equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <p><b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID  SFTWR_VNDR_NA Software vendor company name  ME  SFTWR_VNDR_EM Software vendor email address  AIL_ADR</p>
-3687	Format	Fatal	<p>Formatting of Numeric Text Items:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].</p> <p><b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID  A0100A Facility National Provider Identifier (NPI)</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3688	Format	Fatal	<p><b>Items:</b> A0600A Social Security Number  X0500 Correction: resident social security number</p> <p>Formatting of Alphanumeric Text Items:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].</p> <p><b>Items:</b> A0100B Facility CMS Certification Number (CCN)  A0100C State provider number  A0600B Resident Medicare/railroad insurance number  A0700 Resident Medicaid number</p>
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].  c) The character [-].  d) The following special characters:  [ @ ] (at sign)  [ ' ] (single quote)  [ / ] (forward slash)  [ + ] (plus sign)  [ , ] (comma)  [ . ] (period)  [ _ ] (underscore)  e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p><b>Items:</b> SFTWR_PROD_VRS Software product version code  N_CD  FAC_DOC_ID Facility document ID  A0500A Resident first name  A0500C Resident last name  A0500D Resident name suffix  A1100B Preferred language  A1300A Medical record number  A1300B Room number  A1300C Name by which resident prefers to be addressed  A1300D Lifetime occupation(s)  X0200A Correction: resident first name  X0200C Correction: resident last name  X1100A Correction: attestor first name  X1100B Correction: attestor last name</p>
-3691	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].  c) The following special characters:</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			[@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)
-3692	Format	Fatal	<p><b>Items:</b> A0500B Resident middle initial</p> <p>Formatting of email address. Any valid email address will be accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p> <p><b>Items:</b> SFTWR_VNDR_EM Software vendor email address  AIL_ADR</p>
-3693	Format	Fatal	<p>FAC_ID is the facility/provider ID.</p> <p>a) This must be the FAC_ID assigned to the provider. The state agency assigns the FAC_ID to nursing homes. The QIES system (QTSO help desk) assigns the FAC_ID to swing bed units. The submitted value must match the FAC_ID in the QIES Assessment Processing System for the facility or provider.</p> <p>b) A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <p><b>Items:</b> FAC_ID Assigned facility/provider submission ID</p>
-3695	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued.</p> <p><b>Items:</b> A0100B Facility CMS Certification Number (CCN)</p>
-3696	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400A4*15.  b) If O0400A4&gt;[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).  c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400A1 Speech-language/audiology: individ minutes  O0400A2 Speech-language/audiology: concur minutes  O0400A3 Speech-language/audiology: group minutes  O0400A4 Speech-language/audiology: number of days</p>
-3697	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3698	Consistency	Fatal	<p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400B4*15.</p> <p>b) If O0400B4&gt;[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400B1 Occupational therapy: individ minutes  O0400B2 Occupational therapy: concur minutes  O0400B3 Occupational therapy: group minutes  O0400B4 Occupational therapy: number of days</p>
-3699	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400C4*15.</p> <p>b) If O0400C4&gt;[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400C1 Physical therapy: individ minutes  O0400C2 Physical therapy: concur minutes  O0400C3 Physical therapy: group minutes  O0400C4 Physical therapy: number of days</p>
-3700	Consistency	Fatal	<p>If O0400D1 is not equal to [0000,-] and if O0400D2 is not equal to [-], then the following rules apply:</p> <p>a) O0400D1 must be greater than or equal to O0400D2*15.</p> <p>b) If O0400D2&gt;[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400D1 Respiratory therapy: number of minutes  O0400D2 Respiratory therapy: number of days</p>
-3701	Consistency	Fatal	<p>If O0400E1 is not equal to [0000,-] and if O0400E2 is not equal to [-], then the following rules apply:</p> <p>a) O0400E1 must be greater than or equal to O0400E2*15.</p> <p>b) If O0400E2&gt;[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400E1 Psychological therapy: number of minutes  O0400E2 Psychological therapy: number of days</p>
			<p>If O0400F1 is not equal to [0000,-] and if O0400F2 is not equal to [-], then the following rules apply:</p> <p>a) O0400F1 must be greater than or equal to O0400F2*15.</p> <p>b) If O0400F2&gt;[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400F1 Recreational therapy: number of minutes  O0400F2 Recreational therapy: number of days</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3702	Format	Fatal	This is a required text item. A valid non-blank value must be submitted.  <b>Items:</b> FAC_ID                      Assigned facility/provider submission ID A0500C                                  Resident last name
-3703	Skip pattern	Fatal	a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^]. b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].  <b>Items:</b> D0100                      PHQ: should resident mood interview be conducted D0200A1                              PHQ res: little interest or pleasure - presence D0200A2                              PHQ res: little interest or pleasure - frequency D0200B1                              PHQ res: feeling down, depressed - presence D0200B2                              PHQ res: feeling down, depressed - frequency D0200C1                              PHQ res: trouble with sleep - presence D0200C2                              PHQ res: trouble with sleep - frequency D0200D1                              PHQ res: feeling tired/little energy - presence D0200D2                              PHQ res: feeling tired/little energy - frequency D0200E1                              PHQ res: poor appetite or overeating - presence D0200E2                              PHQ res: poor appetite or overeating - frequency D0200F1                              PHQ res: feeling bad about self - presence D0200F2                              PHQ res: feeling bad about self - frequency D0200G1                              PHQ res: trouble concentrating - presence D0200G2                              PHQ res: trouble concentrating - frequency D0200H1                              PHQ res: slow, fidgety, restless - presence D0200H2                              PHQ res: slow, fidgety, restless - frequency D0200I1                              PHQ res: thoughts better off dead - presence D0200I2                              PHQ res: thoughts better off dead - frequency D0300                                  PHQ res: total mood severity score
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^]. b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].  <b>Items:</b> D0300                      PHQ res: total mood severity score D0500A1                              PHQ staff: little interest or pleasure - presence D0500A2                              PHQ staff: little interest or pleasure - frequency D0500B1                              PHQ staff: feeling down, depressed - presence D0500B2                              PHQ staff: feeling down, depressed - frequency D0500C1                              PHQ staff: trouble with sleep - presence D0500C2                              PHQ staff: trouble with sleep - frequency D0500D1                              PHQ staff: feeling tired/little energy - presence D0500D2                              PHQ staff: feeling tired/little energy - frequency D0500E1                              PHQ staff: poor appetite or overeating - presence D0500E2                              PHQ staff: poor appetite or overeating - frequency D0500F1                              PHQ staff: feeling bad about self - presence D0500F2                              PHQ staff: feeling bad about self - frequency D0500G1                              PHQ staff: trouble concentrating - presence D0500G2                              PHQ staff: trouble concentrating - frequency D0500H1                              PHQ staff: slow, fidgety, restless - presence D0500H2                              PHQ staff: slow, fidgety, restless - frequency D0500I1                              PHQ staff: thoughts better off dead - presence D0500I2                              PHQ staff: thoughts better off dead - frequency D0500J1                              PHQ staff: short-tempered - presence D0500J2                              PHQ staff: short-tempered - frequency D0600                                  PHQ staff: total mood score
-3705	Skip pattern	Fatal	a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-].  <b>Items:</b> M0210                      Resident has Stage 1 or higher pressure ulcers M0700                                  Tissue type for ulcer at most advanced stage

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3706	Consistency	Fatal	The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected.  <b>Items:</b> A0200                      Type of provider
-3707	Consistency	Fatal	a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1].  <b>Items:</b> A0200                      Type of provider A0410                      Submission requirement
-3708	Consistency	Fatal	a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to ^). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-].  <b>Items:</b> D0200A1                      PHQ res: little interest or pleasure - presence D0200A2                      PHQ res: little interest or pleasure - frequency
-3709	Consistency	Fatal	a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to ^). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-].  <b>Items:</b> D0200B1                      PHQ res: feeling down, depressed - presence D0200B2                      PHQ res: feeling down, depressed - frequency
-3710	Consistency	Fatal	a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to ^). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-].  <b>Items:</b> D0200C1                      PHQ res: trouble with sleep - presence D0200C2                      PHQ res: trouble with sleep - frequency
-3711	Consistency	Fatal	a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -]. b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-]. c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to ^). d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].  <b>Items:</b> D0200D1                      PHQ res: feeling tired/little energy - presence D0200D2                      PHQ res: feeling tired/little energy - frequency
-3712	Consistency	Fatal	a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -]. b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-]. c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to ^). d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].  <b>Items:</b> D0200E1                      PHQ res: poor appetite or overeating - presence D0200E2                      PHQ res: poor appetite or overeating - frequency
-3713	Consistency	Fatal	a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -]. b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-]. c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to ^). d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].  <b>Items:</b> D0200F1                      PHQ res: feeling bad about self - presence D0200F2                      PHQ res: feeling bad about self - frequency

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3714	Consistency	Fatal	<p>a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -].</p> <p>b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]).</p> <p>d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].</p> <p><b>Items:</b> D0200G1 PHQ res: trouble concentrating - presence  D0200G2 PHQ res: trouble concentrating - frequency</p>
-3715	Consistency	Fatal	<p>a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -].</p> <p>b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]).</p> <p>d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].</p> <p><b>Items:</b> D0200H1 PHQ res: slow, fidgety, restless - presence  D0200H2 PHQ res: slow, fidgety, restless - frequency</p>
-3716	Consistency	Fatal	<p>a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -].</p> <p>b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]).</p> <p>d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].</p> <p><b>Items:</b> D0200I1 PHQ res: thoughts better off dead - presence  D0200I2 PHQ res: thoughts better off dead - frequency</p>
-3717	Consistency	Fatal	<p>a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -].</p> <p>b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].</p> <p><b>Items:</b> D0500A1 PHQ staff: little interest or pleasure - presence  D0500A2 PHQ staff: little interest or pleasure - frequency</p>
-3718	Consistency	Fatal	<p>a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -].</p> <p>b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].</p> <p><b>Items:</b> D0500B1 PHQ staff: feeling down, depressed - presence  D0500B2 PHQ staff: feeling down, depressed - frequency</p>
-3719	Consistency	Fatal	<p>a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -].</p> <p>b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].</p> <p><b>Items:</b> D0500C1 PHQ staff: trouble with sleep - presence  D0500C2 PHQ staff: trouble with sleep - frequency</p>
-3720	Consistency	Fatal	<p>a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -].</p> <p>b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].</p> <p><b>Items:</b> D0500D1 PHQ staff: feeling tired/little energy - presence  D0500D2 PHQ staff: feeling tired/little energy - frequency</p>
-3721	Consistency	Fatal	<p>a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -].</p> <p>b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].</p> <p><b>Items:</b> D0500E1 PHQ staff: poor appetite or overeating - presence  D0500E2 PHQ staff: poor appetite or overeating - frequency</p>
-3722	Consistency	Fatal	<p>a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -].</p> <p>b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].</p> <p><b>Items:</b> D0500F1 PHQ staff: feeling bad about self - presence  D0500F2 PHQ staff: feeling bad about self - frequency</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3723	Consistency	Fatal	<p>a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -].</p> <p>b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].</p> <p><b>Items:</b> D0500G1 PHQ staff: trouble concentrating - presence  D0500G2 PHQ staff: trouble concentrating - frequency</p>
-3724	Consistency	Fatal	<p>a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -].</p> <p>b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].</p> <p><b>Items:</b> D0500H1 PHQ staff: slow, fidgety, restless - presence  D0500H2 PHQ staff: slow, fidgety, restless - frequency</p>
-3725	Consistency	Fatal	<p>a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -].</p> <p>b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].</p> <p><b>Items:</b> D0500I1 PHQ staff: thoughts better off dead - presence  D0500I2 PHQ staff: thoughts better off dead - frequency</p>
-3726	Consistency	Fatal	<p>a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -].</p> <p>b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].</p> <p><b>Items:</b> D0500J1 PHQ staff: short-tempered - presence  D0500J2 PHQ staff: short-tempered - frequency</p>
-3729	Consistency	Fatal	<p>a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [1].</p> <p>b) If O0100Z1=[1], then all active items from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [0].</p> <p>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-] and all remaining active items must equal [0,-].</p> <p><b>Items:</b> O0100A1 Treatment: chemotherapy - while not resident  O0100B1 Treatment: radiation - while not resident  O0100C1 Treatment: oxygen therapy - while not resident  O0100D1 Treatment: suctioning - while not resident  O0100E1 Treatment: tracheostomy care - while not resident  O0100F1 Treatment: vent/respirator - while not resident  O0100G1 Treatment: BiPAP/CPAP - while not resident  O0100H1 Treatment: IV medications - while not resident  O0100I1 Treatment: transfusions - while not resident  O0100J1 Treatment: dialysis - while not resident  O0100K1 Treatment: hospice care - while not resident  O0100M1 Treatment: isolate/quarantine - while not resident  O100Z1 Treatment: none of above - while not resident</p>
-3730	Consistency	Fatal	<p>a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].</p> <p>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].</p> <p>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] and all remaining active items must equal [0,-].</p> <p><b>Items:</b> O0100A2 Treatment: chemotherapy - while resident  O0100B2 Treatment: radiation - while resident  O0100C2 Treatment: oxygen therapy - while resident  O0100D2 Treatment: suctioning - while resident  O0100E2 Treatment: tracheostomy care - while resident  O0100F2 Treatment: vent/respirator - while resident  O0100G2 Treatment: BIPAP/CPAP - while resident</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0100H2 Treatment: IV medications - while resident O0100I2 Treatment: transfusions - while resident O0100J2 Treatment: dialysis - while resident O0100K2 Treatment: hospice care - while resident O0100L2 Treatment: respite care - while resident O0100M2 Treatment: isolate/quarantine - while resident O0100Z2 Treatment: none of above - while resident
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].  <b>Items:</b> N0300 Number of days injectable medications received N0350A Insulin: insulin injections N0350B Insulin: orders for insulin
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].  <b>Items:</b> O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason
-3744	Consistency	Fatal	If A0310E=[1], then all active items from V0100A through V0100F must equal [^].  <b>Items:</b> A0310E First assessment since most recent entry V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting) l) X0700A (assessment reference date) m) X0700B (discharge date) n) X0700C (entry date)  If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.  <b>Items:</b> X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date
-3746	Consistency	Fatal	<p>If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].</p> <b>Items:</b> A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment 0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date X0800 Correction: correction number X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason X1100A Correction: attestor first name X1100B Correction: attestor last name X1100E Correction: attestation date
-3748	Consistency	Fatal	<p>If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].</p> <b>Items:</b> A0050 Type of transaction (formerly X0100) X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason
-3749	Consistency	Warning	<p><b>Date Span Requirements</b></p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) &lt;= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) &lt;= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) &lt;= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) &lt;= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) &lt;= 13 days.</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> A0310A            Type of assessment: OBRA A1600                    Entry date (date of admission/reentry in facility) A2300                    Assessment reference date V0200B2                CAA-Assessment process signature date V0200C2                CAA-Care planning signature date Z0500B                Date RN signed assessment as complete
-3751	Consistency	Warning	A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").  <b>Items:</b> J0300            Res pain interview: presence J0600A                Res pain interview: intensity rating scale
-3752	Consistency	Fatal	The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).  <b>Items:</b> V0200A01A        CAA-Delirium: triggered V0200A02A        CAA-Cognitive loss/dementia: triggered V0200A03A        CAA-Visual function: triggered V0200A04A        CAA-Communication: triggered V0200A05A        CAA-ADL functional/rehab potential: triggered V0200A06A        CAA-Urinary incont/indwell catheter: triggered V0200A07A        CAA-Psychosocial well-being: triggered V0200A08A        CAA-Mood state: triggered V0200A09A        CAA-Behavioral symptoms: triggered V0200A10A        CAA-Activities: triggered V0200A11A        CAA-Falls: triggered V0200A12A        CAA-Nutritional status: triggered V0200A13A        CAA-Feeding tubes: triggered V0200A14A        CAA-Dehydration/fluid maintenance: triggered V0200A15A        CAA-Dental care: triggered V0200A16A        CAA-Pressure ulcer: triggered V0200A17A        CAA-Psychotropic drug use: triggered V0200A18A        CAA-Physical restraints: triggered V0200A19A        CAA-Pain: triggered V0200A20A        CAA-Return to community referral: triggered
-3753	Consistency	Fatal	If N0300 is equal to [1-7], then one of the following must be true: a) N0350A must be equal to [-], OR b) N0350A must be equal to [0-7] and must be less than or equal to N0300.  <b>Items:</b> N0300            Number of days injectable medications received N0350A                Insulin: insulin injections
-3761	Consistency	Fatal	If any item A1000A through A1000F is equal to [-], then all items from A1000A through A1000F must equal [-].  <b>Items:</b> A1000A            Ethnicity: American Indian or Alaska Native A1000B                Ethnicity: Asian A1000C                Ethnicity: Black or African American A1000D                Ethnicity: Hispanic or Latino A1000E                Ethnicity: Native Hawaiian/Pacific Islander A1000F                Ethnicity: White

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>																																								
-3762	Consistency	Warning	<p>***NOTE: THIS EDIT HAS BEEN SUSPENDED AND WILL NOT BE APPLIED TO SUBMITTED RECORDS UNTIL FURTHER NOTICE.</p> <p>If O0250B is active and contains a valid date (is not equal to [-,^]), then it should contain a date that is in the appropriate date range, as defined below. Determination of the appropriate date range depends upon the target date for the assessment. The target date is defined as follows:</p> <ul style="list-style-type: none"> <li>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).</li> <li>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).</li> <li>c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</li> </ul> <p>Given the target date, the following rules apply:</p> <ul style="list-style-type: none"> <li>a) If the target date falls within an ongoing influenza season, then the value of O0250B should be greater than or equal to the starting date of the current influenza season and less than or equal to the target date.</li> <li>b) If the target date falls outside of an ongoing influenza season, then the edit described above in (a) will be suspended and no warning will be issued based upon the value of O0250B.</li> </ul> <p>Note that the dates that define the "current influenza season" will be defined each year by CMS and will be published in updates to the MDS user's manual. Note also that violation of the consistency rule described in this edit will result in a warning.</p> <p><b>Items:</b></p> <table border="0"> <tr> <td>A0310F</td> <td>Entry/discharge reporting</td> </tr> <tr> <td>A1600</td> <td>Entry date (date of admission/reentry in facility)</td> </tr> <tr> <td>A2000</td> <td>Discharge date</td> </tr> <tr> <td>A2300</td> <td>Assessment reference date</td> </tr> <tr> <td>O0250B</td> <td>Date influenza vaccine received.</td> </tr> </table>	A0310F	Entry/discharge reporting	A1600	Entry date (date of admission/reentry in facility)	A2000	Discharge date	A2300	Assessment reference date	O0250B	Date influenza vaccine received.																														
A0310F	Entry/discharge reporting																																										
A1600	Entry date (date of admission/reentry in facility)																																										
A2000	Discharge date																																										
A2300	Assessment reference date																																										
O0250B	Date influenza vaccine received.																																										
-3764	Consistency	Fatal	<p>The following rules apply to each pair of items in Column 1 and Column 2, from G0110A1 through G0110J2:</p> <ul style="list-style-type: none"> <li>a) If either item in the pair is equal to [8], then both items in the pair must equal [8].</li> <li>b) If an item in Column 1 is equal to [2,3,4], then the corresponding item in Column 2 must equal [2,3].</li> </ul> <p><b>Items:</b></p> <table border="0"> <tr> <td>G0110A1</td> <td>Bed mobility: self-performance</td> </tr> <tr> <td>G0110A2</td> <td>Bed mobility: support provided</td> </tr> <tr> <td>G0110B1</td> <td>Transfer: self-performance</td> </tr> <tr> <td>G0110B2</td> <td>Transfer: support provided</td> </tr> <tr> <td>G0110C1</td> <td>Walk in room: self-performance</td> </tr> <tr> <td>G0110C2</td> <td>Walk in room: support provided</td> </tr> <tr> <td>G0110D1</td> <td>Walk in corridor: self-performance</td> </tr> <tr> <td>G0110D2</td> <td>Walk in corridor: support provided</td> </tr> <tr> <td>G0110E1</td> <td>Locomotion on unit: self-performance</td> </tr> <tr> <td>G0110E2</td> <td>Locomotion on unit: support provided</td> </tr> <tr> <td>G0110F1</td> <td>Locomotion off unit: self-performance</td> </tr> <tr> <td>G0110F2</td> <td>Locomotion off unit: support provided</td> </tr> <tr> <td>G0110G1</td> <td>Dressing: self-performance</td> </tr> <tr> <td>G0110G2</td> <td>Dressing: support provided</td> </tr> <tr> <td>G0110H1</td> <td>Eating: self-performance</td> </tr> <tr> <td>G0110H2</td> <td>Eating: support provided</td> </tr> <tr> <td>G0110I1</td> <td>Toilet use: self-performance</td> </tr> <tr> <td>G0110I2</td> <td>Toilet use: support provided</td> </tr> <tr> <td>G0110J1</td> <td>Personal hygiene: self-performance</td> </tr> <tr> <td>G0110J2</td> <td>Personal hygiene: support provided</td> </tr> </table>	G0110A1	Bed mobility: self-performance	G0110A2	Bed mobility: support provided	G0110B1	Transfer: self-performance	G0110B2	Transfer: support provided	G0110C1	Walk in room: self-performance	G0110C2	Walk in room: support provided	G0110D1	Walk in corridor: self-performance	G0110D2	Walk in corridor: support provided	G0110E1	Locomotion on unit: self-performance	G0110E2	Locomotion on unit: support provided	G0110F1	Locomotion off unit: self-performance	G0110F2	Locomotion off unit: support provided	G0110G1	Dressing: self-performance	G0110G2	Dressing: support provided	G0110H1	Eating: self-performance	G0110H2	Eating: support provided	G0110I1	Toilet use: self-performance	G0110I2	Toilet use: support provided	G0110J1	Personal hygiene: self-performance	G0110J2	Personal hygiene: support provided
G0110A1	Bed mobility: self-performance																																										
G0110A2	Bed mobility: support provided																																										
G0110B1	Transfer: self-performance																																										
G0110B2	Transfer: support provided																																										
G0110C1	Walk in room: self-performance																																										
G0110C2	Walk in room: support provided																																										
G0110D1	Walk in corridor: self-performance																																										
G0110D2	Walk in corridor: support provided																																										
G0110E1	Locomotion on unit: self-performance																																										
G0110E2	Locomotion on unit: support provided																																										
G0110F1	Locomotion off unit: self-performance																																										
G0110F2	Locomotion off unit: support provided																																										
G0110G1	Dressing: self-performance																																										
G0110G2	Dressing: support provided																																										
G0110H1	Eating: self-performance																																										
G0110H2	Eating: support provided																																										
G0110I1	Toilet use: self-performance																																										
G0110I2	Toilet use: support provided																																										
G0110J1	Personal hygiene: self-performance																																										
G0110J2	Personal hygiene: support provided																																										
-3774	Consistency	Fatal	<ul style="list-style-type: none"> <li>a) If either G0120A or G0120B is equal to [8], then both items must equal [8].</li> <li>b) If G0120A=[2,3,4], then G0120B must equal [2,3].</li> </ul> <p><b>Items:</b></p> <table border="0"> <tr> <td>G0120A</td> <td>Bathing: self-performance</td> </tr> <tr> <td>G0120B</td> <td>Bathing: support provided</td> </tr> </table>	G0120A	Bathing: self-performance	G0120B	Bathing: support provided																																				
G0120A	Bathing: self-performance																																										
G0120B	Bathing: support provided																																										

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3775	Consistency	Fatal	<p>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</p> <p>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</p> <p>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</p> <p><b>Items:</b> X0600F                      Correction: entry/discharge reporting  X0700A                      Correction: assessment reference date  X0700B                      Correction: discharge date  X0700C                      Correction: entry date</p>
-3778	Consistency	Fatal	<p>Completion of A1550A through A1550Z.</p> <p>a) If A0310A is equal to [02,06,99], then A1550A through A1550Z must equal [^].</p> <p>b) If the resident's age is 22 years of age or older and A0310A is equal to [01], then A1550A through A1550Z must not equal [^].</p> <p>c) If the resident's age is 22 years of age or older and A0310A is not equal to [01], then A1550A through A1550Z must equal [^].</p> <p>d) If the resident's age is 21 years of age or younger and A0310A is equal to [01,03,04,05], then A1550A through A1550Z must not equal [^].</p> <p>For the rules above, age should be computed in the following way using A0900 (birth date) and A2300 (assessment reference date):</p> <p>a) If only the year is submitted in A0900, then replace the month and day with "0702" (July 2, the midpoint of the year) for the purpose of calculating age.</p> <p>b) If only the year and month are submitted in A0900, replace the day with "15", (the midpoint of the month) for the purpose of calculating age.</p> <p>c) Provisionally compute age (in years) by subtracting the year in A0900 (as modified above, if necessary) from the year in A2300.</p> <p>d) If the month in A2300 is less than the month in A0900, then subtract 1 from the provisional age computed in (c) above.</p> <p>e) If the month in A2300 is equal to the month in A0900 and if the day in A2300 is less than the day in A0900, then subtract 1 from the provisional age computed in (c) above.</p> <p><b>Items:</b> A0310A                      Type of assessment: OBRA  A0900                      Birthdate  A1550A                      ID/DD status: Down syndrome  A1550B                      ID/DD status: Autism  A1550C                      ID/DD status: Epilepsy  A1550D                      ID/DD status: other organic ID/DD condition  A1550E                      ID/DD status: ID/DD with no organic condition  A1550Z                      ID/DD status: none of the above  A2300                      Assessment reference date</p>
-3779	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^].</p> <p><b>Items:</b> A0050                      Type of transaction (formerly X0100)  X0900A                      Correction: modif reasons - transcription error  X0900B                      Correction: modif reasons - data entry error  X0900C                      Correction: modif reasons - software error  X0900D                      Correction: modif reasons - item coding error  X0900E                      Correction: modif reasons - resume therapy date  X0900Z                      Correction: modif reasons - other error</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3780	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^].</p> <p><b>Items:</b> A0050                      Type of transaction (formerly X0100)  X1050A                      Correction: inact reasons - event did not occur  X1050Z                      Correction: inact reasons - other reason</p>
-3781	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].</p> <p><b>Items:</b> A0050                      Type of transaction (formerly X0100)  X1100A                      Correction: attestor first name  X1100B                      Correction: attestor last name  X1100E                      Correction: attestation date</p>
-3782	Consistency	Fatal	<p>V0100A and V0100B cannot both be equal to [99].</p> <p><b>Items:</b> V0100A                      Prior OBRA reason for assessment  V0100B                      Prior PPS reason for assessment</p>
-3783	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.</p> <p><b>Items:</b> X0800                      Correction: correction number</p>
-3784	Consistency	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:  ---a1) All active items from J0300 through J0700 must equal [^].  ---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then all active items from J0300 through J0700 must equal [-].</p> <p><b>Items:</b> J0200                      Should pain assessment interview be conducted  J0300                      Res pain interview: presence  J0400                      Res pain interview: frequency  J0500A                      Res pain interview: made it hard to sleep  J0500B                      Res pain interview: limited daily activities  J0600A                      Res pain interview: intensity rating scale  J0600B                      Res pain interview: verbal descriptor scale  J0700                      Should staff assessment for pain be conducted  J0800A                      Staff pain asmt: non-verbal sounds  J0800B                      Staff pain asmt: vocal complaints of pain  J0800C                      Staff pain asmt: facial expressions  J0800D                      Staff pain asmt: protective movements/postures  J0800Z                      Staff pain asmt: none of these signs observed</p>
-3785	Consistency	Fatal	<p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0400 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:  ---b1) All active items from J0400 through J0500B must not equal [^].  ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].  ---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:  ---c1) All active items from J0400 through J0700 must equal [^].  ---c2) All active items from J0800A through J0800Z must not equal [^].</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>d) If J0300=[-], then the following rules apply:            ---d1) All active items from J0400 through J0600B must equal [-].            ---d2) All active items from J0700 through J0800Z must not equal [^].</p> <p><b>Items:</b> J0300 Res pain interview: presence            J0400 Res pain interview: frequency            J0500A Res pain interview: made it hard to sleep            J0500B Res pain interview: limited daily activities            J0600A Res pain interview: intensity rating scale            J0600B Res pain interview: verbal descriptor scale            J0700 Should staff assessment for pain be conducted            J0800A Staff pain asmt: non-verbal sounds            J0800B Staff pain asmt: vocal complaints of pain            J0800C Staff pain asmt: facial expressions            J0800D Staff pain asmt: protective movements/postures            J0800Z Staff pain asmt: none of these signs observed            J0850 Staff pain asmt: frequency of pain</p>
-3786	Consistency	Fatal	<p>a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].            b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].            c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].</p> <p><b>Items:</b> J0700 Should staff assessment for pain be conducted            J0800A Staff pain asmt: non-verbal sounds            J0800B Staff pain asmt: vocal complaints of pain            J0800C Staff pain asmt: facial expressions            J0800D Staff pain asmt: protective movements/postures            J0800Z Staff pain asmt: none of these signs observed            J0850 Staff pain asmt: frequency of pain</p>
-3787	Skip pattern	Fatal	<p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].            b) If J0800Z=[1,^], then if J0850 is active it must equal [^].            c) If J0800Z=[-], then if J0850 is active it must equal [-].</p> <p><b>Items:</b> J0800Z Staff pain asmt: none of these signs observed            J0850 Staff pain asmt: frequency of pain</p>
-3788	Consistency	Fatal	<p>Consistency rules for J0700:            a) If J0400=[1,2,3,4], then if J0700 is active it must equal [0].            b) If J0400=[9,-], then if J0700 is active it must equal [1,-].</p> <p><b>Items:</b> J0400 Res pain interview: frequency            J0700 Should staff assessment for pain be conducted</p>
-3790	Consistency	Fatal	<p>a) If A0310F is equal to [10,11,12], then A2000 and A2100 must not equal [^].            b) If A0310F is not equal to [10,11,12], then A2000 and A2100 must equal [^].</p> <p><b>Items:</b> A0310F Entry/discharge reporting            A2000 Discharge date            A2100 Discharge status</p>
-3791	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.</p> <p><b>Items:</b> A0050 Type of transaction (formerly X0100)            X0150 Correction: type of provider            X0200C Correction: resident last name            X0300 Correction: resident gender            X0400 Correction: resident birth date            X0600A Correction: OBRA reason for assessment            X0600B Correction: PPS reason for assessment            X0600C Correction: OMRA assessment            X0600F Correction: entry/discharge reporting</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3792	Consistency	Fatal	If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^]. <b>Items:</b> A0050 Type of transaction (formerly X0100) X0800 Correction: correction number
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. <b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_VNDR_EM Software vendor email address AIL_ADR SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD A0100A Facility National Provider Identifier (NPI) A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600A Social Security Number A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X0500 Correction: resident social security number X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-3794	Consistency	Fatal	a) If SFTWR_PROD_NAME is equal to [^], then SFTWR_PROD_VRSN_CD must be equal to [^]. b) If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^]. <b>Items:</b> SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3795	Consistency	Fatal	<p>If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].</p> <p><b>Items:</b> A0050                      Type of transaction (formerly X0100)  X0900A                      Correction: modif reasons - transcription error  X0900B                      Correction: modif reasons - data entry error  X0900C                      Correction: modif reasons - software error  X0900D                      Correction: modif reasons - item coding error  X0900E                      Correction: modif reasons - resume therapy date  X0900Z                      Correction: modif reasons - other error</p>
-3796	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p><b>Items:</b> ITM_SBST_CD              Item subset code  A0050                      Type of transaction (formerly X0100)  A0200                      Type of provider  A0310A                      Type of assessment: OBRA  A0310B                      Type of assessment: PPS  A0310C                      Type of assessment: OMRA  A0310D                      Swing bed clinical change assessment  A0310E                      First assessment since most recent entry  A0310F                      Entry/discharge reporting</p>
-3797	Consistency	Fatal	<p>a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].</p> <p>b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].</p> <p><b>Items:</b> A0310A                      Type of assessment: OBRA  A0310E                      First assessment since most recent entry  J1700A                      Fall history: fall during month before admission  J1700B                      Fall history: fall 2-6 months before admission  J1700C                      Fall history: fracture from fall 6 month pre admit</p>
-3798	Skip pattern	Fatal	<p>a) If X0150=[1], then if X0600D is active it must equal [^].  b) If X0150=[2], then if X0600D is active it must not equal [^].</p> <p><b>Items:</b> X0150                      Correction: type of provider  X0600D                      Correction: Swing bed clinical change asmt</p>
-3799	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V1.11.0 OF THE DATA SPECS.</p> <p><b>Items:</b> A0050                      Type of transaction (formerly X0100)  X0150                      Correction: type of provider</p>
-3801	Skip pattern	Fatal	<p>a) If A0200=[1], then if A0310D is active it must equal [^].  b) If A0200=[2], then if A0310D is active it must not equal [^].</p> <p><b>Items:</b> A0200                      Type of provider  A0310D                      Swing bed clinical change assessment</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3802	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain</p> <p>only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <ul style="list-style-type: none"> <li>[&amp;] (ampersand)</li> <li>[@] (at sign)</li> <li>['] (single quote)</li> <li>[/] (forward slash)</li> <li>[+] (plus sign)</li> <li>[,] (comma)</li> <li>[.] (period)</li> <li>[_] (underscore)</li> </ul> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p><b>Items:</b> SFTWR_VNDR_NA Software vendor company name ME</p> <p>SFTWR_PROD_NA Software product name ME</p> <p>Z0100A Medicare Part A: HIPPS code</p> <p>Z0100B Medicare Part A: RUG version code</p> <p>Z0150A Medicare Part A: non-therapy HIPPS code</p> <p>Z0150B Medicare Part A: non-therapy RUG version code</p> <p>Z0200A State case mix: RUG group</p> <p>Z0200B State case mix: RUG version code</p> <p>Z0250A State case mix: Alternate RUG group</p> <p>Z0250B State case mix: Alternate RUG version code</p>
-3803	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V1.11.0 OF THE DATA SPECS.</p> <p><b>Items:</b> A0050 Type of transaction (formerly X0100) X0600F Correction: entry/discharge reporting</p>
-3804	Consistency	Fatal	<p>If A0310C=[1,3] (the assessment is a start-of-therapy OMRA assessment), then the Medicare Part A Billing HIPPS code that is submitted in Z0100A will be recalculated. The first byte of the recalculated HIPPS code must equal [R]. If it does not equal [R], then a fatal error will result and the record will be rejected.</p> <p><b>Items:</b> A0310C Type of assessment: OMRA Z0100A Medicare Part A: HIPPS code</p>
-3805	Consistency	Fatal	<p>If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].</p> <p><b>Items:</b> F0300 Conduct res interview for daily/activity prefs</p> <p>F0800A Staff assessment: choosing clothes to wear</p> <p>F0800B Staff assessment: caring for personal belongings</p> <p>F0800C Staff assessment: receiving tub bath</p> <p>F0800D Staff assessment: receiving shower</p> <p>F0800E Staff assessment: receiving bed bath</p> <p>F0800F Staff assessment: receiving sponge bath</p> <p>F0800G Staff assessment: snacks between meals</p> <p>F0800H Staff assessment: staying up past 8PM</p> <p>F0800I Staff assessment: discuss care with family/other</p> <p>F0800J Staff assessment: use phone in private</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities
-3806	Consistency	Warning	If A0200=[1] (the provider is a nursing home), the value submitted for A0100C (State Provider Number) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued. Note that this edit does not apply to swing-bed providers (where A0200=[2]).  <b>Items:</b> A0100C State provider number A0200 Type of provider
-3807	Format	Warning	Version Code Values The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.  <b>Items:</b> ITM_SET_VRSN_C Item set version code SPEC_VRSN_CD Specifications version code
-3808	Format	Warning	When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.  <b>Items:</b> S0101 Admitted from Community S0102 Admitted from NH or SB S0111 Lived Alone S0115 Spouse Location S0120 Prior Residence ZIP Code S0122 Prior Residence State S0123 Prior Residence County S0125 Prior Residence Town Code S0130 Highest Education Completed S0140 Physician License Number S0141 Physician Name S0150 State Resident ID S0160 Specialty unit S0161A Requires specialized unit: dementia/Alzheimer S0161B Requires specialized unit: behavioral health S0161C Requires specialized unit: TBI S0161D Requires specialized unit: ventilator S0161Z Requires specialized unit: none of the above S0170A Advanced directive: Guardian S0170B Advanced directive: DPOA-HC S0170C Advanced directive: Living will S0170D Advanced directive: Do not resuscitate S0170E Advanced directive: Do not hospitalize S0170F Advanced directive: Do not intubate S0170G Advanced directive: Feeding restrictions S0170H Advanced directive: Other treatment restrictions S0170Z Advanced directive: None of the above

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	S0171A Resident healthcare proxy exists
			S0171B Resident healthcare proxy invoked
			S0172A Goal discussion: documentation received
			S0172B Goal discussion: hospital
			S0172C Goal discussion: previous NH
			S0172D Goal discussion: Home without home health services
			S0172E Goal discussion: Home with home health services
			S0172F Goal discussion: PCP office
			S0172G Goal discussion: Other
			S0172H Goal discussion: Not occur reason
			S0173 Documentation of goals of care discussion
			S0180 Discharged to Community
			S0183 Discharged prior to admission assessment
			S0500 Level of Care
			S0501 CCNH RHNS Level of Care
			S0510 PASRR Screening Complete
			S0511 PASRR Date
			S0512 PASRR Level 1
			S0520 Reason for Admission
			S0600A Meets criteria: requires ventilator 10+ hours
			S0600B Meets criteria: requires ventilator 16+ hours
			S0600C Meets criteria: Traumatic Brain Injury-Tier I
			S0600D Meets criteria: Traumatic Brain Injury-Tier II
			S0600E Meets criteria: Traumatic Brain Injury-Tier III
			S0600Z Meets criteria: none of the above
			S1000 Local Health Department Reporting
			S1001 State Health Department Reporting
			S1100A Disease: Clostridium Difficile
			S1100B Disease: MRSA
			S1100C Disease: VRE
			S1100D Disease: VISA
			S1100E Disease: VRSA
			S1100F Disease: Other MDRO
			S1100F1 Disease: MDRO Name1
			S1100F2 Disease: MDRO Name2
			S1100G Disease: Tuberculosis
			S1100H Disease: Herpes Zoster
			S1100I Disease: Scabies
			S1100Z Disease: None of the Above
			S1200A Primary/secondary SMI dx: schizophrenia
			S1200B Primary/secondary SMI dx: delusional disorder
			S1200C Primary/secondary SMI dx: schizoaffective disorder
			S1200D Primary/secondary SMI dx: psychotic disorder NOS
			S1200E Primary/secondary SMI dx: bipolar disorder I
			S1200F Primary/secondary SMI dx: bipolar disorder II
			S1200G Primary/secondary SMI dx: cyclothymic disorder
			S1200H Primary/secondary SMI dx: bipolar disorder NOS
			S1200I Primary/secondary SMI dx: major depress recurrent
			S2000 Capable of self-administration of medications
			S2001 Wishes to self-medicate
			S2010 Refused meds 3 days
			S2011 Staff support for meds 3 days
			S2015 Refused meds occasionally 30 days
			S2016 Refused meds frequently 30 days
			S2040 Behavior Management Program

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	S2050 Resists grooming/hygiene
			S2060A Resident centered care: Oasis
			S2060B Resident centered care: habilitation therapy
			S2060C Resident centered care: hand in hand
			S2060D Resident centered care: consistent assignment
			S2060E Resident centered care: other
			S2060Z Resident centered care: none of the above
			S3100A Contractures: Hand
			S3100B Contractures: Wrist
			S3100C Contractures: Elbow
			S3100D Contractures: Shoulder
			S3100E Contractures: Neck
			S3100F Contractures: Ankle
			S3100G Contractures: Knee
			S3100H Contractures: Hip
			S3100Z Contractures: Other
			S3200A Dominant Side
			S3200B Use of dominant hand/arm
			S4000A Harm: Self Injury/Self-injurious attempt
			S4000B Harm: Attempt was to kill self
			S4000C Harm: Considered injuring self
			S4000D Harm: Self-injury caregiver concern
			S4010A Hourly Interval Observation
			S4010B 15- Min. Interval Observation
			S4010C 5- Min. Interval Observation
			S4010D Constant Observation for < 1 hr
			S4010E Constant Observation for > 1 hr
			S4500 Substance Abuse: Alcoholic Drinks
			S4510A Substance Abuse: Inhalants
			S4510B Substance Abuse: Hallucinogens
			S4510C Substance Abuse: Cocaine and Crack
			S4510D Substance Abuse: Stimulants
			S4510E Substance Abuse: Opiates
			S4510F Substance Abuse: Cannabis
			S5000 Number of New Pressure Ulcers
			S5005 New Pressure Ulcer setting
			S5010A1 Pressure ulcer 1 location
			S5010A2 Pressure ulcer 1 status
			S5010B1 Pressure ulcer 2 location
			S5010B2 Pressure ulcer 2 status
			S5010C1 Pressure ulcer 3 location
			S5010C2 Pressure ulcer 3 status
			S5010D1 Pressure ulcer 4 location
			S5010D2 Pressure ulcer 4 status
			S5010E1 Pressure ulcer 5 location
			S5010E2 Pressure ulcer 5 status
			S5010F1 Pressure ulcer 6 location
			S5010F2 Pressure ulcer 6 status
			S5010G1 Pressure ulcer 7 location
			S5010G2 Pressure ulcer 7 status
			S5010H1 Pressure ulcer 8 location
			S5010H2 Pressure ulcer 8 status
			S5010I1 Pressure ulcer 9 location
			S5010I2 Pressure ulcer 9 status

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	S6000 Parenteral/IV feeding in NH
			S6005 IV meds in NH
			S6010 Oxygen Therapy in NH
			S6050 Isolation precautions needed
			S6051A Isolation Precaution: Airborne
			S6051B Isolation Precaution: Contact
			S6051C Isolation Precaution: Droplet
			S6051D Isolation Precaution: Protective
			S6100A Vaccination: Varicella
			S6100B Vaccination: Tetanus, diphtheria (Td)
			S6100C Vaccination: Tetanus, diphtheria, pertussis (Tdap)
			S6100D Vaccination: Measles, Mumps, Rubella (MMR)
			S6100E Vaccination: Other
			S6100F1 Vaccination: Other Name 1
			S6100F2 Vaccination: Other Name 2
			S6100F3 Vaccination: Other Name 3
			S6100Z Vaccination: None of the above
			S6200 Number of Hospital Stays
			S6210 Number of ER visits
			S6220 Alzheimer's/Dementia Special Care Unit
			S6230 Has resident received antipsychotic
			S6232 Is resident currently receiving antipsychotic
			S6234 Attempt to reduce amount of antipsychotic
			S6236 Was reduction in antipsychotic maintained
			S8000A1 Medicare - Primary Payor
			S8000A2 Medicare - Secondary Payor
			S8000A3 Medicare Payor
			S8000B1 Medicare Part A - Primary Payor
			S8000B2 Medicare Part A - Secondary Payor
			S8000B3 Medicare Part A Payor
			S8000C1 Medicare Part B - Primary Payor
			S8000C2 Medicare Part B - Secondary Payor
			S8000C3 Medicare Part B Payor
			S8000D1 Medicare Part C - Primary Payor
			S8000D2 Medicare Part C - Secondary Payor
			S8000D3 Medicare Part C Payor
			S8000E1 Medicare per diem - Primary Payor
			S8000E2 Medicare per diem - Secondary Payor
			S8000E3 Medicare per diem Payor
			S8000Z Medicare not a payment source
			S8010A1 In-state Medicaid - Primary Payor
			S8010A2 In-state Medicaid - Secondary Payor
			S8010A3 In-state Medicaid payor
			S8010B1 Out-of-state Medicaid - Primary Payor
			S8010B2 Out-of-state Medicaid - Secondary Payor
			S8010B3 Out-of-state Medicaid Payor
			S8010C1 Medicaid per diem - Primary Payor
			S8010C2 Medicaid per diem - Secondary Payor
			S8010C3 Medicaid per diem Payor
			S8010D1 Medicaid managed care per diem - Primary Payor
			S8010D2 Medicaid managed care per diem - Secondary Payor
			S8010D3 Medicaid managed care per diem Payor
			S8010E1 Medicaid per diem (not MC) - Primary Payor
			S8010E2 Medicaid per diem (not MC) - Secondary Payor
			S8010E3 Medicaid per diem (not MC) Payor

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	S8010F Medicaid per diem type
			S8010F1 Medicaid Resident Liability - Primary Payor
			S8010F2 Medicaid Resident Liability - Secondary Payor
			S8010F3 Medicaid Resident Liability Payor
			S8010G Medicaid state source
			S8010G1 Medicare Co-Pay - Primary Payor
			S8010G2 Medicare Co-pay - Secondary Payor
			S8010G3 Medicare Co-pay Payor
			S8010H1 Picture Date reporting
			S8010H2 Medicaid Other - Secondary Payor
			S8010H3 Medicaid Other Payor
			S8010I1 Medicaid Pending - Primary Payor
			S8010I2 Medicaid Pending - Secondary Payor
			S8010I3 Medicaid Pending Payor
			S8010Z Medicaid not a payment source
			S8020A1 Private - Primary Payor
			S8020A2 Private - Secondary Payor
			S8020A3 Private Payor
			S8020B1 Private per diem - Primary Payor
			S8020B2 Private per diem - Secondary Payor
			S8020B3 Private per diem Payor
			S8020C1 Private LTC insurance policy - Primary Payor
			S8020C2 Private LTC insurance policy - Secondary Payor
			S8020C3 Private LTC insurance policy
			S8020Z Private insurance not a payment source
			S8030A1 Self-pay - Primary Payor
			S8030A2 Self-pay - Secondary Payor
			S8030A3 Self-pay Payor
			S8030B1 Family pay - Primary Payor
			S8030B2 Family pay - Secondary Payor
			S8030B3 Family pay Payor
			S8030C Self or Family pay for full per diem
			S8030Z Self or Family not a payment source
			S8040A1 State Run Medical Assistance - Primary Payor
			S8040A2 State Run Medical Assistance - Secondary Payor
			S8040A3 State Run Medical Assistance Payor
			S8040B1 Tricare per diem - Primary Payor
			S8040B2 Tricare per diem - Secondary Payor
			S8040B3 Tricare per diem Payor
			S8040C1 VA per diem - Primary Payor
			S8040C2 VA per diem - Secondary Payor
			S8040C3 VA per diem Payor
			S8040D1 Other Public - Primary Payor
			S8040D2 Other Public - Secondary Payor
			S8040D3 Other Public Payor
			S8040Z Other government not a payment source
			S8050A1 Other - Primary Payor
			S8050A2 Other - Secondary Payor
			S8050A3 Other Payor
			S8050B Other Payor Name 1
			S8050C Other Payor Name 2
			S8050D Other Payor Name 3
			S8055 Primary payor
			S8099 Payor: None of the Above
			S8500 Medicaid begin date

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> S8510A Medicaid Therapeutic bed-hold days since last asmt S8510B Medicaid Therapeutic bed-hold days - YTD S8512A Medicaid hospital bed-hold days since last asmt S8512B Medicaid hospital bed-hold days - YTD S8520A Medicaid Leave Days Type 1 S8520B Leave Days for Medicaid begin date 1 S8520C Leave Days for Medicaid end date 1 S8521A Medicaid Leave Days Type 2 S8521B Leave Days for Medicaid begin date 2 S8521C Leave Days for Medicaid end date 2 S9000 IL Skills Training S9001 IL IDPH Subpart S criteria S9002A IL IDPH Subpart S: Schizophrenia S9002B IL IDPH Subpart S: Delusional disorder S9002C IL IDPH Subpart S: Schizoaffective disorder S9002D IL IDPH Subpart S: Psychotic disorder not specified S9002E IL IDPH Subpart S: Bipolar I mixed, manic, & depr S9002F IL IDPH Subpart S: Bipolar disorder II S9002G IL IDPH Subpart S: Cyclothymic disorder S9002H IL IDPH Subpart S: Bipolar disorder not specified S9002I IL IDPH Subpart S: Major depression, recurrent S9003 IL IDPH Subpart S: Ancillary S9020 FL FRAES number S9040A CA POLST S9040B CA POLST Section A S9040C CA POLST Section B S9040D CA POLST Section C S9040E CA POLST D physician signature S9040F CA POLST D resident signature S9040G CA POLST D discussed with patient or decisionmaker S9040H CA POLST advanced directive S9060 NY Medicaid add-on eligibility S9080A PA MA CASE-MIX S9080B PA MA CASE-MIX Date S9080C PA MA CASE-MIX Access Card Number S9080D PA MA CASE-MIX MA NF Effective Date S9080E PA MA CASE-MIX Day One MA S9100A VA Room & Board Payment Assessment Reference Date S9100B VA Room & Board Payment Entry Date S9100C VA Medicaid Room & Board initial date S9120 CT Approved LTC
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^]. <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score
-3810	Consistency	Warning	<b>RECORD SUBMISSION TIMING RULES</b> The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]). <b>RULES FOR NEW RECORDS (WHERE A0050=[1]):</b> The following rules apply to new records, where A0050=[1]. a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days. b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days. c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days. d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days. <b>RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):</b> e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.  <b>Items:</b> A0050 Type of transaction (formerly X0100) A0310A Type of assessment: OBRA A0310F Entry/discharge reporting A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date V0200C2 CAA-Care planning signature date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-3811	Consistency	Fatal	***THIS EDIT WAS DELETED IN V1.12.0 OF THE DATA SPECS.  <b>Items:</b> A0050 Type of transaction (formerly X0100) A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310C Type of assessment: OMRA A0310D Swing bed clinical change assessment A0310F Entry/discharge reporting A1600 Entry date (date of admission/reentry in facility) A2000 Discharge date A2300 Assessment reference date X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> X0700B                      Correction: discharge date X0700C                      Correction: entry date
-3812	Consistency	Fatal	a) If A0310C=[2,3] and A0310F=[99], then if O0450A is active it must equal [0,1,-]. b) If A0310C=[0,1,4] or A0310F=[01,10,11,12], then all active items from O0450A through O0450B must equal [^].  <b>Items:</b> A0310C                      Type of assessment: OMRA A0310F                      Entry/discharge reporting O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3813	Skip pattern	Fatal	a) If O0450A=[0,-], then if O0450B is active it must equal [^]. b) If O0450A=[1], then if O0450B is active it must not equal [^].  <b>Items:</b> O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3814	Consistency	Fatal	If O0450A=[1] and O0450B does not equal [-], then the following rules apply:  a) At least one of the following items must contain a valid date (YYYYMMDD) and must not equal [^,-,-----]: O0400A6, O0400B6, O0400C6. b) The date in O0450B must be greater than the latest date that is contained in O0400A6, O0400B6, and O0400C6. c) The difference between the date in O0450B and the latest date that is contained in O0400A6, O0400B6, and O0400C6 must be less than or equal to 5 days. d) The date contained in O0450B must be less than or equal to the current date.  <b>Items:</b> O0400A6                      Speech-language/audiology: end date O0400B6                      Occupational therapy: end date O0400C6                      Physical therapy: end date O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3815	Consistency	Fatal	If X0900E=[1], then O0450A must equal [1].  <b>Items:</b> O0450A                      Has therapy resumed X0900E                      Correction: modif reasons - resume therapy date
-3816	Consistency	Fatal	If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to [^], then the following rules apply: a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1].  b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0]. c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].  <b>Items:</b> K0510A2                      Nutrition approach: Res: parenteral /IV feeding <b>Items:</b> K0510B2                      Nutrition approach: Res: feeding tube K0510C2                      Nutrition approach: Res: mechanial altered diet K0510D2                      Nutrition approach: Res: therapeutic diet K0510Z2                      Nutrition approach: Res: none of the above
-3818	Skip pattern	Fatal	a) If A1500=[1], then all active items from A1510A through A1510C must not equal [^]. b) If A1500=[0,9,^], then all active items from A1510A through A1510C must equal [^]. c) If A1500=[-], then all active items from A1510A through A1510C must equal [-].  <b>Items:</b> A1500                      Resident evaluated by PASRR A1510A                      Level II PASRR conditions: Serious Mental Illness A1510B                      Level II PASRR conditions: Mental Retardation A1510C                      Level II PASRR conditions: Other related condition

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>																				
-3819	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply:</p> <p>---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1.</p> <p>---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1.</p> <p>---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.</p> <p>---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.</p> <p><b>Items:</b></p> <table border="0"> <tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr> <tr><td>A0310B</td><td>Type of assessment: PPS</td></tr> <tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr> <tr><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr> <tr><td>A2300</td><td>Assessment reference date</td></tr> <tr><td>K0510A1</td><td>Nutrition approach: Not Res: parenteral/IV feeding</td></tr> <tr><td>K0510B1</td><td>Nutrition approach: Not Res: feeding tube</td></tr> <tr><td>K0510C1</td><td>Nutrition approach: Not Res: mechanic altered diet</td></tr> <tr><td>K0510D1</td><td>Nutrition approach: Not Res: therapeutic diet</td></tr> <tr><td>K0510Z1</td><td>Nutrition approach: Not Res: none of the above</td></tr> </table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	A1600	Entry date (date of admission/reentry in facility)	A2300	Assessment reference date	K0510A1	Nutrition approach: Not Res: parenteral/IV feeding	K0510B1	Nutrition approach: Not Res: feeding tube	K0510C1	Nutrition approach: Not Res: mechanic altered diet	K0510D1	Nutrition approach: Not Res: therapeutic diet	K0510Z1	Nutrition approach: Not Res: none of the above
A0310A	Type of assessment: OBRA																						
A0310B	Type of assessment: PPS																						
A0310G	Planned/unplanned discharge																						
A1600	Entry date (date of admission/reentry in facility)																						
A2300	Assessment reference date																						
K0510A1	Nutrition approach: Not Res: parenteral/IV feeding																						
K0510B1	Nutrition approach: Not Res: feeding tube																						
K0510C1	Nutrition approach: Not Res: mechanic altered diet																						
K0510D1	Nutrition approach: Not Res: therapeutic diet																						
K0510Z1	Nutrition approach: Not Res: none of the above																						
-3820	Skip pattern	Fatal	<p>a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^].</p> <p>b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].</p> <p><b>Items:</b></p> <table border="0"> <tr><td>Q0490</td><td>Resident's preference to avoid being asked</td></tr> <tr><td>Q0500B</td><td>Do you want to talk about returning to community</td></tr> <tr><td>Q0550A</td><td>Reasking resident preference</td></tr> <tr><td>Q0550B</td><td>Reasking resident preference source</td></tr> </table>	Q0490	Resident's preference to avoid being asked	Q0500B	Do you want to talk about returning to community	Q0550A	Reasking resident preference	Q0550B	Reasking resident preference source												
Q0490	Resident's preference to avoid being asked																						
Q0500B	Do you want to talk about returning to community																						
Q0550A	Reasking resident preference																						
Q0550B	Reasking resident preference source																						
-3824	Consistency	Fatal	<p>a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p>b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p>c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.</p> <p><b>Items:</b></p> <table border="0"> <tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr> <tr><td>A0310B</td><td>Type of assessment: PPS</td></tr> <tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr> <tr><td>K0510C2</td><td>Nutrition approach: Res: mechanic altered diet</td></tr> <tr><td>K0510D2</td><td>Nutrition approach: Res: therapeutic diet</td></tr> <tr><td>K0510Z2</td><td>Nutrition approach: Res: none of the above</td></tr> </table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	K0510C2	Nutrition approach: Res: mechanic altered diet	K0510D2	Nutrition approach: Res: therapeutic diet	K0510Z2	Nutrition approach: Res: none of the above								
A0310A	Type of assessment: OBRA																						
A0310B	Type of assessment: PPS																						
A0310G	Planned/unplanned discharge																						
K0510C2	Nutrition approach: Res: mechanic altered diet																						
K0510D2	Nutrition approach: Res: therapeutic diet																						
K0510Z2	Nutrition approach: Res: none of the above																						
-3825	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must equal [-].</p> <p><b>Items:</b></p> <table border="0"> <tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr> <tr><td>A0310B</td><td>Type of assessment: PPS</td></tr> <tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr> <tr><td>B0100</td><td>Comatose</td></tr> <tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr> </table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	B0100	Comatose	C0100	BIMS: should resident interview be conducted										
A0310A	Type of assessment: OBRA																						
A0310B	Type of assessment: PPS																						
A0310G	Planned/unplanned discharge																						
B0100	Comatose																						
C0100	BIMS: should resident interview be conducted																						

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																																												
-3826	Consistency	Fatal	<p>If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].</p> <p><b>Items:</b></p> <table border="0"> <tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr> <tr><td>A0310B</td><td>Type of assessment: PPS</td></tr> <tr><td>A0310G</td><td>Planned/unplanned discharge</td></tr> <tr><td>B0100</td><td>Comatose</td></tr> <tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr> <tr><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr> <tr><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr> <tr><td>C0300B</td><td>BIMS res interview: able to report correct month</td></tr> <tr><td>C0300C</td><td>BIMS res interview: can report correct day of week</td></tr> <tr><td>C0400A</td><td>BIMS res interview: able to recall "sock"</td></tr> <tr><td>C0400B</td><td>BIMS res interview: able to recall "blue"</td></tr> <tr><td>C0400C</td><td>BIMS res interview: able to recall "bed"</td></tr> <tr><td>C0500</td><td>BIMS res interview: summary score</td></tr> <tr><td>C0600</td><td>Staff asmt mental status: conduct asmt</td></tr> <tr><td>C0700</td><td>Staff asmt mental status: short-term memory OK</td></tr> <tr><td>C0800</td><td>Staff asmt mental status: long-term memory OK</td></tr> <tr><td>C0900A</td><td>Staff asmt mental status: recall current season</td></tr> <tr><td>C0900B</td><td>Staff asmt mental status: recall location of room</td></tr> <tr><td>C0900C</td><td>Staff asmt mental status: recall staff names/faces</td></tr> <tr><td>C0900D</td><td>Staff asmt mental status: recall in nursing home</td></tr> <tr><td>C0900Z</td><td>Staff asmt mental status: none of above recalled</td></tr> <tr><td>C1000</td><td>Cognitive skills for daily decision making</td></tr> </table>	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310G	Planned/unplanned discharge	B0100	Comatose	C0100	BIMS: should resident interview be conducted	C0200	BIMS res interview: repetition of three words	C0300A	BIMS res interview: able to report correct year	C0300B	BIMS res interview: able to report correct month	C0300C	BIMS res interview: can report correct day of week	C0400A	BIMS res interview: able to recall "sock"	C0400B	BIMS res interview: able to recall "blue"	C0400C	BIMS res interview: able to recall "bed"	C0500	BIMS res interview: summary score	C0600	Staff asmt mental status: conduct asmt	C0700	Staff asmt mental status: short-term memory OK	C0800	Staff asmt mental status: long-term memory OK	C0900A	Staff asmt mental status: recall current season	C0900B	Staff asmt mental status: recall location of room	C0900C	Staff asmt mental status: recall staff names/faces	C0900D	Staff asmt mental status: recall in nursing home	C0900Z	Staff asmt mental status: none of above recalled	C1000	Cognitive skills for daily decision making
A0310A	Type of assessment: OBRA																																														
A0310B	Type of assessment: PPS																																														
A0310G	Planned/unplanned discharge																																														
B0100	Comatose																																														
C0100	BIMS: should resident interview be conducted																																														
C0200	BIMS res interview: repetition of three words																																														
C0300A	BIMS res interview: able to report correct year																																														
C0300B	BIMS res interview: able to report correct month																																														
C0300C	BIMS res interview: can report correct day of week																																														
C0400A	BIMS res interview: able to recall "sock"																																														
C0400B	BIMS res interview: able to recall "blue"																																														
C0400C	BIMS res interview: able to recall "bed"																																														
C0500	BIMS res interview: summary score																																														
C0600	Staff asmt mental status: conduct asmt																																														
C0700	Staff asmt mental status: short-term memory OK																																														
C0800	Staff asmt mental status: long-term memory OK																																														
C0900A	Staff asmt mental status: recall current season																																														
C0900B	Staff asmt mental status: recall location of room																																														
C0900C	Staff asmt mental status: recall staff names/faces																																														
C0900D	Staff asmt mental status: recall in nursing home																																														
C0900Z	Staff asmt mental status: none of above recalled																																														
C1000	Cognitive skills for daily decision making																																														
-3827	Consistency	Fatal	<p>If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to [^], then the following rules apply:</p> <p>a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1].</p> <p>b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0].</p> <p>c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [-] and all remaining items in Column 1 must equal [0,-].</p> <p><b>Items:</b></p> <table border="0"> <tr><td>K0510A1</td><td>Nutrition approach: Not Res: parenteral/IV feeding</td></tr> <tr><td>K0510B1</td><td>Nutrition approach: Not Res: feeding tube</td></tr> <tr><td>K0510C1</td><td>Nutrition approach: Not Res: mechanic altered diet</td></tr> <tr><td>K0510D1</td><td>Nutrition approach: Not Res: therapeutic diet</td></tr> <tr><td>K0510Z1</td><td>Nutrition approach: Not Res: none of the above</td></tr> </table>	K0510A1	Nutrition approach: Not Res: parenteral/IV feeding	K0510B1	Nutrition approach: Not Res: feeding tube	K0510C1	Nutrition approach: Not Res: mechanic altered diet	K0510D1	Nutrition approach: Not Res: therapeutic diet	K0510Z1	Nutrition approach: Not Res: none of the above																																		
K0510A1	Nutrition approach: Not Res: parenteral/IV feeding																																														
K0510B1	Nutrition approach: Not Res: feeding tube																																														
K0510C1	Nutrition approach: Not Res: mechanic altered diet																																														
K0510D1	Nutrition approach: Not Res: therapeutic diet																																														
K0510Z1	Nutrition approach: Not Res: none of the above																																														
-3828	None of above	Fatal	<p>If M1040A through M1040H and M1040Z are all active, then the following rules apply:</p> <p>a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1].</p> <p>b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0].</p> <p>c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table border="0"> <tr><td>M1040A</td><td>Other skin probs: infection of the foot</td></tr> <tr><td>M1040B</td><td>Other skin probs: diabetic foot ulcer(s)</td></tr> <tr><td>M1040C</td><td>Other skin probs: other open lesion(s) on the foot</td></tr> <tr><td>M1040D</td><td>Other skin probs: lesions not ulcers, rashes, cuts</td></tr> <tr><td>M1040E</td><td>Other skin probs: surgical wound(s)</td></tr> <tr><td>M1040F</td><td>Other skin probs: burns (second or third degree)</td></tr> <tr><td>M1040G</td><td>Skin Tear(s)</td></tr> <tr><td>M1040H</td><td>Moisture Associated Skin Damage (MASD)</td></tr> <tr><td>M1040Z</td><td>Other skin probs: none of the above</td></tr> </table>	M1040A	Other skin probs: infection of the foot	M1040B	Other skin probs: diabetic foot ulcer(s)	M1040C	Other skin probs: other open lesion(s) on the foot	M1040D	Other skin probs: lesions not ulcers, rashes, cuts	M1040E	Other skin probs: surgical wound(s)	M1040F	Other skin probs: burns (second or third degree)	M1040G	Skin Tear(s)	M1040H	Moisture Associated Skin Damage (MASD)	M1040Z	Other skin probs: none of the above																										
M1040A	Other skin probs: infection of the foot																																														
M1040B	Other skin probs: diabetic foot ulcer(s)																																														
M1040C	Other skin probs: other open lesion(s) on the foot																																														
M1040D	Other skin probs: lesions not ulcers, rashes, cuts																																														
M1040E	Other skin probs: surgical wound(s)																																														
M1040F	Other skin probs: burns (second or third degree)																																														
M1040G	Skin Tear(s)																																														
M1040H	Moisture Associated Skin Damage (MASD)																																														
M1040Z	Other skin probs: none of the above																																														

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3829	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].  b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  B0200 Hearing  B0300 Hearing aid  B0600 Speech clarity  B0700 Makes self understood  B0800 Ability to understand others  B1000 Vision  B1200 Corrective lenses</p>
-3830	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from C1300A through C1600 must not equal [^].  b) If B0100=[-], then all active items from C1300A through C1600 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  C1300A Signs of delirium: inattention  C1300B Signs of delirium: disorganized thinking  C1300C Signs of delirium: altered level of consciousness  C1300D Signs of delirium: psychomotor retardation  C1600 Acute onset mental status change</p>
-3831	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].  b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].  c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must not equal [^].  d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must equal [-].</p> <p><b>Items:</b> A0310A Type of assessment: OBRA  A0310B Type of assessment: PPS  A0310G Planned/unplanned discharge  B0100 Comatose  J0200 Should pain assessment interview be conducted</p>
-3832	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V1.13.0 OF THE DATA SPECS.</p> <p><b>Items:</b> K0510A1 Nutrition approach: Not Res: parenteral/IV feeding  K0510A2 Nutrition approach: Res: parenteral /IV feeding  K0510B1 Nutrition approach: Not Res: feeding tube  K0510B2 Nutrition approach: Res: feeding tube</p>
-3833	Consistency	Fatal	<p>a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply:  --a1) If Q0490 is active, it must equal [^].  --a2) All active items from Q0500B through Q0550B must not equal [^].  b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^].  c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].</p> <p><b>Items:</b> A0310A Type of assessment: OBRA  Q0400A Active discharge planning for return to community  Q0490 Resident's preference to avoid being asked  Q0500B Do you want to talk about returning to community  Q0550A Reasking resident preference  Q0550B Reasking resident preference source</p>
-3834	Skip pattern	Fatal	<p>a) If A0310A=[01,03,04,05], then if A1500 is active it must not equal [^].  b) If A0310A=[02,06,99], then if A1500 is active it must equal [^].</p> <p><b>Items:</b> A0310A Type of assessment: OBRA  A1500 Resident evaluated by PASRR</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3835	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must equal [-].</p> <p><b>Items:</b> A0310A                      Type of assessment: OBRA  A0310B                      Type of assessment: PPS  A0310G                      Planned/unplanned discharge  B0100                        Comatose  D0100                        PHQ: should resident mood interview be conducted</p>
-3836	Consistency	Fatal	<p>If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0650 must equal [^].</p> <p><b>Items:</b> A0310A                      Type of assessment: OBRA  A0310B                      Type of assessment: PPS  A0310G                      Planned/unplanned discharge  B0100                        Comatose  D0100                        PHQ: should resident mood interview be conducted  D0200A1                    PHQ res: little interest or pleasure - presence  D0200A2                    PHQ res: little interest or pleasure - frequency  D0200B1                    PHQ res: feeling down, depressed - presence  D0200B2                    PHQ res: feeling down, depressed - frequency  D0200C1                    PHQ res: trouble with sleep - presence  D0200C2                    PHQ res: trouble with sleep - frequency  D0200D1                    PHQ res: feeling tired/little energy - presence  D0200D2                    PHQ res: feeling tired/little energy - frequency  D0200E1                    PHQ res: poor appetite or overeating - presence  D0200E2                    PHQ res: poor appetite or overeating - frequency  D0200F1                    PHQ res: feeling bad about self - presence  D0200F2                    PHQ res: feeling bad about self - frequency  D0200G1                    PHQ res: trouble concentrating - presence  D0200G2                    PHQ res: trouble concentrating - frequency  D0200H1                    PHQ res: slow, fidgety, restless - presence  D0200H2                    PHQ res: slow, fidgety, restless - frequency  D0200I1                    PHQ res: thoughts better off dead - presence  D0200I2                    PHQ res: thoughts better off dead - frequency  D0300                        PHQ res: total mood severity score  D0350                        PHQ res: safety notification  D0500A1                    PHQ staff: little interest or pleasure - presence  D0500A2                    PHQ staff: little interest or pleasure - frequency  D0500B1                    PHQ staff: feeling down, depressed - presence  D0500B2                    PHQ staff: feeling down, depressed - frequency  D0500C1                    PHQ staff: trouble with sleep - presence  D0500C2                    PHQ staff: trouble with sleep - frequency  D0500D1                    PHQ staff: feeling tired/little energy - presence  D0500D2                    PHQ staff: feeling tired/little energy - frequency  D0500E1                    PHQ staff: poor appetite or overeating - presence  D0500E2                    PHQ staff: poor appetite or overeating - frequency  D0500F1                    PHQ staff: feeling bad about self - presence  D0500F2                    PHQ staff: feeling bad about self - frequency  D0500G1                    PHQ staff: trouble concentrating - presence</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score D0650 PHQ staff: safety notification
-3837	Consistency	Fatal	<p>If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].</p> <b>Items:</b> A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed J0850 Staff pain asmt: frequency of pain
-3838	Skip pattern	Fatal	<p>a) If A0310F=[01,12,99], then if A0310G is active it must equal [^].  b) If A0310F=[10,11], then if A0310G is active it must not equal [^].</p> <b>Items:</b> A0310F Entry/discharge reporting A0310G Planned/unplanned discharge
-3839	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2] (modification record), then the value in ITM_SBST_CD in the modification record must be equal to the value that was submitted in the prior record (the record that is being modified).</p> <b>Items:</b> ITM_SBST_CD Item subset code A0050 Type of transaction (formerly X0100)
-3840	Consistency	Fatal	<p>a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^].  b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^].  c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-,^], then if K0710A1 or K0710B1 are active, they must be equal to [-].  d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].</p> <b>Items:</b> K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0710A1 Prop calories parenteral/tube feed: not resident K0710B1 Avg fluid intake per day IV/tube: not resident

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3841	Consistency	Fatal	<p>a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^].</p> <p>b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^].</p> <p>c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-].</p> <p>d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].</p> <p><b>Items:</b> K0510A2                      Nutrition approach: Res: parenteral /IV feeding  K0510B2                      Nutrition approach: Res: feeding tube  K0710A2                      Prop calories parenteral/tube feed: while resident  K0710B2                      Avg fluid intake per day IV/ tube: while resident</p>
-3842	Consistency	Fatal	<p>The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below.</p> <p>a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^].</p> <p>b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^].</p> <p>c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].</p> <p><b>Items:</b> K0510A1                      Nutrition approach: Not Res: parenteral/IV feeding  K0510A2                      Nutrition approach: Res: parenteral /IV feeding  K0510B1                      Nutrition approach: Not Res: feeding tube  K0510B2                      Nutrition approach: Res: feeding tube  K0710A3                      Prop calories parenteral/tube feed: 7 days  K0710B3                      Avg fluid intake per day IV/tube: 7 days</p>
-3843	Consistency	Fatal	<p>Consistency between individual, concurrent, group, and co-treatment minutes.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400A3A must equal [-] or must contain a value that is less than or equal to the sum.</p> <p><b>Items:</b> O0400A1                      Speech-language/audiology: individ minutes  O0400A2                      Speech-language/audiology: concur minutes  O0400A3                      Speech-language/audiology: group minutes  O0400A3A                      Speech-language/audiology: co-treatment minutes</p>
-3844	Consistency	Fatal	<p>Consistency between individual, concurrent, group, and co-treatment minutes.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400B3A must equal [-] or must contain a value that is less than or equal to the sum.</p> <p><b>Items:</b> O0400B1                      Occupational therapy: individ minutes  O0400B2                      Occupational therapy: concur minutes  O0400B3                      Occupational therapy: group minutes  O0400B3A                      Occupational therapy: co-treatment minutes</p>
-3845	Consistency	Fatal	<p>Consistency between individual, concurrent, group, and co-treatment minutes.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400C3A must equal [-] or must contain a value that is less than or equal to the sum.</p>

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0400C1            Physical therapy: individ minutes O0400C2            Physical therapy: concur minutes O0400C3            Physical therapy: group minutes O0400C3A           Physical therapy: co-treatment minutes
-3846	Consistency	Fatal	Consistency between therapy days within types of therapy and distinct days across types of therapy.  Item O0420 must conform with the following rules:  a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].  b) If O0420 is not equal to [-], then both of the following rules apply:  ---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.  ---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.  <b>Items:</b> O0400A4            Speech-language/audiology: number of days O0400B4            Occupational therapy: number of days O0400C4            Physical therapy: number of days O0420                Distinct calendar days of therapy
-3847	Consistency	Fatal	If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1.  <b>Items:</b> M0300B1            Stage 2 pressure ulcers: number present M0800A            Worsened since prior asmt: Stage 2 pressure ulcers
-3848	Consistency	Fatal	If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1.  <b>Items:</b> M0300C1            Stage 3 pressure ulcers: number present M0800B            Worsened since prior asmt: Stage 3 pressure ulcers
-3849	Consistency	Fatal	If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1.  <b>Items:</b> M0300D1            Stage 4 pressure ulcers: number present M0800C            Worsened since prior asmt: Stage 4 pressure ulcers
-3850	Consistency	Fatal	a) If A0310F=[12], then A2100 must equal [08]. b) If A2100=[08], then A0310F must equal [12].  <b>Items:</b> A0310F            Entry/discharge reporting A2100                Discharge status
-3851	Consistency	Fatal	Date Item Consistency Rules Date items fall into three groups, designated Group A, B, and C below. Each group has its own consistency rules.  -----  GROUP A RULES (Edit -3851a)  Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:  A0900 (birthdate) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <=

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

**ID      Type**

**Severity    Text/Items**

Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----  
**GROUP B (Edit –3851b)**

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
M0300B3 (date of oldest Stage 2 pressure ulcer)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----  
**GROUP C RULES**

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

**RULE C1 (Edit –3851c1)**

If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=  
A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

**RULE C2: (Edit -3851c2)**

If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=  
A2200 (previous ARD for significant correction) <=  
A2300 (assessment reference date)

<b>Items:</b>	A0310A	Type of assessment: OBRA
	A0310F	Entry/discharge reporting
	A0900	Birthdate
	A1600	Entry date (date of admission/reentry in facility)
	A1700	Type of entry
	A2000	Discharge date
	A2200	Previous asmt reference date for signif correction
	A2300	Assessment reference date
	A2400B	Start date of most recent Medicare stay
	A2400C	End date of most recent Medicare stay
	M0300B3	Stage 2 pressure ulcers: date of oldest
	O0250B	Date influenza vaccine received.
	O0400A5	Speech-language/audiology: start date

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0400A6 Speech-language/audiology: end date O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date V0100C Prior assessment reference date V0200B2 CAA-Assessment process signature date V0200C2 CAA-Care planning signature date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-9001	Information	None	Vendor's version number for the software that was used to create the MDS data submission file. <b>Items:</b> SFTWR_PROD_VRS Software product version code N_CD
-9002	Information	None	Optional item. Can be used by facility for unique identification of record and for tracking records submitted to the MDS Submission System. <b>Items:</b> FAC_DOC_ID Facility document ID
-9003	Information	None	Valid federal tax ID (EIN) for the company that developed the software used to create the MDS data submission file. <b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID
-9004	Information	None	Name of the software that was used to create the MDS data submission file. <b>Items:</b> SFTWR_PROD_NA Software product name ME
-9005	Information	None	Email address of the vendor who created the software that was used to produce the MDS submission file. <b>Items:</b> SFTWR_VNDR_EM Software vendor email address AIL_ADR
-9006	Information	None	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values. <b>Items:</b> FAC_ID Assigned facility/provider submission ID SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME <b>Items:</b> SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s)

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> I8000A Additional active ICD diagnosis 1 I8000B Additional active ICD diagnosis 2 I8000C Additional active ICD diagnosis 3 I8000D Additional active ICD diagnosis 4 I8000E Additional active ICD diagnosis 5 I8000F Additional active ICD diagnosis 6 I8000G Additional active ICD diagnosis 7 I8000H Additional active ICD diagnosis 8 I8000I Additional active ICD diagnosis 9 I8000J Additional active ICD diagnosis 10 X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-9008	Information	None	Submit [+] (the plus sign) to indicate that Medicaid number is pending. <b>Items:</b> A0700 Resident Medicaid number
-9009	Information	None	Submit [N] to indicate that the resident is non-Medicaid. <b>Items:</b> A0700 Resident Medicaid number
-9010	Information	None	Put [/] (slash) between two occupations. <b>Items:</b> A1300D Lifetime occupation(s)
-9012	Information	None	The maximum length of Z0100A and Z0150A is 7 characters even though the HIPPS code is currently 5 characters in length. The extra 2 characters are included to allow for future expansion. <b>Items:</b> Z0100A Medicare Part A: HIPPS code Z0150A Medicare Part A: non-therapy HIPPS code
-9013	Information	None	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer. <b>Items:</b> D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score K0200A Height (in inches) K0200B Weight (in pounds)
-9014	Information	None	Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value. <b>Items:</b> M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)

**Data Submission Specifications for the MDS 3.0 (V1.13.2)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>												
-9015	Information	None	<p>Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.</p> <p><b>Items:</b></p> <table border="0"> <tr> <td>V0100A</td> <td>Prior OBRA reason for assessment</td> </tr> <tr> <td>V0100B</td> <td>Prior PPS reason for assessment</td> </tr> <tr> <td>V0100C</td> <td>Prior assessment reference date</td> </tr> <tr> <td>V0100D</td> <td>Prior assessment BIMS summary score</td> </tr> <tr> <td>V0100E</td> <td>Prior asmt PHQ res: total mood severity score</td> </tr> <tr> <td>V0100F</td> <td>Prior asmt PHQ staff: total mood score</td> </tr> </table>	V0100A	Prior OBRA reason for assessment	V0100B	Prior PPS reason for assessment	V0100C	Prior assessment reference date	V0100D	Prior assessment BIMS summary score	V0100E	Prior asmt PHQ res: total mood severity score	V0100F	Prior asmt PHQ staff: total mood score
V0100A	Prior OBRA reason for assessment														
V0100B	Prior PPS reason for assessment														
V0100C	Prior assessment reference date														
V0100D	Prior assessment BIMS summary score														
V0100E	Prior asmt PHQ res: total mood severity score														
V0100F	Prior asmt PHQ staff: total mood score														
-9016	Information	None	<p>V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06].</p> <p>The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.</p> <p><b>Items:</b></p> <table border="0"> <tr> <td>V0100A</td> <td>Prior OBRA reason for assessment</td> </tr> <tr> <td>V0100B</td> <td>Prior PPS reason for assessment</td> </tr> <tr> <td>V0100C</td> <td>Prior assessment reference date</td> </tr> <tr> <td>V0100D</td> <td>Prior assessment BIMS summary score</td> </tr> <tr> <td>V0100E</td> <td>Prior asmt PHQ res: total mood severity score</td> </tr> <tr> <td>V0100F</td> <td>Prior asmt PHQ staff: total mood score</td> </tr> </table>	V0100A	Prior OBRA reason for assessment	V0100B	Prior PPS reason for assessment	V0100C	Prior assessment reference date	V0100D	Prior assessment BIMS summary score	V0100E	Prior asmt PHQ res: total mood severity score	V0100F	Prior asmt PHQ staff: total mood score
V0100A	Prior OBRA reason for assessment														
V0100B	Prior PPS reason for assessment														
V0100C	Prior assessment reference date														
V0100D	Prior assessment BIMS summary score														
V0100E	Prior asmt PHQ res: total mood severity score														
V0100F	Prior asmt PHQ staff: total mood score														
-9017	Information	None	<p>The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).  b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).  c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date)..</p> <p><b>Items:</b> TARGET_DATE      Target date</p>												
-9018	Information	None	<p>***BEGINNING WITH V1.02.0, THIS INFORMATIONAL EDIT HAS BEEN DISCONTINUED. PREVIOUSLY, IT APPLIED TO EFFECTIVE_DATE WHICH HAS BEEN CONVERTED TO FILLER (ITEM_FILLER_003).</p> <p><b>Items:</b> ITEM_FILLER_003      Item filler: replaces old EFFECTIVE_DATE</p>												