

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0100	Comatose	Asmt		Code	1	511-511

Item Subsets

Active: NC,NQ,NP,NSD,NO,NOD,ND,SP,SSD,SO,SOD,SD
 Inactive: NS,NT,SS,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3825	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must equal [-].
-3826	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].
-3835	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must equal [-].
-3836	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0650 must equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

-3831	Consistency	Fatal	<p>a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].</p> <p>b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].</p> <p>c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must not equal [^].</p> <p>d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must equal [-].</p>
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].</p> <p>b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].</p>
-3830	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from C1300A through C1600 must not equal [^].</p> <p>b) If B0100=[-], then all active items from C1300A through C1600 must equal [-].</p>
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p>
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p>
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p>
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0200	Hearing	Asmt		Code	1	512-512

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Adequate-no difficulty in normal conversation, social interaction, listening to TV
1		Minimal difficulty-difficulty in some environments (e.g.,when person speaks softly or setting is noisy)
2		Moderate difficulty-speaker has to increase volume and speak distinctly
3		Highly impaired-absence of useful hearing
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0300	Hearing aid	Asmt		Code	1	513-513

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0600	Speech clarity	Asmt		Code	1	514-514

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Clear speech-distinct intelligible words
1		Unclear speech-slurred or mumbled words
2		No speech-absence of spoken words
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0700	Makes self understood	Asmt		Code	1	515-515

Item Subsets

Active: NC,NQ,NP,NO,NOD,SP,SO,SOD
 Inactive: NS,NSD,ND,NT,SS,SSD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Understood
1		Usually understood-difficulty communicating some words or finishing thoughts but is able if prompted or given time
2		Sometimes understood-ability is limited to making concrete requests
3		Rarely/never understood
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B0800	Ability to understand others	Asmt		Code	1	516-516

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Understands-clear comprehension
1		Usually understands-misses some part/intent of message but comprehends most conversation
2		Sometimes understands-responds adequately to simple, direct communication only
3		Rarely/never understands
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B1000	Vision	Asmt		Code	1	517-517

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Adequate-sees fine detail, such as regular print in newspapers/books
1		Impaired-sees large print, but not regular print in newspapers/books
2		Moderately impaired-limited vision; not able to see newspaper headlines but can identify objects
3		Highly impaired-object identification in question, but eyes appear to follow objects
4		Severely impaired-no vision or sees only light, colors or shapes; eyes do not appear to follow objects
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.

Data Submission Specifications for the MDS 3.0 (V1.13.2)

Detailed Data Specifications Report

Section: B

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
B1200	Corrective lenses	Asmt		Code	1	518-518

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: NS,NSD,NO,NOD,ND,NT,SS,SSD,SO,SOD,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3609	Skip pattern	Fatal	If B0100=[1], then all active items from B0200 through F0800Z must equal [^].
-3829	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^]. b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Changes for Version

Type	ID	Description
Format	-3676	[V1.13.0]-Updated item list for edit to delete items K0700A and K0700B and to add new items K0710A1 through K0710B3.