


2015 Registry Individual Measure Flow
PQRS #6 NQF #0067: Coronary Artery Disease (CAD): Antiplatelet Therapy



SAMPLE CALCULATIONS:

Reporting Rate=

Performance Met (a=4 patients) + Performance Exclusion (b¹+b²+b³=1 patient) + Performance Not Met (c=2 patients) = 7 patients = 87.50%
 Eligible Population / Denominator (d=8 patients) = 8 patients

Performance Rate=

Performance Met (a=4 patients) = 4 patients = 66.67%
 Reporting Numerator (7 patients) – Performance Exclusion (b¹+b²+b³=1 patient) = 6 patients

*See the posted Measure Specification for specific coding and instructions to report this measure.

NOTE: Reporting Frequency – Patient-process.

CPT only copyright 2014 American Medical Association. All rights reserved.

2015 Registry Individual Measure Flow
PQRS #6 NQF #0087: Coronary Artery Disease (CAD): Antiplatelet Therapy

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age:
 - a. If the Age is greater than or equal to 18 years of age on Date of Service and equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If the Age is greater than or equal to 18 years of age on Date of Service and equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
 - a. If Diagnosis of CAD as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Diagnosis of CAD as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
 - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Encounter as Listed in the Denominator equals Yes, include in the Eligible population.
5. Denominator Population:
 - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 patients in the sample calculation.
6. Start Numerator
7. Check Aspirin or Clopidogrel Prescribed:
 - a. If Aspirin or Clopidogrel Prescribed equals Yes, include in Reporting Met and performance Met.
 - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 4 patients in Sample Calculation.
 - c. If Aspirin or Clopidogrel Prescribed equals No, proceed to Documentation of Medical Reason(s) for Not Prescribing Aspirin or Clopidogrel.
8. Check Documentation of Medical Reason(s) for Not Prescribing Aspirin or Clopidogrel:
 - a. If Documentation of Medical Reason(s) for Not Prescribing Aspirin or Clopidogrel equals Yes, include in Reporting Met and Performance Exclusion.
 - b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b¹ equals 1 patient in the Sample Calculation.

- c. If Documentation of Medical Reason(s) for Not Prescribing Aspirin or Clopidogrel equals No, proceed to Documentation of Patient Reason(s) for Not Prescribing Aspirin or Clopidogrel.
9. Check Documentation of Patient Reason(s) for Not Prescribing Aspirin or Clopidogrel:
 - a. If Documentation of Patient Reason(s) for Not Prescribing Aspirin or Clopidogrel equals Yes, include in Reporting Met and Performance Exclusion.
 - b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b² equals 0 patients in the Sample Calculation.
 - c. If Documentation of Patient Reason(s) for Not Prescribing Aspirin or Clopidogrel equals No, proceed to Documentation of System Reason(s) for Not Prescribing Aspirin or Clopidogrel.
10. Check Documentation of System Reason(s) for Not Prescribing Aspirin or Clopidogrel:
 - a. If Documentation of System Reason(s) for Not Prescribing Aspirin or Clopidogrel equals Yes, include in Reporting Met and Performance Exclusion.
 - b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b³ equals 0 patients in the Sample Calculation.
 - c. If Documentation of System Reason(s) for Not Prescribing Aspirin or Clopidogrel equals No, proceed to Aspirin or Clopidogrel Not Prescribed and Reason Not Specified.
11. Check Aspirin or Clopidogrel Not Prescribed and Reason Not Specified:
 - a. If Aspirin or Clopidogrel was Not Prescribed and Reason Not Specified equals Yes, include in Reporting Met and Performance Not Met.
 - b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 2 patients in the Sample Calculation.
 - c. If Aspirin or Clopidogrel was Not Prescribed and Reason Not Specified equals No, proceed to Reporting Not Met.
12. Check Reporting Not Met:
 - a. If Reporting Not Met equals No, Quality Data Code or equivalent not reported. 1 patient has been subtracted from the reporting numerator in the sample calculation.

SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a=4 patients)} + \text{Performance Exclusion (b}^1 + \text{b}^2 + \text{b}^3 = 1 \text{ patient)} + \text{Performance Not Met (c=2 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 patients)}}{\text{Reporting Numerator (7 patients) - Performance Exclusion (b}^1 + \text{b}^2 + \text{b}^3 = 1 \text{ patient)}} = \frac{4 \text{ patients}}{6 \text{ patients}} = 66.67\%$$