

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0300   | Conduct res interview for daily/activity prefs | Asmt       |            | Code      | 1          | 606-606                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text  |
|-------|------------|---|
| 0     |            | No (resident is rarely/never understood and family/significant other not available) |
| 1     |            | Yes   |
| -     |            | Not assessed/no information   |
| ^     |            | Blank (skip pattern)  |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3805   | Consistency  | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3525   | Skip pattern | Fatal    | a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].<br>b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].  |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0400A  | Res interview: choose clothes to wear | Asmt       |            | Code      | 1          | 607-607                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0400B  | Res interview: take care of personal belongings | Asmt       |            | Code      | 1          | 608-608                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0400C  | Res interview: choose tub, bath, shower, sponge | Asmt       |            | Code      | 1          | 609-609                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0400D  | Res interview: have snacks between meals | Asmt       |            | Code      | 1          | 610-610                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| F0400E  | Res interview: choose own bedtime | Asmt       |            | Code      | 1          | 611-611                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0400F  | Res interview: discuss care with family/friend | Asmt       |            | Code      | 1          | 612-612                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0400G  | Res interview: use phone in private | Asmt       |            | Code      | 1          | 613-613                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0400H  | Res interview: lock things to keep them safe | Asmt       |            | Code      | 1          | 614-614                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0500A  | Res interview: have books, newspaper, mags to read | Asmt       |            | Code      | 1          | 615-615                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------------------------|------------|------------|-----------|------------|------------------------------|
| F0500B  | Res interview: listen to music | Asmt       |            | Code      | 1          | 616-616                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0500C  | Res interview: be around animals/pets | Asmt       |            | Code      | 1          | 617-617                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item    |                                  |             |           |          |                     |                 |  |
|---------|----------------------------------|-------------|-----------|----------|---------------------|-----------------|--|
| Item ID | Item Label                       | LOINC Group | Item Code | Max Type | Fixed Format Length | Start-End Bytes |  |
| F0500D  | Res interview: keep up with news | Asmt        |           | Code     | 1                   | 618-618         |  |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0500E  | Res interview: do things with groups of people | Asmt       |            | Code      | 1          | 619-619                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0500F  | Res interview: do favorite activities | Asmt       |            | Code      | 1          | 620-620                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0500G  | Res interview: go outside when good weather | Asmt       |            | Code      | 1          | 621-621                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0500H  | Res interview: participate in religious practices | Asmt       |            | Code      | 1          | 622-622                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                           |
|-------|------------|--------------------------------------|
| 1     |            | Very important                       |
| 2     |            | Somewhat important                   |
| 3     |            | Not very important                   |
| 4     |            | Not important at all                 |
| 5     |            | Important, but can't do or no choice |
| 9     |            | No response or non-responsive        |
| -     |            | Not assessed/no information          |
| ^     |            | Blank (skip pattern)                 |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3676     | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0600   | Primary respondent: daily/activities prefs | Asmt       |            | Code      | 1          | 623-623                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text  |
|-------|------------|---|
| 1     |            | Resident  |
| 2     |            | Family or significant other (close friend or other representative)  |
| 9     |            | Interview could not be completed by resident or family/significant other ("No response" to 3 or more items) |
| -     |            | Not assessed/no information   |
| ^     |            | Blank (skip pattern)  |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0700   | Conduct staff assessment for daily/activity prefs | Asmt       |            | Code      | 1          | 624-624                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text   |
|-------|------------|--|
| 0     |            | No (because Interview for Daily and Activity Preferences (F0400 and F0500) was completed by resident or family/significant other)                          |
| 1     |            | Yes (because 3 or more items in Interview for Daily and Activity Preferences (F0400 and F0500) were not completed by resident or family/significant other) |
| -     |            | Not assessed/no information  |
| ^     |            | Blank (skip pattern)   |

#### Item Edits

| Edit ID | Edit Type    | Severity | Edit Text   |
|---------|--------------|----------|---|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3590   | Consistency  | Fatal    | If F0300 is equal to [1], then the following rules apply:<br>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].<br>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].<br>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-]. |
| -3533   | Consistency  | Fatal    | a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].<br>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].<br>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].   |
| -3609   | Skip pattern | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: F**

***Changes for Version***

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800A  | Staff assessment: choosing clothes to wear | Asmt       |            | Checklist | 1          | 625-625                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800B  | Staff assessment: caring for personal belongings | Asmt       |            | Checklist | 1          | 626-626                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800C  | Staff assessment: receiving tub bath | Asmt       |            | Checklist | 1          | 627-627                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                         | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800D  | Staff assessment: receiving shower | Asmt       |            | Checklist | 1          | 628-628                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |



# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800E  | Staff assessment: receiving bed bath | Asmt       |            | Checklist | 1          | 629-629                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0800F  | Staff assessment: receiving sponge bath | Asmt       |            | Checklist | 1          | 630-630                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800G  | Staff assessment: snacks between meals | Asmt       |            | Checklist | 1          | 631-631                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800H  | Staff assessment: staying up past 8PM | Asmt       |            | Checklist | 1          | 632-632                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item    |  |             |           |           |                     |                 |
|---------|--|-------------|-----------|-----------|---------------------|-----------------|
| Item ID | Item Label                                       | LOINC Group | Item Code | Max Type  | Fixed Format Length | Start-End Bytes |
| F0800I  | Staff assessment: discuss care with family/other | Asmt        |           | Checklist | 1                   | 633-633         |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800J  | Staff assessment: use phone in private | Asmt       |            | Checklist | 1          | 634-634                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0800K  | Staff assessment: place to lock personal things | Asmt       |            | Checklist | 1          | 635-635                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0800L  | Staff assessment: reading books, newspapers, mags | Asmt       |            | Checklist | 1          | 636-636                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |



# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800M  | Staff assessment: listening to music | Asmt       |            | Checklist | 1          | 637-637                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0800N  | Staff assessment: being around animals/pets | Asmt       |            | Checklist | 1          | 638-638                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F08000  | Staff assessment: keeping up with news | Asmt       |            | Checklist | 1          | 639-639                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800P  | Staff assessment: doing things with groups | Asmt       |            | Checklist | 1          | 640-640                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---|------------|------------|-----------|------------|------------------------------|
| F0800Q  | Staff assessment: participate favorite activities | Asmt       |            | Checklist | 1          | 641-641                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800R  | Staff assessment: spend time away from nursng home | Asmt       |            | Checklist | 1          | 642-642                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| F0800S  | Staff assessment: spend time outdoors | Asmt       |            | Checklist | 1          | 643-643                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800T  | Staff assessment: participate religious activities | Asmt       |            | Checklist | 1          | 644-644                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |



# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: F

| Item ID | Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------|--|------------|------------|-----------|------------|------------------------------|
| F0800Z  | Staff assessment: none of above activities | Asmt       |            | Checklist | 1          | 645-645                      |

#### Item Subsets

Active: NC  
 Inactive: NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 State optional: NQ,NP

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type     | Severity | Edit Text   |
|---------|---------------|----------|---|
| -3676   | Format        | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3805   | Consistency   | Fatal    | If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].  |
| -3609   | Skip pattern  | Fatal    | If B0100=[1], then all active items from B0200 through F0800Z must equal [^].   |
| -3534   | Skip pattern  | Fatal    | a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].<br>b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].<br>c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].   |
| -3504   | None of above | Fatal    | If F0800A through F0800T and F0800Z are all active, then the following rules apply:<br>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].<br>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].<br>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-]. |

#### Changes for Version

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V1.02.0]-Added new items O0450A and X0900E to item list. |