

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0100	Correction: type of transaction	Asmt		Code	1	1216-1216

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Add new record
2		Modify existing record
3		Inactivate existing record

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3748	Consistency	Fatal	If X0100=[3], then at least one item from X1050A through X1050Z must equal [1].
-3789	Consistency	Warning	***NOTE: BEGINNING WITH VERSION 1.01 OF THE DATA SPECS, THIS EDIT HAS BEEN SUSPENDED AND HAS BEEN REPLACED WITH EDIT -3810.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3796	Consistency	Fatal	The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If X0100=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If X0100=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.
-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3810	Consistency	Warning	RECORD SUBMISSION TIMING RULES The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where X0100=[1]) and for modifications and inactivations (where X0100=[2,3]).

RULES FOR NEW RECORDS (WHERE X0100=[1]):

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

The following rules apply to new records, where X0100=[1].

a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.

b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.

c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE X0100=[2,3]):

e) If X0100 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <p>a) X0600A must equal A0310A.</p> <p>b) X0600B must equal A0310B.</p> <p>c) X0600C must equal A0310C.</p> <p>d) X0600D must equal A0310D.</p> <p>e) X0600F must equal A0310F.</p> <p>f) If X0600F=[99], then X0700A must equal A2300.</p> <p>g) If X0600F=[10,11,12], then X0700B must equal A2000.</p> <p>h) If X0600F=[01], then X0700C must equal A1600.</p>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	<p>a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^].</p> <p>b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].</p>
-3780	Skip pattern	Fatal	<p>a) If X0100=[2], then all active items from X1050A through X1050Z must equal [^].</p> <p>b) If X0100=[3], then all active items from X1050A through X1050Z must not equal [^].</p>
-3781	Skip pattern	Fatal	If X0100=[2,3], then all active items from X1100A through X1100E must not equal [^].
-3792	Skip pattern	Fatal	If X0100=[2,3], then if X0800 is active it must not equal [^].
-3799	Skip pattern	Fatal	If X0100=[2,3], then if X0150 is active it must not equal [^].
-3803	Skip pattern	Fatal	If X0100=[2,3], then if X0600F is active it must not equal [^].

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

#### *Changes for Version*

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Consistency	-3796	[V1.02.1]-Added X0100 to item list associated with this edit. This item had been inadvertently omitted in previous versions.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Consistency	-3810	[V1.02.0]-Revised wording of "RULES FOR NEW RECORDS" section of edit. In previous version, the edit used an IF-ELSEIF-ELSE structure which was confusing to some users. This was replaced with simple IF statements. The meaning of the rules WAS NOT CHANGED.
In addition, the following change was described in the data specs errata document dated 4/15/2011: the item list referenced item A0310B, but this item was not referenced in the text of the edit. A0310B was therefore removed from the item list.		
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0150	Correction: type of provider	Asmt		Code	1	1217-1217

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Nursing home (SNF/NF)
2		Swing bed
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting) l) X0700A (assessment reference date) m) X0700B (discharge date) n) X0700C (entry date)

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3798	Skip pattern	Fatal	a) If X0150=[1], then if X0600D is active it must equal [^]. b) If X0150=[2], then if X0600D is active it must not equal [^].
-3799	Skip pattern	Fatal	If X0100=[2,3], then if X0150 is active it must not equal [^].

#### ***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0200A	Correction: resident first name	Asmt		Text	12	1218-1229

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
Text		Resident first name
^		Blank (skip pattern, not available, or unknown)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p>
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-------	--------------	-------	---

#### ***Supplemental Information***

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

#### ***Changes for Version***

Type	ID	Description
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0200C	Correction: resident last name	Asmt		Text	18	1230-1247

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
Text		Resident last name
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p>
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:



# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Supplemental Information***

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

#### ***Changes for Version***

Type	ID	Description
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0300	Correction: resident gender	Asmt		Code	1	1248-1248

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX

Inactive:

State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Male
2		Female
-		Not assessed/no information/unable to determine
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting) l) X0700A (assessment reference date) m) X0700B (discharge date)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0400	Correction: resident birth date	Asmt		Date	8	1249-1256

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Resident birthdate
YYYYMM		Resident birthdate (if day of month is unknown)
YYYY		Resident birthdate (if month and day unknown)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3678	Format	Fatal	Formatting of Birthdate: This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".

If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".

If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".

-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:
-------	-------------	-------	--

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3678	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Edit -3678 applies to both items A0900 and X0400, but did not make it clear that a caret [^] is allowed for X0400 (carets are not allowed for A0900). To fix this, the first sentence of the edit (which begins with "This item must contain...") was replaced.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0500	Correction: resident social security number	Asmt		Text	9	1257-1265

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
Text		Resident social security number
^		Blank (skip pattern, not available, or unknown)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3687	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p>
-3565	Format	Fatal	If the value is not equal to [^], it must be 9 characters long.
-3566	Format	Fatal	If the value is not equal to [^], the first three characters must not be equal to [000].
-3567	Format	Fatal	The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3745	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>a) X0150 (provider type)            b) X0200A (resident first name)            c) X0200C (resident last name)            d) X0300 (gender)            e) X0400 (birth date)            f) X0500 (social security number)            g) X0600A (OBRA reason for assessment)</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-------	--------------	-------	---

#### ***Changes for Version***

Type	ID	Description
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0600A	Correction: OBRA reason for assessment	Asmt		Code	2	1266-1267

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
01		Admission assessment (required by day 14)
02		Quarterly review assessment
03		Annual assessment
04		Significant change in status assessment
05		Significant correction to prior comprehensive assessment
06		Significant correction to prior quarterly assessment
99		Not OBRA required assessment/tracking
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment)



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3811	Consistency	Fatal	If X0100=[2] (modification record), the following rules apply: a) X0600A must equal A0310A. b) X0600B must equal A0310B. c) X0600C must equal A0310C. d) X0600D must equal A0310D. e) X0600F must equal A0310F. f) If X0600F=[99], then X0700A must equal A2300. g) If X0600F=[10,11,12], then X0700B must equal A2000. h) If X0600F=[01], then X0700C must equal A1600.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0600B	Correction: PPS reason for assessment	Asmt		Code	2	1268-1269

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX

Inactive:

State optional:

#### Item Values

Value	LOINC Code	Value Text
01		5-day scheduled assessment
02		14-day scheduled assessment
03		30-day scheduled assessment
04		60-day scheduled assessment
05		90-day scheduled assessment
06		Readmission/return assessment
07		Unscheduled assessment used for PPS (OMRA, significant or clinical change, or significant correction assessment)
99		Not PPS assessment
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0600C	Correction: OMRA assessment	Asmt		Code	1	1270-1270

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Start of therapy assessment
2		End of therapy assessment
3		Both Start and End of therapy assessment
4		Change of therapy assessment
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3811	Consistency	Fatal	If X0100=[2] (modification record), the following rules apply: <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Item	X0600C	[V1.02.0]-Added item value "4" (change of therapy assessment).
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0600D	Correction: Swing bed clinical change asmt	Asmt		Code	1	1271-1271

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting) l) X0700A (assessment reference date) m) X0700B (discharge date) n) X0700C (entry date)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3798	Skip pattern	Fatal	<ul style="list-style-type: none"> <li>a) If X0150=[1], then if X0600D is active it must equal [^].</li> <li>b) If X0150=[2], then if X0600D is active it must not equal [^].</li> </ul>

#### ***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0600F	Correction: entry/discharge reporting	Asmt		Code	2	1427-1428

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
01		Entry record
10		Discharge assessment-return not anticipated
11		Discharge assessment-return anticipated
12		Death in facility record
99		Not entry/discharge
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:  a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0600A (OBRA reason for assessment) h) X0600B (PPS reason for assessment) i) X0600C (PPS OMRA assessment) j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment k) X0600F (entry/discharge reporting)



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3775	Consistency	Fatal	<ul style="list-style-type: none"> <li>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</li> <li>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</li> <li>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</li> </ul>
-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3803	Skip pattern	Fatal	If X0100=[2,3], then if X0600F is active it must not equal [^].

#### Changes for Version

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3791	[V1.02.0]-The following change was described in the data specs errata document dated 4/15/2011: Item X0100 was not included in the item list for this edit but is referenced in the text. X0100 was added to the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0700A	Correction: assessment reference date	Asmt		Date	8	1273-1280

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Assessment reference date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:
-------	-------------	-------	--

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3775	Consistency	Fatal	<ul style="list-style-type: none"> <li>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</li> <li>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</li> <li>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</li> </ul>
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3677	[V1.02.0]-Added new item O0450B to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0700B	Correction: discharge date	Asmt		Date	8	1281-1288

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Discharge date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:
-------	-------------	-------	--

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3775	Consistency	Fatal	<ul style="list-style-type: none"> <li>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</li> <li>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</li> <li>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</li> </ul>
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3677	[V1.02.0]-Added new item O0450B to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0700C	Correction: entry date	Asmt		Date	8	1289-1296

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Entry date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-3745	Consistency	Fatal	In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:
-------	-------------	-------	--

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

- l) X0700A (assessment reference date)
- m) X0700B (discharge date)
- n) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3775	Consistency	Fatal	<ul style="list-style-type: none"> <li>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</li> <li>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</li> <li>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</li> </ul>
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <ul style="list-style-type: none"> <li>a) X0600A must equal A0310A.</li> <li>b) X0600B must equal A0310B.</li> <li>c) X0600C must equal A0310C.</li> <li>d) X0600D must equal A0310D.</li> <li>e) X0600F must equal A0310F.</li> <li>f) If X0600F=[99], then X0700A must equal A2300.</li> <li>g) If X0600F=[10,11,12], then X0700B must equal A2000.</li> <li>h) If X0600F=[01], then X0700C must equal A1600.</li> </ul>
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3677	[V1.02.0]-Added new item O0450B to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0800	Correction: correction number	Asmt		Number	2	1297-1298

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
01		Minimum value
99		Maximum value
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p>
-3783	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.</p>



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3792	Skip pattern	Fatal	If X0100=[2,3], then if X0800 is active it must not equal [^].

#### *Changes for Version*

Type	ID	Description
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0900A	Correction: modif reasons - transcription error	Asmt		Checklist	1	1299-1299

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0900B	Correction: modif reasons - data entry error	Asmt		Checklist	1	1300-1300

#### **Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### **Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### **Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### **Changes for Version**

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0900C	Correction: modif reasons - software error	Asmt		Checklist	1	1301-1301

#### **Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### **Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### **Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### **Changes for Version**

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0900D	Correction: modif reasons - item coding error	Asmt		Checklist	1	1302-1302

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item Item ID	Item Label	LOINC Group	Item Code	Max Type	Fixed Format Length	Start-End Bytes
X0900E	Correction: modif reasons - resume therapy date	Asmt		Checklist	1	1438-1438

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3815	Consistency	Fatal	If X0900E=[1], then O0450A must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### Changes for Version

Type	ID	Description
Item	X0900E	[V1.02.0]-New item.
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Consistency	-3815	[V1.02.0]-New edit.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X0900Z	Correction: modif reasons - other error	Asmt		Checklist	1	1303-1303

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3795	Consistency	Fatal	If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Consistency	-3795	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.
Skip pattern	-3779	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X1050A	Correction: inactive reasons - event did not occur	Asmt		Checklist	1	1304-1304

#### **Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX

Inactive:

State optional:

#### **Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### **Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3748	Consistency	Fatal	If X0100=[3], then at least one item from X1050A through X1050Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3780	Skip pattern	Fatal	a) If X0100=[2], then all active items from X1050A through X1050Z must equal [^]. b) If X0100=[3], then all active items from X1050A through X1050Z must not equal [^].

#### **Changes for Version**

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.



# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X1050Z	Correction: inactive reasons - other reason	Asmt		Checklist	1	1305-1305

#### **Item Subsets**

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX

Inactive:

State optional:

#### **Item Values**

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### **Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3748	Consistency	Fatal	If X0100=[3], then at least one item from X1050A through X1050Z must equal [1].
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3780	Skip pattern	Fatal	a) If X0100=[2], then all active items from X1050A through X1050Z must equal [^]. b) If X0100=[3], then all active items from X1050A through X1050Z must not equal [^].

#### **Changes for Version**

Type	ID	Description
Format	-3676	[V1.02.0]-Added new items O0450A and X0900E to item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X1100A	Correction: attestor first name	Asmt		Text	12	1306-1317

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
Text		Attesting individual's first name
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p>
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3781	Skip pattern	Fatal	If X0100=[2,3], then all active items from X1100A through X1100E must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: X**

***Supplemental Information***

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X1100B	Correction: attestor last name	Asmt		Text	18	1318-1335

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
Text		Attesting individual's last name
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p>
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.
-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3781	Skip pattern	Fatal	If X0100=[2,3], then all active items from X1100A through X1100E must not equal [^].

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Detailed Data Specifications Report**  
**Section: X**

***Supplemental Information***

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

***Changes for Version***

Type	ID	Description
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

Item ID	Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
X1100E	Correction: attestation date	Asmt		Date	8	1336-1343

#### Item Subsets

Active: NC,NQ,NP,NS,NSD,NO,NOD,ND,NT,SP,SS,SSD,SO,SOD,SD,ST,XX  
 Inactive:  
 State optional:

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Attestation date
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p>
-3573	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into two groups, designated Group A and B below. Each group has its own consistency rules.</p> <p>GROUP A RULES</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) &lt;=</p> <p>A1600 (entry date) &lt;=</p> <p>A2200 (previous ARD for significant correction) &lt;=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) &lt;=</p> <p>Z0500B (date RN signed assessment as complete) &lt;=</p> <p>V0200B2 (CAT assessment process signature date) &lt;=</p> <p>V0200C2 (CAT care planning signature date) &lt;=</p> <p>X1100E (correction: attestation date) &lt;=</p>

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Detailed Data Specifications Report

### Section: X

current date

#### GROUP B DATES

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)

M0300B3 (date of oldest Stage 2 pressure ulcer)

O0250B (date influenza vaccine received)

O0400A5 <= O0400A6 (speech-language audiology therapy start/end)

O0400B5 <= O0400B6 (occupational therapy start/end)

O0400C5 <= O0400C6 (physical therapy start/end)

V0100C (prior assessment reference date)

-3789	Consistency	Warning	***NOTE: BEGINNING WITH VERSION 1.01 OF THE DATA SPECS, THIS EDIT HAS BEEN SUSPENDED AND HAS BEEN REPLACED WITH EDIT -3810.
-------	-------------	---------	---

-3810	Consistency	Warning	<p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where X0100=[1]) and for modifications and inactivations (where X0100=[2,3]).</p>
-------	-------------	---------	--

RULES FOR NEW RECORDS (WHERE X0100=[1]):

The following rules apply to new records, where X0100=[1].

a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.

b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.

c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Detailed Data Specifications Report

#### Section: X

submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE X0100=[2,3]):

e) If X0100 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

-3746	Skip pattern	Fatal	If X0100=[1], then all active items from X0150 through X1100E must equal [^].
-3781	Skip pattern	Fatal	If X0100=[2,3], then all active items from X1100A through X1100E must not equal [^].

#### ***Changes for Version***

Type	ID	Description
Format	-3677	[V1.02.0]-Added new item O0450B to item list.
Consistency	-3810	[V1.02.0]-Revised wording of "RULES FOR NEW RECORDS" section of edit. In previous version, the edit used an IF-ELSEIF-ELSE structure which was confusing to some users. This was replaced with simple IF statements. The meaning of the rules WAS NOT CHANGED.
		In addition, the following change was described in the data specs errata document dated 4/15/2011: the item list referenced item A0310B, but this item was not referenced in the text of the edit. A0310B was therefore removed from the item list.
Skip pattern	-3746	[V1.02.0]-Added item X0900E to item list.