

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																																										
-3502	None of above	Fatal	<p>If C0900A through C0900D and C0900Z are all active, then the following rules apply:</p> <p>a) If C0900Z=[0], then at least one item from C0900A through C0900D must equal [1].</p> <p>b) If C0900Z=[1], then all items from C0900A through C0900D must equal [0].</p> <p>c) If C0900Z=[-], then at least one item from C0900A through C0900D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table><tr><td>C0900A</td><td>Staff asmt mental status: recall current season</td></tr><tr><td>C0900B</td><td>Staff asmt mental status: recall location of room</td></tr><tr><td>C0900C</td><td>Staff asmt mental status: recall staff names/faces</td></tr><tr><td>C0900D</td><td>Staff asmt mental status: recall in nursing home</td></tr><tr><td>C0900Z</td><td>Staff asmt mental status: none of above recalled</td></tr></table>	C0900A	Staff asmt mental status: recall current season	C0900B	Staff asmt mental status: recall location of room	C0900C	Staff asmt mental status: recall staff names/faces	C0900D	Staff asmt mental status: recall in nursing home	C0900Z	Staff asmt mental status: none of above recalled																																
C0900A	Staff asmt mental status: recall current season																																												
C0900B	Staff asmt mental status: recall location of room																																												
C0900C	Staff asmt mental status: recall staff names/faces																																												
C0900D	Staff asmt mental status: recall in nursing home																																												
C0900Z	Staff asmt mental status: none of above recalled																																												
-3503	None of above	Fatal	<p>If E0100A through E0100B and E0100Z are all active, then the following rules apply:</p> <p>a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1].</p> <p>b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0].</p> <p>c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table><tr><td>E0100A</td><td>Psychosis: hallucinations</td></tr><tr><td>E0100B</td><td>Psychosis: delusions</td></tr><tr><td>E0100Z</td><td>Psychosis: none of the above</td></tr></table>	E0100A	Psychosis: hallucinations	E0100B	Psychosis: delusions	E0100Z	Psychosis: none of the above																																				
E0100A	Psychosis: hallucinations																																												
E0100B	Psychosis: delusions																																												
E0100Z	Psychosis: none of the above																																												
-3504	None of above	Fatal	<p>If F0800A through F0800T and F0800Z are all active, then the following rules apply:</p> <p>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].</p> <p>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].</p> <p>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table><tr><td>F0800A</td><td>Staff assessment: choosing clothes to wear</td></tr><tr><td>F0800B</td><td>Staff assessment: caring for personal belongings</td></tr><tr><td>F0800C</td><td>Staff assessment: receiving tub bath</td></tr><tr><td>F0800D</td><td>Staff assessment: receiving shower</td></tr><tr><td>F0800E</td><td>Staff assessment: receiving bed bath</td></tr><tr><td>F0800F</td><td>Staff assessment: receiving sponge bath</td></tr><tr><td>F0800G</td><td>Staff assessment: snacks between meals</td></tr><tr><td>F0800H</td><td>Staff assessment: staying up past 8PM</td></tr><tr><td>F0800I</td><td>Staff assessment: discuss care with family/other</td></tr><tr><td>F0800J</td><td>Staff assessment: use phone in private</td></tr><tr><td>F0800K</td><td>Staff assessment: place to lock personal things</td></tr><tr><td>F0800L</td><td>Staff assessment: reading books, newspapers, mags</td></tr><tr><td>F0800M</td><td>Staff assessment: listening to music</td></tr><tr><td>F0800N</td><td>Staff assessment: being around animals/pets</td></tr><tr><td>F0800O</td><td>Staff assessment: keeping up with news</td></tr><tr><td>F0800P</td><td>Staff assessment: doing things with groups</td></tr><tr><td>F0800Q</td><td>Staff assessment: participate favorite activities</td></tr><tr><td>F0800R</td><td>Staff assessment: spend time away from nursng home</td></tr><tr><td>F0800S</td><td>Staff assessment: spend time outdoors</td></tr><tr><td>F0800T</td><td>Staff assessment: participate religious activities</td></tr><tr><td>F0800Z</td><td>Staff assessment: none of above activities</td></tr></table>	F0800A	Staff assessment: choosing clothes to wear	F0800B	Staff assessment: caring for personal belongings	F0800C	Staff assessment: receiving tub bath	F0800D	Staff assessment: receiving shower	F0800E	Staff assessment: receiving bed bath	F0800F	Staff assessment: receiving sponge bath	F0800G	Staff assessment: snacks between meals	F0800H	Staff assessment: staying up past 8PM	F0800I	Staff assessment: discuss care with family/other	F0800J	Staff assessment: use phone in private	F0800K	Staff assessment: place to lock personal things	F0800L	Staff assessment: reading books, newspapers, mags	F0800M	Staff assessment: listening to music	F0800N	Staff assessment: being around animals/pets	F0800O	Staff assessment: keeping up with news	F0800P	Staff assessment: doing things with groups	F0800Q	Staff assessment: participate favorite activities	F0800R	Staff assessment: spend time away from nursng home	F0800S	Staff assessment: spend time outdoors	F0800T	Staff assessment: participate religious activities	F0800Z	Staff assessment: none of above activities
F0800A	Staff assessment: choosing clothes to wear																																												
F0800B	Staff assessment: caring for personal belongings																																												
F0800C	Staff assessment: receiving tub bath																																												
F0800D	Staff assessment: receiving shower																																												
F0800E	Staff assessment: receiving bed bath																																												
F0800F	Staff assessment: receiving sponge bath																																												
F0800G	Staff assessment: snacks between meals																																												
F0800H	Staff assessment: staying up past 8PM																																												
F0800I	Staff assessment: discuss care with family/other																																												
F0800J	Staff assessment: use phone in private																																												
F0800K	Staff assessment: place to lock personal things																																												
F0800L	Staff assessment: reading books, newspapers, mags																																												
F0800M	Staff assessment: listening to music																																												
F0800N	Staff assessment: being around animals/pets																																												
F0800O	Staff assessment: keeping up with news																																												
F0800P	Staff assessment: doing things with groups																																												
F0800Q	Staff assessment: participate favorite activities																																												
F0800R	Staff assessment: spend time away from nursng home																																												
F0800S	Staff assessment: spend time outdoors																																												
F0800T	Staff assessment: participate religious activities																																												
F0800Z	Staff assessment: none of above activities																																												
-3505	None of above	Fatal	<p>If G0600A through G0600D and G0600Z are all active, then the following rules apply:</p> <p>a) If G0600Z=[0], then at least one item from G0600A through G0600D must equal [1].</p> <p>b) If G0600Z=[1], then all items from G0600A through G0600D must equal [0].</p> <p>c) If G0600Z=[-], then at least one item from G0600A through G0600D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <table><tr><td>G0600A</td><td>Mobility devices: cane/crutch</td></tr><tr><td>G0600B</td><td>Mobility devices: walker</td></tr></table>	G0600A	Mobility devices: cane/crutch	G0600B	Mobility devices: walker																																						
G0600A	Mobility devices: cane/crutch																																												
G0600B	Mobility devices: walker																																												

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div>G0600C Mobility devices: wheelchair (manual or electric)</div> <div>G0600D Mobility devices: limb prosthesis</div> <div>G0600Z Mobility devices: none of the above</div>
-3506	None of above	Fatal	<p>If H0100A through H0100D and H0100Z are all active, then the following rules apply:</p> <p>a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1].</p> <p>b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0].</p> <p>c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <div>H0100A Appliances: indwelling catheter</div> <div>H0100B Appliances: external catheter</div> <div>H0100C Appliances: ostomy</div> <div>H0100D Appliances: intermittent catheterization</div> <div>H0100Z Appliances: none of the above</div>
-3507	None of above	Fatal	<p>If I0100 through I6500 and I7900 are all active, then the following rules apply:</p> <p>a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].</p> <p>b) If I7900=[1], then all items from I0100 through I6500 must equal [0].</p> <p>c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b></p> <div>I0100 Cancer (with or without metastasis)</div> <div>I0200 Anemia</div> <div>I0300 Atrial fibrillation and other dysrhythmias</div> <div>I0400 Coronary artery disease (CAD)</div> <div>I0500 Deep venous thrombosis (DVT), PE, or PTE</div> <div>I0600 Heart failure</div> <div>I0700 Hypertension</div> <div>I0800 Orthostatic hypotension</div> <div>I0900 Peripheral vascular disease (PVD) or PAD</div> <div>I1100 Cirrhosis</div> <div>I1200 Gastroesophageal reflux disease (GERD) or ulcer</div> <div>I1300 Ulcerative colitis, Crohn's, inflam bowel disease</div> <div>I1400 Benign prostatic hyperplasia (BPH)</div> <div>I1500 Renal insufficiency, renal failure, ESRD</div> <div>I1550 Neurogenic bladder</div> <div>I1650 Obstructive uropathy</div> <div>I1700 Multidrug resistant organism (MDRO)</div> <div>I2000 Pneumonia</div> <div>I2100 Septicemia</div> <div>I2200 Tuberculosis</div> <div>I2300 Urinary tract infection (UTI) (LAST 30 DAYS)</div> <div>I2400 Viral hepatitis (includes type A, B, C, D, and E)</div> <div>I2500 Wound infection (other than foot)</div> <div>I2900 Diabetes mellitus (DM)</div> <div>I3100 Hyponatremia</div> <div>I3200 Hyperkalemia</div> <div>I3300 Hyperlipidemia (e.g., hypercholesterolemia)</div> <div>I3400 Thyroid disorder</div> <div>I3700 Arthritis</div> <div>I3800 Osteoporosis</div> <div>I3900 Hip fracture</div> <div>I4000 Other fracture</div> <div>I4200 Alzheimer's disease</div> <div>I4300 Aphasia</div>

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> I4400 Cerebral palsy I4500 Cerebrovascular accident (CVA), TIA, or stroke I4800 Dementia I4900 Hemiplegia or hemiparesis I5000 Paraplegia I5100 Quadriplegia I5200 Multiple sclerosis I5250 Huntington's disease I5300 Parkinson's disease I5350 Tourette's syndrome I5400 Seizure disorder or epilepsy I5500 Traumatic brain injury (TBI) I5600 Malnutrition (protein, calorie), risk of malnutrit I5700 Anxiety disorder I5800 Depression (other than bipolar) I5900 Manic depression (bipolar disease) I5950 Psychotic disorder (other than schizophrenia) I6000 Schizophrenia I6100 Post-traumatic stress disorder (PTSD) I6200 Asthma (COPD) or chronic lung disease I6300 Respiratory failure I6500 Cataracts, glaucoma, or macular degeneration I7900 None of above active diseases within last 7 days
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p> <b>Items:</b> J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed
-3509	None of above	Fatal	<p>If J1100A through J1100C and J1100Z are all active, then the following rules apply:</p> <p>a) If J1100Z=[0], then at least one item from J1100A through J1100C must equal [1].</p> <p>b) If J1100Z=[1], then all items from J1100A through J1100C must equal [0].</p> <p>c) If J1100Z=[-], then at least one item from J1100A through J1100C must equal [-] and all remaining items must equal [0,-].</p> <b>Items:</b> J1100A Short breath/trouble breathing: with exertion J1100B Short breath/trouble breathing: sitting at rest J1100C Short breath/trouble breathing: lying flat J1100Z Short breath/trouble breathing: none of above
-3510	None of above	Fatal	<p>If J1550A through J1550D and J1550Z are all active, then the following rules apply:</p> <p>a) If J1550Z=[0], then at least one item from J1550A through J1550D must equal [1].</p> <p>b) If J1550Z=[1], then all items from J1550A through J1550D must equal [0].</p> <p>c) If J1550Z=[-], then at least one item from J1550A through J1550D must equal [-] and all remaining items must equal [0,-].</p> <b>Items:</b> J1550A Problem conditions: fever J1550B Problem conditions: vomiting J1550C Problem conditions: dehydrated J1550D Problem conditions: internal bleeding J1550Z Problem conditions: none of the above

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3511	None of above	Fatal	<p>If K0100A through K0100D and K0100Z are all active, then the following rules apply:</p> <p>a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1].</p> <p>b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0].</p> <p>c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> K0100A Swallow disorder: loss liquids/solids from mouth  K0100B Swallow disorder: holds food in mouth/cheeks  K0100C Swallow disorder: cough/choke with meals/meds  K0100D Swallow disorder: difficulty or pain swallowing  K0100Z Swallow disorder: none of the above</p>
-3512	None of above	Fatal	<p>If K0500A through K0500D and K0500Z are all active, then the following rules apply:</p> <p>a) If K0500Z=[0], then at least one item from K0500A through K0500D must equal [1].</p> <p>b) If K0500Z=[1], then all items from K0500A through K0500D must equal [0].</p> <p>c) If K0500Z=[-], then at least one item from K0500A through K0500D must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> K0500A Nutritional approaches: parenteral /IV feeding  K0500B Nutritional approaches: feeding tube  K0500C Nutritional approaches: mechanically altered diet  K0500D Nutritional approaches: therapeutic diet  K0500Z Nutritional approaches: none of the above</p>
-3513	None of above	Fatal	<p>If L0200A through L0200G and L0200Z are all active, then the following rules apply:</p> <p>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].</p> <p>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].</p> <p>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> L0200A Dental: broken or loosely fitting denture  L0200B Dental: no natural teeth or tooth fragment(s)  L0200C Dental: abnormal mouth tissue  L0200D Dental: cavity or broken natural teeth  L0200E Dental: inflamed/bleeding gums or loose teeth  L0200F Dental: pain, discomfort, difficulty chewing  L0200G Dental: unable to examine  L0200Z Dental: none of the above</p>
-3514	None of above	Fatal	<p>If M1040A through M1040F and M1040Z are all active, then the following rules apply:</p> <p>a) If M1040Z=[0], then at least one item from M1040A through M1040F must equal [1].</p> <p>b) If M1040Z=[1], then all items from M1040A through M1040F must equal [0].</p> <p>c) If M1040Z=[-], then at least one item from M1040A through M1040F must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> M1040A Other skin probs: infection of the foot  M1040B Other skin probs: diabetic foot ulcer(s)  M1040C Other skin probs: other open lesion(s) on the foot  M1040D Other skin probs: lesions not ulcers, rashes, cuts  M1040E Other skin probs: surgical wound(s)  M1040F Other skin probs: burns (second or third degree)  M1040Z Other skin probs: none of the above</p>
-3515	None of above	Fatal	<p>If M1200A through M1200I and M1200Z are all active, then the following rules apply:</p> <p>a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1].</p> <p>b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0].</p> <p>c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> M1200A Skin/ulcer treat: pressure reduce device for chair</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			M1200B      Skin/ulcer treat: pressure reducing device for bed M1200C      Skin/ulcer treat: turning/repositioning M1200D      Skin/ulcer treat: nutrition/hydration M1200E      Skin/ulcer treat: ulcer care M1200F      Skin/ulcer treat: surgical wound care M1200G      Skin/ulcer treat: application of dressings M1200H      Skin/ulcer treat: apply ointments/medications M1200I      Skin/ulcer treat: apply dressings to feet M1200Z      Skin/ulcer treat: none of the above
-3516	None of above	Fatal	If N0400A through N0400G and N0400Z are all active, then the following rules apply: a) If N0400Z=[0], then at least one item from N0400A through N0400G must equal [1]. b) If N0400Z=[1], then all items from N0400A through N0400G must equal [0]. c) If N0400Z=[-], then at least one item from N0400A through N0400G must equal [-] and all remaining items must equal [0,-].  <b>Items:</b> N0400A      Medications: antipsychotic N0400B      Medications: antianxiety N0400C      Medications: antidepressant N0400D      Medications: hypnotic N0400E      Medications: anticoagulant N0400F      Medications: antibiotic N0400G      Medications: diuretic N0400Z      Medications: none of the above
-3517	Skip pattern	Fatal	a) If A2400A=[0], then all active items from A2400B through A2400C must equal [^]. b) If A2400A=[1], then all active items from A2400B through A2400C must not equal [^].  <b>Items:</b> A2400A      Has resident had Medicare-covered stay A2400B      Start date of most recent Medicare stay A2400C      End date of most recent Medicare stay
-3518	Skip pattern	Fatal	a) If A0310A=[05,06], then if A2200 is active it must not equal [^]. b) If A0310A=[01,02,03,04,99], then if A2200 is active it must equal [^].  <b>Items:</b> A0310A      Type of assessment: OBRA A2200      Previous asmt reference date for signif correction
-3519	Skip pattern	Fatal	a) If B0100=[0], then all active items from B0200 through C0100 must not equal [^]. b) If B0100=[-], then all active items from B0200 through C0100 must equal [-].  <b>Items:</b> B0100      Comatose B0200      Hearing B0300      Hearing aid B0600      Speech clarity B0700      Makes self understood B0800      Ability to understand others B1000      Vision B1200      Corrective lenses C0100      BIMS: should resident interview be conducted
-3521	Skip pattern	Fatal	a) If B0100=[0], then all active items from C1300A through D0100 must not equal [^]. b) If B0100=[-], then all active items from C1300A through D0100 must equal [-].  <b>Items:</b> B0100      Comatose C1300A      Signs of delirium: inattention C1300B      Signs of delirium: disorganized thinking C1300C      Signs of delirium: altered level of consciousness C1300D      Signs of delirium: psychomotor retardation C1600      Acute onset mental status change D0100      PHQ: should resident mood interview be conducted

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].  b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E0100A Psychosis: hallucinations  E0100B Psychosis: delusions</p> <p><b>Items:</b> E0100Z Psychosis: none of the above  E0200A Physical behav symptoms directed toward others  E0200B Verbal behav symptoms directed toward others  E0200C Other behav symptoms not directed toward others  E0300 Overall presence of behavioral symptoms</p>
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].  b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E0800 Rejection of care: presence and frequency  E0900 Wandering: presence and frequency</p>
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].  b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p> <p><b>Items:</b> B0100 Comatose  E1100 Change in behavioral or other symptoms  F0300 Conduct res interview for daily/activity prefs</p>
-3527	Consistency	Fatal	<p>a) If C0100=[0,^], then all active items from C0200 through C0600 must equal [^].  b) If C0100=[1], then all active items from C0200 through C0600 must not equal [^].  c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].  d) If C0100=[-], then if C0600 is active it must equal [1,-].</p> <p><b>Items:</b> C0100 BIMS: should resident interview be conducted  C0200 BIMS res interview: repetition of three words  C0300A BIMS res interview: able to report correct year  C0300B BIMS res interview: able to report correct month  C0300C BIMS res interview: can report correct day of week  C0400A BIMS res interview: able to recall "sock"  C0400B BIMS res interview: able to recall "blue"  C0400C BIMS res interview: able to recall "bed"  C0500 BIMS res interview: summary score  C0600 Staff asmt mental status: conduct asmt</p>
-3528	Consistency	Fatal	<p>a) If C0600=[0], then all active items from C0700 through C1000 must equal [^].  b) If C0600=[1], then all active items from C0700 through C1000 must not equal [^].  c) If C0600=[-], then all active items from C0700 through C1000 must equal [-].  d) If C0600=[^] and C0100=[0], then all active items from C0700 through C1000 must not equal [^].</p> <p><b>Items:</b> C0100 BIMS: should resident interview be conducted  C0600 Staff asmt mental status: conduct asmt  C0700 Staff asmt mental status: short-term memory OK  C0800 Staff asmt mental status: long-term memory OK  C0900A Staff asmt mental status: recall current season  C0900B Staff asmt mental status: recall location of room  C0900C Staff asmt mental status: recall staff names/faces  C0900D Staff asmt mental status: recall in nursing home  C0900Z Staff asmt mental status: none of above recalled</p> <p><b>Items:</b> C1000 Cognitive skills for daily decision making</p>
-3529	Skip pattern	Fatal	If D0100=[1], then if D0200A1 is active it must not equal [^].

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3531	Skip pattern	Fatal	<b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200A1 PHQ res: little interest or pleasure - presence
			a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^]. b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^]. c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].
-3532	Skip pattern	Fatal	<b>Items:</b> E0300 Overall presence of behavioral symptoms E0500A Behav symptoms put res at risk for illness/injury E0500B Behav symptoms interfere with resident care E0500C Behav symptoms interfere with social activities E0600A Behav symptoms put others at risk for injury E0600B Behav symptoms intrude on privacy of others E0600C Behav symptoms disrupt care or living environment
			a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^]. b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^]. c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].
-3533	Consistency	Fatal	<b>Items:</b> E0900 Wandering: presence and frequency E1000A Wandering: risk of getting to dangerous place E1000B Wandering: intrude on privacy of others
			a) If F0300=[0], then all active items from F0400A through F0700 must equal [^]. b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^]. c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].
-3534	Skip pattern	Fatal	<b>Items:</b> F0300 Conduct res interview for daily/activity prefs F0400A Res interview: choose clothes to wear F0400B Res interview: take care of personal belongings F0400C Res interview: choose tub, bath, shower, sponge F0400D Res interview: have snacks between meals F0400E Res interview: choose own bedtime F0400F Res interview: discuss care with family/friend F0400G Res interview: use phone in private F0400H Res interview: lock things to keep them safe F0500A Res interview: have books, newspaper, mags to read F0500B Res interview: listen to music F0500C Res interview: be around animals/pets F0500D Res interview: keep up with news F0500E Res interview: do things with groups of people F0500F Res interview: do favorite activities F0500G Res interview: go outside when good weather F0500H Res interview: participate in religious practices F0600 Primary respondent: daily/activities prefs F0700 Conduct staff assessment for daily/activity prefs
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].
-3534	Skip pattern	Fatal	<b>Items:</b> F0700 Conduct staff assessment for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath
			a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^]. b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^]. c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			F0800G      Staff assessment: snacks between meals F0800H      Staff assessment: staying up past 8PM F0800I      Staff assessment: discuss care with family/other F0800J      Staff assessment: use phone in private F0800K      Staff assessment: place to lock personal things F0800L      Staff assessment: reading books, newspapers, mags F0800M      Staff assessment: listening to music F0800N      Staff assessment: being around animals/pets F0800O      Staff assessment: keeping up with news F0800P      Staff assessment: doing things with groups F0800Q      Staff assessment: participate favorite activities F0800R      Staff assessment: spend time away from nursng home F0800S      Staff assessment: spend time outdoors F0800T      Staff assessment: participate religious activities F0800Z      Staff assessment: none of above activities
-3535	Skip pattern	Fatal	a) If A0310A=[02,03,04,05,06,99], then all active items from G0900A through G0900B must equal [^]. b) If A0310A=[01], then all active items from G0900A through G0900B must not equal [^]. <b>Items:</b> A0310A      Type of assessment: OBRA G0900A      Resident believes capable of increased independ G0900B      Staff believes res capable of increased independ
-3536	Skip pattern	Fatal	a) If H0200A=[0,9], then if H0200B is active it must equal [^]. b) If H0200A=[1], then if H0200B is active it must not equal [^]. c) If H0200A=[-], then if H0200B is active it must equal [-]. <b>Items:</b> H0200A      Urinary toileting program: has been attempted H0200B      Urinary toileting program: response
-3537	Skip pattern	Fatal	a) If H0200A=[0], then if H0200C is active it must equal [^]. b) If H0200A=[1,9], then if H0200C is active it must not equal [^]. c) If H0200A=[-], then if H0200C is active it must equal [-]. <b>Items:</b> H0200A      Urinary toileting program: has been attempted H0200C      Urinary toileting program: current program/trial
-3538	Skip pattern	Fatal	a) If B0100=[0], then if J0200 is active it must not equal [^]. b) If B0100=[-], then if J0200 is active it must equal [-]. <b>Items:</b> B0100      Comatose J0200      Should pain assessment interview be conducted
-3542	Skip pattern	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^]. <b>Items:</b> M0210      Resident has Stage 1 or higher pressure ulcers M0300A      Stage 1 pressure ulcers: number present M0300B1      Stage 2 pressure ulcers: number present
-3543	Skip pattern	Fatal	If M0210=[1], then if M0300C1 is active it must not equal [^]. <b>Items:</b> M0210      Resident has Stage 1 or higher pressure ulcers M0300C1      Stage 3 pressure ulcers: number present
-3544	Skip pattern	Fatal	If M0210=[1], then if M0300D1 is active it must not equal [^]. <b>Items:</b> M0210      Resident has Stage 1 or higher pressure ulcers M0300D1      Stage 4 pressure ulcers: number present
-3545	Skip pattern	Fatal	If M0210=[1], then if M0300E1 is active it must not equal [^]. <b>Items:</b> M0210      Resident has Stage 1 or higher pressure ulcers M0300E1      Unstaged due to dressing: number present
-3546	Skip pattern	Fatal	If M0210=[1], then if M0300F1 is active it must not equal [^].



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0210 Resident has Stage 1 or higher pressure ulcers M0300F1 Unstaged slough/eschar: number present
-3547	Skip pattern	Fatal	If M0210=[1], then if M0300G1 is active it must not equal [^].
			<b>Items:</b> M0210 Resident has Stage 1 or higher pressure ulcers M0300G1 Unstageable - deep tissue: number present
-3548	Skip pattern	Fatal	a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^]. b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^]. c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].
			<b>Items:</b> M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300B3 Stage 2 pressure ulcers: date of oldest
-3549	Skip pattern	Fatal	a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^]. b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^]. c) If M0300C1=[-], then if M0300C2 is active it must equal [-].
			<b>Items:</b> M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry
-3550	Skip pattern	Fatal	a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^]. b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^]. c) If M0300D1=[-], then if M0300D2 is active it must equal [-].
			<b>Items:</b> M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry
-3551	Skip pattern	Fatal	a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^]. b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^]. c) If M0300E1=[-], then if M0300E2 is active it must equal [-].
			<b>Items:</b> M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry
-3552	Skip pattern	Fatal	a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^]. b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^]. c) If M0300F1=[-], then if M0300F2 is active it must equal [-].
			<b>Items:</b> M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry
-3553	Skip pattern	Fatal	a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^]. b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^]. c) If M0300G1=[-], then if M0300G2 is active it must equal [-].
			<b>Items:</b> M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry
-3555	Skip pattern	Fatal	a) If O0250A=[1], then if O0250B is active it must not equal [^]. b) If O0250A=[0], then if O0250B is active it must equal [^]. c) If O0250A=[-], then if O0250B is active it must equal [-].
			<b>Items:</b> O0250A Was influenza vaccine received O0250B Date influenza vaccine received.
-3556	Skip pattern	Fatal	a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].
			<b>Items:</b> O0300A Is pneumococcal vaccination up to date O0300B If pneumococcal vacc not received, state reason
-3557	Consistency	Fatal	Skip pattern for O0400A4, O0400A5, and O0400A6.

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then the following rules apply:  a1) O0400A4 must equal [^].  a2) O0400A5 can equal any allowable value: [YYYYMMDD,-,^].  a3) O0400A6 can equal any allowable value: [YYYYMMDD,-----,-,^].  b) If the sum is greater than zero, then O0400A4, O0400A5, and O0400A6 must not equal [^].  c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A4, O0400A5, and O0400A6 must equal [-].</p> <p><b>Items:</b> O0400A1            Speech-language/audiology: individ minutes  O0400A2            Speech-language/audiology: concur minutes  O0400A3            Speech-language/audiology: group minutes  O0400A4            Speech-language/audiology: number of days  O0400A5            Speech-language/audiology: start date  O0400A6            Speech-language/audiology: end date</p>
-3558	Consistency	Fatal	<p>Skip pattern for O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then the following rules apply:  a1) O0400B4 must equal [^].  a2) O0400B5 can equal any allowable value: [YYYYMMDD,-,^].  a3) O0400B6 can equal any allowable value: [YYYYMMDD,-----,-,^].  b) If the sum is greater than zero, then O0400B4, O0400B5, and O0400B6 must not equal [^].  c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B4, O0400B5, and O0400B6 must equal [-].</p> <p><b>Items:</b> O0400B1            Occupational therapy: individ minutes  O0400B2            Occupational therapy: concur minutes  O0400B3            Occupational therapy: group minutes  O0400B4            Occupational therapy: number of days  O0400B5            Occupational therapy: start date  O0400B6            Occupational therapy: end date</p>
-3559	Consistency	Fatal	<p>Skip pattern for O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then the following rules apply:  a1) O0400C4 must equal [^].  a2) O0400C5 can equal any allowable value: [YYYYMMDD,-,^].  a3) O0400C6 can equal any allowable value: [YYYYMMDD,-----,-,^].  b) If the sum is greater than zero, then O0400C4, O0400C5, and O0400C6 must not equal [^].  c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C4, O0400C5, and O0400C6 must equal [-].</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C4 Physical therapy: number of days O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date
-3560	Skip pattern	Fatal	a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^]. b) If O0400D1=[0000], then if O0400D2 is active it must equal [^]. c) If O0400D1=[-], then if O0400D2 is active it must equal [-]. <b>Items:</b> O0400D1 Respiratory therapy: number of minutes O0400D2 Respiratory therapy: number of days
-3561	Skip pattern	Fatal	a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^]. b) If O0400E1=[0000], then if O0400E2 is active it must equal [^]. c) If O0400E1=[-], then if O0400E2 is active it must equal [-]. <b>Items:</b> O0400E1 Psychological therapy: number of minutes O0400E2 Psychological therapy: number of days
-3562	Skip pattern	Fatal	a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^]. b) If O0400F1=[0000], then if O0400F2 is active it must equal [^]. c) If O0400F1=[-], then if O0400F2 is active it must equal [-]. <b>Items:</b> O0400F1 Recreational therapy: number of minutes O0400F2 Recreational therapy: number of days
-3563	Skip pattern	Fatal	a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^]. b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^]. <b>Items:</b> A0310E First assessment since most recent entry Q0300A Resident's overall goal Q0300B Information source for resident's goal
-3565	Format	Fatal	If the value is not equal to [^], it must be 9 characters long. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3566	Format	Fatal	If the value is not equal to [^], the first three characters must not be equal to [000]. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3567	Format	Fatal	The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999]. <b>Items:</b> A0600A Social Security Number X0500 Correction: resident social security number
-3568	Format	Fatal	If A0100A is not equal to [^], then it must be 10 digits long. <b>Items:</b> A0100A Facility National Provider Identifier (NPI)
-3569	Format	Fatal	If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9]. <b>Items:</b> A0600B Resident Medicare/railroad insurance number
-3570	Format	Fatal	If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item. <b>Items:</b> A0600B Resident Medicare/railroad insurance number
-3571	Consistency	Fatal	If this is a PPS assessment (A0310B=[01,02,03,04,05,06,07]), then either the SSN (A0600A) or the Medicare or comparable railroad insurance number (A0600B) must be present (not [^]). Thus, the

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>submission will be rejected if this is a PPS assessment and both of the following conditions are true:</p> <p>a) A0600A is equal to [^].</p> <p>b) A0600B is equal to [^].</p> <p><b>Items:</b> A0310B                      Type of assessment: PPS</p> <p>                 A0600A                      Social Security Number</p> <p>                 A0600B                      Resident Medicare/railroad insurance number</p>
-3572	Skip pattern	Fatal	<p>a) If A1100A=[0,9], then if A1100B is active it must equal [^].</p> <p>b) If A1100A=[1], then if A1100B is active it must not equal [^].</p> <p>c) If A1100A=[-], then if A1100B is active it must equal [-].</p> <p><b>Items:</b> A1100A                      Does the resident need or want an interpreter</p> <p>                 A1100B                      Preferred language</p>
-3573	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into two groups, designated Group A and B below. Each group has its own consistency rules.</p> <p><b>GROUP A RULES</b></p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) &lt;=</p> <p>A1600 (entry date) &lt;=</p> <p>A2200 (previous ARD for significant correction) &lt;=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) &lt;=</p> <p>Z0500B (date RN signed assessment as complete) &lt;=</p> <p>V0200B2 (CAT assessment process signature date) &lt;=</p> <p>V0200C2 (CAT care planning signature date) &lt;=</p> <p>X1100E (correction: attestation date) &lt;=</p> <p>current date</p> <p><b>GROUP B DATES</b></p> <p>Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:</p> <ol style="list-style-type: none"> <li>1. Each Group B date must be greater than or equal to A0900 (birthdate).</li> <li>2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.</li> <li>3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.</li> <li>4. For start/end date pairs shown below, the start date must be less than or equal to the end date.</li> <li>5. Otherwise, the Group B dates may be in any order.</li> </ol> <p>The following is a list of Group B dates:</p> <p>A2400B &lt;= A2400C (Medicare stay start/end)</p> <p>M0300B3 (date of oldest Stage 2 pressure ulcer)</p> <p>O0250B (date influenza vaccine received)</p> <p>O0400A5 &lt;= O0400A6 (speech-language audiology therapy start/end)</p> <p>O0400B5 &lt;= O0400B6 (occupational therapy start/end)</p> <p>O0400C5 &lt;= O0400C6 (physical therapy start/end)</p> <p>V0100C (prior assessment reference date)</p> <p><b>Items:</b> A0310F                      Entry/discharge reporting</p> <p>                 A0900                      Birthdate</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>A1600</div> <div>Entry date (date of admission/reentry in facility)</div> <div>A2000</div> <div>Discharge date</div> <div>A2200</div> <div>Previous asmt reference date for signif correction</div> <div>A2300</div> <div>Assessment reference date</div> <div>A2400B</div> <div>Start date of most recent Medicare stay</div> <div>A2400C</div> <div>End date of most recent Medicare stay</div> <div>M0300B3</div> <div>Stage 2 pressure ulcers: date of oldest</div> <div>O0250B</div> <div>Date influenza vaccine received.</div> <div>O0400A5</div> <div>Speech-language/audiology: start date</div> <div>O0400A6</div> <div>Speech-language/audiology: end date</div> <div>O0400B5</div> <div>Occupational therapy: start date</div> <div>O0400B6</div> <div>Occupational therapy: end date</div> <div>O0400C5</div> <div>Physical therapy: start date</div> <div>O0400C6</div> <div>Physical therapy: end date</div> <div>V0100C</div> <div>Prior assessment reference date</div> <div>V0200B2</div> <div>CAA-Assessment process signature date</div> <div>V0200C2</div> <div>CAA-Care planning signature date</div> <div>X1100E</div> <div>Correction: attestation date</div> <div>Z0500B</div> <div>Date RN signed assessment as complete</div>
-3586	Skip pattern	Fatal	<div>a) If C0500=[-,99], then if C0600 is active it must equal [1,-].</div> <div>b) If C0500=[00-15], then if C0600 is active it must equal [0].</div> <div> <div>Items:</div> <div> <div>C0500</div> <div>BIMS res interview: summary score</div> <div>C0600</div> <div>Staff asmt mental status: conduct asmt</div> </div> </div>
-3587	Consistency	Fatal	<div>D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.</div> <div> <div>The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].</div> <div> <div>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.</div> <div> <div>b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.</div> <div> <div>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</div> <div> <div>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</div> <div> <div>e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].</div> <div> <div>f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].</div> </div> </div> </div> <div>The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.</div> </div></div></div></div>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0200A2 PHQ res: little interest or pleasure - frequency D0200B2 PHQ res: feeling down, depressed - frequency D0200C2 PHQ res: trouble with sleep - frequency D0200D2 PHQ res: feeling tired/little energy - frequency D0200E2 PHQ res: poor appetite or overeating - frequency D0200F2 PHQ res: feeling bad about self - frequency D0200G2 PHQ res: trouble concentrating - frequency D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score
-3588	Consistency	Fatal	<p>D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.</p> <p>The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].</p> <p>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.</p> <p>b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.</p> <p>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).</p> <p>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).</p> <p>e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].</p> <p>The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.</p> <b>Items:</b> D0500A2 PHQ staff: little interest or pleasure - frequency D0500B2 PHQ staff: feeling down, depressed - frequency D0500C2 PHQ staff: trouble with sleep - frequency D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F2 PHQ staff: feeling bad about self - frequency D0500G2 PHQ staff: trouble concentrating - frequency D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I2 PHQ staff: thoughts better off dead - frequency D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score
-3590	Consistency	Fatal	<p>If F0300 is equal to [1], then the following rules apply:</p> <p>a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must equal [1,2,-] and F0700 must equal [0, -].</p> <p>c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].</p>
			<p><b>Items:</b> F0300 Conduct res interview for daily/activity prefs</p> <p>F0400B Res interview: take care of personal belongings</p> <p>F0400C Res interview: choose tub, bath, shower, sponge</p> <p>F0400D Res interview: have snacks between meals</p> <p>F0400E Res interview: choose own bedtime</p> <p>F0400F Res interview: discuss care with family/friend</p> <p>F0400G Res interview: use phone in private</p> <p>F0400H Res interview: lock things to keep them safe</p> <p>F0500A Res interview: have books, newspaper, mags to read</p> <p>F0500B Res interview: listen to music</p> <p>F0500C Res interview: be around animals/pets</p> <p>F0500D Res interview: keep up with news</p> <p>F0500E Res interview: do things with groups of people</p> <p>F0500F Res interview: do favorite activities</p> <p>F0500G Res interview: go outside when good weather</p> <p>F0500H Res interview: participate in religious practices</p> <p>F0600 Primary respondent: daily/activities prefs</p> <p>F0700 Conduct staff assessment for daily/activity prefs</p>
-3591	Format	Fatal	<p>Formatting of ICD Items</p> <p>If the ICD-9 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with ^, and with a decimal point as the 6th character. The only exception to this rule is that an entirely blank ICD-9 item must be submitted as a single ^.</p> <p>For example:</p> <ul style="list-style-type: none"> <li>-The ICD-9 code "123.4" would be submitted as [^^123.4^].</li> <li>-The ICD-9 code "123." would be submitted as [^^123.^^].</li> <li>-The ICD-9 code "E123.4" would be submitted as [^E123.4^].</li> <li>-The ICD-9 code "V12.3" would be submitted as [^^V12.3^]</li> <li>-An entirely blank ICD-9 code would be submitted as [^].</li> </ul> <p>Other formatting rules are as follows:</p> <ul style="list-style-type: none"> <li>a) Character 1 must be [^].</li> <li>b) Character 2 must be [E,^].</li> <li>c) If character 2 is [^], then character 3 can be [V,0-9]. If character 2 is [E], then character 3 must be [0-9].</li> <li>d) Characters 4 through 5 must be [0-9].</li> <li>e) Character 6 must be a decimal point.</li> <li>f) Characters 7 and 8 must be [0-9,^].</li> <li>g) If character 7 is a [^], then character 8 must be a [^].</li> </ul> <p>Note that ICD-10 codes are formatted differently from ICD-9 codes and are not accepted at this time.</p> <p><b>Items:</b> I8000A Additional active ICD diagnosis 1</p> <p>I8000B Additional active ICD diagnosis 2</p> <p>I8000C Additional active ICD diagnosis 3</p> <p>I8000D Additional active ICD diagnosis 4</p> <p>I8000E Additional active ICD diagnosis 5</p> <p>I8000F Additional active ICD diagnosis 6</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> I8000G Additional active ICD diagnosis 7 I8000H Additional active ICD diagnosis 8 I8000I Additional active ICD diagnosis 9 I8000J Additional active ICD diagnosis 10
-3593	Consistency	Fatal	a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^]. b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].  <b>Items:</b> M0300C1 Stage 3 pressure ulcers: number present M0300D1 Stage 4 pressure ulcers: number present M0300F1 Unstaged slough/eschar: number present M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)
-3595	None of above	Fatal	If M0100A through M0100C and M0100Z are all active, then the following rules apply: a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1]. b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0]. c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].  <b>Items:</b> M0100A Risk determination: has ulcer, scar, or dressing M0100B Risk determination: formal assessment M0100C Risk determination: clinical assessment M0100Z Risk determination: none of the above
-3596	Consistency	Fatal	a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^]. b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^]. c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].  <b>Items:</b> A0310E First assessment since most recent entry M0210 Resident has Stage 1 or higher pressure ulcers M0800A Worsened since prior asmt: Stage 2 pressure ulcers M0800B Worsened since prior asmt: Stage 3 pressure ulcers M0800C Worsened since prior asmt: Stage 4 pressure ulcers
-3597	Skip pattern	Fatal	If A0310E=[0], then if M0900A is active it must equal [0,1,-].  <b>Items:</b> A0310E First assessment since most recent entry M0900A Pressure ulcers on prior assessment
-3598	Skip pattern	Fatal	a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^]. b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^]. c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].  <b>Items:</b> M0900A Pressure ulcers on prior assessment M0900B Healed pressure ulcers: Stage 2 M0900C Healed pressure ulcers: Stage 3 M0900D Healed pressure ulcers: Stage 4
-3605	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].  <b>Items:</b> J1800 Falls since admit/prior asmt: any falls J1900A Falls since admit/prior asmt: no injury J1900B Falls since admit/prior asmt: injury (not major) J1900C Falls since admit/prior asmt: major injury



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																						
-3607	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Character 1 indicates the type of provider and is based upon the value of A0200, as follows:</p> <p>a) If A0200 is equal to [1] (nursing home record), then character 1 of the ISC is equal to [N].</p> <p>b) If A0200 is equal to [2] (swing bed record), then character 1 of the ISC is equal to [S].</p> <p>Characters 2 and 3 indicate the type of record and are based upon the values of the Reason For Assessment (RFA) items A0310A, A0310B, A0310C, A0310D, and A0310F. The "Item Subset Code (ISC) Report" that accompanies the data specs lists all possible combinations of the RFA items and their associated ISCs. If the ISC that is listed in the report is equal to dashes, then the combination of RFA items is not allowed. If a record is submitted with one of these invalid RFA combinations, a fatal error will occur and it will be rejected.</p> <p>The ISC_VAL table that is contained in the data specifications Access database is used to generate the ISC report and can be used by programmers as a lookup table. In addition, an appendix of the overview document that accompanies these data specifications contains source code for a Visual Basic function (GetISC()) that can be used to determine the ISC that is associated with any combination of the RFA items.</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p><b>Items:</b></p> <table><tr><td>A0200</td><td>Type of provider</td></tr><tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td>A0310C</td><td>Type of assessment: OMRA</td></tr><tr><td>A0310D</td><td>Swing bed clinical change assessment</td></tr><tr><td>A0310F</td><td>Entry/discharge reporting</td></tr></table>	A0200	Type of provider	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310C	Type of assessment: OMRA	A0310D	Swing bed clinical change assessment	A0310F	Entry/discharge reporting										
A0200	Type of provider																								
A0310A	Type of assessment: OBRA																								
A0310B	Type of assessment: PPS																								
A0310C	Type of assessment: OMRA																								
A0310D	Swing bed clinical change assessment																								
A0310F	Entry/discharge reporting																								
-3608	Consistency	Fatal	<p>a) If A0200=[1] (this is a nursing home record) and A0310E is equal to [1], then A0310A must equal [01,02,03,04,05,06] OR A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <p>b) If A0200=[2] (this is a swing bed record) and A0310E is equal to [1], then A0310B must equal [01,02,03,04,05,06,07] OR A0310F must equal [10,11].</p> <p><b>Items:</b></p> <table><tr><td>A0200</td><td>Type of provider</td></tr><tr><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td>A0310E</td><td>First assessment since most recent entry</td></tr><tr><td>A0310F</td><td>Entry/discharge reporting</td></tr></table>	A0200	Type of provider	A0310A	Type of assessment: OBRA	A0310B	Type of assessment: PPS	A0310E	First assessment since most recent entry	A0310F	Entry/discharge reporting												
A0200	Type of provider																								
A0310A	Type of assessment: OBRA																								
A0310B	Type of assessment: PPS																								
A0310E	First assessment since most recent entry																								
A0310F	Entry/discharge reporting																								
-3609	Skip pattern	Fatal	<p>If B0100=[1], then all active items from B0200 through F0800Z must equal [^].</p> <p><b>Items:</b></p> <table><tr><td>B0100</td><td>Comatose</td></tr><tr><td>B0200</td><td>Hearing</td></tr><tr><td>B0300</td><td>Hearing aid</td></tr><tr><td>B0600</td><td>Speech clarity</td></tr><tr><td>B0700</td><td>Makes self understood</td></tr><tr><td>B0800</td><td>Ability to understand others</td></tr><tr><td>B1000</td><td>Vision</td></tr><tr><td>B1200</td><td>Corrective lenses</td></tr><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr><tr><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr><tr><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr></table>	B0100	Comatose	B0200	Hearing	B0300	Hearing aid	B0600	Speech clarity	B0700	Makes self understood	B0800	Ability to understand others	B1000	Vision	B1200	Corrective lenses	C0100	BIMS: should resident interview be conducted	C0200	BIMS res interview: repetition of three words	C0300A	BIMS res interview: able to report correct year
B0100	Comatose																								
B0200	Hearing																								
B0300	Hearing aid																								
B0600	Speech clarity																								
B0700	Makes self understood																								
B0800	Ability to understand others																								
B1000	Vision																								
B1200	Corrective lenses																								
C0100	BIMS: should resident interview be conducted																								
C0200	BIMS res interview: repetition of three words																								
C0300A	BIMS res interview: able to report correct year																								

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0500 BIMS res interview: summary score
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C0800 Staff asmt mental status: long-term memory OK
			C0900A Staff asmt mental status: recall current season
			C0900B Staff asmt mental status: recall location of room
			C0900C Staff asmt mental status: recall staff names/faces
			C0900D Staff asmt mental status: recall in nursing home
			C0900Z Staff asmt mental status: none of above recalled
			C1000 Cognitive skills for daily decision making
			C1300A Signs of delirium: inattention
			C1300B Signs of delirium: disorganized thinking
			C1300C Signs of delirium: altered level of consciousness
			C1300D Signs of delirium: psychomotor retardation
			C1600 Acute onset mental status change
			D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
			D0200E1 PHQ res: poor appetite or overeating - presence
	Items:		D0200E2 PHQ res: poor appetite or overeating - frequency
			D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
			D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
			D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
			D0200I1 PHQ res: thoughts better off dead - presence
			D0200I2 PHQ res: thoughts better off dead - frequency
			D0300 PHQ res: total mood severity score
			D0350 PHQ res: safety notification
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0600 PHQ staff: total mood score
			D0650 PHQ staff: safety notification
			E0100A Psychosis: hallucinations
			E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
	Items:		E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms
			F0300 Conduct res interview for daily/activity prefs
			F0400A Res interview: choose clothes to wear
			F0400B Res interview: take care of personal belongings
			F0400C Res interview: choose tub, bath, shower, sponge
			F0400D Res interview: have snacks between meals
			F0400E Res interview: choose own bedtime
			F0400F Res interview: discuss care with family/friend
			F0400G Res interview: use phone in private
			F0400H Res interview: lock things to keep them safe
			F0500A Res interview: have books, newspaper, mags to read
			F0500B Res interview: listen to music
			F0500C Res interview: be around animals/pets
			F0500D Res interview: keep up with news
			F0500E Res interview: do things with groups of people
			F0500F Res interview: do favorite activities
			F0500G Res interview: go outside when good weather
			F0500H Res interview: participate in religious practices
			F0600 Primary respondent: daily/activities prefs
			F0700 Conduct staff assessment for daily/activity prefs
			F0800A Staff assessment: choosing clothes to wear
			F0800B Staff assessment: caring for personal belongings
			F0800C Staff assessment: receiving tub bath
			F0800D Staff assessment: receiving shower
			F0800E Staff assessment: receiving bed bath
			F0800F Staff assessment: receiving sponge bath

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			F0800G Staff assessment: snacks between meals F0800H Staff assessment: staying up past 8PM F0800I Staff assessment: discuss care with family/other F0800J Staff assessment: use phone in private F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups
ID	Type	Severity	Text/Items
			<b>Items:</b> F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^]. <b>Items:</b> B0100 Comatose J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed J0850 Staff pain asmt: frequency of pain
-3612	Consistency	Fatal	a) If M0210=[0], then all active items from M0300A through M0800C must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-]. <b>Items:</b> M0210 Resident has Stage 1 or higher pressure ulcers M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300B3 Stage 2 pressure ulcers: date of oldest M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div>M0700 Tissue type for ulcer at most advanced stage</div> <div> <b>Items:</b> <div>M0800A Worsened since prior asmt: Stage 2 pressure ulcers</div> <div>M0800B Worsened since prior asmt: Stage 3 pressure ulcers</div> <div>M0800C Worsened since prior asmt: Stage 4 pressure ulcers</div> </div>
-3616	Consistency	Warning	<p>If the item is active and contains a value, the value should be consistent with all of the MDS items used in the RUGs classification (i.e., the RUGs calculation should be correct).</p> <p>For items Z0100A, Z0100B, and Z0100C, and for items Z0150A and Z0150B, the submission system will recalculate the HIPPS code, the RUG version code, and, for Z0100C, the short stay indicator, and issue a warning if the recalculated values do not match the submitted values.</p> <p>For items Z0200A, Z0200B, Z0250A, and Z0250B, the submission system will recalculate the submitted RUGs code and RUG version code if the State is using a CMS supported RUG model. A warning will be issued if the recalculated codes do not match the submitted codes.</p> <div> <b>Items:</b> <div>Z0100A Medicare Part A: HIPPS code</div> <div>Z0100B Medicare Part A: RUG version code</div> <div>Z0100C Medicare Part A: Medicare short stay asmt</div> <div>Z0150A Medicare Part A: non-therapy HIPPS code</div> <div>Z0150B Medicare Part A: non-therapy RUG version code</div> <div>Z0200A State case mix: RUG group</div> <div>Z0200B State case mix: RUG version code</div> <div>Z0250A State case mix: Alternate RUG group</div> <div>Z0250B State case mix: Alternate RUG version code</div> </div>
-3617	Skip pattern	Fatal	<p>a) If D0200I1=[0,9,^,-], then if D0350 is active it must equal [^].  b) If D0200I1=[1], then if D0350 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0200I1 PHQ res: thoughts better off dead - presence</div> <div>D0350 PHQ res: safety notification</div> </div>
-3618	Skip pattern	Fatal	<p>a) If D0500I1=[0,^,-], then if D0650 is active it must equal [^].  b) If D0500I1=[1], then if D0650 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0500I1 PHQ staff: thoughts better off dead - presence</div> <div>D0650 PHQ staff: safety notification</div> </div>
-3619	Skip pattern	Fatal	<p>If D0100=[1], then if D0200B1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> <div>D0200B1 PHQ res: feeling down, depressed - presence</div> </div>
-3620	Skip pattern	Fatal	<p>If D0100=[1], then if D0200C1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> <div>D0200C1 PHQ res: trouble with sleep - presence</div> </div>
-3621	Skip pattern	Fatal	<p>If D0100=[1], then if D0200D1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> <div>D0200D1 PHQ res: feeling tired/little energy - presence</div> </div>
-3622	Skip pattern	Fatal	<p>If D0100=[1], then if D0200E1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> <div>D0200E1 PHQ res: poor appetite or overeating - presence</div> </div>
-3623	Skip pattern	Fatal	<p>If D0100=[1], then if D0200F1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> <div>D0200F1 PHQ res: feeling bad about self - presence</div> </div>
-3624	Skip pattern	Fatal	<p>If D0100=[1], then if D0200G1 is active it must not equal [^].</p> <div> <b>Items:</b> <div>D0100 PHQ: should resident mood interview be conducted</div> </div>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3625	Skip pattern	Fatal	<p>D0200G1 PHQ res: trouble concentrating - presence</p> <p>If D0100=[1], then if D0200H1 is active it must not equal [^].</p> <p><b>Items:</b> D0100 PHQ: should resident mood interview be conducted</p> <p>D0200H1 PHQ res: slow, fidgety, restless - presence</p>
-3626	Skip pattern	Fatal	<p>If D0100=[1], then if D0200I1 is active it must not equal [^].</p> <p><b>Items:</b> D0100 PHQ: should resident mood interview be conducted</p> <p>D0200I1 PHQ res: thoughts better off dead - presence</p>
-3627	Skip pattern	Fatal	<p>If D0100=[1], then if D0300 is active it must not equal [^].</p> <p><b>Items:</b> D0100 PHQ: should resident mood interview be conducted</p> <p>D0300 PHQ res: total mood severity score</p>
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).</p> <p>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).</p> <p>c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date)..</p> <p>Given the target date, the following rules apply:</p> <p>a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).</p> <p>b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).</p> <p>c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p> <p>If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.</p> <p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <p><b>Items:</b> A0310F Entry/discharge reporting</p> <p>A0410 Submission requirement</p> <p>A1600 Entry date (date of admission/reentry in facility)</p> <p>A2000 Discharge date</p> <p>A2300 Assessment reference date</p>
-3659	Consistency	Fatal	<p>A0900 (birthdate) cannot be more than 140 years earlier than the current date.</p> <p><b>Items:</b> A0900 Birthdate</p>
-3660	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.</p> <p>a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>b) If all of the BIMS component items are active and have numeric values (not dash) and if four or</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<p>more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <p><b>Items:</b> C0200 BIMS res interview: repetition of three words  C0300A BIMS res interview: able to report correct year  C0300B BIMS res interview: able to report correct month  C0300C BIMS res interview: can report correct day of week  C0400A BIMS res interview: able to recall "sock"  C0400B BIMS res interview: able to recall "blue"  C0400C BIMS res interview: able to recall "bed"  C0500 BIMS res interview: summary score</p>
-3661	Consistency	Fatal	<p>a) If K0500A is equal to [1] or K0500B is equal to [1], then K0700A and K0700B must not equal [^].</p> <p>b) If K0500A is equal to [0] and K0500B is equal to [0], then K0700A and K0700B must be equal to [^].</p> <p>c) If K0500A is equal to [-] and K0500B is equal to [-], then K0700A and K0700B must be equal to [-].</p> <p>d) If K0500A is equal to [0] and K0500B is equal to [-], then K0700A and K0700B must be equal to [-].</p> <p>e) If K0500A is equal to [-] and K0500B is equal to [0], then K0700A and K0700B must be equal to [-].</p> <p><b>Items:</b> K0500A Nutritional approaches: parenteral /IV feeding  K0500B Nutritional approaches: feeding tube  K0700A Proportion total calories via parenteral/tube feed  K0700B Average fluid intake per day by IV or tube</p>
-3662	Consistency	Fatal	<p>If M0300B1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300B2 must be equal to [-], OR</p> <p>b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <p><b>Items:</b> M0300B1 Stage 2 pressure ulcers: number present  M0300B2 Stage 2 pressure ulcers: number at admit/reentry</p>
-3663	Consistency	Fatal	<p>If M0300C1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300C2 must be equal to [-], OR</p> <p>b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> <p><b>Items:</b> M0300C1 Stage 3 pressure ulcers: number present  M0300C2 Stage 3 pressure ulcers: number at admit/reentry</p>
-3664	Consistency	Fatal	<p>If M0300D1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300D2 must be equal to [-], OR</p> <p>b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> <p><b>Items:</b> M0300D1 Stage 4 pressure ulcers: number present  M0300D2 Stage 4 pressure ulcers: number at admit/reentry</p>
-3665	Consistency	Fatal	<p>If M0300E1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300E2 must be equal to [-], OR</p> <p>b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> <p><b>Items:</b> M0300E1 Unstaged due to dressing: number present  M0300E2 Unstaged due to dressing: number at admit/reentry</p>
-3666	Consistency	Fatal	<p>If M0300F1 is equal to [1-9], then one of the following must be true:</p> <p>a) M0300F2 must be equal to [-], OR</p> <p>b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> <p><b>Items:</b> M0300F1 Unstaged slough/eschar: number present  M0300F2 Unstaged slough/eschar: number at admit/reentry</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3667	Consistency	Fatal	<p>If M0300G1 is equal to [1-9], then one of the following must be true:  a) M0300G2 must be equal to [-], OR  b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p> <p><b>Items:</b> M0300G1                      Unstageable - deep tissue: number present  M0300G2                      Unstageable - deep tissue: number at admit/reentry</p>
-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p><b>Items:</b> A1600                      Entry date (date of admission/reentry in facility)  A2300                      Assessment reference date  O0100A1                      Treatment: chemotherapy - while not resident  O0100B1                      Treatment: radiation - while not resident  O0100C1                      Treatment: oxygen therapy - while not resident  O0100D1                      Treatment: suctioning - while not resident  O0100E1                      Treatment: tracheostomy care - while not resident  O0100F1                      Treatment: vent/respirator - while not resident  O0100G1                      Treatment: BiPAP/CPAP - while not resident  O0100H1                      Treatment: IV medications - while not resident  O0100I1                      Treatment: transfusions - while not resident  O0100J1                      Treatment: dialysis - while not resident  O0100K1                      Treatment: hospice care - while not resident  O0100M1                      Treatment: isolate/quarantine - while not resident  O0100Z1                      Treatment: none of above - while not resident</p>
-3669	None of above	Fatal	<p>If A1550A through A1550E and A1550Z are all active, then the following rules apply:  a) If A1550Z=[0], then at least one item from A1550A through A1550E must equal [1].  b) If A1550Z=[1], then all items from A1550A through A1550E must equal [0].  c) If A1550Z=[-], then at least one item from A1550A through A1550E must equal [-] and all remaining items must equal [0,-].</p> <p><b>Items:</b> A1550A                      MR/DD status: Down syndrome  A1550B                      MR/DD status: Autism  A1550C                      MR/DD status: Epilepsy  A1550D                      MR/DD status: other organic MR/DD condition  A1550E                      MR/DD status: MR/DD with no organic condition  A1550Z                      MR/DD status: none of the above</p>
-3670	Skip pattern	Fatal	<p>If A0310E=[1], then all active items from M0900A through M0900D must equal [^].</p> <p><b>Items:</b> A0310E                      First assessment since most recent entry  M0900A                      Pressure ulcers on prior assessment  M0900B                      Healed pressure ulcers: Stage 2  M0900C                      Healed pressure ulcers: Stage 3  M0900D                      Healed pressure ulcers: Stage 4</p>
-3673	Consistency	Warning	<p>If D0200I1 is equal to [1], then D0350 should equal [1].</p> <p><b>Items:</b> D0200I1                      PHQ res: thoughts better off dead - presence  D0350                      PHQ res: safety notification</p>
-3674	Consistency	Warning	<p>If D0500I1 is equal to [1], then D0650 should equal [1].</p>



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3675	Consistency	Fatal	<p><b>Items:</b> D0500I1 PHQ staff: thoughts better off dead - presence</p> <p>D0650 PHQ staff: safety notification</p> <p>a) If E0200A or E0200B or E0200C is equal to [1,2,3], then E0300 must be equal to [1].</p> <p>b) If E0200A and E0200B and E0200C are all equal to [0], then E0300 must be equal to [0].</p> <p>c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then E0300 must be equal to [0,-].</p> <p><b>Items:</b> E0200A Physical behav symptoms directed toward others</p> <p>E0200B Verbal behav symptoms directed toward others</p> <p>E0200C Other behav symptoms not directed toward others</p> <p>E0300 Overall presence of behavioral symptoms</p>
-3676	Format	Fatal	<p>Values of Code and Checklist Items:</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p><b>Items:</b> ASMT_SYS_CD Assessment system code</p> <p>ITM_SBST_CD Item subset code</p> <p>PRODN_TEST_CD Production/test indicator</p> <p>STATE_CD Facility's state postal code</p> <p>A0200 Type of provider</p> <p>A0310A Type of assessment: OBRA</p> <p>A0310B Type of assessment: PPS</p> <p>A0310C Type of assessment: OMRA</p> <p><b>Items:</b> A0310D Swing bed clinical change assessment</p> <p>A0310E First assessment since most recent entry</p> <p>A0310F Entry/discharge reporting</p> <p>A0410 Submission requirement</p> <p>A0800 Gender</p> <p>A1000A Ethnicity: American Indian or Alaska Native</p> <p>A1000B Ethnicity: Asian</p> <p>A1000C Ethnicity: Black or African American</p> <p>A1000D Ethnicity: Hispanic or Latino</p> <p>A1000E Ethnicity: Native Hawaiian/Pacific Islander</p> <p>A1000F Ethnicity: White</p> <p>A1100A Does the resident need or want an interpreter</p> <p>A1200 Marital status</p> <p>A1500 Resident evaluated by PASRR</p> <p>A1550A MR/DD status: Down syndrome</p> <p>A1550B MR/DD status: Autism</p> <p>A1550C MR/DD status: Epilepsy</p> <p>A1550D MR/DD status: other organic MR/DD condition</p> <p>A1550E MR/DD status: MR/DD with no organic condition</p> <p>A1550Z MR/DD status: none of the above</p> <p>A1700 Type of entry</p> <p>A1800 Entered from</p> <p>A2100 Discharge status</p> <p>A2400A Has resident had Medicare-covered stay</p> <p>B0100 Comatose</p> <p>B0200 Hearing</p> <p>B0300 Hearing aid</p> <p>B0600 Speech clarity</p> <p>B0700 Makes self understood</p> <p>B0800 Ability to understand others</p> <p>B1000 Vision</p>

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			B1200 Corrective lenses
			C0100 BIMS: should resident interview be conducted
			C0200 BIMS res interview: repetition of three words
			C0300A BIMS res interview: able to report correct year
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C0800 Staff asmt mental status: long-term memory OK
	Items:		C0900A Staff asmt mental status: recall current season
			C0900B Staff asmt mental status: recall location of room
			C0900C Staff asmt mental status: recall staff names/faces
			C0900D Staff asmt mental status: recall in nursing home
			C0900Z Staff asmt mental status: none of above recalled
			C1000 Cognitive skills for daily decision making
			C1300A Signs of delirium: inattention
			C1300B Signs of delirium: disorganized thinking
			C1300C Signs of delirium: altered level of consciousness
			C1300D Signs of delirium: psychomotor retardation
			C1600 Acute onset mental status change
			D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
			D0200E1 PHQ res: poor appetite or overeating - presence
			D0200E2 PHQ res: poor appetite or overeating - frequency
			D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
			D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
			D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
			D0200I1 PHQ res: thoughts better off dead - presence
			D0200I2 PHQ res: thoughts better off dead - frequency
			D0350 PHQ res: safety notification
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency
	Items:		D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0650 PHQ staff: safety notification
			E0100A Psychosis: hallucinations
			E0100B Psychosis: delusions
			E0100Z Psychosis: none of the above
			E0200A Physical behav symptoms directed toward others
			E0200B Verbal behav symptoms directed toward others
			E0200C Other behav symptoms not directed toward others
			E0300 Overall presence of behavioral symptoms
			E0500A Behav symptoms put res at risk for illness/injury
			E0500B Behav symptoms interfere with resident care
			E0500C Behav symptoms interfere with social activities
			E0600A Behav symptoms put others at risk for injury
			E0600B Behav symptoms intrude on privacy of others
			E0600C Behav symptoms disrupt care or living environment
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			E1000A Wandering: risk of getting to dangerous place
			E1000B Wandering: intrude on privacy of others
			E1100 Change in behavioral or other symptoms
			F0300 Conduct res interview for daily/activity prefs
			F0400A Res interview: choose clothes to wear
			F0400B Res interview: take care of personal belongings
			F0400C Res interview: choose tub, bath, shower, sponge
			F0400D Res interview: have snacks between meals
			F0400E Res interview: choose own bedtime
			F0400F Res interview: discuss care with family/friend
			F0400G Res interview: use phone in private
			F0400H Res interview: lock things to keep them safe
			F0500A Res interview: have books, newspaper, mags to read
			F0500B Res interview: listen to music
			F0500C Res interview: be around animals/pets
			F0500D Res interview: keep up with news
			F0500E Res interview: do things with groups of people
			F0500F Res interview: do favorite activities
			F0500G Res interview: go outside when good weather
	Items:		F0500H Res interview: participate in religious practices
			F0600 Primary respondent: daily/activities prefs
			F0700 Conduct staff assessment for daily/activity prefs
			F0800A Staff assessment: choosing clothes to wear
			F0800B Staff assessment: caring for personal belongings
			F0800C Staff assessment: receiving tub bath
			F0800D Staff assessment: receiving shower
			F0800E Staff assessment: receiving bed bath

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			F0800F Staff assessment: receiving sponge bath
			F0800G Staff assessment: snacks between meals
			F0800H Staff assessment: staying up past 8PM
			F0800I Staff assessment: discuss care with family/other
			F0800J Staff assessment: use phone in private
			F0800K Staff assessment: place to lock personal things
			F0800L Staff assessment: reading books, newspapers, mags
			F0800M Staff assessment: listening to music
			F0800N Staff assessment: being around animals/pets
			F0800O Staff assessment: keeping up with news
			F0800P Staff assessment: doing things with groups
			F0800Q Staff assessment: participate favorite activities
			F0800R Staff assessment: spend time away from nursng home
			F0800S Staff assessment: spend time outdoors
			F0800T Staff assessment: participate religious activities
			F0800Z Staff assessment: none of above activities
			G0110A1 Bed mobility: self-performance
			G0110A2 Bed mobility: support provided
			G0110B1 Transfer: self-performance
			G0110B2 Transfer: support provided
			G0110C1 Walk in room: self-performance
			G0110C2 Walk in room: support provided
			G0110D1 Walk in corridor: self-performance
			G0110D2 Walk in corridor: support provided
			G0110E1 Locomotion on unit: self-performance
			G0110E2 Locomotion on unit: support provided
			G0110F1 Locomotion off unit: self-performance
			G0110F2 Locomotion off unit: support provided
			G0110G1 Dressing: self-performance
			G0110G2 Dressing: support provided
			G0110H1 Eating: self-performance
			G0110H2 Eating: support provided
			G0110I1 Toilet use: self-performance
			G0110I2 Toilet use: support provided
			G0110J1 Personal hygiene: self-performance
		Items:	G0110J2 Personal hygiene: support provided
			G0120A Bathing: self-performance
			G0120B Bathing: support provided
			G0300A Balance: moving from seated to standing position
			G0300B Balance: walking (with assistive device if used)
			G0300C Balance: turning around while walking
			G0300D Balance: moving on and off toilet
			G0300E Balance: surface-to-surface transfer
			G0400A ROM limitation: upper extremity
			G0400B ROM limitation: lower extremity
			G0600A Mobility devices: cane/crutch
			G0600B Mobility devices: walker
			G0600C Mobility devices: wheelchair (manual or electric)
			G0600D Mobility devices: limb prosthesis
			G0600Z Mobility devices: none of the above
			G0900A Resident believes capable of increased independ
			G0900B Staff believes res capable of increased independ
			H0100A Appliances: indwelling catheter

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			H0100B Appliances: external catheter
			H0100C Appliances: ostomy
			H0100D Appliances: intermittent catheterization
			H0100Z Appliances: none of the above
			H0200A Urinary toileting program: has been attempted
			H0200B Urinary toileting program: response
			H0200C Urinary toileting program: current program/trial
			H0300 Urinary continence
			H0400 Bowel continence
			H0500 Bowel toileting program being used
			H0600 Constipation
			I0100 Cancer (with or without metastasis)
			I0200 Anemia
			I0300 Atrial fibrillation and other dysrhythmias
			I0400 Coronary artery disease (CAD)
			I0500 Deep venous thrombosis (DVT), PE, or PTE
			I0600 Heart failure
			I0700 Hypertension
			I0800 Orthostatic hypotension
			I0900 Peripheral vascular disease (PVD) or PAD
			I1100 Cirrhosis
			I1200 Gastroesophageal reflux disease (GERD) or ulcer
			I1300 Ulcerative colitis, Crohn's, inflam bowel disease
			I1400 Benign prostatic hyperplasia (BPH)
			I1500 Renal insufficiency, renal failure, ESRD
		<b>Items:</b>	I1550 Neurogenic bladder
			I1650 Obstructive uropathy
			I1700 Multidrug resistant organism (MDRO)
			I2000 Pneumonia
			I2100 Septicemia
			I2200 Tuberculosis
			I2300 Urinary tract infection (UTI) (LAST 30 DAYS)
			I2400 Viral hepatitis (includes type A, B, C, D, and E)
			I2500 Wound infection (other than foot)
			I2900 Diabetes mellitus (DM)
			I3100 Hyponatremia
			I3200 Hyperkalemia
			I3300 Hyperlipidemia (e.g., hypercholesterolemia)
			I3400 Thyroid disorder
			I3700 Arthritis
			I3800 Osteoporosis
			I3900 Hip fracture
			I4000 Other fracture
			I4200 Alzheimer's disease
			I4300 Aphasia
			I4400 Cerebral palsy
			I4500 Cerebrovascular accident (CVA), TIA, or stroke
			I4800 Dementia
			I4900 Hemiplegia or hemiparesis
			I5000 Paraplegia
			I5100 Quadriplegia
			I5200 Multiple sclerosis
			I5250 Huntington's disease

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			I5300 Parkinson's disease
			I5350 Tourette's syndrome
			I5400 Seizure disorder or epilepsy
			I5500 Traumatic brain injury (TBI)
			I5600 Malnutrition (protein, calorie), risk of malnutrit
			I5700 Anxiety disorder
			I5800 Depression (other than bipolar)
			I5900 Manic depression (bipolar disease)
			I5950 Psychotic disorder (other than schizophrenia)
			I6000 Schizophrenia
			I6100 Post-traumatic stress disorder (PTSD)
			I6200 Asthma (COPD) or chronic lung disease
			I6300 Respiratory failure
			I6500 Cataracts, glaucoma, or macular degeneration
			I7900 None of above active diseases within last 7 days
	Items:		J0100A Pain: been on scheduled pain med regimen
			J0100B Pain: received PRN pain medications
			J0100C Pain: received non-medication intervention
			J0200 Should pain assessment interview be conducted
			J0300 Res pain interview: presence
			J0400 Res pain interview: frequency
			J0500A Res pain interview: made it hard to sleep
			J0500B Res pain interview: limited daily activities
			J0600B Res pain interview: verbal descriptor scale
			J0700 Should staff assessment for pain be conducted
			J0800A Staff pain asmt: non-verbal sounds
			J0800B Staff pain asmt: vocal complaints of pain
			J0800C Staff pain asmt: facial expressions
			J0800D Staff pain asmt: protective movements/postures
			J0800Z Staff pain asmt: none of these signs observed
			J0850 Staff pain asmt: frequency of pain
			J1100A Short breath/trouble breathing: with exertion
			J1100B Short breath/trouble breathing: sitting at rest
			J1100C Short breath/trouble breathing: lying flat
			J1100Z Short breath/trouble breathing: none of above
			J1300 Current tobacco use
			J1400 Prognosis: life expectancy of less than 6 months
			J1550A Problem conditions: fever
			J1550B Problem conditions: vomiting
			J1550C Problem conditions: dehydrated
			J1550D Problem conditions: internal bleeding
			J1550Z Problem conditions: none of the above
			J1700A Fall history: fall during month before admission
			J1700B Fall history: fall 2-6 months before admission
			J1700C Fall history: fracture from fall 6 month pre admit
			J1800 Falls since admit/prior asmt: any falls
			J1900A Falls since admit/prior asmt: no injury
			J1900B Falls since admit/prior asmt: injury (not major)
			J1900C Falls since admit/prior asmt: major injury
			K0100A Swallow disorder: loss liquids/solids from mouth
			K0100B Swallow disorder: holds food in mouth/cheeks
			K0100C Swallow disorder: cough/choke with meals/meds
			K0100D Swallow disorder: difficulty or pain swallowing

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			K0100Z Swallow disorder: none of the above
			K0300 Weight loss
			K0500A Nutritional approaches: parenteral /IV feeding
			K0500B Nutritional approaches: feeding tube
			K0500C Nutritional approaches: mechanically altered diet
		<b>Items:</b>	K0500D Nutritional approaches: therapeutic diet
			K0500Z Nutritional approaches: none of the above
			K0700A Proportion total calories via parenteral/tube feed
			K0700B Average fluid intake per day by IV or tube
			L0200A Dental: broken or loosely fitting denture
			L0200B Dental: no natural teeth or tooth fragment(s)
			L0200C Dental: abnormal mouth tissue
			L0200D Dental: cavity or broken natural teeth
			L0200E Dental: inflamed/bleeding gums or loose teeth
			L0200F Dental: pain, discomfort, difficulty chewing
			L0200G Dental: unable to examine
			L0200Z Dental: none of the above
			M0100A Risk determination: has ulcer, scar, or dressing
			M0100B Risk determination: formal assessment
			M0100C Risk determination: clinical assessment
			M0100Z Risk determination: none of the above
			M0150 Is resident at risk of developing pressure ulcer
			M0210 Resident has Stage 1 or higher pressure ulcers
			M0700 Tissue type for ulcer at most advanced stage
			M0900A Pressure ulcers on prior assessment
			M1040A Other skin probs: infection of the foot
			M1040B Other skin probs: diabetic foot ulcer(s)
			M1040C Other skin probs: other open lesion(s) on the foot
			M1040D Other skin probs: lesions not ulcers, rashes, cuts
			M1040E Other skin probs: surgical wound(s)
			M1040F Other skin probs: burns (second or third degree)
			M1040Z Other skin probs: none of the above
			M1200A Skin/ulcer treat: pressure reduce device for chair
			M1200B Skin/ulcer treat: pressure reducing device for bed
			M1200C Skin/ulcer treat: turning/repositioning
			M1200D Skin/ulcer treat: nutrition/hydration
			M1200E Skin/ulcer treat: ulcer care
			M1200F Skin/ulcer treat: surgical wound care
			M1200G Skin/ulcer treat: application of dressings
			M1200H Skin/ulcer treat: apply ointments/medications
			M1200I Skin/ulcer treat: apply dressings to feet
			M1200Z Skin/ulcer treat: none of the above
			N0400A Medications: antipsychotic
			N0400B Medications: antianxiety
			N0400C Medications: antidepressant
			N0400D Medications: hypnotic
			N0400E Medications: anticoagulant
			N0400F Medications: antibiotic
		<b>Items:</b>	N0400G Medications: diuretic
			N0400Z Medications: none of the above
			O0100A1 Treatment: chemotherapy - while not resident
			O0100A2 Treatment: chemotherapy - while resident
			O0100B1 Treatment: radiation - while not resident

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			O0100B2 Treatment: radiation - while resident
			O0100C1 Treatment: oxygen therapy - while not resident
			O0100C2 Treatment: oxygen therapy - while resident
			O0100D1 Treatment: suctioning - while not resident
			O0100D2 Treatment: suctioning - while resident
			O0100E1 Treatment: tracheostomy care - while not resident
			O0100E2 Treatment: tracheostomy care - while resident
			O0100F1 Treatment: vent/respirator - while not resident
			O0100F2 Treatment: vent/respirator - while resident
			O0100G1 Treatment: BiPAP/CPAP - while not resident
			O0100G2 Treatment: BIPAP/CPAP - while resident
			O0100H1 Treatment: IV medications - while not resident
			O0100H2 Treatment: IV medications - while resident
			O0100I1 Treatment: transfusions - while not resident
			O0100I2 Treatment: transfusions - while resident
			O0100J1 Treatment: dialysis - while not resident
			O0100J2 Treatment: dialysis - while resident
			O0100K1 Treatment: hospice care - while not resident
			O0100K2 Treatment: hospice care - while resident
			O0100L2 Treatment: respite care - while resident
			O0100M1 Treatment: isolate/quarantine - while not resident
			O0100M2 Treatment: isolate/quarantine - while resident
			O0100Z1 Treatment: none of above - while not resident
			O0100Z2 Treatment: none of above - while resident
			O0250A Was influenza vaccine received
			O0250C If influenza vaccine not received, state reason
			O0300A Is pneumococcal vaccination up to date
			O0300B If pneumococcal vacc not received, state reason
			O0450A Has therapy resumed
			P0100A Restraints used in bed: bed rail
			P0100B Restraints used in bed: trunk restraint
			P0100C Restraints used in bed: limb restraint
			P0100D Restraints used in bed: other
			P0100E Restraints in chair/out of bed: trunk restraint
			P0100F Restraints in chair/out of bed: limb restraint
			P0100G Restraints in chair/out of bed: chair stops rising
			P0100H Restraints in chair/out of bed: other
			Q0100A Resident participated in assessment
	Items:		Q0100B Family/signif other participated in assessment
			Q0100C Guardian/legal rep participated in assessment
			Q0300A Resident's overall goal
			Q0300B Information source for resident's goal
			Q0400A Active discharge plan for return to community
			Q0400B Determination regarding discharge to community
			Q0500A Resident been asked about return to community
			Q0500B Do you want to talk about returning to community
			Q0600 Referral been made to local contact agency
			V0100A Prior OBRA reason for assessment
			V0100B Prior PPS reason for assessment
			V0200A01A CAA-Delirium: triggered
			V0200A01B CAA-Delirium: plan
			V0200A02A CAA-Cognitive loss/dementia: triggered
			V0200A02B CAA-Cognitive loss/dementia: plan



**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			V0200A03A CAA-Visual function: triggered
			V0200A03B CAA-Visual function: plan
			V0200A04A CAA-Communication: triggered
			V0200A04B CAA-Communication: plan
			V0200A05A CAA-ADL functional/rehab potential: triggered
			V0200A05B CAA-ADL functional/rehab potential: plan
			V0200A06A CAA-Urinary incont/indwell catheter: triggered
			V0200A06B CAA-Urinary incont/indwell catheter: plan
			V0200A07A CAA-Psychosocial well-being: triggered
			V0200A07B CAA-Psychosocial well-being: plan
			V0200A08A CAA-Mood state: triggered
			V0200A08B CAA-Mood state: plan
			V0200A09A CAA-Behavioral symptoms: triggered
			V0200A09B CAA-Behavioral symptoms: plan
			V0200A10A CAA-Activities: triggered
			V0200A10B CAA-Activities: plan
			V0200A11A CAA-Falls: triggered
			V0200A11B CAA-Falls: plan
			V0200A12A CAA-Nutritional status: triggered
			V0200A12B CAA-Nutritional status: plan
			V0200A13A CAA-Feeding tubes: triggered
			V0200A13B CAA-Feeding tubes: plan
			V0200A14A CAA-Dehydration/fluid maintenance: triggered
			V0200A14B CAA-Dehydration/fluid maintenance: plan
			V0200A15A CAA-Dental care: triggered
			V0200A15B CAA-Dental care: plan
			V0200A16A CAA-Pressure ulcer: triggered
			V0200A16B CAA-Pressure ulcer: plan
		<b>Items:</b>	V0200A17A CAA-Psychotropic drug use: triggered
			V0200A17B CAA-Psychotropic drug use: plan
			V0200A18A CAA-Physical restraints: triggered
			V0200A18B CAA-Physical restraints: plan
			V0200A19A CAA-Pain: triggered
			V0200A19B CAA-Pain: plan
			V0200A20A CAA-Return to community referral: triggered
			V0200A20B CAA-Return to community referral: plan
			X0100 Correction: type of transaction
			X0150 Correction: type of provider
			X0300 Correction: resident gender
			X0600A Correction: OBRA reason for assessment
			X0600B Correction: PPS reason for assessment
			X0600C Correction: OMRA assessment
			X0600D Correction: Swing bed clinical change asmt
			X0600F Correction: entry/discharge reporting
			X0900A Correction: modif reasons - transcription error
			X0900B Correction: modif reasons - data entry error
			X0900C Correction: modif reasons - software error
			X0900D Correction: modif reasons - item coding error
			X0900E Correction: modif reasons - resume therapy date
			X0900Z Correction: modif reasons - other error
			X1050A Correction: inactive reasons - event did not occur
			X1050Z Correction: inactive reasons - other reason
			Z0100C Medicare Part A: Medicare short stay asmt

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																																					
-3677	Format	Fatal	<p>Values of Date Items:</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> <table><tr><td><b>Items:</b></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2000</td><td>Discharge date</td></tr><tr><td></td><td>A2200</td><td>Previous asmt reference date for signif correction</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr><tr><td></td><td>A2400B</td><td>Start date of most recent Medicare stay</td></tr><tr><td></td><td>A2400C</td><td>End date of most recent Medicare stay</td></tr><tr><td></td><td>M0300B3</td><td>Stage 2 pressure ulcers: date of oldest</td></tr><tr><td></td><td>O0250B</td><td>Date influenza vaccine received.</td></tr><tr><td></td><td>O0400A5</td><td>Speech-language/audiology: start date</td></tr><tr><td></td><td>O0400A6</td><td>Speech-language/audiology: end date</td></tr><tr><td></td><td>O0400B5</td><td>Occupational therapy: start date</td></tr><tr><td><b>Items:</b></td><td>O0400B6</td><td>Occupational therapy: end date</td></tr><tr><td></td><td>O0400C5</td><td>Physical therapy: start date</td></tr><tr><td></td><td>O0400C6</td><td>Physical therapy: end date</td></tr><tr><td></td><td>O0450B</td><td>Therapy resumption date</td></tr><tr><td></td><td>V0100C</td><td>Prior assessment reference date</td></tr><tr><td></td><td>V0200B2</td><td>CAA-Assessment process signature date</td></tr><tr><td></td><td>V0200C2</td><td>CAA-Care planning signature date</td></tr><tr><td></td><td>X0700A</td><td>Correction: assessment reference date</td></tr><tr><td></td><td>X0700B</td><td>Correction: discharge date</td></tr><tr><td></td><td>X0700C</td><td>Correction: entry date</td></tr><tr><td></td><td>X1100E</td><td>Correction: attestation date</td></tr><tr><td></td><td>Z0500B</td><td>Date RN signed assessment as complete</td></tr></table>	<b>Items:</b>	A1600	Entry date (date of admission/reentry in facility)		A2000	Discharge date		A2200	Previous asmt reference date for signif correction		A2300	Assessment reference date		A2400B	Start date of most recent Medicare stay		A2400C	End date of most recent Medicare stay		M0300B3	Stage 2 pressure ulcers: date of oldest		O0250B	Date influenza vaccine received.		O0400A5	Speech-language/audiology: start date		O0400A6	Speech-language/audiology: end date		O0400B5	Occupational therapy: start date	<b>Items:</b>	O0400B6	Occupational therapy: end date		O0400C5	Physical therapy: start date		O0400C6	Physical therapy: end date		O0450B	Therapy resumption date		V0100C	Prior assessment reference date		V0200B2	CAA-Assessment process signature date		V0200C2	CAA-Care planning signature date		X0700A	Correction: assessment reference date		X0700B	Correction: discharge date		X0700C	Correction: entry date		X1100E	Correction: attestation date		Z0500B	Date RN signed assessment as complete
<b>Items:</b>	A1600	Entry date (date of admission/reentry in facility)																																																																						
	A2000	Discharge date																																																																						
	A2200	Previous asmt reference date for signif correction																																																																						
	A2300	Assessment reference date																																																																						
	A2400B	Start date of most recent Medicare stay																																																																						
	A2400C	End date of most recent Medicare stay																																																																						
	M0300B3	Stage 2 pressure ulcers: date of oldest																																																																						
	O0250B	Date influenza vaccine received.																																																																						
	O0400A5	Speech-language/audiology: start date																																																																						
	O0400A6	Speech-language/audiology: end date																																																																						
	O0400B5	Occupational therapy: start date																																																																						
<b>Items:</b>	O0400B6	Occupational therapy: end date																																																																						
	O0400C5	Physical therapy: start date																																																																						
	O0400C6	Physical therapy: end date																																																																						
	O0450B	Therapy resumption date																																																																						
	V0100C	Prior assessment reference date																																																																						
	V0200B2	CAA-Assessment process signature date																																																																						
	V0200C2	CAA-Care planning signature date																																																																						
	X0700A	Correction: assessment reference date																																																																						
	X0700B	Correction: discharge date																																																																						
	X0700C	Correction: entry date																																																																						
	X1100E	Correction: attestation date																																																																						
	Z0500B	Date RN signed assessment as complete																																																																						
-3678	Format	Fatal	<p>Formatting of Birthdate:</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> <table><tr><td><b>Items:</b></td><td>A0900</td><td>Birthdate</td></tr><tr><td></td><td>X0400</td><td>Correction: resident birth date</td></tr></table>	<b>Items:</b>	A0900	Birthdate		X0400	Correction: resident birth date																																																															
<b>Items:</b>	A0900	Birthdate																																																																						
	X0400	Correction: resident birth date																																																																						
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value</p>																																																																					

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
		<b>Items:</b>	C0500 BIMS res interview: summary score D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score J0600A Res pain interview: intensity rating scale K0200A Height (in inches) K0200B Weight (in pounds) M0300A Stage 1 pressure ulcers: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300C1 Stage 3 pressure ulcers: number present <b>Items:</b> M0300C2 Stage 3 pressure ulcers: number at admit/reentry M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry M0300G1 Unstageable - deep tissue: number present M0300G2 Unstageable - deep tissue: number at admit/reentry M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer) M0800A Worsened since prior asmt: Stage 2 pressure ulcers M0800B Worsened since prior asmt: Stage 3 pressure ulcers M0800C Worsened since prior asmt: Stage 4 pressure ulcers M0900B Healed pressure ulcers: Stage 2 M0900C Healed pressure ulcers: Stage 3 M0900D Healed pressure ulcers: Stage 4 M1030 Number of venous and arterial ulcers N0300 Number of days injectable medications received N0350A Insulin: insulin injections N0350B Insulin: orders for insulin O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A4 Speech-language/audiology: number of days O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C4 Physical therapy: number of days O0400D1 Respiratory therapy: number of minutes O0400D2 Respiratory therapy: number of days O0400E1 Psychological therapy: number of minutes O0400E2 Psychological therapy: number of days O0400F1 Recreational therapy: number of minutes

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			O0400F2      Recreational therapy: number of days O0500A      Range of motion (passive): number of days O0500B      Range of motion (active): number of days O0500C      Splint or brace assistance: number of days <b>Items:</b> O0500D      Bed mobility training: number of days O0500E      Transfer training: number of days O0500F      Walking training: number of days O0500G      Dressing and/or grooming training: number of days O0500H      Eating and/or swallowing training: number of days O0500I      Amputation/prosthesis training: number of days O0500J      Communication training: number of days O0600      Physician examinations: number of days O0700      Physician orders: number of days V0100D      Prior assessment BIMS summary score V0100E      Prior asmt PHQ res: total mood severity score V0100F      Prior asmt PHQ staff: total mood score X0800      Correction: correction number
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:  Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> <b>Items:</b> C0500      BIMS res interview: summary score D0300      PHQ res: total mood severity score D0600      PHQ staff: total mood score J0600A      Res pain interview: intensity rating scale K0200A      Height (in inches) K0200B      Weight (in pounds) M0300A      Stage 1 pressure ulcers: number present M0300B1      Stage 2 pressure ulcers: number present M0300B2      Stage 2 pressure ulcers: number at admit/reentry M0300C1      Stage 3 pressure ulcers: number present M0300C2      Stage 3 pressure ulcers: number at admit/reentry M0300D1      Stage 4 pressure ulcers: number present M0300D2      Stage 4 pressure ulcers: number at admit/reentry M0300E1      Unstaged due to dressing: number present M0300E2      Unstaged due to dressing: number at admit/reentry M0300F1      Unstaged slough/eschar: number present M0300F2      Unstaged slough/eschar: number at admit/reentry M0300G1      Unstageable - deep tissue: number present M0300G2      Unstageable - deep tissue: number at admit/reentry M0800A      Worsened since prior asmt: Stage 2 pressure ulcers M0800B      Worsened since prior asmt: Stage 3 pressure ulcers <b>Items:</b> M0800C      Worsened since prior asmt: Stage 4 pressure ulcers M0900B      Healed pressure ulcers: Stage 2 M0900C      Healed pressure ulcers: Stage 3 M0900D      Healed pressure ulcers: Stage 4 M1030      Number of venous and arterial ulcers

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			N0300 Number of days injectable medications received N0350A Insulin: insulin injections N0350B Insulin: orders for insulin O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A4 Speech-language/audiology: number of days O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C4 Physical therapy: number of days O0400D1 Respiratory therapy: number of minutes O0400D2 Respiratory therapy: number of days O0400E1 Psychological therapy: number of minutes O0400E2 Psychological therapy: number of days O0400F1 Recreational therapy: number of minutes O0400F2 Recreational therapy: number of days O0500A Range of motion (passive): number of days O0500B Range of motion (active): number of days O0500C Splint or brace assistance: number of days O0500D Bed mobility training: number of days O0500E Transfer training: number of days O0500F Walking training: number of days O0500G Dressing and/or grooming training: number of days O0500H Eating and/or swallowing training: number of days O0500I Amputation/prosthesis training: number of days O0500J Communication training: number of days O0600 Physician examinations: number of days O0700 Physician orders: number of days V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score X0800 Correction: correction number
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p> <p><b>Items:</b> M0610A Stage 3 or 4 pressure ulcer longest length</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			M0610B                      Stage 3 or 4 pressure ulcer width (same ulcer) M0610C                      Stage 3 or 4 pressure ulcer depth (same ulcer)
-3686	Consistency	Fatal	<p>a) If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>b) If the SFTWR_VNDR_ID is equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <p><b>Items:</b>    SFTWR_VNDR_ID    Software vendor federal employer tax ID                   SFTWR_VNDR_NA    Software vendor company name                   ME                   SFTWR_VNDR_EM    Software vendor email address                   AIL_ADR</p>
-3687	Format	Fatal	<p>Formatting of Numeric Text Items:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].</p> <p><b>Items:</b>    SFTWR_VNDR_ID    Software vendor federal employer tax ID                   A0100A                      Facility National Provider Identifier (NPI)                   A0600A                      Social Security Number                   X0500                      Correction: resident social security number</p>
-3688	Format	Fatal	<p>Formatting of Alphanumeric Text Items:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].</p> <p><b>Items:</b>    A0100B                      Facility CMS Certification Number (CCN)                   A0100C                      State provider number                   A0600B                      Resident Medicare/railroad insurance number                   A0700                      Resident Medicaid number</p>
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:  If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:  a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].  c) The character [-].  d) The following special characters:                   [ @ ] (at sign)                   [ ' ] (single quote)                   [ / ] (forward slash)                   [ + ] (plus sign)                   [ , ] (comma)                   [ . ] (period)                   [ _ ] (underscore)  e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p><b>Items:</b>    SFTWR_PROD_VRS    Software product version code                   N_CD                   FAC_DOC_ID                      Facility document ID</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div> <div>A0500A</div> <div>Resident first name</div> </div> <div> <div>A0500C</div> <div>Resident last name</div> </div> <div> <div>A0500D</div> <div>Resident name suffix</div> </div> <div> <div>A1100B</div> <div>Preferred language</div> </div> <div> <div>A1300A</div> <div>Medical record number</div> </div> <div> <div>A1300B</div> <div>Room number</div> </div> <div> <div>A1300C</div> <div>Name by which resident prefers to be addressed</div> </div> <div> <div>A1300D</div> <div>Lifetime occupation(s)</div> </div> <div> <div>X0200A</div> <div>Correction: resident first name</div> </div> <div> <div>X0200C</div> <div>Correction: resident last name</div> </div> <div> <div>X1100A</div> <div>Correction: attestor first name</div> </div> <div> <div>X1100B</div> <div>Correction: attestor last name</div> </div>
-3691	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <div> <div>[@] (at sign)</div> <div>['] (single quote)</div> <div>[/] (forward slash)</div> <div>[+] (plus sign)</div> <div>[,] (comma)</div> <div>[.] (period)</div> <div>[_] (underscore)</div> </div> <p><b>Items:</b> A0500B      Resident middle initial</p>
-3692	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p> <p><b>Items:</b> SFTWR_VNDR_EM      Software vendor email address</p> <p>AIL_ADR</p>
-3693	Format	Fatal	<p>FAC_ID is the facility/provider ID.</p> <p>a) This must be the FAC_ID assigned to the provider. The state agency assigns the FAC_ID to nursing homes. The QIES system (QTSO help desk) assigns the FAC_ID to swing bed units. The submitted value must match the FAC_ID in the QIES Assessment Processing System for the facility or provider.</p> <p>b) A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <p><b>Items:</b> FAC_ID      Assigned facility/provider submission ID</p>
-3695	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued.</p> <p><b>Items:</b> A0100B      Facility CMS Certification Number (CCN)</p>
-3696	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400A4*15.</p> <p>b) If O0400A4&gt;[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400A1            Speech-language/audiology: individ minutes  O0400A2            Speech-language/audiology: concur minutes  O0400A3            Speech-language/audiology: group minutes  O0400A4            Speech-language/audiology: number of days</p>
-3697	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400B4*15.</p> <p>b) If O0400B4&gt;[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).</p> <p>d) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400B1            Occupational therapy: individ minutes  <b>Items:</b> O0400B2            Occupational therapy: concur minutes  O0400B3            Occupational therapy: group minutes  O0400B4            Occupational therapy: number of days</p>
-3698	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400C4*15.</p> <p>b) If O0400C4&gt;[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400C1            Physical therapy: individ minutes  O0400C2            Physical therapy: concur minutes  O0400C3            Physical therapy: group minutes  O0400C4            Physical therapy: number of days</p>
-3699	Consistency	Fatal	<p>If O0400D1 is not equal to [0000,-] and if O0400D2 is not equal to [-], then the following rules apply:</p> <p>a) O0400D1 must be greater than or equal to O0400D2*15.</p> <p>b) If O0400D2&gt;[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400D1            Respiratory therapy: number of minutes  O0400D2            Respiratory therapy: number of days</p>



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3700	Consistency	Fatal	<p>If O0400E1 is not equal to [0000,-] and if O0400E2 is not equal to [-], then the following rules apply:</p> <p>a) O0400E1 must be greater than or equal to O0400E2*15.</p> <p>b) If O0400E2&gt;[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400E1                      Psychological therapy: number of minutes O0400E2                      Psychological therapy: number of days</p>
-3701	Consistency	Fatal	<p>If O0400F1 is not equal to [0000,-] and if O0400F2 is not equal to [-], then the following rules apply:</p> <p>a) O0400F1 must be greater than or equal to O0400F2*15.</p> <p>b) If O0400F2&gt;[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p><b>Items:</b> O0400F1                      Recreational therapy: number of minutes O0400F2                      Recreational therapy: number of days</p>
-3702	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p><b>Items:</b> FAC_ID                      Assigned facility/provider submission ID A0500C                      Resident last name</p>
-3703	Skip pattern	Fatal	<p>a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^].</p> <p>b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].</p> <p><b>Items:</b> D0100                      PHQ: should resident mood interview be conducted D0200A1                      PHQ res: little interest or pleasure - presence D0200A2                      PHQ res: little interest or pleasure - frequency D0200B1                      PHQ res: feeling down, depressed - presence D0200B2                      PHQ res: feeling down, depressed - frequency D0200C1                      PHQ res: trouble with sleep - presence D0200C2                      PHQ res: trouble with sleep - frequency D0200D1                      PHQ res: feeling tired/little energy - presence D0200D2                      PHQ res: feeling tired/little energy - frequency D0200E1                      PHQ res: poor appetite or overeating - presence D0200E2                      PHQ res: poor appetite or overeating - frequency D0200F1                      PHQ res: feeling bad about self - presence D0200F2                      PHQ res: feeling bad about self - frequency D0200G1                      PHQ res: trouble concentrating - presence D0200G2                      PHQ res: trouble concentrating - frequency D0200H1                      PHQ res: slow, fidgety, restless - presence D0200H2                      PHQ res: slow, fidgety, restless - frequency D0200I1                      PHQ res: thoughts better off dead - presence D0200I2                      PHQ res: thoughts better off dead - frequency D0300                      PHQ res: total mood severity score</p>
-3704	Skip pattern	Fatal	<p>a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^].</p> <p>b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].</p> <p><b>Items:</b> D0300                      PHQ res: total mood severity score D0500A1                      PHQ staff: little interest or pleasure - presence D0500A2                      PHQ staff: little interest or pleasure - frequency D0500B1                      PHQ staff: feeling down, depressed - presence D0500B2                      PHQ staff: feeling down, depressed - frequency D0500C1                      PHQ staff: trouble with sleep - presence D0500C2                      PHQ staff: trouble with sleep - frequency</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence <b>Items:</b> D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score
-3705	Skip pattern	Fatal	a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-]. <b>Items:</b> M0210 Resident has Stage 1 or higher pressure ulcers M0700 Tissue type for ulcer at most advanced stage
-3706	Consistency	Fatal	The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected. <b>Items:</b> A0200 Type of provider
-3707	Consistency	Fatal	a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1]. <b>Items:</b> A0200 Type of provider A0410 Submission requirement
-3708	Consistency	Fatal	a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-]. <b>Items:</b> D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency
-3709	Consistency	Fatal	a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-]. <b>Items:</b> D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency
-3710	Consistency	Fatal	a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-]. <b>Items:</b> D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency
-3711	Consistency	Fatal	a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -]. b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-].

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]).</p> <p>d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].</p> <p><b>Items:</b> D0200D1 PHQ res: feeling tired/little energy - presence D0200D2 PHQ res: feeling tired/little energy - frequency</p>
-3712	Consistency	Fatal	<p>a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -].</p> <p>b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]).</p> <p>d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].</p> <p><b>Items:</b> D0200E1 PHQ res: poor appetite or overeating - presence D0200E2 PHQ res: poor appetite or overeating - frequency</p>
-3713	Consistency	Fatal	<p>a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -].</p> <p>b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]).</p> <p>d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].</p> <p><b>Items:</b> D0200F1 PHQ res: feeling bad about self - presence D0200F2 PHQ res: feeling bad about self - frequency</p>
-3714	Consistency	Fatal	<p>a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -].</p> <p>b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]).</p> <p>d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].</p> <p><b>Items:</b> D0200G1 PHQ res: trouble concentrating - presence D0200G2 PHQ res: trouble concentrating - frequency</p>
-3715	Consistency	Fatal	<p>a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -].</p> <p>b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]).</p> <p>d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].</p> <p><b>Items:</b> D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency</p>
-3716	Consistency	Fatal	<p>a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -].</p> <p>b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]).</p> <p>d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].</p> <p><b>Items:</b> D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency</p>
-3717	Consistency	Fatal	<p>a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -].</p> <p>b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].</p> <p><b>Items:</b> D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency</p>
-3718	Consistency	Fatal	<p>a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -].</p> <p>b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].</p> <p><b>Items:</b> D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency</p>
-3719	Consistency	Fatal	<p>a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -].</p> <p>b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].</p> <p><b>Items:</b> D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3720	Consistency	Fatal	<p>a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -].</p> <p>b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].</p> <p><b>Items:</b> D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency</p>
-3721	Consistency	Fatal	<p>a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -].</p> <p>b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].</p> <p><b>Items:</b> D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency</p>
-3722	Consistency	Fatal	<p>a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -].</p> <p>b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].</p> <p><b>Items:</b> D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency</p>
-3723	Consistency	Fatal	<p>a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -].</p> <p>b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].</p> <p><b>Items:</b> D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency</p>
-3724	Consistency	Fatal	<p>a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -].</p> <p>b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].</p> <p><b>Items:</b> D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency</p>
-3725	Consistency	Fatal	<p>a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -].</p> <p>b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].</p> <p><b>Items:</b> D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency</p>
-3726	Consistency	Fatal	<p>a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -].</p> <p>b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].</p> <p><b>Items:</b> D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency</p>
-3729	Consistency	Fatal	<p>a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [1].</p> <p>b) If O0100Z1=[1], then all active items from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [0].</p> <p>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-] and all remaining active items must equal [0,-].</p> <p><b>Items:</b> O0100A1 Treatment: chemotherapy - while not resident O0100B1 Treatment: radiation - while not resident O0100C1 Treatment: oxygen therapy - while not resident O0100D1 Treatment: suctioning - while not resident O0100E1 Treatment: tracheostomy care - while not resident O0100F1 Treatment: vent/respirator - while not resident O0100G1 Treatment: BiPAP/CPAP - while not resident O0100H1 Treatment: IV medications - while not resident</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			O0100I1      Treatment: transfusions - while not resident O0100J1      Treatment: dialysis - while not resident O0100K1      Treatment: hospice care - while not resident O0100M1      Treatment: isolate/quarantine - while not resident O0100Z1      Treatment: none of above - while not resident
-3730	Consistency	Fatal	a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1]. b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0]. c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] and all remaining active items must equal [0,-].  <b>Items:</b> O0100A2      Treatment: chemotherapy - while resident O0100B2      Treatment: radiation - while resident O0100C2      Treatment: oxygen therapy - while resident O0100D2      Treatment: suctioning - while resident O0100E2      Treatment: tracheostomy care - while resident O0100F2      Treatment: vent/respirator - while resident O0100G2      Treatment: BIPAP/CPAP - while resident O0100H2      Treatment: IV medications - while resident O0100I2      Treatment: transfusions - while resident O0100J2      Treatment: dialysis - while resident O0100K2      Treatment: hospice care - while resident O0100L2      Treatment: respite care - while resident O0100M2      Treatment: isolate/quarantine - while resident O0100Z2      Treatment: none of above - while resident
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].  <b>Items:</b> N0300      Number of days injectable medications received N0350A      Insulin: insulin injections  <b>Items:</b> N0350B      Insulin: orders for insulin
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].  <b>Items:</b> O0250A      Was influenza vaccine received O0250C      If influenza vaccine not received, state reason
-3740	Consistency	Fatal	a) If Q0400A=[0], then if Q0400B is active it must not equal [^]. b) If Q0400A=[1], then all active items from Q0400B through Q0500B must equal [^]. c) If Q0400A=[-], then if Q0400B is active it must equal [-].  <b>Items:</b> Q0400A      Active discharge plan for return to community Q0400B      Determination regarding discharge to community Q0500A      Resident been asked about return to community Q0500B      Do you want to talk about returning to community
-3741	Consistency	Fatal	a) If Q0400B=[0,-], then if Q0500A is active it must not equal [^]. b) If Q0400B=[1], then all active items from Q0500A through Q0500B must equal [^].  <b>Items:</b> Q0400B      Determination regarding discharge to community Q0500A      Resident been asked about return to community Q0500B      Do you want to talk about returning to community
-3742	Skip pattern	Fatal	If Q0400B=[2], then all active items from Q0500A through Q0600 must equal [^].  <b>Items:</b> Q0400B      Determination regarding discharge to community

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Q0500A Resident been asked about return to community</div> <div>Q0500B Do you want to talk about returning to community</div> <div>Q0600 Referral been made to local contact agency</div>
-3743	Skip pattern	Fatal	<p>a) If Q0500A=[0,1,3], then if Q0500B is active it must not equal [^].  b) If Q0500A=[2], then if Q0500B is active it must equal [^].  c) If Q0500A=[-], then if Q0500B is active it must equal [-].</p> <p><b>Items:</b> Q0500A Resident been asked about return to community  Q0500B Do you want to talk about returning to community</p>
-3744	Consistency	Fatal	<p>If A0310E=[1], then all active items from V0100A through V0100F must equal [^].</p> <p><b>Items:</b> A0310E First assessment since most recent entry  V0100A Prior OBRA reason for assessment  V0100B Prior PPS reason for assessment  V0100C Prior assessment reference date  V0100D Prior assessment BIMS summary score  V0100E Prior asmt PHQ res: total mood severity score  V0100F Prior asmt PHQ staff: total mood score</p>
-3745	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>a) X0150 (provider type)  b) X0200A (resident first name)  c) X0200C (resident last name)  d) X0300 (gender)  e) X0400 (birth date)  f) X0500 (social security number)  g) X0600A (OBRA reason for assessment)  h) X0600B (PPS reason for assessment)  i) X0600C (PPS OMRA assessment)  j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment  k) X0600F (entry/discharge reporting)  l) X0700A (assessment reference date)  m) X0700B (discharge date)  n) X0700C (entry date)</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <p><b>Items:</b> X0150 Correction: type of provider  X0200A Correction: resident first name  X0200C Correction: resident last name  X0300 Correction: resident gender  X0400 Correction: resident birth date  X0500 Correction: resident social security number  X0600A Correction: OBRA reason for assessment  X0600B Correction: PPS reason for assessment  X0600C Correction: OMRA assessment  X0600D Correction: Swing bed clinical change asmt  X0600F Correction: entry/discharge reporting  X0700A Correction: assessment reference date  X0700B Correction: discharge date  X0700C Correction: entry date</p>
-3746	Skip pattern	Fatal	<p>If X0100=[1], then all active items from X0150 through X1100E must equal [^].</p>

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> X0100 Correction: type of transaction X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment <b>Items:</b> X0600D Correction: Swing bed clinical change asmt X0600F Correction: entry/discharge reporting X0700A Correction: assessment reference date X0700B Correction: discharge date X0700C Correction: entry date X0800 Correction: correction number X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason X1100A Correction: attestor first name X1100B Correction: attestor last name X1100E Correction: attestation date
-3748	Consistency	Fatal	If X0100=[3], then at least one item from X1050A through X1050Z must equal [1]. <b>Items:</b> X0100 Correction: type of transaction X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason
-3749	Consistency	Warning	Date Span Requirements The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.  a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.  b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.  c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.  d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.  e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days. <b>Items:</b> A0310A Type of assessment: OBRA A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date V0200B2 CAA-Assessment process signature date

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			V0200C2                      CAA-Care planning signature date Z0500B                      Date RN signed assessment as complete
-3751	Consistency	Warning	<p>A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").</p> <p><b>Items:</b>    J0300                      Res pain interview: presence  J0600A                      Res pain interview: intensity rating scale</p>
-3752	Consistency	Fatal	<p>The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).</p> <p><b>Items:</b>    V0200A01A                      CAA-Delirium: triggered  V0200A02A                      CAA-Cognitive loss/dementia: triggered  V0200A03A                      CAA-Visual function: triggered  V0200A04A                      CAA-Communication: triggered  V0200A05A                      CAA-ADL functional/rehab potential: triggered  V0200A06A                      CAA-Urinary incont/indwell catheter: triggered  V0200A07A                      CAA-Psychosocial well-being: triggered  V0200A08A                      CAA-Mood state: triggered  V0200A09A                      CAA-Behavioral symptoms: triggered  V0200A10A                      CAA-Activities: triggered  V0200A11A                      CAA-Falls: triggered  V0200A12A                      CAA-Nutritional status: triggered  V0200A13A                      CAA-Feeding tubes: triggered  V0200A14A                      CAA-Dehydration/fluid maintenance: triggered  V0200A15A                      CAA-Dental care: triggered  V0200A16A                      CAA-Pressure ulcer: triggered  V0200A17A                      CAA-Psychotropic drug use: triggered  V0200A18A                      CAA-Physical restraints: triggered  V0200A19A                      CAA-Pain: triggered  V0200A20A                      CAA-Return to community referral: triggered</p>
-3753	Consistency	Fatal	<p>If N0300 is equal to [1-7], then one of the following must be true:  a) N0350A must be equal to [-], OR  b) N0350A must be equal to [0-7] and must be less than or equal to N0300.</p> <p><b>Items:</b>    N0300                      Number of days injectable medications received  N0350A                      Insulin: insulin injections</p>
-3761	Consistency	Fatal	<p>If any item A1000A through A1000F is equal to [-], then all items from A1000A through A1000F must equal [-].</p> <p><b>Items:</b>    A1000A                      Ethnicity: American Indian or Alaska Native  A1000B                      Ethnicity: Asian  A1000C                      Ethnicity: Black or African American  A1000D                      Ethnicity: Hispanic or Latino  A1000E                      Ethnicity: Native Hawaiian/Pacific Islander  A1000F                      Ethnicity: White</p>
-3762	Consistency	Warning	<p>***NOTE: THIS EDIT HAS BEEN SUSPENDED AND WILL NOT BE APPLIED TO SUBMITTED RECORDS UNTIL FURTHER NOTICE.</p> <p>If O0250B is active and contains a valid date (is not equal to [-,^]), then it should contain a date that is in the appropriate date range, as defined below. Determination of the appropriate date range depends upon the target date for the assessment. The target date is defined as follows:  a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).  b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).  c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</p>



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>Given the target date, the following rules apply:</p> <p>a) If the target date falls within an ongoing influenza season, then the value of O0250B should be greater than or equal to the starting date of the current influenza season and less than or equal to the target date.</p> <p>b) If the target date falls outside of an ongoing influenza season, then the edit described above in (a) will be suspended and no warning will be issued based upon the value of O0250B.</p> <p>Note that the dates that define the "current influenza season" will be defined each year by CMS and will be published in updates to the MDS user's manual. Note also that violation of the consistency rule described in this edit will result in a warning.</p> <p><b>Items:</b> A0310F Entry/discharge reporting  A1600 Entry date (date of admission/reentry in facility)  A2000 Discharge date  A2300 Assessment reference date  O0250B Date influenza vaccine received.</p>
-3764	Consistency	Fatal	<p>The following rules apply to each pair of items in Column 1 and Column 2, from G0110A1 through G0110J2:</p> <p>a) If either item in the pair is equal to [8], then both items in the pair must equal [8].</p> <p>b) If an item in Column 1 is equal to [2,3,4], then the corresponding item in Column 2 must equal [2,3].</p> <p><b>Items:</b> G0110A1 Bed mobility: self-performance  G0110A2 Bed mobility: support provided  G0110B1 Transfer: self-performance  G0110B2 Transfer: support provided  G0110C1 Walk in room: self-performance  G0110C2 Walk in room: support provided  G0110D1 Walk in corridor: self-performance  G0110D2 Walk in corridor: support provided  G0110E1 Locomotion on unit: self-performance  G0110E2 Locomotion on unit: support provided  G0110F1 Locomotion off unit: self-performance  G0110F2 Locomotion off unit: support provided  G0110G1 Dressing: self-performance  G0110G2 Dressing: support provided  G0110H1 Eating: self-performance</p> <p><b>Items:</b> G0110H2 Eating: support provided  G0110I1 Toilet use: self-performance  G0110I2 Toilet use: support provided  G0110J1 Personal hygiene: self-performance  G0110J2 Personal hygiene: support provided</p>
-3774	Consistency	Fatal	<p>a) If either G0120A or G0120B is equal to [8], then both items must equal [8].</p> <p>b) If G0120A=[2,3,4], then G0120B must equal [2,3].</p> <p><b>Items:</b> G0120A Bathing: self-performance  G0120B Bathing: support provided</p>
-3775	Consistency	Fatal	<p>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</p> <p>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</p> <p>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> X0600F                      Correction: entry/discharge reporting X0700A                      Correction: assessment reference date X0700B                      Correction: discharge date X0700C                      Correction: entry date
-3777	Skip pattern	Fatal	a) If A0310A=[01], then if A1500 is active it must not equal [^]. b) If A0310A=[02,03,04,05,06,99], then if A1500 is active it must equal [^].  <b>Items:</b> A0310A                      Type of assessment: OBRA A1500                      Resident evaluated by PASRR
-3778	Consistency	Fatal	Completion of A1550A through A1550Z.  a) If A0310A is equal to [02,06,99], then A1550A through A1550Z must equal [^]. b) If the resident's age is 22 years of age or older and A0310A is equal to [01], then A1550A through A1550Z must not equal [^]. c) If the resident's age is 22 years of age or older and A0310A is not equal to [01], then A1550A through A1550Z must equal [^]. d) If the resident's age is 21 years of age or younger and A0310A is equal to [01,03,04,05], then A1550A through A1550Z must not equal [^].  For the rules above, age should be computed in the following way using A0900 (birth date) and A2300 (assessment reference date):  a) If only the year is submitted in A0900, then replace the month and day with "0702" (July 2, the midpoint of the year) for the purpose of calculating age. b) If only the year and month are submitted in A0900, replace the day with "15", (the midpoint of the month) for the purpose of calculating age. c) Provisionally compute age (in years) by subtracting the year in A0900 (as modified above, if necessary) from the year in A2300. d) If the month in A2300 is less than the month in A0900, then subtract 1 from the provisional age computed in (c) above. e) If the month in A2300 is equal to the month in A0900 and if the day in A2300 is less than the day in A0900, then subtract 1 from the provisional age computed in (c) above.  <b>Items:</b> A0310A                      Type of assessment: OBRA <b>Items:</b> A0900                      Birthdate A1550A                      MR/DD status: Down syndrome A1550B                      MR/DD status: Autism A1550C                      MR/DD status: Epilepsy A1550D                      MR/DD status: other organic MR/DD condition A1550E                      MR/DD status: MR/DD with no organic condition A1550Z                      MR/DD status: none of the above A2300                      Assessment reference date
-3779	Skip pattern	Fatal	a) If X0100=[2], then all active items from X0900A through X0900Z must not equal [^]. b) If X0100=[3], then all active items from X0900A through X0900Z must equal [^].  <b>Items:</b> X0100                      Correction: type of transaction X0900A                      Correction: modif reasons - transcription error X0900B                      Correction: modif reasons - data entry error X0900C                      Correction: modif reasons - software error X0900D                      Correction: modif reasons - item coding error X0900E                      Correction: modif reasons - resume therapy date X0900Z                      Correction: modif reasons - other error
-3780	Skip pattern	Fatal	a) If X0100=[2], then all active items from X1050A through X1050Z must equal [^]. b) If X0100=[3], then all active items from X1050A through X1050Z must not equal [^].

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> X0100                      Correction: type of transaction X1050A                      Correction: inact reasons - event did not occur X1050Z                      Correction: inact reasons - other reason
-3781	Skip pattern	Fatal	<p>If X0100=[2,3], then all active items from X1100A through X1100E must not equal [^].</p> <b>Items:</b> X0100                      Correction: type of transaction X1100A                      Correction: attestor first name X1100B                      Correction: attestor last name X1100E                      Correction: attestation date
-3782	Consistency	Fatal	<p>V0100A and V0100B cannot both be equal to [99].</p> <b>Items:</b> V0100A                      Prior OBRA reason for assessment V0100B                      Prior PPS reason for assessment
-3783	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.</p> <b>Items:</b> X0800                      Correction: correction number
-3784	Consistency	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then all active items from J0300 through J0700 must equal [-].</p> <b>Items:</b> J0200                      Should pain assessment interview be conducted J0300                      Res pain interview: presence J0400                      Res pain interview: frequency J0500A                      Res pain interview: made it hard to sleep J0500B                      Res pain interview: limited daily activities J0600A                      Res pain interview: intensity rating scale J0600B                      Res pain interview: verbal descriptor scale J0700                      Should staff assessment for pain be conducted J0800A                      Staff pain asmt: non-verbal sounds J0800B                      Staff pain asmt: vocal complaints of pain J0800C                      Staff pain asmt: facial expressions J0800D                      Staff pain asmt: protective movements/postures J0800Z                      Staff pain asmt: none of these signs observed
-3785	Consistency	Fatal	<p>Skip patterns based on J0300:</p> <p>a) If J0300=[0], then all active items from J0400 through J0850 must equal [^].</p> <p>b) If J0300=[1], then the following rules apply:</p> <p>---b1) All active items from J0400 through J0500B must not equal [^].</p> <p>---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].</p> <p>---b3) If J0700 is an active item, it must not equal [^].</p> <p>c) If J0300=[9], then the following rules apply:</p> <p>---c1) All active items from J0400 through J0700 must equal [^].</p> <p>---c2) All active items from J0800A through J0800Z must not equal [^].</p> <p>d) If J0300=[-], then the following rules apply:</p> <p>---d1) All active items from J0400 through J0600B must equal [-].</p> <p>---d2) All active items from J0700 through J0800Z must not equal [^].</p> <b>Items:</b> J0300                      Res pain interview: presence J0400                      Res pain interview: frequency

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			J0500A      Res pain interview: made it hard to sleep J0500B      Res pain interview: limited daily activities J0600A      Res pain interview: intensity rating scale J0600B      Res pain interview: verbal descriptor scale J0700        Should staff assessment for pain be conducted J0800A      Staff pain asmt: non-verbal sounds J0800B      Staff pain asmt: vocal complaints of pain J0800C      Staff pain asmt: facial expressions J0800D      Staff pain asmt: protective movements/postures J0800Z      Staff pain asmt: none of these signs observed J0850        Staff pain asmt: frequency of pain
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].  <b>Items:</b> J0700      Should staff assessment for pain be conducted J0800A      Staff pain asmt: non-verbal sounds J0800B      Staff pain asmt: vocal complaints of pain <b>Items:</b> J0800C      Staff pain asmt: facial expressions J0800D      Staff pain asmt: protective movements/postures J0800Z      Staff pain asmt: none of these signs observed J0850        Staff pain asmt: frequency of pain
-3787	Skip pattern	Fatal	a) If J0800Z=[0], then if J0850 is active it must not equal [^]. b) If J0800Z=[1,^], then if J0850 is active it must equal [^]. c) If J0800Z=[-], then if J0850 is active it must equal [-].  <b>Items:</b> J0800Z      Staff pain asmt: none of these signs observed J0850        Staff pain asmt: frequency of pain
-3788	Consistency	Fatal	Consistency rules for J0700: a) If J0400=[1,2,3,4], then if J0700 is active it must equal [0]. b) If J0400=[9,-], then if J0700 is active it must equal [1,-].  <b>Items:</b> J0400      Res pain interview: frequency J0700        Should staff assessment for pain be conducted
-3789	Consistency	Warning	***NOTE: BEGINNING WITH VERSION 1.01 OF THE DATA SPECS, THIS EDIT HAS BEEN SUSPENDED AND HAS BEEN REPLACED WITH EDIT -3810.  <b>Items:</b> A0310A      Type of assessment: OBRA A0310B      Type of assessment: PPS A0310F      Entry/discharge reporting A1600        Entry date (date of admission/reentry in facility) A2000        Discharge date V0200C2     CAA-Care planning signature date X0100        Correction: type of transaction X1100E      Correction: attestation date Z0500B      Date RN signed assessment as complete
-3790	Consistency	Fatal	a) If A0310F is equal to [10,11,12], then A2000 and A2100 must not equal [^]. b) If A0310F is not equal to [10,11,12], then A2000 and A2100 must equal [^].  <b>Items:</b> A0310F      Entry/discharge reporting A2000        Discharge date A2100        Discharge status
-3791	Consistency	Fatal	If X0100=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F.  <b>Items:</b> X0100      Correction: type of transaction

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			X0150 Correction: type of provider X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0600A Correction: OBRA reason for assessment X0600B Correction: PPS reason for assessment X0600C Correction: OMRA assessment X0600F Correction: entry/discharge reporting
-3792	Skip pattern	Fatal	If X0100=[2,3], then if X0800 is active it must not equal [^]. <b>Items:</b> X0100 Correction: type of transaction X0800 Correction: correction number
-3793	Format	Fatal	The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. <b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_VNDR_EM Software vendor email address AIL_ADR SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD A0100A Facility National Provider Identifier (NPI) A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600A Social Security Number A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X0500 Correction: resident social security number X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code
-3794	Consistency	Fatal	a) If SFTWR_PROD_NAME is equal to [^], then SFTWR_PROD_VRSN_CD must be equal to [^].

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>b) If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> <p><b>Items:</b> SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRSN_CD Software product version code</p>
-3795	Consistency	Fatal	<p>If X0100 is equal to [2], then at least one item from X0900A through X0900Z must equal [1].</p> <p><b>Items:</b> X0100 Correction: type of transaction X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900E Correction: modif reasons - resume therapy date X0900Z Correction: modif reasons - other error</p>
-3796	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If X0100=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If X0100=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p><b>Items:</b> ITM_SBST_CD Item subset code A0200 Type of provider A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310C Type of assessment: OMRA A0310D Swing bed clinical change assessment A0310E First assessment since most recent entry A0310F Entry/discharge reporting X0100 Correction: type of transaction</p>
-3797	Consistency	Fatal	<p>a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].</p> <p>b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].</p> <p><b>Items:</b> A0310A Type of assessment: OBRA A0310E First assessment since most recent entry J1700A Fall history: fall during month before admission J1700B Fall history: fall 2-6 months before admission J1700C Fall history: fracture from fall 6 month pre admit</p>
-3798	Skip pattern	Fatal	<p>a) If X0150=[1], then if X0600D is active it must equal [^]. b) If X0150=[2], then if X0600D is active it must not equal [^].</p> <p><b>Items:</b> X0150 Correction: type of provider X0600D Correction: Swing bed clinical change asmt</p>
-3799	Skip pattern	Fatal	<p>If X0100=[2,3], then if X0150 is active it must not equal [^].</p> <p><b>Items:</b> X0100 Correction: type of transaction X0150 Correction: type of provider</p>
-3801	Skip pattern	Fatal	<p>a) If A0200=[1], then if A0310D is active it must equal [^]. b) If A0200=[2], then if A0310D is active it must not equal [^].</p> <p><b>Items:</b> A0200 Type of provider</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3802	Format	Fatal	<p style="text-align: center;">A0310D                      Swing bed clinical change assessment</p> <p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters:            If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:            a) The numeric characters: [0] through [9].            b) The letters [A] through [Z] and [a] through [z].            c) The character [-].            d) The following special characters:                [&amp;] (ampersand)                [@] (at sign)                ['] (single quote)                [/] (forward slash)                [+] (plus sign)                [,] (comma)                [.] (period)                [_] (underscore)            e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p><b>Items:</b>   SFTWR_VNDR_NA   Software vendor company name                      ME                      SFTWR_PROD_NA   Software product name                      ME                      Z0100A            Medicare Part A: HIPPS code                      Z0100B            Medicare Part A: RUG version code                      Z0150A            Medicare Part A: non-therapy HIPPS code                      Z0150B            Medicare Part A: non-therapy RUG version code                      Z0200A            State case mix: RUG group                      Z0200B            State case mix: RUG version code                      Z0250A            State case mix: Alternate RUG group                      Z0250B            State case mix: Alternate RUG version code</p>
-3803	Skip pattern	Fatal	<p>If X0100=[2,3], then if X0600F is active it must not equal [^].</p> <p><b>Items:</b>   X0100            Correction: type of transaction                      X0600F            Correction: entry/discharge reporting</p>
-3804	Consistency	Fatal	<p>If A0310C=[1,3] (the assessment is a start-of-therapy OMRA assessment), then the Medicare Part A Billing HIPPS code that is submitted in Z0100A will be recalculated. The first byte of the recalculated HIPPS code must equal [R]. If it does not equal [R], then a fatal error will result and the record will be rejected.</p> <p><b>Items:</b>   A0310C            Type of assessment: OMRA                      Z0100A            Medicare Part A: HIPPS code</p>
-3805	Consistency	Fatal	<p>If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].</p> <p><b>Items:</b>   F0300            Conduct res interview for daily/activity prefs                      F0800A            Staff assessment: choosing clothes to wear                      F0800B            Staff assessment: caring for personal belongings                      F0800C            Staff assessment: receiving tub bath                      F0800D            Staff assessment: receiving shower                      F0800E            Staff assessment: receiving bed bath                      F0800F            Staff assessment: receiving sponge bath                      F0800G            Staff assessment: snacks between meals                      F0800H            Staff assessment: staying up past 8PM                      F0800I            Staff assessment: discuss care with family/other</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>F0800J Staff assessment: use phone in private</div> <div>F0800K Staff assessment: place to lock personal things</div> <div>F0800L Staff assessment: reading books, newspapers, mags</div> <div>F0800M Staff assessment: listening to music</div> <div>F0800N Staff assessment: being around animals/pets</div> <div>F0800O Staff assessment: keeping up with news</div> <div>F0800P Staff assessment: doing things with groups</div> <div>F0800Q Staff assessment: participate favorite activities</div> <div>F0800R Staff assessment: spend time away from nursng home</div> <div>F0800S Staff assessment: spend time outdoors</div> <div>F0800T Staff assessment: participate religious activities</div> <div>F0800Z Staff assessment: none of above activities</div>
-3806	Consistency	Warning	<p>If A0200=[1] (the provider is a nursing home), the value submitted for A0100C (State Provider Number) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued. Note that this edit does not apply to swing-bed providers (where A0200=[2]).</p> <div> <div><b>Items:</b> A0100C</div> <div>State provider number</div> <div>A0200</div> <div>Type of provider</div> </div>
-3807	Format	Warning	<p>Version Code Values</p> <p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <div> <div><b>Items:</b> ITM_SET_VRSN_C</div> <div>Item set version code</div> <div>SPEC_VRSN_CD</div> <div>Specifications version code</div> </div>
-3808	Format	Warning	<p>When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.</p> <div> <div><b>Items:</b> S0101</div> <div>Admitted from Community</div> <div>S0102</div> <div>Admitted from NH or SB</div> <div>S0111</div> <div>Lived Alone</div> <div><b>Items:</b> S0115</div> <div>Spouse Location</div> <div>S0120</div> <div>Prior Residence ZIP Code</div> <div>S0122</div> <div>Prior Residence State</div> <div>S0123</div> <div>Prior Residence County</div> <div>S0125</div> <div>Prior Residence Town Code</div> <div>S0130</div> <div>Highest Education Completed</div> <div>S0140</div> <div>Physician License Number</div> <div>S0141</div> <div>Physician Name</div> <div>S0150</div> <div>State Resident ID</div> <div>S0160</div> <div>Specialty unit</div> <div>S0170A</div> <div>Advanced directive: Guardian</div> <div>S0170B</div> <div>Advanced directive: DPOC-HC</div> <div>S0170C</div> <div>Advanced directive: Living will</div> <div>S0170D</div> <div>Advanced directive: Do not resuscitate</div> <div>S0170E</div> <div>Advanced directive: Do not hospitalize</div> <div>S0170F</div> <div>Advanced directive: Do not intubate</div> <div>S0170G</div> <div>Advanced directive: Feeding restrictions</div> <div>S0170H</div> <div>Advanced directive: Other treatment restrictions</div> <div>S0170Z</div> <div>Advanced directive: None of the above</div> <div>S0171A</div> <div>Resident healthcare proxy exists</div> <div>S0171B</div> <div>Resident healthcare proxy invoked</div> <div>S0172A</div> <div>Goal discussion: documentation received</div> </div>



# **Data Submission Specifications for the MDS 3.0 (V1.02.1)**

## **Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			S0172B Goal discussion: hospital
			S0172C Goal discussion: previous NH
			S0172D Goal discussion: Home without home health services
			S0172E Goal discussion: Home with home health services
			S0172F Goal discussion: PCP office
			S0172G Goal discussion: Other
			S0172H Goal discussion: Not occur reason
			S0180 Discharged to Community
			S0183 Discharged prior to admission assessment
			S0500 Level of Care
			S0501 CCNH RHNS Level of Care
			S0510 PASRR Screening Complete
			S0511 PASRR Date
			S0512 PASRR Level 1
			S0520 Reason for Admission
			S1000 Local Health Department Reporting
			S1001 State Health Department Reporting
			S1100A Disease: Clostridium Difficile
			S1100B Disease: MRSA
			S1100C Disease: VRE
			S1100D Disease: VISA
	<b>Items:</b>		S1100E Disease: VRSA
			S1100F Disease: Other MDRO
			S1100F1 Disease: MDRO Name1
			S1100F2 Disease: MDRO Name2
			S1100G Disease: Tuberculosis
			S1100H Disease: Herpes Zoster
			S1100I Disease: Scabies
			S1100Z Disease: None of the Above
			S1200A Mental Health: Schizophrenia
			S1200B Mental Health: Delusional Disorder
			S1200C Mental Health: Schizoaffective Disorder
			S1200D Mental Health: Other Psychotic Disorder
			S1200E Mental Health: Bipolar I Mixed, Manic, & Depressed
			S1200F Mental Health: Bipolar Disorder II
			S1200G Mental Health: Cyclothymic Disorder
			S1200H Mental Health: Other Bipolar Disorder
			S1200I Mental Health: Major Depression, Recurrent
			S1200Z Mental Health: None of the above
			S2000 Capable of self-administration of medications
			S2001 Wishes to self-medicate
			S2010 Refused meds 3 days
			S2011 Staff support for meds 3 days
			S2015 Refused meds occasionally 30 days
			S2016 Refused meds frequently 30 days
			S2040 Behavior Management Program
			S2050 Resists grooming/hygiene
			S3100A Contractures: Hand
			S3100B Contractures: Wrist
			S3100C Contractures: Elbow
			S3100D Contractures: Shoulder
			S3100E Contractures: Neck
			S3100F Contractures: Ankle

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			S3100G Contractures: Knee
			S3100H Contractures: Hip
			S3100Z Contractures: Other
			S3200A Dominant Side
			S3200B Use of dominant hand/arm
			S4000A Harm: Self Injury/Self-injurious attempt
			S4000B Harm: Attempt was to kill self
			S4000C Harm: Considered injuring self
			S4000D Harm: Self-injury caregiver concern
			S4010A Hourly Interval Observation
			S4010B 15- Min. Interval Observation
	Items:		S4010C 5- Min. Interval Observation
			S4010D Constant Observation for < 1 hr
			S4010E Constant Observation for > 1 hr
			S4500 Substance Abuse: Alcoholic Drinks
			S4510A Substance Abuse: Inhalants
			S4510B Substance Abuse: Hallucinogens
			S4510C Substance Abuse: Cocaine and Crack
			S4510D Substance Abuse: Stimulants
			S4510E Substance Abuse: Opiates
			S4510F Substance Abuse: Cannabis
			S5000 Number of New Pressure Ulcers
			S5005 New Pressure Ulcer setting
			S5010A1 Pressure ulcer 1 location
			S5010A2 Pressure ulcer 1 status
			S5010B1 Pressure ulcer 2 location
			S5010B2 Pressure ulcer 2 status
			S5010C1 Pressure ulcer 3 location
			S5010C2 Pressure ulcer 3 status
			S5010D1 Pressure ulcer 4 location
			S5010D2 Pressure ulcer 4 status
			S5010E1 Pressure ulcer 5 location
			S5010E2 Pressure ulcer 5 status
			S5010F1 Pressure ulcer 6 location
			S5010F2 Pressure ulcer 6 status
			S5010G1 Pressure ulcer 7 location
			S5010G2 Pressure ulcer 7 status
			S5010H1 Pressure ulcer 8 location
			S5010H2 Pressure ulcer 8 status
			S5010I1 Pressure ulcer 9 location
			S5010I2 Pressure ulcer 9 status
			S6000 Parenteral/IV feeding in NH
			S6005 IV meds in NH
			S6010 Oxygen Therapy in NH
			S6050 Isolation precautions needed
			S6051A Isolation Precaution: Airborne
			S6051B Isolation Precaution: Contact
			S6051C Isolation Precaution: Droplet
			S6051D Isolation Precaution: Protective
			S6100A Vaccination: Varicella
			S6100B Vaccination: Tetanus, diphtheria (Td)
			S6100C Vaccination: Tetanus, diphtheria, pertussis (Tdap)
			S6100D Vaccination: Measles, Mumps, Rubella (MMR)

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			S6100E Vaccination: Other
	Items:		S6100F1 Vaccination: Other Name 1
			S6100F2 Vaccination: Other Name 2
			S6100F3 Vaccination: Other Name 3
			S6100Z Vaccination: None of the above
			S6200 Number of Hospital Stays
			S6210 Number of ER visits
			S6220 Alzheimer's/Dementia Special Care Unit
			S8000A1 Medicare - Primary Payor
			S8000A2 Medicare - Secondary Payor
			S8000A3 Medicare Payor
			S8000B1 Medicare Part A - Primary Payor
			S8000B2 Medicare Part A - Secondary Payor
			S8000B3 Medicare Part A Payor
			S8000C1 Medicare Part B - Primary Payor
			S8000C2 Medicare Part B - Secondary Payor
			S8000C3 Medicare Part B Payor
			S8000D1 Medicare Part C - Primary Payor
			S8000D2 Medicare Part C - Secondary Payor
			S8000D3 Medicare Part C Payor
			S8000E1 Medicare per diem - Primary Payor
			S8000E2 Medicare per diem - Secondary Payor
			S8000E3 Medicare per diem Payor
			S8000Z Medicare not a payment source
			S8010A1 In-state Medicaid - Primary Payor
			S8010A2 In-state Medicaid - Secondary Payor
			S8010A3 In-state Medicaid payor
			S8010B1 Out-of-state Medicaid - Primary Payor
			S8010B2 Out-of-state Medicaid - Secondary Payor
			S8010B3 Out-of-state Medicaid Payor
			S8010C1 Medicaid per diem - Primary Payor
			S8010C2 Medicaid per diem - Secondary Payor
			S8010C3 Medicaid per diem Payor
			S8010D1 Medicaid managed care per diem - Primary Payor
			S8010D2 Medicaid managed care per diem - Secondary Payor
			S8010D3 Medicaid managed care per diem Payor
			S8010E1 Medicaid per diem (not MC) - Primary Payor
			S8010E2 Medicaid per diem (not MC) - Secondary Payor
			S8010E3 Medicaid per diem (not MC) Payor
			S8010F Medicaid per diem type
			S8010F1 Medicaid Resident Liability - Primary Payor
			S8010F2 Medicaid Resident Liability - Secondary Payor
			S8010F3 Medicaid Resident Liability Payor
			S8010G Medicaid state source
	Items:		S8010G1 Medicare Co-Pay - Primary Payor
			S8010G2 Medicare Co-pay - Secondary Payor
			S8010G3 Medicare Co-pay Payor
			S8010H1 Medicaid Other - Primary Payor
			S8010H2 Medicaid Other - Secondary Payor
			S8010H3 Medicaid Other Payor
			S8010I1 Medicaid Pending - Primary Payor
			S8010I2 Medicaid Pending - Secondary Payor
			S8010I3 Medicaid Pending Payor

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			S8010Z Medicaid not a payment source
			S8020A1 Private - Primary Payor
			S8020A2 Private - Secondary Payor
			S8020A3 Private Payor
			S8020B1 Private per diem - Primary Payor
			S8020B2 Private per diem - Secondary Payor
			S8020B3 Private per diem Payor
			S8020C1 Private LTC insurance policy - Primary Payor
			S8020C2 Private LTC insurance policy - Secondary Payor
			S8020C3 Private LTC insurance policy
			S8020Z Private insurance not a payment source
			S8030A1 Self-pay - Primary Payor
			S8030A2 Self-pay - Secondary Payor
			S8030A3 Self-pay Payor
			S8030B1 Family pay - Primary Payor
			S8030B2 Family pay - Secondary Payor
			S8030B3 Family pay Payor
			S8030C Self or Family pay for full per diem
			S8030Z Self or Family not a payment source
			S8040A1 State Run Medical Assistance - Primary Payor
			S8040A2 State Run Medical Assistance - Secondary Payor
			S8040A3 State Run Medical Assistance Payor
			S8040B1 Tricare per diem - Primary Payor
			S8040B2 Tricare per diem - Secondary Payor
			S8040B3 Tricare per diem Payor
			S8040C1 VA per diem - Primary Payor
			S8040C2 VA per diem - Secondary Payor
			S8040C3 VA per diem Payor
			S8040D1 Other Public - Primary Payor
			S8040D2 Other Public - Secondary Payor
			S8040D3 Other Public Payor
			S8040Z Other government not a payment source
			S8050A1 Other - Primary Payor
			S8050A2 Other - Secondary Payor
		Items:	S8050A3 Other Payor
			S8050B Other Payor Name 1
			S8050C Other Payor Name 2
			S8050D Other Payor Name 3
			S8055 Primary payor
			S8099 Payor: None of the Above
			S8500 Medicaid begin date
			S8510A Medicaid Therapeutic bed-hold days since last asmt
			S8510B Medicaid Therapeutic bed-hold days - YTD
			S8512A Medicaid hospital bed-hold days since last asmt
			S8512B Medicaid hospital bed-hold days - YTD
			S8520A Medicaid Leave Days Type 1
			S8520B Leave Days for Medicaid begin date 1
			S8520C Leave Days for Medicaid end date 1
			S8521A Medicaid Leave Days Type 2
			S8521B Leave Days for Medicaid begin date 2
			S8521C Leave Days for Medicaid end date 2
			S9000 IL Skills Training
			S9001 IL IDPH Subpart S criteria

# Data Submission Specifications for the MDS 3.0 (V1.02.1)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			S9002A IL IDPH Subpart S: Schizophrenia S9002B IL IDPH Subpart S: Delusional disorder S9002C IL IDPH Subpart S: Schizoaffective disorder S9002D IL IDPH Subpart S: Psychotic disorder not specified S9002E IL IDPH Subpart S: Bipolar I mixed, manic, & depr S9002F IL IDPH Subpart S: Bipolar disorder II S9002G IL IDPH Subpart S: Cyclothymic disorder S9002H IL IDPH Subpart S: Bipolar disorder not specified S9002I IL IDPH Subpart S: Major depression, recurrent S9003 IL IDPH Subpart S: Ancillary S9020 FL FRAES number S9040A CA POLST S9040B CA POLST Section A S9040C CA POLST Section B S9040D CA POLST Section C S9040E CA POLST D physician signature S9040F CA POLST D resident signature S9040G CA POLST D discussed with patient or decisionmaker S9040H CA POLST advanced directive S9060 NY Medicaid add-on eligibility S9080A PA MA CASE-MIX S9080B PA MA CASE-MIX Date S9080C PA MA CASE-MIX Access Card Number S9080D PA MA CASE-MIX MA NF Effective Date <b>Items:</b> S9080E PA MA CASE-MIX Day One MA S9100A VA Room & Board Payment Assessment Reference Date S9100B VA Room & Board Payment Entry Date S9100C VA Medicaid Room & Board initial date S9120 CT Approved LTC
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^]. <b>Items:</b> D0100 PHQ: should resident mood interview be conducted D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																											
-3810	Consistency	Warning	<p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where X0100=[1]) and for modifications and inactivations (where X0100=[2,3]).</p> <p>RULES FOR NEW RECORDS (WHERE X0100=[1]):</p> <p>The following rules apply to new records, where X0100=[1].</p> <p>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.</p> <p>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.</p> <p>c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.</p> <p>c) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.</p> <p>RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE X0100=[2,3]):</p> <p>e) If X0100 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.</p> <table><tr><td><b>Items:</b></td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A0310F</td><td>Entry/discharge reporting</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2000</td><td>Discharge date</td></tr><tr><td></td><td>V0200C2</td><td>CAA-Care planning signature date</td></tr><tr><td></td><td>X0100</td><td>Correction: type of transaction</td></tr><tr><td></td><td>X1100E</td><td>Correction: attestation date</td></tr><tr><td></td><td>Z0500B</td><td>Date RN signed assessment as complete</td></tr></table>	<b>Items:</b>	A0310A	Type of assessment: OBRA		A0310F	Entry/discharge reporting		A1600	Entry date (date of admission/reentry in facility)		A2000	Discharge date		V0200C2	CAA-Care planning signature date		X0100	Correction: type of transaction		X1100E	Correction: attestation date		Z0500B	Date RN signed assessment as complete			
<b>Items:</b>	A0310A	Type of assessment: OBRA																												
	A0310F	Entry/discharge reporting																												
	A1600	Entry date (date of admission/reentry in facility)																												
	A2000	Discharge date																												
	V0200C2	CAA-Care planning signature date																												
	X0100	Correction: type of transaction																												
	X1100E	Correction: attestation date																												
	Z0500B	Date RN signed assessment as complete																												
-3811	Consistency	Fatal	<p>If X0100=[2] (modification record), the following rules apply:</p> <p>a) X0600A must equal A0310A.</p> <p>b) X0600B must equal A0310B.</p> <p>c) X0600C must equal A0310C.</p> <p>d) X0600D must equal A0310D.</p> <p>e) X0600F must equal A0310F.</p> <p>f) If X0600F=[99], then X0700A must equal A2300.</p> <p>g) If X0600F=[10,11,12], then X0700B must equal A2000.</p> <p>h) If X0600F=[01], then X0700C must equal A1600.</p> <table><tr><td><b>Items:</b></td><td>A0310A</td><td>Type of assessment: OBRA</td></tr><tr><td></td><td>A0310B</td><td>Type of assessment: PPS</td></tr><tr><td></td><td>A0310C</td><td>Type of assessment: OMRA</td></tr><tr><td></td><td>A0310D</td><td>Swing bed clinical change assessment</td></tr><tr><td></td><td>A0310F</td><td>Entry/discharge reporting</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2000</td><td>Discharge date</td></tr><tr><td><b>Items:</b></td><td>A2300</td><td>Assessment reference date</td></tr><tr><td></td><td>X0100</td><td>Correction: type of transaction</td></tr></table>	<b>Items:</b>	A0310A	Type of assessment: OBRA		A0310B	Type of assessment: PPS		A0310C	Type of assessment: OMRA		A0310D	Swing bed clinical change assessment		A0310F	Entry/discharge reporting		A1600	Entry date (date of admission/reentry in facility)		A2000	Discharge date	<b>Items:</b>	A2300	Assessment reference date		X0100	Correction: type of transaction
<b>Items:</b>	A0310A	Type of assessment: OBRA																												
	A0310B	Type of assessment: PPS																												
	A0310C	Type of assessment: OMRA																												
	A0310D	Swing bed clinical change assessment																												
	A0310F	Entry/discharge reporting																												
	A1600	Entry date (date of admission/reentry in facility)																												
	A2000	Discharge date																												
<b>Items:</b>	A2300	Assessment reference date																												
	X0100	Correction: type of transaction																												

**Data Submission Specifications for the MDS 3.0 (V1.02.1)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			X0600A                      Correction: OBRA reason for assessment X0600B                      Correction: PPS reason for assessment X0600C                      Correction: OMRA assessment X0600D                      Correction: Swing bed clinical change asmt X0600F                      Correction: entry/discharge reporting X0700A                      Correction: assessment reference date X0700B                      Correction: discharge date X0700C                      Correction: entry date
-3812	Consistency	Fatal	a) If A0310C=[2,3] and A0310F=[99], then if O0450A is active it must equal [0,1,-]. b) If A0310C=[0,1,4] or A0310F=[01,10,11,12], then all active items from O0450A through O0450B must equal [^].  <b>Items:</b> A0310C                      Type of assessment: OMRA A0310F                      Entry/discharge reporting O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3813	Skip pattern	Fatal	a) If O0450A=[0,-], then if O0450B is active it must equal [^]. b) If O0450A=[1], then if O0450B is active it must not equal [^].  <b>Items:</b> O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3814	Consistency	Fatal	If O0450A=[1] and O0450B does not equal [-], then the following rules apply:  a) At least one of the following items must contain a valid date (YYYYMMDD) and must not equal [^,-----]: O0400A6, O0400B6, O0400C6.  b) The date in O0450B must be greater than the latest date that is contained in O0400A6, O0400B6, and O0400C6.  c) The difference between the date in O0450B and the latest date that is contained in O0400A6, O0400B6, and O0400C6 must be less than or equal to 5 days.  <b>Items:</b> O0400A6                      Speech-language/audiology: end date O0400B6                      Occupational therapy: end date O0400C6                      Physical therapy: end date O0450A                      Has therapy resumed O0450B                      Therapy resumption date
-3815	Consistency	Fatal	If X0900E=[1], then O0450A must equal [1].  <b>Items:</b> O0450A                      Has therapy resumed X0900E                      Correction: modif reasons - resume therapy date
-9001	Information	None	Vendor's version number for the software that was used to create the MDS data submission file.  <b>Items:</b> SFTWR_PROD_VRS    Software product version code N_CD
-9002	Information	None	Optional item. Can be used by facility for unique identification of record and for tracking records submitted to the MDS Submission System.  <b>Items:</b> FAC_DOC_ID                      Facility document ID
-9003	Information	None	Valid federal tax ID (EIN) for the company that developed the software used to create the MDS data submission file.  <b>Items:</b> SFTWR_VNDR_ID    Software vendor federal employer tax ID
-9004	Information	None	Name of the software that was used to create the MDS data submission file.  <b>Items:</b> SFTWR_PROD_NA    Software product name ME

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9005	Information	None	<p>Email address of the vendor who created the software that was used to produce the MDS submission file.</p> <p><b>Items:</b> SFTWR_VNDR_EM Software vendor email address AIL_ADR</p>
-9006	Information	None	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be Converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.</p> <p><b>Items:</b> FAC_ID Assigned facility/provider submission ID SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600B Resident Medicare/railroad insurance number A0700 Resident Medicaid number A1100B Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) I8000A Additional active ICD diagnosis 1 I8000B Additional active ICD diagnosis 2 I8000C Additional active ICD diagnosis 3 I8000D Additional active ICD diagnosis 4 I8000E Additional active ICD diagnosis 5 <b>Items:</b> I8000F Additional active ICD diagnosis 6 I8000G Additional active ICD diagnosis 7 I8000H Additional active ICD diagnosis 8 I8000I Additional active ICD diagnosis 9 I8000J Additional active ICD diagnosis 10 X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name Z0100A Medicare Part A: HIPPS code Z0100B Medicare Part A: RUG version code Z0150A Medicare Part A: non-therapy HIPPS code Z0150B Medicare Part A: non-therapy RUG version code Z0200A State case mix: RUG group Z0200B State case mix: RUG version code Z0250A State case mix: Alternate RUG group Z0250B State case mix: Alternate RUG version code</p>



## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9008	Information	None	<p>Submit [+] (the plus sign) to indicate that Medicaid number is pending.</p> <p><b>Items:</b> A0700 Resident Medicaid number</p>
-9009	Information	None	<p>Submit [N] to indicate that the resident is non-Medicaid.</p> <p><b>Items:</b> A0700 Resident Medicaid number</p>
-9010	Information	None	<p>Put [/] (slash) between two occupations.</p> <p><b>Items:</b> A1300D Lifetime occupation(s)</p>
-9012	Information	None	<p>The maximum length of Z0100A and Z0150A is 7 characters even though the HIPPS code is currently 5 characters in length. The extra 2 characters are included to allow for future expansion.</p> <p><b>Items:</b> Z0100A Medicare Part A: HIPPS code Z0150A Medicare Part A: non-therapy HIPPS code</p>
-9013	Information	None	<p>Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p> <p><b>Items:</b> D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score K0200A Height (in inches) K0200B Weight (in pounds)</p>
-9014	Information	None	<p>Rounding of Numeric Items with Tenths Decimal Values: This item should be rounded to the nearest tenth decimal place. If the value in the hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value.</p> <p><b>Items:</b> M0610A Stage 3 or 4 pressure ulcer longest length M0610B Stage 3 or 4 pressure ulcer width (same ulcer) M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)</p>
-9015	Information	None	<p>Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.</p> <p><b>Items:</b> V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score</p>
-9016	Information	None	<p>V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06].</p> <p>The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.</p> <p><b>Items:</b> V0100A Prior OBRA reason for assessment V0100B Prior PPS reason for assessment V0100C Prior assessment reference date V0100D Prior assessment BIMS summary score V0100E Prior asmt PHQ res: total mood severity score V0100F Prior asmt PHQ staff: total mood score</p>

## Data Submission Specifications for the MDS 3.0 (V1.02.1)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9017	Information	None	<p>The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).  b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).  c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date)..</p> <p><b>Items:</b> TARGET_DATE      Target date</p>
-9018	Information	None	<p>***BEGINNING WITH V1.02.0, THIS INFORMATIONAL EDIT HAS BEEN DISCONTINUED. PREVIOUSLY, IT APPLIED TO EFFECTIVE_DATE WHICH HAS BEEN CONVERTED TO FILLER (ITEM_FILLER_003).</p> <p><b>Items:</b> ITEM_FILLER_003      Item filler: replaces old EFFECTIVE_DATE</p>