

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
REC_ID	2	1	2	Active on RFA: 01,03,04,05,06,07,08,09
Record ID				Blank on RFA:
				Picture: XX Type: CODE
				*Range if Active: B1
				Format Info: Upper case B followed by 1.
				Consistency Required:
				Version Notes:
REC_TYPE	2	3	4	Active on RFA:
Record Type Code				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: sp(2)
				Format Info:
				Consistency Required: 1. Always blank at present; may be used in future versions.
				Version Notes:
LOCK_DATE	8	5	12	Active on RFA:
Assessment Lock Date				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(8) Type: FILLER
				*Range if Active: sp(8)
				Format Info: Always blank.
				Consistency Required: 1. Beginning with Version 1.50 of the data specs, this field is no longer active and is now blank filler. Agencies may continue to use this field if they wish, but the contents of this field will be ignored by the State System.
				Version Notes:
CORRECTION_NUM	2	13	14	Active on RFA: 01,03,04,05,06,07,08,09
Correction Number for Record				Blank on RFA:
				Picture: XX Type: COUNT
				*Range if Active: 00 thru 99
				Format Info: Right justified; pad left with zero.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Consistency Required: *1. For the original submission of a record use 00 (zero, zero) as the value. If correction records are submitted, increment this count with each correction: 01, 02, 03.</p> <p>*2. A record will be rejected based upon CORRECTION_NUM if EITHER of the following two conditions apply:</p> <p style="padding-left: 40px;">a. If there are NO MATCHING RECORDS on the state database and CORRECTION_NUM is not equal to 00; or</p> <p style="padding-left: 40px;">b. If there are ONE OR MORE MATCHING RECORDS on the state database, and CORRECTION_NUM is not one integer greater than the greatest CORRECTION_NUM among the matching state database records.</p> <p>"Matching records" are defined as records which meet ALL FOUR of the following conditions:</p> <p style="padding-left: 40px;">-identical agency (HHA_AGENCY_ID);</p> <p style="padding-left: 40px;">-identical reason for assessment (M0100_ASSMT_REASON);</p> <p style="padding-left: 40px;">-identical effective date (M0030_START_CARE_DT for a start of care record, M0032_ROC_DT for a resumption of care record, M0090_INFO_COMPLETED_DT for a recertification or other follow-up record, and M0906_DC_TRAN_DTH_DT for a transfer to inpatient facility, death at home, or discharge record);</p> <p style="padding-left: 40px;">-the resident is identified as the same resident on the basis of name (M0040_PAT_LNAME and M0040_PAT_FNAME), gender (M0069_PAT_GENDER), birthdate (M0066_PAT_BIRTH_DT), and Social Security Number (M0064_SSN).</p> <p>Version Notes:</p>
ACY_DOC_CD	8	15	22	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p style="padding-left: 40px;">Picture: X(8) Type: TEXT</p> <p>*Range if Active: Text, sp(8)</p> <p>Format Info: Left justified; any letters must be upper case.</p> <p>Consistency Required: 1. Optional item--can be used by agency for unique identification of record and tracking of records submitted to the state. If this code is used, it is recommended that it be included on both electronic and paper copies of the record.</p> <p>Version Notes:</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
VERSION_CD1	12	23	34	Active on RFA: 01,03,04,05,06,07,08,09
Version Completed Code				Blank on RFA: Picture: X(12) Type: CODE *Range if Active: B1-1098, B1-0800, B1-1202, B1-0108 Format Info: Left justified; any letters must be upper case. Consistency Required: 1. This is the version of OASIS data set which was actually completed. The current version is B1-0108. A warning will be issued if "B1-1098" is submitted. Either "B1-0108", "B1-1202" or "B1-0800" will be accepted without warning. Version Notes: -[R2] Added "B1-0108" to the list of allowable codes and revised consistency check #1 accordingly.
VERSION_CD2	5	35	39	Active on RFA: 01,03,04,05,06,07,08,09
Layout Submitted Version Code				Blank on RFA: Picture: X(5) Type: CODE *Range if Active: 01.60, 01.50, 01.40, 01.30, 01.20, 01.10, or 1.04 Format Info: Left justified; any letters must be upper case. Consistency Required: *1. This field must contain the version number for the data specifications used for submission. The allowable values are "01.60" (the current version), "01.50", "01.40", "01.30", "01.20", "01.10", and "1.04 " (left justified, blank filled). *2. If M0090_INFO_COMPLETED_DT is less than or equal to "20000831" (08/31/2000), then VERSION_CD2 must equal "1.04 " (left justified, blank filled). *3. If M0090_INFO_COMPLETED_DT is greater than or equal to "20001001" (10/01/2000) and less than or equal to "20021215" (12/15/2002), then VERSION_CD2 must equal "01.10" or "01.20". *4. If M0090_INFO_COMPLETED_DT is greater than or equal to "20000901" (09/01/2000) and is less than or equal to "20000930" (09/30/2000), then VERSION_CD2 must equal "01.10" or "1.04 " (left justified, blank filled). The version of the State System edit engine which is used to validate the record submitted will depend upon the value of VERSION_CD2. *5. If M0090_INFO_COMPLETED_DT is greater than or equal to "20021216" (12/16/2002) and is less than or equal to "20030930" (09/30/2003), then VERSION_CD2 must equal "01.10", "01.20", or "01.30". *6. If M0090_INFO_COMPLETED_DT is greater than or equal to "20031001" (10/01/2003) and is less than or equal to "20060620" (06/20/2006), then VERSION_CD2 must equal "01.40".

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*7. If M0100_ASSMT_REASON=04 or 05 and M0090_INFO_COMPLETED_DT is greater than or equal to "20060621" (06/21/2006) and less than or equal to "20071226" (12/26/2007) then VERSION_CD2 must equal "01.40" or "01.50".</p> <p>*8. If M0100_ASSMT_REASON=01, 03, 06, 07, 08, or 09 and M0090_INFO_COMPLETED_DT is greater than or equal to "20060621" (06/21/2006) and less than or equal to "20071231" (12/31/2007) then VERSION_CD2 must equal "01.40" or "01.50".</p> <p>*9. If M0100_ASSMT_REASON=04 or 05 and M0090_INFO_COMPLETED_DT is greater than or equal to "20071227" (12/27/2007) then VERSION_CD2 must equal "01.60").</p> <p>*10. If M0100_ASSMT_REASON= 01, 03, 06, 07, 08, or 09 and M0090_INFO_COMPLETED_DT is greater than or equal to "20080101" (01/01/2008) then VERSION_CD2 must equal "01.60").</p> <p>Version Notes: -Added "01.60" (the current version number) to the range.</p> <p>-Revised consistency note #1 to include the current version number ('01.60').</p> <p>-Revised consistency note #7 and added notes #8 - #10 to handle implementation of Version 1.60.</p>
SFTW_ID	9	40	48	Active on RFA: 01,03,04,05,06,07,08,09
Software Vendor or Agent Tax ID				Blank on RFA:
				Picture: X(9) Type: CODE
				*Range if Active: Numeric, sp(9)
				Format Info: Valid tax ID; no embedded dashes or spaces.
				Consistency Required:
				Version Notes:
SFT_VER	5	49	53	Active on RFA: 01,03,04,05,06,07,08,09
Software Version				Blank on RFA:
				Picture: X(5) Type: TEXT
				*Range if Active: Text, sp(5)
				Format Info: Left justified; any letters must be upper case.
				Consistency Required: 1. This is the software version code for the agency's OASIS software. This code should be useful when resolving problems with the agency's OASIS software.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
HHA_AGENCY_ID	16	54	69	Active on RFA: 01,03,04,05,06,07,08,09
Unique HHA Agency ID Code				Blank on RFA: Picture: X(16) Type: CODE *Range if Active: Valid code Format Info: Left justified; any letters must be upper case. Consistency Required: *1. HHA_AGENCY_ID in the header record must match HHA_AGENCY_ID in every body record.
Version Notes:				
PAT_ID	14	70	83	Active on RFA: 01,03,04,05,06,07,08,09
Unique Patient ID Code				Blank on RFA: Picture: X(14) Type: CODE *Range if Active: Valid code, sp(14) Format Info: Left justified; any letters must be upper case. Consistency Required: 1. Leave blank unless the state has provided this code to the HHA and requires that it be submitted.
Version Notes:				
ST_CODE	2	84	85	Active on RFA:
State ID Code				Blank on RFA: 01,03,04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: sp(2) Format Info: Always blank Consistency Required: 1. For state use only.
Version Notes:				
ST_ERR_CNT	4	86	89	Active on RFA:
State Error Count (Number of Fields)				Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X(4) Type: COUNT *Range if Active: sp(4)

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
<p>Format Info: Always blank</p> <p>Consistency Required: 1. For state use only.</p> <p>Version Notes:</p>				
ST_COR	1	90	90	Active on RFA:
State Correction/Original Sequence No.				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: sp(1)
				Format Info: Always blank
				Consistency Required: 1. For state use only.
				Version Notes:
ST_PMT_COR	1	91	91	Active on RFA:
State Payment Correction Indicator				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: sp(1)
				Format Info: Always blank
				Consistency Required: 1. For state use only.
				Version Notes:
ST_KEY_COR	1	92	92	Active on RFA:
State Key Correction Indicator				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: sp(1)
				Format Info: Always blank
				Consistency Required: 1. For state use only.
				Version Notes:
ST_DELETE	1	93	93	Active on RFA:
State Deleted Record Flag				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: sp(1) Format Info: Always blank Consistency Required: 1. For state use only. Version Notes:
MC_COR Medicare Correction/Original Sequence No.	1	94	94	Active on RFA: Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: sp(1) Format Info: Always blank. Consistency Required: 1. For Medicare use only. Version Notes:
MC_PMT_COR Medicare Payment Correction Indicator	1	95	95	Active on RFA: Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: sp(1) Format Info: Always blank. Consistency Required: 1. For Medicare use only. Version Notes:
MC_KEY_COR Medicare Key Correction Indicator	1	96	96	Active on RFA: Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: sp(1) Format Info: Always blank. Consistency Required: 1. For Medicare use only. Version Notes:
MASK_VERSION_CD	20	97	116	Active on RFA: 01,03,04,05,06,07,08,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Masking algorithm version code				<p>Blank on RFA:</p> <p>Picture: X(20) Type: CODE</p> <p>*Range if Active: FIPS SHA-1 V1.00, sp(20)</p> <p>Format Info: Left justified; any letters must be upper case.</p> <p>Consistency Required: *1. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and MASK_VERSION_CD must be completed. The only valid value for MASK_VERSION_CD is "FIPS SHA-1 V1.00" (left justified, blank filled).</p> <p>*2. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and MASK_VERSION_CD must be blank.</p> <p>*3. If MASK_VERSION_CD is not blank, then the following non-blank fields must be masked: M0020_PAT_ID, M0040_PAT_FNAME, M0040_PAT_LNAME, M0063_MEDICARE_NUM, M0064_SSN, and M0065_MEDICAID_NUM. If any of these fields is blank, then do not mask the field -- submit blanks for that field instead. Do not mask an entirely blank field.</p> <p>*4. If MASK_VERSION_CD is blank, then no field in the record is to be masked.</p> <p>Version Notes:</p>
CNT_FILLER	7	117	123	<p>Active on RFA:</p> <p>Blank on RFA: 01,03,04,05,06,07,08,09</p> <p>Picture: X(7) Type: FILLER</p> <p>*Range if Active: sp(7)</p> <p>Format Info: Always blank.</p> <p>Consistency Required:</p> <p>Version Notes:</p>
Control Section Filler (Future Use)				
M0010_MEDICARE_ID	6	124	129	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X(6) Type: CODE</p> <p>*Range if Active: Valid code, sp(6)</p> <p>Format Info: Left justified; no embedded dashes or spaces; any letters must be upper case.</p>
Agency Medicare ID				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required: 1. If the HHA has a Medicare ID, it must be entered in this field. Otherwise enter spaces.
				*2. M0010_MEDICARE_ID must match FED_ID on the header record.
				Version Notes:
M0012_MEDICAID_ID	15	130	144	Active on RFA: 01,03,04,05,06,07,08,09
Agency Medicaid ID				Blank on RFA:
				Picture: X(15) Type: CODE
				*Range if Active: Valid code, sp(15)
				Format Info: Left justified; no embedded dashes or spaces; any letters must be upper case.
				Consistency Required: 1. If the HHA has a Medicaid ID, it must be entered in this field. Otherwise enter spaces.
				2. M0012_MEDICAID_ID should match ST_ID on the header record.
				Version Notes:
M0014_BRANCH_STATE	2	145	146	Active on RFA: 01,03,04,05,06,07,08,09
Branch State (Optional)				Blank on RFA:
				Picture: X(2) Type: CODE
				*Range if Active: Valid state, sp(2).
				Format Info: If not blank, valid 2 character postal service state code; upper case.
				Consistency Required: *1. M0014_BRANCH_STATE is optional. If not used, it must be left blank. If it is used, it must contain a valid postal service state code.
				2. It is recommended that M0014_BRANCH_STATE be completed when the branch is located in a state which is different from the home office of the HHA or subunit, although this will not be checked by the state system
				Version Notes:
M0016_BRANCH_ID	10	147	156	Active on RFA: 01,03,04,05,06,07,08,09
Branch ID (Optional)				Blank on RFA:
				Picture: X(10) Type: TEXT
				*Range if Active: Alphanumeric code. Sp(10) allowed until 12/31/2003 -- see below.
				Format Info: 1. If M0090_INFO_COMPLETED_DT is less than or equal to "20031231"

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>(12/31/2003), then the following format applies. M0016_BRANCH_ID may be blank or may contain an alphanumeric code which must be upper case and left-justified.</p> <p>2. If M0090_INFO_COMPLETED_DT is greater than or equal to "20040101" (01/01/2004), then the following format applies. M0016_BRANCH_ID must conform to one of the following three patterns:</p> <p>a. It may contain "N " (N followed by 9 spaces).</p> <p>b. It may contain "P " (P followed by 9 spaces).</p> <p>c. It may contain a valid, CMS-assigned branch ID. A valid branch ID will have the following format:</p> <p>-It must contain numbers or uppercase letters in bytes 1 and 2.</p> <p>-It must contain Q in byte 3.</p> <p>-It must contain numbers or uppercase letters in bytes 4 through 7.</p> <p>-It must contain numbers in bytes 8 through 10.</p> <p>Consistency Required: *1. If M0090_INFO_COMPLETED_DT is less than or equal to "20031231" (12/31/2003), then the following rules apply:</p> <p>a. M0016_BRANCH_ID is optional and is included for the convenience of the HHA or subunit. If not used, it must be left blank.</p> <p>b. If M0016_BRANCH_ID is not blank, it may contain any alphanumeric code which the HHA or subunit wishes to use to identify its branches.</p> <p>*2. If M0090_INFO_COMPLETED_DT is greater than or equal to "20040101" (01/01/2004), then the following rules apply:</p> <p>a. If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain the following: "N " (N followed by 9 spaces). This indicates that the assessment was completed by an HHA or subunit which has no branches.</p> <p>b. If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain the following: "P " (P followed by 9 spaces). This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).</p> <p>c. If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p>d. If M0016_BRANCH_ID does not contain a standard branch ID, "N", or "P", a fatal error will result and the record will be rejected.</p> <p>e. If a standard branch ID (i.e., not N or P) is submitted, then it will be checked against a state system table of the HHA's or subunit's current and past branch IDs. If the submitted branch ID does not match the list of current IDs but does match a past branch ID, then a warning will be issued and the assessment record will be accepted. If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).</p> <p>Version Notes:</p>
M0020_PAT_ID	20	157	176	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X(20) Type: CODE</p> <p>*Range if Active: Valid patient ID Code, masked valid patient ID code</p> <p>Format Info: Left justified; any letters must be upper case.</p> <p>Consistency Required: 1. Enter your agency's patient identifying number, medical record number, or other ID for the patient, up to 20 characters.</p> <p>*2. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0020_PAT_ID must be masked. MASK_VERSION_CD must also be completed.</p> <p>*3. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0020_PAT_ID must not be masked. In addition, MASK_VERSION_CD must be blank.</p> <p>*4. If MASK_VERSION_CD is blank, M0020_PAT_ID must not be masked.</p> <p>*5. If MASK_VERSION_CD is not blank and if the unmasked version of M0020_PAT_ID is not blank, then M0020_PAT_ID must be masked. If the unmasked version of M0020_PAT_ID is blank, the field should not be masked regardless of the value of MASK_VERSION_CD.</p> <p>Version Notes:</p>
M0030_START_CARE_DT	8	177	184	<p>Active on RFA: 01,03,04,05,06,07,08,09</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Start of Care Date				<p>Blank on RFA:</p> <p>Picture: YYYYMMDD Type: DATE</p> <p>*Range if Active: Valid date</p> <p>Format Info: YYYYMMDD</p> <p>Consistency Required: *1. This field must contain a valid date and cannot be blank.</p> <p>*2. This date must be less than or equal to the current date.</p> <p>*3. If M0100_ASSMT_REASON=01, then M0030_START_CARE_DT cannot precede 07-19-1999.</p> <p>*4. This field must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment):</p> <ul style="list-style-type: none"> -M0032_ROC_DT -M0903_LAST_HOME_VISIT -M0906_DC_TRAN_DTH_DT -M0090_INFO_COMPLETED_DT <p>5. This date should bear the following relationships with other dates present in the record:</p> <ul style="list-style-type: none"> a. If M0100_ASSMT_REASON is equal to 01, then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT must be greater than or equal to zero and less than or equal to 5. b. If M0180_INP_DISCHARGE_DT is not blank and if M0100_ASSMT_REASON=01, then M0030_START_CARE_DT minus M0180_INP_DISCHARGE_DT must be greater than or equal to zero and less than or equal to 14. <p>6. The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it must be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <ul style="list-style-type: none"> -Let j be the followup period number (i.e., 1=first followup period, 2=second followup period, etc.). -Let SOC be the start of care date. -Let FCD be the completion date of a follow-up assessment.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $\text{SOC} + (60*j) - 5 \leq \text{FCD} \leq \text{SOC} + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> <p>Version Notes:</p>
M0032_ROC_DT	8	185	192	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: YYYYMMDD Type: DATE</p> <p>*Range if Active: Valid date,sp(8)</p> <p>Format Info: YYYYMMDD</p> <p>Consistency Required: 1. Leave blank (spaces) if no resumption of care date is applicable.</p> <p>2. See M0032_ROC_DT_NA consistency notes below.</p> <p>*3. If M0100_ASSMT_REASON=03, then M0032_ROC_DT must contain a valid date and cannot precede 07-19-1999.</p> <p>*4. If this field is not blank, it must contain a valid date, it must be less than or equal to the current date.</p> <p>*5. If this field is not blank, it must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment):</p> <ul style="list-style-type: none"> -M0903_LAST_HOME_VISIT -M0906_DC_TRAN_DTH_DT -M0090_INFO_COMPLETED_DT <p>6. This field should bear the following relationships with other dates present in the record:</p> <p>a. If M0032_ROC_DATE is not blank and if M0100_ASSMT_REASON is equal</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				to 03, then M0090_INFO_COMPLETED_DT minus M0032_ROC_DATE must be greater than or equal to zero and less than or equal to 2. b. If M0180_INP_DISCHARGE_DT is not blank and if M0100_ASSMT_REASON=03, then M0032_ROC_DT minus M0180_INP_DISCHARGE_DT must be greater than or equal to zero and less than or equal to 14.
				Version Notes:
M0032_ROC_DT_NA	1	193	193	Active on RFA: 01,03,04,05,06,07,08,09
No Resumption of Care Date				Blank on RFA: Picture: 9 Type: CODE *Range if Active: 0,1 Format Info: 0=No/Unchecked (resumption of care date applicable), 1=Yes/Checked (resumption of care date not applicable). Consistency Required: *1. If M0032_ROC_DT_NA=0 then M0032_ROC_DT cannot be blank. *2. If M0032_ROC_DT_NA=1 then M0032_ROC_DT must be blank. *3. If M0100_ASSMT_REASON=01, then M0032_ROC_DT_NA must be 1. *4. If M0100_ASSMT_REASON=03, then M0032_ROC_DT_NA must be 0.
				Version Notes:
M0040_PAT_FNAME	12	194	205	Active on RFA: 01,03,04,05,06,07,08,09
Patient's First Name				Blank on RFA: Picture: X(12) Type: TEXT *Range if Active: Text, sp(12), masked text Format Info: Left justified; any letters must be upper case. Consistency Required: 1. Leave this field blank (spaces) if the patient's first name is unknown. *2. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0040_PAT_FNAME must be masked. MASK_VERSION_CD must also be completed. *3. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0040_PAT_FNAME must not

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>be masked. In addition, MASK_VERSION_CD must be blank.</p> <p>*4. If MASK_VERSION_CD is blank, M0040_PAT_FNAME must not be masked.</p> <p>*5. If MASK_VERSION_CD is not blank and if the unmasked version of M0040_PAT_FNAME is not blank, then M0040_PAT_FNAME must be masked. If the unmasked version of M0040_PAT_FNAME is blank, the field should not be masked regardless of the value of MASK_VERSION_CD.</p> <p>Version Notes:</p>
M0040_PAT_MI	1	206	206	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: TEXT</p> <p>*Range if Active: Text,sp(1)</p> <p>Format Info: Left justified; any letters must be upper case.</p> <p>Consistency Required: 1. Blank (space) if patient does not have a middle name.</p> <p>Version Notes:</p>
Patient's Middle Initial				
M0040_PAT_LNAME	18	207	224	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X(18) Type: TEXT</p> <p>*Range if Active: Text, masked text</p> <p>Format Info: Left justified; any letters must be upper case.</p> <p>Consistency Required: *1. Cannot be blank.</p> <p>*2. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0040_PAT_LNAME must be masked. MASK_VERSION_CD must also be completed.</p> <p>*3. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0040_PAT_LNAME must not be masked. In addition, MASK_VERSION_CD must be blank.</p> <p>*4. If MASK_VERSION_CD is blank, M0040_PAT_LNAME must not be masked.</p> <p>*5. If MASK_VERSION_CD is not blank, then M0040_PAT_LNAME must be masked.</p>
Patient's Last Name				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0040_PAT_SUFFIX	3	225	227	Active on RFA: 01,03,04,05,06,07,08,09
Patient's Suffix				Blank on RFA: Picture: X(3) Type: TEXT *Range if Active: Text,sp(3) Format Info: Left justified; any letters must be upper case. Consistency Required: 1. Blank (space) if patient does not have a name suffix. Version Notes:
M0050_PAT_ST	2	228	229	Active on RFA: 01,03,04,05,06,07,08,09
Patient State of Residence				Blank on RFA: Picture: XX Type: CODE *Range if Active: Valid code Format Info: Valid 2 character postal service state code; upper case. Consistency Required: Version Notes:
M0060_PAT_ZIP	11	230	240	Active on RFA: 01,03,04,05,06,07,08,09
Patient Zip Code				Blank on RFA: Picture: X(11) Type: CODE *Range if Active: Text Format Info: Left justified; no embedded dashes or spaces. Use leading zeroes if necessary (e.g., 01001). Consistency Required: *1. This field cannot be blank. 2. Bytes 1 thru 5 should contain numbers (0 thru 9). Bytes 6 thru 9 should contain numbers (0 thru 9) or blanks. Bytes 10 thru 11 should contain blanks. Version Notes:
M0063_MEDICARE_NUM	12	241	252	Active on RFA: 01,03,04,05,06,07,08,09
Medicare Number, Including Suffix				Blank on RFA: Picture: X(12) Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*Range if Active: Valid code, masked valid code, sp(12)</p> <p>Format Info: Left justified; no embedded dashes or spaces; any letters must be upper case.</p> <p>Consistency Required: 1. Leave blank if patient does not have a Medicare number.</p> <p>2. See M0063_MEDICARE_NA consistency notes below.</p> <p>*3. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0063_MEDICARE_NUM must be masked. MASK_VERSION_CD must also be completed.</p> <p>*4. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0063_MEDICARE_NUM must not be masked. In addition, MASK_VERSION_CD must be blank.</p> <p>*5. If MASK_VERSION_CD is blank, M0063_MEDICARE_NUM must not be masked.</p> <p>*6. If MASK_VERSION_CD is not blank and if the unmasked version of M0063_MEDICARE_NUM is not blank, then M0063_MEDICARE_NUM must be masked.</p> <p>*7. If M0063_MEDICARE_NUM is not masked and is not blank, then it must conform with the following rules:</p> <p>a. It must be alphanumeric with no embedded dashes or spaces.</p> <p>b. If the first character is numeric (0 thru 9), then the first 9 characters must be numeric.</p> <p>c. If the first character is a letter, then there must be 1 to 3 alphabetic characters followed by 6 or 9 numbers followed by spaces up to the field length of 12.</p> <p>d. It must not equal any of the following values: 111111111, 333333333, 999999999, 123456789.</p> <p>Version Notes:</p>
M0063_MEDICARE_NA	1	253	253	Active on RFA: 01,03,04,05,06,07,08,09
No Medicare Number				Blank on RFA:
				Picture: 9 Type: CODE
				*Range if Active: 0,1
				Format Info: 0=No/Unchecked, 1=Yes/Checked

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required: *1. If M0063_MEDICARE_NA=0, then M0063_MEDICARE_NUM cannot be blank. *2. If M0063_MEDICARE_NA=1, then M0063_MEDICARE_NUM must be blank regardless of the value of MASK_VERSION_CD. Version Notes:
M0064_SSN	9	254	262	Active on RFA: 01,03,04,05,06,07,08,09 Blank on RFA: Picture: X(9) Type: CODE *Range if Active: Valid code, masked valid code, sp(9) Format Info: Left justified; no embedded dashes or spaces. Consistency Required: 1. Leave blank (spaces) if Social Security Number is unknown or unavailable. 2. See M0064_SSN_UK consistency notes. *3. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0064_SSN must be masked. MASK_VERSION_CD must also be completed. *4. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0064_SSN must not be masked. In addition, MASK_VERSION_CD must be blank. *5. If MASK_VERSION_CD is blank, M0064_SSN must not be masked. *6. If MASK_VERSION_CD is not blank and if the unmasked version of M0064_SSN is not blank, then M0064_SSN must be masked. *7. If M0064_SSN is not blank and is not masked, it must conform with the following rules: a. It must contain 9 digits (0 thru 9). b. It cannot start with 000. c. There must be no embedded dashes or spaces. d. It must not equal any of the following values: 111111111, 333333333, 999999999, 123456789. Version Notes:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0064_SSN_UK	1	263	263	Active on RFA: 01,03,04,05,06,07,08,09
No Social Security Number				Blank on RFA:
				Picture: 9 Type: CODE
				*Range if Active: 0,1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0064_SSN_UK=0, then M0064_SSN cannot be blank.
				*2. If M0064_SSN_UK=1, then M0064_SSN must be blank regardless of the value of MASK_VERSION_CD.
				Version Notes:
M0065_MEDICAID_NUM	14	264	277	Active on RFA: 01,03,04,05,06,07,08,09
Medicaid Number				Blank on RFA:
				Picture: X(14) Type: CODE
				*Range if Active: Valid code, masked valid code, sp(14)
				Format Info: Left justified; no embedded dashes or spaces; any letters must be upper case.
				Consistency Required: 1. Leave blank (spaces) if patient does not have a Medicaid number.
				2. See M0065_MEDICAID_NA consistency notes below.
				*3. If M0150_CPAY_MCARE_FFS=0 and M0150_CPAY_MCARE_HMO=0 and M0150_CPAY_MCAID_FFS=0 and M0150_CPAY_MCAID_HMO=0, then the patient's care is not paid by Medicare or Medicaid and M0065_MEDICAID_NUM must be masked. MASK_VERSION_CD must also be completed.
				*4. If M0150_CPAY_MCARE_FFS=1 or M0150_CPAY_MCARE_HMO=1 or M0150_CPAY_MCAID_FFS=1 or M0150_CPAY_MCAID_HMO=1, then the patient's care is paid by Medicare or Medicaid and M0065_MEDICAID_NUM must not be masked. In addition, MASK_VERSION_CD must be blank.
				*5. If MASK_VERSION_CD is blank, M0065_MEDICAID_NUM must not be masked.
				*6. If MASK_VERSION_CD is not blank and if the unmasked version of M0065_MEDICAID_NUM is not blank, then M0065_MEDICAID_NUM must be masked.
				Version Notes:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0065_MEDICAID_NA	1	278	278	Active on RFA: 01,03,04,05,06,07,08,09
No Medicaid Number				Blank on RFA:
				Picture: 9 Type: CODE
				*Range if Active: 0,1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0065_MEDICAID_NA=0, then M0065_MEDICAID_NUM cannot be blank.
				*2. If M0065_MEDICAID_NA=1, then M0065_MEDICAID_NUM must be blank regardless of the value of MASK_VERSION_CD.
				Version Notes:
M0066_PAT_BIRTH_DT	8	279	286	Active on RFA: 01,03,04,05,06,07,08,09
Date of Birth				Blank on RFA:
				Picture: YYYYMMDD Type: DATE
				*Range if Active: Valid (or partial) date, dashes(8)
				Format Info: YYYYMMDD if completely known. If partially known, then a left justified partial entry is allowed of the form YYYYMM or YYYY. If date is partially known, leave unknown portion (DD or MMDD) blank. If birthdate is completely unknown, fill the entire field with 8 dashes (-----).
				Consistency Required: *1. If this field is not filled with dashes, it must be less than the current date (see consistency note #4, below).
				*2. If this field is not filled with dashes, it must be no more than 140 years prior to the current date.
				*3. If this field is not filled with dashes, it must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment):
				-M0180_INP_DISCHARGE_DT
				-M0030_START_CARE_DT
				-M0032_ROC_DATE
				-M0903_LAST_HOME_VISIT
				-M0906_DC_TRAN_DTH_DT
				-M0090_INFO_COMPLETED_DT
				*4. Assessments must not be submitted to the State if the patient was less than 18 years of age at the time the assessment was completed (as determined by comparing M0066_PAT_BIRTH_DT with M0090_INFO_COMPLETED_DT). Age should be tested in the following way:
				a. If M0066_PAT_BIRTH_DT is completely filled with dashes, age cannot be

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>computed and this consistency check does not apply.</p> <p>b. If the month in M0066_PAT_BIRTH_DT is filled with spaces, replace the month with "12" for the purpose of calculating age.</p> <p>c. If the day in M0066_PAT_BIRTH_DT is filled with spaces, replace the day with the last day of the month for the purpose of calculating age.</p> <p>d. Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>e. If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (d) above.</p> <p>f. If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (d) above.</p> <p>g. If the age, as calculated above, is less than 18, the assessment must not be submitted (i.e., it will be rejected).</p> <p>Version Notes:</p>
ITEM_FILLER1	1	287	287	<p>Active on RFA:</p> <p>Blank on RFA: 01,03,04,05,06,07,08,09</p> <p>Picture: X Type: FILLER</p> <p>*Range if Active: sp(1)</p> <p>Format Info: Leave blank at present.</p> <p>Consistency Required: Reserved for future use.</p> <p>Version Notes:</p>
Item Filler				
M0069_PAT_GENDER	1	288	288	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: 9 Type: CODE</p> <p>*Range if Active: 1, 2</p> <p>Format Info:</p> <p>Consistency Required:</p>
Gender				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0072_PHYSICIAN_ID	10	289	298	Active on RFA: 01,03,04,05,06,07,08,09
Primary Referring Physician ID				Blank on RFA: Picture: X(10) Type: CODE *Range if Active: Valid code,sp(10) Format Info: Left justified; no embedded dashes or spaces; any letters must be upper case. Consistency Required: 1. Leave blank (spaces) if a referring physician ID is not applicable. 2. See M0072_PHYSICIAN_UK consistency notes below.
Version Notes:				
M0072_PHYSICIAN_UK	1	299	299	Active on RFA: 01,03,04,05,06,07,08,09
Primary Referring Physician ID: Unknown				Blank on RFA: Picture: 9 Type: CODE *Range if Active: 0,1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0072_PHYSICIAN_UK=0, then M0072_PHYSICIAN_ID cannot be blank. *2. If M0072_PHYSICIAN_UK=1, then M0072_PHYSICIAN_ID must be blank.
Version Notes:				
M0080_ASSESSOR_DISCIPLINE	2	300	301	Active on RFA: 01,03,04,05,06,07,08,09
Discipline of Person Completing Assessment				Blank on RFA: Picture: 99 Type: CODE *Range if Active: 01 thru 04 Format Info: Right justified; pad left with zero. Consistency Required:
Version Notes:				
M0090_INFO_COMPLETED_DT	8	302	309	Active on RFA: 01,03,04,05,06,07,08,09
Date Assessment Completed				Blank on RFA: Picture: YYYYMMDD Type: DATE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*Range if Active: Valid date</p> <p>Format Info: YYYYMMDD</p> <p>Consistency Required: *1. This field must contain a valid date and cannot be blank.</p> <p>*2. The date must be less than or equal to the current date.</p> <p>*3. This date cannot precede 07-19-1999</p> <p>*4. See consistency note #4 under M0066_PAT_BIRTH_DT regarding computation of the age of the patient. Assessments must not be submitted for patients who are less than 18 years of age at the time the assessment is completed.</p> <p>5. The date must bear the following relationships with other dates present in the record:</p> <p style="padding-left: 40px;">a. If M0100_ASSMT_REASON is equal to 01, then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT must be greater than or equal to zero and less than or equal to 5.</p> <p style="padding-left: 40px;">b. If M0100_ASSMT_REASON is equal to 03, then M0090_INFO_COMPLETED_DT minus M0032_ROC_DATE must be greater than or equal to zero and less than or equal to 2.</p> <p style="padding-left: 40px;">c. If M0100_ASSMT_REASON is equal to 09, then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT must be greater than or equal to zero and less than or equal to 2.</p> <p>6. The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it must be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <p style="padding-left: 40px;">-Let j be the followup period number (i.e., 1=first followup period, 2=second followup period, etc.).</p> <p style="padding-left: 40px;">-Let SOC be the start of care date.</p> <p style="padding-left: 40px;">-Let FCD be the completion date of a follow-up assessment.</p> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>$SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$</p> <p>Where $j=1, 2, 3$, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> <p>7. Records should be submitted to the State System within 30 days of the completion date indicated in M0090. Thus, the following test should be true for all records submitted:</p> <p>$[submission\ date] - M0090 \leq 30$.</p> <p>A warning will be issued for all records that do not pass this test. However, records will be accepted by the State System even if they are late.</p> <p>Version Notes:</p>
M0100_ASSMT_REASON	2	310	311	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: 99 Type: CODE</p> <p>*Range if Active: 01, 03, 04, 05, 06, 07, 08, 09</p> <p>Format Info: Right justified; pad left with zero.</p> <p>Consistency Required:</p> <p>Version Notes:</p>
Reason for Assessment				
M0140_ETHNIC_AI_AN	1	312	312	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least</p>
Race/Ethnicity: American Indian or Alaska Native				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1.
				*2. M0140_ETHNIC_AI_AN must be 0 if M0140_ETHNIC_UK=1.
				Version Notes:
M0140_ETHNIC_ASIAN	1	313	313	Active on RFA: 01,03
Race/Ethnicity: Asian				Blank on RFA: 04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1.
				*2. M0140_ETHNIC_ASIAN must be 0 if M0140_ETHNIC_UK= 1.
				Version Notes:
M0140_ETHNIC_BLACK	1	314	314	Active on RFA: 01,03
Race/Ethnicity: Black or African-American				Blank on RFA: 04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1.
				*2. M0140_ETHNIC_BLACK must be 0 if M0140_ETHNIC_UK=1.
				Version Notes:
M0140_ETHNIC_HISP	1	315	315	Active on RFA: 01,03
Race/Ethnicity: Hispanic or Latino				Blank on RFA: 04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1. *2. M0140_ETHNIC_HISP must be 0 if M0140_ETHNIC_UK=1. Version Notes:
M0140_ETHNIC_NH_PI Race/Ethnicity: Native Hawaiian or Pacific Islander	1	316	316	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1. *2. M0140_ETHNIC_NH_PI must be 0 if M0140_ETHNIC_UK=1. Version Notes:
M0140_ETHNIC_WHITE Race/Ethnicity: White	1	317	317	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1. *2. M0140_ETHNIC_WHITE must be 0 if M0140_ETHNIC_UK=1. Version Notes:
M0140_ETHNIC_UK Race/Ethnicity: Unknown	1	318	318	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0140_ETHNIC_AI_AN thru M0140_ETHNIC_UK must be equal to 1.
				*2. M0140_ETHNIC_AI_AN thru M0140_ETHNIC_WHITE must be 0 if M0140_ETHNIC_UK = 1.
				Version Notes:
M0150_CPAY_NONE	1	319	319	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: None; no charge for current services				Blank on RFA: Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).
				*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).
				Version Notes:
M0150_CPAY_MCARE_FFS	1	320	320	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: Medicare Traditional Fee-for-Service				Blank on RFA: Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>*4. If M0150_CPAY_MCARE_FFS=1 then M0063_MEDICARE_NA must = 0.</p> <p>Version Notes:</p>
M0150_CPAY_MCARE_HMO	1	321	321	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>Version Notes:</p>
Current Payment Sources for Home Care: Medicare HMO/Managed Care				
M0150_CPAY_MCAID_FFS	1	322	322	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p>
Current Payment Sources for Home Care: Medicaid Traditional Fee-for-Service				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*4. If M0150_CPAY_MCAID_FFS=1 then M0065_MEDICAID_NA must = 0.
				Version Notes:
M0150_CPAY_MCAID_HMO	1	323	323	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: Medicaid HMO/Managed Care				Blank on RFA:
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).
				*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).
				Version Notes:
M0150_CPAY_WRKCOMP	1	324	324	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: Worker's Compensation				Blank on RFA:
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).
				*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).
				Version Notes:
M0150_CPAY_TITLEPGMS	1	325	325	Active on RFA: 01,03,04,05,06,07,08,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Current Payment Sources for Home Care: Title Programs				<p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>Version Notes:</p>
M0150_CPAY_OTH_GOVT	1	326	326	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>Version Notes:</p>
Current Payment Sources for Home Care: Other Government				
M0150_CPAY_PRIV_INS	1	327	327	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p>
Current Payment Sources for Home Care: Private Insurance				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).
				*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).
				Version Notes:
M0150_CPAY_PRIV_HMO	1	328	328	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: Private HMO/Managed Care				Blank on RFA:
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.
				*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).
				*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).
				Version Notes:
M0150_CPAY_SELFPAY	1	329	329	Active on RFA: 01,03,04,05,06,07,08,09
Current Payment Sources for Home Care: Self-Pay				Blank on RFA:
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>Version Notes:</p>
M0150_CPAY_OTHER	1	330	330	<p>Active on RFA: 01,03,04,05,06,07,08,09</p> <p>Blank on RFA:</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p> <p>Version Notes:</p>
Current Payment Sources for Home Care: Other				
M0150_CPAY_UNKNOWN	1	331	331	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0150_CPAY_NONE and M0150_CPAY_UNKNOWN must be equal to 1.</p> <p>*2. If M0150_CPAY_NONE=1 then M0150_CPAY_MCARE_FFS thru M0150_CPAY_UNKNOWN must be 0 (zero).</p> <p>*3. If M0150_CPAY_UNKNOWN = 1, then M0150_CPAY_NONE thru M0150_CPAY_OTHER must = 0 (zero).</p>
Current Payment Sources for Home Care: Unknown				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
ITEM_FILLER6	6	332	337	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(6) Type: FILLER
				*Range if Active: sp(6)
				Format Info: Always blank.
				Consistency Required:
Version Notes:				
ITEM_FILLER2	5	338	342	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(5) Type: FILLER
				*Range if Active: sp(5)
				Format Info: Always blank.
				Consistency Required:
Version Notes:				
M0180_INP_DISCHARGE_DT	8	343	350	Active on RFA: 01,03
Most Recent Inpatient Discharge Date				Blank on RFA: 04,05,06,07,08,09
				Picture: YYYYMMDD Type: DATE
				*Range if Active: Valid date, sp(8)
				Format Info: YYYYMMDD, sp(8)
				Consistency Required: *1. If M0175_NONE_14_DAYS = 1, then M0180_INP_DISCHARGE_DT thru M0190_14_DAY_INP2_ICD must be skipped (blank); otherwise the following rules apply.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, then M0180_INP_DISCHARGE_DT must be a valid date or M0180_INP_DSCHG_UNKNOWN must be 1.
				*3. If M0180_INP_DSCHG_UNKNOWN=1, then M0180_INP_DISCHARGE_DT must be blank.
				*4. If this field is not blank, it must contain a valid date and it must be less than or

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>equal to the current date.</p> <p>5. This field should bear the following relationships with other dates present in the record:</p> <p style="padding-left: 40px;">a. If M0180_INP_DISCHARGE_DT is not blank and if M0100_ASSMT_REASON=01, then M0030_START_CARE_DT minus M0180_INP_DISCHARGE_DT must be greater than or equal to zero and less than or equal to 14.</p> <p style="padding-left: 40px;">b. If M0180_INP_DISCHARGE_DT is not blank and if M0100_ASSMT_REASON=03, then M0032_ROC_DT minus M0180_INP_DISCHARGE_DT must be greater than or equal to zero and less than or equal to 14.</p> <p>*6. If this field is not blank and if M0032_ROC_DT is blank, then M0180_INP_DISCHARGE_DT must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment): -M0030_START_CARE_DT -M0090_INFO_COMPLETED_DT</p> <p>*7. If this field is not blank and if M0032_ROC_DT is not blank, then M0180_INP_DISCHARGE_DT must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment): -M0032_ROC_DT -M0090_INFO_COMPLETED_DT</p>
				Version Notes:
M0180_INP_DSCHG_UNKNOWN	1	351	351	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0175_NONE_14_DAYS = 1, then M0180_INP_DISCHARGE_DT thru M0190_14_DAY_INP2_ICD must be skipped (blank); otherwise the following rules (#2 and #3) apply.</p> <p style="padding-left: 40px;">*2. If M0100_ASSMT_REASON matches one of the active RFA's, then M0180_INP_DISCHARGE_DT must be a valid date or M0180_INP_DSCHG_UNKNOWN must be 1.</p> <p style="padding-left: 40px;">*3. If a date is present in M0180_INP_DISCHARGE_DT then M0180_INP_DSCHG_UNKNOWN must =0.</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0190_14_DAY_INP1_ICD	7	352	358	Active on RFA: 01,03
Inpatient Stay Within Last 14 Days: ICD Code 1				Blank on RFA: 04,05,06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows: -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space.
				Consistency Required: *1. If M0175_NONE_14_DAYS = 1, then M0180_INP_DISCHARGE_DT thru M0190_14_DAY_INP2_ICD must be skipped (blank); otherwise the following rule (#2) applies. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and any item M0175_DC_HOSP_14_DAYS thru M0175_DC_OTHER_14_DAYS is equal to 1, then M0190_14_DAY_INP1_ICD cannot be blank. 3. If state law prohibits transmission of certain ICD9 codes (e.g., HIV or STD diagnoses), these codes will be blanked out by the state system if found on records submitted by HHAs within that state. If M0190_14_DAY_INP1_ICD contains such a code on a submitted record, it will be blanked out. Similarly, if such codes are found on M0190_14_DAY_INP2_ICD, they will be blanked out as well. If M0190_14_DAY_INP1_ICD is blanked out, but a valid code remains in M0190_14_DAY_INP2_ICD, that code will be moved into M0190_14_DAY_INP1_ICD before consistency note #2 is tested. However, if a non-blank value is required in M0190_14_DAY_INP1_ICD on a particular record, and if both M0190_14_DAY_INP1_ICD and M0190_14_DAY_INP2_ICD contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. *4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank.
Version Notes:				
M0190_14_DAY_INP2_ICD	7	359	365	Active on RFA: 01,03
Inpatient Stay Within Last 14 Days: ICD Code 2				Blank on RFA: 04,05,06,07,08,09
				Picture: X999.XX Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0175_NONE_14_DAYS = 1, then M0180_INP_DISCHARGE_DT thru M0190_14_DAY_INP2_ICD must be skipped (blank); otherwise the following rule (#2) applies.</p> <p>*2. If M0190_14_DAY_INP1_ICD is blank, then M0190_14_DAY_INP2_ICD must be blank.</p> <p>*3. If M0190_14_DAY_INP2_ICD is not blank, it cannot equal M0190_14_DAY_INP1_ICD.</p> <p>*4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank.</p> <p>Version Notes:</p>
M0200_REG_CHG_14_DAYS	1	366	366	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No, 1=Yes</p> <p>Consistency Required: *1. If M0200_REG_CHG_14_DAYS=0 and M0100_ASSMT_REASON=01 or 03, then M0210_CHGREG_ICD1 thru M0210_CHGREG_ICD4 must be skipped (blank).</p> <p>*2. If M0200_REG_CHG_14_DAYS=0 and M0100_ASSMT_REASON=09, then M0210_CHGREG_ICD1 thru M0220_PRIOR_NONE must be skipped (blank).</p> <p>Version Notes:</p>
Medical or Treatment Regimen: Change in Past 14 Days				
M0210_CHGREG_ICD1	7	367	373	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X999.XX Type: CODE</p>
Regimen Change in Past 14 Days: ICD Code 1				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0200_REG_CHG_14_DAYS = 0, then M0210_CHGREG_ICD1 thru M0210_CHGREG_ICD4 must be skipped (blank); otherwise the following rule (#2) applies.</p> <p>*2. If M0200_REG_CHG_14_DAYS=1, then M0210_CHGREG_ICD1 cannot be blank.</p> <p>3. If state law prohibits transmission of certain ICD9 codes (e.g., HIV or STD diagnoses), these codes will be blanked out by the state system if found on records submitted by HHAs within that state. If M0210_CHGREG_ICD1 contains such a code on a submitted record, it will be blanked out. Similarly, if such codes are found on M0210_CHGREG_ICD2 through M0210_CHGREG_ICD4, they will be blanked out as well. If any codes between M0210_CHGREG_ICD1 and M0210_CHGREG_ICD4 are blanked out, any remaining non-blank codes will be moved up to remove blank fields before consistency note #2 is tested. However, if a non-blank value is required in M0210_CHGREG_ICD1 on a particular record, and if all of the fields between M0210_CHGREG_ICD1 and M0210_CHGREG_ICD4 contain blank and/or prohibited codes, a fatal error will result and the record will be rejected.</p> <p>*4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank.</p> <p>Version Notes:</p>
M0210_CHGREG_ICD2	7	374	380	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Consistency Required: *1. If M0200_REG_CHG_14_DAYS = 0, then M0210_CHGREG_ICD1 thru M0210_CHGREG_ICD4 must be skipped (blank); otherwise the following rule (#2) applies.</p> <p>*2. If M0210_CHGREG_ICD2 is not blank, it cannot equal M0210_CHGREG_ICD1, M0210_CHGREG_ICD3, or M0210_CHGREG_ICD4.</p> <p>*3. If M0210_CHGREG_ICD1 is blank, then M0210_CHGREG_ICD2 must be blank.</p> <p>*4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank.</p> <p>Version Notes:</p>
M0210_CHGREG_ICD3	7	381	387	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0200_REG_CHG_14_DAYS = 0, then M0210_CHGREG_ICD1 thru M0210_CHGREG_ICD4 must be skipped (blank); otherwise the following rules (#2 and #3) apply.</p> <p>*2. If M0210_CHGREG_ICD3 is not blank, it cannot equal M0210_CHGREG_ICD1, M0210_CHGREG_ICD2, or M0210_CHGREG_ICD4.</p> <p>*3. If M0210_CHGREG_ICD2 is blank, M0210_CHGREG_ICD3 must be blank.</p> <p>*4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank.</p> <p>Version Notes:</p>
Regimen Change in Past 14 Days: ICD Code 3				
M0210_CHGREG_ICD4	7	388	394	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X999.XX Type: CODE</p>
Regimen Change in Past 14 Days: ICD Code 4				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: Valid code, sp(7) Format Info: A nonblank value must conform as follows: -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. Consistency Required: *1. If M0200_REG_CHG_14_DAYS = 0, then M0210_CHGREG_ICD1 thru M0210_CHGREG_ICD4 must be skipped (blank); otherwise the following rules (#2 and #3) apply. *2. If M0210_CHGREG_ICD4 is not blank, it cannot equal M0210_CHGREG_ICD1, M0210_CHGREG_ICD2, or M0210_CHGREG_ICD3. *3. If M0210_CHGREG_ICD3 is blank, M0210_CHGREG_ICD4 must be blank. *4. Note that E-codes and V-codes are not allowed in this field; the first character of this field must be blank. Version Notes:
M0220_PRIOR_UR_INCON	1	395	395	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank. *2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank). *3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank. *4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_UR_INCON must = 0.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0220_PRIOR_CATH	1	396	396	Active on RFA: 01,03,09
Prior Condition: Indwelling/Suprapubic Catheter				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank.
				*2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank).
				*3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank.
				*4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_CATH must = 0.
Version Notes:				
M0220_PRIOR_INTRACT_PAIN	1	397	397	Active on RFA: 01,03,09
Prior Condition: Intractable Pain				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank.
				*2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank).
				*3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0220_PRIOR_IMPR_DECSN Prior Condition: Impaired Decision-making	1	398	398	M0220_PRIOR_NONE may be blank. *4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_INTRACT_PAIN must = 0. Version Notes: Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank. *2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank). *3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank. *4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_IMPR_DECSN must = 0. Version Notes:
M0220_PRIOR_DISRUPTIVE Prior Condition: Disruptive or Socially Inappropriate Behavior	1	399	399	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220 PRIOR UNKNOWN may be blank.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank).</p> <p>*3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank.</p> <p>*4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_DISRUPTIVE must = 0.</p> <p>Version Notes:</p>
M0220_PRIOR_MEM_LOSS	1	400	400	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank.</p> <p>*2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank).</p> <p>*3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank.</p> <p>*4. If M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then M0220_PRIOR_MEM_LOSS must = 0.</p> <p>Version Notes:</p>
Prior Condition: Memory Loss, Supervision Required				
M0220_PRIOR_NONE	1	401	401	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p>
Prior Condition: None of the Above				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank.</p> <p>*2. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be skipped (blank).</p> <p>*3. If M0100_ASSMT_REASON = 09 and M0200_REG_CHG_14_DAYS=1, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_NONE may be blank.</p> <p>*4. If M0100_ASSMT_REASON = 01 or 03 and any one of the items M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then the remaining two items must = 0.</p> <p>Version Notes:</p>
M0220_PRIOR_NOCHG_14D	1	402	402	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank.</p> <p>*2. If any one of M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then the remaining two items must = 0.</p> <p>*3. If any item M0175_DC_HOSP_14_DAYS thru M0175_DC_OTHER = 1 or M0200_REG_CHG_14_DAY = 1, then M0220_PRIOR_NOCHG_14D must = 0.</p> <p>*4. If M0175_NONE_14_DAYS=1 and M0200_REG_CHG_14_DAYS=0, then M0220_PRIOR_NOCHG_14D must = 1.</p> <p>Version Notes:</p>
Prior Condition: No Inpatient Discharge, No Change in Regimen in Past 14 Days				
M0220_PRIOR_UNKNOWN	1	403	403	<p>Active on RFA: 01,03</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Prior Condition: Unknown				Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON = 01 or 03, then at least one item from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN must be equal to 1, and none of the items from M0220_PRIOR_UR_INCON thru M0220_PRIOR_UNKNOWN may be blank. *2. If any one of M0220_PRIOR_NONE, M0220_PRIOR_NOCHG_14D, or M0220_PRIOR_UNKNOWN = 1, then the remaining two items must = 0. Version Notes:
M0230_PRIMARY_DIAG_ICD	7	404	410	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: XX99.XX Type: CODE *Range if Active: Valid code Format Info: A nonblank value must conform to one of the following two patterns: PATTERN A -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. PATTERN B -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then M0230_PRIMARY_DIAG_ICD cannot be blank. 2. If state law prohibits transmission of certain ICD9 codes (e.g., HIV or STD diagnoses), these codes will be blanked out by the state system if found on records submitted by HHAs within that state. If M0230_PRIMARY_DIAG_ICD contains such a code on a submitted record, it will be blanked out. If a non-blank

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>value is required in M0230_PRIMARY_DIAG_ICD on a particular record, and if M0230_PRIMARY_DIAG_ICD contains a blank and/or prohibited code, a fatal error will result and the record will be rejected.</p> <p>Version Notes:</p>
M0230_PRIMARY_DIAG_SEVERITY	2	411	412	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 04</p> <p>Format Info: Right justified; pad left with zero.</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then M0230_PRIMARY_DIAG_SEVERITY cannot be blank.</p> <p>2. M0230_PRIMARY_DIAG_SEVERITY should have a value of 01 through 04. A warning will be issued if it has a value of 00.</p> <p>Version Notes:</p>
Primary Diagnosis Severity Rating				
M0240_OTH_DIAG1_ICD	7	413	419	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX99.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform to one of the following two patterns:</p> <p>PATTERN A</p> <ul style="list-style-type: none"> -Character 1 must be a space or "E". -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>PATTERN B</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0240_OTH_DIAG1_ICD is not blank, it cannot be equal to</p>
Other Diagnosis 1: ICD Code				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				M0230_PRIMARY_DIAG_ICD, M0240_OTH_DIAG2_ICD, M0240_OTH_DIAG3_ICD, M0240_OTH_DIAG4_ICD, or M0240_OTH_DIAG5_ICD. Version Notes:
M0240_OTH_DIAG1_SEVERITY	2	420	421	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 04, sp(2) Format Info: Right justified; pad left with zero. Consistency Required: *1. If M0240_OTH_DIAG1_ICD is blank, then M0240_OTH_DIAG1_SEVERITY must be blank. *2. If byte 1 of M0240_OTH_DIAG1_ICD="E" (i.e., it is an E-code), then M0240_OTH_DIAG1_SEVERITY must be blank. *3. If M0240_OTH_DIAG1_ICD is not blank and byte 1 is a space (i.e., it is not an E-code), then M0240_OTH_DIAG1_SEVERITY cannot be blank. Version Notes:
Other Diagnosis 1: Severity Rating				
M0240_OTH_DIAG2_ICD	7	422	428	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: XX99.XX Type: CODE *Range if Active: Valid code, sp(7) Format Info: A nonblank value must conform to one of the following two patterns: PATTERN A -Character 1 must be a space or "E". -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. PATTERN B -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space.
Other Diagnosis 2: ICD Code				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>-If character 6 is a space, then character 7 must be a space.</p> <p>Consistency Required: *1. If M0240_OTH_DIAG2_ICD is not blank, it cannot be equal to M0230_PRIMARY_DIAG_ICD, M0240_OTH_DIAG1_ICD, M0240_OTH_DIAG3_ICD, M0240_OTH_DIAG4_ICD, or M0240_OTH_DIAG5_ICD.</p> <p>*2. If M0240_OTH_DIAG1_ICD is blank, then M0240_OTH_DIAG2_ICD must be blank.</p> <p>Version Notes:</p>
M0240_OTH_DIAG2_SEVERITY	2	429	430	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 04, sp(2)</p> <p>Format Info: Right justified; pad left with zero.</p> <p>Consistency Required: *1. If M0240_OTH_DIAG2_ICD is blank, then M0240_OTH_DIAG2_SEVERITY must be blank.</p> <p>*2. If byte 1 of M0240_OTH_DIAG2_ICD="E" (i.e., it is an E-code), then M0240_OTH_DIAG2_SEVERITY must be blank.</p> <p>*3. If M0240_OTH_DIAG2_ICD is not blank and byte 1 is a space (i.e., it is not an E-code), then M0240_OTH_DIAG2_SEVERITY cannot be blank.</p> <p>Version Notes:</p>
Other Diagnosis 2: Severity Rating				
M0240_OTH_DIAG3_ICD	7	431	437	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX99.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform to one of the following two patterns:</p> <p>PATTERN A</p> <p>-Character 1 must be a space or "E".</p> <p>-Character 2 must be a 0 (zero) thru 9.</p> <p>-Characters 3 thru 4 must be 0 thru 9.</p> <p>-Character 5 must be a decimal point.</p> <p>-Characters 6 and 7 must be 0 (zero) thru 9 or space.</p> <p>-If character 6 is a space, then character 7 must be a space.</p>
Other Diagnosis 3: ICD Code				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>PATTERN B</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0240_OTH_DIAG3_ICD is not blank, it cannot be equal to M0230_PRIMARY_DIAG_ICD, M0240_OTH_DIAG1_ICD, M0240_OTH_DIAG2_ICD, M0240_OTH_DIAG4_ICD, or M0240_OTH_DIAG5_ICD.</p> <p>*2. If M0240_OTH_DIAG2_ICD is blank, then M0240_OTH_DIAG3_ICD must be blank.</p> <p>Version Notes:</p>
M0240_OTH_DIAG3_SEVERITY	2	438	439	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 04, sp(2)</p> <p>Format Info: Right justified; pad left with zero.</p> <p>Consistency Required: *1. If M0240_OTH_DIAG3_ICD is blank, then M0240_OTH_DIAG3_SEVERITY must be blank.</p> <p>*2. If byte 1 of M0240_OTH_DIAG3_ICD="E" (i.e., it is an E-code), then M0240_OTH_DIAG3_SEVERITY must be blank.</p> <p>*3. If M0240_OTH_DIAG3_ICD is not blank and byte 1 is a space (i.e., it is not an E-code), then M0240_OTH_DIAG3_SEVERITY cannot be blank.</p> <p>Version Notes:</p>
Other Diagnosis 3: Severity Rating				
M0240_OTH_DIAG4_ICD	7	440	446	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX99.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform to one of the following two patterns:</p> <p>PATTERN A</p> <ul style="list-style-type: none"> -Character 1 must be a space or "E".
Other Diagnosis 4: ICD Code				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				-Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. PATTERN B -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. Consistency Required: *1. If M0240_OTH_DIAG4_ICD is not blank, it cannot be equal to M0230_PRIMARY_DIAG_ICD, M0240_OTH_DIAG1_ICD, M0240_OTH_DIAG2_ICD, M0240_OTH_DIAG3_ICD, or M0240_OTH_DIAG5_ICD. *2. If M0240_OTH_DIAG3_ICD is blank, then M0240_OTH_DIAG4_ICD must be blank. Version Notes:
M0240_OTH_DIAG4_SEVERITY	2	447	448	Active on RFA: 01,03,04,05
Other Diagnosis 4: Severity Rating				Blank on RFA: 06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 04, sp(2) Format Info: Right justified; pad left with zero. Consistency Required: *1. If M0240_OTH_DIAG4_ICD is blank, then M0240_OTH_DIAG4_SEVERITY must be blank. *2. If byte 1 of M0240_OTH_DIAG4_ICD="E" (i.e., it is an E-code), then M0240_OTH_DIAG4_SEVERITY must be blank. *3. If M0240_OTH_DIAG4_ICD is not blank and byte 1 is a space (i.e., it is not an E-code), then M0240_OTH_DIAG4_SEVERITY cannot be blank. Version Notes:
M0240_OTH_DIAG5_ICD	7	449	455	Active on RFA: 01,03,04,05
Other Diagnosis 5: ICD Code				Blank on RFA: 06,07,08,09 Picture: XX99.XX Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform to one of the following two patterns:</p> <p>PATTERN A</p> <ul style="list-style-type: none"> -Character 1 must be a space or "E". -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>PATTERN B</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be "V". -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: *1. If M0240_OTH_DIAG5_ICD is not blank, it cannot be equal to M0230_PRIMARY_DIAG_ICD, M0240_OTH_DIAG1_ICD, M0240_OTH_DIAG2_ICD, M0240_OTH_DIAG3_ICD, or M0240_OTH_DIAG4_ICD.</p> <p>*2. If M0240_OTH_DIAG4_ICD is blank, then M0240_OTH_DIAG5_ICD must be blank.</p> <p>Version Notes:</p>
M0240_OTH_DIAG5_SEVERITY	2	456	457	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 04, sp(2)</p> <p>Format Info: Right justified; pad left with zero.</p> <p>Consistency Required: *1. If M0240_OTH_DIAG5_ICD is blank, then M0240_OTH_DIAG5_SEVERITY must be blank.</p> <p>*2. If byte 1 of M0240_OTH_DIAG5_ICD="E" (i.e., it is an E-code), then M0240_OTH_DIAG5_SEVERITY must be blank.</p> <p>*3. If M0240_OTH_DIAG5_ICD is not blank and byte 1 is a space (i.e., it is not an E-code), then M0240_OTH_DIAG5_SEVERITY cannot be blank.</p> <p>Version Notes:</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0250_THH_IV_INFUSION	1	458	458	Active on RFA: 01,03,04,05,09
Therapies Received at Home: Intravenous, Infusion				Blank on RFA: 06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0250_THH_IV_INFUSION and M0250_THH_NONE_ABOVE must be equal to 1.
				*2. If M0250_THH_NONE_ABOVE=1 then M0250_THH_IV_INFUSION must be 0 (zero).
				Version Notes:
M0250_THH_PAR_NUTRITION	1	459	459	Active on RFA: 01,03,04,05,09
Therapies Received at Home: Parenteral Nutrition				Blank on RFA: 06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0250_THH_IV_INFUSION and M0250_THH_NONE_ABOVE must be equal to 1.
				*2. If M0250_THH_NONE_ABOVE=1 then M0250_THH_PAR_NUTRITION must be 0 (zero).
				Version Notes:
M0250_THH_ENT_NUTRITION	1	460	460	Active on RFA: 01,03,04,05,09
Therapies Received at Home: Enteral Nutrition				Blank on RFA: 06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0250_THH_IV_INFUSION and M0250_THH_NONE_ABOVE must be equal to 1.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0250_THH_NONE_ABOVE=1 then M0250_THH_ENT_NUTRITION must be 0 (zero).</p> <p>Version Notes:</p>
M0250_THH_NONE_ABOVE	1	461	461	<p>Active on RFA: 01,03,04,05,09</p> <p>Blank on RFA: 06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0250_THH_IV_INFUSION and M0250_THH_NONE_ABOVE must be equal to 1.</p> <p>*2. If M0250_THH_NONE_ABOVE=1 then M0250_THH_IV_INFUSION thru M0250_THH_ENT_NUTRITION must be 0 (zero).</p> <p>Version Notes:</p>
M0260_OVERALL_PROGNOSIS	2	462	463	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 01, UK</p> <p>Format Info: Right justified; pad left with zero. Any letters must be upper case.</p> <p>Consistency Required:</p> <p>Version Notes:</p>
M0270_REHAB_PROGNOSIS	2	464	465	<p>Active on RFA: 01,03</p> <p>Blank on RFA: 04,05,06,07,08,09</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 through 01, UK</p> <p>Format Info: Right justified; pad left with zero. Any letters must be upper case.</p> <p>Consistency Required:</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0280_LIFE_EXPECTANCY	2	466	467	Active on RFA: 01,03,09
Life Expectancy				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 01
				Format Info: Right justified; pad left with zero.
				Consistency Required:
Version Notes:				
M0290_RSK_SMOKING	1	468	468	Active on RFA: 01,03,09
High Risk Factor: Smoking				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.
				*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).
				*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).
Version Notes:				
M0290_RSK_OBESITY	1	469	469	Active on RFA: 01,03,09
High Risk Factor: Obesity				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).</p> <p>*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).</p> <p>Version Notes:</p>
M0290_RSK_ALCOHOLISM	1	470	470	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.</p> <p>*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).</p> <p>*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).</p> <p>Version Notes:</p>
High Risk Factor: Alcoholism				
M0290_RSK_DRUGS	1	471	471	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.</p> <p>*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).</p> <p>*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).</p> <p>Version Notes:</p>
High Risk Factor: Drugs				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0290_RSK_NONE	1	472	472	Active on RFA: 01,03,09
High Risk Factor: None of the Above				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.
				*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).
				*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).
				Version Notes:
M0290_RSK_UNKNOWN	1	473	473	Active on RFA: 01,03
High Risk Factor: Unknown				Blank on RFA: 04,05,06,07,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0290_RSK_SMOKING and M0290_RSK_UNKNOWN must be equal to 1.
				*2. If M0290_RSK_NONE=1 then M0290_RSK_SMOKING thru M0290_RSK_DRUGS and M0290_RSK_UNKNOWN must be 0 (zero).
				*3. If M0290_RSK_UNKNOWN=1 then M0290_RSK_SMOKING thru M0290_RSK_NONE must be 0 (zero).
				Version Notes:
M0300_CURR_RESIDENCE	2	474	475	Active on RFA: 01,03,09
Current Residence				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 05

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
ITEM_FILLER7	5	476	480	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(5) Type: FILLER
				*Range if Active: sp(5)
				Format Info: Always blank.
				Consistency Required:
				Version Notes:
ITEM_FILLER8	12	481	492	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(12) Type: FILLER
				*Range if Active: sp(12)
				Format Info: Always blank.
				Consistency Required:
				Version Notes:
ITEM_FILLER9	13	493	505	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(13) Type: FILLER
				*Range if Active: sp(13)
				Format Info: Always blank.
				Consistency Required:
				Version Notes:
M0340_LIV_ALONE	1	506	506	Active on RFA: 01,03,09
Lives: Alone				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1. *2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER must be 0 (zero). Version Notes:
M0340_LIV_SPOUSE	1	507	507	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1. *2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER must be 0 (zero). Version Notes:
Lives: With Spouse or Significant Other				
M0340_LIV_OTH_FAMILY	1	508	508	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1. *2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER must be 0 (zero). Version Notes:
Lives: With Other Family				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0340_LIV_FRIEND	1	509	509	Active on RFA: 01,03,09
Lives: With Friend				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1.
				*2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER must be 0 (zero).
				Version Notes:
M0340_LIV_PD_HELP	1	510	510	Active on RFA: 01,03,09
Lives: With Paid Help				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1.
				*2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER must be 0 (zero).
				Version Notes:
M0340_LIV_OTHER	1	511	511	Active on RFA: 01,03,09
Lives: With Other Than Above				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0340_LIV_ALONE and M0340_LIV_OTHER must be equal to 1.
				*2. If M0340_LIV_ALONE=1 then M0340_LIV_SPOUSE thru M0340_LIV_OTHER

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				must be 0 (zero).
				Version Notes:
M0350_AP_REL_FRIEND	1	512	512	Active on RFA: 01,03,09
Assisting Person: Relative, Friend Outside Home				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0350_AP_REL_FRIEND and M0350_AP_UNKNOWN must be equal to 1.
				*2. If M0350_AP_NONE=1 then M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP and M0350_AP_UNKNOWN must be 0 (zero).
				*3. If M0350_AP_UNKNOWN=1 then M0350_AP_REL_FRIEND thru M0350_AP_NONE must be 0 (zero).
				Version Notes:
M0350_AP_HM_RESIDENT	1	513	513	Active on RFA: 01,03,09
Assisting Person: Resides in Home				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0350_AP_REL_FRIEND and M0350_AP_UNKNOWN must be equal to 1.
				*2. If M0350_AP_NONE=1 then M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP and M0350_AP_UNKNOWN must be 0 (zero).
				*3. If M0350_AP_UNKNOWN=1 then M0350_AP_REL_FRIEND thru M0350_AP_NONE must be 0 (zero).
				Version Notes:
M0350_AP_PD_HELP	1	514	514	Active on RFA: 01,03,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Assisting Person: Paid Help				Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0350_AP_REL_FRIEND and M0350_AP_UNKNOWN must be equal to 1. *2. If M0350_AP_NONE=1 then M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP and M0350_AP_UNKNOWN must be 0 (zero). *3. If M0350_AP_UNKNOWN=1 then M0350_AP_REL_FRIEND thru M0350_AP_NONE must be 0 (zero). Version Notes:
M0350_AP_NONE	1	515	515	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0350_AP_REL_FRIEND and M0350_AP_UNKNOWN must be equal to 1. *2. If M0350_AP_NONE=1 then M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP and M0350_AP_UNKNOWN must be 0 (zero). *3. If M0350_AP_UNKNOWN=1 then M0350_AP_REL_FRIEND thru M0350_AP_NONE must be 0 (zero). *4. If M0350_AP_NONE = 1, then M0360_PRIMARY_CAREGIVER thru M0380_CA_UNKNOWN must be skipped (blank). Version Notes:
Assisting Person: None				
M0350_AP_UNKNOWN	1	516	516	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1
Assisting Person: Unknown				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0350_AP_REL_FRIEND and M0350_AP_UNKNOWN must be equal to 1.
				*2. If M0350_AP_NONE=1 then M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP and M0350_AP_UNKNOWN must be 0 (zero).
				*3. If M0350_AP_UNKNOWN=1 then M0350_AP_REL_FRIEND thru M0350_AP_NONE must be 0 (zero).
				*4. If M0350_AP_UNKNOWN = 1, then M0360_PRIMARY_CAREGIVER thru M0380_CA_UNKNOWN must be skipped (blank).
				Version Notes:
M0360_PRIMARY_CAREGIVER	2	517	518	Active on RFA: 01,03,09
Primary Caregiver				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, UK, sp(2)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If RFA=01 or 03 and M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be skipped (blank).
				*2. If RFA=09 and M0360_PRIMARY_CAREGIVER = 00, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_HLTH_CARE must be skipped (blank).
				*3. If M0350_AP_NONE or M0350_AP_UNKNOWN is equal to 1, then M0360_PRIMARY_CAREGIVER must be blank; otherwise the following rules apply.
				*4. If M0100_ASSMT_REASON matches one of the active RFA's and any item M0350_AP_REL_FRIEND thru M0350_AP_PD_HELP is equal to 1, then M0360_PRIMARY_CAREGIVER cannot be blank.
				*5. If M0100_ASMT_REASON = 09, then M0360_PRIMARY_CAREGIVER cannot = UK.
				Version Notes:
M0370_FREQ_PRM_ASSTANCE	2	519	520	Active on RFA: 01,03,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Frequency of Primary Caregiver Assistance				<p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 01 through 06, UK, sp(2)</p> <p>Format Info: Right justified; pad left with zero. Any letters must be upper case.</p> <p>Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY_CAREGIVER = 01 thru 05, then M0370_FREQ_PRM_ASSTANCE cannot be blank.</p> <p>*3. If M0100_ASMT_REASON = 09, then M0370_FREQ_PRM_ASSTANCE cannot = UK.</p> <p>Version Notes:</p>
M0380_CA_ADL	1	521	521	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY_CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1.</p> <p>*3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero).</p> <p>Version Notes:</p>
Type of Primary Caregiver Assistance: ADL				
M0380_CA_IADL	1	522	522	<p>Active on RFA: 01,03,09</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Type of Primary Caregiver Assistance: IADL				Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply. *2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1. *3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero). Version Notes:
M0380_CA_ENVIRONMENT	1	523	523	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply. *2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1. *3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero). Version Notes:
Type of Primary Caregiver Assistance: Environmental				
M0380_CA_PSYCHSOC	1	524	524	Active on RFA: 01,03,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Type of Primary Caregiver Assistance: Psychosocial				<p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY_CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1.</p> <p>*3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero).</p> <p>Version Notes:</p>
M0380_CA_MEDICAL	1	525	525	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY_CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1.</p> <p>*3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero).</p> <p>Version Notes:</p>
Type of Primary Caregiver Assistance: Medical Care				
M0380_CA_FIN_LEGAL	1	526	526	<p>Active on RFA: 01,03,09</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Type of Primary Caregiver Assistance: Financial, Legal				Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply. *2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1. *3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero). Version Notes:
M0380_CA_HLTH_CARE	1	527	527	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply. *2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1. *3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero). Version Notes:
M0380_CA_UNKNOWN	1	528	528	Active on RFA: 01,03

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Type of Primary Caregiver Assistance: Unknown				Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0350_AP_NONE = 1 or M0350_AP_UNKNOWN is equal to 1 or M0360_PRIMARY_CAREGIVER = 00 or UK, then M0370_FREQ_PRM_ASSTANCE thru M0380_CA_UNKNOWN must be blank; otherwise the following rules (#2 and #3) apply. *2. If M0100_ASSMT_REASON matches one of the active RFA's and M0360_PRIMARY_CAREGIVER = 01 thru 05, then M0380_CA_ADL thru M0380_CA_UNKNOWN must not be blank and at least one of these items must equal 1. *3. If M0380_CA_UNKNOWN=1, then M0380_CA_ADL thru M0380_CA_HLTH_CARE must equal 0 (zero). Version Notes:
M0390_VISION	2	529	530	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 02 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
Sensory Status: Vision				
M0400_HEARING	2	531	532	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 04 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
Sensory Status: Hearing				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0410_SPEECH	2	533	534	Active on RFA: 01,03,09
Sensory Status: Speech				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0420_FREQ_PAIN	2	535	536	Active on RFA: 01,03,04,05,09
Sensory Status: Frequency of Pain				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 03
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0430_INTRACT_PAIN	1	537	537	Active on RFA: 01,03,09
Experiencing Intractable Pain				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No, 1=Yes
				Consistency Required:
				Version Notes:
M0440_LESION_OPEN_WND	1	538	538	Active on RFA: 01,03,04,05,09
Has Skin Lesion or Open Wound				Blank on RFA: 06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No, 1=Yes
				Consistency Required: *1. If M0440_LESION_OPEN_WND = 0 (zero), then M0445_PRESS_ULCER thru M0488_STAT_PRB_SURGWND must be skipped (blank).

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0100_ASSMT_REASON=01, 03, or 09 and M0440_LESION_OPEN_WND = 1, then none of the items M0445_PRESS_ULCER, M0468_STASIS_ULCER, or M0482_SURG_WOUND may be blank.</p> <p>Version Notes:</p>
M0445_PRESS_ULCER	1	539	539	Active on RFA: 01,03,09
Has Pressure Ulcer				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No, 1=Yes
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0445_PRESS_ULCER must be blank.
				*2. If M0440_LESION_OPEN_WND = 1, then M0445_PRESS_ULCER may not be blank.
				*3. If M0445_PRESS_ULCER = 0 (zero), then M0450_NBR_PRSULC_STG1 thru M0464_STG_PRBLM_PRSULC must be skipped (blank).
				*4. If M0445_PRESS_ULCER = 1, then M0450_NBR_PRSULC_STG1 thru M0464_STAT_PRBLM_PRSULC cannot be blank.
				Version Notes:
M0450_NBR_PRSULC_STG1	2	540	541	Active on RFA: 01,03,04,05,09
No. Pressure Ulcers - Stage 1				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 thru 04, sp(2)
				Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0450_NBR_PRSULC_STG1 must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0450_PRSULC_STG1 must be blank.
				*3. If M0100_ASSMT_REASON=04 or 05, then the skip pattern based upon M0445_PRESS_ULCER does not apply. All of the items from M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC may be blank, or they must all contain valid non-blank values.
				Version Notes:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0450_NBR_PRSULC_STG2	2	542	543	Active on RFA: 01,03,04,05,09
No. Pressure Ulcers - Stage 2				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 thru 04, sp(2)
				Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0450_NBR_PRSULC_STG2 must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0450_PRSULC_STG2 must be blank.
				*3. If M0100_ASSMT_REASON=04 or 05, then the skip pattern based upon M0445_PRESS_ULCER does not apply. All of the items from M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC may be blank, or they must all contain valid non-blank values.
				Version Notes:
M0450_NBR_PRSULC_STG3	2	544	545	Active on RFA: 01,03,04,05,09
No. Pressure Ulcers - Stage 3				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 thru 04, sp(2)
				Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0450_NBR_PRSULC_STG3 must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0450_PRSULC_STG3 must be blank.
				*3. If M0100_ASSMT_REASON=04 or 05, then the skip pattern based upon M0445_PRESS_ULCER does not apply. All of the items from M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC may be blank, or they must all contain valid non-blank values.
				Version Notes:
M0450_NBR_PRSULC_STG4	2	546	547	Active on RFA: 01,03,04,05,09
No. Pressure Ulcers - Stage 4				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 thru 04, sp(2)

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0450_NBR_PRSULC_STG4 must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0450_PRSULC_STG4 must be blank.
				*3. If M0100_ASSMT_REASON=04 or 05, then the skip pattern based upon M0445_PRESS_ULCER does not apply. All of the items from M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC may be blank, or they must all contain valid non-blank values.
				Version Notes:
M0450_UNOBS_PRSULC	1	548	548	Active on RFA: 01,03,04,05,09
Has Unobserved Pressure Ulcer				Blank on RFA: 06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No, 1=Yes
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0450_UNOBS_PRSULC_STG1 must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0450_UNOBS_PRSULC must be blank.
				*3. If M0100_ASSMT_REASON=04 or 05, then the skip pattern based upon M0445_PRESS_ULCER does not apply. All of the items from M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC may be blank, or they must all contain valid non-blank values.
				Version Notes:
M0460_STG_PRBLM_ULCER	2	549	550	Active on RFA: 01,03,04,05,09
Stage of Most Problematic Pressure Ulcer				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 04, NA, sp(2)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0460_STG_PRBLM_ULCER must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0460_STG_PRBLM_ULCER must be blank.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*3. If M0100_ASSMT_REASON=04 or 05, the skip pattern based upon M0445_PRESS_ULCER does not apply. M0460_STG_PRBLM_ULCER may contain either blanks or a valid non-blank value, subject to consistency note 4 below.</p> <p>*4. If M0450_NBR_PRSULC_STG1 through M0450_UNOBS_PRSULC are all blank or all zeroes, M0460_STG_PRBLM_ULCER must be skipped (blank). If any of the items from M0450_NBR_PRSULC_STG1 through M0450_NBR_PRSULC_STG4 = 01, 02, 03, or 04, or M0450_UNOBS_PRSULC = 1, M0460_STG_PRBLM_ULCER must have a valid non-blank value.</p> <p>*5. If any of the items from M0450_NBR_PRSULC_STG1 through M0450_NBR_PRSULC_STG4 = 01, 02, 03, or 04, then M0460_STG_PRBLM_ULCER must be 01, 02, 03, or 04</p> <p>Version Notes:</p>
M0464_STAT_PRBLM_PRSULC	2	551	552	Active on RFA: 01,03,09
Status of Most Problematic Pressure Ulcer				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 03, NA, sp(2)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0464_STAT_PRBLM_PRSULC must be blank.
				*2. If M0445_PRESS_ULCER=0 (zero), M0464_STAT_PRBLM_PRSULC must be blank.
				*3. If any of the items from M0450_NBR_PRSULC_STG1 through M0450_NBR_PRSULC_STG4 = 01, 02, 03, or 04, then M0464_STAT_PRBLM_PRSULC must be 01, 02, or 03.
				Version Notes:
M0468_STASIS_ULCER	1	553	553	Active on RFA: 01,03,09
Has Stasis Ulcer				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No, 1=Yes

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0468_STASIS_ULCER must be blank.</p> <p>*2. If M0440_LESION_OPEN_WND = 1, then M0468_STASIS_ULCER may not be blank.</p> <p>*3. If M0468_STASIS_ULCER = 0, then M0470_NBR_STASULC thru M0476_STAT_PRB_STASULC must be skipped (blank).</p> <p>*4. If M0468_STASIS_ULCER = 1, then none of the items from M0470_NBR_STASULC thru M0476_STAT_PRB_STASULC may be blank.</p> <p>*5. If M0468_STASIS_ULCER = 1, then (a) M0470_NBR_STASULC must equal 1, 2, 3, or 4, OR (b) M0474_UNOBS_STASULC must equal 1.</p> <p>Version Notes:</p>
M0470_NBR_STASULC	2	554	555	<p>Active on RFA: 01,03,04,05,09</p> <p>Blank on RFA: 06,07,08</p> <p>Picture: XX Type: CODE</p> <p>*Range if Active: 00 thru 04, sp(2)</p> <p>Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more</p> <p>Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0470_NBR_STASULC must be blank.</p> <p>*2. If M0468_STASIS_ULCER=0 (zero), then M0470_NBR_STASULC must be blank.</p> <p>*3. If M0468_STASIS_ULCER = 1, then none of the items from M0470_NBR_STASULC thru M0476_STAT_PRB_STASULC may be blank.</p> <p>*4. If M0470_NBR_STASULC = 1, 2, 3, or 4, then M0476_STAT_PRB_STASULC must equal 1, 2, or 3.</p> <p>Version Notes: -Revised list of RFAs to make field active on RFA 04 and 05.</p>
No. Stasis Ulcers				
M0474_UNOBS_STASULC	1	556	556	<p>Active on RFA: 01,03,04,05,09</p> <p>Blank on RFA: 06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No, 1=Yes</p>
Has Unobserved Stasis Ulcer				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0474_UNOBS_STASULC must be blank.
				*2. If M0468_STASIS_ULCER=0 (zero), then M0474_UNOBS_STASULC must be blank.
				*3. If M0468_STASIS_ULCER = 1, then none of the items from M0470_NBR_STASULC thru M0476_STAT_PRB_STASULC may be blank.
				Version Notes: -[R1] Revised list of RFAs to make field active on RFA 04 and 05.
M0476_STAT_PRB_STASULC	2	557	558	Active on RFA: 01,03,04,05,09
Status of Most Problematic Stasis Ulcer				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 03, NA, sp(2)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0476_STAT_PRB_STASULC must be blank.
				*2. If M0468_STASIS_ULCER=0 (zero), then M0476_STAT_PRB_STASULC must be blank.
				*3. If M0468_STASIS_ULCER = 1, then none of the items from M0470_NBR_STASULC thru M0476_STAT_PRB_STASULC may be blank.
				4. If M0100_ASSMT_REASON=04 or 05, then M0476_STAT_PRB_STASULC may contain either blanks or a valid non-blank value. The skip pattern based upon M0468_STASIS_ULCER does not apply for these RFAs.
				Version Notes:
M0482_SURG_WOUND	1	559	559	Active on RFA: 01,03,09
Has Surgical Wound				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No, 1=Yes
				Consistency Required: *1. If M0100_ASSMT_REASON = 01, 03, or 09 and M0440_LESION_OPEN_WND=0 (zero), then M0482_SURG_WOUND must be blank.
				*2. If M0100_ASSMT_REASON = 01, 03, or 09 and M0440_LESION_OPEN_WND

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>= 1, then M0482_SURG_WOUND may not be blank.</p> <p>*3. If M0482_SURG_WOUND = 0, then M0484_NBR_SURGWND thru M0488_STAT_PRB_SURGWND must be skipped (blank).</p> <p>*4. If M0482_SURG_WOUND = 1, then none of the items from M0484_NBR_SURGWND thru M0488_STAT_PRB_SURGWND may be blank.</p> <p>*5. If M0482_SURG_WOUND = 1, then (a) M0484_NBR_SURGWND must equal 1, 2, 3, or 4, OR (b) M0486_UNOBS_SURGWND must equal 1.</p> <p>Version Notes:</p>
M0484_NBR_SURGWND	2	560	561	Active on RFA: 01,03,09
No. Surgical Wounds				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 thru 04, sp(2)
				Format Info: 00=Zero, 01=One, 02=Two, 03=Three, 04=Four or more
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0484_NBR_SURGWND must be blank.
				*2. If M0482_SURG_WOUND=0 (zero), then M0484_NBR_SURGWND must be blank.
				*3. If M0482_SURG_WOUND = 1, then none of the items from M0484_NBR_SURGWND thru M0488_STAT_PRB_SURGWND may be blank.
				*4. If M0484_NBR_SURGWND = 1, 2, 3, or 4, then M0488_STAT_PRB_SURGWND must equal 1, 2, or 3.
				Version Notes:
M0486_UNOBS_SURGWND	1	562	562	Active on RFA: 01,03,09
Has Unobserved Surgical Wound				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No, 1=Yes
				Consistency Required: *1. If M0440_LESION_OPEN_WND=0 (zero), then M0486_UNOBS_SURGWND must be blank.
				*2. If M0482_SURG_WOUND=0 (zero), then M0486_UNOBS_SURGWND must

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				be blank.
				*3. If M0482_SURG_WOUND = 1, then none of the items from M0484_NBR_SURGWND thru M0488_STAT_PRB_SURGWND may be blank.
				Version Notes:
M0488_STAT_PRB_SURGWND	2	563	564	Active on RFA: 01,03,04,05,09
Status of Most Problematic Surgical Wound				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 03, NA, sp(2)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1.If M0440_LESION_OPEN_WND=0 (zero), then M0488_STAT_PRB_SURGWND must be blank.
				*2. If M0482_SURG_WOUND=0 (zero), then M0488_STAT_PRB_SURGWND must be blank.
				*3. If M0482_SURG_WOUND = 1, then none of the items from M0484_NBR_SURGWND thru M0488_STAT_PRB_SURGWND may be blank.
				4. If M0100_ASSMT_REASON=04 or 05, then M0488_STAT_PRB_SURGWND may contain either blanks or a valid non-blank value. The skip pattern based upon M0482_SURG_WOUND does not apply for these RFAs.
				Version Notes:
M0490_WHEN_DYSPNEIC	2	565	566	Active on RFA: 01,03,04,05,09
When Dyspneic				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 04
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0500_RESPTX_OXYGEN	1	567	567	Active on RFA: 01,03,09
Respiratory Treatments: Oxygen				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0500_RESPTX_OXYGEN and M0500_RESPTX_NONE must be equal to 1. *2. If M0500_RESPTX_NONE=1 then M0500_RESPTX_OXYGEN thru M0500_RESPTX_AIRPRESS must be 0 (zero). Version Notes:
M0500_RESPTX_VENTILATOR	1	568	568	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0500_RESPTX_OXYGEN and M0500_RESPTX_NONE must be equal to 1. *2. If M0500_RESPTX_NONE=1 then M0500_RESPTX_OXYGEN thru M0500_RESPTX_AIRPRESS must be 0 (zero). Version Notes:
Respiratory Treatments: Ventilator				
M0500_RESPTX_AIRPRESS	1	569	569	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0500_RESPTX_OXYGEN and M0500_RESPTX_NONE must be equal to 1. *2. If M0500_RESPTX_NONE=1 then M0500_RESPTX_OXYGEN thru M0500_RESPTX_AIRPRESS must be 0 (zero). Version Notes:
Respiratory Treatments: Airway Pressure				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0500_RESPTX_NONE	1	570	570	Active on RFA: 01,03,09
Respiratory Treatments: None of the Above				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item between M0500_RESPTX_OXYGEN and M0500_RESPTX_NONE must be equal to 1.
				*2. If M0500_RESPTX_NONE=1 then M0500_RESPTX_OXYGEN thru M0500_RESPTX_AIRPRESS must be 0 (zero).
				Version Notes:
M0510_UTI	2	571	572	Active on RFA: 01,03,09
Treated for Urinary Tract Infection in Past 14 Days				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00, 01, NA, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0100_ASSMT_REASON = 09, then M0510_UTI cannot = UK.
				Version Notes:
M0520_UR_INCONT	2	573	574	Active on RFA: 01,03,04,05,09
Urinary Incontinence or Urinary Catheter Present				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02
				Format Info: Right justified; pad left with zero.
				Consistency Required: *1. If M0520_UR_INCONT = 00 or 02, then M0530_UR_INCT_OCCURS must be skipped (blank).
				*2. If M0520_UR_INCONT = 01, then M0530_UR_INCT_OCCURS must not be blank.
				Version Notes: -Revised list of RFAs to make field active on RFA 04 and 05.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0530_UR_INCONT_OCCURS	2	575	576	Active on RFA: 01,03,04,05,09
When Urinary Incontinence Occurs				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, sp(2)
				Format Info: Right justified; pad left with zero.
				Consistency Required: *1. If M0520_UR_INCONT=00 or 02, then M0530_UR_INCONT_OCCURS must be blank.
				*2. If M0520_UR_INCONT = 01, then M0530_UR_INCONT_OCCURS must not be blank.
				Version Notes: -[R1] Removed consistency note #3 which dealt with consistency with M0520 when it was inactive on RFA=04 or 05. Since M0520 is now active on RFA 04 and 05, consistency note #3 is no longer necessary.
M0540_BWL_INCONT	2	577	578	Active on RFA: 01,03,04,05,09
Bowel Incontinence Frequency				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, NA, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0100_ASSMT_REASON = 04, 05 or 09, then M0540_BWL_INCONT cannot = UK.
				Version Notes:
M0550_OSTOMY	2	579	580	Active on RFA: 01,03,04,05,09
Ostomy for Bowel Elimination				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02
				Format Info: Right justified; pad left with zero.
				Consistency Required: *1. If M0540_BWL_INCONT=NA, then M0550_OSTOMY must be 01 or 02.
				*2. If M0540_BWL_INCONT=00 thru 05 or UK, then M0550_OSTOMY must be 00.
				Version Notes:
M0560_COG_FUNCTION	2	581	582	Active on RFA: 01,03,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Cognitive Functioning				Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 04 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
M0570_WHEN_CONFUSED	2	583	584	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 04, NA Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
When Confused (Reported or Observed)				
M0580_WHEN_ANXIOUS	2	585	586	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 03, NA Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
When Anxious (Reported or Observed)				
M0590_DP_MOOD	1	587	587	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1. *2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE
Depressive: Mood				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				must be 0 (zero).
				Version Notes:
M0590_DP_SENSE_FAILURE	1	588	588	Active on RFA: 01,03,09
Depressive: Sense of Failure				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1.
				*2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE must be 0 (zero).
				Version Notes:
M0590_DP_HOPELESSNESS	1	589	589	Active on RFA: 01,03,09
Depressive: Hopelessness				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1.
				*2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE must be 0 (zero).
				Version Notes:
M0590_DP_DEATH	1	590	590	Active on RFA: 01,03,09
Depressive: Recurrent Thoughts of Death				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE must be 0 (zero).</p> <p>Version Notes:</p>
M0590_DP_SUICIDE	1	591	591	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1.</p> <p>*2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE must be 0 (zero).</p> <p>Version Notes:</p>
Depressive: Thoughts of Suicide				
M0590_DP_NONE	1	592	592	<p>Active on RFA: 01,03,09</p> <p>Blank on RFA: 04,05,06,07,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0590_DP_MOOD thru M0590_DP_NONE must be equal to 1.</p> <p>*2. If M0590_DP_NONE=1 then M0590_DP_MOOD thru M0590_DP_SUICIDE must be 0 (zero).</p> <p>Version Notes:</p>
Depressive: None of the Above Feelings Observed or Reported				
ITEM_FILLER10	7	593	599	<p>Active on RFA:</p> <p>Blank on RFA: 01,03,04,05,06,07,08,09</p> <p>Picture: X(7) Type: FILLER</p> <p>*Range if Active: sp(7)</p> <p>Format Info: Always blank.</p> <p>Consistency Required:</p>
Item Filler				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
<hr/>				
				Version Notes:
<hr/>				
M0610_BD_MEM_DEFICIT	1	600	600	Active on RFA: 01,03,09
Behavior Demonstrated: Memory Deficit				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1.
				*2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero).
				Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
<hr/>				
M0610_BD_IMP_DECISN	1	601	601	Active on RFA: 01,03,09
Behavior Demonstrated: Impaired Decision-making				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1.
				*2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero).
				Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
<hr/>				
M0610_BD_VERBAL	1	602	602	Active on RFA: 01,03,09
Behavior Demonstrated: Verbal Disruption				Blank on RFA: 04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1. *2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0610_BD_PHYSICAL Behavior Demonstrated: Physical Aggression	1	603	603	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1. *2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0610_BD_SOC_INAPPRO Behavior Demonstrated: Socially Inappropriate	1	604	604	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1. *2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0610_BD_DELUSIONS Behavior Demonstrated: Delusions	1	605	605	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1. *2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0610_BD_NONE	1	606	606	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0610_BD_MEM_DEFICIT thru M0610_BD_NONE must be equal to 1. *2. If M0610_BD_NONE=1 then M0610_BD_MEM_DEFICIT thru M0610_BD_DELUSIONS must be 0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
Behavior Demonstrated: None of the Above				
M0620_BEH_PROB_FREQ	2	607	608	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 05 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
Frequency of Behavior Problems				
M0630_REC_PSYCH_NURS	1	609	609	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: X Type: CODE *Range if Active: 0, 1
Receives Psychiatric Nursing				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No, 1=Yes
				Consistency Required:
				Version Notes:
M0640_PR_GROOMING	2	610	611	Active on RFA: 01,03
Prior: Grooming				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 03, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0640_CUR_GROOMING	2	612	613	Active on RFA: 01,03,09
Current: Grooming				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 03
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0650_PR_DRESS_UPPER	2	614	615	Active on RFA: 01,03
Prior: Dress Upper Body				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 03, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0650_CUR_DRESS_UPPER	2	616	617	Active on RFA: 01,03,04,05,09
Current: Dress Upper Body				Blank on RFA: 06,07,08
				Picture: XX Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 00 through 03 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
M0660_PR_DRESS_LOWER	2	618	619	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 03, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
Prior: Dress Lower Body				
M0660_CUR_DRESS_LOWER	2	620	621	Active on RFA: 01,03,04,05,09 Blank on RFA: 06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 03 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
Current: Dress Lower Body				
M0670_PR_BATHING	2	622	623	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 05, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
Prior: Bathing				
M0670_CUR_BATHING	2	624	625	Active on RFA: 01,03,04,05,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Current: Bathing				Blank on RFA: 06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 05 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
M0680_PR_TOILETING	2	626	627	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 04, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
Prior: Toileting				
M0680_CUR_TOILETING	2	628	629	Active on RFA: 01,03,04,05,09 Blank on RFA: 06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 04 Format Info: Right justified; pad left with zero. Consistency Required: Version Notes:
Current: Toileting				
M0690_PR_TRANSFERRING	2	630	631	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 05, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
Prior: Transferring				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0690_CUR_TRANSFERRING	2	632	633	Active on RFA: 01,03,04,05,09
Current: Transferring				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0700_PR_AMBULATION	2	634	635	Active on RFA: 01,03
Prior: Ambulation				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0700_CUR_AMBULATION	2	636	637	Active on RFA: 01,03,04,05,09
Current: Ambulation				Blank on RFA: 06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0710_PR_FEEDING	2	638	639	Active on RFA: 01,03
Prior: Feeding				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0710_CUR_FEEDING	2	640	641	Active on RFA: 01,03,09
Current: Feeding				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0720_PR_PREP_LT_MEALS	2	642	643	Active on RFA: 01,03
Prior: Prepare Light Meals				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0720_CUR_PREP_LT_MEALS	2	644	645	Active on RFA: 01,03,09
Current: Prepare Light Meals				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0730_PR_TRANSPORTATION	2	646	647	Active on RFA: 01,03
Prior: Transportation				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0730_CUR_TRANSPORTATION	2	648	649	Active on RFA: 01,03,09
Current: Transportation				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02
				Format Info: Right justified; pad left with zero.
				Consistency Required:
Version Notes:				
M0740_PR_LAUNDRY	2	650	651	Active on RFA: 01,03
Prior: Laundry				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
Version Notes:				
M0740_CUR_LAUNDRY	2	652	653	Active on RFA: 01,03,09
Current: Laundry				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02
				Format Info: Right justified; pad left with zero.
				Consistency Required:
Version Notes:				
M0750_PR_HOUSEKEEPING	2	654	655	Active on RFA: 01,03
Prior: Housekeeping				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 04, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required:
				Version Notes:
M0750_CUR_HOUSEKEEPING	2	656	657	Active on RFA: 01,03,09
Current: Housekeeping				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 04,
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0760_PR_SHOPPING	2	658	659	Active on RFA: 01,03
Prior: Shopping				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 03, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0760_CUR_SHOPPING	2	660	661	Active on RFA: 01,03,09
Current: Shopping				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 03
				Format Info: Right justified; pad left with zero.
				Consistency Required:
				Version Notes:
M0770_PR_PHONE_USE	2	662	663	Active on RFA: 01,03
Prior: Telephone Use				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, NA, UK

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0770_CUR_PHONE_USE	2	664	665	Active on RFA: 01,03,09
Current: Telephone Use				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 05, NA
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0780_PR_ORAL_MEDS	2	666	667	Active on RFA: 01,03
Prior: Management of Oral Medications				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, NA, UK
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0780_CUR_ORAL_MEDS	2	668	669	Active on RFA: 01,03,09
Current: Management of Oral Medications				Blank on RFA: 04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 00 through 02, NA
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required:
				Version Notes:
M0790_PR_INHAL_MEDS	2	670	671	Active on RFA: 01,03
Prior: Management of Inhalant Medications				Blank on RFA: 04,05,06,07,08,09
				Picture: XX Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 00 through 02, NA, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
M0790_CUR_INHAL_MEDS	2	672	673	Active on RFA: 01,03,09
Current: Management of Inhalant Medications				Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 02, NA Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
M0800_PR_INJECT_MEDS	2	674	675	Active on RFA: 01,03
Prior: Management of Injectable Medications				Blank on RFA: 04,05,06,07,08,09 Picture: XX Type: CODE *Range if Active: 00 through 02, NA, UK Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes:
M0800_CUR_INJECT_MEDS	2	676	677	Active on RFA: 01,03,04,05,09
Current: Management of Injectable Medications				Blank on RFA: 06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 02, NA Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: Version Notes: -Revised list of RFAs to make field active on RFA 04 and 05.
M0810_PAT_MGMT_EQUIP	2	678	679	Active on RFA: 01,03,09

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Patient Management of Equipment				Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 04, NA Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: *1. If M0810_PAT_MGMT_EQUIP = NA, then M0820_CG_MGMT_EQUIP must be skipped (blank). Version Notes:
M0820_CG_MGMT_EQUIP	2	680	681	Active on RFA: 01,03,09 Blank on RFA: 04,05,06,07,08 Picture: XX Type: CODE *Range if Active: 00 through 04, NA, UK, sp(2) Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: *1. M0100_ASSMT_REASON = 09, then M0820_CG_MGMT_EQUIP cannot = UK. *2. If M0810_PAT_MGMT_EQUIP = NA, then M0820_CG_MGMT_EQUIP must be blank. Otherwise, M0820_CG_MGMT_EQUIP must not be blank and the following consistency rule applies: *3. If M0350_AP_HM_RESIDENT=1 and M0360_PRIMARY_CAREGIVER=01,02,03,04, or 05, then M0820_CG_MGMT_EQUIP cannot be equal to NA. Version Notes:
Caregiver Management of Equipment				
M0830_EC_NONE	1	682	682	Active on RFA: 06,07,09 Blank on RFA: 01,03,04,05,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0830_EC_NONE thru M0830_EC_UNKNOWN must be equal to 1. *2. If M0830_EC_NONE=1 then M0830_EC_EMER_ROOM thru M0830_EC_UNKNOWN must be 0 (zero). *3. If M0830_EC_UNKNOWN=1 then M0830_EC_NONE thru M0830_EC_OUTPAT must be 0 (zero).
Emergent Care: None				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*4. If M0830_EC_NONE = 1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be skipped (blank).</p> <p>Version Notes:</p>
M0830_EC_EMER_ROOM	1	683	683	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0830_EC_NONE thru M0830_EC_UNKNOWN must be equal to 1.</p> <p>*2. If M0830_EC_NONE=1 then M0830_EC_EMER_ROOM thru M0830_EC_UNKNOWN must be 0 (zero).</p> <p>*3. If M0830_EC_UNKNOWN=1 then M0830_EC_NONE thru M0830_EC_OUTPAT must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care: Emergency Room				
M0830_EC_MD_OFF	1	684	684	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0830_EC_NONE thru M0830_EC_UNKNOWN must be equal to 1.</p> <p>*2. If M0830_EC_NONE=1 then M0830_EC_EMER_ROOM thru M0830_EC_UNKNOWN must be 0 (zero).</p> <p>*3. If M0830_EC_UNKNOWN=1 then M0830_EC_NONE thru M0830_EC_OUTPAT must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care: MD Office				
M0830_EC_OUTPAT	1	685	685	<p>Active on RFA: 06,07,09</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Emergent Care: Outpatient				Blank on RFA: 01,03,04,05,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0830_EC_NONE thru M0830_EC_UNKNOWN must be equal to 1. *2. If M0830_EC_NONE=1 then M0830_EC_EMER_ROOM thru M0830_EC_UNKNOWN must be 0 (zero). *3. If M0830_EC_UNKNOWN=1 then M0830_EC_NONE thru M0830_EC_OUTPAT must be 0 (zero). Version Notes:
M0830_EC_UNKNOWN	1	686	686	
Emergent Care: Unknown				Active on RFA: 06,07,09 Blank on RFA: 01,03,04,05,08 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0830_EC_NONE thru M0830_EC_UNKNOWN must be equal to 1. *2. If M0830_EC_NONE=1 then M0830_EC_EMER_ROOM thru M0830_EC_UNKNOWN must be 0 (zero). *3. If M0830_EC_UNKNOWN=1 then M0830_EC_NONE thru M0830_EC_OUTPAT must be 0 (zero). *4. If M0830_EC_UNKNOWN = 1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be skipped (blank). Version Notes:
M0840_ECR_MEDICATION	1	687	687	
Emergent Care Reason: Medication				Active on RFA: 06,07,09 Blank on RFA: 01,03,04,05,08 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
M0840_ECR_NAUSEA	1	688	688	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care Reason: Nausea				
M0840_ECR_INJURY	1	689	689	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p>
Emergent Care Reason: Injury				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
M0840_ECR_RESP	1	690	690	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care Reason: Respiratory				
M0840_ECR_WOUND	1	691	691	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p>
Emergent Care Reason: Wound				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
M0840_ECR_CARDIAC	1	692	692	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care Reason: Cardiac				
M0840_ECR_HYPOGLYC	1	693	693	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p>
Emergent Care Reason: Hypoglycemia				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
M0840_ECR_GI_BLEED	1	694	694	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
Emergent Care Reason: GI Bleeding				
M0840_ECR_OTHER	1	695	695	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.</p> <p>*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).</p>
Emergent Care Reason: Other				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0840_ECR_UNKNOWN	1	696	696	Active on RFA: 06,07,09
Emergent Care Reason: Unknown				Blank on RFA: 01,03,04,05,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0830_EC_NONE=1 or M0830_EC_UNKNOWN=1, then M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be blank; otherwise the following rules apply.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN must be equal to 1, and none of the items from M0840_ECR_MEDICATION thru M0840_ECR_UNKNOWN may be blank.
				*3. If M0840_ECR_UNKNOWN=1 then M0840_ECR_MEDICATION thru M0840_ECR_OTHER must be 0 (zero).
Version Notes:				
M0855_INPAT_FACILITY	2	697	698	Active on RFA: 06,07,09
Inpatient Facility				Blank on RFA: 01,03,04,05,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 04, NA
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0100_ASMT_REASON = 09, then M0855_INPAT_FACILITY must = NA.
				*2. If M0100_ASMT_REASON = 06 or 07, then M0855_INPAT_FACILITY must not = NA.
				*3. If M0855_INPAT_FACILITY = 01, then M0870_DSCHG_DISP thru M0880_AFCD_OTH_ASSIST must be skipped (blank).
				*4. If M0855_INPAT_FACILITY = 02 or 04, then M0870_DSCHG_DISP thru M0900_NH_UNKNOWN must be skipped (blank).
				*5. If M0855_INPAT_FACILITY = 03, then M0870_DSCHG_DISP thru M0895_HOSP_OTHER must be skipped (blank), and M0900_NH_THERAPY thru M0900_NH_UNKNOWN must not be blank.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0870_DSCHG_DISP	2	699	700	Active on RFA: 09
Discharge Disposition				Blank on RFA: 01,03,04,05,06,07,08
				Picture: XX Type: CODE
				*Range if Active: 01 through 03, UK.
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If M0870_DSCHG_DISP = 02, 03 or UK, then M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST must be skipped (blank).
Version Notes:				
M0880_AFDC_NO_ASSIST	1	701	701	Active on RFA: 09
No Assistance After Discharge				Blank on RFA: 01,03,04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0870_DSCHG_DISP=02, 03, or UK, then M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=NA, and if M0870_DSCHG_DISP=01, then at least one item between M0880_AFDC_NO_ASSIST and M0880_AFDC_OTH_ASSIST must be equal to 1, and none of the items M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST may be blank.
				*3. If M0880_AFDC_NO_ASSIST=1, then M0880_AFDC_FAM_ASSIST and M0880_AFDC_OTH_ASSIST must be 0.
				*4. If M0880_AFDC_FAM_ASSIST=1 or M0880_AFDC_OTH_ASSIST=1, then M0880_AFDC_NO_ASSIST must be 0.
Version Notes:				
M0880_AFDC_FAM_ASSIST	1	702	702	Active on RFA: 09
Family Assistance After Discharge				Blank on RFA: 01,03,04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0870_DSCHG_DISP=02, 03, or UK, then M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=NA, and if M0870_DSCHG_DISP=01, then at least one item between M0880_AFDC_NO_ASSIST and M0880_AFDC_OTH_ASSIST must be equal to 1, and none of the items M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST may be blank.
				*3. If M0880_AFDC_NO_ASSIST=1, then M0880_AFDC_FAM_ASSIST and M0880_AFDC_OTH_ASSIST must be 0.
				*4. If M0880_AFDC_FAM_ASSIST=1 or M0880_AFDC_OTH_ASSIST=1, then M0880_AFDC_NO_ASSIST must be 0.
				Version Notes:
M0880_AFDC_OTH_ASSIST	1	703	703	Active on RFA: 09
Other Assistance After Discharge				Blank on RFA: 01,03,04,05,06,07,08
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0870_DSCHG_DISP=02 ,03, or UK, then M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=NA, and if M0870_DSCHG_DISP=01, then at least one item between M0880_AFDC_NO_ASSIST and M0880_AFDC_OTH_ASSIST must be equal to 1, and none of the items M0880_AFDC_NO_ASSIST thru M0880_AFDC_OTH_ASSIST may be blank.
				*3. If M0880_AFDC_NO_ASSIST=1, then M0880_AFDC_FAM_ASSIST and M0880_AFDC_OTH_ASSIST must be 0.
				*4. If M0880_AFDC_FAM_ASSIST=1 or M0880_AFDC_OTH_ASSIST=1, then M0880_AFDC_NO_ASSIST must be 0.
				Version Notes:
M0890_HOSP_RSN	2	704	705	Active on RFA: 06,07

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Acute Care Hospitalization Reason				Blank on RFA: 01,03,04,05,08,09 Picture: XX Type: CODE *Range if Active: 01 through 03, UK, sp(2) Format Info: Right justified; pad left with zero. Any letters must be upper case. Consistency Required: *1. If M0855_INPAT_FACILITY=02, 03, 04, NA or blank, then M0890_HOSP_RSN must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then M0890_HOSP_RSN must be 01,02,03, or UK. Version Notes:
M0895_HOSP_MED	1	706	706	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank. Version Notes:
M0895_HOSP_INJURY	1	707	707	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
<hr/>				
				Version Notes:
<hr/>				
M0895_HOSP_RESP	1	708	708	Active on RFA: 06,07
Hospitalized: Respiratory				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
<hr/>				
				Version Notes:
<hr/>				
M0895_HOSP_WOUND	1	709	709	Active on RFA: 06,07
Hospitalized: Wound				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
<hr/>				
				Version Notes:
<hr/>				
M0895_HOSP_HYPOGLYC	1	710	710	Active on RFA: 06,07
Hospitalized: Hypoglycemia				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
				Version Notes:
M0895_HOSP_GI_BLEED	1	711	711	Active on RFA: 06,07
Hospitalized: GI Bleeding				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
				Version Notes:
M0895_HOSP_CF_FLUIDS	1	712	712	Active on RFA: 06,07
Hospitalized: CHF, Fluids				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
				Version Notes:
M0895_HOSP_STROKE	1	713	713	Active on RFA: 06,07

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Hospitalized: Stroke				Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank. Version Notes:
M0895_HOSP_CHEMO	1	714	714	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank. Version Notes:
Hospitalized: Chemotherapy				
M0895_HOSP_SURGERY	1	715	715	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if
Hospitalized: Surgery				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.</p> <p>Version Notes:</p>
M0895_HOSP_UR_TRACT	1	716	716	<p>Active on RFA: 06,07</p> <p>Blank on RFA: 01,03,04,05,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.</p> <p>Version Notes:</p>
Hospitalized: Urinary Tract				
M0895_HOSP_IVCATH_INF	1	717	717	<p>Active on RFA: 06,07</p> <p>Blank on RFA: 01,03,04,05,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.</p> <p>Version Notes:</p>
Hospitalized: IV Catheter Infection				
M0895_HOSP_VEIN_PULM	1	718	718	<p>Active on RFA: 06,07</p> <p>Blank on RFA: 01,03,04,05,08,09</p> <p>Picture: X Type: CODE</p>
Hospitalized: Vein, Pulmonary				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank. Version Notes:
M0895_HOSP_PAIN	1	719	719	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank. Version Notes:
Hospitalized: Pain				
M0895_HOSP_PSYCHOTIC	1	720	720	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
Hospitalized: Psychotic				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes:				
M0895_HOSP_OTHER	1	721	721	Active on RFA: 06,07
Hospitalized: Other				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=02,03,04,NA or blank, then M0895_HOSP_MED thru M0895_HOSP_OTHER must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=01, then at least one item between M0895_HOSP_MED thru M0895_HOSP_OTHER must equal 1, and none of the items M0895_HOSP_MED thru M0895_HOSP_OTHER may be blank.
Version Notes:				
M0900_NH_THERAPY	1	722	722	Active on RFA: 06,07
Admitted to Nursing Home: Therapy				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank.
				*3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero).
Version Notes:				
M0900_NH_RESPITE	1	723	723	Active on RFA: 06,07
Admitted to Nursing Home: Respite				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank. *3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero). Version Notes:
M0900_NH_HOSPICE	1	724	724	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1) Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank. *2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank. *3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero). Version Notes:
Admitted to Nursing Home: Hospice				
M0900_NH_PERMANENT	1	725	725	Active on RFA: 06,07 Blank on RFA: 01,03,04,05,08,09 Picture: X Type: CODE *Range if Active: 0, 1, sp(1)
Admitted to Nursing Home: Permanent Placement				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank.
				*3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero).
				Version Notes:
M0900_NH_UNSAFE_HOME	1	726	726	Active on RFA: 06,07
Admitted to Nursing Home: Unsafe at Home				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank.
				*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank.
				*3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero).
				Version Notes:
M0900_NH_OTHER	1	727	727	Active on RFA: 06,07
Admitted to Nursing Home: Other				Blank on RFA: 01,03,04,05,08,09
				Picture: X Type: CODE
				*Range if Active: 0, 1, sp(1)
				Format Info: 0=No/Unchecked, 1=Yes/Checked
				Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank.</p> <p>*3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
M0900_NH_UNKNOWN	1	728	728	<p>Active on RFA: 06,07</p> <p>Blank on RFA: 01,03,04,05,08,09</p> <p>Picture: X Type: CODE</p> <p>*Range if Active: 0, 1, sp(1)</p> <p>Format Info: 0=No/Unchecked, 1=Yes/Checked</p> <p>Consistency Required: *1. If M0855_INPAT_FACILITY=01,02,04,NA or blank, then M0900_NH_THERAPY thru M0900_NH_UNKNOWN must be blank.</p> <p>*2. If M0100_ASSMT_REASON matches one of the active RFA's, and if M0855_INPAT_FACILITY=03, then at least one item between M0900_NH_THERAPY and M0900_NH_UNKNOWN must equal 1, and none of the items between M0900_NH_THERAPY and M0900_NH_UNKNOWN may be blank.</p> <p>*3. If M0900_NH_UNKNOWN=1 then M0900_NH_THERAPY thru M0900_NH_OTHER must be 0 (zero).</p> <p>Version Notes:</p>
Admitted to Nursing Home: Unknown				
M0903_LAST_HOME_VISIT	8	729	736	<p>Active on RFA: 06,07,09</p> <p>Blank on RFA: 01,03,04,05,08</p> <p>Picture: YYYYMMDD Type: DATE</p> <p>*Range if Active: Valid date</p> <p>Format Info: YYYYMMDD</p> <p>Consistency Required: *1. If this field is active, it must contain a valid date and it must be less than or equal to the current date.</p> <p>*2. If this field is active, it must be earlier than or equal to each of the following</p>
Date of Last Home Visit				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>dates (if the date listed below is not blank on the assessment): -M0906_DC_TRAN_DTH_DT -M0090_INFO_COMPLETED_DT</p> <p>Version Notes:</p>
M0906_DC_TRAN_DTH_DT	8	737	744	Active on RFA: 06,07,08,09
Discharge, Transfer, Death Date				Blank on RFA: 01,03,04,05
				Picture: YYYYMMDD Type: DATE
				*Range if Active: Valid date
				Format Info: YYYYMMDD
				Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then M0906_DC_TRAN_DTH_DT must be a valid date.
				*2. If this field is active, it must contain a valid date, must be less than or equal to the current date, and cannot precede 07-19-1999.
				*3. If this field is active, it must be earlier than or equal to each of the following dates (if the date listed below is not blank on the assessment): -M0090_INFO_COMPLETED_DT
				4. This field should bear the following relationships with other dates present in the record:
				a. If M0100_ASSMT_REASON is equal to 09, then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT must be greater than or equal to zero and less than or equal to 2.
				Version Notes:
ITEM_FILLER3	2	745	746	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: XX Type: FILLER
				*Range if Active: sp(2)
				Format Info: Always blank.
				Consistency Required: Reserved for future use.
				Version Notes:
ITEM_FILLER11	2	747	748	Active on RFA:

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09 Picture: XX Type: FILLER *Range if Active: sp(2) Format Info: Always blank. Consistency Required: Reserved for future use. Version Notes: -Filler replaces M0825_THERAPY_NEED which has been discontinued.
M0175_DC_HOSP_14_DAYS	1	749	749	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_NONE_14_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_HOSP_14_DAYS=0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
Past 14 Days: Discharged from Hospital				
M0175_DC_REHAB_14_DAYS	1	750	750	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_NONE_14_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_REHAB_14_DAYS=0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
Past 14 Days: Discharged from Rehab Facility				
M0175_DC_SNF_14_DAYS	1	751	751	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE
Past 14 Days: Discharged from Skilled Nursing Facility				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_DC_NONE_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_SNF_14_DAYS=0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0175_DC_NH_14_DAYS	1	752	752	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE
Past 14 Days: Discharged from Other Nursing Home				*Range if Active: 0,1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_NONE_14_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_NH_14_DAYS=0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0175_DC_OTHER	1	753	753	Active on RFA: 01,03 Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE
Past 14 Days: Discharged from Other				*Range if Active: 0,1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_NONE_14_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_OTHER=0 (zero). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
M0175_NONE_14_DAYS	1	754	754	Active on RFA: 01,03

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Past 14 Days: Not Discharged from Inpatient Facility				Blank on RFA: 04,05,06,07,08,09 Picture: X Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0100_ASSMT_REASON matches one of the active RFA's, then at least one item from M0175_DC_HOSP_14_DAYS thru M0175_NONE_14_DAYS must be equal to 1. *2. If M0175_NONE_14_DAYS=1 then M0175_DC_HOSP_14_DAYS thru M0175_DC_OTHER must be 0 (zero). *3. If M0175_NONE_14_DAYS=1 then M0180_INP_DISCHARGE_DT thru M0190_14_DAY_INP2_ICD must be skipped (blank). Version Notes: -Revised list of RFAs to make field inactive on RFA 04 and 05.
ITEM_FILLER12	14	755	768	Active on RFA: Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X(14) Type: Filler *Range if Active: sp(14) Format Info: Always blank. Consistency Required: Reserved for future use. Version Notes: -Filler replaces M0245_PMT_ICD1 and M0245_PMT_ICD2 which have been discontinued.
NATL_PROV_ID	10	769	778	Active on RFA: 01,03,04,05,06,07,08,09 Blank on RFA: Picture: X(10) Type: TEXT *Range if Active: Valid code, sp(10) Format Info: 1. No embedded spaces or dashes. 2. A valid, non-blank code must consist of 10 digits (i.e., must be all numeric). Consistency Required: 1. CMS has begun assigning National Provider IDs (NPIs). Beginning with version 1.50 of the OASIS data specs, agencies may begin submitting their NPI on a voluntary basis. The NATL_PROV_ID field is used for this purpose and is present on both the header and body record. Both fields may be left blank, but if non-blank values are submitted, the values in the header and body records should match (a warning will be issued if they do not match).

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>*2. If a non-blank value is submitted in NATL_PROV_ID, it must conform with the format info above (i.e., it must consist of 10 digits with no embedded spaces or blanks).</p> <p>3. If a non-blank value is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.</p> <p>Version Notes:</p>
M0110_EPISODE_TIMING	2	779	780	Active on RFA: 01,03,04,05
Episode Timing				Blank on RFA: 06,07,08,09
				Picture: XX Type: CODE
				*Range if Active: 01, 02, UK, NA
				Format Info: Right justified; pad left with zero. Any letters must be upper case.
				Consistency Required: *1. If HIPPS_CODE is not blank, M0110_EPISODE_TIMING must equal "01", "02", or "UK" (it cannot equal "NA").
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_A3	7	781	787	Active on RFA: 01,03,04,05
Case Mix Diagnosis: Primary, Column 3				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows:
				-Character 1 must be a space.
				-Character 2 must be a 0 (zero) thru 9.
				-Characters 3 thru 4 must be 0 thru 9.
				-Character 5 must be a decimal point.
				-Characters 6 and 7 must be 0 (zero) thru 9 or space.
				-If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.
				2. If M0246_PMT_DIAG_ICD_A3 is not blank, M0230_PRIMARY_DIAG_ICD should be a V-code (byte 2 of M0230_PRIMARY_DIAG_ICD should be "V").
				*3. If M0246_PMT_DIAG_ICD_A3 is blank then M0246_PMT_DIAG_A4 must be blank.
				*4. If M0230_PRIMARY_DIAG_ICD is blank, then M0246_PMT_DIAG_ICD_A3

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				must be blank.
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_B3	7	788	794	Active on RFA: 01,03,04,05
Case Mix Diagnosis: First Secondary, Column 3				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows:
				-Character 1 must be a space.
				-Character 2 must be a 0 (zero) thru 9.
				-Characters 3 thru 4 must be 0 thru 9.
				-Character 5 must be a decimal point.
				-Characters 6 and 7 must be 0 (zero) thru 9 or space.
				-If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.
				2. If M0246_PMT_DIAG_ICD_B3 is not blank, M0240_OTH_DIAG1_ICD should be a V-code (byte 2 of M0240_OTH_DIAG1_ICD should be "V").
				*3. If M0246_PMT_DIAG_ICD_B3 is blank then M0246_PMT_DIAG_B4 must be blank.
				*4. If M0240_OTH_DIAG1_ICD is blank, then M0246_PMT_DIAG_ICD_B3 must be blank.
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_C3	7	795	801	Active on RFA: 01,03,04,05
Case Mix Diagnosis: Second Secondary, Column 3				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows:
				-Character 1 must be a space.
				-Character 2 must be a 0 (zero) thru 9.
				-Characters 3 thru 4 must be 0 thru 9.
				-Character 5 must be a decimal point.
				-Characters 6 and 7 must be 0 (zero) thru 9 or space.
				-If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>2. If M0246_PMT_DIAG_ICD_C3 is not blank, M0240_OTH_DIAG2_ICD should be a V-code (byte 2 of M0240_OTH_DIAG2_ICD should be "V").</p> <p>*3. If M0246_PMT_DIAG_ICD_C3 is blank then M0246_PMT_DIAG_C4 must be blank.</p> <p>*4. If M0240_OTH_DIAG2_ICD is blank, then M0246_PMT_DIAG_ICD_C3 must be blank.</p> <p>Version Notes: -Added new field.</p>
M0246_PMT_DIAG_ICD_D3	7	802	808	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: 1. This is an optional field and may be left blank.</p> <p>2. If M0246_PMT_DIAG_ICD_D3 is not blank, M0240_OTH_DIAG3_ICD should be a V-code (byte 2 of M0240_OTH_DIAG3_ICD should be "V").</p> <p>*3. If M0246_PMT_DIAG_ICD_D3 is blank then M0246_PMT_DIAG_D4 must be blank.</p> <p>*4. If M0240_OTH_DIAG3_ICD is blank, then M0246_PMT_DIAG_ICD_D3 must be blank.</p> <p>Version Notes: -Added new field.</p>
Case Mix Diagnosis: Third Secondary, Column 3				
M0246_PMT_DIAG_ICD_E3	7	809	815	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p>
Case Mix Diagnosis: Fourth Secondary, Column 3				

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				<p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: 1. This is an optional field and may be left blank.</p> <p>2. If M0246_PMT_DIAG_ICD_E3 is not blank, M0240_OTH_DIAG4_ICD should be a V-code (byte 2 of M0240_OTH_DIAG4_ICD should be "V").</p> <p>*3. If M0246_PMT_DIAG_ICD_E3 is blank then M0246_PMT_DIAG_E4 must be blank.</p> <p>*4. If M0240_OTH_DIAG4_ICD is blank, then M0246_PMT_DIAG_ICD_E3 must be blank.</p> <p>Version Notes: -Added new field.</p>
M0246_PMT_DIAG_ICD_F3	7	816	822	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: 1. This is an optional field and may be left blank.</p> <p>2. If M0246_PMT_DIAG_ICD_F3 is not blank, M0240_OTH_DIAG5_ICD should be a V-code (byte 2 of M0240_OTH_DIAG5_ICD should be "V").</p> <p>*3. If M0246_PMT_DIAG_ICD_F3 is blank then M0246_PMT_DIAG_F4 must be blank.</p> <p>*4. If M0240_OTH_DIAG5_ICD is blank, then M0246_PMT_DIAG_ICD_F3 must be blank.</p> <p>Version Notes: -Added new field.</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
M0246_PMT_DIAG_ICD_A4	7	823	829	Active on RFA: 01,03,04,05
Case Mix Diagnosis: Primary, Column 4				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows: -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.
				2. If M0246_PMT_DIAG_ICD_A4 is not blank, M0230_PRIMARY_DIAG_ICD should be a V-code (byte 2 of M0230_PRIMARY_DIAG_ICD should be "V").
				*3. If M0246_PMT_DIAG_ICD_A3 is blank then M0246_PMT_DIAG_A4 must be blank.
				*4. If M0230_PRIMARY_DIAG_ICD is blank, then M0246_PMT_DIAG_ICD_A4 must be blank.
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_B4	7	830	836	Active on RFA: 01,03,04,05
Case Mix Diagnosis: First Secondary, Column 4				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows: -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.
				2. If M0246_PMT_DIAG_ICD_B4 is not blank, M0240_OTH_DIAG1_ICD should be a V-code (byte 2 of M0240_OTH_DIAG1_ICD should be "V").
				*3. If M0246_PMT_DIAG_ICD_B3 is blank then M0246_PMT_DIAG_B4 must be

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				blank.
				*4. If M0240_OTH_DIAG1_ICD is blank, then M0246_PMT_DIAG_ICD_B4 must be blank.
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_C4	7	837	843	Active on RFA: 01,03,04,05
Case Mix Diagnosis: Second Secondary, Column 4				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows:
				-Character 1 must be a space.
				-Character 2 must be a 0 (zero) thru 9.
				-Characters 3 thru 4 must be 0 thru 9.
				-Character 5 must be a decimal point.
				-Characters 6 and 7 must be 0 (zero) thru 9 or space.
				-If character 6 is a space, then character 7 must be a space.
				Consistency Required: 1. This is an optional field and may be left blank.
				2. If M0246_PMT_DIAG_ICD_C4 is not blank, M0240_OTH_DIAG2_ICD should be a V-code (byte 2 of M0240_OTH_DIAG2_ICD should be "V").
				*3. If M0246_PMT_DIAG_ICD_C3 is blank then M0246_PMT_DIAG_C4 must be blank.
				*4. If M0240_OTH_DIAG2_ICD is blank, then M0246_PMT_DIAG_ICD_C4 must be blank.
				Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_D4	7	844	850	Active on RFA: 01,03,04,05
Case Mix Diagnosis: Third Secondary, Column 4				Blank on RFA: 06,07,08,09
				Picture: X999.XX Type: CODE
				*Range if Active: Valid code, sp(7)
				Format Info: A nonblank value must conform as follows:
				-Character 1 must be a space.
				-Character 2 must be a 0 (zero) thru 9.
				-Characters 3 thru 4 must be 0 thru 9.
				-Character 5 must be a decimal point.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				-Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. Consistency Required: 1. This is an optional field and may be left blank. 2. If M0246_PMT_DIAG_ICD_D4 is not blank, M0240_OTH_DIAG3_ICD should be a V-code (byte 2 of M0240_OTH_DIAG3_ICD should be "V"). *3. If M0246_PMT_DIAG_ICD_D3 is blank then M0246_PMT_DIAG_D4 must be blank. *4. If M0240_OTH_DIAG3_ICD is blank, then M0246_PMT_DIAG_ICD_D4 must be blank. Version Notes: -Added new field.
M0246_PMT_DIAG_ICD_E4	7	851	857	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: X999.XX Type: CODE *Range if Active: Valid code, sp(7) Format Info: A nonblank value must conform as follows: -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. Consistency Required: 1. This is an optional field and may be left blank. 2. If M0246_PMT_DIAG_ICD_E4 is not blank, M0240_OTH_DIAG4_ICD should be a V-code (byte 2 of M0240_OTH_DIAG4_ICD should be "V"). *3. If M0246_PMT_DIAG_ICD_E3 is blank then M0246_PMT_DIAG_E4 must be blank. *4. If M0240_OTH_DIAG4_ICD is blank, then M0246_PMT_DIAG_ICD_E4 must be blank. Version Notes: -Added new field.
Case Mix Diagnosis: Fourth Secondary, Column 4				
M0246_PMT_DIAG_ICD_F4	7	858	864	Active on RFA: 01,03,04,05

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Case Mix Diagnosis: Fifth Secondary, Column 4				<p>Blank on RFA: 06,07,08,09</p> <p>Picture: X999.XX Type: CODE</p> <p>*Range if Active: Valid code, sp(7)</p> <p>Format Info: A nonblank value must conform as follows:</p> <ul style="list-style-type: none"> -Character 1 must be a space. -Character 2 must be a 0 (zero) thru 9. -Characters 3 thru 4 must be 0 thru 9. -Character 5 must be a decimal point. -Characters 6 and 7 must be 0 (zero) thru 9 or space. -If character 6 is a space, then character 7 must be a space. <p>Consistency Required: 1. This is an optional field and may be left blank.</p> <p>2. If M0246_PMT_DIAG_ICD_F4 is not blank, M0240_OTH_DIAG5_ICD should be a V-code (byte 2 of M0240_OTH_DIAG5_ICD should be "V").</p> <p>*3. If M0246_PMT_DIAG_ICD_F3 is blank then M0246_PMT_DIAG_F4 must be blank.</p> <p>*4. If M0240_OTH_DIAG5_ICD is blank, then M0246_PMT_DIAG_ICD_F4 must be blank.</p> <p>Version Notes: -Added new field. -[R1] Made field inactive on RFA 06.</p>
M0826_THER_NEED_NUM	3	865	867	<p>Active on RFA: 01,03,04,05</p> <p>Blank on RFA: 06,07,08,09</p> <p>Picture: 999 Type: COUNT</p> <p>*Range if Active: sp(3), 000 through 999</p> <p>Format Info: Field must be blank or contain a number which is right-justified and zero-filled.</p> <p>Consistency Required: *1. If M0826_THER_NEED_NA=1, then M0826_THER_NEED_NUM must be blank.</p> <p>*2. If M0826_THER_NEED_NA=0, then M0826_THER_NEED_NUM must not be blank (it must contain a value of 000 through 999).</p> <p>*3. If HIPPS_CODE is not blank, M0826_THER_NEED_NUM must not be blank (it must contain a value of 000 through 999).</p> <p>Version Notes: -Added new field.</p>
Therapy Need: Number of Visits				
M0826_THER_NEED_NA	1	868	868	<p>Active on RFA: 01,03,04,05</p>

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Therapy Need: Not Applicable				Blank on RFA: 06,07,08,09 Picture: 9 Type: CODE *Range if Active: 0, 1 Format Info: 0=No/Unchecked, 1=Yes/Checked Consistency Required: *1. If M0826_THER_NEED_NA=1, then M0826_THER_NEED_NUM must be blank. *2. If M0826_THER_NEED_NA=0, then M0826_THER_NEED_NUM cannot be blank (it must contain a value of 000 through 999). Version Notes: -Added new field.
ITEM_FILLER4	212	869	1080	Active on RFA: Blank on RFA: 01,03,04,05,06,07,08,09 Picture: X(212) Type: FILLER *Range if Active: sp(212) Format Info: Leave blank at present. Consistency Required: Reserved for future use. Version Notes: -Reduced length from 302 to 212 to accommodate new fields.
HIPPS_CODE	5	1081	1085	Active on RFA: 01,03,04,05 Blank on RFA: 06,07,08,09 Picture: X(5) Type: CODE *Range if Active: Valid code, sp(5) Format Info: If not blank, must be upper case alphanumeric. Consistency Required: *1. If M0100_ASSMT_REASON=01, 03, 04, or 05 and (M0110_EPISODE_TIMING=NA, or M0826_THERAPY_NEED is blank), then HIPPS_CODE must be blank. *2. If HIPPS_CODE is not blank, then HIPPS_VERSION must not be blank and must match the appropriate HIPPS version code. 3. If M0100_ASSMT_REASON=01, 03, 04, or 05 and M0110_EPISODE_TIMING=01, 02, or UK and M0826_THERAPY_NEED is not blank and HIPPS_CODE is not blank, then the state system will recalculate the HIPPS_CODE and HIPPS_VERSION and compare the recalculated values with the submitted fields. If the submitted fields do not match the recalculated values, a warning will be issued.

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
Version Notes: -Revised consistency checks to accommodate new fields (M0110_EPISODE_TIMING and M0826_THERAPY_NEED).				
ITEM_FILLER5	5	1086	1090	Active on RFA:
Item Filler				Blank on RFA: 01,03,04,05,06,07,08,09
				Picture: X(5) Type: FILLER
				*Range if Active: sp(5)
				Format Info: Always blank.
				Consistency Required: Reserved for future use.
				Version Notes:
HIPPS_VERSION	5	1091	1095	Active on RFA: 01,03,04,05
HIPPS Version				Blank on RFA: 06,07,08,09
				Picture: 99.99 Type: CODE
				*Range if Active: Appropriate HIPPS version code
				Format Info: Blank or valid code.
				Consistency Required: *1. If HIPPS_CODE is not blank, HIPPS_VERSION must not be blank and must match the appropriate HIPPS version code.
				*2. If HIPPS_CODE is blank, HIPPS_VERSION must be blank.
				Version Notes:
STATE_DATA	300	1096	1395	Active on RFA: 01,03,04,05,06,07,08,09
State Defined Data				Blank on RFA:
				Picture: X(300) Type: TEXT
				*Range if Active: sp(300), State defined
				Format Info: For future use--as required by State. Leave blank if not specified by State.
				Consistency Required:
				Version Notes:
AGENCY_USE	50	1396	1445	Active on RFA: 01,03,04,05,06,07,08,09
Agency Use Data				Blank on RFA:
				Picture: X(50), sp(50) Type: TEXT

Uniform Data Submission Specifications for the OASIS-B1 (01/2008 Update)
Body Record Layout For Submission From the HHA To The State (Version 1.60)

Item Identifier/Description	Len	Start	End	Specification (* Indicates FATAL Error)
				*Range if Active: Format Info: For agency use. Agency may put any alphanumeric text desired in this field. May be left blank. Consistency Required: Version Notes:
DATA_END	1	1446	1446	Active on RFA: 01,03,04,05,06,07,08,09
End of Data Terminator Code				Blank on RFA: Picture: X Type: *Range if Active: % Format Info: Must always = % Consistency Required: *1. Used to indicate end of data. Version Notes:
CRG_RTN	1	1447	1447	Active on RFA: 01,03,04,05,06,07,08,09
Carriage Return (ASCII 013)				Blank on RFA: Picture: X Type: *Range if Active: ASCII 013 Format Info: Must always be a carriage return (ASCII 013) Consistency Required: Version Notes:
LN_FD	1	1448	1448	Active on RFA: 01,03,04,05,06,07,08,09
Line Feed (ASCII 010)				Blank on RFA: Picture: X Type: *Range if Active: ASCII 010 Format Info: Must always be a line feed (ASCII 010) Consistency Required: Version Notes: