



2014 eCQM Flow  
Measure Identifier: CMS149v3  
Dementia: Cognitive Assessment



\*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.  
 ‡ Appropriate encounters include: Psych Visit – Diagnostic Evaluation, Behavioral/Neuropsych Assessment, Occupational Therapy Evaluation, Office Visit, Outpatient Consultation, Nursing Facility Visit, Care Services in Long-Term Residential Facility, Home Healthcare Services, Psych Visit – Psychotherapy, Face-to-Face Interaction  
 ‡‡ Appropriate encounters include: Psych Visit – Diagnostic Evaluation, Nursing Facility Visit, Care Services in Long-Term Residential Facility, Home HealthCare Services, Patient Provider Interaction, Psych Visit – Psychotherapy, Behavioral/Neuropsych Assessment, Occupational Therapy Evaluation, Office Visit, Outpatient Consultation

2014 eCQM Flow  
Measure Identifier: CMS149v3  
Dementia: Cognitive Assessment



\*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.  
‡ Appropriate encounters include: Psych Visit – Diagnostic Evaluation, Behavioral/Neuropsych Assessment, Occupational Therapy Evaluation, Office Visit, Outpatient Consultation, Nursing Facility Visit, Care Services in Long-Term Residential Facility, Home Healthcare Services, Psych Visit – Psychotherapy, Face-to-Face Interaction.

**SAMPLE CALCULATION:**

**Performance Rate =**  

$$\frac{\text{Numerator (a¹ + a² = 6 patients)}}{\text{Denominator (b=10 patients) – Denominator Exclusions (N/A) – Denominator Exceptions (c¹ + c² + c³ + c⁴ = 3 patients)}} = 85.71\%$$

Version 3.0

Page 2 of 2

08/06/14

2014 eCQM Flows  
Measure Identifier: CMS149v3  
Dementia: Cognitive Assessment

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Diagnosis Active:
  - a. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals No, proceed to check next Diagnosis Active.
  - b. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals Yes, proceed to check Encounter Performed.
  - c. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, during measurement period equals No, proceed to check next Diagnosis Active.
  - d. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, during measurement period equals Yes, proceed to check Encounter Performed.
  - e. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, during measurement period equals No, proceed to check next Diagnosis Active.
  - f. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, during measurement period equals Yes, proceed to check Encounter Performed.
  - g. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals No, proceed to check next Diagnosis Active.
  - h. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals Yes, proceed to check Encounter Performed.
  - i. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of

- Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals No, proceed to check next Diagnosis Active.
- j. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals Yes, proceed to check Encounter Performed.
  - k. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, during measurement period equals No, proceed to check next Diagnosis Active.
  - l. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, during measurement period equals Yes, proceed to check Encounter Performed.
  - m. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals No, proceed to check next Diagnosis Active.
  - n. If the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals Yes, proceed to check Encounter Performed.
  - o. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, during measurement period equals No, proceed to check next Diagnosis Active.
  - p. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, during measurement period equals Yes, proceed to check Encounter Performed.
  - q. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during measurement period equals No, proceed to check next Diagnosis Active.
  - r. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during measurement period equals Yes, proceed to check Encounter Performed.
  - s. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of

- Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals Yes, proceed to check Encounter Performed.
- t. If Occurrence A of the QDM data element, DEMENTIA AND MENTAL DEGENERATIONS, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals No, do not include in Initial Patient Population. Stop Processing.
3. Check Encounter Performed: Total number of encounters must be greater than or equal to 2:
    - a. If the QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals No, proceed to check next Encounter.
    - b. If the QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - c. If the QDM data element, NURSING FACILITY VISIT, during measurement period equals No, proceed to check next Encounter.
    - d. If the QDM data element, NURSING FACILITY VISIT, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - e. If the QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals No, proceed to check next Encounter.
    - f. If the QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - g. If the QDM data element, HOME HEALTHCARE SERVICES, during measurement period equals No, proceed to check next Encounter.
    - h. If the QDM data element, HOME HEALTHCARE SERVICES, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - i. If the QDM data element, PATIENT PROVIDER INTERACTION, during measurement period equals No, proceed to check next Encounter.
    - j. If the QDM data element, PATIENT PROVIDER INTERACTION, during measurement period equals Yes, proceed to check include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - k. If the QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during measurement period equals No, proceed to check next Encounter.
    - l. If the QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
    - m. If the QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, during measurement period equals No, proceed to check next Encounter.

- n. If the QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
  - o. If the QDM data element, OCCUPATIONAL THERAPY EVALUATION, during measurement period equals No, proceed to check next Encounter.
  - p. If the QDM data element, OCCUPATIONAL THERAPY EVALUATION, during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
  - q. If the QDM data element, OFFICE VISIT, during measurement period equals No, proceed to check next Encounter.
  - r. If the QDM data element, OFFICE VISIT during measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
  - s. If the QDM data element, OUTPATIENT CONSULTATION, during measurement period equals No, do not include in Initial Patient Population. Stop Processing.
  - t. If the QDM data element, OUTPATIENT CONSULTATION, during measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator if total number of encounters are greater than or equal to 2.
4. Start Denominator
- a. Denominator equals the Initial Patient Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
5. Start Numerator
6. Check Risk Category Assessment:
- a. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, equals No, proceed to check next Risk Category Assessment.
  - b. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - c. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result) less than or equal to 12 months, starts before or during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, equals No, proceed to check next Risk Category Assessment.
  - d. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, equals Yes, include in

- Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
- e. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, equals No, proceed to check next Risk Category Assessment.
  - f. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - g. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals No, proceed to check next Risk Category Assessment.
  - h. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - i. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Risk Category Assessment.
  - j. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - k. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT equals No, proceed to check next Risk Category Assessment.
  - l. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - m. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Risk Category Assessment.
  - n. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during

- Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
- o. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, equals No, proceed to check next Risk Category Assessment.
  - p. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - q. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, equals No, proceed to check next Risk Category Assessment.
  - r. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
  - s. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, equals No, proceed to check Intervention Performed.
  - t. If the QDM data element, STANDARDIZED TOOLS FOR ASSESSMENT OF COGNITION (result), less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>1</sup> equals 2 patients. Stop Processing.
7. Check Intervention Performed:
- a. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, equals No, proceed to check next Intervention Performed.
  - b. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
  - c. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, equals No, proceed to check next Intervention Performed.



- d. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- e. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, equals No, proceed to check next Intervention Performed.
- f. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- g. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals No, proceed to check next Intervention Performed.
- h. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- i. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals No, proceed to check next Intervention Performed.
- j. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- k. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals No, proceed to check next Intervention Performed.
- l. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- m. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals No, proceed to check next Intervention Performed.
- n. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY, equals Yes, include in Numerator Count, which is represented by letter A in the sample

calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.

- o. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, equals No, proceed to check next Intervention Performed.
- p. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- q. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, equals No, proceed to check next Intervention Performed.
- r. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.
- s. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, equals No, proceed to check Denominator Exceptions.
- t. If the QDM data element, COGNITIVE ASSESSMENT, less than or equal to 12 months starts before or during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count, which is represented by letter A in the sample calculation listed at the end of this document. Letter A<sup>2</sup> equals 4 patients. Stop Processing.

8. Check Denominator Exceptions

9. Check Diagnosis Active:

- a. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, proceed to check next Diagnosis Active.
- b. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
- c. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element BEHAVIOR/NEUROPSYCH ASSESSMENT equals No, proceed to check next Diagnosis Active.
- d. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element BEHAVIOR/NEUROPSYCH ASSESSMENT equals Yes,

include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.

- e. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals No, proceed to check next Diagnosis Active.
- f. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
- g. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals No, proceed to check next Diagnosis Active.
- h. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
- i. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals No, proceed to check next Diagnosis Active.
- j. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
- k. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals No, proceed to check next Diagnosis Active.
- l. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
- m. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals No, proceed to check next Diagnosis Active.

- n. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
  - o. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element HOME HEALTHCARE SERVICES equals No, proceed to check next Diagnosis Active.
  - p. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element HOME HEALTHCARE SERVICES equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
  - q. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT - PSYCHOTHERAPY equals No, proceed to check next Diagnosis Active.
  - r. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – PSYCHOTHERAPY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
  - s. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals No, proceed to check Risk Category Assessment Not Done.
  - t. If Occurrence A of the QDM data element, SEVERE DEMENTIA, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>1</sup> equals 1 patient. Stop Processing.
10. Check Risk Category Assessment Not Done:
- a. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, proceed to check next Risk Category Assessment Not Done.
  - b. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in Denominator Exception

Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.

- c. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT equals No, proceed to check next Risk Category Assessment Not Done.
- d. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, BEHAVIORAL/NEUROPSYCH ASSESSMENT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- e. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION equals No, proceed to check next Risk Category Assessment Not Done.
- f. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OCCUPATIONAL THERAPY EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- g. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals No, proceed to check next Risk Category Assessment Not Done.
- h. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- i. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION equals No, proceed to check next Risk Category Assessment Not Done.
- j. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.

- k. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT equals No, proceed to check next Risk Category Assessment Not Done.
- l. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, NURSING FACILITY VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- m. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals No, proceed to check next Risk Category Assessment Not Done.
- n. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- o. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES equals No, proceed to check next Risk Category Assessment Not Done.
- p. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, HOME HEALTHCARE SERVICES equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- q. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY equals No, proceed to check next Risk Category Assessment Not Done.
- r. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
- s. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts

- during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals No, proceed to check Intervention Performed.
- t. If the QDM data element, MEDICAL REASON, or the QDM data element, PATIENT REASON, for Standardized Tools for Assessment of Cognition starts during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>2</sup> equals 2 patients. Stop Processing.
11. Check Intervention Performed:
- a. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, proceed to check next Intervention Performed.
  - b. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
  - c. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element BEHAVIOR/NEUROPSYCH ASSESSMENT equals No, proceed to check next Intervention Performed.
  - d. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element BEHAVIOR/NEUROPSYCH ASSESSMENT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
  - e. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals No, proceed to check next Intervention Performed.
  - f. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
  - g. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals No, proceed to check next Intervention Performed.
  - h. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals Yes, include in Denominator Exception

Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.

- i. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals No, proceed to check next Intervention Performed.
- j. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
- k. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals No, proceed to check next Intervention Performed.
- l. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
- m. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals No, proceed to check next Intervention Performed.
- n. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
- o. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element HOME HEALTHCARE SERVICES equals No, proceed to check next Intervention Performed.
- p. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element HOME HEALTHCARE SERVICES equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
- q. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT - PSYCHOTHERAPY equals No, proceed to check next Intervention Performed.



- r. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – PSYCHOTHERAPY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patient. Stop Processing.
  - s. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals No, proceed to check Intervention Performed Not Done.
  - t. If Occurrence A of the QDM data element, PALLIATIVE CARE, starts before or during but does not end before start of Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>3</sup> equals 0 patients. Stop Processing.
12. Check Intervention Performed Not Done:
- a. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, check next Intervention Performed Not Done.
  - b. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
  - c. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element BEHAVIORAL/NEUROPSYCH ASSESSMENT equals No, check next Intervention Performed Not Done.
  - d. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element BEHAVIORAL/NEUROPSYCH ASSESSMENT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
  - e. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals No, check next Intervention Performed Not Done.
  - f. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OCCUPATIONAL THERAPY EVALUATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.

- g. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals No, check next Intervention Performed Not Done.
- h. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OFFICE VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
- i. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals No, check next Intervention Performed Not Done.
- j. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element OUTPATIENT CONSULTATION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
- k. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals No, check next Intervention Performed Not Done.
- l. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element NURSING FACILITY VISIT equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
- m. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals No, check next Intervention Performed Not Done.
- n. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element CARE SERVICES IN LONG-TERM RESIDENTIAL FACILITY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
- o. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element HOME HEALTHCARE SERVICES equals No, check next Intervention Performed Not Done.
- p. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter

Performed, QDM data element HOME HEALTHCARE SERVICES equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.

- q. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element PSYCH VISIT - PSYCHOTHERAPY equals No, check next Intervention Performed Not Done.
- r. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element PSYCH VISIT - PSYCHOTHERAPY equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.
- s. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals No, include in the No/Missing Data Submitted Count. Stop Processing.
- t. If the QDM data element, MEDICAL REASON, or QDM data element PATIENT REASON, for Cognition Assessment starts during Occurrence A of Encounter Performed, QDM data element FACE-TO-FACE INTERACTION equals Yes, include in Denominator Exception Count, which is represented by letter C in the sample calculation listed at the end of this document. Letter C<sup>4</sup> equals 0 patients. Stop Processing.

#### SAMPLE CALCULATION:

##### Performance Rate

Numerator ( $a^1 + a^2 = 6$  patients)

÷

Denominator (b=10 patients) – *Denominator Exceptions (N/A)* – Denominator Exceptions ( $c^1 + c^2 + c^3 + c^4 = 3$  patients)

= **85.71%**