



2014 eCQM Flow
eCQM Measure Identifier: CMS141v4
NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients




*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

2014 eCQM Flow
eCQM Measure Identifier: CMS141v4
NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients




2014 eCQM Flow
eCQM Measure Identifier: CMS141v4

NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients




*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

2014 eCQM Flow
eCQM Measure Identifier: CMS141v4
NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients



*Please refer to the specific sections of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

2014 eCQM Flow
eCQM Measure Identifier: CMS141v4
NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

2014 eCQM Flow
eCQM Measure Identifier: CMS141v4
NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a}^1 + \text{a}^2 + \text{a}^3 = 5 \text{ patients)}}{\text{Denominator (b=15 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (c}^1 + \text{c}^2 + \text{c}^3 = 6 \text{ patients)}} = 55.56\%$$

2014 eCQM Flows

Measure Identifier: CMS141v4

NQF 0385: Colon Cancer: Chemotherapy for AJCC Stage III Colon Cancer Patients

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Patient Characteristic Birthdate:
 - a. If QDM data element, BIRTH DATE, is greater than or equal to 18 years and less than 80 years starts before start of measurement period equals No, do not include in Initial Patient Population. Stop Processing.
 - b. If QDM data element, BIRTH DATE, is greater than or equal to 18 years and less than 80 years starts before start of measurement period equals Yes, go to check Encounters Performed.
3. Check Encounter Performed:
 - a. If greater than or equal to 2 counts of QDM data element, OFFICE VISIT, or PATIENT PROVIDER INTERACTION, during measurement period equals Yes, go to check Diagnosis Active.
 - b. If greater than or equal to 2 counts of QDM data element, OFFICE VISIT, or PATIENT PROVIDER INTERACTION, during measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
4. Check Diagnosis Active:
 - a. If First Occurrence A of QDM data element, COLON CANCER, AND Occurrence A of QDM data element COLON CANCER starts during measurement period equals Yes, go to check Diagnosis Active.
 - b. If First Occurrence A of QDM data element, COLON CANCER, AND Occurrence A of QDM data element COLON CANCER starts during measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
5. Check Diagnosis Active:
 - a. If Occurrence A of QDM data element, COLON CANCER, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, during measurement period equals Yes, go to Denominator.
 - b. If Occurrence A of QDM data element, COLON CANCER, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, during measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
6. Start Denominator
 - a. Denominator equals the Initial Patient Population. Go to check Procedure Result.
7. Check Procedure Result:
 - a. If Without Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE, starts before start of Occurrence A of Diagnosis Active QDM data element, COLON CANCER, equals Yes, go to check Procedure Result.

- b. If Without Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE, starts before start of Occurrence A of Diagnosis Active QDM data element, COLON CANCER, equals No, do not include in the Denominator Eligible Population. Stop Processing.
8. Check Procedure Result:
 - a. If Occurrence A of QDM data element CLINICAL STAGING PROCEDURE (result: Colon Distant Metastasis Status M0) starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, go to check Procedure Result.
 - b. If Occurrence A of QDM data element CLINICAL STAGING PROCEDURE (result: Colon Distant Metastasis Status M0) starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, do not include in the Denominator Eligible Population. Stop Processing.
9. Check Procedure Result:
 - a. If Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Primary Tumor Size T1 or T2 or T3 or T4a or T4b) and Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Regional Lymph Node Status N1 or N1a or N1b or N1c or N2a or N2b) equals Yes, include in Denominator Eligible Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 15 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Primary Tumor Size T1 or T2 or T3 or T4a or T4b) and Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Regional Lymph Node Status N1 or N1a or N1b or N1c or N2a or N2b) equals No, go to check Procedure Result.
10. Check Procedure Result:
 - a. If Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Primary Tumor Size T4b) and Occurrence A of QDM Data Element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Regional Lymph Node Status N2), equals Yes, include in Denominator Eligible Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 15 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Primary Tumor Size T4b) and Occurrence A of QDM Data Element, CLINICAL STAGING PROCEDURE (result: Colon Cancer Regional Lymph Node Status N2), equals No, do not include in the Denominator Eligible Population. Stop Processing.
11. Start Numerator
12. Check Medication Administered:
 - a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER – CAPECITABINE, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A¹ in the sample calculation

listed at the end of this document. Letter A¹ equals 2 patients in the sample calculation.

- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER – CAPECITABINE, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Order.

13. Check Medication Order:

- a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER – CAPECITABINE, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A¹ in the sample calculation listed at the end of this document. Letter A¹ equals 2 patients in the sample calculation.
- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER – CAPECITABINE, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Administered

14. Check Medication Administered:

- a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A¹ in the sample calculation listed at the end of this document. Letter A¹ equals 2 patients in the sample calculation.
- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Order.

15. Check Medication Order:

- a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count.

Numerator is represented by letter A² in the sample calculation listed at the end of this document. Letter A² equals 2 patients in the sample calculation.

- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Order.
16. Check Medication Order:
 - a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A² in the sample calculation listed at the end of this document. Letter A² equals 2 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER- CAPECITABINE, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER- OXALIPLATIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Administered.
17. Check Medication Administered:
 - a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A² in the sample calculation listed at the end of this document. Letter A² equals 2 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER- CAPECITABINE, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER- OXALIPLATIN starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Administered.
18. Check Medication Administered:
 - a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN, starts after start of Occurrence A of

Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A³ in the sample calculation listed at the end of this document. Letter A³ equals 1 patient in the sample calculation.

- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Order.

19. Check Medication Order:

- a. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Numerator Count. Numerator is represented by letter A³ in the sample calculation listed at the end of this document. Letter A³ equals 1 patient in the sample calculation.
- b. If Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-FLUOROURACIL, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-LEUCOVORIN AND LEVO-LEUCOVORIN, and Occurrence A of QDM data element, CHEMOTHERAPY FOR COLON CANCER-OXALIPLATIN, starts after start of Occurrence A of Procedure Result QDM data element, CLINICAL STAGING PROCEDURE, and starts before or during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to Denominator Exceptions.

20. Start Denominator Exceptions

21. Check Diagnosis Active:

- a. If Occurrence A of QDM data element, COLON CANCER, less than or equal to 120 days starts before or during measurement end date equals Yes, include in Denominator Exception count. Denominator Exception is represented by letter C1 in the sample calculation listed at the end of this document. Letter C1 equals 2 patients in the sample calculation.
- b. If Occurrence A of QDM data element, COLON CANCER, less than or equal to 120 days starts before or during measurement end date equals No, go to check Diagnosis Active.

22. Check Diagnosis Active:
- a. If Occurrence A of QDM data element, METASTATIC SITES COMMON TO COLON CANCER, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes include in Denominator Exception count. Denominator Exception is represented by letter C1 in the sample calculation listed at the end of this document. Letter C1 equals 2 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, METASTATIC SITES COMMON TO COLON CANCER, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Diagnosis Active.
23. Check Diagnosis Active:
- a. If Occurrence A of QDM data element, ALLERGY TO ANTINEOPLASTIC THERAPY, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes include in Denominator Exception count. Denominator Exception is represented by letter C1 in the sample calculation listed at the end of this document. Letter C1 equals 2 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, ALLERGY TO ANTINEOPLASTIC THERAPY, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Diagnosis Active.
24. Check for Diagnosis Active:
- a. If Occurrence A of QDM data element, INTOLERANCE TO ANTINEOPLASTIC THERAPY, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes include in Denominator Exception count. Denominator Exception is represented by letter C2 in the sample calculation listed at the end of this document. Letter C2 equals 0 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, INTOLERANCE TO ANTINEOPLASTIC THERAPY, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Patient Characteristic.
25. Check Patient Characteristic:
- a. If Occurrence A of QDM data element, ECOG PERFORMANCE STATUS-POOR, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes include in Denominator Exception count. Denominator Exception is represented by letter C2 in the sample calculation listed at the end of this document. Letter C2 equals 0 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, ECOG PERFORMANCE STATUS-POOR, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Patient Characteristic Clinical Trial Participant.

26. Check Patient Characteristic Clinical Trial Participant:
- a. If Occurrence A of QDM data element, CLINICAL TRIAL PARTICIPANT, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes include in Denominator Exception count. Denominator Exception is represented by letter C2 in the sample calculation listed at the end of this document. Letter C2 equals 0 patients in the sample calculation.
 - b. If Occurrence A of QDM data element, CLINICAL TRIAL PARTICIPANT, starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, go to check Medication Allergy.
27. Check Medication Allergy:
- a. If Occurrence A of Medication Allergy QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE INGREDIENT, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – FLUOROURACIL INGREDIENT, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – LEUCOVORIN AND LEVO-LEUCOVORIN INGREDIENT QDM data element, CHEMOTHERAPY FOR COLON CANCER – OXALIPLATIN INGREDIENT starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, go to check Medication Intolerance.
 - b. If Occurrence A of Medication Allergy QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE INGREDIENT, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – FLUOROURACIL INGREDIENT, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – LEUCOVORIN AND LEVO-LEUCOVORIN INGREDIENT QDM data element, CHEMOTHERAPY FOR COLON CANCER – OXALIPLATIN INGREDIENT starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, include in the No/Missing Data Submitted Count. Stop processing.
28. Check Medication Intolerance:
- a. If Occurrence A of Medication Intolerance QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – FLUOROURACIL, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – LEUCOVORIN AND LEVO-LEUCOVORIN QDM data element, CHEMOTHERAPY FOR COLON CANCER – OXALIPLATIN starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, go to check Medication Administered Not Done.
 - b. If Occurrence A of Medication Intolerance QDM data element, CHEMOTHERAPY FOR COLON CANCER-CAPECITABINE, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – FLUOROURACIL, or QDM data element, CHEMOTHERAPY FOR COLON CANCER – LEUCOVORIN AND LEVO-LEUCOVORIN QDM data element, CHEMOTHERAPY FOR COLON CANCER – OXALIPLATIN starts before or during but does not end before start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or

FACE-TO-FACE INTERACTION, equals No, include in the No/Missing Data Submitted Count. Stop processing.

29. Check Medication Administered Not Done:
- a. If Medication Administered not done QDM data element, MEDICAL REASON, or PATIENT REASON, or SYSTEM REASON, for Chemotherapy for Colon Cancer- Capectibine or Fluorouracil or leucovorin and levo-leucovorin or Oxaliplatin, starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, go to Medication Order Not Done.
 - b. If Medication Administered not done QDM data element, MEDICAL REASON, or PATIENT REASON, or SYSTEM REASON, for Chemotherapy for Colon Cancer- Capectibine or Fluorouracil or leucovorin and levo-leucovorin or Oxaliplatin, starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, include in the No/Missing Data Submitted Count. Stop processing.
30. Check Medication Order Not Done:
- a. If Medication Order not done QDM data element, MEDICAL REASON, or PATIENT REASON, or SYSTEM REASON, for Chemotherapy for Colon Cancer- CAPECITABINE INGREDIENT, or FLUOROURACIL INGREDIENT OR LEUCOVORIN AND LEVO-LEUCOVORIN INGREDIENT or OXALIPLATIN INGREDIENT starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals Yes, include in Denominator Exception count. Denominator Exception is represented by letter C3 in the sample calculation listed at the end of this document. Letter C3 equals 4 patients in the sample calculation.
 - b. If Medication Order not done QDM data element, MEDICAL REASON, or PATIENT REASON, or SYSTEM REASON, for Chemotherapy for Colon Cancer- CAPECITABINE INGREDIENT, or FLUOROURACIL INGREDIENT OR LEUCOVORIN AND LEVO-LEUCOVORIN INGREDIENT or OXALIPLATIN INGREDIENT starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, or FACE-TO-FACE INTERACTION, equals No, include in the No/Missing Data Submitted Count. Stop processing.

SAMPLE CALCULATION:

Performance Rate =

Numerator ($a^1 + a^2 + a^3 = 5$ patients)

÷

Denominator ($b = 15$ patients) – *Denominator Exclusions (N/A)* – Denominator Exceptions ($c^1 + c^2 + c^3 = 6$ patients)
= 55.56%