


2014 eCQM Flow
Measure Identifier: CMS161v3
NQF 0104: Adult Major Depressive Disorder (MDD): Suicide Risk Assessment



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.
‡ The appropriate encounters include: Psych Visit - Diagnostic Evaluation, Psych Visit - Psychotherapy, Emergency Department Visit, Office Visit, Outpatient Consultation, Psychoanalysis, and Face-to-Face Interaction. .

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a = 7 patients)}}{\text{Denominator (b = 10 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (N/A)}} = 70.00\%$$

2014 eCQM Flows

Measure Identifier: CMS161v3

NQF 0104: Major Depressive Disorder (MDD): Suicide Risk Assessment

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Patient Characteristic Birthdate:
 - a. If the QDM data element, BIRTH DATE, is greater than or equal to 17 years of age starts before the start of the measurement period equals No, do not include in Initial Patient Population. Stop Processing.
 - b. If the QDM data element, BIRTH DATE, is greater than or equal to 17 years of age starts before the start of the measurement period, equals Yes continue processing and proceed to check Diagnosis Active.
3. Check Diagnosis Active:
 - a. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
 - b. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element PSYCH VISIT – DIAGNOSTIC EVALUATION, during the measurement period equals No, proceed to check next Diagnosis Active.
 - c. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
 - d. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element PSYCH VISIT - PSYCHOTHERAPY, during the measurement period equals No, proceed to check next Diagnosis Active.
 - e. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, EMERGENCY DEPARTMENT VISIT, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.

- f. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element EMERGENCY DEPARTMENT VISIT, during the measurement period equals No, proceed to check next Diagnosis Active.
- g. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
- h. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element OFFICE VISIT, during the measurement period equals No, proceed to check next Diagnosis Active.
- i. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
- j. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element OUTPATIENT CONSULTATION, during the measurement period equals No, proceed to check next Diagnosis Active.
- k. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
- l. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element PSYCHOANALYSIS, during the measurement period equals No, proceed to check next Diagnosis Active.
- m. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to Denominator.
- n. If the QDM data element, MAJOR DEPRESSIVE DISORDER ACTIVE, starts during Occurrence A of Encounter Performed QDM data element FACE-TO-FACE INTERACTION, during the measurement period equals No, do not include in Initial Patient Population. Stop Processing.

4. Start Denominator
 - a. Denominator equals the Initial Patient Population. Denominator is represented by the letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
5. Start Numerator
6. Check Intervention Performed:
 - a. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
 - b. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, proceed to check next Intervention Performed.
 - c. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
 - d. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY equals No, proceed to check next Intervention Performed.
 - e. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, EMERGENCY DEPARTMENT VISIT equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
 - f. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, EMERGENCY DEPARTMENT VISIT equals No, proceed to check next Intervention Performed.
 - g. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.

- h. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals No, proceed to check next Intervention Performed.
- i. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
- j. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION equals No, proceed to check next Intervention Performed.
- k. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS, equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
- l. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS equals No, proceed to check next Intervention Performed.
- m. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 7 patients in the sample calculation.
- n. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals No, include in No/Missing Numerator Data Submitted. Stop Processing.

SAMPLE CALCULATION:

Performance Rate =

Numerator (a=7 patients)

÷

Denominator (b=10 patients) – *Denominator Exclusions (N/A)* – *Denominator Exceptions (N/A)*

= 70.00%