


2014 eCQM Flow
Measure Identifier: CMS177v3
NQF 1365: Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.
‡ Appropriate encounters include: Office Visit, Outpatient Consultation, Patient Provider Interaction, Psych Visit – Diagnostic Evaluation, Psych Visit – Family Psychotherapy, Psychoanalysis, Group Psychotherapy, and Psych Visit – Psychotherapy.
‡‡ Appropriate encounters include: Psych Visit – Diagnostic Evaluation, Psych Visit – Family Psychotherapy, Face-to-Face Interaction, Group Psychotherapy, Outpatient Consultation, Office Visit, Psychoanalysis, and Psych Visit – Psychotherapy.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a=5 patients)}}{\text{Denominator (b=10 patients) – Denominator Exclusions (N/A) – Denominator Exceptions (N/A)}} = 50.00\%$$

2014 eCQM Flows
Measure Identifier: CMS177v3

NQF 1365: Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Patient Characteristic Birthdate:
 - a. If QDM data element, BIRTH DATE, is greater than or equal to 6 years of age AND less than 17 years of age starts before the start of the measurement period equals No, do not include in Initial Patient Population. Stop Processing.
 - b. If QDM data element, BIRTH DATE, is greater than or equal to 6 years of age AND less than 17 years of age starts before the start of the measurement period, equals Yes, continue processing and proceed to check Encounter Performed.
3. Check Encounter Performed: Total number of encounters must be greater than or equal to 2:
 - a. If QDM data element, OFFICE VISIT, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - b. If QDM data element, OFFICE VISIT, during the measurement period equals No, proceed to check next Encounter Performed.
 - c. If QDM data element, OUTPATIENT CONSULTATION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - d. If QDM data element, OUTPATIENT CONSULTATION, during the measurement period equals No, proceed to check next Encounter Performed.
 - e. If QDM data element, PATIENT PROVIDER INTERACTION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - f. If QDM data element, PATIENT PROVIDER INTERACTION, during the measurement period equals No, proceed to check next Encounter Performed.
 - g. If QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - h. If QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during the measurement period equals No, proceed to check next Encounter Performed.

- i. If QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - j. If QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY, during the measurement period equals No, proceed to check next Encounter Performed.
 - k. If QDM data element, PSYCHOANALYSIS, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - l. If QDM data element, PSYCHOANALYSIS, during the measurement period equals No, proceed to check next Encounter Performed.
 - m. If QDM data element, GROUP PSYCHOTHERAPY, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check for another Encounter Performed until total number of encounters are greater than or equal to 2.
 - n. If QDM data element, GROUP PSYCHOTHERAPY, during the measurement period equals No, do not include in the Initial Patient Population and proceed to check next Encounter Performed.
 - o. If QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during the measurement period equals Yes, include in the Initial Patient Population and proceed to check Diagnosis Active if total number of encounters are greater than or equal to 2.
 - p. If QDM data element, PSYCH VISIT - PSYCHOTHERAPY, during the measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
4. Check Diagnosis Active:
- a. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals Yes include in Initial Patient Population and continue on to the Denominator.
 - b. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION, during measurement period equals No proceed to check next Diagnosis Active.
 - c. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY, during measurement period equals Yes include in Initial Patient Population and continue on to the Denominator.

- d. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY, during measurement period equals No, proceed to check next Diagnosis Active.
- e. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
- f. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION, during measurement period equals No, proceed to check next Diagnosis Active.
- g. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, GROUP PSYCHOTHERAPY, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
- h. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, GROUP PSYCHOTHERAPY, during measurement period equals No, proceed to check next Diagnosis Active.
- i. If Occurrence A of QDM data element, MAJOR DEPRESSIVE - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
- j. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION, during measurement period equals No, proceed to check next Diagnosis Active.
- k. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
- l. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, OFFICE VISIT, during measurement period equals No, proceed to check next Diagnosis Active.

- m. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
 - n. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS, during measurement period equals No, proceed to check next Diagnosis active.
 - o. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE, starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY, during measurement period equals Yes, include in Initial Patient Population and continue on to the Denominator.
 - p. If Occurrence A of QDM data element, MAJOR DEPRESSIVE DISORDER - ACTIVE starts before or during but does not end before the start of Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – PSYCHOTHERAPY, during measurement period equals No, do not include in the Initial Patient Population. Stop Processing.
5. Start Denominator
- a. Denominator equals the Initial Patient Population. Denominator is represented by the letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
6. Start Numerator
7. Check Intervention Performed:
- a. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
 - b. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – DIAGNOSTIC EVALUATION equals No, proceed to check next Intervention Performed.
 - c. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.

- d. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT – FAMILY PSYCHOTHERAPY equals No, proceed to check next Intervention Performed.
- e. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- f. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, FACE-TO-FACE INTERACTION equals No, proceed to check next Intervention Performed.
- g. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, GROUP PSYCHOTHERAPY equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- h. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, GROUP PSYCHOTHERAPY equals No, proceed to check next Intervention Performed.
- i. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- j. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OUTPATIENT CONSULTATION equals No, proceed to check next Intervention Performed.
- k. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- l. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, OFFICE VISIT equals No, proceed to check next Intervention Performed.
- m. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- n. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCHOANALYSIS equals No, proceed to check next Intervention Performed.

- o. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY equals Yes, include in the Numerator count. The Numerator is represented by the letter A in the sample calculation listed at the end of this document. Letter A equals 5 patients in the sample calculation.
- p. If QDM data element SUICIDE RISK ASSESSMENT during Occurrence A of Encounter Performed QDM data element, PSYCH VISIT - PSYCHOTHERAPY equals No, include in the No/Missing Numerator Data Submitted count and stop processing.

SAMPLE CALCULATION:

Performance Rate =

Numerator (a=5 patients)

÷

Denominator (b=10 patients) – *Denominator Exclusions (N/A)* – *Denominator Exceptions (N/A)*

= **50.00%**