

Stage 2

Eligible Hospital and Critical Access Hospital Meaningful Use Menu Set Measures

Measure 3 of 6

Date issued: October, 2012

Imaging Results	
Objective	Imaging results consisting of the image itself and any explanation or other accompanying information are accessible through Certified EHR Technology.
Measure	More than 10 percent of all tests whose result is one or more images ordered by an authorized provider of the eligible hospital or CAH for patients admitted to its inpatient or emergency department (POS 21 or 23) during the EHR reporting period are accessible through Certified EHR Technology .
Exclusion	No exclusion.

Table of Contents

- Definition of Terms
- Attestation Requirements
- Additional Information
- Certification and Standards Criteria

Definition of Terms

Imaging – The description of radiology services from the Stage 2 CPOE objective is the minimum description of imaging. We describe radiologic services as any imaging service that uses electronic product radiation. Electronic product radiation is defined at 21 CFR 1000.3 as: "any ionizing or nonionizing electromagnetic or particulate radiation, or [a]ny sonic, infrasonic, or ultrasonic wave that is emitted from an electronic product as the result of the operation of an electronic circuit in such product." If the provider desires to include other types of imaging services that do not rely on electronic product radiation they may do so as long as the policy is consistent across all patients and for the entire EHR reporting period.

Accessible through – Either incorporation of the image and accompanying information into Certified EHR Technology or an indication in Certified EHR Technology that the image and accompanying information are available for a given patient in another technology and a link to that image and accompanying information.

Incorporation of the Image – The image and accompanying information is stored by the Certified EHR Technology.

A Link to the Image and Accompanying Information – A link to where the image and accompanying information is stored is available in Certified EHR Technology. This link must conform to the certification requirements associated with this objective in the ONC final rule published elsewhere in this issue of the Federal Register.

Attestation Requirements

DENOMINATOR/ NUMERATOR/THRESHOLD

- **DENOMINATOR:** Number of tests whose result is one or more images ordered by an authorized provider on behalf of the eligible hospital or CAH for patients admitted to its inpatient or emergency department (POS 21 and 23) during the EHR reporting period.
- **NUMERATOR:** The number of results in the denominator that are accessible through Certified EHR Technology.
- **THRESHOLD:** The resulting percentage must be more than 10 percent in order to meet this measure.

Additional Information

- There are no limitations on the resolution of the image.
- Storing the images natively in Certified EHR Technology is one way to make them accessible through Certified EHR Technology, but there are many other ways and native storage is not required by the objective and measure.
- Images and imaging results that are scanned into the Certified EHR Technology may be counted in the numerator of this measure.
- In order to meet this objective and measure, the eligible hospital or CAH must use the capabilities and standards of CEHRT at 45 CFR 170.314(a)(12).

Certification and Standards Criteria

Below is the corresponding certification and standards criteria for electronic health record technology that supports achieving the meaningful use of this objective.

Certification Criteria*

§ 170.314(a)(12) Image results	Electronically indicate to a user the availability of a patient's images and narrative interpretations (relating to the radiographic or other diagnostic test(s)) and enable electronic access to such images and narrative interpretations.
---	--

**Depending on the type of certification issued to the EHR technology, it will also have been certified to the certification criterion adopted at 45 CFR 170.314 (g)(1), (g)(2), or both, in order to assist in the calculation of this meaningful use measure.*

Standards Criteria

N/A