

Data table for Figure 4.1.

Co-morbidity among Chronic Conditions for Medicare FFS Beneficiaries: 2010

Chronic Condition	Only condition	1 to 2 other conditions	3 to 4 other conditions	5+ other conditions
	Percentage			
Heart failure	1	11	32	55
Stroke	1	13	30	55
Chronic kidney disease	2	15	34	49
Atrial fibrillation	2	15	32	51
COPD	3	18	30	48
Ischemic heart disease	3	22	39	36
Asthma	4	22	30	44
Osteoporosis	4	28	34	34
Diabetes	4	27	37	32
Hyperlipidemia	5	37	35	23
Alzheimer's disease	5	22	31	42
Hypertension	6	37	34	23
Arthritis	7	30	34	29
Cancer	8	29	34	30
Depression	9	25	30	36

DATA SOURCE: CMS administrative claims data, January - December 2010, accessed from the Chronic Condition Warehouse (CCW).

STUDY POPULATION: Medicare beneficiaries enrolled in fee-for-service (FFS) coverage of both Parts A and B for the entire year. Decedents are included until their time of death.

NOTES: FFS is fee for service. Conditions are identified using claims data. Beneficiaries can have more than one condition. Cancer includes breast, colon, lung, and prostate. A complete description of the methodology can be found at ccwdata.org. In addition, all values have been rounded to the nearest integer.

Chart book: Chronic Conditions among Medicare Beneficiaries, 2012 Edition

Data table for Figure 4.2.

Top Five Dyad Chronic Condition Combinations among Medicare FFS beneficiaries with at Least Two Chronic Conditions (N = 21,437,864): Prevalence and Per Capita Medicare Spending: 2010

Dyad	Prevalence		Dyad	Prevalence	
	(%)	Per Capita (\$)		(%)	Per Capita (\$)
Hyperlipidemia and Hypertension	52.9	\$13,825	Stroke and Chronic Kidney Disease	2.0	\$51,715
Hyperlipidemia and Ischemic heart disease	36.2	\$20,529	Stroke and COPD	1.4	\$49,025
Hyperlipidemia and Diabetes	32.3	\$18,010	Stroke and Heart failure	2.3	\$47,568
Hyperlipidemia and Arthritis	31.1	\$18,043	Stroke and Asthma	0.4	\$46,913
Ischemic heart disease and Hypertension	29.6	\$18,308	COPD and Chronic Kidney Disease	4.9	\$45,011

DATA SOURCE: CMS administrative claims data, January - December 2010, accessed from the Chronic Condition Warehouse (CCW).

STUDY POPULATION: Medicare beneficiaries enrolled in fee-for-service (FFS) coverage of both Parts A and B for the entire year, with at least two chronic conditions. Decedents are included until their time of death.

NOTES: FFS is fee for service. Conditions are identified using claims data. Beneficiaries can have more than one condition. Cancer includes breast, colon, lung, and prostate. A complete description of the methodology can be found at ccwdata.org. In addition, per capita spending values have been rounded to the nearest integer.

Chart book: Chronic Conditions among Medicare Beneficiaries, 2012 Edition

Data table for Figure 4.3.

Top Five Triad Chronic Condition Combinations among Medicare FFS Beneficiaries with at Least Three Chronic Conditions (N =16,481,562): Prevalence and Per Capita Medicare Spending: 2010					
Triads	Prevalence		Triads	Prevalence	Per Capita
	(%)	Per Capita (\$)		(%)	(\$)
Hyperlipidemia and Hypertension and Ischemic heart disease	33.7	\$19,836	Stroke and Chronic Kidney Disease and Asthma	0.2	\$69,980
Hyperlipidemia and Hypertension and Diabetes	29.9	\$17,451	Stroke and Chronic Kidney Disease and COPD	0.8	\$68,956
Hyperlipidemia and Hypertension and Arthritis	25.7	\$18,238	Stroke and Chronic Kidney Disease and Depression	0.8	\$65,143
Hyperlipidemia and Diabetes and Ischemic heart disease	21.5	\$25,014	Stroke and Chronic Kidney Disease and Heart failure	1.5	\$63,242
Hyperlipidemia and Ischemic heart disease and Arthritis	19.3	\$24,539	Stroke and Heart Failure and Asthma	0.3	\$62,819

DATA SOURCE: CMS administrative claims data, January - December 2010, accessed from the Chronic Condition Warehouse (CCW).

STUDY POPULATION: Medicare beneficiaries enrolled in fee-for-service (FFS) coverage of both Parts A and B for the entire year, with at least three chronic conditions. Decedents are included until their time of death.

NOTES: FFS is fee for service. Conditions are identified using claims data. Beneficiaries can have more than one condition. Cancer includes breast, colon, lung, and prostate. A complete description of the methodology can be found at ccwdata.org. In addition, per capita spending values have been rounded to the nearest integer.

Chart book: *Chronic Conditions among Medicare Beneficiaries, 2012 Edition*