

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 1
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|-----------|-----------|----------|----------|--|
| RIC | 1 | 2 | | | | | C Record Identification Code |
| VERSION | 3 | 1 | | | | | C Version Number |
| BASEID | 4 | 8 | \$BSIDFMT | | | | C Unique SP Identification Number |
| | | | | 18,046 | | | LOW-HIGH BASEID Count |
| AA2 | 12 | 2 | GEND | | | | N ID; sex |
| | | | | 5,397 | | | 1 Male |
| | | | | 12,649 | | | 2 Female |
| AA3 | 14 | 8 | | | | | N ID; birthdate |
| AA4 | 24 | 2 | RACEETH | | | | N ID; race/ethnicity |
| | | | | 42 | | | . Missing |
| | | | | 116 | | | 1 Amer Indian/Alaskan Native |
| | | | | 239 | | | 2 Asian/Pacific Islander |
| | | | | 2,319 | | | 3 Black, not of Hispanic origin |
| | | | | 682 | | | 4 Hispanic |
| | | | | 14,648 | | | 5 White, not of Hispanic origin |
| AA6A | 26 | 15 | | | | | C ID; facility provider number, state |
| AA6B | 41 | 12 | | | | | C ID, facility provider number, federal |
| AA8A | 53 | 2 | \$PASSESS | | | | C ID; primary reason for assessment |
| | | | | 3,231 | | | 00 None of above |
| | | | | 1,535 | | | 01 Admission assessment |
| | | | | 1,554 | | | 02 Annual assessment |
| | | | | 828 | | | 03 Signif change in status assessment |
| | | | | 7 | | | 04 Signif correction of prior full |
| | | | | 6,489 | | | 05 Quarterly review assessment |
| | | | | 1,281 | | | 06 Discharged; return not anticipated |
| | | | | 1,483 | | | 07 Discharged; return anticipated |
| | | | | 271 | | | 08 Discharged; prior to initial assessment |
| | | | | 1,359 | | | 09 Re-entry |
| | | | | 8 | | | 10 Signif correction of prior quarterly |
| AA8B | 55 | 1 | \$CASSESS | | | | C ID; codes for assessments required |
| | | | | 13,124 | | | Missing |
| | | | | 1,810 | | | 1 Medicare 5 day assessment |
| | | | | 780 | | | 2 Medicare 30 day assessment |
| | | | | 293 | | | 3 Medicare 60 day assessment |
| | | | | 148 | | | 4 Medicare 90 day assessment |
| | | | | 268 | | | 5 Medicare readmission/return assessment |
| | | | | 92 | | | 6 Other state required assessment |
| | | | | 1,393 | | | 7 Medicare 14 day assessment |
| | | | | 138 | | | 8 Other Medicare required assessment |
| AB1 | 56 | 8 | | | | | N Residential; date of entry |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 2
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| AB2 | 66 | 2 | ADMITFRM | | | | N Residential; admitted from |
| | | | | 12,326 | | | . Missing |
| | | | | 687 | | | 1 Private home w/ no home health services |
| | | | | 267 | | | 2 Private home w/ home health services |
| | | | | 249 | | | 3 Board and care/assist living/group home |
| | | | | 465 | | | 4 Nursing home |
| | | | | 3,854 | | | 5 Acute care hospital |
| | | | | 29 | | | 6 Psychiatric hospital, MR/DD facility |
| | | | | 117 | | | 7 Rehabilitation hospital |
| | | | | 52 | | | 8 Other |
| AB3 | 68 | 2 | YESNOALO | | | | N Residential; lived alone |
| | | | | 12,580 | | | . Missing |
| | | | | 2,986 | | | 0 No |
| | | | | 1,843 | | | 1 Yes |
| | | | | 637 | | | 2 In other facility |
| AB4 | 70 | 5 | | | | | C Residential; zip code, prior primary res |
| AB5A | 75 | 2 | INDIC | | | | N Residential; prior stay in nursing home |
| | | | | 10,777 | | | . Missing |
| | | | | 5,582 | | | 0 Not indicated |
| | | | | 1,687 | | | 1 Indicated |
| AB5B | 77 | 2 | INDIC | | | | N Residential; stay in other nursing home |
| | | | | 10,777 | | | . Missing |
| | | | | 6,122 | | | 0 Not indicated |
| | | | | 1,147 | | | 1 Indicated |
| AB5C | 79 | 2 | INDIC | | | | N Residential; other residential facility |
| | | | | 10,777 | | | . Missing |
| | | | | 6,149 | | | 0 Not indicated |
| | | | | 1,120 | | | 1 Indicated |
| AB5D | 81 | 2 | INDIC | | | | N Residential; MH/psychiatric setting |
| | | | | 10,777 | | | . Missing |
| | | | | 7,157 | | | 0 Not indicated |
| | | | | 112 | | | 1 Indicated |
| AB5E | 83 | 2 | INDIC | | | | N Residential; MR/DD setting |
| | | | | 10,777 | | | . Missing |
| | | | | 7,213 | | | 0 Not indicated |
| | | | | 56 | | | 1 Indicated |
| AB5F | 85 | 2 | INDIC | | | | N Residential; none of above |
| | | | | 10,779 | | | . Missing |
| | | | | 3,525 | | | 0 Not indicated |
| | | | | 3,742 | | | 1 Indicated |
| AB6 | 87 | 21 | | | | | C Demo; lifetime occupation(s) |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 3
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|---|
| AB7 | 108 | 2 | HIEDUCAT | | | | N Demo; highest of education complete |
| | | | | 12,671 | | | . Missing |
| | | | | 99 | | | 1 No schooling |
| | | | | 1,239 | | | 2 8th grade/less |
| | | | | 918 | | | 3 9-11 grades |
| | | | | 2,037 | | | 4 High school |
| | | | | 224 | | | 5 Technical or trade school |
| | | | | 572 | | | 6 Some college |
| | | | | 193 | | | 7 Bachelors degree |
| | | | | 93 | | | 8 Graduate degree |
| AB8A | 110 | 2 | PRIMLANG | | | | N Demo; primary language |
| | | | | 12,584 | | | . Missing |
| | | | | 5,245 | | | 0 English |
| | | | | 109 | | | 1 Spanish |
| | | | | 1 | | | 2 French |
| | | | | 107 | | | 3 Other |
| AB8B | 112 | 9 | | | | | C Demo; other primary language |
| AB9 | 121 | 2 | YESNO | | | | N Mental; indication of MR/MI/DD history |
| | | | | 12,582 | | | . Missing |
| | | | | 4,779 | | | 0 No |
| | | | | 685 | | | 1 Yes |
| AB10A | 123 | 2 | INDIC | | | | N Mental; status, no MR/DD |
| | | | | 12,573 | | | . Missing |
| | | | | 197 | | | 0 Not indicated |
| | | | | 5,276 | | | 1 Indicated |
| AB10B | 125 | 2 | INDIC | | | | N Mental; status, downs syndrome |
| | | | | 17,839 | | | . Missing |
| | | | | 175 | | | 0 Not indicated |
| | | | | 32 | | | 1 Indicated |
| AB10C | 127 | 2 | INDIC | | | | N Mental; status, autism |
| | | | | 17,839 | | | . Missing |
| | | | | 196 | | | 0 Not indicated |
| | | | | 11 | | | 1 Indicated |
| AB10D | 129 | 2 | INDIC | | | | N Mental; status, epilepsy |
| | | | | 17,839 | | | . Missing |
| | | | | 179 | | | 0 Not indicated |
| | | | | 28 | | | 1 Indicated |
| AB10E | 131 | 2 | INDIC | | | | N Mental; status, other organic condition |
| | | | | 17,839 | | | . Missing |
| | | | | 168 | | | 0 Not indicated |
| | | | | 39 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 4
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| AB10F | 133 | 2 | INDIC | | | | N Mental; status, MR/DD w/ no organic cond |
| | | | | 17,839 | | | . Missing |
| | | | | 115 | | | 0 Not indicated |
| | | | | 92 | | | 1 Indicated |
| AB11 | 135 | 8 | | | | | N Date background information completed |
| AC1A | 145 | 2 | INDIC | | | | N Routine; event, stays up late at night |
| | | | | 12,755 | | | . Missing |
| | | | | 3,308 | | | 0 Not indicated |
| | | | | 1,983 | | | 1 Indicated |
| AC1B | 147 | 2 | INDIC | | | | N Routine; event, naps regularly |
| | | | | 12,752 | | | . Missing |
| | | | | 1,913 | | | 0 Not indicated |
| | | | | 3,381 | | | 1 Indicated |
| AC1C | 149 | 2 | INDIC | | | | N Routine; event, goes out 1+ days |
| | | | | 12,755 | | | . Missing |
| | | | | 2,786 | | | 0 Not indicated |
| | | | | 2,505 | | | 1 Indicated |
| AC1D | 151 | 2 | INDIC | | | | N Routine; event, stays busy |
| | | | | 12,752 | | | . Missing |
| | | | | 2,582 | | | 0 Not indicated |
| | | | | 2,712 | | | 1 Indicated |
| AC1E | 153 | 2 | INDIC | | | | N Routine; event, most of time spent alone |
| | | | | 12,751 | | | . Missing |
| | | | | 3,140 | | | 0 Not indicated |
| | | | | 2,155 | | | 1 Indicated |
| AC1F | 155 | 2 | INDIC | | | | N Routine; event, moves independent indoor |
| | | | | 12,747 | | | . Missing |
| | | | | 1,644 | | | 0 Not indicated |
| | | | | 3,655 | | | 1 Indicated |
| AC1G | 157 | 2 | INDIC | | | | N Routine; event, use of tobacco products |
| | | | | 12,748 | | | . Missing |
| | | | | 4,793 | | | 0 Not indicated |
| | | | | 505 | | | 1 Indicated |
| AC1H | 159 | 2 | INDIC | | | | N Routine; event, none of above |
| | | | | 12,749 | | | . Missing |
| | | | | 5,090 | | | 0 Not indicated |
| | | | | 207 | | | 1 Indicated |
| AC1I | 161 | 2 | INDIC | | | | N Routine; eating, distinct food pref |
| | | | | 12,748 | | | . Missing |
| | | | | 4,208 | | | 0 Not indicated |
| | | | | 1,090 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 5
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| AC1J | 163 | 2 | INDIC | | | | N Routine; eating, eats between meals |
| | | | | 12,748 | | | . Missing |
| | | | | 3,332 | | | 0 Not indicated |
| | | | | 1,966 | | | 1 Indicated |
| AC1K | 165 | 2 | INDIC | | | | N Routine; eating, use of alcoholic bev |
| | | | | 12,748 | | | . Missing |
| | | | | 5,054 | | | 0 Not indicated |
| | | | | 244 | | | 1 Indicated |
| AC1L | 167 | 2 | INDIC | | | | N Routine; eating, none of above |
| | | | | 12,750 | | | . Missing |
| | | | | 2,753 | | | 0 Not indicated |
| | | | | 2,543 | | | 1 Indicated |
| AC1M | 169 | 2 | INDIC | | | | N Routine; ADL, bedclothes most of day |
| | | | | 12,751 | | | . Missing |
| | | | | 4,769 | | | 0 Not indicated |
| | | | | 526 | | | 1 Indicated |
| AC1N | 171 | 2 | INDIC | | | | N Routine; ADL, wakens to toilet |
| | | | | 12,748 | | | . Missing |
| | | | | 2,738 | | | 0 Not indicated |
| | | | | 2,560 | | | 1 Indicated |
| AC1O | 173 | 2 | INDIC | | | | N Routine; ADL, irregular bowel movement |
| | | | | 12,748 | | | . Missing |
| | | | | 4,415 | | | 0 Not indicated |
| | | | | 883 | | | 1 Indicated |
| AC1P | 175 | 2 | INDIC | | | | N Routine; ADL, showers for bathing |
| | | | | 12,748 | | | . Missing |
| | | | | 2,138 | | | 0 Not indicated |
| | | | | 3,160 | | | 1 Indicated |
| AC1Q | 177 | 2 | INDIC | | | | N Routine; ADL, bathing in PM |
| | | | | 12,749 | | | . Missing |
| | | | | 4,674 | | | 0 Not indicated |
| | | | | 623 | | | 1 Indicated |
| AC1R | 179 | 2 | INDIC | | | | N Routine; ADL, none of above |
| | | | | 12,750 | | | . Missing |
| | | | | 4,438 | | | 0 Not indicated |
| | | | | 858 | | | 1 Indicated |
| AC1S | 181 | 2 | INDIC | | | | N Routine; involve, daily contact family |
| | | | | 12,747 | | | . Missing |
| | | | | 956 | | | 0 Not indicated |
| | | | | 4,343 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 6
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|---------|-----------|----------|----------|---|
| AC1T | 183 | 2 | INDIC | | | | N Routine; involve, attends church |
| | | | | 12,751 | | | . Missing |
| | | | | 3,709 | | | 0 Not indicated |
| | | | | 1,586 | | | 1 Indicated |
| AC1U | 185 | 2 | INDIC | | | | N Routine; involve, strength in faith |
| | | | | 12,747 | | | . Missing |
| | | | | 2,422 | | | 0 Not indicated |
| | | | | 2,877 | | | 1 Indicated |
| AC1V | 187 | 2 | INDIC | | | | N Routine; involve, animal companion |
| | | | | 12,748 | | | . Missing |
| | | | | 4,679 | | | 0 Not indicated |
| | | | | 619 | | | 1 Indicated |
| AC1W | 189 | 2 | INDIC | | | | N Routine; involve, group activities |
| | | | | 12,748 | | | . Missing |
| | | | | 3,982 | | | 0 Not indicated |
| | | | | 1,316 | | | 1 Indicated |
| AC1X | 191 | 2 | INDIC | | | | N Routine; involve, none of above |
| | | | | 12,749 | | | . Missing |
| | | | | 4,876 | | | 0 Not indicated |
| | | | | 421 | | | 1 Indicated |
| AC1Y | 193 | 2 | INDIC | | | | N Routine; unknown routines |
| | | | | 12,578 | | | . Missing |
| | | | | 5,299 | | | 0 Not indicated |
| | | | | 169 | | | 1 Indicated |
| A2 | 195 | 5 | | | | | C Background; room number |
| A3A | 200 | 8 | | | | | N Background; assessment reference date |
| A4B | 210 | 2 | | | | | N Background; original or copy number |
| A4A | 212 | 8 | | | | | N Background; date of reentry |
| A5 | 222 | 2 | MARITAL | | | | N Background; marital status |
| | | | | 9,852 | | | . Missing |
| | | | | 1,180 | | | 1 Never married |
| | | | | 1,651 | | | 2 Married |
| | | | | 4,551 | | | 3 Widowed |
| | | | | 99 | | | 4 Separated |
| | | | | 713 | | | 5 Divorced |
| A6 | 224 | 12 | | | | | C Background; medical record number |
| A7A | 236 | 2 | INDIC | | | | N Payment; Medicaid per diem |
| | | | | 13,107 | | | . Missing |
| | | | | 2,689 | | | 0 Not indicated |
| | | | | 2,250 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 7
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| A7B | 238 | 2 | INDIC | | | | N Payment; Medicare per diem |
| | | | | 13,104 | | | . Missing |
| | | | | 3,175 | | | 0 Not indicated |
| | | | | 1,767 | | | 1 Indicated |
| A7C | 240 | 2 | INDIC | | | | N Payment; Medicare ancillary part A |
| | | | | 13,106 | | | . Missing |
| | | | | 3,969 | | | 0 Not indicated |
| | | | | 971 | | | 1 Indicated |
| A7D | 242 | 2 | INDIC | | | | N Payment; Medicare ancillary part B |
| | | | | 13,105 | | | . Missing |
| | | | | 4,475 | | | 0 Not indicated |
| | | | | 466 | | | 1 Indicated |
| A7E | 244 | 2 | INDIC | | | | N Payment; CHAMPUS per diem |
| | | | | 13,106 | | | . Missing |
| | | | | 4,938 | | | 0 Not indicated |
| | | | | 2 | | | 1 Indicated |
| A7F | 246 | 2 | INDIC | | | | N Payment; VA per diem |
| | | | | 13,106 | | | . Missing |
| | | | | 4,927 | | | 0 Not indicated |
| | | | | 13 | | | 1 Indicated |
| A7G | 248 | 2 | INDIC | | | | N Payment; self/family pays full per diem |
| | | | | 13,105 | | | . Missing |
| | | | | 4,349 | | | 0 Not indicated |
| | | | | 592 | | | 1 Indicated |
| A7H | 250 | 2 | INDIC | | | | N Payment; Mcaid res liab/Mcare co-payment |
| | | | | 13,106 | | | . Missing |
| | | | | 4,241 | | | 0 Not indicated |
| | | | | 699 | | | 1 Indicated |
| A7I | 252 | 2 | INDIC | | | | N Payment; private insurance per diem |
| | | | | 13,105 | | | . Missing |
| | | | | 4,462 | | | 0 Not indicated |
| | | | | 479 | | | 1 Indicated |
| A7J | 254 | 2 | INDIC | | | | N Payment; other per diem |
| | | | | 13,106 | | | . Missing |
| | | | | 4,815 | | | 0 Not indicated |
| | | | | 125 | | | 1 Indicated |
| A9A | 256 | 2 | INDIC | | | | N Decisions; legal guardian |
| | | | | 13,105 | | | . Missing |
| | | | | 4,641 | | | 0 Not indicated |
| | | | | 300 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 8
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| A9B | 258 | 2 | INDIC | | | | N Decisions; other legal oversight |
| | | | | 13,105 | | | . Missing |
| | | | | 4,842 | | | 0 Not indicated |
| | | | | 99 | | | 1 Indicated |
| A9C | 260 | 2 | INDIC | | | | N Decisions; dur power attorney/health |
| | | | | 13,104 | | | . Missing |
| | | | | 3,263 | | | 0 Not indicated |
| | | | | 1,679 | | | 1 Indicated |
| A9D | 262 | 2 | INDIC | | | | N Decisions; dur power attorney/financial |
| | | | | 13,105 | | | . Missing |
| | | | | 3,896 | | | 0 Not indicated |
| | | | | 1,045 | | | 1 Indicated |
| A9E | 264 | 2 | INDIC | | | | N Decisions; family member responsible |
| | | | | 13,102 | | | . Missing |
| | | | | 1,805 | | | 0 Not indicated |
| | | | | 3,139 | | | 1 Indicated |
| A9F | 266 | 2 | INDIC | | | | N Decisions; patient responsible for self |
| | | | | 13,106 | | | . Missing |
| | | | | 3,412 | | | 0 Not indicated |
| | | | | 1,528 | | | 1 Indicated |
| A9G | 268 | 2 | INDIC | | | | N Decisions; none of the above |
| | | | | 13,104 | | | . Missing |
| | | | | 4,806 | | | 0 Not indicated |
| | | | | 136 | | | 1 Indicated |
| A10A | 270 | 2 | INDIC | | | | N Adv directives; living will |
| | | | | 13,106 | | | . Missing |
| | | | | 3,971 | | | 0 Not indicated |
| | | | | 969 | | | 1 Indicated |
| A10B | 272 | 2 | INDIC | | | | N Adv directives; do not resuscitate |
| | | | | 9,939 | | | . Missing |
| | | | | 4,568 | | | 0 Not indicated |
| | | | | 3,539 | | | 1 Indicated |
| A10C | 274 | 2 | INDIC | | | | N Adv directives; do not hospitalize |
| | | | | 9,951 | | | . Missing |
| | | | | 7,926 | | | 0 Not indicated |
| | | | | 169 | | | 1 Indicated |
| A10D | 276 | 2 | INDIC | | | | N Adv directives; organ donation |
| | | | | 13,107 | | | . Missing |
| | | | | 4,923 | | | 0 Not indicated |
| | | | | 16 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 9
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| A10E | 278 | 2 | INDIC | | | | N Adv directives; autopsy request |
| | | | | 13,107 | | | . Missing |
| | | | | 4,937 | | | 0 Not indicated |
| | | | | 2 | | | 1 Indicated |
| A10F | 280 | 2 | INDIC | | | | N Adv directives; feeding restrict |
| | | | | 13,105 | | | . Missing |
| | | | | 4,565 | | | 0 Not indicated |
| | | | | 376 | | | 1 Indicated |
| A10G | 282 | 2 | INDIC | | | | N Adv directives; medication restrict |
| | | | | 13,107 | | | . Missing |
| | | | | 4,825 | | | 0 Not indicated |
| | | | | 114 | | | 1 Indicated |
| A10H | 284 | 2 | INDIC | | | | N Adv directives; other treatment restrict |
| | | | | 13,107 | | | . Missing |
| | | | | 4,671 | | | 0 Not indicated |
| | | | | 268 | | | 1 Indicated |
| A10I | 286 | 2 | INDIC | | | | N Adv directives; none of above |
| | | | | 13,106 | | | . Missing |
| | | | | 2,678 | | | 0 Not indicated |
| | | | | 2,262 | | | 1 Indicated |
| B1 | 288 | 2 | YESNO | | | | N Cognitive; comatose |
| | | | | 4,400 | | | . Missing |
| | | | | 13,636 | | | 0 No |
| | | | | 10 | | | 1 Yes |
| B2A | 290 | 2 | MEMORY | | | | N Cognitive; short-term memory OK |
| | | | | 4,432 | | | . Missing |
| | | | | 4,065 | | | 0 Memory OK |
| | | | | 9,549 | | | 1 Memory problem |
| B2B | 292 | 2 | MEMORY | | | | N Cognitive; long-term memory OK |
| | | | | 4,432 | | | . Missing |
| | | | | 6,730 | | | 0 Memory OK |
| | | | | 6,884 | | | 1 Memory problem |
| B3A | 294 | 2 | INDIC | | | | N Cognitive; recall; current season |
| | | | | 6,282 | | | . Missing |
| | | | | 6,139 | | | 0 Not indicated |
| | | | | 5,625 | | | 1 Indicated |
| B3B | 296 | 2 | INDIC | | | | N Cognitive; recall; location of own room |
| | | | | 6,282 | | | . Missing |
| | | | | 4,625 | | | 0 Not indicated |
| | | | | 7,139 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 10
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| B3C | 298 | 2 | INDIC | | | | N Cognitive; recall; staff names/faces |
| | | | | 6,283 | | | . Missing |
| | | | | 3,574 | | | 0 Not indicated |
| | | | | 8,189 | | | 1 Indicated |
| B3D | 300 | 2 | INDIC | | | | N Cognitive; recall; lives in nursing home |
| | | | | 6,282 | | | . Missing |
| | | | | 4,138 | | | 0 Not indicated |
| | | | | 7,626 | | | 1 Indicated |
| B3E | 302 | 2 | INDIC | | | | N Cognitive; recall; none of the above |
| | | | | 6,284 | | | . Missing |
| | | | | 9,410 | | | 0 Not indicated |
| | | | | 2,352 | | | 1 Indicated |
| B4 | 304 | 2 | COGNITIV | | | | N Cognitive; daily decision making skills |
| | | | | 4,413 | | | . Missing |
| | | | | 3,140 | | | 0 Independent |
| | | | | 3,115 | | | 1 Modified independence |
| | | | | 5,259 | | | 2 Moderately impaired |
| | | | | 2,119 | | | 3 Severely impaired |
| B5A | 306 | 2 | COGNITIV | | | | N Cognitive; delirium, easily distracted |
| | | | | 4,411 | | | . Missing |
| | | | | 11,294 | | | 0 Independent |
| | | | | 2,246 | | | 1 Modified independence |
| | | | | 95 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |
| B5B | 308 | 2 | COGNITIV | | | | N Cognitive; delirium, altered perception |
| | | | | 4,411 | | | . Missing |
| | | | | 11,856 | | | 0 Independent |
| | | | | 1,669 | | | 1 Modified independence |
| | | | | 110 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |
| B5C | 310 | 2 | COGNITIV | | | | N Cognitive; delirium, disorganized speech |
| | | | | 4,411 | | | . Missing |
| | | | | 11,617 | | | 0 Independent |
| | | | | 1,923 | | | 1 Modified independence |
| | | | | 95 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |
| B5D | 312 | 2 | COGNITIV | | | | N Cognitive; delirium, restlessness |
| | | | | 4,411 | | | . Missing |
| | | | | 11,371 | | | 0 Independent |
| | | | | 2,148 | | | 1 Modified independence |
| | | | | 116 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 11
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|---|
| B5E | 314 | 2 | COGNITIV | | | | N Cognitive; delirium, lethargy |
| | | | | 4,411 | | | . Missing |
| | | | | 12,567 | | | 0 Independent |
| | | | | 956 | | | 1 Modified independence |
| | | | | 112 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |
| B5F | 316 | 2 | COGNITIV | | | | N Cognitive; delirium, varied function |
| | | | | 4,411 | | | . Missing |
| | | | | 10,728 | | | 0 Independent |
| | | | | 2,765 | | | 1 Modified independence |
| | | | | 142 | | | 2 Moderately impaired |
| | | | | 0 | | | 3 Severely impaired |
| B6 | 318 | 2 | CHANGE | | | | N Cognitive; change in last 90 days |
| | | | | 13,110 | | | . Missing |
| | | | | 4,365 | | | 0 No change |
| | | | | 127 | | | 1 Improved |
| | | | | 444 | | | 2 Deteriorated |
| C1 | 320 | 2 | HEAR | | | | N Comm; hearing ability |
| | | | | 13,108 | | | . Missing |
| | | | | 3,585 | | | 0 Hears adequately |
| | | | | 894 | | | 1 Minimal difficulty |
| | | | | 409 | | | 2 Hears in special situations only |
| | | | | 50 | | | 3 Highly impaired |
| C2A | 322 | 2 | INDIC | | | | N Comm; hearing aid, present and used |
| | | | | 13,110 | | | . Missing |
| | | | | 4,610 | | | 0 Not indicated |
| | | | | 326 | | | 1 Indicated |
| C2B | 324 | 2 | INDIC | | | | N Comm; hearing aid, present and not used |
| | | | | 13,110 | | | . Missing |
| | | | | 4,807 | | | 0 Not indicated |
| | | | | 129 | | | 1 Indicated |
| C2C | 326 | 2 | INDIC | | | | N Comm; other receptive used |
| | | | | 13,110 | | | . Missing |
| | | | | 4,926 | | | 0 Not indicated |
| | | | | 10 | | | 1 Indicated |
| C2D | 328 | 2 | INDIC | | | | N Comm; none of above comm methods used |
| | | | | 13,111 | | | . Missing |
| | | | | 461 | | | 0 Not indicated |
| | | | | 4,474 | | | 1 Indicated |
| C3A | 330 | 2 | INDIC | | | | N Comm; modes, speech |
| | | | | 13,108 | | | . Missing |
| | | | | 258 | | | 0 Not indicated |
| | | | | 4,680 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 12
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| C3B | 332 | 2 | INDIC | | | | N Comm; modes, writing messages to clarify |
| | | | | 13,111 | | | . Missing |
| | | | | 4,885 | | | 0 Not indicated |
| | | | | 50 | | | 1 Indicated |
| C3C | 334 | 2 | INDIC | | | | N Comm; modes, ASL or braille |
| | | | | 13,111 | | | . Missing |
| | | | | 4,935 | | | 0 Not indicated |
| | | | | 0 | | | 1 Indicated |
| C3D | 336 | 2 | INDIC | | | | N Comm; modes, signs, gestures, or sounds |
| | | | | 13,109 | | | . Missing |
| | | | | 4,284 | | | 0 Not indicated |
| | | | | 653 | | | 1 Indicated |
| C3E | 338 | 2 | INDIC | | | | N Comm; modes, communication board |
| | | | | 13,111 | | | . Missing |
| | | | | 4,896 | | | 0 Not indicated |
| | | | | 39 | | | 1 Indicated |
| C3F | 340 | 2 | INDIC | | | | N Comm; modes, other |
| | | | | 13,111 | | | . Missing |
| | | | | 4,926 | | | 0 Not indicated |
| | | | | 9 | | | 1 Indicated |
| C3G | 342 | 2 | INDIC | | | | N Comm; modes, none of above |
| | | | | 13,110 | | | . Missing |
| | | | | 4,817 | | | 0 Not indicated |
| | | | | 119 | | | 1 Indicated |
| C4 | 344 | 2 | UNDERSTO | | | | N Comm; ability to make self understood |
| | | | | 4,408 | | | . Missing |
| | | | | 7,571 | | | 0 Understood |
| | | | | 2,990 | | | 1 Usually understood |
| | | | | 1,946 | | | 2 Sometimes understood |
| | | | | 1,131 | | | 3 Rarely/Never understood |
| C5 | 346 | 2 | CLEAR | | | | N Comm, speech clarity |
| | | | | 13,107 | | | . Missing |
| | | | | 3,869 | | | 0 clear speech |
| | | | | 866 | | | 1 unclear speech |
| | | | | 204 | | | 2 no speech |
| C6 | 348 | 2 | UNDERSTA | | | | N Comm; ability to understand others |
| | | | | 4,413 | | | . Missing |
| | | | | 6,667 | | | 0 Understands |
| | | | | 3,687 | | | 1 Usually understands |
| | | | | 2,429 | | | 2 Sometimes understands |
| | | | | 850 | | | 3 Rarely/Never understands |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 13
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| C7 | 350 | 2 | CHANGE | | | | N Comm; change in last 90 days |
| | | | | 13,108 | | | . Missing |
| | | | | 4,563 | | | 0 No change |
| | | | | 56 | | | 1 Improved |
| | | | | 319 | | | 2 Deteriorated |
| D1 | 352 | 2 | ADEQUATE | | | | N Vision |
| | | | | 10,311 | | | . Missing |
| | | | | 5,042 | | | 0 Adequate |
| | | | | 1,578 | | | 1 Impaired |
| | | | | 531 | | | 2 Moderately impaired |
| | | | | 477 | | | 3 Highly impaired |
| | | | | 107 | | | 4 Severely impaired |
| D2A | 354 | 2 | INDIC | | | | N Vision; limitation, side vision problems |
| | | | | 13,148 | | | . Missing |
| | | | | 4,784 | | | 0 Not indicated |
| | | | | 114 | | | 1 Indicated |
| D2B | 356 | 2 | INDIC | | | | N Vision; limitation, halos/rings/flashes |
| | | | | 13,148 | | | . Missing |
| | | | | 4,870 | | | 0 Not indicated |
| | | | | 28 | | | 1 Indicated |
| D2C | 358 | 2 | INDIC | | | | N Vision; limitation, none of above |
| | | | | 13,149 | | | . Missing |
| | | | | 141 | | | 0 Not indicated |
| | | | | 4,756 | | | 1 Indicated |
| D3 | 360 | 2 | YESNO | | | | N Vision; corrective eyewear, etc. |
| | | | | 13,148 | | | . Missing |
| | | | | 1,622 | | | 0 No |
| | | | | 3,276 | | | 1 Yes |
| E1A | 362 | 2 | INDICTH | | | | N Mood; negative statements |
| | | | | 4,411 | | | . Missing |
| | | | | 13,142 | | | 0 Not exhibited in last 30 days |
| | | | | 449 | | | 1 Exhibited up to 5 days week |
| | | | | 44 | | | 2 Exhibited 6 to 7 days week |
| E1B | 364 | 2 | INDICTH | | | | N Mood; repetitive questions |
| | | | | 4,410 | | | . Missing |
| | | | | 12,820 | | | 0 Not exhibited in last 30 days |
| | | | | 526 | | | 1 Exhibited up to 5 days week |
| | | | | 290 | | | 2 Exhibited 6 to 7 days week |
| E1C | 366 | 2 | INDICTH | | | | N Mood; repetitive verbalizations |
| | | | | 4,410 | | | . Missing |
| | | | | 12,685 | | | 0 Not exhibited in last 30 days |
| | | | | 678 | | | 1 Exhibited up to 5 days week |
| | | | | 273 | | | 2 Exhibited 6 to 7 days week |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 14
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|---------|-----------|----------|----------|--|
| E1D | 368 | 2 | INDICTH | | | | N Mood; persistent anger w/ self or others |
| | | | | 4,410 | | | . Missing |
| | | | | 11,816 | | | 0 Not exhibited in last 30 days |
| | | | | 1,500 | | | 1 Exhibited up to 5 days week |
| | | | | 320 | | | 2 Exhibited 6 to 7 days week |
| E1E | 370 | 2 | INDICTH | | | | N Mood; self deprecation |
| | | | | 4,410 | | | . Missing |
| | | | | 13,460 | | | 0 Not exhibited in last 30 days |
| | | | | 159 | | | 1 Exhibited up to 5 days week |
| | | | | 17 | | | 2 Exhibited 6 to 7 days week |
| E1F | 372 | 2 | INDICTH | | | | N Mood; unrealistic fears |
| | | | | 4,411 | | | . Missing |
| | | | | 13,124 | | | 0 Not exhibited in last 30 days |
| | | | | 445 | | | 1 Exhibited up to 5 days week |
| | | | | 66 | | | 2 Exhibited 6 to 7 days week |
| E1G | 374 | 2 | INDICTH | | | | N Mood; belief terrible going to happen |
| | | | | 4,410 | | | . Missing |
| | | | | 13,461 | | | 0 Not exhibited in last 30 days |
| | | | | 152 | | | 1 Exhibited up to 5 days week |
| | | | | 23 | | | 2 Exhibited 6 to 7 days week |
| E1H | 376 | 2 | INDICTH | | | | N Mood; repetitive health complaints |
| | | | | 4,410 | | | . Missing |
| | | | | 12,235 | | | 0 Not exhibited in last 30 days |
| | | | | 1,108 | | | 1 Exhibited up to 5 days week |
| | | | | 293 | | | 2 Exhibited 6 to 7 days week |
| E1I | 378 | 2 | INDICTH | | | | N Mood; repetitive anxious complaints |
| | | | | 4,410 | | | . Missing |
| | | | | 11,915 | | | 0 Not exhibited in last 30 days |
| | | | | 1,280 | | | 1 Exhibited up to 5 days week |
| | | | | 441 | | | 2 Exhibited 6 to 7 days week |
| E1J | 380 | 2 | INDICTH | | | | N Mood; unpleasant mood in AM |
| | | | | 4,410 | | | . Missing |
| | | | | 13,031 | | | 0 Not exhibited in last 30 days |
| | | | | 449 | | | 1 Exhibited up to 5 days week |
| | | | | 156 | | | 2 Exhibited 6 to 7 days week |
| E1K | 382 | 2 | INDICTH | | | | N Mood; insomnia/change in sleep pattern |
| | | | | 4,410 | | | . Missing |
| | | | | 12,747 | | | 0 Not exhibited in last 30 days |
| | | | | 754 | | | 1 Exhibited up to 5 days week |
| | | | | 135 | | | 2 Exhibited 6 to 7 days week |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 15
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|---|
| E1L | 384 | 2 | INDICTH | | | | N Mood; sad/worried facial expressions |
| | | | | 4,410 | | | . Missing |
| | | | | 10,585 | | | 0 Not exhibited in last 30 days |
| | | | | 2,233 | | | 1 Exhibited up to 5 days week |
| | | | | 818 | | | 2 Exhibited 6 to 7 days week |
| E1M | 386 | 2 | INDICTH | | | | N Mood; crying/tearfulness |
| | | | | 4,411 | | | . Missing |
| | | | | 12,811 | | | 0 Not exhibited in last 30 days |
| | | | | 754 | | | 1 Exhibited up to 5 days week |
| | | | | 70 | | | 2 Exhibited 6 to 7 days week |
| E1N | 388 | 2 | INDICTH | | | | N Mood; repetitive physical movements |
| | | | | 4,411 | | | . Missing |
| | | | | 11,847 | | | 0 Not exhibited in last 30 days |
| | | | | 1,190 | | | 1 Exhibited up to 5 days week |
| | | | | 598 | | | 2 Exhibited 6 to 7 days week |
| E1O | 390 | 2 | INDICTH | | | | N Mood; withdrawal from activ of interest |
| | | | | 4,410 | | | . Missing |
| | | | | 12,978 | | | 0 Not exhibited in last 30 days |
| | | | | 414 | | | 1 Exhibited up to 5 days week |
| | | | | 244 | | | 2 Exhibited 6 to 7 days week |
| E1P | 392 | 2 | INDICTH | | | | N Mood; reduced social interaction |
| | | | | 4,410 | | | . Missing |
| | | | | 12,736 | | | 0 Not exhibited in last 30 days |
| | | | | 574 | | | 1 Exhibited up to 5 days week |
| | | | | 326 | | | 2 Exhibited 6 to 7 days week |
| E2 | 394 | 2 | MODINDIC | | | | N Mood; persistence |
| | | | | 4,410 | | | . Missing |
| | | | | 7,954 | | | 0 No mood indicators |
| | | | | 3,223 | | | 1 Indicators present, easily altered |
| | | | | 2,459 | | | 2 Indicators present, not easily altered |
| E3 | 396 | 2 | CHANGE | | | | N Mood; change in last 90 days |
| | | | | 13,111 | | | . Missing |
| | | | | 4,210 | | | 0 No change |
| | | | | 269 | | | 1 Improved |
| | | | | 456 | | | 2 Deteriorated |
| E4AA | 398 | 2 | BEHAVA | | | | N Behavior; wandering frequency |
| | | | | 4,410 | | | . Missing |
| | | | | 12,735 | | | 0 Behavior not exhibited |
| | | | | 376 | | | 1 1 to 3 days |
| | | | | 139 | | | 2 4 to 6 days |
| | | | | 386 | | | 3 Behavior exhibited daily |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 16
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| E4AB | 400 | 2 | BEHAVB | | | | N Behavior; wandering alterability |
| | | | | 4,410 | | | . Missing |
| | | | | 13,177 | | | 0 Behavior not present or easily altered |
| | | | | 459 | | | 1 Behavior not easily altered |
| E4BA | 402 | 2 | BEHAVA | | | | N Behavior; verbally abusive frequency |
| | | | | 4,410 | | | . Missing |
| | | | | 12,561 | | | 0 Behavior not exhibited |
| | | | | 756 | | | 1 1 to 3 days |
| | | | | 211 | | | 2 4 to 6 days |
| | | | | 108 | | | 3 Behavior exhibited daily |
| E4BB | 404 | 2 | BEHAVB | | | | N Behavior; verbally abusive alterability |
| | | | | 4,410 | | | . Missing |
| | | | | 12,968 | | | 0 Behavior not present or easily altered |
| | | | | 668 | | | 1 Behavior not easily altered |
| E4CA | 406 | 2 | BEHAVA | | | | N Behavior; physical abusive frequency |
| | | | | 4,410 | | | . Missing |
| | | | | 12,961 | | | 0 Behavior not exhibited |
| | | | | 457 | | | 1 1 to 3 days |
| | | | | 126 | | | 2 4 to 6 days |
| | | | | 92 | | | 3 Behavior exhibited daily |
| E4CB | 408 | 2 | BEHAVB | | | | N Behavior; physical abusive alterability |
| | | | | 4,410 | | | . Missing |
| | | | | 13,218 | | | 0 Behavior not present or easily altered |
| | | | | 418 | | | 1 Behavior not easily altered |
| E4DA | 410 | 2 | BEHAVA | | | | N Behavior; soc inappropriate frequency |
| | | | | 4,410 | | | . Missing |
| | | | | 12,150 | | | 0 Behavior not exhibited |
| | | | | 883 | | | 1 1 to 3 days |
| | | | | 293 | | | 2 4 to 6 days |
| | | | | 310 | | | 3 Behavior exhibited daily |
| E4DB | 412 | 2 | BEHAVB | | | | N Behavior; soc inappropriate alterability |
| | | | | 4,410 | | | . Missing |
| | | | | 12,662 | | | 0 Behavior not present or easily altered |
| | | | | 974 | | | 1 Behavior not easily altered |
| E4EA | 414 | 2 | BEHAVA | | | | N Behavior; resists care frequency |
| | | | | 4,410 | | | . Missing |
| | | | | 11,210 | | | 0 Behavior not exhibited |
| | | | | 1,460 | | | 1 1 to 3 days |
| | | | | 544 | | | 2 4 to 6 days |
| | | | | 422 | | | 3 Behavior exhibited daily |
| E4EB | 416 | 2 | BEHAVB | | | | N Behavior; resists care alterability |
| | | | | 4,410 | | | . Missing |
| | | | | 11,864 | | | 0 Behavior not present or easily altered |
| | | | | 1,772 | | | 1 Behavior not easily altered |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 17
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| E5 | 418 | 2 | CHANGE | | | | N Behavior; change in last 90 days |
| | | | | 13,110 | | | . Missing |
| | | | | 4,466 | | | 0 No change |
| | | | | 167 | | | 1 Improved |
| | | | | 303 | | | 2 Deteriorated |
| F1A | 420 | 2 | INDIC | | | | N Social; at ease interacting with others |
| | | | | 13,143 | | | . Missing |
| | | | | 885 | | | 0 Not indicated |
| | | | | 4,018 | | | 1 Indicated |
| F1B | 422 | 2 | INDIC | | | | N Social; at ease in structured activities |
| | | | | 13,145 | | | . Missing |
| | | | | 2,629 | | | 0 Not indicated |
| | | | | 2,272 | | | 1 Indicated |
| F1C | 424 | 2 | INDIC | | | | N Social; at ease in self-init activities |
| | | | | 13,145 | | | . Missing |
| | | | | 2,726 | | | 0 Not indicated |
| | | | | 2,175 | | | 1 Indicated |
| F1D | 426 | 2 | INDIC | | | | N Social; establishes own goals |
| | | | | 13,145 | | | . Missing |
| | | | | 3,929 | | | 0 Not indicated |
| | | | | 972 | | | 1 Indicated |
| F1E | 428 | 2 | INDIC | | | | N Social; involvement in life of facility |
| | | | | 13,147 | | | . Missing |
| | | | | 4,297 | | | 0 Not indicated |
| | | | | 602 | | | 1 Indicated |
| F1F | 430 | 2 | INDIC | | | | N Social; accepts invitations group activ |
| | | | | 13,146 | | | . Missing |
| | | | | 3,990 | | | 0 Not indicated |
| | | | | 910 | | | 1 Indicated |
| F1G | 432 | 2 | INDIC | | | | N Social; none of above |
| | | | | 13,145 | | | . Missing |
| | | | | 4,277 | | | 0 Not indicated |
| | | | | 624 | | | 1 Indicated |
| F2A | 434 | 2 | INDIC | | | | N Social; open conflict with staff |
| | | | | 13,146 | | | . Missing |
| | | | | 4,722 | | | 0 Not indicated |
| | | | | 178 | | | 1 Indicated |
| F2B | 436 | 2 | INDIC | | | | N Social; unhappy with roommate |
| | | | | 13,147 | | | . Missing |
| | | | | 4,854 | | | 0 Not indicated |
| | | | | 45 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 18
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| F2C | 438 | 2 | INDIC | | | | N Social; unhappy with other residents |
| | | | | 13,146 | | | . Missing |
| | | | | 4,839 | | | 0 Not indicated |
| | | | | 61 | | | 1 Indicated |
| F2D | 440 | 2 | INDIC | | | | N Social; open conflict w/ fam/friend |
| | | | | 13,146 | | | . Missing |
| | | | | 4,818 | | | 0 Not indicated |
| | | | | 82 | | | 1 Indicated |
| F2E | 442 | 2 | INDIC | | | | N Social; absence of contact w/ fam/friend |
| | | | | 13,146 | | | . Missing |
| | | | | 4,808 | | | 0 Not indicated |
| | | | | 92 | | | 1 Indicated |
| F2F | 444 | 2 | INDIC | | | | N Social; recent loss of close fam/friend |
| | | | | 13,146 | | | . Missing |
| | | | | 4,844 | | | 0 Not indicated |
| | | | | 56 | | | 1 Indicated |
| F2G | 446 | 2 | INDIC | | | | N Social; does not adjust to routine chang |
| | | | | 13,146 | | | . Missing |
| | | | | 4,547 | | | 0 Not indicated |
| | | | | 353 | | | 1 Indicated |
| F2H | 448 | 2 | INDIC | | | | N Social; none of above |
| | | | | 13,147 | | | . Missing |
| | | | | 664 | | | 0 Not indicated |
| | | | | 4,235 | | | 1 Indicated |
| F3A | 450 | 2 | INDIC | | | | N Social; strong identity in past role |
| | | | | 13,145 | | | . Missing |
| | | | | 4,343 | | | 0 Not indicated |
| | | | | 558 | | | 1 Indicated |
| F3B | 452 | 2 | INDIC | | | | N Social; sadness/anger at loss of role |
| | | | | 13,146 | | | . Missing |
| | | | | 4,673 | | | 0 Not indicated |
| | | | | 227 | | | 1 Indicated |
| F3C | 454 | 2 | INDIC | | | | N Social; routine diff than prior pattern |
| | | | | 13,145 | | | . Missing |
| | | | | 4,534 | | | 0 Not indicated |
| | | | | 367 | | | 1 Indicated |
| F3D | 456 | 2 | INDIC | | | | N Social; none of above |
| | | | | 13,147 | | | . Missing |
| | | | | 811 | | | 0 Not indicated |
| | | | | 4,088 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 19
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| G1AA | 458 | 2 | ADLA | | | | N ADL; bed mobility, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 3,904 | | | 0 Independent |
| | | | | 860 | | | 1 Supervision |
| | | | | 2,800 | | | 2 Limited assistance |
| | | | | 3,931 | | | 3 Extensive assistance |
| | | | | 2,153 | | | 4 Total dependence |
| | | | | 4 | | | 8 Activity did not occur |
| G1AB | 460 | 2 | ADLB | | | | N ADL; bed mobility, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 3,065 | | | 0 No setup or physical help from staff |
| | | | | 726 | | | 1 Setup help only |
| | | | | 5,945 | | | 2 One person physical assist |
| | | | | 1,984 | | | 3 Two+ persons physical assist |
| | | | | 4 | | | 8 Activity did not occur |
| G1BA | 462 | 2 | ADLA | | | | N ADL; transfer, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 2,395 | | | 0 Independent |
| | | | | 962 | | | 1 Supervision |
| | | | | 3,008 | | | 2 Limited assistance |
| | | | | 4,076 | | | 3 Extensive assistance |
| | | | | 3,061 | | | 4 Total dependence |
| | | | | 150 | | | 8 Activity did not occur |
| G1BB | 464 | 2 | ADLB | | | | N ADL; transfer, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 1,926 | | | 0 No setup or physical help from staff |
| | | | | 690 | | | 1 Setup help only |
| | | | | 5,439 | | | 2 One person physical assist |
| | | | | 3,529 | | | 3 Two+ persons physical assist |
| | | | | 140 | | | 8 Activity did not occur |
| G1CA | 466 | 2 | ADLA | | | | N ADL; walk in room, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 2,323 | | | 0 Independent |
| | | | | 1,049 | | | 1 Supervision |
| | | | | 2,338 | | | 2 Limited assistance |
| | | | | 1,525 | | | 3 Extensive assistance |
| | | | | 109 | | | 4 Total dependence |
| | | | | 6,308 | | | 8 Activity did not occur |
| G1CB | 468 | 2 | ADLB | | | | N ADL; walk in room, supported |
| | | | | 6,319 | | | . Missing |
| | | | | 2,009 | | | 0 No setup or physical help from staff |
| | | | | 731 | | | 1 Setup help only |
| | | | | 3,170 | | | 2 One person physical assist |
| | | | | 471 | | | 3 Two+ persons physical assist |
| | | | | 5,346 | | | 8 Activity did not occur |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 20
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| G1DA | 470 | 2 | ADLA | | | | N ADL; walk in corridor, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 1,781 | | | 0 Independent |
| | | | | 1,367 | | | 1 Supervision |
| | | | | 2,254 | | | 2 Limited assistance |
| | | | | 1,290 | | | 3 Extensive assistance |
| | | | | 102 | | | 4 Total dependence |
| | | | | 6,858 | | | 8 Activity did not occur |
| G1DB | 472 | 2 | ADLB | | | | N ADL; walk in corridor, supported |
| | | | | 6,319 | | | . Missing |
| | | | | 1,703 | | | 0 No setup or physical help from staff |
| | | | | 741 | | | 1 Setup help only |
| | | | | 3,035 | | | 2 One person physical assist |
| | | | | 373 | | | 3 Two+ persons physical assist |
| | | | | 5,875 | | | 8 Activity did not occur |
| G1EA | 474 | 2 | ADLA | | | | N ADL; locomotion on unit, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 3,624 | | | 0 Independent |
| | | | | 1,610 | | | 1 Supervision |
| | | | | 2,190 | | | 2 Limited assistance |
| | | | | 1,934 | | | 3 Extensive assistance |
| | | | | 3,886 | | | 4 Total dependence |
| | | | | 408 | | | 8 Activity did not occur |
| G1EB | 476 | 2 | ADLB | | | | N ADL; locomotion on unit, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 2,757 | | | 0 No setup or physical help from staff |
| | | | | 1,323 | | | 1 Setup help only |
| | | | | 7,130 | | | 2 One person physical assist |
| | | | | 148 | | | 3 Two+ persons physical assist |
| | | | | 366 | | | 8 Activity did not occur |
| G1FA | 478 | 2 | ADLA | | | | N ADL; locomotion off unit, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 2,732 | | | 0 Independent |
| | | | | 1,420 | | | 1 Supervision |
| | | | | 1,927 | | | 2 Limited assistance |
| | | | | 1,854 | | | 3 Extensive assistance |
| | | | | 4,685 | | | 4 Total dependence |
| | | | | 1,034 | | | 8 Activity did not occur |
| G1FB | 480 | 2 | ADLB | | | | N ADL; locomotion off unit, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 2,135 | | | 0 No setup or physical help from staff |
| | | | | 1,000 | | | 1 Setup help only |
| | | | | 7,538 | | | 2 One person physical assist |
| | | | | 115 | | | 3 Two+ persons physical assist |
| | | | | 936 | | | 8 Activity did not occur |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 21
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| G1GA | 482 | 2 | ADLA | | | | N ADL; dressing, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 1,125 | | | 0 Independent |
| | | | | 844 | | | 1 Supervision |
| | | | | 3,119 | | | 2 Limited assistance |
| | | | | 5,070 | | | 3 Extensive assistance |
| | | | | 3,417 | | | 4 Total dependence |
| | | | | 77 | | | 8 Activity did not occur |
| G1GB | 484 | 2 | ADLB | | | | N ADL; dressing, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 821 | | | 0 No setup or physical help from staff |
| | | | | 767 | | | 1 Setup help only |
| | | | | 9,644 | | | 2 One person physical assist |
| | | | | 427 | | | 3 Two+ persons physical assist |
| | | | | 65 | | | 8 Activity did not occur |
| G1HA | 486 | 2 | ADLA | | | | N ADL; eating, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 5,984 | | | 0 Independent |
| | | | | 3,224 | | | 1 Supervision |
| | | | | 1,296 | | | 2 Limited assistance |
| | | | | 1,151 | | | 3 Extensive assistance |
| | | | | 1,990 | | | 4 Total dependence |
| | | | | 7 | | | 8 Activity did not occur |
| G1HB | 488 | 2 | ADLB | | | | N ADL; eating, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 1,421 | | | 0 No setup or physical help from staff |
| | | | | 6,259 | | | 1 Setup help only |
| | | | | 4,017 | | | 2 One person physical assist |
| | | | | 20 | | | 3 Two+ persons physical assist |
| | | | | 7 | | | 8 Activity did not occur |
| G1IA | 490 | 2 | ADLA | | | | N ADL; toilet use, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 1,772 | | | 0 Independent |
| | | | | 735 | | | 1 Supervision |
| | | | | 2,472 | | | 2 Limited assistance |
| | | | | 4,091 | | | 3 Extensive assistance |
| | | | | 4,523 | | | 4 Total dependence |
| | | | | 59 | | | 8 Activity did not occur |
| G1IB | 492 | 2 | ADLB | | | | N ADL; toilet use, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 1,345 | | | 0 No setup or physical help from staff |
| | | | | 596 | | | 1 Setup help only |
| | | | | 7,822 | | | 2 One person physical assist |
| | | | | 1,910 | | | 3 Two+ persons physical assist |
| | | | | 51 | | | 8 Activity did not occur |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 22
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|---------|-----------|----------|----------|---|
| G1JA | 494 | 2 | ADLA | | | | N ADL; personal hygiene, self-perform |
| | | | | 4,394 | | | . Missing |
| | | | | 1,376 | | | 0 Independent |
| | | | | 1,080 | | | 1 Supervision |
| | | | | 2,958 | | | 2 Limited assistance |
| | | | | 4,318 | | | 3 Extensive assistance |
| | | | | 3,919 | | | 4 Total dependence |
| | | | | 1 | | | 8 Activity did not occur |
| G1JB | 496 | 2 | ADLB | | | | N ADL; personal hygiene, supported |
| | | | | 6,322 | | | . Missing |
| | | | | 792 | | | 0 No setup or physical help from staff |
| | | | | 1,163 | | | 1 Setup help only |
| | | | | 9,383 | | | 2 One person physical assist |
| | | | | 385 | | | 3 Two+ persons physical assist |
| | | | | 1 | | | 8 Activity did not occur |
| G2A | 498 | 2 | BATHING | | | | N ADL; bathing, self perform |
| | | | | 4,394 | | | . Missing |
| | | | | 277 | | | 0 Independent |
| | | | | 586 | | | 1 Supervision |
| | | | | 1,183 | | | 2 Phys help limited to transfer only |
| | | | | 6,443 | | | 3 Phys help in part of bathing activity |
| | | | | 5,090 | | | 4 Total dependence |
| | | | | 73 | | | 8 Activity did not occur |
| G2B | 500 | 2 | ADLB | | | | N ADL; bathing, supported |
| | | | | 13,102 | | | . Missing |
| | | | | 97 | | | 0 No setup or physical help from staff |
| | | | | 218 | | | 1 Setup help only |
| | | | | 4,024 | | | 2 One person physical assist |
| | | | | 580 | | | 3 Two+ persons physical assist |
| | | | | 25 | | | 8 Activity did not occur |
| G3A | 502 | 2 | BALANCE | | | | N ADL; balance while standing |
| | | | | 6,330 | | | . Missing |
| | | | | 925 | | | 0 Maintained position |
| | | | | 1,481 | | | 1 Unsteady |
| | | | | 2,462 | | | 2 Partial physical support |
| | | | | 6,848 | | | 3 Not able to attempt test |
| G3B | 504 | 2 | BALANCE | | | | N ADL; balance while sitting |
| | | | | 6,282 | | | . Missing |
| | | | | 6,433 | | | 0 Maintained position |
| | | | | 1,332 | | | 1 Unsteady |
| | | | | 1,792 | | | 2 Partial physical support |
| | | | | 2,207 | | | 3 Not able to attempt test |
| G4AA | 506 | 2 | RANGE | | | | N ADL; neck, range of motion |
| | | | | 4,397 | | | . Missing |
| | | | | 12,395 | | | 0 No limitation |
| | | | | 316 | | | 1 Limitation on one side |
| | | | | 938 | | | 2 Limitation on both sides |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 23
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|-------------------------------|
| G4AB | 508 | 2 | VOL | | | | N ADL; neck, voluntary motion |
| | | | | 4,397 | | | . Missing |
| | | | | 12,542 | | | 0 No loss |
| | | | | 1,001 | | | 1 Partial loss |
| | | | | 106 | | | 2 Full loss |
| G4BA | 510 | 2 | RANGE | | | | N ADL; arm, range of motion |
| | | | | 4,397 | | | . Missing |
| | | | | 9,825 | | | 0 No limitation |
| | | | | 2,014 | | | 1 Limitation on one side |
| | | | | 1,810 | | | 2 Limitation on both sides |
| G4BB | 512 | 2 | VOL | | | | N ADL; arm, voluntary motion |
| | | | | 4,398 | | | . Missing |
| | | | | 9,937 | | | 0 No loss |
| | | | | 2,946 | | | 1 Partial loss |
| | | | | 765 | | | 2 Full loss |
| G4CA | 514 | 2 | RANGE | | | | N ADL; hand, range of motion |
| | | | | 4,397 | | | . Missing |
| | | | | 10,761 | | | 0 No limitation |
| | | | | 1,677 | | | 1 Limitation on one side |
| | | | | 1,211 | | | 2 Limitation on both sides |
| G4CB | 516 | 2 | VOL | | | | N ADL; hand, voluntary motion |
| | | | | 4,397 | | | . Missing |
| | | | | 10,792 | | | 0 No loss |
| | | | | 2,084 | | | 1 Partial loss |
| | | | | 773 | | | 2 Full loss |
| G4DA | 518 | 2 | RANGE | | | | N ADL; leg, range of motion |
| | | | | 4,398 | | | . Missing |
| | | | | 8,162 | | | 0 No limitation |
| | | | | 2,676 | | | 1 Limitation on one side |
| | | | | 2,810 | | | 2 Limitation on both sides |
| G4DB | 520 | 2 | VOL | | | | N ADL; leg, voluntary motion |
| | | | | 4,397 | | | . Missing |
| | | | | 8,436 | | | 0 No loss |
| | | | | 4,158 | | | 1 Partial loss |
| | | | | 1,055 | | | 2 Full loss |
| G4EA | 522 | 2 | RANGE | | | | N ADL; foot, range of motion |
| | | | | 4,397 | | | . Missing |
| | | | | 9,831 | | | 0 No limitation |
| | | | | 1,785 | | | 1 Limitation on one side |
| | | | | 2,033 | | | 2 Limitation on both sides |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 24
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--------------------------------|
| G4EB | 524 | 2 | VOL | | | | N ADL; foot, voluntary motion |
| | | | | 4,396 | | | . Missing |
| | | | | 9,738 | | | 0 No loss |
| | | | | 2,740 | | | 1 Partial loss |
| | | | | 1,172 | | | 2 Full loss |
| G4FA | 526 | 2 | RANGE | | | | N ADL; other, range of motion |
| | | | | 4,476 | | | . Missing |
| | | | | 12,852 | | | 0 No limitation |
| | | | | 227 | | | 1 Limitation on one side |
| | | | | 491 | | | 2 Limitation on both sides |
| G4FB | 528 | 2 | VOL | | | | N ADL; other, voluntary motion |
| | | | | 4,476 | | | . Missing |
| | | | | 12,894 | | | 0 No loss |
| | | | | 586 | | | 1 Partial loss |
| | | | | 90 | | | 2 Full loss |
| G5A | 530 | 2 | INDIC | | | | N ADL; used cane |
| | | | | 13,105 | | | . Missing |
| | | | | 3,083 | | | 0 Not indicated |
| | | | | 1,858 | | | 1 Indicated |
| G5B | 532 | 2 | INDIC | | | | N ADL; wheeled self |
| | | | | 9,921 | | | . Missing |
| | | | | 4,916 | | | 0 Not indicated |
| | | | | 3,209 | | | 1 Indicated |
| G5C | 534 | 2 | INDIC | | | | N ADL; other person wheeled |
| | | | | 13,103 | | | . Missing |
| | | | | 1,824 | | | 0 Not indicated |
| | | | | 3,119 | | | 1 Indicated |
| G5D | 536 | 2 | INDIC | | | | N ADL; wheelchair primary mode |
| | | | | 13,105 | | | . Missing |
| | | | | 1,760 | | | 0 Not indicated |
| | | | | 3,181 | | | 1 Indicated |
| G5E | 538 | 2 | INDIC | | | | N ADL; none of above |
| | | | | 13,105 | | | . Missing |
| | | | | 4,283 | | | 0 Not indicated |
| | | | | 658 | | | 1 Indicated |
| G6A | 540 | 2 | INDIC | | | | N ADL; transfer, bedfast |
| | | | | 4,399 | | | . Missing |
| | | | | 12,964 | | | 0 Not indicated |
| | | | | 683 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 25
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| G6B | 542 | 2 | INDIC | | | | N ADL; transfer, bed rails used |
| | | | | 4,399 | | | . Missing |
| | | | | 6,599 | | | 0 Not indicated |
| | | | | 7,048 | | | 1 Indicated |
| G6C | 544 | 2 | INDIC | | | | N ADL; transfer, lifted manually |
| | | | | 13,106 | | | . Missing |
| | | | | 3,940 | | | 0 Not indicated |
| | | | | 1,000 | | | 1 Indicated |
| G6D | 546 | 2 | INDIC | | | | N ADL; transfer, lifted mechanically |
| | | | | 13,103 | | | . Missing |
| | | | | 4,379 | | | 0 Not indicated |
| | | | | 564 | | | 1 Indicated |
| G6E | 548 | 2 | INDIC | | | | N ADL; transfer, transfer aid |
| | | | | 13,103 | | | . Missing |
| | | | | 3,453 | | | 0 Not indicated |
| | | | | 1,490 | | | 1 Indicated |
| G6F | 550 | 2 | INDIC | | | | N ADL; transfer, none of above |
| | | | | 10,450 | | | . Missing |
| | | | | 5,153 | | | 0 Not indicated |
| | | | | 2,443 | | | 1 Indicated |
| G7 | 552 | 2 | YESNO | | | | N ADL; task segmentation |
| | | | | 6,268 | | | . Missing |
| | | | | 6,974 | | | 0 No |
| | | | | 4,804 | | | 1 Yes |
| G8A | 554 | 2 | INDIC | | | | N ADL; rehab potential, resident believes |
| | | | | 13,103 | | | . Missing |
| | | | | 3,656 | | | 0 Not indicated |
| | | | | 1,287 | | | 1 Indicated |
| G8B | 556 | 2 | INDIC | | | | N ADL; rehab potential, staff believes |
| | | | | 13,105 | | | . Missing |
| | | | | 3,362 | | | 0 Not indicated |
| | | | | 1,579 | | | 1 Indicated |
| G8C | 558 | 2 | INDIC | | | | N ADL; rehab potential, slow |
| | | | | 13,105 | | | . Missing |
| | | | | 4,361 | | | 0 Not indicated |
| | | | | 580 | | | 1 Indicated |
| G8D | 560 | 2 | INDIC | | | | N ADL; rehab potential, diff in AM and PM |
| | | | | 13,105 | | | . Missing |
| | | | | 4,715 | | | 0 Not indicated |
| | | | | 226 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 26
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|---------------------------------------|
| G8E | 562 | 2 | INDIC | | | | N ADL; rehab potential, none of above |
| | | | | 13,104 | | | . Missing |
| | | | | 2,104 | | | 0 Not indicated |
| | | | | 2,838 | | | 1 Indicated |
| G9 | 564 | 2 | CHANGE | | | | N ADL; change in last 90 days |
| | | | | 13,108 | | | . Missing |
| | | | | 2,913 | | | 0 No change |
| | | | | 514 | | | 1 Improved |
| | | | | 1,511 | | | 2 Deteriorated |
| H1A | 566 | 2 | CONTINEN | | | | N Continence; bowel |
| | | | | 4,398 | | | . Missing |
| | | | | 6,241 | | | 0 Continent |
| | | | | 832 | | | 1 Usually continent |
| | | | | 854 | | | 2 Occasionally incontinent |
| | | | | 1,161 | | | 3 Frequently incontinent |
| | | | | 4,560 | | | 4 Incontinent |
| H1B | 568 | 2 | CONTINEN | | | | N Continence; bladder |
| | | | | 4,396 | | | . Missing |
| | | | | 4,811 | | | 0 Continent |
| | | | | 934 | | | 1 Usually continent |
| | | | | 1,089 | | | 2 Occasionally incontinent |
| | | | | 2,193 | | | 3 Frequently incontinent |
| | | | | 4,623 | | | 4 Incontinent |
| H2A | 570 | 2 | INDIC | | | | N Continence; bowel regular |
| | | | | 13,102 | | | . Missing |
| | | | | 1,103 | | | 0 Not indicated |
| | | | | 3,841 | | | 1 Indicated |
| H2B | 572 | 2 | INDIC | | | | N Continence; bowel constipation |
| | | | | 13,105 | | | . Missing |
| | | | | 4,344 | | | 0 Not indicated |
| | | | | 597 | | | 1 Indicated |
| H2C | 574 | 2 | INDIC | | | | N Continence; bowel diarrhea |
| | | | | 6,300 | | | . Missing |
| | | | | 11,431 | | | 0 Not indicated |
| | | | | 315 | | | 1 Indicated |
| H2D | 576 | 2 | INDIC | | | | N Continence; bowel fecal impaction |
| | | | | 4,430 | | | . Missing |
| | | | | 13,588 | | | 0 Not indicated |
| | | | | 28 | | | 1 Indicated |
| H2E | 578 | 2 | INDIC | | | | N Continence; scheduled plan |
| | | | | 10,459 | | | . Missing |
| | | | | 4,252 | | | 0 Not indicated |
| | | | | 3,335 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 27
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| H3A | 580 | 2 | INDIC | | | | N Continence; none of above |
| | | | | 4,417 | | | . Missing |
| | | | | 9,773 | | | 0 Not indicated |
| | | | | 3,856 | | | 1 Indicated |
| H3B | 582 | 2 | INDIC | | | | N Continence; bladder retaining plan |
| | | | | 4,417 | | | . Missing |
| | | | | 13,510 | | | 0 Not indicated |
| | | | | 119 | | | 1 Indicated |
| H3C | 584 | 2 | INDIC | | | | N Continence; external condom catheter |
| | | | | 4,417 | | | . Missing |
| | | | | 13,560 | | | 0 Not indicated |
| | | | | 69 | | | 1 Indicated |
| H3D | 586 | 2 | INDIC | | | | N Continence; indwelling catheter |
| | | | | 4,415 | | | . Missing |
| | | | | 12,427 | | | 0 Not indicated |
| | | | | 1,204 | | | 1 Indicated |
| H3E | 588 | 2 | INDIC | | | | N Continence; intermittent catheter |
| | | | | 13,105 | | | . Missing |
| | | | | 4,893 | | | 0 Not indicated |
| | | | | 48 | | | 1 Indicated |
| H3F | 590 | 2 | INDIC | | | | N Continence; did not use commode/urinal |
| | | | | 13,104 | | | . Missing |
| | | | | 4,360 | | | 0 Not indicated |
| | | | | 582 | | | 1 Indicated |
| H3G | 592 | 2 | INDIC | | | | N Continence; pads/briefs used |
| | | | | 13,104 | | | . Missing |
| | | | | 1,906 | | | 0 Not indicated |
| | | | | 3,036 | | | 1 Indicated |
| H3H | 594 | 2 | INDIC | | | | N Continence; enemas/irrigation |
| | | | | 13,106 | | | . Missing |
| | | | | 4,872 | | | 0 Not indicated |
| | | | | 68 | | | 1 Indicated |
| H3I | 596 | 2 | INDIC | | | | N Continence; ostomy present |
| | | | | 4,417 | | | . Missing |
| | | | | 13,361 | | | 0 Not indicated |
| | | | | 268 | | | 1 Indicated |
| H3J | 598 | 2 | INDIC | | | | N Continence; none of above |
| | | | | 10,436 | | | . Missing |
| | | | | 4,506 | | | 0 Not indicated |
| | | | | 3,104 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 28
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| H4 | 600 | 2 | CHANGE | | | | N Continence; change in last 90 days |
| | | | | 13,105 | | | . Missing |
| | | | | 4,171 | | | 0 No change |
| | | | | 187 | | | 1 Improved |
| | | | | 583 | | | 2 Deteriorated |
| I1A | 602 | 2 | INDIC | | | | N Diag; diabetes mellitus |
| | | | | 6,352 | | | . Missing |
| | | | | 8,399 | | | 0 Not indicated |
| | | | | 3,295 | | | 1 Indicated |
| I1B | 604 | 2 | INDIC | | | | N Diag; hyperthyroidism |
| | | | | 13,105 | | | . Missing |
| | | | | 4,914 | | | 0 Not indicated |
| | | | | 27 | | | 1 Indicated |
| I1C | 606 | 2 | INDIC | | | | N Diag; hypothyroidism |
| | | | | 13,106 | | | . Missing |
| | | | | 4,089 | | | 0 Not indicated |
| | | | | 851 | | | 1 Indicated |
| I1D | 608 | 2 | INDIC | | | | N Diag; arteriosclerotic heart disease |
| | | | | 9,802 | | | . Missing |
| | | | | 7,396 | | | 0 Not indicated |
| | | | | 848 | | | 1 Indicated |
| I1E | 610 | 2 | INDIC | | | | N Diag; cardiac dysrhythmias |
| | | | | 13,103 | | | . Missing |
| | | | | 4,213 | | | 0 Not indicated |
| | | | | 730 | | | 1 Indicated |
| I1F | 612 | 2 | INDIC | | | | N Diag; congestive heart failure |
| | | | | 9,802 | | | . Missing |
| | | | | 6,046 | | | 0 Not indicated |
| | | | | 2,198 | | | 1 Indicated |
| I1G | 614 | 2 | INDIC | | | | N Diag; deep vein thrombosis |
| | | | | 13,106 | | | . Missing |
| | | | | 4,840 | | | 0 Not indicated |
| | | | | 100 | | | 1 Indicated |
| I1H | 616 | 2 | INDIC | | | | N Diag; hypertension |
| | | | | 13,105 | | | . Missing |
| | | | | 1,978 | | | 0 Not indicated |
| | | | | 2,963 | | | 1 Indicated |
| I1I | 618 | 2 | INDIC | | | | N Diag; hypotension |
| | | | | 13,105 | | | . Missing |
| | | | | 4,881 | | | 0 Not indicated |
| | | | | 60 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 29
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| I1J | 620 | 2 | INDIC | | | | N Diag; peripheral vascular disease |
| | | | | 9,802 | | | . Missing |
| | | | | 7,159 | | | 0 Not indicated |
| | | | | 1,085 | | | 1 Indicated |
| I1K | 622 | 2 | INDIC | | | | N Diag; other cardiovascular disease |
| | | | | 13,105 | | | . Missing |
| | | | | 3,877 | | | 0 Not indicated |
| | | | | 1,064 | | | 1 Indicated |
| I1L | 624 | 2 | INDIC | | | | N Diag; arthritis |
| | | | | 13,105 | | | . Missing |
| | | | | 3,282 | | | 0 Not indicated |
| | | | | 1,659 | | | 1 Indicated |
| I1M | 626 | 2 | INDIC | | | | N Diag; hip fracture |
| | | | | 6,265 | | | . Missing |
| | | | | 10,973 | | | 0 Not indicated |
| | | | | 808 | | | 1 Indicated |
| I1N | 628 | 2 | INDIC | | | | N Diag; missing limb (e.g., amputation) |
| | | | | 13,105 | | | . Missing |
| | | | | 4,815 | | | 0 Not indicated |
| | | | | 126 | | | 1 Indicated |
| I1O | 630 | 2 | INDIC | | | | N Diag; osteoporosis |
| | | | | 13,105 | | | . Missing |
| | | | | 3,972 | | | 0 Not indicated |
| | | | | 969 | | | 1 Indicated |
| I1P | 632 | 2 | INDIC | | | | N Diag; pathological bone fracture |
| | | | | 13,105 | | | . Missing |
| | | | | 4,905 | | | 0 Not indicated |
| | | | | 36 | | | 1 Indicated |
| I1Q | 634 | 2 | INDIC | | | | N Diag; alzheimers disease |
| | | | | 13,105 | | | . Missing |
| | | | | 4,257 | | | 0 Not indicated |
| | | | | 684 | | | 1 Indicated |
| I1R | 636 | 2 | INDIC | | | | N Diag; aphasia |
| | | | | 6,267 | | | . Missing |
| | | | | 11,239 | | | 0 Not indicated |
| | | | | 540 | | | 1 Indicated |
| I1S | 638 | 2 | INDIC | | | | N Diag; cerebral palsy |
| | | | | 6,267 | | | . Missing |
| | | | | 11,673 | | | 0 Not indicated |
| | | | | 106 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 30
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| I1T | 640 | 2 | INDIC | | | | N Diag; cerebrovascular accident (stroke) |
| | | | | 6,267 | | | . Missing |
| | | | | 9,038 | | | 0 Not indicated |
| | | | | 2,741 | | | 1 Indicated |
| I1U | 642 | 2 | INDIC | | | | N Diag; dementia other than alzheimers |
| | | | | 13,105 | | | . Missing |
| | | | | 3,231 | | | 0 Not indicated |
| | | | | 1,710 | | | 1 Indicated |
| I1V | 644 | 2 | INDIC | | | | N Diag; hemiplegia/hemiparesis |
| | | | | 6,267 | | | . Missing |
| | | | | 10,412 | | | 0 Not indicated |
| | | | | 1,367 | | | 1 Indicated |
| I1W | 646 | 2 | INDIC | | | | N Diag; multiple sclerosis |
| | | | | 6,267 | | | . Missing |
| | | | | 11,617 | | | 0 Not indicated |
| | | | | 162 | | | 1 Indicated |
| I1X | 648 | 2 | INDIC | | | | N Diag; paraplegia |
| | | | | 9,802 | | | . Missing |
| | | | | 8,191 | | | 0 Not indicated |
| | | | | 53 | | | 1 Indicated |
| I1Y | 650 | 2 | INDIC | | | | N Diag; parkinsons disease |
| | | | | 13,105 | | | . Missing |
| | | | | 4,593 | | | 0 Not indicated |
| | | | | 348 | | | 1 Indicated |
| I1Z | 652 | 2 | INDIC | | | | N Diag; quadriplegia |
| | | | | 6,268 | | | . Missing |
| | | | | 11,674 | | | 0 Not indicated |
| | | | | 104 | | | 1 Indicated |
| I1AA | 654 | 2 | INDIC | | | | N Diag; seizure disorder |
| | | | | 13,104 | | | . Missing |
| | | | | 4,293 | | | 0 Not indicated |
| | | | | 649 | | | 1 Indicated |
| I1BB | 656 | 2 | INDIC | | | | N Diag; transient ischemic attack (TIA) |
| | | | | 13,105 | | | . Missing |
| | | | | 4,699 | | | 0 Not indicated |
| | | | | 242 | | | 1 Indicated |
| I1CC | 658 | 2 | INDIC | | | | N Diag; traumatic brain injury |
| | | | | 13,105 | | | . Missing |
| | | | | 4,817 | | | 0 Not indicated |
| | | | | 124 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 31
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| I1DD | 660 | 2 | INDIC | | | | N Diag; anxiety disorder |
| | | | | 13,105 | | | . Missing |
| | | | | 4,220 | | | 0 Not indicated |
| | | | | 721 | | | 1 Indicated |
| I1EE | 662 | 2 | INDIC | | | | N Diag; depression |
| | | | | 6,267 | | | . Missing |
| | | | | 6,978 | | | 0 Not indicated |
| | | | | 4,801 | | | 1 Indicated |
| I1FF | 664 | 2 | INDIC | | | | N Diag; manic depression (bipolar disease) |
| | | | | 6,267 | | | . Missing |
| | | | | 11,339 | | | 0 Not indicated |
| | | | | 440 | | | 1 Indicated |
| I1GG | 666 | 2 | INDIC | | | | N Diag; schizophrenia |
| | | | | 9,802 | | | . Missing |
| | | | | 7,842 | | | 0 Not indicated |
| | | | | 402 | | | 1 Indicated |
| I1HH | 668 | 2 | INDIC | | | | N Diag; asthma |
| | | | | 9,802 | | | . Missing |
| | | | | 8,043 | | | 0 Not indicated |
| | | | | 201 | | | 1 Indicated |
| I1II | 670 | 2 | INDIC | | | | N Diag; emphysema/COPD |
| | | | | 9,802 | | | . Missing |
| | | | | 6,819 | | | 0 Not indicated |
| | | | | 1,425 | | | 1 Indicated |
| I1JU | 672 | 2 | INDIC | | | | N Diag; cataracts |
| | | | | 13,105 | | | . Missing |
| | | | | 4,504 | | | 0 Not indicated |
| | | | | 437 | | | 1 Indicated |
| I1KK | 674 | 2 | INDIC | | | | N Diag; diabetic retinopathy |
| | | | | 13,105 | | | . Missing |
| | | | | 4,907 | | | 0 Not indicated |
| | | | | 34 | | | 1 Indicated |
| I1LL | 676 | 2 | INDIC | | | | N Diag; glaucoma |
| | | | | 13,105 | | | . Missing |
| | | | | 4,542 | | | 0 Not indicated |
| | | | | 399 | | | 1 Indicated |
| I1MM | 678 | 2 | INDIC | | | | N Diag; macular degeneration |
| | | | | 13,105 | | | . Missing |
| | | | | 4,733 | | | 0 Not indicated |
| | | | | 208 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 32
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| I1NN | 680 | 2 | INDIC | | | | N Diag; allergies |
| | | | | 13,104 | | | . Missing |
| | | | | 3,563 | | | 0 Not indicated |
| | | | | 1,379 | | | 1 Indicated |
| I100 | 682 | 2 | INDIC | | | | N Diag; anemia |
| | | | | 13,104 | | | . Missing |
| | | | | 3,776 | | | 0 Not indicated |
| | | | | 1,166 | | | 1 Indicated |
| I1PP | 684 | 2 | INDIC | | | | N Diag; cancer |
| | | | | 13,105 | | | . Missing |
| | | | | 4,591 | | | 0 Not indicated |
| | | | | 350 | | | 1 Indicated |
| I1QQ | 686 | 2 | INDIC | | | | N Diag; renal failure |
| | | | | 13,105 | | | . Missing |
| | | | | 4,688 | | | 0 Not indicated |
| | | | | 253 | | | 1 Indicated |
| I1RR | 688 | 2 | INDIC | | | | N Diag; none of above |
| | | | | 9,652 | | | . Missing |
| | | | | 7,349 | | | 0 Not indicated |
| | | | | 1,045 | | | 1 Indicated |
| I2A | 690 | 2 | INDIC | | | | N Diag; antibiotic resistant infection |
| | | | | 6,269 | | | . Missing |
| | | | | 11,569 | | | 0 Not indicated |
| | | | | 208 | | | 1 Indicated |
| I2B | 692 | 2 | INDIC | | | | N Diag; clostridium difficile (c. diff.) |
| | | | | 6,269 | | | . Missing |
| | | | | 11,657 | | | 0 Not indicated |
| | | | | 120 | | | 1 Indicated |
| I2C | 694 | 2 | INDIC | | | | N Diag; conjunctivitis |
| | | | | 6,269 | | | . Missing |
| | | | | 11,715 | | | 0 Not indicated |
| | | | | 62 | | | 1 Indicated |
| I2D | 696 | 2 | INDIC | | | | N Diag; HIV infection |
| | | | | 9,370 | | | . Missing |
| | | | | 8,668 | | | 0 Not indicated |
| | | | | 8 | | | 1 Indicated |
| I2E | 698 | 2 | INDIC | | | | N Diag; pneumonia |
| | | | | 6,269 | | | . Missing |
| | | | | 11,199 | | | 0 Not indicated |
| | | | | 578 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 33
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| I2F | 700 | 2 | INDIC | | | | N Diag; respiratory infection |
| | | | | 6,269 | | | . Missing |
| | | | | 11,464 | | | 0 Not indicated |
| | | | | 313 | | | 1 Indicated |
| I2G | 702 | 2 | INDIC | | | | N Diag; septicemia |
| | | | | 6,269 | | | . Missing |
| | | | | 11,704 | | | 0 Not indicated |
| | | | | 73 | | | 1 Indicated |
| I2H | 704 | 2 | INDIC | | | | N Diag; sexually transmitted diseases |
| | | | | 9,302 | | | . Missing |
| | | | | 8,740 | | | 0 Not indicated |
| | | | | 4 | | | 1 Indicated |
| I2I | 706 | 2 | INDIC | | | | N Diag; tuberculosis |
| | | | | 6,269 | | | . Missing |
| | | | | 11,771 | | | 0 Not indicated |
| | | | | 6 | | | 1 Indicated |
| I2J | 708 | 2 | INDIC | | | | N Diag; urinary tract infection, 30 days |
| | | | | 4,407 | | | . Missing |
| | | | | 11,994 | | | 0 Not indicated |
| | | | | 1,645 | | | 1 Indicated |
| I2K | 710 | 2 | INDIC | | | | N Diag; viral hepatitis |
| | | | | 6,269 | | | . Missing |
| | | | | 11,771 | | | 0 Not indicated |
| | | | | 6 | | | 1 Indicated |
| I2L | 712 | 2 | INDIC | | | | N Diag; wound infection |
| | | | | 6,269 | | | . Missing |
| | | | | 11,481 | | | 0 Not indicated |
| | | | | 296 | | | 1 Indicated |
| I2M | 714 | 2 | INDIC | | | | N Diag; none of above |
| | | | | 7,592 | | | . Missing |
| | | | | 2,659 | | | 0 Not indicated |
| | | | | 7,795 | | | 1 Indicated |
| I3A | 716 | 7 | | | | | C Diag; other diagnosis A |
| I3B | 723 | 7 | | | | | C Diag; other diagnosis B |
| I3C | 730 | 7 | | | | | C Diag; other diagnosis C |
| I3D | 737 | 7 | | | | | C Diag; other diagnosis D |
| I3E | 744 | 7 | | | | | C Diag; other diagnosis E |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 34
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| J1A | 751 | 2 | INDIC | | | | N Health; weight gain/loss |
| | | | | 6,278 | | | . Missing |
| | | | | 11,479 | | | 0 Not indicated |
| | | | | 289 | | | 1 Indicated |
| J1B | 753 | 2 | INDIC | | | | N Health; not able lie flat, short breath |
| | | | | 6,275 | | | . Missing |
| | | | | 11,391 | | | 0 Not indicated |
| | | | | 380 | | | 1 Indicated |
| J1C | 755 | 2 | INDIC | | | | N Health; dehydrated |
| | | | | 4,405 | | | . Missing |
| | | | | 13,615 | | | 0 Not indicated |
| | | | | 26 | | | 1 Indicated |
| J1D | 757 | 2 | INDIC | | | | N Health; insufficient fluid |
| | | | | 6,275 | | | . Missing |
| | | | | 11,412 | | | 0 Not indicated |
| | | | | 359 | | | 1 Indicated |
| J1E | 759 | 2 | INDIC | | | | N Health; delusions |
| | | | | 6,275 | | | . Missing |
| | | | | 11,428 | | | 0 Not indicated |
| | | | | 343 | | | 1 Indicated |
| J1F | 761 | 2 | INDIC | | | | N Health; dizziness/vertigo |
| | | | | 13,105 | | | . Missing |
| | | | | 4,860 | | | 0 Not indicated |
| | | | | 81 | | | 1 Indicated |
| J1G | 763 | 2 | INDIC | | | | N Health; edema |
| | | | | 6,275 | | | . Missing |
| | | | | 9,235 | | | 0 Not indicated |
| | | | | 2,536 | | | 1 Indicated |
| J1H | 765 | 2 | INDIC | | | | N Health; fever |
| | | | | 6,275 | | | . Missing |
| | | | | 11,464 | | | 0 Not indicated |
| | | | | 307 | | | 1 Indicated |
| J1I | 767 | 2 | INDIC | | | | N Health; hallucinations |
| | | | | 4,405 | | | . Missing |
| | | | | 13,478 | | | 0 Not indicated |
| | | | | 163 | | | 1 Indicated |
| J1J | 769 | 2 | INDIC | | | | N Health; internal bleeding |
| | | | | 6,275 | | | . Missing |
| | | | | 11,669 | | | 0 Not indicated |
| | | | | 102 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 35
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--------------------------------------|
| J1K | 771 | 2 | INDIC | | | | N Health; recurrent lung aspirations |
| | | | | 6,275 | | | . Missing |
| | | | | 11,726 | | | 0 Not indicated |
| | | | | 45 | | | 1 Indicated |
| J1L | 773 | 2 | INDIC | | | | N Health; shortness of breath |
| | | | | 6,275 | | | . Missing |
| | | | | 10,687 | | | 0 Not indicated |
| | | | | 1,084 | | | 1 Indicated |
| J1M | 775 | 2 | INDIC | | | | N Health; syncope (fainting) |
| | | | | 13,105 | | | . Missing |
| | | | | 4,929 | | | 0 Not indicated |
| | | | | 12 | | | 1 Indicated |
| J1N | 777 | 2 | INDIC | | | | N Health; unsteady gate |
| | | | | 6,276 | | | . Missing |
| | | | | 7,472 | | | 0 Not indicated |
| | | | | 4,298 | | | 1 Indicated |
| J1O | 779 | 2 | INDIC | | | | N Health; vomiting |
| | | | | 6,275 | | | . Missing |
| | | | | 11,576 | | | 0 Not indicated |
| | | | | 195 | | | 1 Indicated |
| J1P | 781 | 2 | INDIC | | | | N Health; none of above |
| | | | | 10,452 | | | . Missing |
| | | | | 3,726 | | | 0 Not indicated |
| | | | | 3,868 | | | 1 Indicated |
| J2A | 783 | 2 | PAINA | | | | N Health; pain symptoms, frequency |
| | | | | 4,397 | | | . Missing |
| | | | | 8,279 | | | 0 No pain |
| | | | | 3,171 | | | 1 Pain less than daily |
| | | | | 2,199 | | | 2 Pain daily |
| J2B | 785 | 2 | PAINB | | | | N Health; pain symptoms, intensity |
| | | | | 12,678 | | | . Missing |
| | | | | 1,950 | | | 1 Mild pain |
| | | | | 3,034 | | | 2 Moderate pain |
| | | | | 384 | | | 3 Horrible/Excruciating pain |
| J3A | 787 | 2 | INDIC | | | | N Health; pain site, back |
| | | | | 15,892 | | | . Missing |
| | | | | 1,708 | | | 0 Not indicated |
| | | | | 446 | | | 1 Indicated |
| J3B | 789 | 2 | INDIC | | | | N Health; pain site, bone |
| | | | | 15,892 | | | . Missing |
| | | | | 1,936 | | | 0 Not indicated |
| | | | | 218 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 36
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| J3C | 791 | 2 | INDIC | | | | N Health; pain site, chest |
| | | | | 15,892 | | | . Missing |
| | | | | 2,115 | | | 0 Not indicated |
| | | | | 39 | | | 1 Indicated |
| J3D | 793 | 2 | INDIC | | | | N Health; pain site, headache |
| | | | | 15,892 | | | . Missing |
| | | | | 1,935 | | | 0 Not indicated |
| | | | | 219 | | | 1 Indicated |
| J3E | 795 | 2 | INDIC | | | | N Health; pain site, hip |
| | | | | 15,892 | | | . Missing |
| | | | | 1,728 | | | 0 Not indicated |
| | | | | 426 | | | 1 Indicated |
| J3F | 797 | 2 | INDIC | | | | N Health; pain site, incisional |
| | | | | 15,892 | | | . Missing |
| | | | | 1,967 | | | 0 Not indicated |
| | | | | 187 | | | 1 Indicated |
| J3G | 799 | 2 | INDIC | | | | N Health; pain site, joint, other than hip |
| | | | | 15,892 | | | . Missing |
| | | | | 1,536 | | | 0 Not indicated |
| | | | | 618 | | | 1 Indicated |
| J3H | 801 | 2 | INDIC | | | | N Health; pain site, soft tissue |
| | | | | 15,894 | | | . Missing |
| | | | | 1,796 | | | 0 Not indicated |
| | | | | 356 | | | 1 Indicated |
| J3I | 803 | 2 | INDIC | | | | N Health; pain site, stomach pain |
| | | | | 15,892 | | | . Missing |
| | | | | 2,045 | | | 0 Not indicated |
| | | | | 109 | | | 1 Indicated |
| J3J | 805 | 2 | INDIC | | | | N Health; pain site, other |
| | | | | 15,891 | | | . Missing |
| | | | | 1,379 | | | 0 Not indicated |
| | | | | 776 | | | 1 Indicated |
| J4A | 807 | 2 | INDIC | | | | N Health; fell in last 30 days |
| | | | | 4,397 | | | . Missing |
| | | | | 11,110 | | | 0 Not indicated |
| | | | | 2,539 | | | 1 Indicated |
| J4B | 809 | 2 | INDIC | | | | N Health; fell in last 31-180 days |
| | | | | 4,400 | | | . Missing |
| | | | | 10,146 | | | 0 Not indicated |
| | | | | 3,500 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 37
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| J4C | 811 | 2 | INDIC | | | | N Health; hip fracture in last 180 days |
| | | | | 4,401 | | | . Missing |
| | | | | 12,977 | | | 0 Not indicated |
| | | | | 668 | | | 1 Indicated |
| J4D | 813 | 2 | INDIC | | | | N Health; other fracture in last 180 days |
| | | | | 4,404 | | | . Missing |
| | | | | 13,028 | | | 0 Not indicated |
| | | | | 614 | | | 1 Indicated |
| J4E | 815 | 2 | INDIC | | | | N Health; none of above |
| | | | | 4,399 | | | . Missing |
| | | | | 5,386 | | | 0 Not indicated |
| | | | | 8,261 | | | 1 Indicated |
| J5A | 817 | 2 | INDIC | | | | N Health; diseases make patterns unstable |
| | | | | 4,398 | | | . Missing |
| | | | | 8,098 | | | 0 Not indicated |
| | | | | 5,550 | | | 1 Indicated |
| J5B | 819 | 2 | INDIC | | | | N Health; episode of recurrent problem |
| | | | | 4,396 | | | . Missing |
| | | | | 11,568 | | | 0 Not indicated |
| | | | | 2,082 | | | 1 Indicated |
| J5C | 821 | 2 | INDIC | | | | N Health; end-stage disease, 6 mo. to live |
| | | | | 4,398 | | | . Missing |
| | | | | 13,497 | | | 0 Not indicated |
| | | | | 151 | | | 1 Indicated |
| J5D | 823 | 2 | INDIC | | | | N Health; none of above |
| | | | | 4,396 | | | . Missing |
| | | | | 6,413 | | | 0 Not indicated |
| | | | | 7,237 | | | 1 Indicated |
| K1A | 825 | 2 | INDIC | | | | N Nutri; chewing problem |
| | | | | 6,291 | | | . Missing |
| | | | | 8,464 | | | 0 Not indicated |
| | | | | 3,291 | | | 1 Indicated |
| K1B | 827 | 2 | INDIC | | | | N Nutri; swallowing problem |
| | | | | 6,288 | | | . Missing |
| | | | | 9,550 | | | 0 Not indicated |
| | | | | 2,208 | | | 1 Indicated |
| K1C | 829 | 2 | INDIC | | | | N Nutri; mouth pain |
| | | | | 13,106 | | | . Missing |
| | | | | 4,928 | | | 0 Not indicated |
| | | | | 12 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 38
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| K1D | 831 | 2 | INDIC | | | | N Nutri; none of above |
| | | | | 9,653 | | | . Missing |
| | | | | 3,091 | | | 0 Not indicated |
| | | | | 5,302 | | | 1 Indicated |
| K2A | 833 | 2 | | | | | N Nutri; height |
| K2B | 835 | 3 | | | | | N Nutri; weight |
| K3A | 838 | 2 | YESNO | | | | N Nutri; weight loss, 5% in last 30 |
| | | | | 4,509 | | | . Missing |
| | | | | 12,084 | | | 0 No |
| | | | | 1,453 | | | 1 Yes |
| K3B | 840 | 2 | YESNO | | | | N Nutri; weight gain, 5% in last 30 |
| | | | | 4,505 | | | . Missing |
| | | | | 12,647 | | | 0 No |
| | | | | 894 | | | 1 Yes |
| K4A | 842 | 2 | INDIC | | | | N Nutri; complains about taste of food |
| | | | | 13,104 | | | . Missing |
| | | | | 4,895 | | | 0 Not indicated |
| | | | | 47 | | | 1 Indicated |
| K4B | 844 | 2 | INDIC | | | | N Nutri; regular complaints of hunger |
| | | | | 13,104 | | | . Missing |
| | | | | 4,928 | | | 0 Not indicated |
| | | | | 14 | | | 1 Indicated |
| K4C | 846 | 2 | INDIC | | | | N Nutri; leaves 25% food left uneaten |
| | | | | 13,102 | | | . Missing |
| | | | | 2,989 | | | 0 Not indicated |
| | | | | 1,955 | | | 1 Indicated |
| K4D | 848 | 2 | INDIC | | | | N Nutri; none of above |
| | | | | 13,104 | | | . Missing |
| | | | | 1,975 | | | 0 Not indicated |
| | | | | 2,967 | | | 1 Indicated |
| K5A | 850 | 2 | INDIC | | | | N Nutri; parenteral/IV |
| | | | | 6,296 | | | . Missing |
| | | | | 11,401 | | | 0 Not indicated |
| | | | | 349 | | | 1 Indicated |
| K5B | 852 | 2 | INDIC | | | | N Nutri; feeding tube |
| | | | | 4,421 | | | . Missing |
| | | | | 12,800 | | | 0 Not indicated |
| | | | | 825 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 39
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| K5C | 854 | 2 | INDIC | | | | N Nutri; mechanically altered diet |
| | | | | 13,104 | | | . Missing |
| | | | | 3,156 | | | 0 Not indicated |
| | | | | 1,786 | | | 1 Indicated |
| K5D | 856 | 2 | INDIC | | | | N Nutri; syringe, oral feeding |
| | | | | 13,104 | | | . Missing |
| | | | | 4,934 | | | 0 Not indicated |
| | | | | 8 | | | 1 Indicated |
| K5E | 858 | 2 | INDIC | | | | N Nutri; therapeutic diet |
| | | | | 13,102 | | | . Missing |
| | | | | 2,575 | | | 0 Not indicated |
| | | | | 2,369 | | | 1 Indicated |
| K5F | 860 | 2 | INDIC | | | | N Nutri; dietary supplement before meals |
| | | | | 13,105 | | | . Missing |
| | | | | 3,710 | | | 0 Not indicated |
| | | | | 1,231 | | | 1 Indicated |
| K5G | 862 | 2 | INDIC | | | | N Nutri; plate guard, built-up utensil,... |
| | | | | 13,104 | | | . Missing |
| | | | | 4,726 | | | 0 Not indicated |
| | | | | 216 | | | 1 Indicated |
| K5H | 864 | 2 | INDIC | | | | N Nutri; planned weight change program |
| | | | | 4,421 | | | . Missing |
| | | | | 11,505 | | | 0 Not indicated |
| | | | | 2,120 | | | 1 Indicated |
| K5I | 866 | 2 | INDIC | | | | N Nutri; none of above |
| | | | | 10,444 | | | . Missing |
| | | | | 4,563 | | | 0 Not indicated |
| | | | | 3,039 | | | 1 Indicated |
| K6A | 868 | 2 | CALORIES | | | | N Nutri; parenteral, total calories |
| | | | | 16,957 | | | . Missing |
| | | | | 285 | | | 0 None |
| | | | | 91 | | | 1 1% - 25% |
| | | | | 41 | | | 2 26% - 50% |
| | | | | 81 | | | 3 51% - 75% |
| | | | | 591 | | | 4 76% - 100% |
| K6B | 870 | 2 | FLUID | | | | N Nutri; parenteral, fluid intake |
| | | | | 16,956 | | | . Missing |
| | | | | 27 | | | 0 None |
| | | | | 204 | | | 1 1 to 500cc/day |
| | | | | 102 | | | 2 501 to 1000cc/day |
| | | | | 137 | | | 3 1001 to 1500cc/day |
| | | | | 278 | | | 4 1501 to 2000cc/day |
| | | | | 342 | | | 5 2001 or more cc/day |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 40
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--|
| L1A | 872 | 2 | INDIC | | | | N Dental; debris present prior to bed |
| | | | | 13,141 | | | . Missing |
| | | | | 4,888 | | | 0 Not indicated |
| | | | | 17 | | | 1 Indicated |
| L1B | 874 | 2 | INDIC | | | | N Dental; dentures or removable bridge |
| | | | | 13,141 | | | . Missing |
| | | | | 2,788 | | | 0 Not indicated |
| | | | | 2,117 | | | 1 Indicated |
| L1C | 876 | 2 | INDIC | | | | N Dental; some/all natural teeth lost |
| | | | | 13,141 | | | . Missing |
| | | | | 3,468 | | | 0 Not indicated |
| | | | | 1,437 | | | 1 Indicated |
| L1D | 878 | 2 | INDIC | | | | N Dental; broken or loose teeth |
| | | | | 13,141 | | | . Missing |
| | | | | 4,689 | | | 0 Not indicated |
| | | | | 216 | | | 1 Indicated |
| L1E | 880 | 2 | INDIC | | | | N Dental; inflamed gums |
| | | | | 13,141 | | | . Missing |
| | | | | 4,892 | | | 0 Not indicated |
| | | | | 13 | | | 1 Indicated |
| L1F | 882 | 2 | INDIC | | | | N Dental; daily cleaning of teeth/dentures |
| | | | | 13,138 | | | . Missing |
| | | | | 45 | | | 0 Not indicated |
| | | | | 4,863 | | | 1 Indicated |
| L1G | 884 | 2 | INDIC | | | | N Dental; none of above |
| | | | | 13,140 | | | . Missing |
| | | | | 4,895 | | | 0 Not indicated |
| | | | | 11 | | | 1 Indicated |
| M1A | 886 | 2 | | | | | N Skin; number of stage 1 ulcers |
| M1B | 888 | 2 | | | | | N Skin; number of stage 2 ulcers |
| M1C | 890 | 2 | | | | | N Skin; number of stage 3 ulcers |
| M1D | 892 | 2 | | | | | N Skin; number of stage 4 ulcers |
| M2A | 894 | 2 | ULCERSTA | | | | N Skin; highest stage, pressure ulcer |
| | | | | 4,396 | | | . Missing |
| | | | | 12,053 | | | 0 None |
| | | | | 297 | | | 1 Stage one |
| | | | | 780 | | | 2 Stage two |
| | | | | 170 | | | 3 Stage three |
| | | | | 350 | | | 4 Stage four |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 41
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|---|
| M2B | 896 | 2 | ULCERSTA | | | | N Skin; highest stage, stasis ulcer |
| | | | | 4,396 | | | . Missing |
| | | | | 13,391 | | | 0 None |
| | | | | 17 | | | 1 Stage one |
| | | | | 162 | | | 2 Stage two |
| | | | | 30 | | | 3 Stage three |
| | | | | 50 | | | 4 Stage four |
| M3 | 898 | 2 | YESNO | | | | N Skin; ulcer resolved in last 90 days |
| | | | | 9,818 | | | . Missing |
| | | | | 7,314 | | | 0 No |
| | | | | 914 | | | 1 Yes |
| M4A | 900 | 2 | INDIC | | | | N Skin; abrasions, bruises |
| | | | | 6,266 | | | . Missing |
| | | | | 8,691 | | | 0 Not indicated |
| | | | | 3,089 | | | 1 Indicated |
| M4B | 902 | 2 | INDIC | | | | N Skin; burns, 2nd or 3rd degree |
| | | | | 6,266 | | | . Missing |
| | | | | 11,762 | | | 0 Not indicated |
| | | | | 18 | | | 1 Indicated |
| M4C | 904 | 2 | INDIC | | | | N Skin; open lesions, not ulcer/rash/cut |
| | | | | 6,266 | | | . Missing |
| | | | | 11,531 | | | 0 Not indicated |
| | | | | 249 | | | 1 Indicated |
| M4D | 906 | 2 | INDIC | | | | N Skin; rashes |
| | | | | 6,266 | | | . Missing |
| | | | | 10,704 | | | 0 Not indicated |
| | | | | 1,076 | | | 1 Indicated |
| M4E | 908 | 2 | INDIC | | | | N Skin; desensitized to pain or pressure |
| | | | | 6,266 | | | . Missing |
| | | | | 10,983 | | | 0 Not indicated |
| | | | | 797 | | | 1 Indicated |
| M4F | 910 | 2 | INDIC | | | | N Skin; tears or cuts, other than surgery |
| | | | | 6,266 | | | . Missing |
| | | | | 11,023 | | | 0 Not indicated |
| | | | | 757 | | | 1 Indicated |
| M4G | 912 | 2 | INDIC | | | | N Skin; surgical wounds |
| | | | | 6,266 | | | . Missing |
| | | | | 10,690 | | | 0 Not indicated |
| | | | | 1,090 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 42
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|---|
| M4H | 914 | 2 | INDIC | | | | N Skin; none of above |
| | | | | 6,268 | | | . Missing |
| | | | | 5,249 | | | 0 Not indicated |
| | | | | 6,529 | | | 1 Indicated |
| M5A | 916 | 2 | INDIC | | | | N Skin; pressure rel device for chair |
| | | | | 6,272 | | | . Missing |
| | | | | 6,768 | | | 0 Not indicated |
| | | | | 5,006 | | | 1 Indicated |
| M5B | 918 | 2 | INDIC | | | | N Skin; pressure rel device for bed |
| | | | | 6,270 | | | . Missing |
| | | | | 4,076 | | | 0 Not indicated |
| | | | | 7,700 | | | 1 Indicated |
| M5C | 920 | 2 | INDIC | | | | N Skin; turning/repositioning program |
| | | | | 6,270 | | | . Missing |
| | | | | 6,806 | | | 0 Not indicated |
| | | | | 4,970 | | | 1 Indicated |
| M5D | 922 | 2 | INDIC | | | | N Skin; nutrition to manage skin prob |
| | | | | 6,270 | | | . Missing |
| | | | | 9,794 | | | 0 Not indicated |
| | | | | 1,982 | | | 1 Indicated |
| M5E | 924 | 2 | INDIC | | | | N Skin; ulcer care |
| | | | | 6,270 | | | . Missing |
| | | | | 10,351 | | | 0 Not indicated |
| | | | | 1,425 | | | 1 Indicated |
| M5F | 926 | 2 | INDIC | | | | N Skin; surgical wound care |
| | | | | 6,272 | | | . Missing |
| | | | | 10,816 | | | 0 Not indicated |
| | | | | 958 | | | 1 Indicated |
| M5G | 928 | 2 | INDIC | | | | N Skin; applic. of dressings, not feet |
| | | | | 6,273 | | | . Missing |
| | | | | 9,645 | | | 0 Not indicated |
| | | | | 2,128 | | | 1 Indicated |
| M5H | 930 | 2 | INDIC | | | | N Skin; applic. of ointment/med, not feet |
| | | | | 6,270 | | | . Missing |
| | | | | 8,323 | | | 0 Not indicated |
| | | | | 3,453 | | | 1 Indicated |
| M5I | 932 | 2 | INDIC | | | | N Skin; other preventative care, not feet |
| | | | | 6,270 | | | . Missing |
| | | | | 5,101 | | | 0 Not indicated |
| | | | | 6,675 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 43
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| M5J | 934 | 2 | INDIC | | | | N Skin; none of above |
| | | | | 6,272 | | | . Missing |
| | | | | 10,590 | | | 0 Not indicated |
| | | | | 1,184 | | | 1 Indicated |
| M6A | 936 | 2 | INDIC | | | | N Skin; foot, one or more problems |
| | | | | 6,266 | | | . Missing |
| | | | | 9,641 | | | 0 Not indicated |
| | | | | 2,139 | | | 1 Indicated |
| M6B | 938 | 2 | INDIC | | | | N Skin; foot, infections |
| | | | | 6,265 | | | . Missing |
| | | | | 11,665 | | | 0 Not indicated |
| | | | | 116 | | | 1 Indicated |
| M6C | 940 | 2 | INDIC | | | | N Skin; foot, open lesions |
| | | | | 6,265 | | | . Missing |
| | | | | 11,524 | | | 0 Not indicated |
| | | | | 257 | | | 1 Indicated |
| M6D | 942 | 2 | INDIC | | | | N Skin; foot, nails/calluses trimmed |
| | | | | 6,266 | | | . Missing |
| | | | | 6,243 | | | 0 Not indicated |
| | | | | 5,537 | | | 1 Indicated |
| M6E | 944 | 2 | INDIC | | | | N Skin; foot, preventative care |
| | | | | 6,265 | | | . Missing |
| | | | | 9,251 | | | 0 Not indicated |
| | | | | 2,530 | | | 1 Indicated |
| M6F | 946 | 2 | INDIC | | | | N Skin; foot, application of dressings |
| | | | | 6,265 | | | . Missing |
| | | | | 11,202 | | | 0 Not indicated |
| | | | | 579 | | | 1 Indicated |
| M6G | 948 | 2 | INDIC | | | | N Skin; none of above |
| | | | | 6,268 | | | . Missing |
| | | | | 7,601 | | | 0 Not indicated |
| | | | | 4,177 | | | 1 Indicated |
| N1A | 950 | 2 | INDIC | | | | N Act; awake in morning |
| | | | | 4,399 | | | . Missing |
| | | | | 1,178 | | | 0 Not indicated |
| | | | | 12,469 | | | 1 Indicated |
| N1B | 952 | 2 | INDIC | | | | N Act; awake in afternoon |
| | | | | 4,403 | | | . Missing |
| | | | | 1,928 | | | 0 Not indicated |
| | | | | 11,715 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 44
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|----------|-----------|----------|----------|--------------------------------------|
| N1C | 954 | 2 | INDIC | | | | N Act; awake in evening |
| | | | | 4,399 | | | . Missing |
| | | | | 5,295 | | | 0 Not indicated |
| | | | | 8,352 | | | 1 Indicated |
| N1D | 956 | 2 | INDIC | | | | N Act; none of above |
| | | | | 4,399 | | | . Missing |
| | | | | 13,229 | | | 0 Not indicated |
| | | | | 418 | | | 1 Indicated |
| N2 | 958 | 2 | AVRGTIME | | | | N Act; average time involved |
| | | | | 4,410 | | | . Missing |
| | | | | 601 | | | 0 Most - more than 2/3 time |
| | | | | 11,719 | | | 1 Some - from 1/3 to 2/3 time |
| | | | | 1,281 | | | 2 Little - less than 1/3 time |
| | | | | 35 | | | 3 None |
| N3A | 960 | 2 | INDIC | | | | N Act; settings, own room |
| | | | | 13,107 | | | . Missing |
| | | | | 436 | | | 0 Not indicated |
| | | | | 4,503 | | | 1 Indicated |
| N3B | 962 | 2 | INDIC | | | | N Act; settings, day room |
| | | | | 13,112 | | | . Missing |
| | | | | 1,169 | | | 0 Not indicated |
| | | | | 3,765 | | | 1 Indicated |
| N3C | 964 | 2 | INDIC | | | | N Act; settings, inside NH, off unit |
| | | | | 13,109 | | | . Missing |
| | | | | 2,491 | | | 0 Not indicated |
| | | | | 2,446 | | | 1 Indicated |
| N3D | 966 | 2 | INDIC | | | | N Act; settings, outside facility |
| | | | | 13,112 | | | . Missing |
| | | | | 3,656 | | | 0 Not indicated |
| | | | | 1,278 | | | 1 Indicated |
| N3E | 968 | 2 | INDIC | | | | N Act; settings, none of above |
| | | | | 13,109 | | | . Missing |
| | | | | 4,910 | | | 0 Not indicated |
| | | | | 27 | | | 1 Indicated |
| N4A | 970 | 2 | INDIC | | | | N Act; pref, cards, other games |
| | | | | 13,109 | | | . Missing |
| | | | | 2,780 | | | 0 Not indicated |
| | | | | 2,157 | | | 1 Indicated |
| N4B | 972 | 2 | INDIC | | | | N Act; pref, crafts/arts |
| | | | | 13,110 | | | . Missing |
| | | | | 3,594 | | | 0 Not indicated |
| | | | | 1,342 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 45
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|-----|-----|--------|-----------|----------|----------|--|
| N4C | 974 | 2 | INDIC | | | | N Act; pref, exercise/sports |
| | | | | 13,110 | | | . Missing |
| | | | | 2,836 | | | 0 Not indicated |
| | | | | 2,100 | | | 1 Indicated |
| N4D | 976 | 2 | INDIC | | | | N Act; pref, music |
| | | | | 13,109 | | | . Missing |
| | | | | 480 | | | 0 Not indicated |
| | | | | 4,457 | | | 1 Indicated |
| N4E | 978 | 2 | INDIC | | | | N Act; pref, reading/writing |
| | | | | 13,110 | | | . Missing |
| | | | | 2,407 | | | 0 Not indicated |
| | | | | 2,529 | | | 1 Indicated |
| N4F | 980 | 2 | INDIC | | | | N Act; pref, spiritual/religious activitie |
| | | | | 13,109 | | | . Missing |
| | | | | 1,664 | | | 0 Not indicated |
| | | | | 3,273 | | | 1 Indicated |
| N4G | 982 | 2 | INDIC | | | | N Act; pref, trips/shopping |
| | | | | 13,109 | | | . Missing |
| | | | | 3,809 | | | 0 Not indicated |
| | | | | 1,128 | | | 1 Indicated |
| N4H | 984 | 2 | INDIC | | | | N Act; pref, walking/wheelchair outdoors |
| | | | | 13,108 | | | . Missing |
| | | | | 2,720 | | | 0 Not indicated |
| | | | | 2,218 | | | 1 Indicated |
| N4I | 986 | 2 | INDIC | | | | N Act; pref, watching TV |
| | | | | 13,108 | | | . Missing |
| | | | | 820 | | | 0 Not indicated |
| | | | | 4,118 | | | 1 Indicated |
| N4J | 988 | 2 | INDIC | | | | N Act; pref, gardening or plants |
| | | | | 13,109 | | | . Missing |
| | | | | 4,181 | | | 0 Not indicated |
| | | | | 756 | | | 1 Indicated |
| N4K | 990 | 2 | INDIC | | | | N Act; pref, talking or conversing |
| | | | | 13,107 | | | . Missing |
| | | | | 769 | | | 0 Not indicated |
| | | | | 4,170 | | | 1 Indicated |
| N4L | 992 | 2 | INDIC | | | | N Act; pref, helping others |
| | | | | 13,109 | | | . Missing |
| | | | | 4,305 | | | 0 Not indicated |
| | | | | 632 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 46
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|--|
| N4M | 994 | 2 | INDIC | | | | N Act; pref, none of above |
| | | | | 13,109 | | | . Missing |
| | | | | 4,925 | | | 0 Not indicated |
| | | | | 12 | | | 1 Indicated |
| N5A | 996 | 2 | ROUTINCH | | | | N Act; pref, change in type activities |
| | | | | 13,109 | | | . Missing |
| | | | | 4,720 | | | 0 No change |
| | | | | 181 | | | 1 Slight change |
| | | | | 36 | | | 2 Major change |
| N5B | 998 | 2 | ROUTINCH | | | | N Act; pref, change in extent involvement |
| | | | | 13,109 | | | . Missing |
| | | | | 4,708 | | | 0 No change |
| | | | | 191 | | | 1 Slight change |
| | | | | 38 | | | 2 Major change |
| O1 | 1000 | 2 | | | | | N Rx; # of different med rec last 7 |
| O2 | 1002 | 2 | YESNO | | | | N Rx; receiving med initiated, last 90 |
| | | | | 13,104 | | | . Missing |
| | | | | 1,769 | | | 0 No |
| | | | | 3,173 | | | 1 Yes |
| O3 | 1004 | 2 | NUMDAY | | | | N Rx; # of days injections rec, last 7 |
| | | | | 6,302 | | | . Missing |
| | | | | 11,744 | | | 0-7 Number of days |
| O4A | 1006 | 2 | NUMDAY | | | | N Rx; # of days antipsychotic rec, last 7 |
| | | | | 4,396 | | | . Missing |
| | | | | 13,650 | | | 0-7 Number of days |
| O4B | 1008 | 2 | NUMDAY | | | | N Rx; # of days antianxiety rec, last 7 |
| | | | | 4,396 | | | . Missing |
| | | | | 13,650 | | | 0-7 Number of days |
| O4C | 1010 | 2 | NUMDAY | | | | N Rx; # of days antidepressant rec, last 7 |
| | | | | 4,396 | | | . Missing |
| | | | | 13,650 | | | 0-7 Number of days |
| O4D | 1012 | 2 | NUMDAY | | | | N Rx; # of days hypnotic rec, last 7 |
| | | | | 4,396 | | | . Missing |
| | | | | 13,650 | | | 0-7 Number of days |
| O4E | 1014 | 2 | NUMDAY | | | | N Rx; # of days diuretic rec, last 7 |
| | | | | 4,396 | | | . Missing |
| | | | | 13,650 | | | 0-7 Number of days |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 47
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|---|
| P1AA | 1016 | 2 | INDIC | | | | N Special; chemotherapy |
| | | | | 6,288 | | | . Missing |
| | | | | 11,710 | | | 0 Not indicated |
| | | | | 48 | | | 1 Indicated |
| P1AB | 1018 | 2 | INDIC | | | | N Special; dialysis |
| | | | | 6,263 | | | . Missing |
| | | | | 11,563 | | | 0 Not indicated |
| | | | | 220 | | | 1 Indicated |
| P1AC | 1020 | 2 | INDIC | | | | N Special; IV medication |
| | | | | 6,268 | | | . Missing |
| | | | | 10,267 | | | 0 Not indicated |
| | | | | 1,511 | | | 1 Indicated |
| P1AD | 1022 | 2 | INDIC | | | | N Special; intake/output |
| | | | | 6,263 | | | . Missing |
| | | | | 8,551 | | | 0 Not indicated |
| | | | | 3,232 | | | 1 Indicated |
| P1AE | 1024 | 2 | INDIC | | | | N Special; monitoring acute med condition |
| | | | | 6,261 | | | . Missing |
| | | | | 7,931 | | | 0 Not indicated |
| | | | | 3,854 | | | 1 Indicated |
| P1AF | 1026 | 2 | INDIC | | | | N Special; ostomy care |
| | | | | 6,263 | | | . Missing |
| | | | | 11,143 | | | 0 Not indicated |
| | | | | 640 | | | 1 Indicated |
| P1AG | 1028 | 2 | INDIC | | | | N Special; oxygen therapy |
| | | | | 6,263 | | | . Missing |
| | | | | 10,064 | | | 0 Not indicated |
| | | | | 1,719 | | | 1 Indicated |
| P1AH | 1030 | 2 | INDIC | | | | N Special; radiation |
| | | | | 6,263 | | | . Missing |
| | | | | 11,764 | | | 0 Not indicated |
| | | | | 19 | | | 1 Indicated |
| P1AI | 1032 | 2 | INDIC | | | | N Special; suctioning |
| | | | | 6,263 | | | . Missing |
| | | | | 11,702 | | | 0 Not indicated |
| | | | | 81 | | | 1 Indicated |
| P1AJ | 1034 | 2 | INDIC | | | | N Special; tracheostomy |
| | | | | 6,263 | | | . Missing |
| | | | | 11,732 | | | 0 Not indicated |
| | | | | 51 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 48
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|--|
| P1AK | 1036 | 2 | INDIC | | | | N Special; transfusions |
| | | | | 6,263 | | | . Missing |
| | | | | 11,583 | | | 0 Not indicated |
| | | | | 200 | | | 1 Indicated |
| P1AL | 1038 | 2 | INDIC | | | | N Special; ventilator or respirator |
| | | | | 6,263 | | | . Missing |
| | | | | 11,744 | | | 0 Not indicated |
| | | | | 39 | | | 1 Indicated |
| P1AM | 1040 | 2 | INDIC | | | | N Special; alcoholic/drug treatment |
| | | | | 6,263 | | | . Missing |
| | | | | 11,779 | | | 0 Not indicated |
| | | | | 4 | | | 1 Indicated |
| P1AN | 1042 | 2 | INDIC | | | | N Special; alzheimers/dementia spec care |
| | | | | 6,263 | | | . Missing |
| | | | | 11,323 | | | 0 Not indicated |
| | | | | 460 | | | 1 Indicated |
| P1AO | 1044 | 2 | INDIC | | | | N Special; hospice care |
| | | | | 6,263 | | | . Missing |
| | | | | 11,624 | | | 0 Not indicated |
| | | | | 159 | | | 1 Indicated |
| P1AP | 1046 | 2 | INDIC | | | | N Special; pediatric unite |
| | | | | 6,263 | | | . Missing |
| | | | | 11,777 | | | 0 Not indicated |
| | | | | 6 | | | 1 Indicated |
| P1AQ | 1048 | 2 | INDIC | | | | N Special; respite care |
| | | | | 6,263 | | | . Missing |
| | | | | 11,775 | | | 0 Not indicated |
| | | | | 8 | | | 1 Indicated |
| P1AR | 1050 | 2 | INDIC | | | | N Special; community skill training |
| | | | | 6,261 | | | . Missing |
| | | | | 10,126 | | | 0 Not indicated |
| | | | | 1,659 | | | 1 Indicated |
| P1AS | 1052 | 2 | INDIC | | | | N Special; none of above |
| | | | | 6,263 | | | . Missing |
| | | | | 6,801 | | | 0 Not indicated |
| | | | | 4,982 | | | 1 Indicated |
| P1BAA | 1054 | 2 | NUMDAY | | | | N Special; speech therapy days |
| | | | | 6,313 | | | . Missing |
| | | | | 11,733 | | | 0-7 Number of days |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 49
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|---------|-----------|----------|----------|--|
| P1BAB | 1056 | 4 | NUMMINS | | | | N Special; speech therapy minutes |
| | | | | 6,271 | | | . Missing |
| | | | | 11,775 | | | 0-9999 Number of minutes |
| P1BBA | 1060 | 2 | NUMDAY | | | | N Special; occupational therapy days |
| | | | | 6,261 | | | . Missing |
| | | | | 11,785 | | | 0-7 Number of days |
| P1BBB | 1062 | 4 | NUMMINS | | | | N Special; occupational therapy minutes |
| | | | | 6,269 | | | . Missing |
| | | | | 11,777 | | | 0-9999 Number of minutes |
| P1BCA | 1066 | 2 | NUMDAY | | | | N Special; physical therapy days |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P1BCB | 1068 | 4 | NUMMINS | | | | N Special; physical therapy minutes |
| | | | | 6,270 | | | . Missing |
| | | | | 11,776 | | | 0-9999 Number of minutes |
| P1BDA | 1072 | 2 | NUMDAY | | | | N Special; respiratory therapy days |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P1BDB | 1074 | 4 | NUMMINS | | | | N Special; respiratory therapy minutes |
| | | | | 6,271 | | | . Missing |
| | | | | 11,775 | | | 0-9999 Number of minutes |
| P1BEA | 1078 | 2 | NUMDAY | | | | N Special; psychological therapy days |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P1BEB | 1080 | 4 | NUMMINS | | | | N Special; psychological therapy minutes |
| | | | | 6,271 | | | . Missing |
| | | | | 11,775 | | | 0-9999 Number of minutes |
| P2A | 1084 | 2 | INDIC | | | | N Special; behavior symptom eval program |
| | | | | 13,105 | | | . Missing |
| | | | | 4,680 | | | 0 Not indicated |
| | | | | 261 | | | 1 Indicated |
| P2B | 1086 | 2 | INDIC | | | | N Special; mental health specialist eval |
| | | | | 13,104 | | | . Missing |
| | | | | 4,240 | | | 0 Not indicated |
| | | | | 702 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 50
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|---|
| P2C | 1088 | 2 | INDIC | | | | N Special; group therapy |
| | | | | 13,105 | | | . Missing |
| | | | | 4,908 | | | 0 Not indicated |
| | | | | 33 | | | 1 Indicated |
| P2D | 1090 | 2 | INDIC | | | | N Special; deliberate environment changes |
| | | | | 13,105 | | | . Missing |
| | | | | 4,900 | | | 0 Not indicated |
| | | | | 41 | | | 1 Indicated |
| P2E | 1092 | 2 | INDIC | | | | N Special; reorientation |
| | | | | 13,104 | | | . Missing |
| | | | | 2,809 | | | 0 Not indicated |
| | | | | 2,133 | | | 1 Indicated |
| P2F | 1094 | 2 | INDIC | | | | N Special; none of above |
| | | | | 13,106 | | | . Missing |
| | | | | 2,546 | | | 0 Not indicated |
| | | | | 2,394 | | | 1 Indicated |
| P3A | 1096 | 2 | NUMDAY | | | | N Special; rehab, passive range of motion |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3B | 1098 | 2 | NUMDAY | | | | N Special; rehab, active range of motion |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3C | 1100 | 2 | NUMDAY | | | | N Special; rehab, splint or brace |
| | | | | 6,263 | | | . Missing |
| | | | | 11,783 | | | 0-7 Number of days |
| P3D | 1102 | 2 | NUMDAY | | | | N Special; practice, bed mobility |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3E | 1104 | 2 | NUMDAY | | | | N Special; practice, transfer |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3F | 1106 | 2 | NUMDAY | | | | N Special; practice, walking |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3G | 1108 | 2 | NUMDAY | | | | N Special; practice, dressing or grooming |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 51
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|---|
| P3H | 1110 | 2 | NUMDAY | | | | N Special; practice, eating or swallowing |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3I | 1112 | 2 | NUMDAY | | | | N Special; practice, ampu/prosthesis care |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3J | 1114 | 2 | NUMDAY | | | | N Special; practice, communication |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P3K | 1116 | 2 | NUMDAY | | | | N Special; practice, other |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-7 Number of days |
| P4A | 1118 | 2 | USED | | | | N Special; devices, full bed rails |
| | | | | 4,394 | | | . Missing |
| | | | | 11,100 | | | 0 Not used |
| | | | | 74 | | | 1 Used less than daily |
| | | | | 2,478 | | | 2 Used daily |
| P4B | 1120 | 2 | USED | | | | N Special; devices, other types of rails |
| | | | | 4,394 | | | . Missing |
| | | | | 9,954 | | | 0 Not used |
| | | | | 137 | | | 1 Used less than daily |
| | | | | 3,561 | | | 2 Used daily |
| P4C | 1122 | 2 | USED | | | | N Special; devices, trunk restraint |
| | | | | 4,395 | | | . Missing |
| | | | | 13,062 | | | 0 Not used |
| | | | | 46 | | | 1 Used less than daily |
| | | | | 543 | | | 2 Used daily |
| P4D | 1124 | 2 | USED | | | | N Special; devices, limb restraint |
| | | | | 4,395 | | | . Missing |
| | | | | 13,619 | | | 0 Not used |
| | | | | 5 | | | 1 Used less than daily |
| | | | | 27 | | | 2 Used daily |
| P4E | 1126 | 2 | USED | | | | N Special; devices, chair prevents rising |
| | | | | 4,395 | | | . Missing |
| | | | | 13,138 | | | 0 Not used |
| | | | | 55 | | | 1 Used less than daily |
| | | | | 458 | | | 2 Used daily |
| P5 | 1128 | 2 | NUMDAY2X | | | | N Special; # overnight hospital stays |
| | | | | 13,105 | | | . Missing |
| | | | | 4,940 | | | 0-15 Number of days |
| | | | | 1 | | | -3 |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 52
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|--|
| P6 | 1130 | 2 | NUMDAY2X | | | | N Special; # emergency room visits |
| | | | | 13,047 | | | . Missing |
| | | | | 4,999 | | | 0-15 Number of days |
| P7 | 1132 | 2 | NUMDAY2X | | | | N Special; # days physician examined |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-15 Number of days |
| P8 | 1134 | 2 | NUMDAY2X | | | | N Special; # days physician changed orders |
| | | | | 6,262 | | | . Missing |
| | | | | 11,784 | | | 0-15 Number of days |
| P9 | 1136 | 2 | YESNO | | | | N Special; abnormal lab value last 90 days |
| | | | | 13,104 | | | . Missing |
| | | | | 1,414 | | | 0 No |
| | | | | 3,528 | | | 1 Yes |
| Q1A | 1138 | 2 | YESNO | | | | N Status; expresses pref of discharge |
| | | | | 9,816 | | | . Missing |
| | | | | 5,389 | | | 0 No |
| | | | | 2,841 | | | 1 Yes |
| Q1B | 1140 | 2 | YESNO | | | | N Status; support person pos to discharge |
| | | | | 13,117 | | | . Missing |
| | | | | 3,675 | | | 0 No |
| | | | | 1,254 | | | 1 Yes |
| Q1C | 1142 | 2 | DISCHARG | | | | N Status; discharge projected |
| | | | | 9,808 | | | . Missing |
| | | | | 5,324 | | | 0 No |
| | | | | 916 | | | 1 Within 30 days |
| | | | | 536 | | | 2 Within 31-90 days |
| | | | | 1,462 | | | 3 Discharge status uncertain |
| Q2 | 1144 | 2 | CHANGE | | | | N Status; overall care change last 90 days |
| | | | | 4,406 | | | . Missing |
| | | | | 10,545 | | | 0 No change |
| | | | | 851 | | | 1 Improved |
| | | | | 2,244 | | | 2 Deteriorated |
| R1A | 1146 | 2 | YESNO | | | | N Discharge; assess resident particip |
| | | | | 13,102 | | | . Missing |
| | | | | 547 | | | 0 No |
| | | | | 4,397 | | | 1 Yes |
| R1B | 1148 | 2 | YESNOFAM | | | | N Discharge; assess, family particip |
| | | | | 13,102 | | | . Missing |
| | | | | 2,601 | | | 0 No |
| | | | | 2,281 | | | 1 Yes |
| | | | | 62 | | | 2 No family |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 53
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|--|
| R1C | 1150 | 2 | YESNONON | | | | N Discharge; assess, signif other particip |
| | | | | 13,118 | | | . Missing |
| | | | | 3,027 | | | 0 No |
| | | | | 362 | | | 1 Yes |
| | | | | 1,539 | | | 2 None |
| R2B | 1152 | 8 | | | | | N Discharge; date RN assess complete |
| R3A | 1162 | 2 | | | | | N Discharge; code for resident disposition |
| R3B | 1164 | 2 | | | | | N Discharge; optional state code |
| R4 | 1166 | 8 | | | | | N Discharge; date of discharge |
| T1AA | 1176 | 2 | NUMDAY | | | | N Supp; recreation therapy days |
| | | | | 15,153 | | | . Missing |
| | | | | 2,893 | | | 0-7 Number of days |
| T1AB | 1178 | 4 | NUMMINS | | | | N Supp; recreation therapy minutes |
| | | | | 15,153 | | | . Missing |
| | | | | 2,893 | | | 0-9999 Number of minutes |
| T1B | 1182 | 2 | YESNO | | | | N Supp; PT, OT, ST ordered first 14 days |
| | | | | 15,960 | | | . Missing |
| | | | | 450 | | | 0 No |
| | | | | 1,636 | | | 1 Yes |
| T1C | 1184 | 2 | NUMDAY2X | | | | N Supp; therapy days through day 15 |
| | | | | 16,409 | | | . Missing |
| | | | | 1,637 | | | 0-15 Number of days |
| T1D | 1186 | 4 | NUMMINS | | | | N Supp; total min therapy through day 15 |
| | | | | 16,408 | | | . Missing |
| | | | | 1,638 | | | 0-9999 Number of minutes |
| T2A | 1190 | 2 | WALKDIST | | | | N Supp; furthest distance walked |
| | | | | 16,668 | | | . Missing |
| | | | | 539 | | | 0 150+ feet |
| | | | | 345 | | | 1 51-149 feet |
| | | | | 203 | | | 2 26-50 feet |
| | | | | 165 | | | 3 10-25 feet |
| | | | | 126 | | | 4 Less than 25 feet |
| T2B | 1192 | 2 | WALKTIME | | | | N Supp; time walked without sitting |
| | | | | 16,680 | | | . Missing |
| | | | | 465 | | | 0 1-2 minutes |
| | | | | 392 | | | 1 3-4 minutes |
| | | | | 370 | | | 2 5-10 minutes |
| | | | | 113 | | | 3 11-15 minutes |
| | | | | 17 | | | 4 16-30 minutes |
| | | | | 9 | | | 5 31+ minutes |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 54
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|--|
| T2C | 1194 | 2 | WALKASSI | | | | N Supp; self-performance in walking |
| | | | | 16,676 | | | . Missing |
| | | | | 348 | | | 0 Independent |
| | | | | 221 | | | 1 Supervision |
| | | | | 576 | | | 2 Limited assistance |
| | | | | 225 | | | 3 Extensive assistance |
| T2D | 1196 | 2 | WALKSUPP | | | | N Supp; walking support provided |
| | | | | 16,675 | | | . Missing |
| | | | | 389 | | | 0 No setup or physical help from staff |
| | | | | 168 | | | 1 Setup help only |
| | | | | 679 | | | 2 One person physical assist |
| | | | | 135 | | | 3 Two+ persons physical assist |
| T2E | 1198 | 2 | YESNO | | | | N Supp; parallel bars used |
| | | | | 16,624 | | | . Missing |
| | | | | 1,336 | | | 0 No |
| | | | | 86 | | | 1 Yes |
| T3MDCR | 1200 | 5 | | | | | C Case mix group Medicare |
| T3STATE | 1205 | 5 | | | | | C Case mix group State |
| U01RA | 1210 | 2 | ROUTE | | | | N Drug 1; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 55
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U01FR | 1212 | 2 | \$FREQU | | | | C Drug 1; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U01AA | 1214 | 5 | \$AMOUNT | | | | C Drug 1; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U01PR | 1219 | 2 | PRNN | | | | N Drug 1; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U01NDC | 1221 | 9 | \$NDCDRUG | | | | C Drug 1; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 56
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|-----------------------------------|
| U02RA | 1230 | 2 | ROUTE | | | | N Drug 2; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U02FR | 1232 | 2 | \$FREQU | | | | C Drug 2; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U02AA | 1234 | 5 | \$AMOUNT | | | | C Drug 2; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U02PR | 1239 | 2 | PRNN | | | | N Drug 2; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 57
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U02NDC | 1241 | 9 | \$NDCDRUG | | | | C Drug 2; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U03RA | 1250 | 2 | ROUTE | | | | N Drug 3; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U03FR | 1252 | 2 | \$FREQU | | | | C Drug 3; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U03AA | 1254 | 5 | \$AMOUNT | | | | C Drug 3; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 58
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U03PR | 1259 | 2 | PRNN | | | | N Drug 3; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U03NDC | 1261 | 9 | \$NDCDRUG | | | | C Drug 3; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U04RA | 1270 | 2 | ROUTE | | | | N Drug 4; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U04FR | 1272 | 2 | \$FREQU | | | | C Drug 4; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 59
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U04AA | 1274 | 5 | \$AMOUNT | 18,046 | | | C Drug 4; amount administered |
| | | | | | | | LOW-HIGH Amount administered |
| U04PR | 1279 | 2 | PRNN | 18,046 | | | N Drug 4; PRN-number of doses |
| | | | | 0 | | | . Missing |
| | | | | | | | 0-99 Number of doses |
| U04NDC | 1281 | 9 | \$NDCDRUG | 18,046 | | | C Drug 4; National Drug Code (NDC) |
| | | | | | | | LOW-HIGH National Drug Code |
| U05RA | 1290 | 2 | ROUTE | 18,046 | | | N Drug 5; route of administration |
| | | | | 0 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 60
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U05FR | 1292 | 2 | \$FREQU | | | | C Drug 5; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U05AA | 1294 | 5 | \$AMOUNT | | | | C Drug 5; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U05PR | 1299 | 2 | PRNN | | | | N Drug 5; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U05NDC | 1301 | 9 | \$NDCDRUG | | | | C Drug 5; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 61
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|-----------------------------------|
| U06RA | 1310 | 2 | ROUTE | | | | N Drug 6; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U06FR | 1312 | 2 | \$FREQU | | | | C Drug 6; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 0O Invalid entry, 0O |
| | | | | 0 | | | 0O Invalid entry, 0O |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U06AA | 1314 | 5 | \$AMOUNT | | | | C Drug 6; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U06PR | 1319 | 2 | PRNN | | | | N Drug 6; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 62
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U06NDC | 1321 | 9 | \$NDCDRUG | | | | C Drug 7; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U07RA | 1330 | 2 | ROUTE | | | | N Drug 7; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U07FR | 1332 | 2 | \$FREQU | | | | C Drug 7; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U07AA | 1334 | 5 | \$AMOUNT | | | | C Drug 7; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 63
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U07PR | 1339 | 2 | PRNN | | | | N Drug 7; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U07NDC | 1341 | 9 | \$NDCDRUG | | | | C Drug 7; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U08RA | 1350 | 2 | ROUTE | | | | N Drug 8; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U08FR | 1352 | 2 | \$FREQU | | | | C Drug 8; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | Q0 Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 64
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U08AA | 1354 | 5 | \$AMOUNT | 18,046 | | | C Drug 8; amount administered |
| | | | | | | | LOW-HIGH Amount administered |
| U08PR | 1359 | 2 | PRNN | 18,046 | | | N Drug 8; PRN-number of doses |
| | | | | 0 | | | . Missing |
| | | | | | | | 0-99 Number of doses |
| U08NDC | 1361 | 9 | \$NDCDRUG | 18,046 | | | C Drug 8; National Drug Code (NDC) |
| | | | | | | | LOW-HIGH National Drug Code |
| U09RA | 1370 | 2 | ROUTE | 18,046 | | | N Drug 9; route of administration |
| | | | | 0 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 65
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|------------------------------------|
| U09FR | 1372 | 2 | \$FREQU | | | | C Drug 9; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U09AA | 1374 | 5 | \$AMOUNT | | | | C Drug 9; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U09PR | 1379 | 2 | PRNN | | | | N Drug 9; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U09NDC | 1381 | 9 | \$NDCDRUG | | | | C Drug 9; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 66
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|------------------------------------|
| U10RA | 1390 | 2 | ROUTE | | | | N Drug 10; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U10FR | 1392 | 2 | \$FREQU | | | | C Drug 10; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U10AA | 1394 | 5 | \$AMOUNT | | | | C Drug 10; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U10PR | 1399 | 2 | PRNN | | | | N Drug 10; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 67
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U10NDC | 1401 | 9 | \$NDCDRUG | | | | C Drug 10; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U11RA | 1410 | 2 | ROUTE | | | | N Drug 11; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U11FR | 1412 | 2 | \$FREQU | | | | C Drug 11; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U11AA | 1414 | 5 | \$AMOUNT | | | | C Drug 11; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 68
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U11PR | 1419 | 2 | PRNN | | | | N Drug 11; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U11NDC | 1421 | 9 | \$NDCDRUG | | | | C Drug 11; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U12RA | 1430 | 2 | ROUTE | | | | N Drug 12; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U12FR | 1432 | 2 | \$FREQU | | | | C Drug 12; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 69
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U12AA | 1434 | 5 | \$AMOUNT | 18,046 | | | C Drug 12; amount administered |
| | | | | | | | LOW-HIGH Amount administered |
| U12PR | 1439 | 2 | PRNN | 18,046 | | | N Drug 12; PRN-number of doses |
| | | | | 0 | | | . Missing |
| | | | | | | | 0-99 Number of doses |
| U12NDC | 1441 | 9 | \$NDCDRUG | 18,046 | | | C Drug 12; National Drug Code (NDC) |
| | | | | | | | LOW-HIGH National Drug Code |
| U13RA | 1450 | 2 | ROUTE | 18,046 | | | N Drug 13; route of administration |
| | | | | 0 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 70
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U13FR | 1452 | 2 | \$FREQU | | | | C Drug 13; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U13AA | 1454 | 5 | \$AMOUNT | | | | C Drug 13; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U13PR | 1459 | 2 | PRNN | | | | N Drug 13; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U13NDC | 1461 | 9 | \$NDCDRUG | | | | C Drug 13; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 71
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|------------------------------------|
| U14RA | 1470 | 2 | ROUTE | | | | N Drug 14; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U14FR | 1472 | 2 | \$FREQU | | | | C Drug 14; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U14AA | 1474 | 5 | \$AMOUNT | | | | C Drug 14; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U14PR | 1479 | 2 | PRNN | | | | N Drug 14; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 72
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U14NDC | 1481 | 9 | \$NDCDRUG | | | | C Drug 14; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U15RA | 1490 | 2 | ROUTE | | | | N Drug 15; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U15FR | 1492 | 2 | \$FREQU | | | | C Drug 15; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U15AA | 1494 | 5 | \$AMOUNT | | | | C Drug 15; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 73
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U15PR | 1499 | 2 | PRNN | | | | N Drug 15; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U15NDC | 1501 | 9 | \$NDCDRUG | | | | C Drug 15; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |
| U16RA | 1510 | 2 | ROUTE | | | | N Drug 16; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U16FR | 1512 | 2 | \$FREQU | | | | C Drug 16; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | Q0 Invalid entry, Q0 |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 00 Invalid entry, 00 |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 74
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U16AA | 1514 | 5 | \$AMOUNT | 18,046 | | | C Drug 16; amount administered |
| | | | | | | | LOW-HIGH Amount administered |
| U16PR | 1519 | 2 | PRNN | 18,046 | | | N Drug 16; PRN-number of doses |
| | | | | 0 | | | . Missing |
| | | | | | | | 0-99 Number of doses |
| U16NDC | 1521 | 9 | \$NDCDRUG | 18,046 | | | C Drug 16; National Drug Code (NDC) |
| | | | | | | | LOW-HIGH National Drug Code |
| U17RA | 1530 | 2 | ROUTE | 18,046 | | | N Drug 17; route of administration |
| | | | | 0 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 75
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|-----------|----------|----------|-------------------------------------|
| U17FR | 1532 | 2 | \$FREQU | | | | C Drug 17; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | OO Invalid entry, OO |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U17AA | 1534 | 5 | \$AMOUNT | | | | C Drug 17; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U17PR | 1539 | 2 | PRNN | | | | N Drug 17; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |
| U17NDC | 1541 | 9 | \$NDCDRUG | | | | C Drug 17; National Drug Code (NDC) |
| | | | | 18,046 | | | LOW-HIGH National Drug Code |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 76
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|----------|-----------|----------|----------|------------------------------------|
| U18RA | 1550 | 2 | ROUTE | | | | N Drug 18; route of administration |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 1 By mouth (PO) |
| | | | | 0 | | | 2 Sub lingual (SL) |
| | | | | 0 | | | 3 Intramuscular (IM) |
| | | | | 0 | | | 4 Intravenous (IV) |
| | | | | 0 | | | 5 Subcutaneous (SQ) |
| | | | | 0 | | | 6 Rectal (R) |
| | | | | 0 | | | 7 Topical |
| | | | | 0 | | | 8 Inhalation |
| | | | | 0 | | | 9 Enteral tube |
| | | | | 0 | | | 10 Other |
| U18FR | 1552 | 2 | \$FREQU | | | | C Drug 18; frequency |
| | | | | 18,046 | | | Missing |
| | | | | 0 | | | && Invalid entry, && |
| | | | | 0 | | | -- Invalid entry, -- |
| | | | | 0 | | | C Continuous |
| | | | | 0 | | | O Other |
| | | | | 0 | | | PR (PRN) As necessary |
| | | | | 0 | | | QO Every other day |
| | | | | 0 | | | QO Invalid entry, QO |
| | | | | 0 | | | Q4 Invalid entry, Q4 |
| | | | | 0 | | | 0O Invalid entry, 0O |
| | | | | 0 | | | 0O Invalid entry, 0O |
| | | | | 0 | | | 1 Invalid entry, One |
| | | | | 0 | | | 1D (QD or HS) Once daily |
| | | | | 0 | | | 1H (QH) Every hour |
| | | | | 0 | | | 1M (Q mo) Once each month |
| | | | | 0 | | | 1W (Q week) Once each week |
| | | | | 0 | | | 1X Invalid entry, 1X |
| | | | | 0 | | | 12 Invalid entry, 12 |
| | | | | 0 | | | 2D (BID) Two times daily |
| | | | | 0 | | | 2H (Q2H) Every 2 hours |
| | | | | 0 | | | 2M Twice each month |
| | | | | 0 | | | 2W Two times each week |
| | | | | 0 | | | 21 Invalid entry, 21 |
| | | | | 0 | | | 3D (TID) Three times daily |
| | | | | 0 | | | 3H (Q3H) Every 3 hours |
| | | | | 0 | | | 3P Invalid entry, 3P |
| | | | | 0 | | | 3W Three times each week |
| | | | | 0 | | | 4D (QID) Four times daily |
| | | | | 0 | | | 4H (Q4H) Every 4 hours |
| | | | | 0 | | | 4W Four times each week |
| | | | | 0 | | | 5D Five times daily |
| | | | | 0 | | | 5W Five times each week |
| | | | | 0 | | | 6D Invalid entry, 6D |
| | | | | 0 | | | 6H (Q6H) Every 6 hours |
| | | | | 0 | | | 6W Six times each week |
| | | | | 0 | | | 8H (Q8H) Every 8 hours |
| U18AA | 1554 | 5 | \$AMOUNT | | | | C Drug 18; amount administered |
| | | | | 18,046 | | | LOW-HIGH Amount administered |
| U18PR | 1559 | 2 | PRNN | | | | N Drug 18; PRN-number of doses |
| | | | | 18,046 | | | . Missing |
| | | | | 0 | | | 0-99 Number of doses |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 77
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|-----------|--------------------------|----------|----------|---|
| U18NDC | 1561 | 9 | \$NDCDRUG | 18,046 | | | C Drug 18; National Drug Code (NDC) LOW-HIGH National Drug Code |
| VA01A | 1570 | 2 | INDIC | 14,093 3,214 739 | | | N Delirium, triggered . Missing 0 Not indicated 1 Indicated |
| VA01B | 1572 | 2 | INDIC | 14,443 3,287 316 | | | N Delirium, care planning . Missing 0 Not indicated 1 Indicated |
| VA02A | 1574 | 2 | INDIC | 14,089 783 3,174 | | | N Cognitive loss, triggered . Missing 0 Not indicated 1 Indicated |
| VA02B | 1576 | 2 | INDIC | 14,194 1,382 2,470 | | | N Cognitive loss, care planning . Missing 0 Not indicated 1 Indicated |
| VA03A | 1578 | 2 | INDIC | 14,094 2,298 1,654 | | | N Visual function, triggered . Missing 0 Not indicated 1 Indicated |
| VA03B | 1580 | 2 | INDIC | 14,355 2,657 1,034 | | | N Visual function, care planning . Missing 0 Not indicated 1 Indicated |
| VA04A | 1582 | 2 | INDIC | 14,088 1,545 2,413 | | | N Communication, triggered . Missing 0 Not indicated 1 Indicated |
| VA04B | 1584 | 2 | INDIC | 14,312 1,946 1,788 | | | N Communication, care planning . Missing 0 Not indicated 1 Indicated |
| VA05A | 1586 | 2 | INDIC | 14,088 59 3,899 | | | N ADL funct/Rehab potential, triggered . Missing 0 Not indicated 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 78
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|--|
| VA05B | 1588 | 2 | INDIC | | | | N ADL funct/Rehab potential, care planning |
| | | | | 14,112 | | | . Missing |
| | | | | 655 | | | 0 Not indicated |
| | | | | 3,279 | | | 1 Indicated |
| VA06A | 1590 | 2 | INDIC | | | | N Urinary incontinence, triggered |
| | | | | 14,088 | | | . Missing |
| | | | | 1,100 | | | 0 Not indicated |
| | | | | 2,858 | | | 1 Indicated |
| VA06B | 1592 | 2 | INDIC | | | | N Urinary incontinence, care planning |
| | | | | 14,236 | | | . Missing |
| | | | | 1,500 | | | 0 Not indicated |
| | | | | 2,310 | | | 1 Indicated |
| VA07A | 1594 | 2 | INDIC | | | | N Psychosocial well-being, triggered |
| | | | | 14,089 | | | . Missing |
| | | | | 2,662 | | | 0 Not indicated |
| | | | | 1,295 | | | 1 Indicated |
| VA07B | 1596 | 2 | INDIC | | | | N Psychosocial well-being, care planning |
| | | | | 14,383 | | | . Missing |
| | | | | 2,754 | | | 0 Not indicated |
| | | | | 909 | | | 1 Indicated |
| VA08A | 1598 | 2 | INDIC | | | | N Mood state, triggered |
| | | | | 14,088 | | | . Missing |
| | | | | 2,109 | | | 0 Not indicated |
| | | | | 1,849 | | | 1 Indicated |
| VA08B | 1600 | 2 | INDIC | | | | N Mood state, care planning |
| | | | | 14,319 | | | . Missing |
| | | | | 2,256 | | | 0 Not indicated |
| | | | | 1,471 | | | 1 Indicated |
| VA09A | 1602 | 2 | INDIC | | | | N Behavioral symptoms, triggered |
| | | | | 14,090 | | | . Missing |
| | | | | 2,771 | | | 0 Not indicated |
| | | | | 1,185 | | | 1 Indicated |
| VA09B | 1604 | 2 | INDIC | | | | N Behavioral symptoms, care planning |
| | | | | 14,370 | | | . Missing |
| | | | | 2,715 | | | 0 Not indicated |
| | | | | 961 | | | 1 Indicated |
| VA10A | 1606 | 2 | INDIC | | | | N Activities, triggered |
| | | | | 14,090 | | | . Missing |
| | | | | 3,255 | | | 0 Not indicated |
| | | | | 701 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 79
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|--|
| VA10B | 1608 | 2 | INDIC | | | | N Activities, care planning |
| | | | | 14,443 | | | . Missing |
| | | | | 3,034 | | | 0 Not indicated |
| | | | | 569 | | | 1 Indicated |
| VA11A | 1610 | 2 | INDIC | | | | N Falls, triggered |
| | | | | 14,090 | | | . Missing |
| | | | | 1,140 | | | 0 Not indicated |
| | | | | 2,816 | | | 1 Indicated |
| VA11B | 1612 | 2 | INDIC | | | | N Falls, care planning |
| | | | | 14,212 | | | . Missing |
| | | | | 1,453 | | | 0 Not indicated |
| | | | | 2,381 | | | 1 Indicated |
| VA12A | 1614 | 2 | INDIC | | | | N Nutritional status, triggered |
| | | | | 14,093 | | | . Missing |
| | | | | 664 | | | 0 Not indicated |
| | | | | 3,289 | | | 1 Indicated |
| VA12B | 1616 | 2 | INDIC | | | | N Nutritional status, care planning |
| | | | | 14,171 | | | . Missing |
| | | | | 1,193 | | | 0 Not indicated |
| | | | | 2,682 | | | 1 Indicated |
| VA13A | 1618 | 2 | INDIC | | | | N Feeding tubes, triggered |
| | | | | 14,089 | | | . Missing |
| | | | | 3,713 | | | 0 Not indicated |
| | | | | 244 | | | 1 Indicated |
| VA13B | 1620 | 2 | INDIC | | | | N Feeding tubes, care planning |
| | | | | 14,489 | | | . Missing |
| | | | | 3,362 | | | 0 Not indicated |
| | | | | 195 | | | 1 Indicated |
| VA14A | 1622 | 2 | INDIC | | | | N Dehydration/Fluid mainten, triggered |
| | | | | 14,090 | | | . Missing |
| | | | | 1,828 | | | 0 Not indicated |
| | | | | 2,128 | | | 1 Indicated |
| VA14B | 1624 | 2 | INDIC | | | | N Dehydration/Fluid mainten, care planning |
| | | | | 14,297 | | | . Missing |
| | | | | 2,114 | | | 0 Not indicated |
| | | | | 1,635 | | | 1 Indicated |
| VA15A | 1626 | 2 | INDIC | | | | N Dental care, triggered |
| | | | | 14,090 | | | . Missing |
| | | | | 2,716 | | | 0 Not indicated |
| | | | | 1,240 | | | 1 Indicated |

06/05/08
MDS
2005

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 80
Version: 1

| Variable | Col | Len | Format | Frequency | ComQues# | FacQues# | Variable Type & Label |
|----------|------|-----|--------|-----------|----------|----------|--|
| VA15B | 1628 | 2 | INDIC | | | | N Dental care, care planning |
| | | | | 14,399 | | | . Missing |
| | | | | 2,870 | | | 0 Not indicated |
| | | | | 777 | | | 1 Indicated |
| VA16A | 1630 | 2 | INDIC | | | | N Pressure ulcers, triggered |
| | | | | 14,089 | | | . Missing |
| | | | | 783 | | | 0 Not indicated |
| | | | | 3,174 | | | 1 Indicated |
| VA16B | 1632 | 2 | INDIC | | | | N Pressure ulcers, care planning |
| | | | | 14,193 | | | . Missing |
| | | | | 1,279 | | | 0 Not indicated |
| | | | | 2,574 | | | 1 Indicated |
| VA17A | 1634 | 2 | INDIC | | | | N Psychotropic drug use, triggered |
| | | | | 14,088 | | | . Missing |
| | | | | 1,749 | | | 0 Not indicated |
| | | | | 2,209 | | | 1 Indicated |
| VA17B | 1636 | 2 | INDIC | | | | N Psychotropic drug use, care planning |
| | | | | 14,286 | | | . Missing |
| | | | | 1,959 | | | 0 Not indicated |
| | | | | 1,801 | | | 1 Indicated |
| VA18A | 1638 | 2 | INDIC | | | | N Physical restraints, triggered |
| | | | | 14,088 | | | . Missing |
| | | | | 3,662 | | | 0 Not indicated |
| | | | | 296 | | | 1 Indicated |
| VA18B | 1640 | 2 | INDIC | | | | N Physical restraints, care planning |
| | | | | 14,498 | | | . Missing |
| | | | | 3,293 | | | 0 Not indicated |
| | | | | 255 | | | 1 Indicated |
| VB2 | 1642 | 10 | | | | | N Signature date, RAP assessment |
| VB4 | 1652 | 10 | | | | | N Signature date, care planning |
| DEATH_DA | 1662 | 10 | | | | | N FU-DEATH-DA |