

MDS 3.0 Quality Measures

USER'S MANUAL

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

QUALITY MEASURES (QM) USER'S MANUAL

CONTENTS

Chapter 1 QM Sample and Record Selection Methodology1
Section 1: Definitions1
Section 2: Selecting the QM Samples
Section 3: Short Stay Record Definitions4
Section 4: Long Stay Record Definitions6
Chapter 2 MDS 3.0 Quality Measures Logical Specifications
Section 1: Short Stay Quality Measures9
MDS 3.0 Measure (N001.01): Percent of Residents Who Self-Report Moderate to Severe Pain (Short Stay)9
MDS 3.0 Measure (N002.01): Percent of Residents With Pressure Ulcers That Are New or Worsened (Short Stay)10
MDS 3.0 Measure (N003.01): Percent of Residents Who Were Assessed and Appropriately Given the Seasonal Influenza Vaccine (Short Stay)
MDS 3.0 Measure (N004.01): Percent of Residents Who Received the Seasonal Influenza Vaccine (Short Stay)12
MDS 3.0 Measure (N005.01): Percent of Residents Who Were Offered and Declined the Seasonal Influenza Vaccine (Short Stay)13
MDS 3.0 Measure (N006.01): Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Seasonal Influenza Vaccine (Short Stay)
MDS 3.0 Measure (N007.01): Percent of Residents Assessed and Appropriately Given the Pneumococcal Vaccine (Short Stay)15
MDS 3.0 Measure (N008.01): Percent of Residents Who Received the Pneumococcal Vaccine (Short Stay)16
MDS 3.0 Measure (N009.01): Percent of Residents Who Were Offered and Declined the Pneumococcal Vaccine (Short Stay)17

MDS 3.0 Measure (N010.01): Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Pneumococcal Vaccine (Short Stay)	18
MDS 3.0 Measure (N011.01): Percent of Short-Stay Residents Who Newly Received an Antipsychotic Medication	19
Section 2: Long Stay Quality Measures	20
MDS 3.0 Measure (N013.01): Percent of Residents Experiencing One or More Falls with Major Injury (Long Stay)	20
MDS 3.0 Measure (N014.01): Percent of Residents Who Self-Report Moderate to Severe Pain (Long Stay)	21
MDS 3.0 Measure (N015.01): Percent of High-Risk Residents With Pressure Ulcers (Long Stay)	22
MDS 3.0 Measure (N016.01): Percent of Residents Assessed and Appropriately Given the Seasonal Influenza Vaccine (Long Stay)	23
MDS 3.0 Measure (N017.01): Percent of Residents Who Received the Seasonal Influenza Vaccine (Long Stay)	24
MDS 3.0 Measure (N018.01): Percent of Residents Who Were Offered and Declined the Seasonal Influenza Vaccine (Long Stay)	25
MDS 3.0 Measure (N019.01): Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Seasonal Influenza Vaccine (Long Stay)	26
MDS 3.0 Measure (N020.01): Percent of Residents Assessed and Appropriately Given the Pneumococcal Vaccine (Long Stay)	27
MDS 3.0 Measure (N021.01): Percent of Residents Who Received the Pneumococcal Vaccine (Long Stay)	28
MDS 3.0 Measure (N022.01): Percent of Residents Who Were Offered and Declined the Pneumococcal Vaccine (Long Stay)	29
MDS 3.0 Measure (N023.01): Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Pneumococcal Vaccine (Long Stay)	30
MDS 3.0 Measure (N024.01): Percent of Residents With a Urinary Tract Infection (Long Stay)	31
MDS 3.0 Measure (N025.01): Percent of Low Risk Residents Who Lose Control of Their Bowel or Bladder (Long Stay)	32
MDS 3.0 Measure (N026.01): Percent of Residents Who Have/Had a Catheter Inserted and Left in Their Bladder (Long Stay)	33
MDS 3.0 Measure (N027.01): Percent of Residents Who Were Physically Restrained (Long Stay)	34
MDS 3.0 Measure (N028.01): Percent of Residents Whose Need for Help with Activities of Daily Living Has Increased (Long Stay)	35

MDS 3.0 Measure (N029.01): Percent of Residents Who Lose Too Much Weight (Long Stay)	.37
MDS 3.0 Measure (N030.01): Percent of Residents Who Have Depressive Symptoms (Long Stay)	
MDS 3.0 Measure (N031.02): Percent of Long-Stay Residents Who Received An Antipsychotic Medication	.40
Appendix A: Technical Details A	s- 1
Appendix B: Parameters Used for Each QuarterB	8-1
Appendix C: Episode and Stay Determination LogicC	2-1
Appendix D: Measures Withdrawn from NQF Submission D)- 1
Appendix E: Surveyor Quality MeasuresE	3-1
Appendix F: Specifications for the Facility Characteristics ReportF	-1

Chapter 1

QM Sample and Record Selection Methodology

The purpose of this chapter is to describe the methodology that is used to select the short and long stay samples as well as the key records that are used to compute the QMs for each of those samples. The first section below will present definitions that are used to describe the selection methodology. The second section describes the selection of the two samples. The third and fourth sections describe the selection of the key records within each of the two samples. Section 5 presents issues to date.

The logic presented below depends upon the concepts of stays and episodes. Detailed specifications for the identification of stays and episodes are presented in a separate document¹.

Section 1: Definitions

Target period. The span of time that defines the QM reporting period (e.g., a calendar quarter).

Stay. The period of time between a resident's entry into a facility and either (a) a discharge, or (b) the end of the target period, whichever comes first. A stay is also defined as a set of contiguous days in a facility. The start of a stay is either:

- An admission entry (A0310F = [01] and A1700 = [1]), OR
- A reentry (A0310F = [01] and A1700 = [2]).

The end of a stay is the earliest of the following:

- Any discharge assessment (A0310F = [10, 11]), OR
- A death in facility tracking record (A0310F = [12]), OR
- The end of the target period.

Episode. A period of time spanning one or more stays. An episode begins with an admission (defined below) and ends with either (a) a discharge, or (b) the end of the target period, whichever comes first. An episode starts with:

• An admission entry (A0310F = [01] and A1700 = [1]).

The end of an episode is the earliest of the following:

- A discharge assessment with return not anticipated (A0310F = [10]), OR
- A discharge assessment with return anticipated (A0310F = [11]) but the resident did not return (A0310F = [10]) within 30 days of discharge, OR
- A death in facility tracking record (A0310F = [12]), OR
- The end of the target period.

¹ See Appendix C: MDS 3.0 Episode and Stay Determination Logic.

Admission. An admission entry record (A0310F = [01] and A1700 = [1]) is required when *any one* of the following occurs:

- resident has never been admitted to this facility before; OR
- resident has been in this facility previously and was discharged return not anticipated; OR
- resident has been in this facility previously and was discharged return anticipated and did not return within 30 days of discharge.

Reentry. A reentry record (A0310F = [01] and A1700 = [2]) is required when *all of the following* occurred prior to this entry, the resident was:

- discharged return anticipated, AND
- returned to facility within 30 days of discharge.

Cumulative days in facility (CDIF). The total number of days within an episode during which the resident was in the facility. It is the sum of the number of days within each stay included in an episode. If an episode consists of more than one stay separated by periods of time outside the facility (e.g., hospitalizations), only those days within the facility would count towards CDIF. Any days outside of the facility (e.g., hospital, home, etc.) would not count towards the CDIF total. The following rules are used when computing CDIF:

- When counting the number of days until the end of the episode, counting stops with (a) the last record in the target period if that record is a discharge assessment (A0310F = [10, 11]), (b) the last record in the target period if that record is a death in facility (A0310F = [12]), or (c) the end of the target period is reached, whichever is earlier.
- When counting the duration of each stay within an episode, include the day of entry (A1600) but not the day of discharge (A2000) unless the entry and discharge occurred on the same day in which case the number of days in the stay is equal to 1.
- While death in facility records (A0310F = [12]) end CDIF counting, these records are not used as target records because they contain only tracking information and do not include clinical information necessary for QM calculation.
- Special rules for the MDS 2.0/MDS 3.0 transition. The MDS 3.0 QMs will be based entirely on MDS 3.0 data; no MDS 2.0 data will be used for these measures. Therefore, special rules must be used when constructing episodes and counting days that could span the MDS 3.0 implementation date of 10/1/2010.
 - When computing an episode's CDIF, work backwards from the end of the episode, counting CDIF. If CDIF exceeds 100 before reaching 10/1/2010, stop: the resident is long stay.
 - If an admission entry record is encountered before reaching 10/1/2010, stop and classify the resident as long or short stay depending upon the number of days accumulated.
 - If 10/1/2010 is encountered, stop counting CDIF. If 101 or more days have been accumulated, then resident is long stay. If CDIF is less than or equal to 100, then the episode is undetermined, and the episode is excluded from analysis.

Short stay. An episode with CDIF less than or equal to 100 days as of the end of the target period.

Long stay. An episode with CDIF greater than or equal to 101 days as of the end of the target period.

Target date. The event date for an MDS record, defined as follows:

- For an entry record (A0310F = [01]), the target date is equal to the entry date (A1600).
- For a discharge record (A0310F = [10, 11]) or death-in-facility record (A0310F = [12]), the target date is equal to the discharge date (A2000).
- For all other records, the target date is equal to the assessment reference date (A2300).

Section 2: Selecting the QM Samples

Two resident samples are selected for computing the QMs: a short-stay sample and a long-stay sample. These samples are selected using the following steps:

- 1. Select all residents whose latest episode either ends during the target period or is ongoing at the end of the target period. This latest episode is selected for QM calculation.
- 2. For each episode that is selected, compute the cumulative days in the facility (CDIF).
- 3. If the CDIF is less than or equal to 100 days, the resident is included in the short-stay sample.
- 4. If the CDIF is greater than or equal to 101 days, the resident is included in the long-stay sample.

Note that all residents who are selected in Step 1 above will be placed in either the short- or long-stay sample and that the two samples are mutually exclusive. If a resident has multiple episodes within the target period, only the latest episode is used.

Within each sample, certain key records are identified which are used for calculating individual measures. These records are defined in the following sections.

Section 3: Short Stay	Record Definitions
-----------------------	---------------------------

ASSESSMENT SELECTED	PROPERTY	SELECTION SPECIFICATIONS	
Target	Selection period	Most recent 6 months (the short stay target period).	
assessment	Qualifying RFAs	A0310A = [01, 02, 03, 04, 05, 06] or A0310B = [01, 02, 03, 04, 05, 06] or A0310F = [10, 11]	
	Selection logic	Latest assessment that meets the following criteria: (a) it is contained within the resident's selected episode, (b) it has a qualifying RFA, and (c) its target date is no more than 120 days ¹ before the end of the episode.	
	Rationale	Records with a qualifying RFA contain all of the items needed to define the QMs. The target assessment need not have a target date within the target period, but it must occur within 120 days before the end of the resident's selected episode (either the target date of a discharge assessment or death in facility record that is the last record in the target period or the end of the target period if the episode is ongoing). 120 days allows 93 days between quarterly assessments plus an additional 27 days to allow for late assessments. The target assessment represents the resident's status at the end of the episode.	
Initial assessment			
	Qualifying RFAs	A0310A = [01] or A0310B = [01, 06] or A0310F = [10, 11]	
	Selection logic	Earliest assessment that meets the following criteria: (a) it is contained within the resident's selected episode, (b) it has a qualifying RFA, (c) it has the earliest target date that is greater than or equal to the admission entry date starting the episode, and (d) its target date is no more than 130 days prior to the target date of the target record. The initial assessment cannot be the same as the target assessment. If the same assessment qualifies as both the initial and target assessments, it is used as the target assessment and the initial assessment is considered to be missing.	
	Rationale	Records with a qualifying RFA contain all of the items needed to define the QMs. The initial assessment need not have a target date within the target period. The initial assessment represents the resident's status as soon as possible after the admission that marks the beginning of the episode. If the initial assessment is more than 130 days prior to the target assessment, it is not used and the initial record is considered to be missing. This prevents the use of an initial assessment for a short stay in which a large portion of the resident's episode was spent outside the facility. 130 days allows for as many as 30 days of a 100-day stay to occur outside of the facility.	

(continued)

¹ A short stay episode can span more than 100 calendar days because days outside of the facility are not counted in defining a 100-day or less short stay episode.

Short Stay Record Definitions (continued)

ASSESSMENT SELECTED	PROPERTY	SELECTION SPECIFICATIONS	
Look-back Scan	Selection period Qualifying RFAs	Scan all assessments within the current episode. A0310A = [01, 02, 03, 04, 05, 06] or	
		A0310B = [01, 02, 03, 04, 05, 06] or A0310F = [10, 11]	
Selection logic	A0310F = [10, 11] Include the target assessment and qualifying earlier assessments in the scan. Include an earlier assessment in the scan if it meets all of the following conditions: (a) it is contained within the resident's episode, (b) it has a qualifying RFA, and (c) its target date is on or before the target date for the target assessment. The target assessment and qualifying earlier assessments are scanned to determine whether certain events or conditions occurred during the look-back period. These events and conditions are specified in the definitions of measures that utilize the look-back scan.		
	Rationale	Some measures utilize MDS items that record events or conditions that occurred since the prior assessment was performed. The purpose of the look-back scan is to determine whether such events or conditions occurred during the look- back period. All assessments with target dates within the episode are examined to determine whether the event or condition of interest occurred at any time during the episode.	

¹ RFA: reason for assessment.

² A short stay episode can span more than 100 calendar days because days outside of the facility are not counted in defining a 100-day or less short stay episode.

Section 4: Long Stay Record Definitions

ASSESSMENT SELECTED	PROPERTY	SELECTION SPECIFICATIONS	
Target	Selection period	Most recent 3 months (the long stay target period)	
assessment	Qualifying RFAs	A0310A = [01, 02, 03, 04, 05, 06] or	
		A0310B = [01, 02, 03, 04, 05, 06] or	
	Selection logic	A0310F = [10, 11] Latest assessment that meets the following criteria: (a) it is contained within the resident's selected episode, (b) it has a qualifying RFA, and (c) its target date is no more than 120 before the end of the episode.	
	Rationale	Records with a qualifying RFA contain all of the items needed to define the QMs. The target assessment need not have a target date within the target period, but it must occur within 120 days of the end of the resident's episode (either the last discharge in the target period or the end of the target period if the episode is ongoing). 120 days allows 93 days between quarterly assessments plus an additional 27 days to allow for late assessments. The target assessment represents the resident's status at the end of the episode.	
assessment. Qualifying RFAs A0310A = [01, 02, 03, 04, 05, 06] o A0310B = [01, 02, 03, 04, 05, 06] o		Latest assessment that is 46 to 165 days before the target assessment.	
		A0310A = [01, 02, 03, 04, 05, 06] or A0310B = [01, 02, 03, 04, 05, 06] or A0310F = [10, 11]	
	Selection logic	Latest assessment that meets the following criteria: (a) it is contained within the resident's episode, (b) it has a qualifying RFA, and (c) its target date is contained in the window that is 46 days to 165 days preceding the target date of the target assessment. If no qualifying assessment exists, the prior assessment is considered missing.	
	Rationale	Records with a qualifying RFA contain all of the items needed to define the QMs. The prior assessment need not have a target date within the target period, but it must occur within the defined window.	
		The window covers 120 days, which allows 93 days between quarterly assessments plus an additional 27 days to allow for late assessments. Requiring a 45 day gap between the prior assessment and the target assessment insures that the gap between the prior and target assessment will not be small (gaps of 45 days or less are excluded).	

(continued)

Long Stay Record Definitions (continued)

ASSESSMENT SELECTED	PROPERTY	SELECTION SPECIFICATIONS	
Look-back Scan	Selection period	riod Scan all assessments within the current episode that have target dates no more than 275 days prior to the target assessment.	
	Qualifying RFAs	A0310A = [01, 02, 03, 04, 05, 06] or A0310B = [01, 02, 03, 04, 05, 06] or A0310F = [10, 11]	
	Selection logic	Include the target assessment and all qualifying earlier assessments in the scan. Include an earlier assessment in the scan if it meets all of the following conditions: (a) it is contained within the resident's episode, (b) it has a qualifying RFA, (c) its target date is on or before the target date for the target assessment, and (d) its target date is no more than 275 days prior to the target date of the target assessment. The target assessment and qualifying earlier assessments are scanned to determine whether certain events or conditions occurred during the look-back period. These events and conditions are specified in the definitions of measures that utilize the look- back scan. Some measures utilize MDS items that record events or conditions that occurred since the prior assessment was performed. The purpose of the look-back scan is to determine whether such events or conditions occurred during the look- back period. These measures trigger if the event or condition of interest occurred any time during a one year period. A 275 day time period is used to include up to three quarterly OBRA assessments. The earliest of these assessments would have a look-back period of up to 93 days which would cover a total of about one year. All assessments with target dates in this time period are examined to determine whether the event or condition of interest occurred at any time during the time interval.	
	Rationale		

Chapter 2

MDS 3.0 Quality Measures Logical Specifications

Section 1: Short Stay Quality Measures

MDS 3.0 Measure: Percent of Residents Who Self-Report Moderate to Severe Pain (S	Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N001.01 NQF: 0676	<i>Numerator</i> Short-stay residents with a selected target assessment where the target assessment meets <i>either</i> or <i>both</i> of the following two conditions:	Not applicable.
This measure captures the percent of short stay residents, with at least one episode of moderate/severe pain or horrible/excruciating pain of any frequency, in the last 5 days.	 Condition #1: resident reports daily pain with at least one episode of moderate/severe pain. <i>Both</i> of the following conditions must be met: Almost constant or frequent pain (J0400=[1,2]) <i>and</i> At least one episode of moderate to severe pain (J0600A=[05,06,07,08,09] OR J0600B=[2,3]). Condition #2: resident reports very severe/horrible pain of any frequency (J0600A=[10] OR J0600B=[4]). <i>Denominator</i> All short-stay residents with a selected target assessment, except those with exclusions. 	
	 <i>Exclusions</i> If the resident is not included in the numerator (the resident did not meet the pain symptom conditions for the numerator) AND <i>any</i> of the following conditions are true: 1. The pain assessment interview was not completed (J0200=[0,-,^]). 2. The pain presence item was not completed (J0300=[9,-,^]). 3. For residents with pain or hurting at any time in the last 5 days (J0300 = [1]), any of the following are true: 3.1. The pain frequency item was not completed (J0400=[9,-,^]). 3.2. Neither of the pain intensity items was completed (J0600A=[99,^, -] and J0600B=[9,^,-]). 3.3. The numeric pain intensity item indicates no pain (J0600A=[00]). 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N002.01 NQF: 0678 This measure	Numerator Short-stay residents for which a look-back scan indicates one or more new or worsening Stage II-IV pressure ulcers Where on any assessment in the look-back scan: 4. Others III (M02000A)	 Indicator of requiring limited or more assistance in bed mobility self-performance on the initial assessment: Covariate = [1] if G0110A1 = [2, 3, 4, 7, 8] Covariate = [0] if G0110A1 = [0, 1, -] Indicator of bowel incontinence at least occasionally on
captures the percentage of short-stay residents with new or worsening Stage	 Stage II (M0800A) > [0] and M0800A < = M0300B1, OR Stage III (M0800B) > [0] and M0800B < = M0300C1, OR Stage IV (M0800C) > [0] and M0800C < = M0300D1. Denominator All residents with one or more assessments that are eligible for a look-back scan, except those with exclusions.	 a. Indicato of bower incontinence at least occasionally of the initial assessment: Covariate = [1] if H0400 = [1, 2, 3] Covariate = [0] if H0400 = [0, 9, -, ^] 3. Have diabetes or peripheral vascular disease on initial assessment:
II-IV pressure ulcers.	 Exclusions Residents are excluded if none of the assessments that are included in the look-back scan has a usable response for M0800A, M0800B, or M0800C. This situation is identified as follows: 1. Examine each assessment that is included in the look-back scan. For each assessment, do the following: 1.1 The response to M0800A is usable if either of the following conditions are true: 1.1.1. M0300B1 = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] and M0800A = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] and M0800A ≤ M0300B1. 1.1.2. M0300B1 = [^] and M0800A = [^]. 1.2 The response to M0800B is usable if either of the following conditions are true: 1.2.1. M0300C1 = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] and M0800B = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] 	
	 7, 8, 9] and M0800B ≤ M0300C1. 1.2.2. M0300C1 = [^] and M0800B = [^]. 1.3 The response to M0800C is usable if either of the following conditions are true: 1.3.1. M0300D1 = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] and M0800C = [0, 1, 2, 3, 4, 5, 6, 7, 8, 9] and M0800C ≤ M0300D1. 1.3.2. M0300D1 = [^] and M0800C = [^]. 1.4 If <i>none</i> of the three items M0800A, M0800B, and M0800C is usable, then the assessment is not usable and is discarded. 2. If all of the assessments that are eligible for the look-back scan are discarded and no usable assessments remain, then the resident is excluded from the numerator and the denominator. 	 (K0200A) and Weight (K0200B) on the initial assessment: Covariate = [1] if BMI ≥ [12.0] AND ≤ [19.0] Covariate = [0] if BMI > [19.0] AND ≤ [40.0] Where: BMI = (weight * 703 / height²) = ((K0200B) * 703) / (K0200A²) and the resulting value is rounded to one decimal. Covariate = missing if K0200A = [0,-] OR K0200B = [0,-] OR BMI < [12.0] OR BMI > [40.0]. 5. All covariates are missing if no initial assessment is available.

MDS 3.0 Measure: Percent of Residents With Pressure Ulcers That Are New or Worsened (Short Stay)

1

Condition 3c (scanning I8000A through I8000J for a peripheral vascular disease diagnosis codes) will be discontinued for all assessments with a target date on or after April 1, 2012. Scanning will occur only for assessments with target dates on or before March 31, 2012.

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES		
CMS: N003.01 NQF: 0680 The measure reports the percent of short-	 Numerator Residents meeting any of the following criteria on the selected target assessment: 1. resident received the influenza vaccine during the current or most recent influenza season, either in the facility (O0250A = [1]) or outside the facility (O0250A = [1]) or outside 	Not applicable.		
stay residents who are given, appropriately, the influenza vaccination during the current or most recent influenza season.	 the facility (O0250C = [2]); or resident was offered and declined the influenza vaccine (O0250C = [4]); or resident was ineligible due to contraindication(s) (O0250C = [3]) (e.g., anaphylactic hypersensitivity to eggs or other components of the vaccine, history of Guillain-Barre Syndrome within 6 weeks after a previous influenza vaccination, bone marrow transplant within the past 6 months). 			
	Denominator All short-stay residents with a selected target assessment, except those with exclusions.			
	 <i>Exclusions</i> 1. O0250C = [1] (resident not in facility during the current or most recent influenza season). 2. Resident's age on target date of selected target assessment is 179 days or less. 			

MDS 3.0 Measure: Percent of Residents Who Were Assessed and Appropriately Given the Seasonal Influenza Vaccine (Short Stay)

² Item I0900 can be "missing" on assessments with target dates prior to 4/1/2012 where the item subset code is equal to NP or NQ. The item was not active on those assessments.

MDS 3.0 Measure: Percent of Residents Who Received the Seasonal Influenza Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N004.01 NQF: 0680A	 Numerator Residents meeting the following criteria on the selected target assessment: 1. resident received the influenza vaccine during the current or most recent 	Not applicable.
The measure reports the percent of short- stay residents who received the influenza vaccination during	 Intersteen received the initializa vaccine during the current of most recent influenza season, either in the facility (O0250A = [1]) or outside the facility (O0250C = [2]). Denominator All short-stay residents with a selected target assessment, except those with exclusions. 	
the current or most recent influenza season.	 Exclusions 1. O0250C = [1] (resident not in facility during the current or most recent influenza season). 2. Resident's age on target date of selected target assessment is 179 days or less. 	

MDS 3.0 Measure: Percent of Residents Who Were Offered and Declined the Seasonal Influenza Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N005.01 NQF: 0680B	 Numerator Residents meeting the following criteria on the selected target assessment: 1. resident was offered and declined the influenza vaccine (O0250C = [4]). 	Not applicable.
The measure reports the percent of short- stay residents who are offered and declined the influenza vaccination during the current or most recent influenza season.	 Denominator All short-stay residents with a selected target assessment, except those with exclusions. Exclusions 00250C = [1] (resident not in facility during the current or most recent influenza season). Resident's age on target date of selected target assessment is 179 days or less. 	

MDS 3.0 Measure: Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Seasonal Influenza Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N006.01 NQF: 0680C	<i>Numerator</i> Residents meeting the following criteria on the selected target assessment:	Not applicable.
The measure reports the percent of short- stay residents who did not receive, due to medical contraindication, the	 residents meeting the following chiena on the selected target assessment. resident was ineligible due to contraindication(s) (O0250C = [3]) (e.g., anaphylactic hypersensitivity to eggs or other components of the vaccine, history of Guillian-Barré Syndrome within 6 weeks after a previous influenza vaccination, bone marrow transplant within the past 6 months). Denominator All short-stay residents with a selected target assessment, except those with exclusions. 	
influenza vaccination during the current or most recent influenza season.	 Exclusions 1. O0250C = [1] (resident not in facility during the current or most recent influenza season). 2. Resident's age on target date of selected target assessment is 179 days or less. 	

MDS 3.0 Measure: Percent of Residents Assessed and Appropriately Given the Pneumococcal Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N007.01 NQF: 0682	<i>Numerator</i> Residents meeting any of the following criteria on the selected target assessment:	Not applicable.
This measure reports the percent of short- stay residents whose pneumococcal vaccine status is up	 Pneumococcal vaccine status is up to date (O0300A = [1]); or were offered and declined the vaccine (O0300B = [2]); or were ineligible due to medical contraindication(s) (O0300B = [1]) (e.g., anaphylactic hypersensitivity to components of the vaccine; bone marrow transplant within the past 12 months; or receiving a course of chemotherapy within the past two weeks). 	
to date during the 12-month reporting period.	Denominator All short-stay residents with a selected target assessment.	
	<i>Exclusions</i> Resident's age on target date of selected target assessment is less than 5 years (i.e., resident has not yet reached 5 th birthday on target date).	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N008.01 NQF: 0682A This measure reports the percent of short- stay residents who received the pneumococcal polysaccharide vaccine during the 12-month reporting period.	 Numerator Residents meeting the following criteria on the selected target assessment: Pneumococcal vaccine status is up to date (O0300A = [1]). Denominator All short-stay residents with a selected target assessment. Exclusions Resident's age on target date of selected target assessment is less than 5 years (i.e., resident has not yet reached 5th birthday on target date). 	Not applicable.

MDS 3.0 Measure: Percent of Residents Who Received the Pneumococcal Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N009.01 NQF: 0682B This measure reports the percent of short- stay residents who were offered and declined the pneumococcal polysaccharide vaccine during the 12-month reporting period.	 Numerator Residents meeting the following criteria on the selected target assessment: were offered and declined the vaccine (O0300B = [2]). Denominator All short-stay residents with a selected target assessment. Exclusions Resident's age on target date of selected target assessment is less than 5 years (i.e., resident has not yet reached 5th birthday on target date).	Not applicable.

MDS 3.0 Measure: Percent of Residents Who Were Offered and Declined the Pneumococcal Vaccine (Short Stay)

MDS 3.0 Measure: Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Pneumococcal Vaccine (Short Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N010.01 NQF: 0682C	<i>Numerator</i> Residents meeting the following criteria on the selected target assessment:	Not applicable.
This measure reports the percent of short- stay residents who did not receive, due to medical contraindication, the pneumococcal polysaccharide vaccine during the 12-month reporting period.	 were ineligible due to medical contraindication(s) (O0300B = [1]) (e.g., anaphylactic hypersensitivity to components of the vaccine; bone marrow transplant within the past 12 months; or receiving a course of chemotherapy within the past two weeks). Denominator All short-stay residents with a selected target assessment. Exclusions Resident's age on target date of selected target assessment is less than 5 years (i.e., resident has not yet reached 5th birthday on target date). 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N011.01 NQF: none This measure reports	 Numerator Short-stay residents for whom one or more assessments in a look-back scan (<i>not including</i> the initial assessment) indicates that antipsychotic medication was received: For assessments with target dates on or before 03/31/2012: N0400A = [1]. 	Not applicable.
the percentage of short-stay residents who are receiving an antipsychotic medication during the	• For assessments with target dates on or after 04/01/2012: N0410A=[1,2,3,4,5,6,7]. Note that residents are excluded from this measure if their initial assessment indicates antipsychotic medication use or if antipsychotic medication use is unknown on the initial assessment (see exclusion #3, below).	
target period but not on their initial assessment.	 Denominator All short-stay residents who do not have exclusions and who meet all of the following conditions: The resident has a target assessment, and The resident has an initial assessment, and The target assessment is not the same as the initial assessment. Exclusions The following is true for all assessments in the look-back scan (excluding the initial assessment): 1. The following is true for all assessments in the look-back scan (excluding the initial assessment): 1.1. For assessments with target dates on or before 03/31/2012: N0400A = [-]. 1.2. For assessments with target dates on or after 04/01/2012: N0410A=[-]. Any of the following related conditions are present on any assessment in a look-back scan: 2.1. Schizophrenia (l6000 = [1]). 2.2. Tourette's Syndrome (l5350 = [1]). 	
	 The resident's initial assessment indicates antipsychotic medication use or antipsychotic medication use is unknown: 3.1. For initial assessments with target dates on or before 03/31/2012: N0400A = [1,-]. 3.2. For initial assessments with target dates on or after 04/01/2012: N0400A = [1,-]. N0410A=[1,2,3,4,5,6,7,-]. 	

MDS 3.0 Measure: Percent of Short-Stay Residents Who Newly Received an Antipsychotic Medication³

³ This measure has not been submitted to NQF for approval.

Section 2: Long Stay Quality Measures

MDS 3.0 Measure: Percent of Residents Experiencing One or More Falls with Major Injury (Long Stay)
--

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N013.01	Numerator	Not applicable.
NQF: 0674	Long-stay residents with one or more look-back scan assessments that indicate one or more falls that resulted in major injury $(J1900C = [1, 2])$.	
This measure reports the percent of long-	Denominator	
stay residents who have experienced one or more falls with major injury reported in the target period or look-back period.	All long-stay nursing home residents with a one or more look-back scan assessments except those with exclusions.	
	Exclusions	
	Resident is excluded if one of the following is true for all of the look-back scan assessments:	
	1. The occurrence of falls was not assessed (J1800 = [-]), OR	
	 The assessment indicates that a fall occurred (J1800 = [1]) AND the number of falls with major injury was not assessed (J1900C = [-]). 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N014.01 NQF: 0677 This measure	 <i>Numerator</i> Long-stay residents with a selected target assessment where the target assessment meets <i>either</i> or <i>both</i> of the following two conditions: 1. Condition #1: resident report almost constant or frequent moderate to 	Independence or modified independence in daily decision making on the prior assessment
captures the percent of long-stay residents who report either (1) almost constant or frequent moderate to severe pain in the last	 Condition #1: resident report almost constant of nequent moderate to severe pain in the last 5 days. <i>Both</i> of the following conditions must be met: Almost constant or frequent pain (J0400=[1,2]), <i>and</i> At least one episode of moderate to severe pain: (J0600A=[05,06,07,08,09] OR J600B=[2,3]). Condition #2: resident reports very severe/horrible pain of any frequency 	Covariate = 1 if C1000 = $[0, 1]$ or if (C0500 \ge $[13]$ and C0500 \le $[15]$) Covariate = 0 if C1000 = $[2, 3]$ or if (C0500 \ge $[00]$ and C0500 \le $[12]$).
5 days or (2) any very severe/horrible in the last 5 days.	 Condition #2: resident reports very severe/horrible pain of any frequency (J0600A=[10] OR J0600B=[4]). <i>Denominator</i> All long-stay residents with a selected target assessment, except those with exclusions. <i>Exclusions</i> The target assessment is an admission assessment, a PPS 5-day assessment, or a PPS readmission/return assessment (A0310A=[01] or A0310B=[01,06]). The resident is not included in the numerator (the resident did not meet the pain symptom conditions for the numerator) AND any of the following conditions are true: The pain assessment interview was not completed (J0200=[0,-,^]). The pain presence item was not completed (J0300=[9,-,^]). For residents with pain or hurting at any time in the last 5 days (J0300 = [1]), <i>any</i> of the following are true:	 Covariate = missing if <i>either</i> of the following are true: 1. C0500 = [99,-,^] <i>and</i> C1000 = [-,^]. 2. No prior assessment is available.

MDS 3.0 Measure: Percent of Residents Who Self-Report Moderate to Severe Pain (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N015.01 NQF: 0679	<i>Numerator</i> All long-stay residents with a selected target assessment that meets <i>both</i> of the following conditions:	Not applicable.
This measure captures the percentage of long- stay, high-risk residents with Stage II-IV pressure ulcers.	 Condition #1: There is a high risk for pressure ulcers, where "high-risk" is defined in the denominator definition below. Condition #2: Stage II-IV pressure ulcers are present, as indicated by <i>any</i> of the following three conditions: M0300B1 = [1, 2, 3, 4, 5, 6, 7, 8, 9] or M0300C1 = [1, 2, 3, 4, 5, 6, 7, 8, 9] or M0300D1 = [1, 2, 3, 4, 5, 6, 7, 8, 9]. 	
	 Denominator All long-stay residents with a selected target assessment who meet the definition of high risk, except those with exclusions. Residents are defined as high-risk if they meet one or more of the following three criteria on the target assessment: Impaired bed mobility or transfer indicated, by either or both of the following: Bed mobility, self-performance (G0110A1) = [3, 4, 7, 8]. Transfer, self-performance (G0110B1) = [3, 4, 7, 8]. Comatose (B0100 = [1]) Malnutrition or at risk of malnutrition (I5600 = [1]) (checked). Exclusions Target assessment is an admission assessment (A0310A = [01]) or a PPS 5-day or readmission/return assessment (A0310B = [01, 06]). If the resident is not included in the numerator (the resident did not meet the pressure ulcer conditions for the numerator) AND any of the following conditions are true: M0300B1 = [-] M0300C1 = [-] 	

MDS 3.0 Measure: Percent of High-Risk Residents With Pressure Ulcers (Long Stay)

MDS 3.0 Measure: Percent of Residents Assessed and Appropriately Given the Seasonal Influenza Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N016.01	Numerator	Not applicable.
NQF: 0681	Residents meeting any of the following criteria on the selected target assessment:	
The measure reports	 Resident received the influenza vaccine during the current or most recent influenza season, either in the facility (O0250A = [1]) or outside the facility (O0250C = [2]); or 	
the percent of long-	 Resident was offered and declined the influenza vaccine (O0250C = [4]); or 	
stay residents who are given, appropriately, the influenza vaccination during the current or most recent influenza season.	 Resident was ineligible due to contraindication(s) (O0250C = [3]) (e.g., anaphylactic hypersensitivity to eggs or other components of the vaccine, history of Guillain-Barre Syndrome within 6 weeks after a previous influenza vaccination, bone marrow transplant within the past 6 months). 	
	Denominator	
	All long-stay residents with a selected target assessment, except those with exclusions.	
	Exclusions	
	Resident was not in facility during the current or most recent influenza season (O0250C = [1]).	

MDS 3.0 Measure: Percent of Residents Who Received the Seasonal Influenza Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N017.01 NQF: 0681A	<i>Numerator</i> Residents meeting the following criteria on the selected target assessment:	Not applicable.
The measure reports the percent of long- stay residents who received the influenza vaccination during the current or most recent influenza season.	 resident received the influenza vaccine during the current or most recent influenza season, either in the facility (O0250A = [1]) or outside the facility (O0250C = [2]). Denominator All long-stay residents with a selected target assessment, except those with exclusions. Exclusions 1. O0250C = [1] (resident not in facility during the current or most recent influenza season). 	

MDS 3.0 Measure: Percent of Residents Who Were Offered and Declined the Seasonal Influenza Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N018.01 NQF: 0681B	<i>Numerator</i> Residents meeting the following criteria on the selected target assessment:	Not applicable.
The measure reports the percent of long- stay residents who are offered and declined the influenza vaccination during the current or most recent influenza season.	 resident was offered and declined the influenza vaccine (O0250C = [4]). Denominator All long-stay residents with a selected target assessment, except those with exclusions. Exclusions 1. O0250C = [1] (resident not in facility during the current or most recent influenza season). 	

MDS 3.0 Measure: Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Seasonal Influenza Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N019.01 NQF: 0681C The measure reports the percent of long- stay residents who did not receive, due to medical contraindication, the influenza vaccination during the current or	Numerator Residents meeting the following criteria on the selected target assessment: 1. resident was ineligible due to contraindication(s) (O0250C = [3]) (e.g., anaphylactic hypersensitivity to eggs or other components of the vaccine, history of Guillian-Barré Syndrome within 6 weeks after a previous influenza vaccination, bone marrow transplant within the past 6 months). Denominator All long-stay residents with a selected target assessment, except those with exclusions. Exclusions	Not applicable.
most recent influenza season.	1. O0250C = [1] (resident not in facility during the current or most recent influenza season).	

MDS 3.0 Measure: Percent of Residents Assessed and Appropriately Given the Pneumococcal Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N020.01 NQF: 0683	Numerator Residents meeting any of the following criteria on the selected target assessment: 1. Have an up to date PNEUMOCOCCAL VACCINE status (00300A = [1]); or	Not applicable.
This measure reports the percent of long- stay residents whose pneumococcal polysaccharide vaccine status is up to date.	 Have an up to date intermediate intermediate (COSCOA = [1]); or Were offered and declined the vaccine (O0300B = [2]); or Were ineligible due to medical contraindication(s) (e.g., anaphylactic hypersensitivity to components of the vaccine; bone marrow transplant within the past 12 months; or receiving a course of chemotherapy within the past two weeks) (O0300B = [1]). Denominator All long-stay residents with a selected target assessment. 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N021.01 NQF: 0683A This measure reports the percent of long- stay residents who received the pneumococcal polysaccharide vaccine during the 12-month reporting period.	Numerator Residents meeting the following criteria on the selected target assessment: PNEUMOCOCCAL VACCINE status is up to date (O0300A = [1]). Denominator All long-stay residents with a selected target assessment.	Not applicable.

MDS 3.0 Measure: Percent of Residents Who Received the Pneumococcal Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N022.01 NQF: 0683B This measure reports the percent of long- stay residents who were offered and declined the pneumococcal polysaccharide vaccine during the 12-month reporting period.	Numerator Residents meeting the following criteria on the selected target assessment: were offered and declined the vaccine (O0300B = [2]). Denominator All long-stay residents with a selected target assessment.	Not applicable.

MDS 3.0 Measure: Percent of Residents Who Were Offered and Declined the Pneumococcal Vaccine (Long Stay)

MDS 3.0 Measure: Percent of Residents Who Did Not Receive, Due to Medical Contraindication, the Pneumococcal Vaccine (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N023.01 NQF: 0683C	<i>Numerator</i> Residents meeting the following criteria on the selected target assessment:	Not applicable.
This measure reports the percent of long- stay residents who did not receive, due to medical contraindication, the pneumococcal polysaccharide vaccine during the 12-month reporting period.	 were ineligible due to medical contraindication(s) (O0300B = [1]) (e.g., anaphylactic hypersensitivity to components of the vaccine; bone marrow transplant within the past 12 months; or receiving a course of chemotherapy within the past two weeks). Denominator All long-stay residents with a selected target assessment. 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N024.01 NQF: 0684	Numerator Long-stay residents with a selected target assessment that indicates urinary tract infection within the last 30 days (I2300 = [1]).	Not applicable.
The measure reports the percentage of long stay residents who have a urinary	<i>Denominator</i> All long-stay residents with a selected target assessment, except those with exclusions. <i>Exclusions</i>	
tract infection	 Target assessment is an admission assessment (A0310A = [01]) or a PPS 5-day or readmission/return assessment (A0310B = [01, 06]). Urinary tract infection value is missing (I2300 = [-]). 	

MDS 3.0 Measure: Percent of Residents With a Urinary Tract Infection (Long Stay)

MDS 3.0 Measure: Percent of Low Risk Residents Who Lose Control of Their Bowel or Bladder (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N025.01 NQF: 0685	Numerator Long-stay residents with a selected target assessment that indicates frequently or always incontinence of the bladder (H0300 = $[2, 3]$) or bowel (H0400 = $[2, 3]$).	Not applicable.
The measure reports the percent of long- stay residents who	Denominator All long-stay residents with a selected target assessment, except those with exclusions.	
frequently lose control of their bowel or bladder.	 Exclusions 1. Target assessment is an admission assessment (A0310A = [01]) or a PPS 5-day or readmission/return assessment (A0310B = [01, 06]). 2. Resident is not in numerator and H0300 = [-] OR H0400 = [-]. 3. Residents who have any of the following high risk conditions: a. Severe cognitive impairment on the target assessment as indicated by (C1000 = [3] and C0700 = [1]) OR (C0500 ≤ [7]). b. Totally dependent in bed mobility self-performance (G0110A1 = [4, 7, 8]). c. Totally dependent in transfer self-performance (G0110B1 = [4, 7, 8]). d. Totally dependent in locomotion on unit self-performance (G0110E1 = [4, 7, 8]). 4. Resident does not qualify as high risk (see #3 above) and both of the following two conditions are true for the target assessment: a. C0500 = [99, ^, -], and b. C0700 = [^, -] or C1000 = [^, -]. 5. Resident does not qualify as high risk (see #3 above) and any of the following three conditions are true: a. G0110A1 = [-] b. G0110B1 = [-] c. G0110E1 = [-]. 6. Resident is comatose (B0100 = [1]) or comatose status is missing (B0100 = [-]) on the target assessment. 	
	 Resident has an indwelling catheter (H0100A = [1]) or indwelling catheter status is missing (H0100A = [-]) on the target assessment. Resident has an ostomy (H0100C = [1]) or ostomy status is missing (H0100C = [-]) on the target assessment. 	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS		COVARIATES
	 Numerator Long-stay residents with a selected target assessment that indicates the use of indwelling catheters (H0100A = [1]). Denominator All long-stay residents with a selected target assessment, except those with exclusions. Exclusions 1. Target assessment is an admission assessment (A0310A = [01]) or a PPS 5-day or readmission/return assessment (A0310B = [01, 06]). 2. Target assessment indicates that indwelling catheter status is missing (H0100A = [-]). 3. Target assessment indicates neurogenic bladder (I1550 = [1]) or neurogenic bladder status is missing (I1550 = [-]). 4. Target assessment indicates obstructive uropathy (I1650 = [1]) or	1.	COVARIATESFrequent bowel incontinence on prior assessment (H0400 = [2, 3]).Covariate = [1] if H0400 = [2, 3]Covariate = [1] if H0400 = [2, 3]Covariate = [1] if H0400 = [2, 3]Covariate = [0] if H0400 = [2, 3]Covariate = [1] if H0400 = [2, 3]Covariate = [0] if H0400 = [2, 3]Covariate = [0] if H0400 = [0, 1, 9, -].Pressure ulcers at stages II, III, or
	obstructive uropathy status is missing (I1650 = [-]).	3.	 c. M0300D1 = [1, 2, 3, 4, 5, 6, 7, 8, 9] Covariate = [0] if M0300B1 = [0, ^] and M0300C1 = [0, ^] and M0300D1 = [0, ^]. Covariate = missing if M0300B1 = [-] AND M0300C1 = [-] AND M0300D1 = [-]. All covariates are missing if no prior assessment is available.

MDS 3.0 Measure: Percent of Residents Who Have/Had a Catheter Inserted and Left in Their Bladder (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N027.01 NQF: 0687	<i>Numerator</i> Long-stay residents with a selected target assessment that indicates daily physical restraints, where:	Not applicable.
This measure reports the percent of long- stay nursing facility residents who are physically restrained on a daily basis.	trunk restraint used in bed (P0100B = [2]), OR limb restraint used in bed (P0100C = [2]), OR trunk restraint used in chair or out of bed (P0100E = [2]), OR limb restraint used in chair or out of bed (P0100F = [2]), OR chair prevents rising used in chair or out of bed (P0100G) = [2]).	
	<i>Denominator</i> All long-stay residents with a target assessment, except those with exclusions.	
	Exclusions Resident is not in numerator and any of the following is true: P0100B = [-], OR P0100C = [-], OR P0100E = [-], OR P0100F = [-], OR P0100G = [-].	

MDS 3.0 Measure: Percent of Residents Who Were Physically Restrained (Long Stay)

MDS 3.0 Measure: Percent of Residents Whose Need for Help with Activities of Daily Living Has Increased (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N028.01	Numerator	Not applicable.
NQF: 0688 This measure reports the percent of long- stay residents whose	Long-stay residents with selected target and prior assessment assessments that indicate the need for help with late-loss Activities of Daily Living (ADLs) has increased when the selected assessments are compared. The four late-loss ADL items are self-performance bed mobility (G0110A1), self-performance transfer (G0110B1), self-performance eating (G0110H1), and self-performance toileting (G0110I1).	
need for help with late-loss Activities of Daily Living (ADLs) has increased when compared to the prior assessment.	An increase is defined as an increase in two or more coding points in one late-loss ADL item or one point increase in coding points in two or more late-loss ADL items. Note that for each of these four ADL items, if the value is equal to [7, 8] on either the target or prior assessment, then recode the item to equal [4] to allow appropriate comparison Residents meet the definition of increased need of help with late-loss ADLs if either of the following are true	
	1. <i>At least two</i> of the following are true (note that in the notation below, [t] refers to the target assessment, and [t-1] refers to the prior assessment):	
	 Bed mobility: [Level at target assessment (G0110A1[t]] - [Level at prior assessment (G0110A1[t-1])] > [0], or 	
	 Transfer: [Level at target assessment (G0110B1[t]] - [Level at prior assessment (G0110B1[t-1])] > [0], or 	
	 Eating: [Level at target assessment (G0110H1[t]] - [Level at prior assessment (G0110H1[t-1])] > [0], or 	
	 Toileting: [Level at target assessment (G0110I1[t]] - [Level at prior assessment (G0110I1[t-1])] > [0]. 	
	2. At least one of the following is true:	
	 Bed mobility: [Level at target assessment (G0110A1[t]] - [Level at prior assessment (G0110A1[t-1])] > [1], or 	
	 Transfer: [Level at target assessment (G0110B1[t]] - [Level at prior assessment (G0110B1[t-1])] > [1], or 	
	 Eating: [Level at target assessment (G0110H1[t]] - [Level at prior assessment (G0110H1[t-1])] > [1], or 	
	 Toileting: [Level at target assessment (G0110I1[t]] - [Level at prior assessment (G0110I1[t-1])] > [1]. 	(continued)

(continued)

MDS 3.0 Measure: Percent of Residents Whose Need for Help with Activities of Daily Living Has Increased (Long Stay) (continued)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
	Denominator All long-stay residents with a selected target and prior assessment except those with exclusions.	
	Exclusions	
	 All four of the late-loss ADL items indicate total dependence on the prior assessment, as indicated by: 	
	Bed Mobility (G0110A1) = [4, 7, 8] AND Transferring (G0110B1) = [4, 7, 8] AND Eating (G0110H1) = [4, 7, 8] AND Toileting (G0110I1) = [4, 7, 8].	
	 Three of the late-loss ADLs indicate total dependence on the prior assessment, as in #1 AND the fourth late-loss ADL indicates extensive assistance (value 3) on the prior assessment. If resident is comatose (B0100 = [1, -]) on the target assessment. Prognosis of life expectancy is less than 6 month (J1400 = [1, -]) on the target assessment. Hospice care (O0100K2 = [1, -]) on the target assessment. The resident is not in the numerator AND 	
	Bed Mobility (G0110A1) = [-] on the prior or target assessment, OR Transferring (G0110B1) = [-] on the prior or target assessment, OR Eating (G0110H1) = [-] on the prior or target assessment, OR Toileting (G0110I1) = [-] on the prior or target assessment].	

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N029.01 NQF: 0689	<i>Numerator</i> Long-stay nursing home residents with a selected target assessment which indicates a weight loss of 5% or more in the last month or 10% or more in the last 6 months who were not on a	Not applicable.
The measure captures the percentage of long-stay residents	physician prescribed weight-loss regimen (K0300 = [2]. Denominator	
who had a weight loss of 5% or more in the	Long-stay nursing home residents with a selected target assessment except those with exclusions.	
last month or 10% or more in the last two quarters who were not on a physician prescribed weight- loss regimen noted in an MDS assessment during the selected quarter.	 Exclusions 1. Target assessment is an OBRA admission assessment (A0310A = [01]) OR a PPS 5-day or readmission/return assessment (A0310B = [01, 06]). 2. Weight loss item is missing on target assessment (K0300 = [-]. 	

MDS 3.0 Measure: Percent of Residents Who Lose Too Much Weight (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N030.01	Numerator	Not applicable.
NQF: 0690	Long-stay residents with a selected target assessment where the target assessment meets <i>either</i> of the following two conditions:	
The measure reports the percentage of long-stay residents who have had	CONDITION A (The resident mood interview must meet Part 1 and Part 2 below) PART 1:	
symptoms of depression during the 2-week period	 Little interest or pleasure in doing things half or more of the days over the last two weeks (D0200A2 = [2, 3]) OR 	
preceding the MDS 3.0 target assessment date.	 Feeling down, depressed, or hopeless half or more of the days over the last two weeks (D0200B2 = [2, 3]) PART 2: 	
	The resident interview total severity score indicates the presence of depression (D0300 \ge [10] and D0300 \le [27]).	
	CONDITION B: (The staff assessment of resident mood must meet Part 1 and Part 2 below) PART 1:	
	 Little interest or pleasure in doing things half or more of the days over the last two weeks (D0500A2 = [2, 3]) 	
	OR	
	 Feeling or appearing down, depressed, or hopeless half or more of the days over the last two weeks (D0500B2 = [2, 3]) 	
	PART 2:	
	The staff assessment total severity score indicates the presence of depression (D0600 \ge [10] and D0600 \le [30]).	
		(continued)

MDS 3.0 Measure: Percent of Residents Who Have Depressive Symptoms (Long Stay)

(continued)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
	Denominator All long-stay residents with a selected target assessment, except those with exclusions. Exclusions	
	 Resident is comatose or comatose status is missing (B0100 = [1, -]). Resident is not included in the numerator (the resident did not meet the depression symptom conditions for the numerator) AND both of the following are true: a. D0200A2 = [^, -] OR D0200B2 = [^, -] OR D0300=[99, -, ^]. b. D0500A2 = [^, -] OR D0500B2 = [^, -] OR D0600=[-, ^]. 	

MDS 3.0 Measure: Percent of Residents Who Have Depressive Symptoms (Long Stay) (continued)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N031.02	Numerator	Not applicable.
NQF: none	Long-stay residents with a selected target assessment where the following condition is true: antipsychotic medications received. This condition is defined as follows:	
This measure reports the percentage of	 For assessments with target dates on or before 03/31/2012: N0400A = [1]. 	
long-stay residents	 For assessments with target dates on or after 04/01/2012: N0410A=[1,2,3,4,5,6,7]. 	
who are receiving antipsychotic drugs in	Denominator	
the target period.	All long-stay residents with a selected target assessment, except those with exclusions.	
	Exclusions	
	1. The resident did not qualify for the numerator and any of the following is true:	
	1.1. For assessments with target dates on or before 03/31/2012: N0400A = [-].	
	1.2. For assessments with target dates on or after 04/01/2012: N0410A=[-].	
	 Any of the following related conditions are present on the target assessment (unless otherwise indicated): 	
	2.1. Schizophrenia (I6000 = [1]).	
	2.2. Tourette's Syndrome (I5350 = [1]).	
	2.3. Tourette's Syndrome (I5350 = [1]) on the prior assessment if this item is not active on the target assessment and if a prior assessment is available.	
	2.4. Huntington's Disease (I5250 = [1]).	

MDS 3.0 Measure: Percent of Long-Stay Residents Who Received An Antipsychotic Medication ⁴

⁴ This measure has not been submitted to NQF for approval. The measure will appear on Nursing Home Compare beginning in Summer, 2012 and will appear in the CASPER reports at a later time. When it appears on CASPER, it will replace the surveyor measure: Prevalence of Psychoactive Medication Use, in the Absence of Psychotic or Related Conditions (Long Stay).



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX A

Technical Details

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

Quality Measures (QM) Technical Details

List of Contents:

Section 1 Introduction	A-1
Section 2 Steps Used In National QM Calculation	A-3
Section 3 Calculation of the Expected QM Score	A-7
Section 4 Calculation of the Adjusted QM Score	A-9

Section 1 Introduction

This appendix presents technical details regarding the calculation of the nursing home quality measures (QMs), including the methodology used for risk adjustment.

Overview of QM Calculations

The QMs are created from counts of nursing facility long stay residents or short stay residents who have certain conditions or problems (e.g., falls resulting in major injury). For example, facility-level scores for the long stay falls QM are computed by: 1) counting residents in the facility who had a fall resulting in major injury and 2) computing the percent of residents in the facility who had valid MDS data and who experienced such a fall. The detailed logic for defining the resident-level outcomes for each QM is presented in the QM Sample and Record Selection Methodology section and in the Quality Measure Logic Specifications section of this manual. This logic is listed under the "Numerator" entry for each QM.

A Note on Risk Adjustment

Risk adjustment refines raw QM scores to better reflect the prevalence of problems that facilities should be able to address. Two complementary approaches to risk adjustment are applied to the QMs.

One approach involves exclusion of residents whose outcomes are not under nursing facility control (e.g., outcome is evidenced on admission to the facility) or the outcome may be unavoidable (e.g., the resident has end-stage disease or is comatose). All of the QMs, except the vaccination QMs, are shaped by one or more exclusions. For each QM, the prevalence of the outcome across all residents in a nursing facility, after exclusions, is the *facility-level observed QM score*.

A second approach involves adjusting QM scores directly, using logistic regression. This method of adjustment employs *resident-level covariates* that are found to increase the risks of an outcome. Detailed specifications for resident-level covariates are presented in the Quality Measure Logical Specifications section of this manual. This approach involves the following steps:

- First, resident-level covariates were used in a logistic regression model to calculate a *resident-level expected QM score* (the probability that the resident will evidence the outcome, given the presence or absence of characteristics measured by the covariates). Section 3 of this Appendix presents the details for calculating expected scores for residents.
- Then, an average of all resident-level expected QM scores for the nursing facility was calculated to create a *facility-level expected QM score*.
- The final *facility-level adjusted QM score* was based on a calculation which combines the *facility-level expected score* and the *facility-level observed score*. The details for

calculating facility-level adjusted scores are presented in Section 4 of this Appendix. The parameters used for each release of the QMs are presented in Appendix B.

Only three of the QMs are adjusted using resident level covariates for public reporting:

- N002.01: Percent of Residents With Pressure Ulcers That Are New or Worsened (Short Stay)
- N014.01: Percent of Residents Who Self-Report Moderate to Severe Pain (Long Stay)
- N026.01: Percent of Residents Who Have/Had a Catheter Inserted and Left in Their Bladder (Long Stay)

The remaining QMs are not adjusted using resident-level covariates. For these measures, facility-level observed QM scores are reported.

Section 2 Steps Used In National QM Calculation

Introduction

This section outlines the processing steps used to calculate QMs. The description below uses the Q3 2011 as the target period. The dates associated with these steps would be updated, as appropriate, for subsequent quarterly releases of the QMs. It is important to note two items that recurred throughout the process:

Every step in file construction and QM calculation proceeded in parallel for two samples of residents and facilities: a "Long stay" (LS) sample and a "Short stay" (SS) sample.

- Two "target periods" were defined:
 - a "Current Period" which was one quarter, Q3 2011, for LS residents and two quarters, Q2 and Q3 2011, for SS patients. Data from the current periods were used as the target period for final QM reporting;
 - a "Current Year", Q4 2010 through Q3 2011, data from which were used to estimate logistic regressions for risk adjustment.

Processing Steps:

- 1. *MDS Selection.* All MDS records for U.S. nursing facilities in Q4 2010 through Q3 2011 were selected.
- 2. *Episode Creation.* Using the definitions contained elsewhere in this document, episodes were created from the available data. Each episode was classified as either long or short stay depending upon the number of cumulative days in the facility. Only the latest episode was retained for each resident.
- 3. *Sampling for LS QMs.* Nursing facilities and residents were sampled to provide data for LS QM and covariate calculations.
 - a. "Current Period" LS resident sample: residents were included in this sample if they had a long stay episode that ended within the last quarter of the target period (i.e., Q2 2011).
 - b. "Current Year" LS resident sample: residents were included in this sample if they had a long stay episode in the target period Q4 2010 through Q3 2011).

- 4. *Sampling for SS QMs.* Nursing facilities and residents were sampled to provide data for SS QM and covariate calculations.
 - a. "Current Period" SS resident sample: residents were included in this sample if they had a short stay episode that ended within the last two quarters of the target period (i.e., Q2 2011 or Q3 2011).
 - b. "Current Year" SS resident sample: residents were included in this sample if they had a short stay episode in the target period Q4 2010 through Q3 2011).
- 5. *Resident-level QM Calculation Files.* At this point, resident-level QM calculation files were created, separately for LS residents and SS residents, for the two target periods, using the specified target, prior, and initial assessments for each resident record, if available.
- 6. *Resident-level QM and Covariate Calculation Files.* Next, resident-level QM scores were calculated (and covariate values were calculated for the risk-adjusted QMs), separately for each LS resident and SS resident.
 - a. Resident-level QM calculation (all QMs):
 - i. Resident exclusions: For each QM, excluded residents were assigned a missing value for that QM. Residents with missing covariate values were also assigned a missing value for that QM.
 - ii. QM values: does the resident "trigger" the QM?
 - 1. If "Yes", then store a value of 1 for that QM in the resident-level QM calculation record appropriate to that resident for a target period.
 - 2. If "No", then store a value of 0 for that QM in the resident-level QM calculation record appropriate to that resident for a target period.
 - b. Resident-level covariate calculation (risk-adjusted QMs):
 - i. Resident exclusions: For each QM, excluded residents were assigned a missing value for that QM. Residents with missing covariate values were also assigned a missing value for that QM.
 - ii. Covariate: does the resident "trigger" the covariate?
 - 1. If "Yes", then store a value of 1 for that covariate in the resident-level QM calculation record appropriate to that resident for a target period.
 - 2. If "No", then store a value of 0 for that covariate in the resident-level QM calculation record appropriate to that resident for a target period.
- 7. *Logistic Regressions*. With the resident-level files complete, and all relevant exclusions applied, logistic regressions for the risk-adjusted QMs were estimated using the Current Year LS and SS samples (Q4 2010 to Q3 2011).
 - a. Input: LS or SS resident-level file.

- b. Dependent variable: was the QM triggered? (yes = 1, no = 0).
- c. Predictors: resident-level covariates.
- d. Calculation of logistic regressions: (See Section 3 in this Appendix).
- e. Output values: logistic regression constant term and resident-level covariate coefficients for each of the risk-adjusted QMs. The resulting values are given in Table B.1 of Appendix B.
- 8. *Resident-level Expected QM Scores.* For the QMs that were risk adjusted, resident-level expected QM scores were calculated for each resident for the Current Period LS and SS samples. (See Section 3 in this Appendix for calculation formulas).
 - a. Input: logistic regression constant term and resident-level covariate coefficients from the previous step for each adjusted QM.
 - b. Output values: resident-level expected QM scores for each resident, for each of the risk-adjusted QMs.
- 9. *National Mean QMs.* National mean observed QMs were needed for calculating the facility-level adjusted QM scores below. The overall national mean observed QM scores for the Current Period LS and SS samples were calculated, for each risk adjusted QM:
 - a. Numerator: for each QM, count the total number or residents that triggered the QM and sum for the nation.
 - b. Denominator: for each QM, count the total number of residents retained after exclusions and sum for the nation. Note that the sample will include only those residents with non-missing data for the component covariates.
 - c. Overall national mean observed QM score: divide the numerator by the denominator.
- 10. *Facility-level Observed QM Scores.* For all QMs, the facility-level observed QM scores were calculated for the Current Period LS and SS samples -- for the QMs that were not risk adjusted, these are the measures that will be publicly reported.
 - a. Numerator: for each QM, count the total number of residents who triggered the QM in each facility and sum for the nursing facility.
 - b. Denominator: for each QM, count the total number of residents retained after exclusions for each facility and sum for the nursing facility. Note that the sample will include only those residents with non-missing data for the component covariates.
 - c. Facility-level observed QM scores: divide the numerator by the denominator for each QM and nursing facility.
- 11. *Facility-level Expected QM Scores.* For the risk-adjusted QMs, the facility-level expected QM scores are calculated for the Current Period LS and SS samples. This is done by averaging the resident-level expected QM scores for each QM within each nursing facility. Note that the sample will include only those residents with non-missing data for the component covariates.

- 12. *Facility-level Adjusted QM Scores.* Finally, for the risk-adjusted QMs, the facility-level adjusted QM scores were calculated for the Current Period LS and SS samples.
 - a. Input -- for each of the risk-adjusted QMs
 - i. Facility-level observed QM scores
 - ii. Facility-level expected QM scores
 - iii. National mean observed QM scores
 - b. Calculation: (See Section 4 of this Appendix for calculation formulas)
 - c. Output: Facility-level adjusted QM scores for the five risk-adjusted QMs
- 13. *Final Facility-level Output File.* The final facility-level output files for the Current Period LS and SS QMs contained the following:
 - a. For all QMs:
 - i. Facility numerator counts
 - ii. Facility denominator counts
 - iii. Facility-level observed QM scores (publicly reported for the unadjusted QMs)
 - b. For the risk-adjusted QMs: Facility-level adjusted QM scores (publicly reported scores)

Section 3 Calculation of the Expected QM Score

For the QMs adjusted with resident-level covariates, the resident-level expected QM score was calculated as an intermediate step to obtaining an adjusted QM score for the facility. This section describes the technical details referred to in Section 2 of this Technical Appendix.

Calculating Resident-level Expected QM Scores

The resident-level expected score for a QM is an estimate of the risk that a resident will trigger the QM. This estimate is based on consideration of the resident-level covariates associated with the QM.

For each of the risk-adjusted QMs, a resident-level logistic regression was estimated. Data came from the short stay and long stay samples described in the prior section of this appendix. The resident-level observed QM score was the dependent variable. The predictor variables were one or more resident-level covariates associated with the QM. Calculation of the QM and covariate scores is described in Section 2 (Step 5) of this Appendix.

Each logistic regression had the following form:

[1] QM triggered (yes = 1, no = 0) =
$$B_0 + B_1 * COV_A + B_2 * COV_B + ... + B_N * COV_N$$

where B_0 is the logistic regression constant, B_1 is the logistic regression coefficient for the first covariate, COV_A is the resident-level score for the first covariate, B_2 is the logistic regression coefficient for the second covariate (where applicable), and COV_B is the resident-level score for the second covariate (where applicable), and COV_B is the resident-level score for the second covariate (where applicable), and so on.

Each resident's expected QM score could then be calculated with the following formula:

[2] Resident-level expected QM score = $1/[1+e^{-X}]$

where e is the base of natural logarithms and X is a linear combination of the constant and the logistic regression coefficients times the covariate scores (from Formula [1], above). A covariate score will be 1 if the covariate is triggered for that resident, and 0 if not

As an example, consider the actual calculation used for the expected score for the LS "Percent of residents who have moderate to severe pain" QM (N014.01). The covariate for that QM is an indicator of independence in daily decision-making on the prior assessment. The equation used for this QM (with the parameters from Table B.1 for Q3 2011) is:

[3] N014.01.01 Score = $1/[1+e^{-(B_0+B_1*IndpDec)}]$

where B_0 is the logistic regression constant, B_1 is the logistic regression coefficient for IndpDec, and IndpDec is the resident-level covariate indicating independence in daily decision-making.

The N014.01 score for a resident who triggers the independence in decision making covariate (covariate score = 1) is expected to be:

 $[4] \quad 0.2006 = 1/[1 + e^{-(-2.426281 + 1.044019*1)}]$

For a resident who does not trigger the independence in decision making covariate (covariate score = 0), the N014.01 score is expected to be:

 $[5] \quad 0.0812 = 1/[1 + e^{-(-2.426281 + 1.044019^{*0})}]$

Thus a resident who is independent in decision making (i.e. covariate = 1) is over twice as likely to report severe pain (20.06 percent, compared to 8.12 percent for a resident who is not independent in decision making).

The parameters used for calculating the resident-level expected QM scores are presented in Table B.1 of Appendix B.

Calculating Facility-level Expected QM Scores

Once an expected QM score has been calculated for all residents at risk, the facility-level expected QM score is simply the average of all resident-level scores for each of the risk-adjusted QMs.

Section 4 Calculation of the Adjusted QM Score

The risk-adjusted QM score is a facility-level QM score adjusted for the specific risk for that QM in the nursing facility. The risk-adjusted QM score can be thought of as an estimate of what the nursing facility's QM rate would be if the facility had residents with average risk.

The facility-level adjusted score is calculated on the basis of

- The facility-level observed QM score,
- The facility-level average expected QM score, and
- The national average observed QM score.

The actual calculation of the adjusted score uses the following equation:

[6] Adj = $1/[1 + e^{-y}]$

where

Adj is the facility-level adjusted QM score, and y = (Ln(Obs/(1-Obs) – Ln(Exp/1-Exp)) + Ln(Nat/(1-Nat))) Obs is the facility-level observed QM rate, Exp is the facility-level expected QM rate, Nat is the national observed QM rate, and Ln indicates a natural logarithm. e is the base of natural logarithms

Note that the adjusted QM rate (Adj) is calculated differently in two special cases:

- 1. When Obs equals 0.00, then Adj is set to 0.00 (without using the equation).
- 2. When Obs equals 1.00, then Adj is set to 1.00 (without using the equation).

The adjusted QM score equation will produce adjusted scores in the range of 0 to 1. These adjusted scores can then be converted to percentages for ease of interpretation.

These adjusted score calculations are applied to QMs that use expected scores based on residentlevel covariates (See Section 3 of this Appendix). The national average observed QM rates, required for these calculations, are presented in Appendix B.



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX B

Parameters Used for Each Quarter

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

Introduction

This appendix presents the model parameters that were estimated for the risk adjusted QMs. for the following time period:

• The period ending September 30, 2011, referred to as Q3 2011.

The purpose of this document is to present the logistic regression coefficients used in the risk adjustment calculations that were applied to the risk-adjusted QMs. For details regarding the use of these parameters, please refer to Appendix A.

Logistic Regression Coefficients

Three QMs are risk adjusted. The logistic regression coefficients used are presented in Table B.1. Where risk adjustment involves the use of more than one resident-level covariate, coefficients are listed in the order presented in the LS and SS matrices that are presented in the MDS 3.0 Quality Measures Logical Specifications section of this manual.

QM	Constant (Intercept)	Resident-Level Covariates
N002.01	-5.157683	1. (Covariate 1) 0.994473 2. (Covariate 2) 0.874906
		3. (Covariate 3) 0.358582
		4. (Covariate 4) 0.386363
N014.01	-2.426281	1. (Covariate 1) 1.044019
N026.01	-3.645993	1. (Covariate 1) 0.545108 2. (Covariate 2) 1.967017

Table B.1. Logistic Regression Coefficients

National Observed Means

The national observed QM means are updated for each quarterly release. Table B.2 presents these means for Q3 2011, as an example.

 Table B.2. National Observed QM Means

QM	Q3 2011
N002.01	0.020956
N014.01	0.119092
N026.01	0.042446



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX C

Episode and Stay Determination Logic

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

MDS 3.0 Episode and Stay Determination Logic

Introduction

Several CMS applications are based upon the identification of stays and episodes using MDS 3.0 data. This document provides definitions and detailed logic that can be used by these applications.

This document begins with definitions of key terms and concepts. It then explains how stays and episodes are identified in a well-defined assessment data stream (i.e., when all assessment completion and submission rules are followed). It concludes with detailed logic that handles exceptional cases (e.g., missing entry or discharge records).

Definitions

An episode consists of one or more stays, and a stay is defined as a set of contiguous days in a facility. Because an episode is built from a set of one or more stays, the episode can be identified if the stays have been built properly. Therefore, this section will describe how to build stays.

Three properties of each stay must be determined:

- The starting date.
- The ending date.
- The stay type (admission or reentry).

The starting date is the date the resident entered the facility (either for the first time or after a previous discharge). The ending date is either (a) the discharge date, or (b) the end of the target period, whichever is earlier. The stay type is defined as follows:

Admission. An admission occurs when *any one* of the following conditions apply:

- the resident has never been admitted to this facility before; OR
- the resident has been in this facility previously and was discharged return not anticipated; OR
- the resident has been in this facility previously and was discharged return anticipated and did not return within 30 days of discharge.

Reentry. A reentry occurs when *both of the following* conditions apply:

- the resident has a discharge return anticipated, AND
- the resident returned to the facility within 30 days of discharge.

Rules for a Well Constructed Data Stream

In a well constructed data stream (where all records are submitted and correctly coded), the following logic will correctly determine the starting date, ending date, and type for each stay. This logic assumes that the resident's records have been sorted in reverse chronological order (see the end of this section for sorting details). Stays and episodes must be contained within a single facility, so the following logic applies to the records for a single facility.

- If the first (latest) record that is on or before the end of the reporting period is a discharge (A0310F = [10, 11, 12]), then the stay end date is equal to the discharge date (A2000). Otherwise, the stay is ongoing and the stay end date is equal to the end of the reporting period.
- 2. If the **stay end date** of the resident's latest stay chronologically precedes the beginning of the target period¹, then the episode is not included in the sample. If the stay is ongoing or if the discharge occurs within the target period, then continue.
- 3. Scan backwards chronologically until an entry record (A0310F = [01]) is encountered. The **stay start date** is equal to the entry date (A1600) on the entry record.
- 4. Look at the chronologically preceding record. The stay type is defined as follows:
 - 4.1. If a chronologically preceding record is found and if it is a discharge return anticipated (A0310F = [11]) and if the discharge date of the discharge record is within 30 days of the stay start date defined above, then the stay type is a reentry. Otherwise, the stay type is an admission. Admissions occur under any of the following conditions:
 - 4.1.1. No chronologically preceding record is found.
 - 4.1.2. A chronologically preceding record is found and it is a discharge return not anticipated (A0310F = 10).
 - 4.1.3. A chronologically preceding record is found and it is a discharge return anticipated (A0310F = 11) and the discharge date is 31 days or more before the stay start date.
- 5. If the stay was classified as an admission stay, then scanning would stop because this would mark the beginning of the episode. If the stay was a reentry, then the scan logic would continue with the stay that ended with the record found in Step #4 (if any). Stays would continue to be scanned and classified until one of the following conditions occurred:
 - 5.1. An admission stay was identified, or

¹ The span of time that defines the application's reporting period (e.g., a calendar quarter).

- 5.2. No more records were found for the same resident and facility, or
- 5.3. An application-specific rule was met. For example, for Quality Measures (QMs), processing stops when the number of cumulative days in the facility (CDIF) exceeded 100 days (CDIF is the sum of the number of days within each of the stays that are contained in the episode).

Handling Missing Records

Exceptions to the rules will occur when entry and/or discharge records are missing from a resident's data stream. When this occurs, starting and/or ending dates must be imputed and the stay type must be determined as accurately as possible. The following rules will describe how these situations are handling. This discussion will refer to three types of records:

- Entry record (where A0310F = [01]).
- Discharge record (where A0310F = [10, 11, 12]).
- A normal assessment (where A0310F = [99]).

Missing Entry Records

In the scan logic described above, if a normal assessment is immediately preceded chronologically by a discharge record or if there is no chronologically preceding record, then an entry record is missing. In this case the stay start date and type must be imputed. The imputation rules are as explained below. In these rules, the assessment that is preceded chronologically by a discharge or that has no preceding record is termed the "problem assessment".

The table below is used to impute the entry date when there is a missing entry record.

		Possible Entry Dates	
Type of Assessment	Reasons for Assessment	Earliest Date	Latest Date
5-day PPS	A0310B=[01]	A2300 - 7 days	A2300
14-day PPS	A0310B=[02]	A2300 - 18 days	A2300 - 10 days
30-day PPS	A0310B=[03]	A2300 - 33 days	A2300 - 20 days
60-day PPS	A0310B=[04]	A2300 - 63 days	A2300 - 49 days
90-day PPS	A0310B=[05]	A2300 - 93 days	A2300 – 79 days
PPS readmission/ return	A0310B=[06]	A2300 - 7 days	A2300
OBRA admission	A0310A=[01]	A2300 - 13 days	A2300
Other OBRA	A0310A=[02,03,04,05,06]	A2300 - 106 days	A2300
OMRA	A0310B=[07]	A2300 - 7 days	A2300
Discharge	A0310F=[10,11,12]	A1600	A1600

Table C1: Possible Entry Dates When Entry Record is Missing

The table above lists various types of assessments and shows the earliest and latest possible entry dates that are associated with each one. The following steps explain how to use this table to impute an entry date and stay type when a problem assessment is chronologically preceded by a discharge assessment or where no record precedes the problem assessment.

- 1. Use the table above to classify the problem assessment. Classify the assessment using the reason for assessment items indicated in the table. If the problem assessment qualifies for more than one of the rows in the table, use the first (topmost) row for which it qualifies.
- 2. Determine the earliest and latest entry date associated with the selected row.
- 3. Determine the entry date (A1600) that is reported on the problem assessment.
- 4. Determine a tentative entry date, as follows:
 - 4.1. If the entry date (A1600) on the problem assessment falls between the earliest and latest entry date in the table, set the tentative entry date equal to this value of A1600.
 - 4.2. Otherwise, set the tentative entry date equal to the date that is listed in the "earliest date" column of the table.
- 5. Determine a final imputed entry date, as follows:
 - 5.1. If the problem assessment is chronologically preceded by a discharge record, add one day to the tentative entry date and compare the resulting entry date with the discharge date (A2000) on the discharge record. Set the final imputed entry date equal to the later of these two dates.
 - 5.2. If there is no record that chronologically precedes the problem assessment, then set the final imputed entry date equal to the tentative entry date.
- 6. Determine the stay type, as follows:
 - 6.1. If the problem assessment is chronologically preceded by a discharge record, determine the stay type using the normal logic described above.
 - 6.2. If there is no record that chronologically precedes the problem assessment, then set the stay type as an admission stay.

Missing Discharge Records

In the scan logic described above, if an entry record is immediately preceded chronologically by a normal assessment, then a discharge record is missing. In this case, the end date of the chronologically preceding stay and the stay type of the current stay must be imputed. The imputation rules are as follows. In these rules, the assessment that chronologically precedes the entry record is termed the "ending index assessment". The "current stay" is the stay that begins with the entry record. The "chronologically preceding stay" is the stay that contains the ending index assessment.

- 1. The end date of the chronologically preceding stay is set equal to the assessment reference date that is recorded on the ending index assessment.
- 2. Set the stay type of the current stay as follows:
 - 2.1. Determine the value of A1700 that is recorded on the entry record of the current stay.
 - 2.2. If A1700 is equal to [1] (admission), then set the stay type for the current stay to "admission".
 - 2.3. If A1700 is equal to [2] (reentry), then set the stay type for the current stay to "reentry".

Multiple Entry Records

If there are two or more entry records which are adjacent to one another in the resident's data stream, keep the latest entry record and ignore the earlier adjacent entry record(s).

Multiple Discharge Records

If there are two or more discharge records which are adjacent to one another in the resident's data stream, keep the latest discharge record and ignore the earlier adjacent discharge record(s).

Sorting Rules

As noted above, stays are identified from the records for a given resident and facility that are sorted in reverse chronological order. Sorting criteria must be applied to handle the case where there is more than one record on a given target date. The exact sorting criteria are as follows:

State ID + Facility internal ID + Resident internal ID + Target date (descending) + Record type (descending) + Assessment internal ID (descending)

Note that record type (record_type) is defined as follows:

- 1. If A0310F = 01 (the record is an entry record), then record_type = 1.
- 2. Else if A0310F = 99 (the record is not an entry or discharge), then:
 - a. If the item subset $code^2$ is equal to NC (comprehensive assessment), then record_type = [7].
 - b. Else if the item subset code is equal to NQ (quarterly assessment), then record_type = [6].

² The item subset code is contained in the field ITM_SBST_CD.

- c. Else if the item subset code is equal to NP (PPS assessment), then record_type = [5].
- d. Else if the item subset code is equal to NO ("other" OMRA assessment), then record type = [4].
- e. Else if the item subset code is equal to NS (start-of-therapy OMRA assessment), then record_type =[3].
- f. Else record_type = [2] (this condition should not occur).
- 3. Else if A0310F = [10] (discharge, return not anticipated), then record_type = [8].
- 4. Else if A0310F = [11] (discharge, return anticipated), then record_type = [9].
- 5. Else if A0310F = [12] (death in facility), then record_type = [10].

Also note that the assessment internal ID is used as the final tie-breaker on the assumption that records that should be later in the sort sequence will be submitted and processed later than the other records. The record processing timestamp would be a slightly better field to use for this purpose. However, it is available only to users who have direct access to the ASAP database. The assessment internal ID was therefore adopted as a reasonable substitute for the timestamp so that all users would have access to the same sorting fields.



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX D

Measures Withdrawn from NQF Submission

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

Measures Withdrawn from NQF Submission

The following measures were previously approved or given time limited endorsement by the National Quality Forum (NQF) but have been withdrawn from NQF submission.

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N012.01 NQF: 0675-withdrawn	Numerator Short-stay residents with both an initial assessment and a subsequent target assessment, AND	Not applicable.
This measure captures the percentage of short- stay residents who can self-report pain, are on a scheduled pain medication regimen at their initial assessment, and who report lowered levels of pain on their target assessment.	 AND who can self-report on pain (J0200 = [1]) on both the initial assessment and the target assessment. AND who are on a scheduled pain medication regimen on their initial assessment (J0100A = [1]), AND who report reduced pain on their target assessment when compared with their initial assessment as indicated by <i>any</i> of the following: 1. Resolution of pain with J0300 = [1] (pain present) on the initial assessment AND J0300 = [0] (no pain) on the target assessment. 2. Decrease in pain frequency indicated by J0400=[1,2,3,4] on both the initial and target assessments and J0400 on the target assessment > J0400 on the initial assessment. A score of [1] on J0400 indicates the most frequent pain and a score of [4] indicates the least frequent. 3. Reduced intensity of pain indicated by J0600A=[00,01,02,03,04,05,06,07,08,09,10] on both the initial assessment. A score of [10] on J0600A indicates the most intense pain and a score of [00] indicates no pain. 4. Reduced intensity of pain indicated by J0600B=[1,2,3,4] on both the initial and target assessments and J0600B on the target assessment < J0600A on the initial assessment. A score of [10] on J0600A indicates the most intense pain and a score of [00] indicates no pain. 4. Reduced intensity of pain indicated by J0600B=[1,2,3,4] on both the initial and target assessments and J0600B indicates the most intense pain and a score of [1] indicates the least intense pain. 4. Reduced intensity of pain indicated by J0600B=[1,2,3,4] on both the initial assessment. A score of [4] on J0600B indicates the most intense pain and a score of [1] indicates the least intense pain. 5. Denominator Short-stay residents with both an initial assessment and a subsequent target assessment, AND who can self-report on pain (J0200 = [1]) on both the initial assessment and the target assessment. AND 	
L	those who meet the exclusion criteria.	(continued)

MDS 3.0 Measure: The Percentage of Residents on a Scheduled Pain Medication Regimen on Admission Who Self-Report a Decrease in Pain Intensity or Frequency (Short Stay)

RTI International

MDS 3.0 Measure: The Percentage of Residents on a Scheduled Pain Medication Regimen on Admission Who Self-Report a Decrease in Pain Intensity or Frequency (Short Stay) (continued)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
	Exclusions	
	Residents are excluded in any of the following cases:	
	 The resident is not included in the numerator AND the value for J0300 or J0400 is [9] or dash [-] indicating not assessed on either the initial or target assessment. 	
	 The resident is not included in the numerator AND a valid comparison could not be made between the initial and target assessment on either J0600A or J0600B. In order for a valid comparison to be made, <i>at least one</i> of the following must be true: Item J0600A must have a value of [00] through [10] on both the initial and target 	
	assessments.	
	2.2. Item J0600B must have a value of [1] through [4] on both the initial and target assessments.	
	 There was no opportunity for the pain levels to improve because pain levels were at their lowest level possible on the initial assessment. This will occur if one of the following is true for the <i>initial assessment</i>. 	
	3.1. J0300 = [0] (the resident reports no pain)	
	3.2. <i>Both</i> the following conditions are true:	
	3.2.1 J0400 = [4] (pain occurs rarely) AND	
	3.2.2. J0600A = [00, -, ^] (no pain reported) OR J0600B = [1, 9, ^] (no pain reported).	



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX E

Surveyor Quality Measures

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

Surveyor Quality Measures

Quality measure reports are available to State surveyors and facility staff through CMS's CASPER reporting system. These reports contain a subset of the measures that are documented in the main body of this user's guide plus several additional measures that are available only on the CASPER reports.

The table below lists the measures that are contained on the CASPER QM reports and indicates whether each measure is documented above (in the main body of this user guide) or within this appendix. The first column of the table shows the label for the measure that is used on the CASPER reports. The next column shows whether the measure uses the short- or long-stay sample. The third column indicates the unique CMS identification number. The fourth column shows the NQF ID for the measure, if available. The final column indicates whether the measure is defined in the main body of this manual ("above") or whether it is defined in this appendix (Appendix E). The specifications for the measures that are unique to the CASPER reports appear after the table.

Measure Label	Short/Long Stay	CMS ID	NQF ID	Specs Definition
SR Mod/Severe Pain (S)	Short	N001.01	0676	Above
SR Mod/Severe Pain (L)	Long	N014.01	0677	Above
Hi-risk Pres Ulcer (L)	Long	N015.01	0679	Above
New/worse Pres Ulcer (S)	Short	N002.01	0678	Above
Phys restraints (L)	Long	N027.01	0687	Above
Falls (L)	Long	N032.01		Appendix E
Falls w/Maj Injury (L)	Long	N013.01	0674	Above
Antipsych Med (S)	Short	N011.01		Above
Antipsych Med (L)	Long	N031.02		Above
Antianxiety/Hypnotic (L)	Long	N033.01		Appendix E
Behav Sx affect Others (L)	Long	N034.01		Appendix E
Depress Sx (L)	Long	N030.01	0690	Above
UTI (L)	Long	N024.01	0684	Above
Cath Insert/Left Bladder (L)	Long	N026.01	0686	Above
Lo-Risk Lose B/B Con (L)	Long	N025.01	0685	Above
Excess Wt Loss (L)	Long	N029.01	0689	Above
Incr ADL Help (L)	Long	N028.01	0688	Above

Table E1: Measures Listed on CASPER QM Reports
--

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N032.01	Numerator	Not applicable.
NQF: none	Long-stay residents with one or more look-back assessments that indicate the occurrence of a fall (J1800 = [1]).	
This measure reports	Denominator	
the percentage of long-stay residents who have had a fall	All long-stay nursing home residents with one or more look-back scan assessments except those with exclusions.	
during their episode	Exclusions	
of care.	Resident is excluded if the following is true for all of the look-back scan assessments:	
	The occurrence of falls was not assessed (J1800 = [-]),	

MDS 3.0 QM Measure: Prevalence of Falls (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N033.01 NQF: none	<i>Numerator</i> Long-stay residents with a selected target assessment where any of the following conditions are true:	Not applicable.
This measure reports the percentage of long-stay residents who are receiving antianxiety medications or	 For assessments with target dates on or before 03/31/2012: Antianxiety medications received (N0400B = [1]), or Hypnotic medications received (N0400D = [1]). For assessments with target dates on or after 04/01/2012: Antianxiety medications received (N0410B = [1,2,3,4,5,6,7]), or 	
hypnotics but do not have evidence of psychotic or related conditions in the target period.	 2.2. Hypnotic medications received (N0410D = [1,2,3,4,5,6,7]). Denominator All long-stay residents with a selected target assessment, except those with exclusions Exclusions 	
	 The resident did not qualify for the numerator and any of the following is true :: For assessments with target dates on or before 03/31/2012: N0400B = [-] or N0400D = [-] For assessments with target date on or after 04/01/2012: N0410B = [-] or N0410D = [-]. 	
	 Any of the following related conditions are present on the target assessment (unless otherwise indicated): Schizophrenia (l6000 = [1]). Schizophrenia (l6000 = [1]). Psychotic disorder (l5950 = [1]). Manic depression (bipolar disease) (l5900 = [1]). Tourette's Syndrome (l5350 = [1]). Tourette's Syndrome (l5350 = [1]). Tourette's Syndrome (l5350 = [1]) on the prior assessment if this item is not active on the target assessment and if a prior assessment is available. Huntington's Disease (l5250 = [1]). Hallucinations (E0100A = [1]). Delusions (E0100B = [1]). Anxiety disorder (l5700 = [1]). Post traumatic stress disorder (l6100 = [1]). Post traumatic stress disorder (l6100 = [1]) on the prior assessment if this item is not active on the target assessment and if a prior assessment is available. 	

MDS 3.0 Measure: Prevalence of Antianxiety/Hypnotic Use (Long Stay)

MEASURE DESCRIPTION	MEASURE SPECIFICATIONS	COVARIATES
CMS: N034.01	Numerator	Not applicable.
NQF: none	Long-stay residents with a selected target assessment where any of the following conditions are true:	
This measure reports the percentage of long-stay residents	 The presence of physical behavioral symptoms directed towards others (E0200A = [1,2,3]), or 	
who have behavior symptoms that affect	 The presence of verbal behavioral symptoms directed towards others (E0200B = [1,2,3]), or 	
others during the target period.	 The presence of other behavioral symptoms not directed towards others (E0200C = [1,2,3]), or 	
	4. Rejection of care (E0800 = [1,2,3]), or	
	5. Wandering (E0900 = [1,2,3]).	
	Denominator	
	All residents with a selected target assessment, except those with exclusions.	
	Exclusions	
	Resident is not in numerator and any of the following is true:	
	1. The target assessment is a discharge (A0310F=[10,11].	
	2. E0200A is equal to [-,^].	
	3. E0200B is equal to [-,^].	
	4. E0200C is equal to [-,^].	
	5. E0800 is equal to [-,^].	
	6. E0900 is equal to [-,^].	

MDS 3.0 Measure: Prevalence of Behavior Symptoms Affecting Others (Long Stay)



MDS 3.0 Quality Measures

USER'S MANUAL

APPENDIX F

Specifications for the Facility Characteristics Report

(v8.0 04-15-2013)

Prepared for: The Centers for Medicare & Medicaid Services under Contract No. HSM-500-2008-00021I. (RTI Project Number 0211942.001.100.004)

Specifications for Facility Characteristics Report

Record Selection

The Facility Characteristic Report is populated using data from records selected using the standard QM episode and record selection logic as given in the QM User's Manual. The Facility Characteristics measures can be processed with the QM measures. Each Facility Characteristic measure is computed for both short-stay and long-stay residents.

Most of the Facility Characteristic measures are populated using data from a look-back scan of the assessment records selected for each resident. For each resident, the look-back scan begins with the target assessment selected for QM processing. The resident's records are scanned in reverse chronological order (by ARD) and all data items required for the Facility Characteristics report are populated from data that are available from each assessment. As assessments are scanned, each required item is initially populated with the item value from the target assessment. If the value from the target assessment is a valid (non-missing) value, then the scan for that item stops. If the value for the target assessments in reverse chronological order. Once a valid value is found for an item, that value is used for the report (i.e., the value is not changed if additional values are present in earlier records).

A "valid value" is any value that is one of the "normal" responses to an item. Missing non-valid values are:

- 1. A dash ("-") indicating that the item was not assessed.
- 2. A caret ("^") indicating that the item was skipped.
- 3. A null (.) indicating that the item is inactive.

Note that the diagnosis code items (I8000A through I8000J) are not used in the measure specifications below and are therefore not included in the look-back scan.

For each resident, the look-back scan continues until any of the following conditions is satisfied:

- All required items have been populated with valid values, as defined above, OR
- All selected records for a resident have been scanned.

Note that scanning stops for a resident as soon as *either* of these conditions is satisfied.

Measure Specifications

The definitions in the following table are applied to a look-back scan of the records selected for a resident as described in the prior section on *Record Selection*. Counts of the number of residents within each facility that meet the numerator criteria for each measure below are used as the numerator to produce facility percentages for the report.

The denominator used to produce the facility percentages in the report will vary for different measures, depending on missing data. If missing data precludes determination of the status for a

measure as indicated in the "Exclusions" section, then the resident is excluded from both the numerator and denominator in the facility percentage.

Measure	Description and Definition
Gender	
Male	Description: Resident is included if Item A0800 (Gender) is equal to 1 (Male). Records with dashes (not assessed) in A0800 are excluded from the male/female counts. Numerator: A0800 = 1 (Male).
	Exclusions: A0800 missing
Female	Description: Resident is included if Item A0800 (Gender) is equal to 2 (Female). Records with dashes (not assessed) in A0800 are excluded from the male/female counts.
	Numerator: A0800 = 2 (Female).
	Exclusions: A0800 missing
Age	
	Calculation of Age, based on Items A0900 (Birth Date) and A2300 (Assessment Reference Date ARD): IF (MONTH(A2300) > MONTH(A0900)) OR (MONTH(A2300) = MONTH(A0900) AND DAY(A2300) >= DAY(A0900)) THEN Age = YEAR(A2300)-YEAR(A0900) ELSE Age = YEAR(A2300)-YEAR(A0900)-1
<25 years old	Description: Age less than 25 years old. Numerator: Record triggers if age < 25.
25-54 years old	Description: Age of 25 through 54 years old. Numerator:
	Record triggers if age \geq 25 and \leq 54.
55-64 years old	Description: Age of 55 through 64 years old. Numerator: Record triggers if age >= 55 and <= 64.
65-74 years old	Description: Age of 65 to 74 years old. Numerator: Record triggers if age >= 65 and <= 74.
75-84 years old	Description: Age of 75 through 84 years old. Numerator: Record triggers if age >= 75 and <= 84.

 Table F1: Facility Characteristics Report Measure Definitions

Measure	Description and Definition
85+ years old	Description: Age of 85 years of age or older.
	Numerator: Record triggers if age >= 85.
Diagnostic Characteristics	
Psychiatric Diagnosis	Description: Resident is included as having a psychiatric diagnosis if any of the following is true:
	 any psychiatric mood disorders are checked in items I5700 through I6100, OR item I5350 (Tourette's Syndrome) is checked, OR item I5250 (Huntington's Disease) is checked.
	Numerator:
	 Any of the following items are checked: I5250, I5350, I5700 through I6100.
	Exclusions: No value I5250, I5350, I5700 through I6100 = 1 and any value I5250, I5350, I5700 through I6100 missing
Intellectual Disability (ID) (Mental retardation as defined at 483.45(a)) or Developmental Disability (DD)	 Description: Resident is counted as having ID/DD if any of the following items are checked: A1550A (Down syndrome) A1550B (Autism) A1550C (Epilepsy) A1550D (Other organic condition related to ID/DD) A1550E (ID/DD with no organic condition) Numerator: A1550A, B, C, D, or E is checked. Exclusions: No value A1550A, B, C, D, or E = 1 and any value A1550A, B, C, D, or E missing
Hospice	Description: Resident is included if Item O0100K2 (Hospice care) is checked.
	Numerator: O0100K2 is checked.
	Exclusions: O0100K2 missing
Prognosis Life expectancy of less than 6 months	Description: Resident is included if item J1400 (Prognosis) is coded 1 (Yes).
	Numerator: J1400 = 1 (Yes).
	Exclusions: J1400 missing

Measure	Description and Definition
Discharge Plan	
Discharge planning IS NOT already occurring for the resident to return to the	Description: Resident is included if Item Q0400A (Discharge Plan) is coded 0 (No).
community.	Numerator: $Q0400A = 0$ (No).
	Exclusions: Q0400A missing
Discharge planning IS already occurring for the resident to return to the	Description: Resident is included if Item Q0400A (Discharge Plan) is coded 1 (Yes).
community.	Numerator: Q0400A = 1 (Yes).
	Exclusions: Q0400A missing
Referral	
Referral not needed.	Description: Resident is included if Item Q0600 (Referral) is coded 0 (No - Referral not needed).
	Numerator: Q0600 = 0 (No - Referral not needed).
	Exclusions: Q0600 missing
Referral is or may be needed, but has not been made.	Description: Resident is included if Item Q0600 (Referral) is coded 1 (Yes – Referral is or may be needed).
	Numerator: Q0600 = 1 (No - Referral is or may be needed).
	Exclusions: Q0600 missing
Referral has been made.	Description: Resident is included if Item Q0600 (Referral) is coded 2 (Yes - Referral made).
	Numerator: Q0600 = 2 (Yes - Referral made).
	Exclusions: Q0600 missing
Type of Entry	
Admission	Description: Resident is included if Item A1700 (Type of Entry) is coded 1 , (Admission).
	Numerator: A1700 = 1 (Admission).
	Exclusions: A1700 missing
Reentry	Description: Resident is included if Item A1700 (Type of Entry) is coded 2 , (Reentry).
	Numerator: A1700 = 2 (Reentry).
	Exclusions: A1700 missing

Measure	Description and Definition
Entered Facility From	
Community (private home/apartment board/care, assisted living, group home)Description: Resident is included if Item A1800 (Entered From) 01 (Community).Numerator: A1800 = 01 (Community).	
	Exclusions: A1800 missing
Another nursing home or swing bed	Description: Resident is included if Item A1800 (Entered From) is coded 02 (Another nursing home or swing bed).
	Numerator: A1800 = 02 (Another nursing home or swing bed).
	Exclusions: A1800 missing
Acute hospital	Description: Resident is included if Item A1800 (Entered From) is coded 03 (Acute hospital).
	Numerator: A1800 = 03 (Acute hospital).
	Exclusions: A1800 missing
Psychiatric hospital	Description: Resident is included if Item A1800 (Entered From) is coded 04 (Psychiatric hospital).
	Numerator: A1800 = 04 (Psychiatric hospital).
	Exclusions: A1800 missing
Inpatient rehabilitation facility	Description: Resident is included if Item A1800 (Entered From) is coded 05 (Inpatient rehabilitation facility).
	Numerator: A1800 = 05 (Inpatient rehabilitation facility).
	Exclusions: A1800 missing
ID/DD facility	Description: Resident is included if Item A1800 (Entered From) is coded 06 (ID/DD facility).
	Numerator: A1800 = 06 (ID/DD facility).
	Exclusions: A1800 missing
Hospice	Description: Resident is included if Item A1800 (Entered From) is coded 07 (Hospice).
	Numerator: A1800 = 07 (Hospice).
	Exclusions: A1800 missing
Long Term Care Hospital (LTCH)	Description: Resident is included if Item A1800 (Entered From) is coded 09 (Long Term Care Hospital (LTCH)).
	Numerator: A1800 = 09 (Long Term Care Hospital (LTCH)).
	Exclusions: A1800 missing

Measure	Description and Definition
Other	Description: Resident is included if Item A1800 (Entered From) is coded 99 (Other).
	Numerator: A1800 = 99 (Other).
	Exclusions: A1800 missing