



# **Removal of KH Modifier from Capped Rental Items**

MLN Matters Number: MM1	10422 Revised
-------------------------	---------------

Related Change Request (CR) Number: 10422

Related CR Release Date: May 17, 2018

Effective Date: October 1, 2018

Related CR Transmittal Number: R4052CP

Implementation Date: October 1, 2018

Note: This article was revised on May 17, 2018, to reflect an updated Change Request (CR) that updated the Internet Only Manual. The transmittal number, CR release date and link to the transmittal also changed. All other information is unchanged.

# PROVIDER TYPE AFFECTED

This MLN Matters® Article is intended for suppliers that submit claims to Durable Medical Equipment (DME) Medicare Administrative Contractors (MACs) for capped rental DME or parenteral/enteral items and services provided to Medicare beneficiaries.

## **PROVIDER ACTION NEEDED**

CR 10422 announces that suppliers no longer need to append the KH rental modifier on purchased capped rental durable medical equipment or parenteral/enteral items and services. Make sure your billing staffs are aware of this requirement.

#### ADDITIONAL INFORMATION

The official instruction, CR10422, issued to your MAC regarding this change is available at <a href="https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/2018Downloads/R4052CP.pdf">https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/2018Downloads/R4052CP.pdf</a>.

If you have any questions, please contact your MAC at their toll-free number. That number is available at <a href="https://www.cms.gov/Research-Statistics-Data-and-Systems/Monitoring-Programs/Medicare-FFS-Compliance-Programs/Review-Contractor-Directory-Interactive-Map/">https://www.cms.gov/Research-Statistics-Data-and-Systems/Monitoring-Programs/Medicare-FFS-Compliance-Programs/Review-Contractor-Directory-Interactive-Map/</a>.



### **DOCUMENT HISTORY**

Date of Change	Description
May 17, 2018	This article was revised to reflect an updated CR that updated the Internet Only Manual. The transmittal number, CR release date and link to the transmittal also changed.
April 30, 2018	Initial article released.

**Disclaimer:** This article was prepared as a service to the public and is not intended to grant rights or impose obligations. This article may contain references or links to statutes, regulations, or other policy materials. The information provided is only intended to be a general summary. It is not intended to take the place of either the written law or regulations. We encourage readers to review the specific statutes, regulations and other interpretive materials for a full and accurate statement of their contents. CPT only copyright 2017 American Medical Association. All rights reserved.

Copyright © 2018, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com

The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.

