

**2025 Complete Table of Contents**  
**Medicaid NCCI Coding Policy Manual**

**Introduction**

<b>National Correct Coding Initiative</b>	<b>Intro-3</b>
<b>Adoption of NCCI Methodologies by State Medicaid Programs</b>	<b>Intro-3</b>
<b>General Background</b>	<b>Intro-4</b>
<b>Policy Manual Background</b>	<b>Intro-5</b>
<b>State Medicaid Program Use of This Manual</b>	<b>Intro-5</b>
<b>Edit Development and Review Process</b>	<b>Intro-6</b>
<b>Sources of Information about Medicaid NCCI PTP Edits and MUEs</b>	<b>Intro-7</b>
<b>Correspondence with CMS about the Medicaid NCCI program and its Contents</b>	<b>Intro-8</b>
<b>Submitting an Appeal</b>	<b>Intro-8</b>

**Chapter I – General Correct Coding Policies**

<b>A. Introduction</b>	<b>I-3</b>
<b>B. Coding Based on Standards of Medical/Surgical Practice</b>	<b>I-6</b>
<b>C. Medical/Surgical Package</b>	<b>I-8</b>
<b>D. Evaluation &amp; Management (E&amp;M) Services</b>	<b>I-12</b>
<b>E. Modifiers and Modifier Indicators</b>	<b>I-13</b>
<b>F. Standard Preparation/Monitoring Services for Anesthesia</b>	<b>I-20</b>
<b>G. Anesthesia Service Included in the Surgical Procedure</b>	<b>I-20</b>
<b>H. HCPCS/CPT Procedure Code Definition</b>	<b>I-20</b>
<b>I. <i>CPT Professional Codebook</i> and CMS Coding Manual Instructions</b>	<b>I-21</b>
<b>J. <i>CPT</i> “Separate Procedure” Definition</b>	<b>I-22</b>
<b>K. Family of Codes</b>	<b>I-22</b>
<b>L. More Extensive Procedure</b>	<b>I-23</b>

<b>M. Sequential Procedure</b>	<b>I-24</b>
<b>N. Laboratory Panel</b>	<b>I-24</b>
<b>O. Misuse of Column Two Code with Column One Code</b>	<b>I-24</b>
<b>P. Mutually Exclusive Procedures</b>	<b>I-25</b>
<b>Q. Reserved for Future Use</b>	<b>I-25</b>
<b>R. Add-on Codes</b>	<b>I-26</b>
<b>S. Reserved for Future Use</b>	<b>I-26</b>
<b>T. Unlisted Procedure Codes</b>	<b>I-26</b>
<b>U. Reserved for Future Use</b>	<b>I-27</b>
<b>V. Medically Unlikely Edits (MUEs)</b>	<b>I-27</b>
<b>W. Medicaid Add-on Code (AOC) edits</b>	<b>I-32</b>

## **Chapter II – Anesthesia Services** (CPT codes 00000 – 01999)

<b>A. Introduction</b>	<b>II-3</b>
<b>B. Standard Anesthesia Coding</b>	<b>II-4</b>
<b>C. Radiologic Anesthesia Coding</b>	<b>II-11</b>
<b>D. Monitored Anesthesia Care</b>	<b>II-11</b>
<b>E. General Policy Statements</b>	<b>II-12</b>

## **Chapter III – Surgery: Integumentary System** (CPT Codes 10000 – 19999)

<b>A. Introduction</b>	<b>III-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>III-3</b>
<b>C. Anesthesia</b>	<b>III-5</b>
<b>D. Incision and Drainage</b>	<b>III-6</b>
<b>E. Lesion Removal</b>	<b>III-6</b>
<b>F. Mohs Micrographic Surgery</b>	<b>III-8</b>
<b>G. Intralesional Injections</b>	<b>III-8</b>

<b>H. Repair and Tissue Transfer</b>	<b>III-9</b>
<b>I. Grafts and Flaps</b>	<b>III-9</b>
<b>J. Breast (Incision, Excision, Introduction, Repair and Reconstruction)</b>	<b>III-10</b>
<b>K. Medically Unlikely Edits (MUEs)</b>	<b>III-11</b>
<b>L. General Policy Statements</b>	<b>III-12</b>

#### **Chapter IV – Surgery: Musculoskeletal System** **(CPT Codes 20000 – 29999)**

<b>A. Introduction</b>	<b>IV-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>IV-3</b>
<b>C. Anesthesia</b>	<b>IV-5</b>
<b>D. Biopsy</b>	<b>IV-5</b>
<b>E. Arthroscopy</b>	<b>IV-5</b>
<b>F. Spine (Vertebral Column)</b>	<b>IV-7</b>
<b>G. Fractures, Dislocations, and Casting/Splinting/Strapping</b>	<b>IV-10</b>
<b>H. Medically Unlikely Edits (MUEs)</b>	<b>IV-13</b>
<b>I. General Policy Statements</b>	<b>IV-14</b>

#### **Chapter V – Surgery: Respiratory, Cardiovascular, Hemic and** **Lymphatic Systems** **(CPT Codes 30000 – 39999)**

<b>A. Introduction</b>	<b>V-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>V-3</b>
<b>C. Respiratory System</b>	<b>V-5</b>
<b>D. Cardiovascular System</b>	<b>V-10</b>
<b>E. Hemic and Lymphatic Systems</b>	<b>V-18</b>
<b>F. Mediastinum</b>	<b>V-19</b>
<b>G. Medically Unlikely Edits (MUEs)</b>	<b>V-19</b>
<b>H. General Policy Statements</b>	<b>V-20</b>

**Chapter VI – Surgery: Digestive System**  
**(CPT Codes 40000 – 49999)**

<b>A. Introduction</b>	<b>VI-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>VI-3</b>
<b>C. Endoscopic Services</b>	<b>VI-5</b>
<b>D. Esophageal Procedures</b>	<b>VI-7</b>
<b>E. Abdominal Procedures</b>	<b>VI-7</b>
<b>F. Laparoscopy</b>	<b>VI-9</b>
<b>G. Medically Unlikely Edits (MUEs)</b>	<b>VI-11</b>
<b>H. General Policy Statements</b>	<b>VI-11</b>

**Chapter VII – Surgery: Urinary, Male Genital,  
Female Genital, Maternity Care and Delivery Systems**  
**(CPT Codes 50000 – 59999)**

<b>A. Introduction</b>	<b>VII-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>VII-3</b>
<b>C. Urinary System</b>	<b>VII-5</b>
<b>D. Male Genital System</b>	<b>VII-9</b>
<b>E. Female Genital System</b>	<b>VII-10</b>
<b>F. Laparoscopy</b>	<b>VII-11</b>
<b>G. Maternity Care and Delivery</b>	<b>VII-12</b>
<b>H. Medically Unlikely Edits (MUEs)</b>	<b>VII-13</b>
<b>I. General Policy Statements</b>	<b>VII-13</b>

**Chapter VIII – Surgery: Endocrine, Nervous, Eye and Ocular,  
Adnexa and Auditory Systems**  
**(CPT Codes 60000 – 69999)**

<b>A. Introduction</b>	<b>VIII-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>VIII-3</b>
<b>C. Nervous System</b>	<b>VIII-5</b>
<b>D. Ophthalmology</b>	<b>VIII-12</b>
<b>E. Auditory System</b>	<b>VIII-15</b>
<b>F. Operating Microscope</b>	<b>VIII-15</b>
<b>G. Laparoscopy</b>	<b>VIII-16</b>
<b>H. Medically Unlikely Edits (MUEs)</b>	<b>VIII-17</b>
<b>I. General Policy Statements</b>	<b>VIII-18</b>

**Chapter IX – Radiology Services**  
**(CPT Codes 70000 – 79999)**

<b>A. Introduction</b>	<b>IX-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>IX-3</b>
<b>C. Non-interventional Diagnostic Imaging</b>	<b>IX-5</b>
<b>D. Interventional/Invasive Diagnostic Imaging</b>	<b>IX-8</b>
<b>E. Nuclear Medicine</b>	<b>IX-11</b>
<b>F. Radiation Oncology</b>	<b>IX-13</b>
<b>G. Medically Unlikely Edits (MUEs)</b>	<b>IX-15</b>
<b>H. General Policy Statements</b>	<b>IX-16</b>

**Chapter X – Pathology and Laboratory Services**  
**(CPT Codes 80000 – 89999)**

<b>A. Introduction</b>	<b>X-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>X-4</b>
<b>C. Organ or Disease Oriented Panels</b>	<b>X-6</b>
<b>D. Evocative/Suppression Testing</b>	<b>X-6</b>
<b>E. Drug Testing</b>	<b>X-6</b>
<b>F. Molecular Pathology</b>	<b>X-7</b>
<b>G. Chemistry</b>	<b>X-8</b>
<b>H. Hematology and Coagulation</b>	<b>X-9</b>
<b>I. Immunology</b>	<b>X-10</b>
<b>J. Transfusion Medicine</b>	<b>X-11</b>
<b>K. Microbiology</b>	<b>X-11</b>
<b>L. Anatomic Pathology (Cytopathology and Surgical Pathology)</b>	<b>X-12</b>
<b>M. Medically Unlikely Edits (MUEs)</b>	<b>X-15</b>
<b>N. General Policy Statements</b>	<b>X-20</b>

**Chapter XI – Medicine, Evaluation and Management Services**  
**(CPT Codes 90000 – 99999)**

<b>A. Introduction</b>	<b>XI-3</b>
<b>B. Therapeutic or Diagnostic Infusions/Injections and Immunizations</b>	<b>XI-3</b>
<b>C. Psychiatric Services</b>	<b>XI-7</b>
<b>D. Biofeedback</b>	<b>XI-8</b>
<b>E. Dialysis</b>	<b>XI-8</b>
<b>F. Gastroenterology</b>	<b>XI-9</b>
<b>G. Ophthalmology</b>	<b>XI-10</b>
<b>H. Otorhinolaryngologic Services</b>	<b>XI-10</b>
<b>I. Cardiovascular Services</b>	<b>XI-12</b>
<b>J. Pulmonary Services</b>	<b>XI-18</b>
<b>K. Allergy Testing and Immunotherapy</b>	<b>XI-21</b>

<b>L. Neurology and Neuromuscular Procedures</b>	<b>XI-21</b>
<b>M. Central Nervous System (CNS) Assessments/Tests</b>	<b>XI-23</b>
<b>N. Chemotherapy Administration</b>	<b>XI-23</b>
<b>O. Special Dermatological Procedures</b>	<b>XI-25</b>
<b>P. Physical Medicine and Rehabilitation</b>	<b>XI-25</b>
<b>Q. Medical Nutrition Therapy</b>	<b>XI-27</b>
<b>R. Osteopathic Manipulative Treatment</b>	<b>XI-28</b>
<b>S. Chiropractic Manipulative Treatment (CMT)</b>	<b>XI-28</b>
<b>T. Miscellaneous Services</b>	<b>XI-28</b>
<b>U. Evaluation &amp; Management (E&amp;M) Services</b>	<b>XI-29</b>
<b>V. Medically Unlikely Edits (MUEs)</b>	<b>XI-33</b>
<b>W. General Policy Statements</b>	<b>XI-36</b>

**Chapter XII – Supplemental Services**  
**(HCPCS Level II Codes A0000 – V9999)**

<b>A. Introduction</b>	<b>XII-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>XII-4</b>
<b>C. NCCI Procedure-to-Procedure (PTP) Edit Specific Issues</b>	<b>XII-5</b>
<b>D. Wheelchairs and Related Items</b>	<b>XII-9</b>
<b>E. Other Durable Medical Equipment (DME)</b>	<b>XII-10</b>
<b>F. Spinal and Limb Orthosis</b>	<b>XII-10</b>
<b>G. Limb Prostheses</b>	<b>XII-11</b>
<b>H. Orthopedic Shoes and Inserts</b>	<b>XII-12</b>
<b>I. Hearing Aids</b>	<b>XII-12</b>
<b>J. Eyeglasses</b>	<b>XII-13</b>
<b>K. Therapeutic Shoes for Diabetics</b>	<b>XII-13</b>
<b>L. Urological Supplies</b>	<b>XII-13</b>
<b>M. Medically Unlikely Edits (MUEs)</b>	<b>XII-14</b>
<b>N. General Policy Statements</b>	<b>XII-16</b>

**Chapter XIII – Category III Codes**  
**(CPT Codes 0001T – 0999T)**

<b>A. Introduction</b>	<b>XIII-3</b>
<b>B. Evaluation &amp; Management (E&amp;M) Services</b>	<b>XIII-3</b>
<b>C. NCCI Procedure-to-Procedure (PTP) Edit Specific Issues</b>	<b>XIII-5</b>
<b>D. Medically Unlikely Edits (MUEs)</b>	<b>XIII-5</b>
<b>E. General Policy Statements</b>	<b>XIII-6</b>



## **INTRODUCTION**

### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Introduction .....	Intro-3
National Correct Coding Initiative.....	Intro-3
Adoption of NCCI Methodologies by State Medicaid Programs .....	Intro-3
General Background.....	Intro-4
Policy Manual Background .....	Intro-5
State Medicaid Program Use of This Manual.....	Intro-5
Edit Development and Review Process.....	Intro-6
Sources of Information about Medicaid NCCI PTP edits and MUEs.....	Intro-7
Correspondence with CMS about the Medicaid NCCI program and its Contents .....	Intro-8
Submitting an Appeal .....	Intro-8

**Revision Date (Medicaid): 1/1/2025**

## Introduction

### National Correct Coding Initiative

The Centers for Medicare & Medicaid Services (CMS) developed the National Correct Coding Initiative (NCCI) program to promote national correct coding methodologies and to control improper coding that leads to inappropriate payment of Medicare Part B claims. The coding policies are based on coding conventions defined in the American Medical Association's (AMA) *Current Procedural Terminology (CPT) Professional codebook*, national Medicare policies, coding guidelines developed by national societies, standard medical and surgical practice, and current coding practice.

The NCCI program includes 2 types of edits: NCCI Procedure-to-Procedure (PTP) edits and Medically Unlikely Edits (MUEs).

NCCI PTP edits prevent inappropriate payment of services that in general should not be reported together. Each edit has a Column One and Column Two Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code. If a provider reports the 2 codes of an edit pair for the same beneficiary on the same date of service, the Column One code is eligible for payment, but the Column Two code is denied

MUEs prevent payment for an inappropriate number/quantity of the same service on a single day. An MUE for a HCPCS/CPT code is the maximum number of units of service (UOS) reported for a HCPCS/CPT code on the vast majority of appropriately reported claims by the same provider for the same beneficiary on the same date of service. Additional general information concerning NCCI PTP edits and MUEs is discussed in Chapter I.

The presence of a HCPCS/CPT code in an NCCI PTP edit or of an MUE value for a HCPCS/CPT code does not necessarily indicate that the code is covered by any or all state Medicaid programs.

### Adoption of NCCI Methodologies by State Medicaid Programs

Effective October 1, 2010, CMS incorporated NCCI methodologies into the state Medicaid programs pursuant to the requirements of Section 6507, Mandatory State Use of NCCI, of the Patient Protection and Affordable Care Act (P.L. 111-148), as amended by the Health Care and Education Recovery Act of 2010 (P.L. 111-152), together referred to as the Affordable Care Act, which amended section 1903(r) of the Social Security Act. CMS has adopted the contents of the NCCI Policy Manual for Medicare Services with minor modifications for state Medicaid programs.

CMS initially identified 5 NCCI methodologies for state Medicaid programs:

- (1) NCCI PTP edits for practitioner and ambulatory surgical center (ASC) claims.
- (2) NCCI PTP edits for outpatient hospital services including emergency department, observation care, and outpatient hospital laboratory services.

**Revision Date (Medicaid): 1/1/2025**

- (3) Medically Unlikely Edit (MUE) UOS edits for practitioner and ASC services.
- (4) MUE UOS edits for outpatient hospital services including emergency department, observation care, and outpatient hospital laboratory services.
- (5) MUE UOS edits for Durable Medical Equipment (DME) billed by providers/suppliers.

In October 2012, CMS implemented an additional Medicaid NCCI methodology:

- (6) NCCI PTP edits for DME.

Most edits in the original 5 Medicaid NCCI methodologies are adopted from the Medicare NCCI program. However, not all Medicare NCCI edits in these methodologies have been adopted by the Medicaid NCCI program. Some Medicare NCCI edits are not present at all in the Medicaid NCCI program and others are present but differ in some way from the corresponding Medicare NCCI edits. Medicaid NCCI PTP edits for DME are unique to the Medicaid program (i.e., the Medicare NCCI program does not have DME NCCI PTP edits). The Medicaid NCCI program has also developed additional edits in the original 5 methodologies that are unique to the Medicaid NCCI program (e.g., edits for codes that are noncovered or otherwise not separately payable by the Medicare program).

CMS has worked with the states to identify specific NCCI PTP edits and MUEs that are not applicable to individual state Medicaid programs because they conflict with state laws, regulations, administrative rules, or payment policies.

## **General Background**

The NCCI PTP edits and MUEs are used by state Medicaid agencies or fiscal agents to adjudicate provider claims for practitioner services, ambulatory surgical center services, outpatient hospital services, DME, prosthetics, orthotics, and supplies. NCCI edits are not applied to facility claims for inpatient services.

The Medicare and Medicaid NCCI programs undergo continuous refinement with revised edit tables published quarterly. There is a process to address annual changes (additions, deletions, and modifications) of HCPCS/CPT codes and CPT *Professional codebook* coding guidelines. Other sources of refinement are initiatives by CMS and comments from CMS, AMA, national medical, surgical, and other health care societies/organizations, Medicare contractor medical directors, providers, consultants, other third-party payers, and other interested parties. Before implementing new edits, the NCCI program generally provides a 60-day review and comment period to representative national health care organizations that may be impacted by the edits and a 45-day review and comment period to the state Medicaid programs. However, there are situations when the NCCI program thinks that it is prudent to implement edits before completion of the review and comment period. The NCCI program evaluates the input from all sources and decides which edits are modified, deleted, or added each quarter.

The NCCI program is a CMS program, and CMS makes the final determinations of its content.

**Revision Date (Medicaid): 1/1/2025**

## Policy Manual Background

The *Medicaid NCCI Policy Manual*, Medicaid NCCI PTP edits and MUEs have been developed for application to Medicaid services billed by a single provider for a single patient on the same date of service.

CMS developed the *Medicaid NCCI Policy Manual* and the edits to encourage consistent and correct coding and reduce inappropriate payments. The edits and policies do not include all possible combinations of correct coding edits or types of unbundling that exist. Providers/suppliers are obligated to code correctly even if edits do not exist to prevent use of an inappropriate code combination. If a provider/supplier determines that they have been coding incorrectly, the provider/supplier should contact his/her state Medicaid agency or fiscal agent about potential payment adjustments.

The *Medicaid NCCI Policy Manual* and edits were initially based on evaluation of procedures referenced in the 2010 *CPT Professional codebook* and HCPCS Level II codes. An ongoing refinement program has been developed to address annual changes in CPT codes and instructions including additions, deletions, or modifications of existing codes or instructions. Additionally, ongoing changes occur based on changes in technology, standard medical practice, and input from the AMA, specialty societies, other national healthcare organizations (NHOs), Medicaid contractor medical directors and staff, providers/suppliers, consultants, etc.

The *Medicaid NCCI Policy Manual* includes a Table of Contents, an Introduction, and 13 narrative chapters. As shown in the Table of Contents, each chapter corresponds to a separate section of the *CPT Professional codebook* except Chapter I which contains general correct coding policies, Chapter XII which addresses HCPCS Level II codes, and Chapter XIII which addresses Category III CPT codes. Each chapter is subdivided by subject to allow easier access to a particular code or group of codes.

The *Medicaid NCCI Policy Manual* in general uses paraphrased descriptions of CPT and HCPCS Level II codes. The user of this manual should refer to the AMA's *CPT Professional codebook* and the CMS's HCPCS Level II code descriptors for complete descriptors of the codes.

## State Medicaid Program Use of This Manual

The Medicaid NCCI PTP edits and MUEs are applied to services performed by the same provider for the same beneficiary on the same date of service. Medicaid NCCI PTP edits are applied to all services with the same date of service whether the services are submitted on the same or different claims. Medicaid MUEs are applied separately to each line of a claim.

This manual contains information about editing principles used to develop Medicaid NCCI PTP edits and MUEs. The CMS Medicaid NCCI website contains resources describing the Medicaid NCCI program and the application of edits to claims. The CMS Medicaid NCCI website includes a link to the Medicaid *Frequently Asked Question* (FAQ) library.

**Revision Date (Medicaid): 1/1/2025**

This manual provides technical coding information that state Medicaid agencies or fiscal agents may use to understand the basis of specific NCCI PTP edits or MUEs. This information may be helpful for claims processing, adjudication of claim appeals, medical review, and other activities of state Medicaid agencies or fiscal agents. This manual does not contain basic information about the operation of the Medicaid NCCI program.

## **Edit Development and Review Process**

The Medicaid NCCI program is derived from the Medicare NCCI program with modifications relevant to the Medicaid program. The first version of the Medicaid NCCI program was implemented on October 1, 2010. Four quarterly versions effective the first day of each calendar quarter are published annually. Versions are named to include the year and calendar quarter – e.g., v2012q2.

Sources of new or revised edits include: (1) new or modified Medicare NCCI PTP edits and MUEs; (2) additions, deletions or modifications to CPT or HCPCS Level II codes or *CPT Professional codebook* instructions; (3) new edits for codes not payable under the Medicare program but used by the Medicaid program (e.g. HCPCS Level II “T” codes); (4) CMS policy initiatives; and (5) comments from national health care organizations, state health care organizations, state Medicaid program directors, state Medicaid medical directors and staff, providers, billing consultants, etc.

**The** CMS sends proposed changes in the NCCI edits to the AMA, national medical/surgical societies, and other NHOs who participate in a review and comment period. **The** CMS specifically seeks comment from national medical/surgical societies and other NHOs before implementing many types of changes in the NCCI program.

**The** CMS welcomes comments about NCCI PTP edits and MUEs that may not be relevant to Medicaid services in individual states. Comments related to edits that impact large numbers of states should be sent in writing to the entity and address identified on the CMS Medicaid NCCI webpage. Based on CMS’ evaluation of comments, some NCCI PTP edits and MUEs may be deleted in subsequent versions of the Medicaid NCCI program.

An NCCI edit is applicable to the time period for which the edit is effective since the edit is based on coding instructions and practices in place during the edit’s effective dates. NCCI PTP or MUE edits may be revised for a variety of reasons. Edit revisions may be effective in the next version of the relevant edit file or may be retroactive. A change in an NCCI edit is not retroactive and has no bearing on prior services unless specifically updated with a retroactive effective date. In the unusual case of a retroactive change, the states’ Medicaid Contractors are not expected to identify claims but may reopen impacted claims that would have payment changes that provider bring to their attention. Since NCCI edits are auto-deny edits, denials may be appealed. Appeals shall be submitted to the state’s Medicaid Contractor, not the NCCI contractor.

**Revision Date (Medicaid): 1/1/2025**

## Sources of Information about Medicaid NCCI PTP edits and MUEs

States Medicaid Agencies (SMAs) must download NCCI edit files available on the secure portal (RISSNET) rather than using the publicly available files. SMAs must ensure that they or their vendors are using the appropriate Medicaid NCCI edits to adjudicate Medicaid claims. The files on the NCCI Medicaid webpages are for the providers, suppliers, and the general public. States cannot use the publicly available files for processing and paying Medicaid claims. NCCI edit files available on the RISSNET secure portal contain additional information necessary for correct claims processing by SMAs. SMA use of the publicly available files that do not contain edit history may result in improper payment and/or inappropriate denials. Correspondence Language Example identifiers (CLEID) contained in the files on the RISSNET secure portal are not included in the public files. CLEIDs support the rationale for each edit during the claims processing and adjudication process. General information on CLEIDs and examples of CLEIDs are available in the Correspondence Language Manual for Medicaid on the Medicaid NCCI Reference Documents webpage.

Information about the Medicaid NCCI program is found on the CMS [Medicaid NCCI](#) webpage.

In addition to general information about the Medicaid NCCI program, the following files, and documents for use by the general public can be accessed on the website:

- Complete edit files for each of the 6 Medicaid methodologies. A new set of files is posted at the beginning of each calendar quarter.
- Change Reports for each of the 6 Medicaid methodologies. These reports just identify additions, deletions, or revisions of NCCI edits from the preceding calendar quarter to the current calendar quarter. A new set of files is posted at the beginning of each calendar quarter.
- Medicaid NCCI Technical Guidance Manual (TGM) provides technical assistance for the states on correctly and completely implementing NCCI edits. The TGM contains information previously published in the Technical Guidance Document and the Edit Design Manual.
- Medicaid NCCI Policy Manual contains information about the basis for NCCI edits.
- Medicaid NCCI Correspondence Language Manual contains information that is useful to states in responding to inquiries from providers/suppliers concerning NCCI edits.
- Medicaid NCCI FAQs **provide** answers to frequently asked questions about National Correct Coding Initiative (NCCI) Methodologies in the Medicaid NCCI FAQ library.
- The MLN booklet “How to Use the Medicaid National Correct Coding Initiative (NCCI) Tools” provides an overview of the NCCI Medicaid Program, how to use the NCCI edit files, and other reference materials.
- Proper Use of Modifiers 59 & XE, XP, XS, XU MLN Fact Sheet provides information regarding the proper use of Modifiers 59 and XE, XP, XS, XU.

**Revision Date (Medicaid): 1/1/2025**

- State Medicaid Director Letter #11-003 contains information relating to provider appeals of denials based on NCCI edits.
- State Medicaid Director Letter #10-017 from September 2010 contains the initial instructions to states concerning the Medicaid NCCI program.
- Reports to Congress on implementation of the NCCI in the Medicaid Program.

### **Correspondence with CMS about the Medicaid NCCI program and its Contents**

The NCCI program cannot answer questions outside of our scope, or questions about other CMS programs or about other payors. For example, we cannot answer questions about state or local coverage determinations, changes to code descriptors or status indicators, or modifiers not associated with NCCI.

The [Medicaid NCCI](#) webpages include edit files, [FAQs](#), and additional information. CMS does not provide a look-up service or a clean claims tool.

A provider, health care organization, or other interested party may request reconsideration of an NCCI PTP edit or an MUE value. A written request should include the rationale for the proposed change. For a PTP edit, specify the Column One and Column Two code pair(s). For an MUE, suggest an alternative MUE value. All written requests should specify the NCCI program (i.e., Medicare or Medicaid) and the edit type (i.e., Practitioner/Ambulatory Surgical Center, Outpatient Hospital Facility, or Durable Medical Equipment). State Medicaid Agencies must follow the instructions in the Technical Guidance Manual when making deactivation requests.

**\*\*NOTE\*\*** Don't submit any Personally Identifiable Information (PII) or Protected Health Information (PHI).

The NCCI program may address general questions and concerns about the NCCI program and edits. You must submit claim-specific inquiries to your state Medicaid agency because states implement Medicaid NCCI edits. This includes appeals of NCCI-related denials; see Submitting an Appeal below.

The NCCI contractor maintains the Medicaid NCCI program for CMS. If you have comments about the edits or this manual, you may send an inquiry in writing to [NCCIPTPMUE@cms.hhs.gov](mailto:NCCIPTPMUE@cms.hhs.gov).

CMS makes all decisions about the contents of the Medicaid NCCI program and this manual. Correspondence from the NCCI contractor reflects CMS's policies on correct coding and the Medicaid NCCI program.

### **Submitting an Appeal**

States are not required to have a formal appeals process to address claim denials. However, states must ensure that providers have an adequate opportunity to alert them to potential errors

**Revision Date (Medicaid): 1/1/2025**



associated with claim denials, including those generated by NCCI edits, and that providers have a way to resubmit claims or provide additional documentation to support their claims.

You must submit appeals to your responsible state Medicaid agency, not the NCCI contractor. For CMS policy on provider appeals of denials of payment for HCPCS/CPT codes billed in Medicaid claims due to the Medicaid NCCI methodologies, see [State Medicaid Director Letter #11-003 \(PDF\)](#). The NCCI contractor cannot process specific claim appeals and cannot forward appeal submissions to the appropriate appeals contractor.

**Revision Date (Medicaid): 1/1/2025**

## **CHAPTER I**

### **GENERAL CORRECT CODING POLICIES**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 2/28/2025**

## Table of Contents

Chapter I.....	I-3
General Correct Coding Policies .....	I-3
A. Introduction .....	I-3
B. Coding Based on Standards of Medical/Surgical Practice.....	I-6
C. Medical/Surgical Package .....	I-8
D. Evaluation & Management (E&M) Services .....	I-12
E. Modifiers and Modifier Indicators.....	I-13
F. Standard Preparation/Monitoring Services for Anesthesia.....	I-20
G. Anesthesia Service Included in the Surgical Procedure .....	I-20
H. HCPCS/CPT Procedure Code Definition .....	I-21
I. <i>CPT Professional Codebook</i> and NCCI Program Instructions .....	I-22
J. <b>CPT</b> “Separate Procedure” Definition .....	I-22
K. Family of Codes.....	I-22
L. More Extensive Procedure.....	I-23
M. Sequential Procedure.....	I-24
N. Laboratory Panel.....	I-24
O. Misuse of Column Two Code with Column One Code.....	I-24
P. Mutually Exclusive Procedures.....	I-25
Q. <b>Reserved for Future Use</b> .....	I-25
R. Add-On Codes .....	I-26
S. Reserved for Future Use .....	I-26
T. Unlisted Procedure Codes .....	I-26
U. Reserved for Future Use .....	I-27
V. Medically Unlikely Edits (MUEs).....	I-27
W. Medicaid Add-On Code (AOC) edits .....	I-32

Revision Date (Medicaid): **2/28/2025**

## Chapter I

### General Correct Coding Policies

#### A. Introduction

Healthcare providers use Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) codes to report medical **and surgical** services performed on patients to state Medicaid agencies or fiscal agents. HCPCS consists of Level I CPT codes and Level II codes. CPT codes are defined in the American Medical Association's (AMA) *CPT Professional codebook*, which is updated and published annually. The HCPCS Level II codes are defined by the Centers for Medicare & Medicaid Services (CMS) and are updated throughout the year as necessary. Changes in CPT codes are approved by the AMA CPT Editorial Panel, which meets 3 times per year.

HCPCS Level II and CPT codes define medical and surgical procedures performed on patients. Some procedure codes are very specific defining a single service (e.g., CPT code 93000 (electrocardiogram)) while other codes define procedures consisting of many services (e.g., CPT code 58263 (Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s) with repair of enterocele)). Because many procedures can be performed by different approaches, different methods, or in combination with other procedures, there are often multiple HCPCS/CPT codes defining similar or related procedures.

HCPCS Level II and CPT code descriptors usually do not define all services included in a procedure. There are often services inherent in a procedure or group of procedures. For example, anesthesia services include certain preparation and monitoring services.

CMS established the National Correct Coding Initiative (NCCI) program to ensure the correct coding of services. The NCCI program includes 2 types of edits: National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits and Medically Unlikely Edits (MUEs).

NCCI PTP edits prevent inappropriate payment of services that generally should not be reported together. Each edit has a Column One and Column Two HCPCS/CPT code. If a provider reports the 2 codes of an edit pair for the same beneficiary on the same date of service the Column One code is eligible for payment and the Column Two code is denied. However, if it is clinically appropriate to use an NCCI PTP-associated modifier, both the Column One and Column Two codes are eligible for payment. (NCCI PTP-associated modifiers and their appropriate use are discussed in Section E of this chapter.)

For some NCCI PTP edits, the Column Two code is a component of a more comprehensive Column One code (e.g., an exploratory laparotomy is not a separately reportable service when an abdominal hysterectomy is performed). However, the comprehensive/component relationship is not true for many edits. For some edits, the code pair simply represents 2 codes that should not be reported together. For example, a provider shall not report a vaginal hysterectomy code and total abdominal hysterectomy code together because those procedures are considered to be mutually exclusive.

**Revision Date (Medicaid): 2/28/2025**

In this chapter, sections B – R address various issues relating to NCCI PTP edits.

Medically Unlikely Edits (MUEs) prevent payment for a potentially inappropriate number/quantity of the same service on a single day. An MUE is the maximum **units of service** (UOS) reported for a HCPCS/CPT code on the vast majority of appropriately reported claims by the same provider/supplier for the same beneficiary on the same date of service. For more information concerning MUEs, see Section V of this chapter.

The presence of a HCPCS/CPT code in an NCCI PTP edit, or of an MUE value for a HCPCS/CPT code does not necessarily indicate that the code is covered by any state Medicaid program or by all state Medicaid programs.

Claim lines that are denied due to an NCCI PTP edit or MUE may be resubmitted pursuant to the instructions established by each state Medicaid agency.

HCPCS/CPT codes that are denied based on NCCI PTP edits or MUEs may not be billed to Medicaid beneficiaries.

For information concerning the process for requesting reconsideration of NCCI PTP edits or MUEs, please refer to the Introduction Chapter of this Manual in the section titled Correspondence with CMS about the Medicaid NCCI program and its Contents.

In this manual, many policies are described using the term “physician”. Unless indicated differently, the use of this term does not restrict the policies to physicians only but applies to all practitioners (including dentists), hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to Medicaid program rules in each state. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

Physicians must report services correctly. This is true even in the absence of specific edits in the Medicaid NCCI program or their implementation in individual states. There are certain types of improper coding that physicians must avoid.

Procedures shall be reported with the most comprehensive **HCPCS/CPT** code that describes the services performed. Physicians must not unbundle the services described by a HCPCS/CPT code. Some examples follow:

- A physician shall not report multiple HCPCS/CPT codes when a single comprehensive HCPCS/CPT code describes these services. For example, if a physician performs a vaginal hysterectomy on a uterus weighing less than 250 grams with bilateral salpingo-oophorectomy, the physician shall report CPT code 58262 (Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)). The physician shall not report CPT code 58260 (Vaginal hysterectomy, for uterus 250 g or less) plus CPT code 58720 (Salpingo-oophorectomy, complete or partial, unilateral, or bilateral (separate procedure)).

**Revision Date (Medicaid): 2/28/2025**

- A physician shall not fragment a procedure into component parts. For example, if a physician performs an anal endoscopy with biopsy, the physician shall report CPT code 46606 (Anoscopy; with biopsy, single or multiple). It is improper to unbundle this procedure and report CPT code 46600 (Anoscopy; diagnostic...) plus CPT code 45100 (Biopsy of anorectal wall, anal approach...). The latter code is not intended to be used with an endoscopic procedure code.
- A physician shall not unbundle a bilateral procedure code into 2 unilateral procedure codes. For example, if a physician performs bilateral mammography, the physician shall report CPT code 77066 (Diagnostic mammography... bilateral). The physician shall not report CPT code 77065 (Diagnostic mammography... unilateral) with 2 UOS or 77065 LT plus 77065 RT.
- A physician shall not unbundle services that are integral to a more comprehensive procedure. For example, surgical access is integral to a surgical procedure. A physician shall not report CPT code 49000 (Exploratory laparotomy...) when performing an open abdominal procedure such as a total abdominal colectomy (e.g., CPT code 44150).
- Providers/suppliers shall only report a biopsy separately when pathologic examination results in a decision to immediately proceed with a more extensive procedure (e.g., excision, destruction, removal) on the same lesion; or when performed on a separate lesion.
- Providers/suppliers shall not report a biopsy separately when it is to assess resection margins or to verify resectability; or when performed and submitted for pathologic evaluation completed after performing the more extensive procedure.

Physicians must avoid downcoding. If a HCPCS/CPT code exists that describes the services performed, the physician must report this code rather than report a less comprehensive code with other codes describing the services not included in the less comprehensive code. For example, if a physician performs a unilateral partial mastectomy with axillary lymphadenectomy, the provider shall report CPT code 19302 (Mastectomy, partial...; with axillary lymphadenectomy). A physician shall not report CPT code 19301 (Mastectomy, partial...) plus CPT code 38745 (Axillary lymphadenectomy; complete).

Physicians must avoid upcoding. A HCPCS/CPT code may be reported only if all services described by that code have been performed. For example, if a physician performs a superficial axillary lymphadenectomy (CPT code 38740), the physician shall not report CPT code 38745 (Axillary lymphadenectomy; complete).

Physicians must report UOS correctly. Each HCPCS/CPT code has a defined unit of service for reporting purposes. A physician shall not report UOS for a HCPCS/CPT code using a criterion that differs from the code's defined unit of service. For example, some therapy codes are reported in fifteen-minute increments (e.g., CPT codes 97110-97124). Others are reported per session. A physician shall not report a "per session" code using fifteen-minute increments.

**Revision Date (Medicaid): 2/28/2025**

The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.

In 2010 the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual* use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.

This chapter addresses general coding principles, issues, and policies. Many of these principles, issues, and policies are addressed further in subsequent chapters dealing with specific groups of HCPCS/CPT codes. In this chapter, examples are often used to clarify principles, issues, or policies. The examples do not represent the only codes to which the principles, issues, or policies apply.

## **B. Coding Based on Standards of Medical/Surgical Practice**

Most HCPCS/CPT code defined procedures include services that are integral to them. Some of these integral services have specific CPT codes for reporting the service when not performed as an integral part of another procedure. (For example, CPT code 36000 (Introduction of needle or intracatheter, vein) is integral to all nuclear medicine procedures requiring injection of a radiopharmaceutical into a vein. CPT code 36000 is not separately reportable with these types of nuclear medicine procedures. However, CPT code 36000 may be reported alone if the only service provided is the introduction of a needle into a vein.) Other integral services do not have specific CPT codes. (For example, wound irrigation is integral to the treatment of all wounds and does not have a HCPCS/CPT code.) Services integral to HCPCS/CPT code defined procedures are included in those procedures based upon the standards of medical/surgical practice. It is inappropriate to separately report services that are integral to another procedure with that procedure.

Many NCCI PTP edits are based upon the standards of medical/surgical practice. Services that are integral to another service are component parts of the more comprehensive service. When integral component services have their own HCPCS/CPT codes, NCCI PTP edits place the comprehensive service in Column One and the component service in Column Two. Since a component service integral to a comprehensive service is not separately reportable, the Column Two code is not separately reportable with the Column One code.

Some services are integral to large numbers of procedures. Other services are integral to a more limited number of procedures. Examples of services integral to a large number of procedures include:

- Cleansing, shaving, and prepping of skin
- Draping and positioning of patient

**Revision Date (Medicaid): 2/28/2025**

- Insertion of intravenous access for medication administration
- Insertion of urinary catheter
- Sedative administration by the physician performing a procedure (see Chapter II, Anesthesia Services)
- Local, topical, or regional anesthesia administered by the physician performing the procedure
- Surgical approach including identification of anatomical landmarks, incision, evaluation of the surgical field, debridement of traumatized tissue, lysis of adhesions, and isolation of structures limiting access to the surgical field such as bone, blood vessels, nerve, and muscles including stimulation for identification or monitoring
- Surgical cultures
- Wound irrigation
- Insertion and removal of drains, suction devices, and pumps into same site
- Surgical closure and dressings
- Application, management, and removal of postoperative dressings and analgesic devices;
- Application of TENS unit
- Institution of Patient Controlled Anesthesia
- Preoperative, intraoperative, and postoperative documentation, including photographs, drawings, dictation, or transcription as necessary to document the services provided
- Imaging and/or ultrasound guidance
- Surgical supplies, except for specific situations where state Medicaid policy permits separate payment

Although other chapters in this manual further address issues related to standards of medical/surgical practice, it is not possible because of space limitations to discuss all NCCI PTP edits based upon the principle of the standards of medical/surgical practice due to space limitations. However, there are several general principles that can be applied to the edits as follows:

1. The component service is an accepted standard of care when performing the comprehensive service.
2. The component service is usually necessary to complete the comprehensive service.
3. The component service is not a separately distinguishable procedure when performed with the comprehensive service.

Specific examples of services that are not separately reportable because they are components of more comprehensive services follow:

#### Medical Examples

1. **Because** interpretation of cardiac rhythm is an integral component of the interpretation of an electrocardiogram, a rhythm strip is not separately reportable.

**Revision Date (Medicaid): 2/28/2025**



2. **Because** determination of ankle/brachial indices requires both upper and lower extremity Doppler studies, an upper extremity Doppler study is not separately reportable.
3. **Because** a cardiac stress test includes multiple electrocardiograms, an electrocardiogram is not separately reportable.

### Surgical Examples

1. **Because** a myringotomy requires access to the tympanic membrane through the external auditory canal, removal of impacted cerumen from the external auditory canal is not separately reportable.
2. A bronchoscopy to assess the surgical field, anatomic landmarks, extent of disease, etc., is not separately reportable with an open pulmonary procedure such as a pulmonary lobectomy. By contrast, an initial diagnostic bronchoscopy is separately reportable. If the diagnostic bronchoscopy is performed at the same patient encounter as the open pulmonary procedure and does not duplicate an earlier diagnostic bronchoscopy by the same or another physician, the diagnostic bronchoscopy may be reported with modifier 58 appended to the open pulmonary procedure code to indicate a staged procedure. A cursory examination of the upper airway during a bronchoscopy with the bronchoscope shall not be reported separately as a laryngoscopy. However, separate endoscopies of anatomic distinct areas with different endoscopes may be reported separately (e.g., thoracoscopy and mediastinoscopy).
3. If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure no intraoperative injury occurred or verify the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.
4. **Because** a colectomy requires exposure of the colon, the laparotomy and adhesiolysis to expose the colon are not separately reportable.

### C. Medical/Surgical Package

Most medical and surgical procedures include pre-procedure, intra-procedure, and post-procedure work. When multiple procedures are performed at the same patient encounter, there is often overlap of the pre-procedure and post-procedure work. Payment methodologies for surgical procedures account for the overlap of the pre-procedure and post-procedure work. Many NCCI PTP edits address coding issues related to the medical/surgical package.

The component elements of the pre-procedure and post-procedure work for each procedure are included component services of that procedure as a standard of medical/surgical practice. Some general guidelines follow:

1. Many invasive procedures require vascular and/or airway access. The work associated

**Revision Date (Medicaid): 2/28/2025**

with obtaining the required access is included in the pre-procedure or intra-procedure work. The work associated with returning a patient to the appropriate post-procedure state is included in the post-procedure work.

Airway access is necessary for general anesthesia and is not separately reportable. There is no CPT code for elective endotracheal intubation. CPT code 31500 describes an emergency endotracheal intubation and shall not be reported for elective endotracheal intubation. Visualization of the airway is a component part of an endotracheal intubation, and CPT codes describing procedures that visualize the airway (e.g., nasal endoscopy, laryngoscopy, bronchoscopy) shall not be reported with an endotracheal intubation. These CPT codes describe diagnostic and therapeutic endoscopies, and it is a misuse of these codes to report visualization of the airway for endotracheal intubation.

Intravenous access (e.g., CPT codes 36000, 36400, 36410) is not separately reportable when performed with many types of procedures (e.g., surgical procedures, anesthesia procedures, radiological procedures requiring intravenous contrast, nuclear medicine procedures requiring intravenous radiopharmaceutical).

After vascular access is achieved, the access must be maintained by a slow infusion (e.g., saline) or injection of heparin or saline into a “lock.” Since these services are necessary for maintenance of the vascular access, they are not separately reportable with the vascular access CPT codes or procedures requiring vascular access as a standard of medical/surgical practice CPT codes 37211-37214 (Transcatheter therapy with infusion for thrombolysis) shall not be reported for use of an anticoagulant to maintain vascular access.

The global package includes the administration of fluids and drugs during the operative procedure. The CPT codes 96360-96379 shall not be reported separately for that operative procedure. In an outpatient hospital facility, the administration of fluids and drugs during or for an operative procedure are included services and are not separately reportable (e.g., CPT codes 96360-96379).

When a procedure requires more invasive vascular access services (e.g., central venous access, pulmonary artery access), the more invasive vascular service is separately reportable if it is not typical of the procedure and the work of the more invasive vascular service has not been included in the valuation of the procedure.

Insertion of a central venous access device (e.g., central venous catheter, pulmonary artery catheter) requires passage of a catheter through central venous vessels and, in the case of a pulmonary artery catheter, through the right atrium and ventricle. These services often require the use of fluoroscopic guidance. Separate reporting of CPT codes for right heart catheterization, selective venous catheterization, or pulmonary artery catheterization is not appropriate when reporting a CPT code for insertion of a central venous access device. Since CPT code 77001 describes fluoroscopic guidance for central venous access device procedures, CPT codes for more general fluoroscopy (e.g., 76000, 77002) shall

**Revision Date (Medicaid): 2/28/2025**

not be reported separately.

2. Under the NCCI program, separate reporting is not allowed for most anesthesia services by the same physician performing a surgical or medical procedure. (Refer to Section G for additional information.)

If it is medically reasonable and necessary that a separate provider (anesthesia practitioner) perform anesthesia services (e.g., monitored anesthesia care) for a surgical or medical procedure, a separate anesthesia service may be reported by the second provider.

In an outpatient hospital facility, the facility component of anesthesia services for a surgical or medical procedure is included in the code for the procedure itself and is therefore not separately reportable.

When anesthesia services are not separately reportable, physicians and facilities shall not unbundle components of anesthesia and report them in lieu of an anesthesia code. For example, the physician performing a surgical or medical procedure shall not report CPT codes 96360-96379 for the administration of anesthetic agents during the procedure.

3. If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure that no intraoperative injury occurred or to verify that the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.
4. Many procedures require cardiopulmonary monitoring either by the physician performing the procedure or an anesthesia practitioner. Since these services are integral to the procedure, they are not separately reportable. Examples of these services include cardiac monitoring, pulse oximetry, and ventilation management (e.g., 93000-93010, 93040-93042, 94760, 94761).
5. For more information regarding biopsies, see Section A, Introduction.
6. Exposure and exploration of the surgical field is integral to an operative procedure and is not separately reportable. For example, an exploratory laparotomy (CPT code 49000) is not separately reportable with an intra-abdominal procedure. If exploration of the surgical field results in additional procedures other than the primary procedure, the additional procedures may generally be reported separately. However, a procedure designated by the CPT code descriptor as a “separate procedure” is not separately reportable if performed in a region anatomically related to the other procedure(s) through the same skin incision, orifice, or surgical approach.
7. If a definitive surgical procedure requires access through diseased tissue (e.g., necrotic skin, abscess, hematoma, seroma), a separate service for this access (e.g., debridement, incision, and drainage) is not separately reportable. Types of procedures to which this principle applies include, but are not limited to, -ectomy, -otomy, excision, resection, -

**Revision Date (Medicaid): 2/28/2025**

plasty, insertion, revision, replacement, relocation, removal, or closure. For example, debridement of skin and subcutaneous tissue at the site of an abdominal incision made to perform an intra-abdominal procedure is not separately reportable. (See Chapter IV, Section I (General Policy Statements), Subsection 10 for guidance on reporting debridement with open fractures and dislocations.)

8. If removal, destruction, or other form of elimination of a lesion requires coincidental elimination of other pathology, only the primary procedure may be reported. For example, if an area of pilonidal disease contains an abscess, incision, and drainage of the abscess during the procedure to excise the area of pilonidal disease is not separately reportable.
9. An excision and removal (-ectomy) includes the incision and opening (-otomy) of the organ. A HCPCS/CPT code for an -otomy procedure shall not be reported with an -ectomy code for the same organ.
10. Multiple approaches to the same procedure are mutually exclusive of one another and shall not be reported separately. For example, both a vaginal hysterectomy and abdominal hysterectomy shall not be reported separately.
11. If a procedure uses one approach fails and is converted to a procedure using a different approach, only the completed procedure may be reported. For example, if a laparoscopic hysterectomy is converted to an open hysterectomy, only the open hysterectomy procedure code may be reported.
12. If a laparoscopic procedure fails and is converted to an open procedure, the physician shall not report a diagnostic laparoscopy in lieu of the failed laparoscopic procedure. For example, if a laparoscopic cholecystectomy is converted to an open cholecystectomy, the physician shall not report the failed laparoscopic cholecystectomy or a diagnostic laparoscopy.
13. If a diagnostic endoscopy is the basis for and precedes an open procedure, the diagnostic endoscopy may be reported with modifier 58 appended to the open procedure code. However, the medical record must document the medical reasonableness and necessity for the diagnostic endoscopy. An endoscopy to assess anatomic landmarks and extent of disease is not separately reportable with an open procedure. When an endoscopic procedure fails and is converted to another surgical procedure, only the completed surgical procedure may be reported. The endoscopic procedure is not separately reportable with the completed surgical procedure.
14. Treatment of complications of primary surgical procedures is separately reportable with some limitations. The global package for an operative procedure includes all intra-operative services that are normally a usual and necessary part of the procedure. Additionally, the global package includes all medical and surgical services required of the surgeon during the postoperative period of the surgery to treat complications that do

**Revision Date (Medicaid): 2/28/2025**

not require return to the operating room. Thus, treatment of a complication of a primary surgical procedure is not separately reportable:

(1) if it represents usual and necessary care in the operating room during the procedure;

or

(2) if it occurs postoperatively and does not require return to the operating room. For example, control of hemorrhage is a usual and necessary component of a surgical procedure in the operating room and is not separately reportable. Control of postoperative hemorrhage is also not separately reportable unless the patient must be returned to the operating room for treatment. In the latter case, the control of hemorrhage may be separately reportable with modifier 78.

#### **D. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major, minor, and non-surgical procedures. Even in the absence of NCCI PTP edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other E&M preoperative services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable.

**Revision Date (Medicaid): 2/28/2025**

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the global package for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated E&M Service by the same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work relative value units associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances**.

## **E. Modifiers and Modifier Indicators**

The AMA *CPT Professional codebook* and the NCCI program define modifiers that may be appended to HCPCS/CPT codes to provide additional information about the services rendered. Modifiers consist of 2 alphanumeric characters.

Modifiers may be appended to HCPCS/CPT codes only if the clinical circumstances justify the use of the modifier. A modifier shall not be appended to a HCPCS/CPT code solely to bypass an NCCI PTP edit if the clinical circumstances do not justify its use. If a state Medicaid program

**Revision Date (Medicaid): 2/28/2025**

imposes restrictions on the use of a modifier, the modifier may only be used to bypass an NCCI PTP edit if the Medicaid restrictions are fulfilled.

Modifiers that may be used under appropriate clinical circumstances to bypass an NCCI PTP edit include:

Anatomic modifiers : E1-E4, FA, F1-F9, TA, T1-T9, LT, RT, LC, LD, RC, LM, RI  
Global surgery modifiers: 24, 25, 57, 58, 78, 79  
Other modifiers: 27, 59, 91, XE, XP, XS, XU

These modifiers are referred to as NCCI PTP-associated modifiers.

Modifiers 22 (“Increased Procedural Services”), 76 (“Repeat Procedure or Service by Same Physician **or Other Qualified Health Care Professional**”), and 77 (“Repeat Procedure by Another Physician **or Other Qualified Health Care Professional**”) are not NCCI PTP-associated modifiers. **The use of modifiers 22, 76, or 77 does not bypass an NCCI PTP edit.**

Each NCCI PTP edit has an assigned Correct Coding Modifier Indicator (CCMI). A CCMI of “0” indicates that NCCI PTP-associated modifiers cannot be used to bypass the edit. A CCMI of “1” indicates that NCCI PTP-associated modifiers may be used to bypass an edit under appropriate circumstances. A CCMI of “9” indicates that the use of NCCI PTP-associated modifiers is not specified. This indicator is used for all code pairs that have a deletion date that is the same as the effective date. This indicator prevents blank spaces from appearing in the indicator field. The CCMI can be found in the files containing Medicaid NCCI PTP edits on the CMS **Medicaid NCCI Edit Files** webpage.

It is very important that NCCI PTP-associated modifiers only be used when appropriate. In general, these circumstances relate to separate patient encounters, separate anatomic sites, or separate specimens. (See subsequent discussion of modifiers in this section.) Most edits involving paired organs or structures (e.g., eyes, ears, extremities, lungs, kidneys) have NCCI PTP modifier indicators of “1” because the 2 codes of the code pair edit may be reported if performed on the contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally cannot be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic locations. However, if the 2 corresponding procedures are performed at the same patient encounter and in contiguous structures, in the same organ or anatomic region, NCCI PTP-associated modifiers generally should not be used.

A separate and distinct E&M service is billed with modifier 24, 25, or 57. Modifiers 24, 25, and 57 should only be appended to an E&M code (99202–99499, 92002–92014), regardless of whether the E&M code is the Column One or Column Two code. They should never be appended to other types of codes, such as surgery codes. Modifiers 24 and 57 are used with E&M codes only when the related code is a surgery service.

**Revision Date (Medicaid): 2/28/2025**



States may implement edits that deny or reject claim lines in which a modifier is inappropriately appended to a HCPCS/CPT code (e.g., use of modifier 24, 25, or 57 with a non-E&M code). However, if they do, those edits must be applied to claims before the application of NCCI edits and any resulting denials or rejections must be characterized as being due to state-specific edits, not NCCI edits, and they should not be reported as NCCI savings.

The appropriate use of most of the NCCI PTP-associated modifiers is straightforward. However, further explanation is provided regarding modifiers 25, 58, 59, XE, XP, XS, and XU. **Although modifier 22 is not a modifier that bypasses an NCCI PTP edit, its use is occasionally relevant to an NCCI PTP edit and is discussed below.**

- a. Modifier 22:** The *CPT Professional codebook* defines modifier 22 as “Increased Procedural Services.” This modifier shall not be reported unless the service(s) performed is (are) substantially more extensive than the usual service(s) included in the procedure described by the HCPCS/CPT code reported.

When an NCCI PTP edit allows use of NCCI PTP-associated modifiers to bypass the edit and the clinical circumstances justify use of one of these modifiers, both services may be reported with the NCCI PTP-associated modifier. However, if the NCCI PTP edit does not allow use of NCCI PTP-associated modifiers to bypass it and the procedure qualifies as an unusual procedural service, the physician may report the Column One HCPCS/CPT code of the NCCI PTP edit with modifier 22. The state, its fiscal agent, or managed-care entities, may then evaluate the unusual procedural service to determine whether additional payment is justified.

- b. Modifier 25:** The *CPT Professional codebook* defines modifier 25 as a “Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service.” Modifier 25 may be appended to an E&M CPT code to indicate that the E&M service is significant and separately identifiable from other services reported on the same date of service. The E&M service may be related to the same or different diagnosis as the other procedure(s).
- c. Modifier 58:** The *CPT Professional codebook* defines modifier 58 as a “Staged or Related Procedure or Service by the Same Physician or Other Qualified Health Care Professional During the Postoperative Period.” It may be used to indicate that a procedure was followed by a second procedure during the post-operative period of the first procedure. This situation may occur because the second procedure was planned prospectively, was more extensive than the first procedure, or was therapy after a diagnostic surgical service. Use of modifier 58 will bypass NCCI PTP edits that allow use of NCCI PTP-associated modifiers.

If a diagnostic endoscopic procedure results in the decision to perform an open procedure, both procedures may be reported with modifier 58 appended to the HCPCS/CPT code for the open procedure. However, if the endoscopic procedure

**Revision Date (Medicaid): 2/28/2025**



preceding an open procedure is a procedure to assess anatomic landmarks and/or extent of disease, it is not separately reportable.

Diagnostic endoscopy is never separately reportable with another endoscopic procedure of the same organ(s) or anatomic region when performed at the same patient encounter. Similarly, diagnostic laparoscopy is never separately reportable with a surgical laparoscopic procedure of the same body cavity when performed at the same patient encounter.

If a planned laparoscopic procedure fails and is converted to an open procedure, only the open procedure may be reported. The failed laparoscopic procedure is not separately reportable. The NCCI program contains many, but not all, edits bundling laparoscopic procedures into open procedures. Since the number of possible code combinations bundling a laparoscopic procedure into an open procedure is much greater than the number of such edits in the NCCI program, the principle stated in this paragraph is applicable regardless of whether the selected code pair combination is included in the NCCI PTP tables. A provider shall not select laparoscopic and open HCPCS/CPT codes to report because the combination is not included in the NCCI tables.

- d. **Modifier 59:** Modifier 59 is an important NCCI PTP-associated modifier that is often used incorrectly. With regard to NCCI PTP edits, its primary purpose is to indicate that 2 or more procedures are performed at different anatomic sites or different patient encounters. It shall only be used if no other modifier more appropriately describes the relationships of the 2 or more procedure codes (See Section E for modifiers XE, XP, XS, XU). The *CPT Professional codebook* defines modifier 59 as follows:

**Modifier 59: Distinct Procedural Service:** Under certain circumstances, it may be necessary to indicate that a procedure or service was distinct or independent from other non-E/M services performed on the same day. Modifier 59 is used to identify procedures/services other than E/M services that are not normally reported together but are appropriate under the circumstances. Documentation must support a different session or patient encounter, different procedure or surgery, different site or organ system, separate incision/excision, separate lesion, or separate injury (or area of injury in extensive injuries) not ordinarily encountered or performed on the same day by the same individual. However, when another already established modifier is appropriate, it should be used rather than modifier 59. Only if no more descriptive modifier is available, and the use of modifier 59 best explains the circumstances, should modifier 59 be used. Note: Modifier 59 should not be appended to an E/M service. To report a separate and distinct E/M service with a non-E/M service performed on the same date, see modifier 25.

**Revision Date (Medicaid): 2/28/2025**

Modifier 59 and other NCCI-associated modifiers should not be used to bypass a PTP edit unless the proper criteria for use of the modifier are met. Documentation in the medical record must satisfy the criteria required by any NCCI-associated modifier used. Modifier 59 shall not be used with code 77427 (Radiation treatment management, 5 treatments).

The NCCI PTP edits define when 2 procedure HCPCS/CPT codes may not be reported together, except under special circumstances. If an edit allows use of NCCI PTP-associated modifiers, the 2 procedure codes may be reported together if the 2 procedures are performed at 2 different patient encounters or 2 different anatomic sites. State Medicaid agencies or fiscal agents processing systems use NCCI PTP-associated modifiers to allow payment of both codes of an edit. Modifiers 59 or XE, XP, XS, XU, and other NCCI PTP-associated modifiers shall NOT be used to bypass an NCCI PTP edit unless the proper criteria for use of the modifier are met. Documentation in the medical record must satisfy the criteria required by any NCCI PTP-associated modifier used. Some examples of the appropriate use of modifiers 59 or XE, XP, XS, XU, are contained in the individual chapter policies.

One of the common misuses of modifier 59 is related to the portion of the definition of modifier 59 allowing its use to describe “different procedure or surgery.” The code descriptors of the 2 codes of a code pair edit consisting of 2 surgical procedures, 2 non-surgical therapeutic procedures, and/or 2 diagnostic procedures usually represent different procedures or surgeries. The edit indicates that the 2 procedures/surgeries cannot be reported together if performed at the same anatomic site and same patient encounter. The provider cannot use modifier 59 for such an edit based on the 2 codes being different procedures/surgeries. However, if the 2 procedures/surgeries are performed at separate patient encounters or at separate anatomic sites on the same date of service, modifiers 59 or XE or XS may be appended to indicate that they are different procedures/surgeries on that date of service.

Modifier 59 or XS is used appropriately for different anatomic sites during the same encounter only when procedures which are not ordinarily performed or encountered on the same day are performed on different organs, or different anatomic regions, or in limited situations on different, non-contiguous lesions in different anatomic regions of the same organ.

There are several exceptions to this general principle about misuse of modifiers 59 or XE, XP, XS, XU that apply to some code pair edits for procedures performed at the same patient encounter.

1. If a diagnostic procedure precedes a surgical or non-surgical therapeutic procedure and is the basis on which the decision to perform the surgical or non-surgical therapeutic procedure is made, the 2 procedures may be reported with modifier 59. However, if the diagnostic procedure is an inherent component of the surgical procedure, it cannot be reported separately. If the diagnostic procedure

**Revision Date (Medicaid): 2/28/2025**

follows the surgical or non-surgical therapeutic procedure at the same patient encounter, modifier 59 may be used if appropriate.

2. If a diagnostic procedure follows a surgical procedure or non-surgical therapeutic procedure at the same patient encounter and the post-procedure diagnostic procedure is not an inherent component or otherwise included (or not separately payable) post-procedure service of the surgical procedure or non-surgical therapeutic procedure, the 2 procedures may be reported with modifier 59 if appropriate.
3. Use of modifiers 59 or XE or XS to indicate different procedures/surgeries does not require a different diagnosis for each HCPCS/CPT coded procedure/surgery. Additionally, different diagnoses are not adequate criteria for use of modifiers 59 or XE or XS. The HCPCS/CPT codes remain bundled unless the procedures/surgeries are performed at different anatomic sites or separate patient encounters.
4. There is an appropriate use for modifiers 59 or XE or XS that is applicable only to codes for which the unit of service is a measure of time (e.g., per 15 minutes, per hour). If 2 separate and distinct timed services are provided in separate and distinct time blocks, modifier 59 may be used to identify the services. The separate and distinct time blocks for the 2 services may be sequential to 1 another or split. When the 2 services are split, the time block for 1 service may be followed by a time block for the second service followed by another time block for the first service. All Medicaid NCCI rules for reporting timed services are applicable. For example, the total time is calculated for all related timed services performed. The number of reportable UOS is based on the total time, and these UOS are allocated between the HCPCS/CPT codes for the individual services performed. The practitioner is not permitted to perform multiple services, each for the minimal reportable time, and report each of these as separate UOS (e.g., A physician or therapist performs 8 minutes of neuromuscular reeducation (CPT code 97112) and 8 minutes of therapeutic exercises (CPT code 97110). Since the physician or therapist performed 16 minutes of related timed services, only 1 unit of service may be reported for 1, not each, of these codes).

From an NCCI perspective, the definition of different anatomic sites includes different organs or different lesions in the same organ. However, it does not include treatment of contiguous structures in the same organ or anatomic region. For example, treatment of the nail, nail bed, and adjacent soft tissue constitutes treatment of a single anatomic site. Treatment of posterior segment structures in the ipsilateral eye constitutes treatment of a single anatomic site.

If the same procedure is performed at different anatomic sites, it does not necessarily imply that a HCPCS/CPT code may be reported with more than one unit of service for the procedure. Determining whether additional UOS may be reported depends in

**Revision Date (Medicaid): 2/28/2025**

part upon the HCPCS/CPT code descriptor including the definition of the code's unit of service when present.

#### Example 1

The NCCI PTP edit with Column One CPT code 38221 (Diagnostic bone marrow biopsies) and Column Two CPT code 38220 (Diagnostic bone marrow, aspiration(s)) includes 2 distinct procedures when performed at separate anatomic sites (e.g., contralateral iliac bones) or separate patient encounters. In these circumstances, it would be acceptable to use modifier 59. However, if both 38221 and 38220 are performed on the same iliac bone at the same patient encounter which is the usual practice, modifier 59 shall NOT be used. Although the NCCI program does not allow separate reporting of CPT code 38220 with CPT code 38221 when bone marrow aspiration and biopsy are performed on the same iliac bone at a single patient encounter, a physician may report CPT code 38222 (Diagnostic bone marrow; biopsy(ies) and aspiration(s)).

#### Example 2

The Column One/Column Two Code edit with Column One CPT code 11055 (Paring or cutting of benign hyperkeratotic lesion (e.g., corn or callus); single lesion) and Column Two CPT code 11720 (Debridement of nail(s) by any method(s); 1 to 5) should not be reported together for services performed on skin distal to and including the skin overlying the distal interphalangeal joint of the same toe. Modifiers 59 or XE, XP, XS, XU should not be used if a nail is debrided on the same toe on which a hyperkeratotic lesion of the skin on or distal to the distal interphalangeal joint is pared. Modifiers 59 or XS may be reported with code 11720 if 1 to 5 nails are debrided and a hyperkeratotic lesion is pared on a toe other than 1 with a debrided toenail or the hyperkeratotic lesion is proximal to the skin overlying the distal interphalangeal joint of a toe on which a nail is debrided.

- e. **Modifiers XE, XP, XS, XU:** These modifiers were effective January 1, 2015. These modifiers were developed to provide greater reporting specificity in situations where modifier 59 was previously reported and may be used in lieu of modifier 59 whenever possible. The modifiers are defined as follows:

**XE** – “Separate encounter, A service that is distinct because it occurred during a separate encounter.” This modifier shall only be used to describe separate encounters on the same date of service.

**XP** – “Separate Practitioner, A service that is distinct because it was performed by a different practitioner”

**XS** – “Separate Structure, A service that is distinct because it was performed on a separate organ/structure”

**Revision Date (Medicaid): 2/28/2025**

**XU** – “Unusual Non-Overlapping Service, the use of a service that is distinct because it does not overlap usual components of the main service”

## **F. Standard Preparation/Monitoring Services for Anesthesia**

With few exceptions, anesthesia HCPCS/CPT codes do not specify the mode of anesthesia (e.g., regional nerve block, monitored anesthesia care, general) for a particular procedure. Regardless of the mode of anesthesia, preparation and monitoring services are not separately reportable with anesthesia service HCPCS/CPT codes when performed in association with the anesthesia service. However, if the provider/supplier of the anesthesia service performs one or more of these services before and unrelated to the anticipated anesthesia service or after the patient is released from the anesthesia practitioner’s postoperative care, the service may be separately reportable with modifiers 59 or XE or XU. Refer to Chapter 2 for additional information concerning anesthesia coding.

## **G. Anesthesia Service Included in the Surgical Procedure**

With the exception of moderate conscious sedation, the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. Anesthesia services are included in the HCPCS/CPT code for the medical or surgical procedure itself. Likewise, under OPPS, payment for the anesthesia service is generally included in the payment for the medical or surgical procedure. For example, separate reporting is not allowed for the physician’s performance of local, regional, or most other anesthesia including nerve blocks if the physician also performs the medical or surgical procedure. However, the NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

The CPT codes describing anesthesia services (00100-01999) or services that are bundled into anesthesia shall not be reported in addition to the surgical or medical procedure requiring the anesthesia services if performed by the same physician. Examples of improperly reported services that are bundled into the anesthesia service when anesthesia is provided by the physician performing the medical or surgical procedure include introduction of needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), intravenous infusion/injection (CPT codes 96360-96368, 96374-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042). However, if these services are not related to the delivery of an anesthetic agent or are not an inherent component of the procedure or global service, they may be reported separately.

The physician performing a surgical or medical procedure shall not report an epidural/subarachnoid injection (CPT codes 62320-62327) or nerve block (CPT codes 64400-64530) for anesthesia for that procedure.

**Revision Date (Medicaid): 2/28/2025**

## H. HCPCS/CPT Procedure Code Definition

The HCPCS/CPT code descriptors of 2 codes are often the basis of an NCCI PTP edit. If 2 HCPCS/CPT codes describe redundant services, they shall not be reported separately. Several general principles follow:

1. A family of CPT codes may include a CPT code followed by one or more indented CPT codes. The first CPT code descriptor includes a semicolon. The portion of the descriptor of the first code in the family preceding the semicolon is a common part of the descriptor for each subsequent code of the family. For example,

CPT code 70120	Radiologic examination, mastoids; less than 3 views per side
CPT code 70130	Radiologic examination, mastoids; complete, minimum of 3 views per side

The portion of the descriptor preceding the semicolon (Radiologic examination, mastoids) is common to both CPT codes 70120 and 70130. The difference between the 2 codes is the portion of the descriptors following the semicolon. Often as in this case, 2 codes from a family may not be reported separately. A physician cannot report CPT codes 70120 and 70130 for a procedure performed on ipsilateral mastoids at the same patient encounter. It is important to recognize, however, that there are numerous circumstances when it may be appropriate to report more than one code from a family of codes. For example, CPT codes 70120 and 70130 may be reported separately if the 2 procedures are performed on contralateral mastoids or at 2 separate patient encounters on the same date of service.

2. If a HCPCS/CPT code is reported, it includes all components of the procedure defined by the descriptor. For example, CPT code 58291 includes a vaginal hysterectomy with “removal of tube(s) and/or ovary(s).” A physician cannot report a salpingo-oophorectomy (CPT code 58720) separately with CPT code 58291.
3. The CPT code descriptors often define correct coding relationships where 2 codes may not be reported separately with one another at the same anatomic site and/or same patient encounter. A few examples follow:
  - a. A “partial” procedure is not separately reportable with a “complete” procedure.
  - b. A “partial” procedure is not separately reportable with a “total” procedure.
  - c. A “unilateral” procedure is not separately reportable with a “bilateral” procedure.
  - d. A “single” procedure is not separately reportable with a “multiple” procedure.
  - e. A “with” procedure is not separately reportable with a “without” procedure.

**Revision Date (Medicaid): 2/28/2025**

- f. An “initial” procedure is not separately reportable with a “subsequent” procedure.

## **I. CPT Professional Codebook and NCCI Program Instructions**

The *CPT Professional codebook* includes coding instructions which may be found in the Introduction, individual chapters, and appendices. In individual chapters, the instructions may appear at the beginning of a chapter, at the beginning of a subsection of the chapter, or after specific CPT codes. Physicians should follow *CPT Professional codebook* instructions unless the state has provided different coding or reporting instructions.

The AMA publishes *CPT Assistant* which contains coding guidelines. The NCCI program does not review or approve the information in this publication. **As a result, the NCCI program may adopt NCCI edits that are not consistent with CPT Assistant.** If a physician uses information from *CPT Assistant* to report services rendered to Medicaid patients, it is possible that state Medicaid agencies or fiscal agent may use different criteria to process claims.

## **J. CPT “Separate Procedure” Definition**

If a CPT code descriptor includes the term “separate procedure,” the CPT code may not be reported separately with a related procedure.

The NCCI program interprets this designation to prohibit the separate reporting of a “separate procedure” when performed with another procedure in an anatomically related region, often through the same skin incision, orifice, or surgical approach.

A CPT code with the “separate procedure” designation may be reported with another procedure if it is performed at a separate patient encounter on the same date of service or at the same patient encounter in an anatomically unrelated area often through a separate skin incision, orifice, or surgical approach. Modifiers 59 or XE or XS (or a more specific modifier (e.g., anatomic modifier) may be appended to the “separate procedure” CPT code to indicate that it qualifies as a separately reportable service.

## **K. Family of Codes**

The *CPT Professional codebook* often contains a group of codes that describe related procedures that may be performed in various combinations. Some codes describe limited component services, and other codes describe various combinations of component services. Physicians must use several principles in selecting the correct code to report:

1. A HCPCS/CPT code may be reported if and only if all services described by the code are performed.
2. The most comprehensive HCPCS/CPT code describing the services performed shall be reported. A physician shall not report multiple codes corresponding to component services if a single comprehensive code describes the services performed. There are

**Revision Date (Medicaid): 2/28/2025**



limited exceptions to this rule which are specifically identified in this Manual.

3. The HCPCS/CPT code(s) corresponding to component service(s) of other more comprehensive HCPCS/CPT code(s) shall not be reported separately with the more comprehensive HCPCS/CPT code(s) that include the component service(s).
5. If the HCPCS/CPT codes do not correctly describe the procedure(s) performed, the physician shall report a “not otherwise specified” CPT code rather than a HCPCS/CPT code that most closely describes the procedure(s) performed.

#### **L. More Extensive Procedure**

The CPT *Professional codebook* often describes groups of similar codes differing in the complexity of the service. Unless services are performed at separate patient encounters or at separate anatomic sites, the less complex service is included in the more complex service and is not separately reportable. Several examples of this principle follow:

1. If 2 procedures only differ in that 1 is described as a “simple” procedure and the other as a “complex” procedure, the “simple” procedure is included in the “complex” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.
2. If 2 procedures only differ in that 1 is described as a “simple” procedure and the other as a “complicated” procedure, the “simple” procedure is included in the “complicated” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.
3. If 2 procedures only differ in that 1 is described as a “limited” procedure and the other as a “complete” procedure, the “limited” procedure is included in the “complete” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.
4. If 2 procedures only differ in that 1 is described as an “intermediate” procedure and the other as a “comprehensive” procedure, the “intermediate” procedure is included in the “comprehensive” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.
5. If 2 procedures only differ in that 1 is described as a “superficial” procedure and the other as a “deep” procedure, the “superficial” procedure is included in the “deep” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.
6. If 2 procedures only differ in that 1 is described as an “incomplete” procedure and the other as a “complete” procedure, the “incomplete” procedure is included in the “complete” procedure and is not separately reportable unless the 2 procedures are

**Revision Date (Medicaid): 2/28/2025**



performed at separate patient encounters or at separate anatomic sites.

7. If 2 procedures only differ in that 1 is described as an “external” procedure and the other as an “internal” procedure, the “external” procedure is included in the “internal” procedure and is not separately reportable unless the 2 procedures are performed at separate patient encounters or at separate anatomic sites.

## **M. Sequential Procedure**

Some surgical procedures may be performed by different surgical approaches. If an initial surgical approach to a procedure fails and a second surgical approach is used at the same patient encounter, only the HCPCS/CPT code corresponding to the second surgical approach may be reported. If there are different HCPCS/CPT codes for the 2 different surgical approaches, the 2 procedures are considered “sequential,” and only the HCPCS/CPT code corresponding to the second surgical approach may be reported. For example, a physician may begin a cholecystectomy procedure using a laparoscopic approach and have to convert the procedure to an open abdominal approach. Only the CPT code for the open cholecystectomy may be reported. The CPT code for the failed laparoscopic cholecystectomy is not separately reportable.

## **N. Laboratory Panel**

The *CPT Professional codebook* defines organ and disease specific panels of laboratory tests. If a laboratory performs all tests included in one of these panels, the laboratory shall report the CPT code for the panel. If the laboratory repeats one of these component tests as a medically reasonable and necessary service on the same date of service, the CPT code corresponding to the repeat laboratory test may be reported with modifier 91 appended. (See Chapter X, Section C, Organ or Disease Oriented Panels).

## **O. Misuse of Column Two Code with Column One Code**

The NCCI program defines certain groups of HCPCS/CPT codes that should not be reported together. Edits based on these instructions are often included as misuse of a Column Two code with a Column One code.

A HCPCS/CPT code descriptor does not include exhaustive information about the code. Physicians who are not familiar with a HCPCS/CPT code may incorrectly report the code in a context different than intended. NCCI PTP edits identify HCPCS/CPT codes that are incorrectly reported with other HCPCS/CPT codes as a result of the misuse of the Column Two code with the Column One code. If these edits allow use of NCCI PTP-associated modifiers (modifier indicator of “1”), there are limited circumstances when the Column Two code may be reported on the same date of service as the Column One code. Two examples follow:

1. Three or more HCPCS/CPT codes may be reported on the same date of service. Although the Column Two code is misused if reported as a service associated with the Column One code, the Column Two code may be appropriately reported with a third HCPCS/CPT

**Revision Date (Medicaid): 2/28/2025**

code reported on the same date of service. For example, the NCCI program limits separate payment for use of the operating microscope for microsurgical techniques (CPT code 69990) to a group of procedures listed in the *Medicaid NCCI Policy Manual*, Chapter 8, Section F. There are NCCI PTP edits with Column One codes of surgical procedures not listed in this section of the Manual and Column Two CPT code of 69990. Some of these edits allow use of NCCI PTP-associated modifiers because the 2 services listed in the edit may be performed at the same patient encounter as a third procedure for which CPT code 69990 is separately reportable.

2. There may be limited circumstances when the Column Two code is separately reportable with the Column One code. For example, the NCCI program has an edit with Column One CPT code of 47600 (Cholecystectomy) and Column Two CPT code of 12035 (Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 12.6 cm to 20.0 cm). If the patient has an abdominal wound in addition to and separate from the cholecystectomy surgical incision, then it may be separately reportable with CPT code 12035 using an NCCI PTP-associated modifier to bypass the edit. CPT 47600 includes repair of the cholecystectomy surgical incision.

Misuse of code as an edit rationale may be applied to PTP edits where the Column Two code is not separately reportable with the Column One code based on the nature of the Column One coded procedure. This edit rationale may also be applied to code pairs where use of the Column Two code with the Column One code is deemed to be a coding error.

## **P. Mutually Exclusive Procedures**

Many procedure codes cannot be reported together because they are mutually exclusive of each other. Mutually exclusive procedures cannot reasonably be performed at the same anatomic site or same patient encounter. An example of a mutually exclusive situation is the repair of an organ that can be performed by 2 different methods. Only one method can be chosen to repair the organ. A second example is a service that can be reported as an "initial" service or a "subsequent" service.

Pairs of HCPCS/CPT codes that are mutually exclusive of 1 another based either on the HCPCS/CPT code descriptors or the medical impossibility/improbability that the 2 procedures could be performed at the same patient encounter are included in the NCCI PTP edit tables.

Many of these edits allow the use of NCCI PTP-associated modifiers. For example, the 2 procedures of a code pair edit may be performed at different anatomic sites (e.g., contralateral eyes) or separate patient encounters on the same date of service.

## **Q. Reserved for Future Use**

**Revision Date (Medicaid): 2/28/2025**

## R. Add-On Codes

Some codes in the *CPT Professional codebook* are identified as “Add-On” Codes (AOCs) which describe a service that can only be reported in addition to a primary procedure. The *CPT Professional codebook* instructions specify the primary procedure code(s) for most AOCs. For other AOCs, the primary procedure code(s) is (are) not specified. When the *CPT Professional codebook* identifies specific primary codes, the AOCs code shall not be reported as a supplemental service for other HCPCS/CPT codes not listed as a primary code.

AOCs permit the reporting of significant supplemental services commonly performed in addition to the primary procedure. By contrast, incidental services that are necessary to accomplish the primary procedure (e.g., lysis of adhesions in the course of an open cholecystectomy) are not separately reportable with an AOC. Similarly, complications inherent in an invasive procedure occurring during the procedure are not separately reportable. For example, control of bleeding during an invasive procedure is considered part of the procedure and is not separately reportable.

In general, NCCI PTP edits do not include most AOCs because edits related to the primary procedure(s) are adequate to prevent inappropriate payment for an Add-On coded procedure. (i.e., if an edit prevents payment of the primary procedure code, the AOC shall not be paid). However, NCCI PTP edits do include some AOCs when coding edits related to the primary procedures must be supplemented. Examples include edits with Add-On HCPCS/CPT codes 69990 (Microsurgical techniques requiring use of operating microscope) and 95940/95941/G0453 (Intraoperative neurophysiology testing).

The HCPCS/CPT codes that are not designated as AOCs shall not be misused as an AOC to report a supplemental service. A HCPCS/CPT code may be reported if and only if all services described by the CPT code are performed. A HCPCS/CPT code shall not be reported with another service because a portion of the service described by the HCPCS/CPT code was performed with the other procedure. For example, if an ejection fraction is estimated from an echocardiogram study, it would be inappropriate to additionally report CPT code 78472 (Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing) with the echocardiography (e.g., CPT code 93307). Although the procedure described by CPT code 78472 includes an ejection fraction, it is measured by gated equilibrium with a radionuclide which is not used in echocardiography.

## S. Reserved for Future Use

## T. Unlisted Procedure Codes

The *CPT Professional codebook* includes codes to identify services or procedures not described by other HCPCS/CPT codes. These unlisted procedure codes are identified as XXX99 or XXXX9 codes and are located at the end of each section or subsection of the Manual. If a physician provides a service that is not accurately described by other HCPCS/CPT codes, the service shall be reported using an unlisted procedure code. A physician shall not report a CPT

**Revision Date (Medicaid): 2/28/2025**

code for a specific procedure if it does not accurately describe the service performed. It is inappropriate to report the best fit HCPCS/CPT code unless it accurately describes the service performed, and all components of the HCPCS/CPT code were performed. Since unlisted procedure codes may be reported for a very diverse group of services, generally NCCI PTP edits do not include these codes.

## **U. Reserved for Future Use**

## **V. Medically Unlikely Edits (MUEs)**

MUEs are unit of service edits that were established by CMS to prevent payment for an inappropriate number/quantity of the same service. An MUE is the maximum UOS reported for a HCPCS/CPT code on the vast majority of appropriately reported claims by the same provider/supplier for the same beneficiary on the same date of service.

All practitioner, ambulatory surgical center (ASC), outpatient hospital facility, and provider claims submitted to state Medicaid agencies or fiscal agents are tested against MUEs. Each line of a claim is adjudicated separately against the MUE value for the HCPCS/CPT code reported on that line.

If the unit of service on that line exceeds the MUE value, the entire line is denied.

If appropriate use of CPT modifiers (i.e., 59 or XE, XP, XS, XU; 76, 77, 91, anatomic) causes the same HCPCS/CPT code to appear on separate lines of a claim, each line is separately adjudicated against the MUE value for that HCPCS/CPT code. State Medicaid agencies or fiscal agents may have rules limiting use of these modifiers with some HCPCS/CPT codes.

An MUE or the lack of an MUE, does not necessarily indicate coverage status of a HCPCS/CPT code. The NCCI program does not establish medical necessity or payment policy.

The MUE value for each HCPCS/CPT code is based on one or more of the following criteria: (Note: For situations in which Medicare policy or data was used to establish a Medicaid MUE value, CMS has determined that it is equally appropriate as NCCI policy for Medicaid.)

1. Anatomic considerations may limit UOS based on anatomic structures. For example:
  - a. The MUE value for an appendectomy is “1” since there is only 1 appendix.
  - b. The MUE for a knee brace is “2” because there are 2 knees and Medicare policy does not cover back-up equipment.
  - c. The MUE value for a lumbar spine procedure reported per lumbar vertebra or per lumbar interspace cannot exceed “5” since there are only 5 lumbar vertebrae or interspaces.
  - d. The MUE value for a procedure reported per lung lobe cannot exceed “5” since there are only 5 lung lobes (3 in right lung and 2 in left lung).
2. The CPT code descriptors/CPT coding instructions in the *CPT Professional codebook* may limit UOS. For example:

**Revision Date (Medicaid): 2/28/2025**

- a. A procedure described as the “initial 30 minutes” would have an MUE value of “1” because of the use of the term “initial.” A different code may be reported for additional time.
  - b. If a code descriptor uses the plural form of the procedure, it must not be reported with multiple UOS. For example, if the code descriptor states “biopsies,” the code is reported with “1” unit of service regardless of the number of biopsies performed.
  - c. The MUE value for a procedure with “per day,” “per week,” or “per month” in its code descriptor is “1” because MUEs are based on number of services per day of service.
  - d. The MUE value of a code for a procedure described as “unilateral” is “1” if there is a different code for the procedure described as “bilateral.”
  - e. The code descriptors of a family of codes may define different levels of service, each having an MUE of “1.” For example, CPT codes 78102-78104 describe bone marrow imaging. CPT code 78102 is reported for imaging a “limited area.” CPT code 78103 is reported for imaging “multiple areas.” CPT code 78104 is reported for imaging the “whole body.”
  - f. The MUE value for CPT code 86021(Antibody identification; leukocyte antibodies) is “1” because the code descriptor is plural including testing for any and all leukocyte antibodies. On a single date of service only one specimen from a patient would be tested for leukocyte antibodies.
  - g. When reporting codes, it is important to assure the accuracy of coding and the correct UOS by selecting a code that accurately identifies the service performed based on factors including but not limited to, the route of administration. For example, for intravitreal injection of bevacizumab, select an intravitreal code (e.g., C9257) rather than an intravenous code (e.g., J9035).
3. Edits based on the NCCI program policies may limit UOS. For example:
- a. The MUE value for a surgical or diagnostic procedure may be based on the bilateral surgery indicator on the Medicare Physician Fee Schedule Database (MPFSDB).
    - i. If the bilateral surgery indicator is “0,” a bilateral procedure must be reported with “1” unit of service. There is no additional payment for the code if reported as a unilateral or bilateral procedure because of anatomy or physiology. Alternatively, the code descriptor may specifically state that the procedure is a unilateral procedure, and there is a separate code for a bilateral procedure.
    - ii. If the bilateral surgery indicator is “1,” a bilateral surgical procedure must be reported with “1” unit of service and modifier 50 (bilateral modifier). A bilateral diagnostic procedure may be reported with “1” unit of service and modifier 50 on 1 claim line, or “1” unit of service and modifier RT on 1 claim line plus “1” unit of service and modifier LT on a second claim line.
    - iii. If the bilateral surgery indicator is “2,” a bilateral procedure must be

**Revision Date (Medicaid): 2/28/2025**

- reported with “1” unit of service. The procedure is priced as a bilateral procedure because (1) the code descriptor defines the procedure as bilateral; (2) the code descriptor states that the procedure is performed unilaterally or bilaterally; or (3) the procedure is usually performed as a bilateral procedure.
- iv. If the bilateral surgery indicator is “3,” a bilateral surgical procedure must be reported with “1” unit of service and modifier 50 (bilateral modifier). A bilateral diagnostic procedure may be reported with “2” UOS on 1 claim line, “1” unit of service and modifier 50 on 1 claim line, or “1” unit of service and modifier RT on 1 claim line plus “1” unit of service and modifier LT on a second claim line.
  - b. The MUE value for a code may be “1” because the code descriptor does not specify a unit of service, and NCCI policy considers the default UOS to be “per day.”
  - c. The MUE value for a code may be “0” for reasons including but not limited to the following:
    - i. The outpatient hospital (OPH) MUE may be “0” for a surgical or non-surgical therapeutic procedure code(s) that Medicare has determined would not be performed in an outpatient setting. The corresponding practitioner (PRA) MUE will not be “0.”
    - ii. The OPH MUE may be “0” for an Evaluation & Management code that specifies an inpatient hospital service. The corresponding PRA MUE will not be “0.”
    - iii. The MUE for a drug may be “0” if it is no longer being manufactured.
    - iv. The MUEs are “0” for compounded nebulizer drugs based on Medicare policy.
    - v. The DME MUE for an injectable drug may be “0” if Medicare has determined that it should not be administered in the home setting.
4. The nature of an analyte may limit UOS and is in general determined by:
- a. The nature of the specimen may limit the UOS. For example, CPT code 82575 describes a creatinine clearance test and has an MUE of “1” because the test requires a twenty-four-hour urine collection; or
  - b. The physiology, pathophysiology, or clinical application of the analyte is such that a maximum unit of service for a single date of service can be determined. For example, the MUE for CPT code 82747 (RBC folic acid) is “1” because the test result would not be expected to change during a single day, and thus it is not necessary to perform the test more than once on a single date of service.
5. The nature of a procedure/service may limit UOS and is in general determined by the amount of time required to perform a procedure/service (e.g., overnight sleep studies) or clinical application of a procedure/service (e.g., motion analysis tests).
- a. The MUE for many surgical or medical procedures is “1” because the procedure is rarely, if ever, performed more than 1 time per day (e.g., colonoscopy, motion analysis tests).

**Revision Date (Medicaid): 2/28/2025**



- b. The MUE value for a procedure is “1” because of the amount of time required to perform the procedure (e.g., overnight sleep study).
6. The nature of equipment may limit UOS and is in general determined by the number of items of equipment that would be used. For example, the MUE value for a wheelchair code is “1” because only 1 wheelchair is used at 1 time and Medicare policy does not cover back-up equipment.
7. Although clinical judgment considerations and determinations based on input from numerous physicians and certified coders are sometimes initially used to establish some MUE values, these values are subsequently validated or changed based on submitted and/or paid claims data.
8. Prescribing information is based on FDA labeling as well as off-label information published in the CMS-approved drug compendia. See below for additional information about how prescribing information is used in determining MUE values.
9. The NCCI program uses Medicare claims data to establish some Medicaid MUE values and to evaluate reconsideration requests. Submitted and paid claims data (100%) from a 6-month period is used to ascertain the distribution pattern of UOS typically reported for a given HCPCS/CPT code.

HCPCS J code and drug related C and Q code MUEs are based on prescribing information how product is supplied, and/or 100% Medicare claims data for a 6-month period of time. Using the prescribing information, the highest total daily dose for each drug was determined. This dose and its corresponding UOS were evaluated against paid and submitted claims data. Some of the guiding principles used in developing these edits are as follows:

- (1) If the prescribing information defined a maximum daily dose, this value was used to determine the MUE value. For some drugs there is an absolute maximum daily dose. For others there is a maximum "recommended" or "usual" dose. In the latter 2 cases, the daily dose calculation was evaluated against claims data.
- (2) If the maximum daily dose calculation is based on actual body weight, a dose based on a weight range of 110-150 kg was evaluated against the claims data. If the maximum daily dose calculation is based on ideal body weight, a dose based on a weight range of 90-110 kg was evaluated against claims data. If the maximum daily dose calculation is based on body surface area (BSA), a dose based on a BSA range of 2.4-3.0 square meters was evaluated against claims data.
- (2) For drugs where the maximum daily dose is based on patient response or need, prescribing information and claims data were used to establish MUE values.
- (4) Published off label use of a drug was considered for the maximum daily dose

**Revision Date (Medicaid): 2/28/2025**

calculation.

- (5) The MUE values for some drug codes are set to “0.” The rationale for such value includes but is not limited to discontinued manufacture of drug and non-FDA approved compounded drug.

Non-drug related HCPCS/CPT codes may be assigned an MUE of “0” for a variety of reasons including, but not limited to, outpatient hospital MUE value for a surgical procedure only performed as an inpatient procedure.

The MUE files on the [CMS Medicaid NCCI Edit Files webpage](#) display an “Edit Rationale” for each HCPCS/CPT code. Although an MUE may be based on several rationales, only one is displayed on the website. One of the listed rationales is Medicare “Data.” This rationale indicates that 100% claims data from a six-month period of time was the major factor in determining the MUE value. If a physician appeals an MUE denial for a HCPCS/CPT code where the MUE is based on Medicare “Data,” the reviewer will usually confirm that (1) the correct code is reported; (2) the correct UOS are used; (3) the number of reported UOS were performed; and (4) all UOS were medically reasonable and necessary.

Many surgical procedures may be performed bilaterally. The NCCI program requires that bilateral surgical procedures may be reported using modifier 50 with one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. If a bilateral surgical procedure is performed at different sites bilaterally, one unit of service may be reported for each site. That is, the HCPCS/CPT code may be reported with modifier 50 and one unit of service for each site at which it was performed bilaterally.

Some state Medicaid agencies or fiscal agents allow providers to report repetitive services performed over a range of dates on a single line of a claim with multiple UOS. If a provider reports services in this fashion, the provider should report the “from date” and “to date” on the claim line. Contractors are instructed to divide the UOS reported on the claim line by the number of days in the date span and round to the nearest whole number. This number is compared to the MUE value for the code on the claim line. A denial of services due to an MUE is a coding denial, not a medical necessity denial. HCPCS/CPT codes that are denied based on MUEs may not be billed to Medicaid beneficiaries.

Most MUE values are set so that a provider/supplier would only very occasionally have a claim line denied. If a provider encounters a code with frequent denials due to the MUE or frequent use of a CPT modifier to bypass the MUE, the provider should consider the following: (1) Is the HCPCS/CPT code being used correctly? (2) Is the unit of service being counted correctly? (3) Are all reported services medically reasonable and necessary? and (4) Why does the provider’s practice differ from national patterns? A provider may choose to discuss these questions with the local Medicaid contractor or a national health care organization whose members frequently perform the procedure.

Medicaid MUE values are published on the CMS Medicaid NCCI webpage.

**Revision Date (Medicaid): 2/28/2025**



Although there are currently no confidential Medicaid MUEs, CMS reserves the right to develop confidential Medicaid MUEs in the future. If that occurs, the confidential MUE values shall not be published in oral or written form by any party that acquires one or more of them.

The MUEs do not define the UOS that are allowable for individual patients. Although the MUE value for some codes may represent the commonly reported UOS (e.g., MUE of “1” for appendectomy), the usual UOS for many HCPCS/CPT codes is less than the MUE value. Claims reporting UOS less than or equal to the MUE value may be subject to review by state Medicaid agencies or fiscal agents, Unified Program Integrity Contractor (UPICS), Recovery Audit Contractors (RACs), Medicaid Fraud Control Units, and the **U.S.** Department of Justice (DOJ).

Since MUEs are coding edits rather than medical necessity edits, state Medicaid agencies or fiscal agents may have UOS edits that are more restrictive than MUEs. In such cases, these more restrictive edits would be applied to the claim.

#### **W. Medicaid Add-On Code (AOC) edits**

Medicaid Add-On Code (AOC) edits are optional for use by the state Medicaid agencies at this time rather than mandatory.

For more information about Medicaid AOCs, please see the Technical Guidance Manual Section 7.8.

## **CHAPTER II**

### **ANESTHESIA SERVICES CPT CODES 00000-01999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter II.....	II-3
Anesthesia Services.....	II-3
CPT Codes 00000–01999 .....	II-3
A. Introduction.....	II-3
B. Standard Anesthesia Coding .....	II-4
C. Radiologic Anesthesia Coding .....	II-11
D. Monitored Anesthesia Care.....	II-11
E. General Policy Statements.....	II-12

**Revision Date (Medicaid): 1/1/2025**

## **Chapter II**

### **Anesthesia Services**

### **CPT Codes 00000–01999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 00000-01999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

Anesthesia care is provided by an anesthesia practitioner who may be a physician, a certified registered nurse anesthetist (CRNA) with or without medical direction, or an anesthesia assistant (AA) with medical direction. The anesthesia care package consists of preoperative evaluation, standard preparation and monitoring services, administration of anesthesia, and post-anesthesia recovery care.

Preoperative evaluation includes a sufficient history and physical examination so that the risk of adverse reactions can be minimized, alternative approaches to anesthesia planned, and all questions regarding the anesthesia procedure by the patient or family answered. Types of anesthesia include local, regional, epidural, general, moderate conscious sedation, or monitored anesthesia care. The anesthesia practitioner assumes responsibility for anesthesia and related care rendered in the post-anesthesia recovery period until the patient is released to the surgeon or another physician.

Anesthesiologists may personally perform anesthesia services or may supervise anesthesia services performed by a CRNA or AA. CRNAs may perform anesthesia services independently or under the supervision of an anesthesiologist or operating practitioner. An AA always performs anesthesia services under the direction of an anesthesiologist.

Likewise, under OPPS, payment for the anesthesia service is generally included in the payment for the medical or surgical procedure.

**Revision Date (Medicaid): 1/1/2025**

## B. Standard Anesthesia Coding

The following policies reflect the National Correct Coding Initiative (NCCI) program correct coding guidelines for anesthesia services.

1. The CPT codes 00100-01860 specify "Anesthesia for" followed by a description of a surgical intervention. The CPT codes 01916-01942 describe anesthesia for radiological procedures. Several CPT codes (01951-01999) describe anesthesia services for burn excision/debridement, obstetrical, and other procedures. The CPT codes 99151-99157 describe moderate (conscious) sedation services. (CPT codes 01935 and 01936 were deleted January 1, 2022.)

Anesthesia services include, but are not limited to, preoperative evaluation of the patient, administration of anesthetic, other medications, blood, and fluids, monitoring of physiological parameters, and other supportive services.

Anesthesia codes describe a general anatomic area or service which usually relates to a number of surgical procedures, often from multiple sections of the *CPT Professional codebook*. Only one anesthesia code is reported unless the anesthesia code is an Add-On Code (AOC).

2. A unique characteristic of anesthesia coding is the reporting of time units. Payment for anesthesia services increases with time. In addition to reporting a base unit value for an anesthesia service, the anesthesia practitioner reports anesthesia time. Anesthesia time is defined as the period during which an anesthesia practitioner is present with the patient. It starts when the anesthesia practitioner begins to prepare the patient for anesthesia services in the operating room or an equivalent area and ends when the anesthesia practitioner is no longer furnishing anesthesia services to the patient (i.e., when the patient may be placed safely under postoperative care). Anesthesia time is a continuous time period from the start of anesthesia to the end of an anesthesia service. In counting anesthesia time, the anesthesia practitioner can add blocks of time around an interruption in anesthesia time as long as the anesthesia practitioner is furnishing continuous anesthesia care within the time periods around the interruption.

### Example

A patient who undergoes a cataract extraction may require monitored anesthesia care (see below). This may require administration of a sedative in conjunction with a peri/retrobulbar injection for regional block anesthesia. Subsequently, there may be an interval of 30 minutes or more during which time the patient does not require monitoring by an anesthesia practitioner. After this period, monitoring will begin again for the cataract extraction and ultimately the patient will be released to the surgeon's care or to recovery. The time that may be reported would include the time for the monitoring during the block and during the procedure. The interval time and the recovery time are not included in the anesthesia time calculation. Also, if unusual services not bundled into the anesthesia service are required, the time spent delivering these services before anesthesia

**Revision Date (Medicaid): 1/1/2025**

time begins or after it ends may not be included as reportable anesthesia time.

However, if it is medically necessary for the anesthesia practitioner to continuously monitor the patient during the interval time and not perform any other service, the interval time may be included in the anesthesia time.

3. It is standard medical practice for an anesthesia practitioner to perform a patient examination and evaluation before surgery. This is considered part of the anesthesia service and is included in the base unit value of the anesthesia code. The evaluation and examination are not reported in the anesthesia time. If surgery is canceled, after the preoperative evaluation, payment may be allowed to the anesthesiologist for an Evaluation & Management (E&M) service and the appropriate E&M code may be reported. (A non-medically directed CRNA may also report an E&M code under these circumstances if permitted by state law.)

Similarly, routine postoperative evaluation is included in the base unit for the anesthesia service. If this evaluation occurs after the anesthesia practitioner has safely placed the patient under postoperative care, neither additional anesthesia time units nor E&M codes shall be reported for this evaluation. Postoperative E&M services related to the surgery are not separately reportable by the anesthesia practitioner except when an anesthesiologist provides significant, separately identifiable ongoing critical care services.

Anesthesia practitioners other than anesthesiologists and CRNAs cannot report E&M codes except as described above when a surgical case is canceled.

If permitted by state law anesthesia practitioners may separately report significant, separately identifiable postoperative management services after the anesthesia service time ends. These services include, but are not limited to, postoperative pain management and ventilator management unrelated to the anesthesia procedure.

Management of epidural or subarachnoid drug administration (CPT code 01996) is separately payable on dates of service after surgery but not on the date of surgery. If the only service provided is management of epidural/subarachnoid drug administration, then an E&M service shall not be reported in addition to CPT code 01996. Payment for management of epidural/subarachnoid drug administration is limited to one unit of service per postoperative day regardless of the number of visits necessary to manage the catheter per postoperative day (CPT definition). While an anesthesiologist or non-medically directed CRNA may be able to report this service, only one payment will be made per day.

Postoperative pain management services are generally provided by the surgeon who is reimbursed under a global payment policy related to the procedure and shall not be reported by the anesthesia practitioner unless separate, medically necessary services are required that cannot be rendered by the surgeon. The surgeon is responsible for documenting in the medical record the reason care is being referred to the anesthesia

**Revision Date (Medicaid): 1/1/2025**

practitioner.

In certain circumstances critical care services are provided by the anesthesiologist. CRNAs may be paid for E&M services in the critical care area if state policy, law and/or regulation permit them to provide such services. In the case of anesthesiologists, the routine immediate postoperative care is not separately reported except as described above. Certain procedural services such as insertion of a Swan-Ganz catheter, insertion of a central venous pressure line, emergency intubation (outside of the operating suite), etc., are separately payable to anesthesiologists as well as non-medically directed CRNAs if these procedures are furnished within the parameters of state licensing laws.

4. Under certain circumstances, an anesthesia practitioner may separately report an epidural or peripheral nerve block injection (bolus, intermittent bolus, or continuous infusion) for postoperative pain management when the surgeon requests assistance with postoperative pain management. An epidural injection (CPT code 623XX) for postoperative pain management may be reported separately with an anesthesia 0XXXX code only if the mode of intraoperative anesthesia is general anesthesia and the adequacy of the intraoperative anesthesia is not dependent on the epidural injection. A peripheral nerve block injection (CPT code 64XXX) for postoperative pain management may be reported separately with an anesthesia 0XXXX code only if the mode of intraoperative anesthesia is general anesthesia, subarachnoid injection, or epidural injection, and the adequacy of the intraoperative anesthesia is not dependent on the peripheral nerve block injection. An epidural or peripheral nerve block injection (e.g., 62320-62327 or 64400-64530) administered preoperatively or intraoperatively is not separately reportable for postoperative pain management if the mode of anesthesia for the procedure is monitored anesthesia care, moderate conscious sedation, regional anesthesia by peripheral nerve block, or other type of anesthesia not identified above. If an epidural or peripheral nerve block injection (e.g., 62320-62327 or 64400-64530) for postoperative pain management is reported separately on the same date of service as an anesthesia 0XXXX code, modifier 59 or XU may be appended to the epidural or peripheral nerve block injection code (e.g., 62320-62327 or 64400-64530) to indicate that it was administered for postoperative pain management. An epidural or peripheral nerve block injection (e.g., 62320-62327 or 64400-64530) for postoperative pain management in patients receiving general anesthesia, spinal (subarachnoid injection) anesthesia, or regional anesthesia by epidural injection as described above may be administered preoperatively, intraoperatively, or postoperatively.
5. If an epidural or subarachnoid injection (bolus, intermittent bolus, or continuous) is used for intraoperative anesthesia and postoperative pain management, CPT code 01996 (daily hospital management of epidural or subarachnoid continuous drug administration) is not separately reportable on the day of insertion of the epidural or subarachnoid catheter. CPT code 01996 may only be reported for management for days subsequent to the date of insertion of the epidural or subarachnoid catheter.
6. Anesthesia HCPCS/CPT codes include all services integral to the anesthesia procedure such as preparation, monitoring, intra-operative care, and post-operative care until the

**Revision Date (Medicaid): 1/1/2025**

patient is released by the anesthesia practitioner to the care of another physician. Examples of integral services include, but are not limited to, the following:

- Transporting, positioning, prepping, draping of the patient for satisfactory anesthesia induction/surgical procedures.
- Placement of external devices including, but not limited to, those for cardiac monitoring, oximetry, capnography, temperature monitoring, Electroencephalography (EEG), Central Nervous System (CNS) evoked responses (e.g., Brainstem-evoked Response (BSER)), and Doppler flow.
- Placement of peripheral intravenous lines for fluid and medication administration.
- Placement of airway (e.g., endotracheal tube, orotracheal tube).
- Laryngoscopy (direct or endoscopic) for placement of airway (e.g., endotracheal tube).
- Placement of nasogastric or orogastric tube.
- Intra-operative interpretation of monitored functions (e.g., blood pressure, heart rate, respirations, oximetry, capnography, temperature, EEG, BSER, Doppler flow, CNS pressure).
- Interpretation of laboratory determinations (e.g., arterial blood gases such as pH, pO<sub>2</sub>, pCO<sub>2</sub>, bicarbonate, CBC, blood chemistries, lactate) by the anesthesiologist/CRNA.
- Nerve stimulation for determination of level of paralysis or localization of nerve(s). (Codes for Electromyography (EMG) services are for diagnostic purposes for nerve dysfunction. To report these codes a complete diagnostic report must be present in the medical record.)
- Insertion of urinary bladder catheter.
- Blood sample procurement through existing lines or requiring venipuncture or arterial puncture.

The NCCI program contains many edits bundling standard preparation, monitoring, and procedural services into anesthesia CPT codes. Although some of these services may never be reported on the same date of service as an anesthesia service, many of these services could be provided at a separate patient encounter unrelated to the anesthesia service on the same date of service. Providers may use modifier 59 or XE to bypass the edits under these circumstances.

CPT codes describing services that are integral to an anesthesia service include, but are not limited to, the following:

- 31505, 31515, 31527 (Laryngoscopy) (Laryngoscopy codes describe diagnostic or surgical services.)
- 31622, 31645, 31646 (Bronchoscopy)
- 36000, 36010-36015 (Introduction of needle or catheter)
- 36400-36440 (Venipuncture and transfusion)
- 62320-62327 (Epidural or subarachnoid injections of diagnostic or therapeutic substance) bolus, intermittent bolus, or continuous infusion
- CPT codes 62320-62327 (Epidural or subarachnoid injections of diagnostic or therapeutic substance - bolus, intermittent bolus, or continuous infusion) may be reported on the date of surgery if performed for postoperative pain management, rather than as the means for

**Revision Date (Medicaid): 1/1/2025**



providing the regional block for the surgical procedure. If a narcotic or other analgesic is injected **postoperatively** through the same catheter as the anesthetic agent, CPT codes 62320-62327 shall not be reported for postoperative pain management. An epidural injection for postoperative pain management may be separately reportable with an anesthesia 0XXXX code only if the patient receives a general anesthetic and the adequacy of the intraoperative anesthesia is not dependent on the epidural injection. If an epidural injection is not used for operative anesthesia but is used for postoperative pain management, modifier 59 or XU may be reported to indicate that the epidural injection was performed for postoperative pain management rather than intraoperative pain management.

Pain management performed by an anesthesia practitioner after the postoperative anesthesia care period terminates may be separately reportable. However, postoperative pain management by the physician performing a surgical procedure is not separately reportable by that physician. Postoperative pain management is included in the global package.

#### Example

A patient has an epidural block with sedation and monitoring for arthroscopic knee surgery. The anesthesia practitioner reports CPT code 01382 (Anesthesia for diagnostic arthroscopic procedures of knee joint). The epidural catheter is left in place for postoperative pain management. The anesthesia practitioner shall not also report CPT codes 62322, 62323, 62326, or 62327 (epidural/subarachnoid injection of diagnostic or therapeutic substance), or 01996 (daily management of epidural) on the date of surgery. The CPT code 01996 may be reported with one unit of service per day on subsequent days until the catheter is removed. On the other hand, if the anesthesia practitioner performed general anesthesia reported as CPT code 01382 and at the request of the operating physician inserted an epidural catheter for treatment of anticipated postoperative pain, the anesthesia practitioner may report CPT code 62326-59 **or XU**, or 62327-59 or XU, indicating that this is a separate service from the anesthesia service. In this instance, the service is separately reportable whether the catheter is placed before, during, or after the surgery. Since treatment of postoperative pain is included in the global package, the operating physician may request the assistance of the anesthesia practitioner if the degree of postoperative pain is expected to exceed the skills and experience of the operating physician to manage it. If the epidural catheter was placed on a different date than the surgery, modifier 59 or XU would not be necessary. Daily hospital management of continuous epidural or subarachnoid drug administration performed on the day(s) subsequent to the placement of an epidural or subarachnoid catheter (CPT codes 62324-62327) may be reported as CPT code 01996.

- 64400-64530 (Peripheral nerve blocks – bolus injection or continuous infusion)

CPT codes 64400-64530 (Peripheral nerve blocks – bolus injection or continuous infusion) may be reported on the date of surgery if performed for postoperative pain management only if the operative anesthesia is general anesthesia, subarachnoid injection, or epidural injection and the adequacy of the intraoperative anesthesia is not dependent on the peripheral nerve block. Peripheral nerve block codes shall not be reported separately on the same date of service as a surgical procedure if used as the primary anesthetic technique or as a supplement to the primary

**Revision Date (Medicaid): 1/1/2025**

anesthetic technique. Modifier 59 or XU may be used to indicate that a peripheral nerve block injection was performed for postoperative pain management, rather than intraoperative anesthesia. A procedure note shall be included in the medical record.

- 67500 (Retrobulbar injection)
- 81000-81015, 82013, 80345, 82270, 82271 (Performance and interpretation of laboratory tests)
- 43753, 43754, 43755 (Esophageal, gastric intubation)
- 92511-92520, 92537, 92538 (Special otorhinolaryngologic services)
- 92950 (Cardiopulmonary resuscitation)
- 92953 (Temporary transcutaneous pacemaker)
- 92960, 92961 (Cardioversion)
- 93000-93010 (Electrocardiography)
- 93040-93042 (Electrocardiography)
- 93303-93308 (Transthoracic echocardiography when used for monitoring purposes)  
However, when performed for diagnostic purposes with documentation including a formal report, this service may be considered a significant, separately identifiable, and separately reportable service.
- 93312-93317 (Transesophageal echocardiography when used for monitoring purposes)  
However, when performed for diagnostic purposes with documentation including a formal report, this service may be considered a significant, separately identifiable, and separately reportable service.
- 93318 (Transesophageal echocardiography for monitoring purposes)
- 93355 (Transesophageal echocardiography for guidance for transcatheter intracardiac or great vessel(s) structural intervention(s))
- 93561-93562 (Indicator dilution studies) (CPT codes 93561-93562 were deleted January 1, 2022.)
- 93701 (Thoracic electrical bioimpedance)
- 93922-93981 (Extremity or visceral arterial or venous vascular studies) When performed diagnostically with a formal report, this service may be considered a significant, separately identifiable, and if medically necessary, a separately reportable service.
- 94640 (Inhalation/IPPB treatments)
- 94002-94004, 94660-94662 (Ventilation management/CPAP services)
- If these services are performed during a surgical procedure, they are included in the anesthesia service. These services may be separately reportable if performed by the anesthesia practitioner after post-operative care has been transferred to another physician by the anesthesia practitioner. Modifier 59 or XU may be reported to indicate that these services are separately reportable. For example, if an anesthesia practitioner who provided anesthesia for a procedure initiates ventilation management in a post-operative recovery area before transfer of care to another physician, CPT codes 94002-94003 shall not be reported for this service since it is included in the anesthesia procedure package. However, if the anesthesia practitioner transfers care to another physician and is called back to initiate ventilation because of a change in the patient's status, the initiation of ventilation may be separately reportable.
- 94664 (Inhalations)

**Revision Date (Medicaid): 1/1/2025**

- 94680-94690
- 94760-94762 (Oximetry)
- 96360-96379 (Drug administration)
- 99202-99499 (Evaluation and Management)

This list is not a comprehensive listing of all services included in anesthesia services.

7. Under the NCCI program, the physician performing an operative procedure is responsible for treating postoperative pain. Treatment of postoperative pain by the operating physician is not separately reportable. However, the operating physician may request that an anesthesia practitioner assist in the treatment of postoperative pain management if it is medically reasonable and necessary. The actual or anticipated postoperative pain must be severe enough to require treatment by techniques beyond the experience of the operating physician. For example, the operating physician may request that the anesthesia practitioner administer an epidural or peripheral nerve block to treat actual or anticipated postoperative pain. The epidural or peripheral nerve block may be administered preoperatively, intraoperatively, or postoperatively. An epidural or peripheral nerve block that provides intraoperative pain management even if it also provides postoperative pain management is included in the 0XXXX anesthesia code and is not separately reportable, even if it also provides postoperative pain management. (See Chapter II Section B, Subsection 4 for guidelines regarding reporting anesthesia and postoperative pain management separately by an anesthesia practitioner on the same date of service.)

If the operating physician requests that the anesthesia practitioner perform pain management services after the postoperative anesthesia care period terminates, the anesthesia practitioner may report it separately using modifier 59 or XU. Since postoperative pain management by the operating physician is included in the global package, the operating physician may request the assistance of an anesthesia practitioner if it requires techniques beyond the expertise of the operating physician.

8. Several nerve block CPT codes (e.g., 64416 (brachial plexus), 64446 (sciatic nerve), 64448 (femoral nerve), 64449 (lumbar plexus)) describe “continuous infusion by catheter (including catheter placement).” Two epidural/subarachnoid injection CPT codes 62324-62327 describe continuous infusion or intermittent bolus injection including catheter placement. If an anesthesia practitioner places a catheter for continuous infusion epidural/subarachnoid or nerve block for intraoperative pain management, the service is included in the 0XXXX anesthesia procedure and is not separately reportable on the same date of service even if it also provides postoperative pain management.

Under the NCCI program, postoperative pain management is a component of the global package and is the responsibility of the physician performing the global procedure. If the physician performing the global procedure does not have the skills and experience to manage the postoperative pain and requests that an anesthesia practitioner assume the postoperative pain management, the anesthesia practitioner may report the additional services performed once this responsibility is transferred to the anesthesia practitioner. Pain management services subsequent to the date of insertion of the catheter for continuous infusion may be reported with CPT code

**Revision Date (Medicaid): 1/1/2025**

01996 for epidural/subarachnoid infusions and with E&M codes for nerve block continuous infusions.

### **C. Radiologic Anesthesia Coding**

Under the NCCI program, only one anesthesia code (e.g., 01916-01942) may be reported for anesthesia services provided in conjunction with radiological procedures, even if multiple radiologic procedures are performed during the same encounter.

Radiological Supervision and Interpretation (RS&I) codes apply to certain radiological procedures. The appropriate RS&I codes are reported by the appropriate provider (e.g., radiologist, cardiologist, neurosurgeon, radiation oncologist). The RS&I codes are not included in the anesthesia for these procedures.

Under the NCCI program, the physician performing a radiologic procedure is generally not permitted to separately report anesthesia for the procedure.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

If a physician performing a radiologic procedure inserts a catheter as part of that procedure, and through the same site a catheter is used for monitoring purposes, it is inappropriate for either the anesthesia practitioner or the physician performing the radiologic procedure to separately report placement of the monitoring catheter (e.g., CPT codes 36500, 36555-36556, 36568-36569, 36580, 36584, 36597).

### **D. Monitored Anesthesia Care**

Monitored Anesthesia Care may be performed by an anesthesia practitioner who administers sedatives, analgesics, hypnotics, or other anesthetic agents so that the patient remains responsive and breathes on their own. Monitored anesthesia care provides anxiety relief, amnesia, pain relief, and comfort. **Monitored anesthesia care** involves patient monitoring sufficient to anticipate the potential need to administer general anesthesia during a surgical or other procedure. The requires careful and continuous evaluation of various vital physiologic functions and the recognition and treatment of any adverse changes. This type of anesthesia service is a payable service if medically reasonable and necessary.

Monitored anesthesia care includes the intraoperative monitoring by an anesthesia practitioner of the patient's vital physiological signs in anticipation of the need for administration of general anesthesia or of the development of adverse reaction to the surgical procedure. It also includes the performance of a pre-anesthesia evaluation and examination, prescription of the anesthesia care, administration of necessary oral or parenteral medications, and provision of indicated postoperative anesthesia care.

**Revision Date (Medicaid): 1/1/2025**

The CPT code 01920 (Anesthesia for cardiac. . . (not to include Swan-Ganz catheter)) may be reported for monitored anesthesia care in patients who are critically ill or critically unstable.

## E. General Policy Statements

1. The Medically Unlikely Edit (MUE) values and NCCI Procedure-to-Procedure (PTP) edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual, many policies are described using the term “physician”. Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.
3. In 2010 the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual* use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. Physicians shall not report drug administration CPT codes 96360-96379 for anesthetic agents or other drugs administered between the patient’s arrival at the operative center and discharge from the post-anesthesia care unit.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

6. Intraoperative neurophysiology monitoring (HCPCS/CPT codes 95940, 95941, and

**Revision Date (Medicaid): 1/1/2025**

G0453) and other 90000 neurophysiology testing codes (e.g., CPT codes 92652, 92653, 95822, 95860, 95861, 95867, 95868, 95870, 95907-95913, 95925-95937) shall not be reported by the physician/anesthesia practitioner performing an anesthesia procedure, since it is included in the global package for the primary surgical service code. However, when performed by a different physician during the procedure, intra-anesthesia neurophysiology monitoring/testing may be separately reportable by a second physician.

7. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
8. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

## **CHAPTER III**

### **SURGERY: INTEGUMENTARY SYSTEM CPT CODES 10000-19999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid) 1/1/2025**

## Table of Contents

Chapter III .....	III-3
Surgery: Integumentary System.....	III-3
CPT Codes 10000 – 19999.....	III-3
A. Introduction .....	III-3
B. Evaluation & Management (E&M) Services .....	III-3
C. Anesthesia .....	III-5
D. Incision and Drainage .....	III-6
E. Lesion Removal .....	III-6
F. Mohs Micrographic Surgery .....	III-8
G. Intralesional Injections.....	III-8
H. Repair and Tissue Transfer .....	III-9
I. Grafts and Flaps .....	III-9
J. Breast (Incision, Excision, Introduction, Repair and Reconstruction) .....	III-10
K. Medically Unlikely Edits (MUEs).....	III-11
L. General Policy Statements.....	III-12

Revision Date (Medicaid) 1/1/2025



## **Chapter III**

### **Surgery: Integumentary System**

#### **CPT Codes 10000 – 19999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the CPT codes in the range 10000-19999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Technology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

**Revision Date (Medicaid): 1/1/2025**

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform a minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, **unless related to a complication of surgery**, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure may **be appropriate in some instances**.

**Revision Date (Medicaid): 1/1/2025**

## C. Anesthesia

With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure.

Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379), or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Local anesthesia including local infiltration, regional blocks, mild sedation, and all other anesthesia services except moderate conscious sedation reportable as CPT codes 99151-99153 are not separately reportable by a physician performing a medical or surgical procedure.

Billing for "anesthesia" services rendered by a nurse or other office personnel, (unless the nurse is an independent certified nurse anesthetist, CRNA, etc.) is inappropriate as these services are "incident to" the physician's services.

It is a misuse of therapeutic injection or aspiration CPT codes to report administration of local anesthesia for a procedure. For example, it is a misuse of CPT codes 10160 (Puncture aspiration), 20500-20501 (Injection of sinus tract), 20526-20553 (Injection of carpal tunnel, tendon sheath, ligament, trigger points, etc.), 20600-20611 (Arthrocentesis) to report administration of local anesthetic for another procedure.

CPT codes 64450 (Injection(s), anesthetic agent(s) and/or steroid; other peripheral nerve or branch) and 64455 (Injection(s), anesthetic agent and/or steroid; plantar common digital nerve(s) (eg, Morton's neuroma)) shall not be reported by a surgeon for anesthesia for a surgical procedure. If performed as a therapeutic or diagnostic injection unrelated to the surgical procedure, these codes may be reported separately.

In the postoperative period, patients treated with epidural or subarachnoid continuous drug administration may require daily hospital adjustment/management of the catheter, dosage, etc., (CPT code 01996). This service may be reported by the anesthesia practitioner.

The management of postoperative pain by the surgeon who performed the procedure, including epidural or subarachnoid drug administration, is included in the global period services associated with the operative procedure. If the only surgery performed is placement of an epidural or subarachnoid catheter for continuous drug administration, CPT code 01996 may be reported on

**Revision Date (Medicaid): 1/1/2025**

subsequent days by the managing physician.

#### **D. Incision and Drainage**

Incision and drainage services, as related to the integumentary system, generally involve cutaneous or subcutaneous drainage of cysts, pustules, infections, hematomas, abscesses, seromas or fluid collections.

If it is necessary to incise and/or drain a lesion as part of another procedure or in order to gain access to an area for another procedure, the incision and/or drainage is not separately reportable if performed at the same patient encounter.

For example, a physician excising pilonidal cysts and/or sinuses (CPT codes 11770-11772) may incise and drain one or more of the cysts. It is inappropriate to report CPT codes 10080 or 10081 separately for the incision and drainage of the pilonidal cyst(s).

HCPSC/CPT codes for incision and drainage shall not be reported separately with other procedures such as excision, repair, destruction, removal, etc., when performed at the same anatomic site at the same patient encounter.

HCPSC/CPT codes describing complications of a procedure may or may not be separately reportable at the same patient encounter as the procedure causing the complication. (See Chapter I, Section C, Paragraph 14)

CPT code 10180 (Incision and drainage, complex, postoperative wound infection) would never be reportable for the same patient encounter as the procedure causing the postoperative infection. It may be separately reportable with a subsequent procedure, depending upon the circumstances. If it is performed to gain access to an anatomic region for another procedure, CPT code 10180 is not separately reportable. However, if the procedure described by CPT code 10180 is performed at an anatomic site unrelated to another procedure, it may be reported separately with the procedure.

#### **E. Lesion Removal**

1. The HCPSC/CPT codes define different types of removal codes such as destruction (e.g., laser, freezing), debridement, paring/cutting, shaving, or excision. Only one removal HCPSC/CPT code may be reported for a lesion. If multiple lesions are included in a single removal procedure (e.g., single excision of skin containing 3 nevi), only 1 removal HCPSC/CPT code may be reported for the procedure. If a removal procedure is begun by one method but is converted to another method to complete the procedure, only the HCPSC/CPT code describing the completed procedure may be reported. If it is medically necessary to remove multiple lesions separately, it may be appropriate (depending upon the code descriptors) to report multiple HCPSC/CPT codes using anatomic modifiers or modifier 59 or XS to indicate different sites or lesions.

**Revision Date (Medicaid): 1/1/2025**

2. The HCPCS/CPT codes for lesion removal include the procurement of tissue from the same lesion by biopsy at the same patient encounter. CPT codes 11102-11107 (biopsy of skin) shall not be reported separately. CPT codes 11102-11107 may be separately reportable with lesion removal HCPCS/CPT codes if the biopsy is performed on a different lesion than the removal procedure.
3. Removed tissue is often submitted for surgical pathology evaluation, which is generally reported with CPT codes 88300-88309. If multiple lesions are submitted for pathological examination as a single specimen, only one CPT code with one unit of service may be reported for examination of all the lesions (even if each lesion is processed separately). However, if it is medically reasonable and necessary to submit multiple lesions separately identifying the precise location of each lesion, a separate surgical pathology CPT code may be reported for each lesion.
4. If a physician reviews pathology slides from previously removed lesion(s) in association with an E&M service to determine whether additional surgery is required, the review of the pathology slides is included in the E&M service. The physician shall not report CPT codes 88321-88325 (Surgical pathology consultation) in addition to the E&M code.
5. Lesion removal may require closure (simple, intermediate, or complex), adjacent tissue transfer, or grafts. If the lesion removal requires dressings, strip closure, or simple closure, these services are not separately reportable. Thus, CPT codes 12001-12021 (simple repairs) are integral to the lesion removal codes. Intermediate or complex repairs, adjacent tissue transfer, and grafts may be separately reportable if medically reasonable and necessary. However, excision of benign lesions with excised diameter of 0.5 cm or less (CPT codes 11400, 11420, 11440) includes simple, intermediate, or complex repairs which shall not be reported separately. If more than 1 lesion is removed and 1 of those lesions is larger than 0.5 cm, an intermediate or complex repair may be reported, if performed, for a lesion larger than 0.5 cm. Removal of 1 lesion smaller than 0.5 cm does not preclude also reporting an intermediate or complex repair for a larger lesion.
6. If lesion removal, incision, or repair requires debridement of non-viable tissue surrounding a lesion, incision, or injury in order to complete the procedure, the debridement is not separately reportable.
7. The NCCI program has a PTP edit with Column One CPT code 11055 (Paring or cutting of benign hyperkeratotic lesion ...) and Column Two CPT code 11720 (Debridement of nail(s) by any method(s); 1 to 5). Modifier 59 or XE, XP, XS, XU shall not be used to bypass the edit if these 2 procedures are performed on the same distal phalanx, including the skin overlying the distal interphalangeal joint.
8. Reflectance confocal microscopy (CPT codes 96931-96936) is performed to determine whether a skin lesion is malignant. The PTP edits allow physicians to report on the same date of service excision of the lesion if malignant, but not biopsy or excision of the lesion if benign.

**Revision Date (Medicaid): 1/1/2025**

## F. Mohs Micrographic Surgery

Mohs micrographic surgery (CPT codes 17311-17315) is performed to remove complex or ill-defined cutaneous malignancy. A single physician performs both the surgery and pathologic examination of the specimen(s). The Mohs micrographic surgery CPT codes include skin biopsy and excision services (CPT codes 11102-11107, 11600-11646, and 17260-17286) and pathology services (CPT codes 88300-88309, 88329-88332). Reporting these latter codes in addition to the Mohs micrographic surgery CPT codes is inappropriate. However, if a suspected skin cancer is biopsied for pathologic diagnosis prior to proceeding to Mohs micrographic surgery, the biopsy (e.g., CPT codes 11102-11107) and frozen section pathology (e.g., CPT code 88331) may be reported separately using modifier 59 or XS or XU, or 58 to distinguish the diagnostic biopsy from the definitive Mohs surgery. Although the *CPT Professional codebook* indicates that modifier 59 should be used, it is also acceptable to use modifier 58 to indicate that the diagnostic skin biopsy and Mohs micrographic surgery were staged or planned procedures. Repairs, grafts, and flaps are separately reportable with the Mohs micrographic surgery CPT codes.

## G. Intralesional Injections

The CPT codes 11900-11901 describe intralesional injections of non-chemotherapeutic agents. The CPT codes 96405-96406 describe intralesional injections of chemotherapeutic agents. Two intralesional injection codes shall not be reported together unless separate lesions are injected with different agents in which case modifier 59 or XS may be used. It is a misuse of CPT codes 11900, 11901, 96405, or 96406 to report injection of local anesthetic prior to another procedure on the lesion(s). Some of the procedures with which CPT codes 11900, 11901, 96405, and 96406 are not separately reportable if the intralesional injection is a local anesthetic include:

- 11200 - 11201 (Removal of skin tags)
- 11300 - 11313 (Shaving of lesions)
- 11400 - 11471 (Excision of benign lesions)
- 11600 - 11646 (Excision of malignant lesions)
- 12001 - 12018 (Repair - simple)
- 12020 - 12021 (Treatment of wound dehiscence)
- 12031 - 12057 (Repair - intermediate)
- 13100 - 13160 (Repair - complex)
- 11719 - 11762 (Trimming, debridement, excision, biopsy, reconstruction or repair of nails and/or nail bed)
- 11765 (Wedge excision)
- 11770 - 11772 (Excision of pilonidal cysts)

This list is not an exhaustive listing of the procedures, since the administration of local anesthesia by the physician performing a procedure is not separately reportable for any procedure.

**Revision Date (Medicaid): 1/1/2025**



## H. Repair and Tissue Transfer

1. The *CPT Professional codebook* classifies repairs (closure) (CPT codes 12001-13160) as simple, intermediate, or complex. If closure cannot be completed by one of these procedures, adjacent tissue transfer or rearrangement (CPT codes 14000-14350) may be used. Adjacent tissue transfer or rearrangement procedures include excision (CPT codes 11400-11646) and repair (CPT codes 12001-13160). Thus, CPT codes 11400-11646 and 12001-13160 shall not be reported separately with CPT codes 14000-14350 for the same lesion or injury. Additionally, debridement necessary to perform a tissue transfer procedure is included in the procedure.
2. It is inappropriate to report debridement (e.g., CPT codes 11000-11001, 11004-11006, 11042-11047, 97597, 97598, 97602) with adjacent tissue transfer (e.g., CPT codes 14000-14350) for the same lesion/injury.
3. Extensively undermining of adjacent tissue to achieve closure of a wound or defect may constitute complex repair, not tissue transfer and rearrangement. Tissue transfer and rearrangement requires that adjacent tissue be incised and carried over to close a wound or defect.
4. Skin grafting in conjunction with a repair or adjacent tissue transfer is separately reportable if the grafting is not included in the code descriptor of the adjacent tissue transfer code.
5. Adjacent tissue transfer codes shall not be reported with the closure of a traumatic wound if the laceration is coincidentally approximated using a tissue transfer type closure (e.g., Z-plasty, W-plasty). The closure should be reported with repair codes. However, if the surgeon develops a specific tissue transfer to close a traumatic wound, a tissue transfer code may be reported.
6. Procurement of cultures or tissue samples during a closure is included in the repair or adjacent tissue transfer codes and is not separately reportable.

## I. Grafts and Flaps

The CPT codes describing skin grafts and skin substitutes are classified by size, location of recipient area defect, and type of graft or skin substitute. For most combinations of location and type of graft/skin substitute, there are 2 or 3 CPT codes including a primary code and 1 or 2 AOCs. The primary code describes 1 size of graft/skin substitute and shall not be reported with more than 1 unit of service. Larger size grafts or skin substitutes are reported with AOCs.

1. The primary graft/skin substitute codes (e.g., **CPT codes** 15100, 15120, 15200, 15220) are mutually exclusive, since only one type of graft/skin substitute can be used at an anatomic site. If multiple sites require different types of grafts/skin substitutes, the different graft/skin substitute CPT codes should be reported with anatomic modifiers or modifier 59 or XS to indicate the different sites.

**Revision Date (Medicaid): 1/1/2025**

2. Debridement of a skin wound (e.g., CPT codes 11000, 11042-11047, 97597, 97598) before a graft/skin substitute is included in the skin graft/skin substitute procedure (CPT codes 15050-15278) and shall not be reported separately.
3. If the recipient site requires excision of open wounds, burn eschar, or scar or incisional release of scar contracture, CPT codes 15002-15005 may be separately reportable for certain types of skin grafts/skin substitutes.
4. Debridement (e.g., CPT codes 11000, 11042-11047, 97597, 97598) of the site of a tissue transfer is included in the tissue transfer procedure and is not separately reportable.
5. A *CPT Professional codebook* instruction following CPT code 67911 (Correction of lid retraction) states that autogenous graft CPT codes (15769, 20920, 20922) may be reported separately. All other services necessary to complete the procedure are included.

#### **J. Breast (Incision, Excision, Introduction, Repair and Reconstruction)**

1. Since a mastectomy (CPT codes 19300-19307) describes removal of breast tissue including all lesions within the breast tissue, breast excision CPT codes (19110-19126) generally are not separately reportable unless performed at a site unrelated to the mastectomy. However, if the breast excision procedure precedes the mastectomy for the purpose of obtaining tissue for pathologic examination which determines the need for the mastectomy, the breast excision and mastectomy CPT codes are separately reportable. (Modifier 58 may be used to indicate that the procedures were staged.) If a diagnosis was established preoperatively, an excision procedure for the purpose of obtaining additional pathologic material is not separately reportable.

Similarly, diagnostic biopsies (e.g., fine needle aspiration, core, incisional) to procure tissue for diagnostic purposes to determine whether an excision or mastectomy is necessary at the same patient encounter may be reported with modifier 58 appended to the excision or mastectomy code. However, biopsies (e.g., fine needle aspiration, core, incisional) are not separately reportable if a preoperative diagnosis exists.

2. The breast procedure codes include incision and closure. Some codes describe mastectomy procedures with lymphadenectomy and/or removal of muscle tissue. The latter procedures are not separately reportable. Except for sentinel lymph node biopsies, ipsilateral lymph node excisions are not separately reportable. Contralateral lymph node excisions may be separately reportable with appropriate modifiers (i.e., LT, RT).
3. Sentinel lymph node biopsy is separately reportable when performed before a localized excision of breast or a mastectomy without lymphadenectomy.

However, sentinel lymph node biopsy is not separately reportable with a mastectomy procedure that includes lymphadenectomy in the anatomic area of the sentinel lymph node biopsy. Open biopsy or excision of sentinel lymph node(s) should be reported as

**Revision Date (Medicaid): 1/1/2025**



follows: axillary (CPT codes 38500 or 38525), deep cervical (CPT code 38510), internal mammary (CPT code 38530). CPT code 38740 (Axillary lymphadenectomy; superficial) should not be reported for a sentinel lymph node biopsy. Sentinel lymph node biopsy of superficial axillary lymph node(s) is correctly reported as CPT code 38500 (Biopsy or excision of lymph node(s); open superficial) which includes the removal of one or more discretely identified superficial lymph nodes. By contrast, a superficial axillary lymphadenectomy (CPT code 38740) requires removal of all superficial axillary adipose tissue with all lymph nodes in this adipose tissue.)

4. Breast reconstruction codes that include the insertion of a prosthetic implant shall not be reported with codes that separately describe the insertion of a breast prosthesis.
5. The CPT codes for breast procedures generally describe unilateral procedures.
6. If a breast biopsy, needle localization wire, metallic localization clip, or other breast procedure is performed with mammographic guidance (e.g., 19281, 19282), the physician shall not separately report a post procedure mammography code (e.g., 77065-77067) for the same patient encounter. The radiologic guidance codes include all imaging by the defined modality required to perform the procedure.
7. CPT code 15734 (Muscle, myocutaneous, or fasciocutaneous flap; trunk) shall not be reported with breast reconstruction CPT codes 19357-19364 and 19367-19369 or breast prosthesis CPT codes 19340 and 19342 since a flap, if performed, is included in the reconstruction or prosthesis procedure.
8. Breast reconstruction procedures (CPT codes 19357-19369) include adjacent tissue transfer or rearrangement procedures (e.g., CPT codes 14000, 14001) if performed. An adjacent tissue transfer, or rearrangement procedure may be reported on the same day as a breast reconstruction procedure if the adjacent tissue transfer or rearrangement is performed at a different site unrelated to the breast reconstruction procedure.

## **K. Medically Unlikely Edits (MUEs)**

1. Chapter I, Section V describes Medically Unlikely Edits (MUEs).
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values were set so that such occurrences should be uncommon.

If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.

3. The unit of service for fine needle aspiration biopsy (CPT codes 10004-10012 and 10021) is the separately identifiable lesion. If a physician performs multiple “passes” into

**Revision Date (Medicaid): 1/1/2025**

the same lesion to obtain multiple specimens, only one unit of service may be reported. However, a separate unit of service may be reported for a separate aspiration biopsy of a distinct separately identifiable lesion.

4. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
5. If a Mohs surgeon removes a tumor specimen and divides it into multiple pieces of tissue, creates a block from each piece of tissue, and stains one or more blocks from that specimen with an initial single antibody immunohistochemistry stain, the Mohs surgeon shall report only one unit of service of CPT code 88342 (Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure). Only one unit of service of CPT code 88342 may be reported per specimen. If the Mohs surgeon additionally stains one or more blocks from that specimen with an additional different single antibody immunohistochemistry (immunocytochemistry) stain, CPT code 88341 (Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)) may be reported with one unit of service per different antibody stain procedure. The unit of service for these codes is not each block derived from a single specimen.
6. CPT code 15852 describes a dressing change, other than for burns, under anesthesia (other than local). The unit of service for this code is each encounter for a dressing change. The unit of service is not each separate dressing.

## **L. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.
3. In 2010 the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*,

**Revision Date (Medicaid): 1/1/2025**

use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.

4. With few exceptions, the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances, wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. The CPT codes 15851 and 15852 describe suture removal and dressing change, respectively, under anesthesia other than local anesthesia. These codes shall not be reported when a patient requires anesthesia for a related procedure (e.g., return to the operating room for treatment of complications where an incision is reopened necessitating removal of sutures and redressing). Additionally, CPT code 15852 shall not be reported with a primary procedure.
6. Under the NCCI program, services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services. (See Section C, Anesthesia)

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

7. The global package includes insertion of urinary catheters. The CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.

**Revision Date (Medicaid): 1/1/2025**

8. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package. Simple, intermediate, and complex wound repair codes may be reported with Mohs surgery (CPT codes 17311-17315). Intermediate and complex repair codes may be reported with excision of benign lesions (CPT codes 11401-11406, 11421-11426, 11441-11471) and excision of malignant lesions (CPT codes 11600-11646). Wound repair codes (CPT codes 12001-13153) shall not be reported with excisions of benign lesions with an excised diameter of 0.5 cm or less (CPT codes 11400, 11420, 11440).
9. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable.

However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.

10. For more information regarding biopsies, see Chapter I, Section A, Introduction.
11. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with a biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
12. The NCCI PTP edits pairing CPT codes 11102, 11104, and 11106 (Tangential, punch, or incisional biopsy of single skin lesion) each with CPT codes 17000 and 17004 (Destruction of benign or premalignant lesions) are often bypassed by using modifier 59 or XE or XS. Use of modifier 59 or XE or XS with these NCCI PTP edits is only appropriate if the 2 procedures of a code pair edit are performed on separate lesions or at separate patient encounters. Refer to the *CPT Professional codebook* instructions preceding CPT codes 11102, 11104, and 11106 for additional clarification about the CPT codes 11102-11107.
13. The NCCI PTP edit with Column One CPT code 11719 (Trimming of nondystrophic nails, any number) and Column Two CPT code 11720 (Debridement of nail(s) by any method(s); 1 to 5) is often bypassed by using modifier 59 or XE, XP, XS, XU. Use of modifier 59 or XE or XS with the Column Two CPT code 11720 of this NCCI PTP edit is only appropriate if the trimming and the debridement of the nails are performed on different nails or if the 2 procedures are performed at separate patient encounters.
14. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program

**Revision Date (Medicaid): 1/1/2025**

does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.

15. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.
16. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
17. If the code descriptor for a HCPCS/CPT code, *CPT Professional* **codebook** instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
18. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes must not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
19. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

## **CHAPTER IV**

### **SURGERY: MUSCULOSKELETAL SYSTEM CPT CODES 20000-29999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter IV .....	IV-3
Surgery: Musculoskeletal System.....	IV-3
CPT Codes 20000–29999.....	IV-3
A. Introduction .....	IV-3
B. Evaluation & Management (E&M) Services .....	IV-3
C. Anesthesia .....	IV-5
D. Biopsy .....	IV-5
E. Arthroscopy .....	IV-5
F. Spine (Vertebral Column).....	IV-7
G. Fractures, Dislocations, and Casting/Splinting/Strapping .....	IV-10
H. Medically Unlikely Edits (MUEs).....	IV-13
I. General Policy Statements.....	IV-14

**Revision Date (Medicaid): 1/1/2025**

## **Chapter IV**

### **Surgery: Musculoskeletal System**

#### **CPT Codes 20000–29999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 20000-29999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx”

**Revision Date (Medicaid): 1/1/2025**



and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply.

The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical

**Revision Date (Medicaid): 1/1/2025**

procedure may be appropriate in some instances.

### **C. Anesthesia**

With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Injections of local anesthesia for musculoskeletal procedures (surgical or manipulative) are not separately reportable. For example, CPT codes 20526-20553 (therapeutic injection of carpal tunnel, tendon sheath, ligament, muscle trigger points) shall not be reported for the administration of local anesthesia to perform another procedure. Many NCCI PTP edits are based on this principle. If a procedure and a separate and distinct injection service unrelated to anesthesia for the former procedure are reported, the injection service may be reported with an NCCI PTP-associated modifier if appropriate.

CPT codes 64450 (Injection, anesthetic agent; other peripheral nerve or branch) and 64455 (Injection(s), anesthetic agent and/or steroid, plantar common digital nerve(s) (eg, Morton's neuroma)) shall not be reported by a surgeon for anesthesia for a surgical procedure. If performed as a therapeutic or diagnostic injection unrelated to the surgical procedure, these codes may be reported separately.

### **D. Biopsy**

For more information regarding biopsies, see Chapter I, Section A, Introduction.

### **E. Arthroscopy**

1. Surgical arthroscopy includes diagnostic arthroscopy which is not separately reportable. If a diagnostic arthroscopy leads to a surgical arthroscopy at the same patient encounter, only the surgical arthroscopy may be reported.
2. If an arthroscopy is performed as a procedure to assess the surgical field or extent of disease, it is not separately reportable. If the findings of a diagnostic arthroscopy lead to the decision to perform an open procedure, the diagnostic arthroscopy may be separately

**Revision Date (Medicaid): 1/1/2025**

reportable. Modifier 58 may be reported to indicate that the diagnostic arthroscopy and non-arthroscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic arthroscopy.

3. If an arthroscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical arthroscopy nor a diagnostic arthroscopy code shall be reported with the open procedure code when a surgical arthroscopic procedure is converted to an open procedure.
4. With 3 exceptions (which are described in Chapter IV, Section E (Arthroscopy), Subsection 7), an NCCI PTP edit code pair consisting of 2 codes describing 2 shoulder arthroscopy procedures shall not be bypassed with an NCCI PTP-associated modifier when the 2 procedures are performed on the ipsilateral shoulder. This type of edit may be bypassed with an NCCI PTP-associated modifier only if the 2 procedures are performed on contralateral shoulders.
5. With the exception of the knee and shoulder, arthroscopic debridement shall not be reported separately with a surgical arthroscopy procedure when performed on the same joint at the same patient encounter. For knee arthroscopic debridement see the following subsection. For shoulder arthroscopic debridement, see Subsection 7 below.
6. CPT codes 29874 (Arthroscopy, knee, surgical; for removal of loose body or foreign body) and 29877 (Arthroscopy, knee, surgical; for debridement/shaving of articular cartilage) shall not be reported with other knee arthroscopy codes (29866-29889). With some exceptions, HCPCS code G0289 (Arthroscopy, knee, surgical; for removal of loose body, foreign body, debridement/shaving of articular cartilage at the time of other surgical knee arthroscopy in a different compartment of the same knee) may be reported with other knee arthroscopy codes. For example, since CPT codes 29880 (Arthroscopy, knee, surgical; with meniscectomy (medial AND lateral, including any meniscal shaving) including debridement/shaving of articular cartilage (chondroplasty) same or separate compartment(s), when performed) and 29881 (Arthroscopy, knee, surgical; with meniscectomy (medial OR lateral, including any meniscal shaving) including debridement/shaving of articular cartilage (chondroplasty) same or separate compartment(s), when performed) include debridement/shaving of articular cartilage of any compartment, HCPCS code G0289 may be reported with CPT codes 29880 or 29881 only if reported for removal of a loose body or foreign body from a different compartment of the same knee. HCPCS code G0289 shall not be reported for removal of a loose body or foreign body or debridement/shaving of articular cartilage from the same compartment as another knee arthroscopic procedure.
7. Shoulder arthroscopy procedures include limited debridement (e.g., CPT code 29822) even if the limited debridement is performed in a different area of the same shoulder than the other procedure. With 3 exceptions, shoulder arthroscopy procedures include extensive debridement (e.g., CPT code 29823) even if the extensive debridement is performed in a different area of the same shoulder than the other procedure. CPT codes 29824 (Arthroscopy, shoulder, surgical; distal claviclectomy including distal articular

**Revision Date (Medicaid): 1/1/2025**

surface (Mumford procedure)), 29827 (Arthroscopy, shoulder, surgical; with rotator cuff repair), and 29828 (Arthroscopy, shoulder, surgical; biceps tenodesis) may be reported separately with CPT code 29823 if the extensive debridement is performed in a different area of the same shoulder.

8. Arthroscopic synovectomy of the knee may be reported with CPT codes 29875 (Limited synovectomy, “separate procedure”) or 29876 (Major synovectomy of two or three compartments). A synovectomy to “clean up” a joint on which another more extensive procedure is performed is not separately reportable. CPT code 29875 shall not be reported with another arthroscopic knee procedure on the ipsilateral knee. CPT code 29876 may be reported for a medically reasonable and necessary synovectomy with another arthroscopic knee procedure on the ipsilateral knee if the synovectomy is performed in 2 compartments on which another arthroscopic procedure is not performed. For example, CPT code 29876 shall not be reported for a major synovectomy with CPT code 29880 (Knee arthroscopy, medial AND lateral meniscectomy) on the ipsilateral knee, since knee arthroscopic procedures other than synovectomy are performed in 2 of the 3 knee compartments.

#### **F. Spine (Vertebral Column)**

1. Exploration of the surgical field is a standard surgical practice. Physicians shall not report a HCPCS/CPT code describing exploration of a surgical field with another HCPCS/CPT code describing a procedure in that surgical field. For example, CPT code 22830 describes exploration of a spinal fusion. CPT code 22830 shall not be reported with another procedure of the spine in the same anatomic area. However, if the spinal fusion exploration is performed in a different anatomic area than another spinal procedure, CPT code 22830 may be reported separately with modifier 59 or XS.
2. Some procedures (e.g., spine) frequently use intraoperative neurophysiology testing. **Continuous** intraoperative neurophysiology **monitoring** (HCPCS/CPT codes 95940, 95941, and G0453) shall not be reported by the physician performing an operative procedure since it is included in the global package. However, when performed by a different physician during the procedure, it is separately reportable by the second physician. The physician performing an operative procedure shall not bill other 9XXXX neurophysiology testing codes for intraoperative neurophysiology testing (e.g., CPT codes 92585, 95822, 95860, 95861, 95867, 95868, 95870, 95907-95913, 95925-95937) since they are also included in the global package. (CPT code 92585 was deleted January 1, 2021.)
3. Spinal arthrodesis, exploration, and instrumentation procedures (CPT codes 22532-22865) and other spinal procedures include manipulation of the spine as an integral component of the procedures. CPT code 22505 (Manipulation of spine requiring anesthesia, any region) shall not be reported separately.
4. Many spinal procedures are grouped into families of codes where there are separate primary procedure codes describing the procedure at a single vertebral level in the

**Revision Date (Medicaid): 1/1/2025**

cervical, thoracic, or lumbar region of the spine. Within some families of codes, there is an Add-on Code (AOC) for reporting the same procedure at each additional level without specification of the spinal region for the AOC. When multiple procedures from one of these families of codes are performed at contiguous vertebral levels, a physician shall report only one primary code within the family of codes for one level and shall report additional contiguous levels using the AOC(s) in the family of codes. The reported primary code should be the one corresponding to the spinal region of the first procedure. If multiple procedures from one of these families of codes are performed through separate skin incisions at multiple vertebral levels that are not contiguous and in different regions of the spine, the physician may report one primary code for each non-contiguous region.

For example, the family of CPT codes 22532-22534 describes arthrodesis by lateral extracavitary technique. CPT code 22532 describes the procedure for a single thoracic vertebral segment. CPT code 22533 describes the procedure for a single lumbar vertebral segment. CPT code 22534 is an AOC describing the procedure for each additional thoracic or lumbar vertebral segment. If a physician performs arthrodesis by lateral extracavitary technique on contiguous vertebral segments such as T12 and L1, only one primary procedure code (i.e., the one for the first procedure) may be reported. The procedure on the second vertebral body may be reported with CPT code 22534. If a physician performs the procedure at T10 and L4 through separate skin incisions, the physician may report CPT codes 22532 and 22533.

CPT codes 22510-22512 represent a family of codes describing percutaneous vertebroplasty, and CPT codes 22513-22515 represent a family of codes describing percutaneous vertebral augmentation. Within each of these families of codes, the physician may report only one primary procedure code and the add-on procedure code for each additional level(s) whether the additional level(s) are contiguous or not.

5. CPT codes 22600-22614 describe arthrodesis by posterior or posterolateral technique and lateral transverse technique when performed. CPT codes 22630-22632 describe arthrodesis by posterior interbody technique. CPT codes 22633-22634 describe arthrodesis by combined posterior or posterolateral technique with posterior interbody technique. These codes are reported per level or interspace. CPT code 22614 is an AOC that may be reported with primary CPT codes 22600, 22610, 22612, 22630, or 22633. CPT code 22632 is an AOC that may be reported with primary CPT codes 22612, 22630, or 22633. CPT code 22634 is an AOC that may be reported with primary CPT code 22633.

If a physician performs arthrodesis across multiple interspaces using the same technique in the same spinal region, the physician shall report a primary code for the first interspace and an AOC for each additional interspace. If the interspaces span two different spinal regions through the same skin incision, the physician shall report a primary code for the first interspace and an AOC for each additional interspace. If the interspaces span two different spinal regions through different skin incisions, the physician may report a primary code for the first interspace through each skin incision and an AOC for each

**Revision Date (Medicaid): 1/1/2025**

additional interspace through the same skin incision.

If a physician performs arthrodesis across multiple contiguous interspaces through the same skin incision using different techniques, the physician shall report one primary code for the first interspace and AOC for each additional interspace.

If a physician performs arthrodesis across multiple non-contiguous interspaces through the same skin incision using different techniques, the physician shall report one primary code for the first interspace and AOCs for each additional interspace.

If a physician performs arthrodesis across multiple non-contiguous interspaces through different skin incisions using different techniques, the physician may report one primary code for the first interspace through each skin incision and AOCs for each additional interspace through the same skin incision.

6. Fluoroscopy reported as CPT code 76000 shall not be reported with spinal procedures, unless there is a specific *CPT Professional codebook* instruction indicating that it is separately reportable. For some spinal procedures, there are specific radiologic guidance codes to report in lieu of these fluoroscopy codes. For other spinal procedures, fluoroscopy is used in lieu of a more traditional intraoperative radiologic examination which is included in the operative procedure. For other spinal procedure codes, fluoroscopy is integral to the procedure.
7. CPT code 38220 describes diagnostic bone marrow aspiration(s). It shall not be reported separately with musculoskeletal procedures, e.g., as a spinal osteotomy, vertebral fracture repair, spinal arthrodesis, spinal fusion, laminectomy, spinal decompression, vertebral corpectomy) for bone marrow aspiration for platelet rich stem cell injection or other therapeutic musculoskeletal applications.
8. CPT codes 38230 (Bone marrow harvesting for transplantation; allogeneic) and 38232 (Bone marrow harvesting for transplantation; autologous) shall not be reported separately with a spinal osteotomy, vertebral fracture repair, spinal arthrodesis, spinal fusion, spinal laminectomy, spinal decompression, or vertebral corpectomy CPT code for procurement of bone marrow aspirate. CPT codes 38230 and 38232 are used to report the procurement of bone marrow for future bone marrow transplantation.
9. Centers of Medicare & Medicaid Services (CMS) payment policy does not allow separate payment for CPT codes 63042 (Laminotomy...; lumbar) or 63047 (Laminectomy...; lumbar) with CPT codes 22630 or 22633 (Arthrodesis; lumbar) when performed at the same interspace. If the two procedures are performed at different interspaces, the two codes of an edit pair may be reported with modifier 59 or XS.
10. Only one anterior or posterior instrumentation CPT code (e.g., CPT codes 22840-22847) may be reported through a single skin incision.
11. CPT codes 22853 and 22854 describe insertion of interbody biomechanical device(s) into

**Revision Date (Medicaid): 1/1/2025**



intervertebral disc space(s). Integral anterior instrumentation to anchor the device to the intervertebral disc space when performed is not separately reportable. It is a misuse of anterior instrumentation CPT codes (e.g., 22845-22847) to report this integral anterior instrumentation. However, additional anterior instrumentation (i.e., plate, rod) unrelated to anchoring the device may be reported separately appending an NCCI **PTP**-associated modifier such as modifier 59 or XU.

12. The PTP edit with Column One CPT code 22630 (Arthrodesis, posterior interbody technique, including laminectomy and/or discectomy to prepare interspace (other than for decompression), single interspace; lumbar) and Column Two CPT code 63056 (Transpedicular approach with decompression of spinal cord, equina and/or nerve root(s) (eg, herniated intervertebral disc), single segment; lumbar (including transfacet, or lateral extraforaminal approach) (eg, far lateral herniated intervertebral disc)) consists of 2 CPT codes with code descriptors representing different surgeries. The edit indicates that the 2 procedures shall not be reported together at the same anatomic site (spinal level) at the same patient encounter. A physician shall not use modifiers 59 or XE or XS to bypass this edit unless the 2 procedures are performed at separate anatomic sites (i.e., different spinal levels) or separate patient encounters on the same date of service.

#### **G. Fractures, Dislocations, and Casting/Splinting/Strapping**

1. The application of external immobilization devices (casts, splints, strapping) at the time of a procedure includes the subsequent removal of the device when performed by the same entity (e.g., physician, practice, group, employees, etc.). Providers shall not report removal or repair CPT codes 29700-29750 for those services. These removal or repair CPT codes may only be reported if the initial application of the cast, splint, or strapping was performed by a different entity.
2. Casting/splinting/strapping CPT codes shall not be reported for application of a dressing after a therapeutic procedure.
3. Casting/splinting/strapping shall not be reported separately if a service from the Musculoskeletal System section of CPT (20100-28899 and 29800-29999) is also performed for the same anatomic area.
4. Debridement including removal of foreign material at the site of an open fracture or open dislocation may be reported with CPT codes 11010-11012. Since these codes would be reported with a CPT code for treatment of the open fracture or dislocation, a casting/splinting/strapping code shall not be reported separately.
5. If an ankle fracture or dislocation repair is stabilized with a strapping, the ankle fracture or dislocation repair CPT code shall not be reported with a strapping code such as CPT code 29581 (Application of multi-layer compression system; leg (below knee.) including ankle and foot) even if the strapping simultaneously treats another problem such as edema or a venous stasis ulcer. Fracture and dislocation CPT codes include the initial casting, strapping, or splinting.

**Revision Date (Medicaid): 1/1/2025**

6. The CPT codes for closed, percutaneous, or open treatment of fractures or dislocations include the application of casts, splints, or strapping. The CPT codes for casting/splinting/strapping shall not be reported separately.
7. If a physician treats a fracture, dislocation, or injury with an initial cast, strap, or splint and also assumes the follow-up care, the physician cannot report the casting/splinting/strapping CPT codes since these services are included in the fracture and/or dislocation CPT codes.
8. If a practitioner treats a fracture, dislocation, or injury with a cast, splint, or strap as an initial service without any other definitive procedure or treatment and only expects to perform the initial care, the physician may report an E&M service, a casting/splinting/strapping CPT code, and a cast/splint/strap supply code (Q4001-Q4051).
9. An E&M service, including emergency department E&M, may be reported with a casting/splinting/strapping CPT code if and only if the E&M service is significant and separately identifiable. Casting/splinting/strapping CPT codes are minor surgical procedures with a “000” global day period. Global package rules for minor surgical procedures do not allow a physician to report an E&M service related to deciding whether to perform a minor surgical procedure.
10. There are CPT codes (20670 and 20680) for removal of internal fixation devices (e.g., pin, rod). These codes are not separately reportable if the removal is performed as a necessary integral component of another procedure. For example, if revision of an open fracture repair for nonunion or malunion of bone requires removal of a previously inserted pin, CPT code 20670 or 20680 is not separately reportable.

Similarly, if a superficial or deep implant (e.g., buried wire, pin, rod) requires surgical removal (CPT codes 20670 and 20680), it is not separately reportable if it is performed as an integral part of another procedure.

11. The CPT code 20670 or 20680 (Removal of implant) shall not be reported for the removal of wire sutures during cardiac reoperation procedures or sternal procedures (e.g., debridement, resection, closure of median sternotomy separation).
12. If a closed reduction procedure fails and is converted to an open reduction procedure at the same patient encounter, only the more extensive open reduction procedure is reportable. Similarly, if a closed fracture treatment procedure fails and is converted to an open fracture treatment procedure at the same patient encounter, only the more extensive open fracture treatment procedure is reportable.
13. If interdental wiring (e.g., CPT code 21497) is necessary for the treatment of a facial or other fracture, arthroplasty, facial reconstructive surgery, or other facial/head procedure, the interdental wiring is not separately reportable. However, if interdental wiring is performed unrelated to another facial/head procedure, the interdental wiring may be separately reportable with modifier 59 or XU.

**Revision Date (Medicaid): 1/1/2025**



14. When it is necessary to perform skeletal/joint manipulation under anesthesia to assess range of motion, reduce a fracture or for any other purpose during another procedure in an anatomically related area, the corresponding manipulation code (e.g., CPT codes 22505, 23700, 27275, 27570, 27860) is not separately reportable.
15. When a fracture or dislocation is repaired, only one fracture/dislocation repair code may be reported. Closed repair codes, percutaneous repair codes, and open repair codes for the same anatomic site are mutually exclusive of one another, and only one of these codes may be reported for the repair of a fracture or dislocation at an anatomic site.
16. If a single cast, strapping, or splint treats multiple closed fractures without manipulation, only one closed fracture treatment without manipulation CPT code may be reported.

Additionally, if a single cast, strapping, or splint treats multiple fractures without manipulation in addition to one or more fracture(s) with manipulation, a closed fracture without manipulation CPT code shall not be reported separately.

These policies also apply to the closed treatment of multiple fractures not requiring application of a cast, strapping, or splint. Thus, if multiple closed fractures occur in an area that would have been treated with a single cast, strapping, or splint, only one CPT code for closed fracture treatment without manipulation may be reported.

If a cast, strapping, or splint applied after an open or percutaneous treatment of a fracture also treats a closed fracture without manipulation, a closed fracture without manipulation CPT code shall not be reported separately.

These principles also apply to the treatment of multiple dislocations or combinations of multiple closed fractures and dislocations. If multiple dislocations and/or fractures are treated without manipulation and stabilized with a single cast, strapping, or splint, only one CPT code for closed dislocation or fracture treatment (without manipulation) may be reported. Additionally, if a single cast, strapping, or splint treats any combination of closed dislocations and/or closed fractures without manipulation in addition to at least one closed dislocation or fracture that did require manipulation, only a single CPT code for closed treatment with manipulation of the dislocation or fracture may be reported.

Similarly, if multiple dislocations and/or fractures are treated with or without manipulation and do not require a cast, strapping, or splint, only one CPT code for closed dislocation or fracture treatment CPT code may be reported for the anatomic area that would have been treated by a single cast, strap, or splint.

Finally, if a cast, strapping, or splint applied after an open or percutaneous treatment of a dislocation and/or fracture also treats a closed dislocation and/or fracture that did not require manipulation, a CPT code for closed dislocation or fracture treatment (without manipulation) shall not be reported separately.

**Revision Date (Medicaid): 1/1/2025**

17. When reporting manual therapy techniques (e.g., CPT code 97140) in the anatomic region where a multi-layer compression system (e.g., CPT codes 29581-29584) is applied, it may be necessary to indicate that the manual therapy techniques are distinct from the multi-layer compression system application. Modifier 59 or XE, XP, XS, XU may be appended to either column code.
18. CPT code 20650 (Insertion of wire or pin with application of skeletal traction, including removal (separate procedure)) shall not be reported for insertion of wires or pins without application of skeletal traction. Since the code descriptor includes the “separate procedure” designation, this code shall not be reported for application of skeletal traction with a fracture treatment or other repair code for the same anatomic region.

## **H. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The code descriptors for CPT codes 20670 (Removal of implant; superficial...) and 20680 (Removal of implant; deep...) do not define the unit of service. NCCI policy allows one unit of service for all implants removed from an anatomic site. This single unit of service includes the removal of all screws, rods, plates, wires, etc., from an anatomic site whether through one or more surgical incisions. An additional unit of service may be reported only if implant(s) are removed from a distinct and separate anatomic site.
4. The MUE values for CPT codes 20931 (Allograft, structural, for spine surgery only...), 20937 (Autograft for spine surgery only...; morselized...), and 20938 (Autograft for spine surgery only...; structural...) are one. Each of these codes may be reported with only one unit of service per operative procedure regardless of the number of vertebral levels fused.
5. Procedures performed on fingers should be reported with modifiers FA, F1-F9, and procedures performed on toes should be reported with modifiers TA, T1-T9. The MUE values for many finger and toe procedures are one, based on use of these modifiers for clinical scenarios in which the same procedure is performed on more than one finger or toe.
6. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding

**Revision Date (Medicaid): 1/1/2025**

principle does not apply to non-surgical diagnostic and therapeutic procedures.

7. CPT codes 20600-20611 are a family of codes describing arthrocentesis for aspiration and/or injection of different sized joints or bursae with or without ultrasound guidance. The UOS for each of these codes is a joint and its surrounding bursae, if any. A physician shall not report more than one unit of service for arthrocentesis of any one joint regardless of whether or not the physician also aspirates or injects one or more of its surrounding bursae. For example, if a physician performs arthrocentesis of the shoulder and 2 bursae of the same shoulder without ultrasound guidance, only 1 unit of service of CPT code 20610 may be reported.
8. CPT codes 21248 and 21249 respectively describe partial or complete reconstruction of the mandible or maxilla with endosteal implant. The unit of service for each of these codes is the reconstruction, not the endosteal implant.
9. A physician may only report one unit of service of a CPT code describing closed treatment without manipulation of fracture if the same treatment (e.g., cast, splint, strapping) treats fractures of multiple similar bones. For example, if a cast is applied without manipulation to treat fractures of multiple metatarsals of the same foot, only one unit of service of CPT code 28470 may be reported for that treatment. If no cast, splint, or strapping is using for closed treatment without manipulation of multiple similar bones, only one unit of service may be reported for the applicable code.
10. Closed treatment without manipulation of more than one metacarpal bone of the same hand shall be reported with a single unit of service of CPT code 26600 (Closed treatment of metacarpal fracture, single; without manipulation, each bone) regardless of the number of metacarpal bones treated in that one hand. No more than one unit of service of CPT code 26600 per hand may be reported regardless of the number of fractured metacarpal bones in that hand. The same principle applies to closed treatment without manipulation of fractures of multiple carpal, tarsal or metatarsal bones in one extremity.

## **I. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

**Revision Date (Medicaid): 1/1/2025**

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. If a tissue transfer procedure such as a graft (e.g., CPT codes 20900-20924) is included in the code descriptor of a primary procedure, the tissue transfer procedure is not separately reportable.
6. CPT codes 15769 and 15771-15774 describes excisional harvested grafts of “other” tissues such as fat, dermis, or fascia and CPT codes 15771-15774 describe liposuction harvested grafts of fat. Similar to other graft codes, these codes may not be reported with another code where the code descriptor includes procurement of the graft. Additionally, these CPT codes may be reported only if another graft HCPCS/CPT code does not more precisely describe the nature of the graft.
7. Some procedures routinely use monitoring of interstitial fluid pressure during the postoperative period (e.g., distal lower extremity procedures with risk of anterior compartment compression). The CPT code 20950 (Monitoring of interstitial fluid pressure. . .) shall not be reported separately for this monitoring.
8. If electrical stimulation is used to aid bone healing, bone stimulation codes (CPT codes 20974-20975) may be reported. CPT codes 64553-64595 describe procedures for neurostimulators which are used to control pain and shall not be reported for electrical stimulation to aid bone healing. Similarly, the physical medicine electrical stimulation codes (CPT codes 97014 and 97032) shall not be reported for electrical stimulation to aid bone healing.
9. Exploration of the surgical field is a standard surgical practice. Physicians shall not report a HCPCS/CPT code describing exploration of a surgical field with another HCPCS/CPT code describing a procedure in that surgical field. For example, CPT code 22830

**Revision Date (Medicaid): 1/1/2025**

describes exploration of a spinal fusion. CPT code 22830 shall not be reported with another procedure of the spine in the same anatomic area. However, if the spinal fusion exploration is performed in a different anatomic area than another spinal procedure, CPT code 22830 may be reported separately with modifier 59 or XS.

10. Debridement of tissue in the surgical field of another musculoskeletal procedure is not separately reportable. For example, debridement of muscle and/or bone (CPT codes 11043-11044, 11046-11047) associated with excision of a tumor of bone is not separately reportable. Similarly, debridement of tissue superficial (e.g., CPT codes 11042, 11045, 11720-11721, 97597, 97598) to, but in the surgical field, of a musculoskeletal procedure is not separately reportable. However, debridement of tissue at the site of an open fracture or dislocation may be reported separately with CPT codes 11010-11012.
11. This paragraph was moved to Section E (Arthroscopy), Subsection 6.
12. The NCCI program has a PTP edit with Column One CPT code of 24305 (Tendon lengthening, upper arm and elbow, each tendon) and Column Two CPT code of 64718 (Neuroplasty and/or transposition; ulnar nerve at elbow). When performing the tendon lengthening described by CPT code 24305, a neuroplasty of the ulnar nerve is not separately reportable, but a transposition of the ulnar nerve at the elbow is separately reportable. If a provider performs the tendon lengthening described by CPT code 24305 and performs an ulnar nerve transposition at the elbow described by 64718, the NCCI PTP edit may be bypassed by appending modifier 59 or XU to either column code.
13. CPT codes 28288, 28306, 28307, 28310, and 28315 shall not be reported with bunionectomy CPT codes 28291-28299 for procedures performed on the ipsilateral first toe or metatarsal. CPT codes 28306, 28307, and 28310 (Osteotomy procedures) shall not be reported with a bunionectomy code because there are bunionectomy codes that include osteotomy of the first metatarsal or proximal phalanx of the first toe. The CPT code 28288 (Osteotomy ...) shall not be reported with a bunionectomy code because it is a misuse of this code to report osteotomy of the median eminence of the metatarsal bone which is integral to the bunionectomy procedure. Additionally, some bunionectomy procedures include excision of the head of the first metatarsal. The CPT code 28315 (Sesamoidectomy, first toe (separate procedure)) includes the “separate procedure” designation in its code descriptor. The NCCI program does not allow separate payment for a procedure designated as a “separate procedure” when performed along with another procedure in the same anatomic area.
14. CPT codes 28008, 28060, 28062, 28250 and 29893 describe procedures that may be performed on plantar fascia. No two codes from this group shall be reported for treatment of plantar fascia of the ipsilateral foot at the same patient encounter.
15. Fluoroscopy (CPT code 76000) is an integral component of arthroscopic procedures when performed. The CPT code 76000 shall not be reported separately with an arthroscopic procedure.

**Revision Date (Medicaid): 1/1/2025**

16. Arthrocentesis procedures (e.g., CPT codes 20600-20611) shall not be reported separately with an open or arthroscopic joint procedure when performed on the same joint. However, if an arthrocentesis procedure is performed on one joint and an open or arthroscopic procedure is performed on a different joint, the arthrocentesis procedure may be reported separately.
17. CPT codes 24361 (Arthroplasty, elbow; with distal humeral prosthetic replacement) and 24363 (Arthroplasty, elbow; with distal humerus and proximal ulnar prosthetic replacement (eg, total elbow)) include removal of native joint or a failed prosthesis and replacement with a new prosthesis. CPT code 24160 (Removal of prosthesis, **includes debridement and synovectomy when performed**; humeral and ulnar components) shall not be reported separately with CPT codes 24361 or 24363 for removal of a prior failed prosthetic joint.

CPT codes 23470 (Arthroplasty, glenohumeral joint; hemiarthroplasty) and 23472 (Arthroplasty, glenohumeral joint; total shoulder (glenoid and proximal humeral replacement (e.g., total shoulder)) include removal of native joint or a failed prosthesis and replacement with a new prosthesis. CPT codes 23333 (Removal of foreign body, shoulder; deep (subfascial or intramuscular)), 23334 (Removal of prosthesis, **includes debridement and synovectomy when performed**; humeral or glenoid component), or 23335 (Removal of prosthesis, **includes debridement and synovectomy when performed**; humeral and glenoid components) (eg, total shoulder) shall not be reported separately with CPT codes 23470 or 23472 for removal of a prior failed prosthetic joint.

18. With 3 exceptions (See Chapter IV, Section E (Arthroscopy), Subsection 7) an NCCI PTP edit code pair consisting of 2 codes describing 2 shoulder procedures shall not be bypassed with an NCCI PTP-associated modifier when performed on the ipsilateral shoulder. This type of edit may be bypassed only if the 2 procedures are performed on contralateral shoulders.
19. Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (**e.g.**, CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-

**Revision Date (Medicaid): 1/1/2025**



procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

20. With limited exceptions, open or arthroscopic procedures performed on a joint include debridement (open or arthroscopic) if performed. A debridement code may be reported with a joint procedure code only if the debridement is performed on a different joint or at a site unrelated to the joint. See Section E (Arthroscopy) for discussion of exceptions.
21. The global package includes insertion of urinary catheters. The CPT codes 51701-51703 (Insertion of bladder catheters) shall not be reported with any surgical procedure.
22. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
23. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
24. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with another biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
25. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
26. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together, unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the

**Revision Date (Medicaid): 1/1/2025**

same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

27. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
28. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
29. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes must not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
30. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**



## **CHAPTER V**

### **SURGERY: RESPIRATORY, CARDIOVASCULAR, HEMIC AND LYMPHATIC SYSTEMS CPT CODES 30000-39999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter V .....	V-3
Surgery: Respiratory, Cardiovascular, Hemic and Lymphatic Systems .....	V-3
CPT Codes 30000 –39999.....	V-3
A. Introduction .....	V-3
B. Evaluation & Management (E&M) Services .....	V-3
C. Respiratory System .....	V-5
D. Cardiovascular System.....	V-10
E. Hemic and Lymphatic Systems .....	V-18
F. Mediastinum .....	V-19
G. Medically Unlikely Edits (MUEs).....	V-19
H. General Policy Statements .....	V-20

**Revision Date (Medicaid): 1/1/2025**

## **Chapter V**

### **Surgery: Respiratory, Cardiovascular, Hemic and Lymphatic Systems**

#### **CPT Codes 30000 - 39999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 30000-39999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

**Revision Date (Medicaid): 1/1/2025**

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU...xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform a minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately

**Revision Date (Medicaid): 1/1/2025**

identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances.**

### **C. Respiratory System**

1. The nose and mouth have mucocutaneous margins. Numerous procedures (e.g., biopsy, destruction, excision) have CPT codes that describe the procedure as an integumentary procedure (CPT codes 10000-19999), a nasal procedure (CPT codes 30000-30999), or an oral procedure (CPT codes 40000-40899). If a procedure is performed on a lesion at or near a mucocutaneous margin, only one CPT code which best describes the procedure may be reported. If the code descriptor of a CPT code from the respiratory system (or any other system) includes a tissue transfer service (e.g., flap, graft), the CPT codes for such services (e.g., transfer, graft, flap) from the integumentary system (e.g., CPT codes 14000-15770) shall not be reported separately.
2. A biopsy performed in conjunction with a more extensive nasal/sinus procedure is not separately reportable unless the biopsy is examined pathologically before the more extensive procedure, and the decision to proceed with the more extensive procedure is based on the result of the pathologic examination.

#### **Example**

If a patient presents with nasal obstruction, sinus obstruction, and multiple nasal polyps, it may be reasonable to perform a biopsy before, or in conjunction with, polypectomy and ethmoidectomy. A separate biopsy code (e.g., CPT code 31237 for nasal/sinus endoscopy) shall not be reported with the removal nasal/sinus endoscopy code (e.g., CPT code 31255) because the biopsy tissue is procured as part of the surgery, not to establish the need for surgery.

3. If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure that no intraoperative injury occurred or to verify that the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.
4. When a diagnostic or surgical endoscopy of the respiratory system is performed, it is a standard of practice to evaluate the access regions. A separate HCPCS/CPT code shall not be reported for this evaluation of the access regions. For example, if an endoscopic anterior ethmoidectomy is performed, a diagnostic nasal endoscopy shall not be reported separately simply because the approach to the ethmoid sinus is transnasal. Similarly, fiber optic bronchoscopy routinely includes an examination of the nasal cavity, pharynx, and larynx. A separate HCPCS/CPT code shall not be reported with the bronchoscopy HCPCS/CPT code for this latter examination whether it is limited (“cursory”) or complete.

If medically reasonable and necessary endoscopic procedures are performed on 2 regions

**Revision Date (Medicaid): 1/1/2025**

of the respiratory system with different types of endoscopes, both procedures may be separately reportable. For example, if a patient requires diagnostic bronchoscopy for a lung mass with a fiber optic bronchoscope and a separate laryngoscopy for a laryngeal mass with a fiber optic laryngoscope at the same patient encounter, HCPCS/CPT codes for both procedures may be reported separately. It must be medically reasonable and necessary to use 2 separate endoscopes to report both codes.

If the findings of a diagnostic endoscopy lead to the decision to perform a non-endoscopic surgical procedure at the same patient encounter, the diagnostic endoscopy may be reported separately. However, if an endoscopic procedure to evaluate the surgical field (e.g., confirmation of anatomic structures, assess extent of disease, confirmation of adequacy of surgical procedure such as tracheostomy) is performed at the same patient encounter as an open surgical procedure, the endoscopic procedure is not separately reportable.

A diagnostic endoscopy is not separately reportable with a surgical endoscopy, per *CPT Professional codebook* instructions. If an endoscopic procedure fails and is converted into an open procedure, the endoscopic procedure is not separately reportable with the open procedure. Neither the surgical endoscopy nor diagnostic endoscopy code shall be reported with the open procedure code when a surgical endoscopy is converted to an open procedure.

#### Example

A patient presents with aspiration of a foreign body. A bronchoscopy is performed identifying lobar foreign body obstruction, and an attempt is made to remove this obstruction during the bronchoscopy. It would be inappropriate to report CPT codes 31622 (Diagnostic bronchoscopy) and 31635 (Surgical bronchoscopy with removal of foreign body). Only the "surgical" endoscopy, CPT code 31635, may be reported. In this example, if the endoscopic effort fails and a thoracotomy is performed, the diagnostic bronchoscopy may be reported separately in addition to the thoracotomy. Modifier 58 may be used to indicate that the diagnostic bronchoscopy and the thoracotomy are staged or planned procedures. However, the CPT code for the surgical bronchoscopy to remove the foreign body is not separately reportable because the procedure was converted to an open procedure. If the surgeon decides to repeat the bronchoscopy after induction of general anesthesia to confirm the surgical approach to the foreign body, this confirmatory bronchoscopy is not separately reportable although the initial diagnostic bronchoscopy may still be reportable.

5. When a sinusotomy is performed in conjunction with a sinus endoscopy, only one service may be reported. *CPT Professional codebook* instructions indicate that surgical sinus endoscopy includes a sinusotomy (if appropriate) and a diagnostic sinus endoscopy. However, if the medically necessary procedure is a sinusotomy and a sinus endoscopy is performed to evaluate adequacy of the sinusotomy and visualize the sinus cavity for disease, it may be appropriate to report the sinusotomy HCPCS/CPT code rather than the

**Revision Date (Medicaid): 1/1/2025**

sinus endoscopy HCPCS/CPT code.

6. Control of bleeding is an integral component of endoscopic procedures, and is not separately reportable. For example, control of nasal hemorrhage (CPT code 30901) is not separately reportable for control of bleeding due to a nasal/sinus endoscopic procedure. If bleeding occurs in the postoperative period and requires return to the operating room for treatment, a HCPCS/CPT code for control of the bleeding may be reported with modifier 78 indicating that the procedure was a complication of a prior procedure requiring treatment in the operating room. However, control of postoperative bleeding not requiring return to the operating room is not separately reportable.

Like CPT code 30901, CPT codes 30801 (Ablation, soft tissue of inferior turbinates...; superficial), 30903 (Control of hemorrhage, anterior...), 30905 (Control of hemorrhage, posterior...), and 31238 (Nasal/sinus endoscopy, surgical; with control of nasal hemorrhage) shall not be reported separately for control of bleeding due to a nasal/sinus endoscopic procedure or other nasal procedure.

7. When endoscopic service(s) are performed, the most comprehensive code describing the service(s) rendered shall be reported. If multiple services are performed and are not adequately described by a single CPT code, more than one code may be reported. The multiple procedure modifier 51 should be appended to the secondary service CPT code(s). Additionally, only medically necessary services may be reported. Incidental examination of other areas shall not be reported separately.
8. CPT codes 31292 (Nasal/sinus endoscopy, surgical, orbital decompression; medical or inferior wall), 31293 (Nasal/sinus endoscopy, surgical, with orbital decompression; medial and inferior), and 31294 (Nasal/sinus endoscopy, surgical; with optic nerve decompression) describe nasal/sinus endoscopy, surgical with orbital decompression; medial or inferior wall. These procedures include the following procedures, which shall not be reported separately when performed on the ipsilateral side: CPT codes 31256 (Nasal/sinus endoscopy, surgical, with maxillary antrostomy;), 31267 (Nasal/sinus endoscopy, surgical, with maxillary antrostomy; with removal of tissue from maxillary sinus), 31276 (Nasal/sinus endoscopy, surgical, with frontal sinus exploration, including removal of tissue from frontal sinus, when performed), 31287 (Nasal/sinus endoscopy, surgical, with sphenoidotomy;), and 31288 (Nasal/sinus endoscopy, surgical, with sphenoidotomy; with removal of tissue from the sphenoid sinus). CPT code 30130 (Excision inferior turbinate, partial or complete, any method) is also included and not separately reportable if performed on the ipsilateral side to allow access to the ethmoid or other sinuses to perform the procedures described by CPT codes 31292-31294. However, CPT code 30130 may be reported separately, if performed on the ipsilateral side, for a purpose unrelated to allowing access to the sinuses to perform the procedures described by CPT codes 31292-31294. If any of the included procedures are performed on the contralateral side from the procedures described by CPT codes 31292-31294, they may be reported separately.

**Revision Date (Medicaid): 1/1/2025**

9. Flexible laryngoscopy and direct laryngoscopy shall not be reported for the same patient encounter.
10. Lavage by cannulation of the maxillary sinus (e.g., CPT code 31000) is an integral component when performed with a more definitive maxillary sinus procedure. CPT code 31000 shall not be reported separately with another code describing a more definitive maxillary sinus procedure (e.g., CPT codes 31256, 31267, 31295) when performed on the ipsilateral sinus at the same patient encounter.
11. If laryngoscopy is required for elective or emergency placement of an endotracheal tube, the laryngoscopy is not separately reportable. CPT code 31500 describes an emergency endotracheal intubation procedure and shall not be reported when an elective intubation is performed. For example, if intubation is performed in a rapidly deteriorating patient who requires mechanical ventilation, a separate HCPCS/CPT code may be reported for the emergent intubation. The medical record must document the necessity for emergent intubation.
12. An emergency endotracheal intubation procedure (CPT code 31500) is normally followed by a chest radiologic examination to confirm proper positioning of the endotracheal tube. A chest radiologic examination CPT code (e.g., 71045, 71046) shall not be reported separately for this radiologic examination.
13. The descriptor for CPT code 31600 (Tracheostomy, planned (separate procedure)) includes the “separate procedure” designation. Therefore, under the NCCI program “separate procedure” policy (refer to Chapter 1, Section J), a tracheostomy is not separately reportable with laryngeal surgical procedures that frequently require tracheostomy (e.g., laryngotomy, laryngectomy, laryngoplasty).
14. If laryngoscopy is required for placement of a tracheostomy, the tracheostomy (CPT codes 31600-31610) may be reported. The laryngoscopy is not separately reportable.
15. CPT code 92511 (nasopharyngoscopy with endoscope (separate procedure)) shall not be reported separately when performed as a cursory examination with other respiratory endoscopic procedures.
16. A diagnostic thoracoscopy (CPT codes 32601, 32604, 32606) is not separately reportable with a surgical thoracoscopy on the ipsilateral side of the thorax.

A diagnostic thoracoscopy to assess the surgical field or extent of disease before an open thoracotomy, thoracostomy, or mediastinal procedure is not separately reportable. However, a diagnostic thoracoscopy is separately reportable with an open thoracotomy, thoracostomy, or mediastinal procedure if the findings of the diagnostic thoracoscopy lead to the decision to perform an open thoracotomy, thoracostomy, or mediastinal procedure. Modifier 58 may be reported to indicate that the diagnostic thoracoscopy and open procedure were staged or planned.

**Revision Date (Medicaid): 1/1/2025**



If a surgical thoracoscopy is converted to an open thoracotomy, thoracostomy, or mediastinal procedure, the surgical thoracoscopy is not separately reportable. Additionally, a diagnostic thoracoscopy shall not be reported in lieu of the surgical thoracoscopy with the open thoracotomy, thoracostomy, or mediastinal procedure. Neither a surgical thoracoscopy nor diagnostic thoracoscopy code shall be reported with the open thoracotomy, thoracostomy, or mediastinal procedure code when a surgical thoracoscopy is converted to an open procedure.

17. Open procedures of the thorax include the approach and exploration. The CPT code 32100 (Thoracotomy; with exploration) shall not be reported separately with open thoracic procedures to describe the approach and exploration. CPT code 32100 may be separately reportable with an open thoracic procedure if: (1) it is performed on the contralateral side; (2) it is performed on the ipsilateral side through a separate skin incision; or (3) it is performed to obtain a biopsy at a different site than the other open thoracic procedure.
18. A tube thoracostomy (CPT code 32551) may be performed for drainage of an abscess, empyema, or hemothorax. The code descriptor for CPT code 32551 defines it as a “separate procedure.” It is not separately reportable when performed at the same patient encounter as another open procedure of the thorax unless it is performed in the thoracic cavity contralateral to the one entered to perform the open thoracic procedure.
19. A pleural drainage procedure (e.g., CPT codes 32556, 32557), thoracentesis procedure (e.g. CPT codes 32554, 32555), or chest tube insertion procedure (e.g., CPT codes 32550, 32551) is often followed by a chest radiologic examination to confirm adequacy of the procedure, lack of complications, or the proper location and positioning of the chest tube. A chest radiologic examination CPT code (e.g., 71045, 71046) shall not be reported separately for this radiologic examination.
20. CPT code 92502 (otolaryngologic examination under general anesthesia) is not separately reportable with any other otolaryngologic procedure performed under general anesthesia.
21. The procedures described by CPT codes 30801 and 30802 (Cautery and/or ablation of mucosa of inferior turbinates) are performed to reduce the size of the inferior turbinates of the nose. These 2 codes shall not be reported for access to the nose or sinuses or for control of intraoperative bleeding with other codes describing nasal or sinus endoscopy or other nasal procedures. Since the procedure described by CPT code 30802 (Intramural, unilateral or bilateral) is more extensive than the procedure described by CPT code 30801 (Superficial, unilateral, or bilateral), both codes shall not be reported for the same patient encounter.
22. A diagnostic biopsy(s) of the lung from an anatomic location removed during a more extensive procedure (e.g., segmentectomy, lobectomy, thorascopic (VATS) lobectomy) at the same patient encounter is not separately reportable with the more extensive

**Revision Date (Medicaid): 1/1/2025**

procedure. This principle is applicable whether the lung biopsy(s) is examined pathologically during the intraoperative procedure or postoperatively. This principle is applicable whether the biopsy(s) is for purposes of diagnosis, determining whether the more extensive procedure should be performed, or determining the extent of the more extensive procedure. This principle is also applicable regardless of the surgical approach (i.e., open or thorascopic (VATS)) or technique (e.g., incisional, excisional, resection, stapled wedge) to perform the biopsy(s).

A diagnostic biopsy(s) of the lung is separately reportable with a more extensive lung procedure performed at the same patient encounter if the anatomic location of the biopsy is not included in the more extensive procedure.

23. CPT codes that describe excision of all lung tissue from a thoracic cavity (e.g., 32440, 32442, 32445, 32488) include thoracotomy with exploration (CPT code 32100), open intrapleural pneumonolysis (CPT code 32124), control of traumatic hemorrhage or repair of lung tear (CPT code 32110), cyst removal (CPT code 32140), resection-plication of bullae (CPT code 32141), removal of intrapleural foreign body or fibrin deposit (CPT code 32150), and removal of intrapulmonary foreign body (CPT code 32151) if performed on the lung tissue in that thoracic cavity before removal. CPT codes that describe partial excision of lung tissue also include the same procedures if performed on the removed lung tissue before excision.

#### **D. Cardiovascular System**

1. Coronary artery bypass procedures using venous grafts (CPT codes 33510-33523) include procurement of the venous graft(s) as an integral component of the procedure. The CPT codes 37700-37735 (Ligation of saphenous veins) shall not be reported separately for procurement of the venous grafts.
2. When a coronary artery bypass procedure is performed, the most comprehensive code describing the procedure shall be reported. When venous grafting only is performed, only one code in the range of coronary artery bypass CPT codes 33510-33516 may be reported. No other bypass codes shall be reported with these codes. One code in the range of CPT codes 33517-33523 (combined arterial-venous grafting) and one code in the range of CPT codes 33533-33536 (arterial grafting) may be reported together to accurately describe combined arterial-venous bypass. When only arterial grafting is performed, only one code in the range of CPT codes 33533-33536 may be reported.
3. During venous or combined arterial venous coronary artery bypass grafting procedures (CPT codes 33510-33523), it is occasionally necessary to perform epi-aortic ultrasound. This procedure may be reported with CPT code 76998 (Ultrasonic guidance, intraoperative) by appending modifier 59 or XS. The CPT code 76998 shall not be reported for ultrasound guidance used to procure the vascular graft.
4. Cardiopulmonary bypass requires insertion of cannulas into the venous and arterial

**Revision Date (Medicaid): 1/1/2025**

circulation which is integral to the procedure. HCPCS/CPT codes for insertion of the cannulas into the venous and arterial circulation shall not be reported separately.

5. CPT codes 33210 and 33211 describe insertion or replacement of temporary transvenous single and dual chamber respectively cardiac electrodes or pacemaker catheters, respectively. These codes shall not be reported with open or percutaneous cardiac procedures performed at the same patient encounter.
6. Many of the code descriptors in the CPT code range 36800-36861 (Hemodialysis access, intravascular cannulation, shunt insertion) include the “separate procedure” designation. Pursuant to the NCCI “separate procedure” policy, these “separate procedures” are not separately reportable with vascular revision procedures at the same site/vessel.
7. An aneurysm repair may require direct repair with or without graft insertion, thromboendarterectomy, or bypass. When a thromboendarterectomy is performed at the site of an aneurysm repair or graft insertion, the thromboendarterectomy is not separately reportable. If a bypass procedure requires an endarterectomy to insert the bypass graft, only the code describing the bypass may be reported. The endarterectomy is not separately reportable. If an aneurysm repair (e.g., after rupture) and a bypass are performed at separate non-contiguous sites, the aneurysm repair code and the bypass code may be reported with an anatomic modifier or modifier 59 or XS. If a thromboendarterectomy is medically necessary due to vascular occlusion in a different vessel, the appropriate code may be reported with an anatomic modifier or modifiers 59 or XS indicating that the procedures were performed in non-contiguous vessels.

At a given site, only one type of bypass (venous, non-venous) code may be reported. If different vessels are bypassed with different types of grafts, separate codes may be reported. If the same vessel has multiple obstructions and requires bypass with different types of grafts in different areas, separate codes may be reported. However, it is necessary to indicate that multiple procedures were performed by using an anatomic modifier or modifiers 59 or XS.

8. When an open or percutaneous vascular procedure (e.g., thromboendarterectomy) is performed, the repair and closure are included components of the vascular procedure. CPT codes 35201-35286 (Repair of blood vessel including extensive repair) are not separately reportable in addition to the primary vascular procedure unless the CPT code descriptor states that repair or closure may be reported separately.
9. Repair and closure of a blood vessel used for vascular access during the performance of a procedure is an included component of that procedure. Repair of the blood vessel (e.g., CPT codes 35201-35286) shall not be reported separately.
10. If a failed percutaneous vascular procedure is followed by an open procedure by the same physician at the same patient encounter (e.g., percutaneous transluminal angioplasty, thrombectomy, embolectomy, etc. followed by a similar open procedure such as

**Revision Date (Medicaid): 1/1/2025**

thromboendarterectomy), only the HCPCS/CPT code for the completed procedure, which is usually the more extensive open procedure may be reported. If a percutaneous procedure is performed on 1 lesion and a similar open procedure is performed on a separate lesion, the HCPCS/CPT code for the percutaneous procedure may be reported with modifiers 59 or XS only if the lesions are in distinct and separate anatomically defined vessels. If similar open and percutaneous procedures are performed on different lesions in the same anatomically defined vessel, only the open procedure may be reported.

11. The CPT codes 36000, 36406, 36410, etc. represent very common procedures performed to gain venous access for phlebotomy, prophylactic intravenous access, infusion therapy, chemotherapy, hydration, transfusion, drug administration, etc. When intravenous access is routinely obtained in the course of performing other medical/diagnostic/surgical procedures or is necessary to accomplish the procedure (e.g., infusion therapy, chemotherapy), it is inappropriate to separately report the venous access services. The CPT codes 96360-96361 shall not be reported for infusions to maintain patency of a vascular access site.
12. When a non-coronary percutaneous intravascular interventional procedure is performed on the same vessel at the same patient encounter as diagnostic angiography (arteriogram/venogram), only one selective catheter placement code for the vessel may be reported. If the angiogram and the percutaneous intravascular interventional procedure are not performed in immediate sequence and the catheter(s) are left in place during the interim, a second selective catheter placement or access code shall not be reported. Additionally, dye injections to position the catheter shall not be reported as a second angiography procedure.
13. Open and percutaneous interventional vascular procedures include operative angiograms and/or venograms which shall not be reported separately as diagnostic angiograms/venograms. However, the *CPT Professional codebook* describes the circumstances under which a provider may separately report a diagnostic angiogram/venogram at the time of an interventional vascular procedure. Similar criteria apply to separately reporting a diagnostic angiogram or venogram at the time of an open vascular procedure. A diagnostic angiogram/venogram may be separately reportable with modifiers 59 or XU if it satisfies *CPT Professional codebook* guidelines (if applicable) and/or Medicaid NCCI policy (if applicable). If the code descriptor for a vascular procedure specifically includes diagnostic angiography, the provider shall not separately report a diagnostic angiography code.

If a diagnostic angiogram (fluoroscopic or computed tomographic) was performed before the date of the open or percutaneous intravascular interventional procedure, a second diagnostic angiogram cannot be reported on the date of the open or percutaneous intravascular interventional procedure unless it is medically reasonable and necessary to repeat the study to further define the anatomy and pathology. Report the repeat angiogram with modifiers 59 or XU. If it is medically reasonable and necessary to repeat

**Revision Date (Medicaid): 1/1/2025**

only a portion of the diagnostic angiogram, append modifier 52 in addition to modifiers 59 or XU to the angiogram CPT code. If the prior diagnostic angiogram (fluoroscopic or computed tomographic) was complete, the provider shall not report a second angiogram for the dye injections necessary to perform the open or percutaneous intravascular interventional procedure.

14. If a median sternotomy is used to perform a cardiothoracic procedure, the repair of the sternotomy is not separately reportable. The CPT codes 21820-21825 (Treatment of sternum fracture) shall not be reported for repair of the sternotomy.

If a cardiothoracic procedure is performed after a prior cardiothoracic procedure with sternotomy (e.g., repeat procedure, new procedure, treatment of postoperative hemorrhage), removal of embedded wires is not separately reportable.

15. If a superficial or deep implant (e.g., buried wire, pin, rod) requires surgical removal (CPT codes 20670 and 20680), it is not separately reportable if it is performed as an integral part of another procedure. For example, if a reoperation for coronary artery bypass or valve procedures requires removal of previously inserted sternal wires, removal of these wires is not separately reportable.
16. When existing vascular access lines or selectively placed catheters are used to procure arterial or venous samples, reporting the sample collection separately is inappropriate. The CPT codes 36500 (Venous catheterization for selective organ blood sampling) or 75893 (Venous sampling through catheter with or without angiography...) may be reported for venous blood sampling through a catheter placed for the sole purpose of venous blood sampling. The CPT code 75893 includes concomitant venography if performed. If a catheter is placed for a purpose other than venous blood sampling with or without venography (CPT code 75893), it is a misuse of CPT codes 36500 or 75893 to report them in addition to CPT codes for the other venous procedure(s). The CPT codes 36500 or 75893 shall not be reported for blood sampling during an arterial procedure.
17. Peripheral vascular bypass CPT codes describe bypass procedures with venous and other grafting materials (CPT codes 35501-35683). These procedures are mutually exclusive since only one type of bypass procedure may be performed at a site of obstruction. If multiple sites of obstruction are treated with different types of bypass procedures at the same patient encounter, multiple bypass procedure codes may be reported with anatomic modifiers or modifier 59 or XU. If a physician attempts a graft with one material but completes the graft with another material, only the one code describing the completed procedure shall be reported.
18. Bypass grafts (CPT codes 35500-35683) include blood vessel repair. The CPT codes 35201-35286 (direct repair, repair with vein graft, and repair with graft other than vein) shall not be reported with a bypass graft code for the same anatomic site.
19. Vascular obstruction may be caused by thrombosis, embolism, atherosclerosis, or other

**Revision Date (Medicaid): 1/1/2025**

conditions. Treatment may include thrombectomy, embolectomy or endarterectomy. CPT codes describe embolectomy/thrombectomy (e.g., CPT codes 34001-34490), atherectomy (e.g., CPT codes 0234T-0238T, 37225, 37227, 37229, 37231, 37233, 37235), and thromboendarterectomy (e.g., CPT codes 35301-35390). Only the most comprehensive code describing the services performed at a given site/vessel may be reported. Therefore, for a given site/vessel, codes from more than one of the above code ranges shall not be reported together. If a percutaneous interventional procedure fails (e.g., balloon thrombectomy) and the same physician performs an open procedure (e.g., thromboendarterectomy) at the same patient encounter, only the completed procedure, generally the more extensive open procedure, may be reported.

20. The CPT codes 35800-35860 describe treatment of postoperative hemorrhage requiring return to the operating room. These codes shall not be reported for the treatment of hemorrhage during the initial operative session or treatment of postoperative hemorrhage not requiring return to the operating room. These codes should generally be reported with modifier 78 indicating that the procedure represents a return to the operating room for a related procedure in the postoperative period.
21. Many Pacemaker/Implantable Defibrillator procedures (CPT codes 33202-33275) and Intracardiac Electrophysiology procedures (CPT codes 93600-93662) require intravascular placement of catheters into coronary vessels or cardiac chambers under fluoroscopic guidance. Physicians shall not separately report cardiac catheterization or selective vascular catheterization CPT codes for placement of these catheters. A cardiac catheterization CPT code is separately reportable if it is a medically reasonable, necessary, and distinct service performed at the same or different patient encounter. Fluoroscopy codes (e.g., CPT code 76000) are not separately reportable with the procedures described by CPT codes 33202-33275 and 93600-93662. Fluoroscopy codes intended for specific procedures may be reported separately. Additionally, ultrasound guidance is not separately reportable with these CPT codes. Physicians shall not report CPT codes 76937, 76942, 76998, 93318, or other ultrasound procedural codes if the ultrasound procedure is performed for guidance during one of the procedures described by CPT codes 33200-33275 or 93600-93662.

Insertion or replacement of a temporary transvenous cardiac electrode or pacemaker catheter (CPT codes 33210, 33211) during a pacemaker/implantable defibrillator procedure (CPT codes 33202-33249) or intracardiac electrophysiology procedure (CPT codes 93600-93662) is not separately reportable. CPT codes 33210 and 33211 include the “separate procedure” designation in their code descriptors and are not separately reportable with another surgical procedure performed in the same anatomic area at the same patient encounter.

22. Electronic analysis (i.e., interrogation and programming) is integral to the insertion or replacement of a pacemaker or implantable defibrillator pulse generator. The interrogation and programming codes shall not be reported separately.

**Revision Date (Medicaid): 1/1/2025**



23. CPT codes 33218 and 33220 describe repair of a single and 2 transvenous electrode respectively for a permanent pacemaker or pacing implantable defibrillator. These procedures include incising the skin pocket for the device, removing the device, repairing the lead, and reinserting the original device. CPT codes for device removal, insertion, or replacement or skin pocket revision should not be reported for the typical procedure when the original device is replaced. However, if a new device is used to replace the original device, CPT codes 33227-33229 or 33262-33264 may be reported additionally for replacement with a new device.
24. CPT codes 37211-37214 (Transcatheter therapy with infusion for thrombolysis of non-coronary vessel) may be reported when a blood vessel is catheterized for the purpose of transcatheter infusion for thrombolysis of a non-coronary vessel. With the exception of lower extremity endovascular revascularization procedures (CPT codes 37220-37235), CPT codes 37211-37214 should not be reported for infusion of a thrombolytic agent into a blood vessel in the catheterization pathway of a blood vessel undergoing a percutaneous or open diagnostic or interventional intravascular procedure since a catheter is already in the blood vessel. Thrombolysis in a lower extremity vessel may be reported separately with an endovascular revascularization procedure (CPT codes 37220-37235).
25. Subsection deleted, January 1, 2025.
26. The *CPT Professional codebook* defines primary and secondary percutaneous transluminal arterial mechanical thrombectomies. The *CPT Professional codebook* contains an instruction which states: “Do not report 37184-37185 for mechanical thrombectomy performed for retrieval of short segments of thrombus or embolus evident during other percutaneous interventional procedures. See 37186 for these procedures.” Based on this CPT instruction, the NCCI program contains edits bundling the primary percutaneous transluminal mechanical thrombectomy (CPT code 37184) into all percutaneous arterial interventional procedures. These edits allow use of NCCI PTP–associated modifiers if a provider performs a primary percutaneous transluminal arterial mechanical thrombectomy rather than a secondary percutaneous transluminal arterial mechanical thrombectomy (CPT code 37186) in conjunction with the other percutaneous arterial procedure.
27. Thrombectomy of thrombus in the vascular territory of a diseased artery is inherent in the work of an atherectomy procedure. CPT code 37186 (Secondary percutaneous transluminal thrombectomy. . .) shall not be reported for removal of such thrombus. For example, if a physician performs a lower extremity endovascular revascularization atherectomy, removal of any thrombus from the vascular territory of the vessel treated with atherectomy is not separately reportable.
28. CPT code 37215 describes an open or percutaneous transcatheter placement of intravascular stent(s) in the cervical carotid artery using distal embolic protection. It includes all ipsilateral selective carotid arterial catheterization, all diagnostic imaging for ipsilateral cervical and cerebral carotid arteriography, and all radiological supervision and

**Revision Date (Medicaid): 1/1/2025**



interpretation (RS&I). Physicians shall not unbundle the RS&I services. These same principles would apply to CPT code 37216, but it is currently a noncovered service code on the Medicare Physician Fee Schedule.

29. CPT code 36005 (injection procedure for extremity venography (including introduction of needle or intracatheter)) shall not be used to report venous catheterization unless it is for the purpose of an injection procedure for extremity venography. Some physicians have misused this code to report any type of venous catheterization.
30. CPT code 36002 (Injection procedures (e.g., thrombin) for percutaneous treatment of extremity pseudoaneurysm) shall not be reported for vascular sealant of an arteriotomy site. It is bundled into vascular procedures and cardiopulmonary bypass procedures in which there is an arteriotomy. If the procedure described by CPT code 36002 is performed at a separate anatomic site unrelated to use of a vascular sealant or separate patient encounter on the same date of service, it may be reported separately with an NCCI PTP-associated modifier.
31. Operative ablation procedures (e.g., CPT codes 33250-33261 and 33265-33266) include cardioversion as an integral component of the procedures. CPT codes 92960 or 92961 (Elective cardioversion) shall not be reported separately with the operative ablation procedure codes unless an elective cardioversion is performed at a separate patient encounter on the same date of service. If electrophysiologic study with pacing and recording is performed during an operative ablation procedure, it is integral to the procedure and shall not be reported separately as CPT code 93624 (Electrophysiologic follow-up study with pacing and recording to test effectiveness of therapy...).
32. CPT code 93503 (Insertion and placement of flow directed catheter (e.g., Swan-Ganz. .)) shall not be reported with CPT codes 36555-36556 (Insertion of non-tunneled centrally inserted central venous catheter) or CPT codes 36568-36569 (Insertion of peripherally inserted central venous catheter) for the insertion of a single catheter. If a physician does not complete the insertion of one type of catheter and subsequently inserts another at the same patient encounter, only the completed procedure may be reported.
33. CPT codes 33203, 33265, and 33266 describe surgical endoscopic procedures (CPT code 33203 – insertion of epicardial electrodes; CPT codes 33265, 33266 – operative tissue ablation). CPT codes 32601 and 32604 describe diagnostic thoracoscopy of the pericardial sac. Since surgical endoscopy includes diagnostic endoscopy, CPT codes 32601 or 32604 shall not be reported separately with CPT codes 33203, 33265, and 33266 for the same patient encounter.
34. If an ascending aorta graft procedure (CPT codes 33858-33864) extends anatomically into the transverse aortic arch proximal to the origin of the brachiocephalic artery, CPT code 33870 (Transverse arch graft...) shall not be reported separately.
35. CPT codes 36901-36906 describe progressively more intensive services. Report only one

**Revision Date (Medicaid): 1/1/2025**

code from this range for services provided in a dialysis circuit. CPT codes 36907 and 36908 are add-on codes reported with 36901-36906 as appropriate. These codes may only be reported once per session regardless of the number of lesions treated. CPT 36909 is an add-on code reported with 36901-36906 as appropriate and describes endovascular embolization or occlusion and may be reported only once per session regardless of the number of branches embolized or occluded.

36. Replacement of a ventricular assist device (VAD) includes removal of the old pump, insertion of a new pump, and initiation of the new pump. CPT codes describing implantation (insertion) or removal of a VAD shall not be reported separately with a CPT code describing replacement of a VAD.
37. When a central venous catheter is inserted, a chest radiologic examination is usually performed to confirm the position of the catheter and absence of pneumothorax. The chest radiologic examination is integral to the procedure, and a chest radiologic examination (e.g., CPT codes 71045, 71046) shall not be reported separately.
38. A procedure to insert a central flow directed catheter (e.g., Swan-Ganz) (CPT code 93503) is often followed by a chest radiologic examination to confirm proper positioning of the flow directed catheter. A chest radiologic examination CPT code (e.g., 71045, 71046) shall not be reported separately for this radiologic examination.
39. Reserved for future use.
40. Open vascular procedures include exploration of the blood vessel. CPT codes 35701, 35702, and 35703(Exploration not followed by surgical repair ...) shall not be reported for a blood vessel on which an open vascular procedure is performed..
41. Diagnostic studies of the cervicocerebral arteries (CPT codes 36221-36227) include angiography of the thoracic aortic arch. Physicians shall not separately report CPT codes 75600 or 75605 (Thoracic aortography) for this examination unless it is medically reasonable and necessary to additionally examine the descending thoracic aorta. A physician shall not report CPT codes 75600 or 75605 for the examination of the descending thoracic aorta with the runoff of the dye used to examine the thoracic aortic arch included in the diagnostic studies of the cervicocerebral arteries. Additionally, if an unexpected abnormality of the descending thoracic aorta is identified while examining the dye runoff in the descending aorta, CPT codes 75600 or 75605 shall not be reported separately.
42. For vascular embolization procedures (CPT codes 37241-37244) physicians may separately report selective catheterization CPT codes. However, physicians shall not separately report non-selective catheterization CPT codes for these procedures. Vascular embolization procedures include associated radiological supervision and interpretation, intra-procedural guidance, road-mapping, and imaging necessary to document completion of the procedure. Angiography may be a separately reportable procedure with modifiers

**Revision Date (Medicaid): 1/1/2025**

59 or XS only if it satisfies guidelines for diagnostic angiography included in the “Vascular Embolization and Occlusion” section of the *CPT Professional codebook* or Medicaid NCCI policy.

43. Transcatheter aortic valve or mitral valve replacement procedures include fluoroscopic **and/or** ultrasound guidance if performed. Physicians shall not report fluoroscopy CPT codes (e.g., 76000, 77002) nor ultrasound CPT codes (e.g., 76942, 76998) for guidance during these procedures.

Transthoracic echocardiography CPT codes 93306-93308, transesophageal echocardiography CPT codes 93312-93314, and doppler echocardiography CPT codes 93320-93325 are not separately reportable by the physician performing a transcatheter aortic valve and mitral valve replacement procedure.

44. Ligation procedures of the lower extremity (e.g., CPT codes 37700-37785) include application of a compression dressing, if performed. CPT codes 29581 (application of multi-layer compression system) shall not be reported separately.

## **E. Hemic and Lymphatic Systems**

1. When diagnostic bone marrow aspiration(s) is performed alone, the appropriate code to report is CPT code 38220. When diagnostic bone marrow biopsy(ies) is performed alone, the appropriate code to report is CPT code 38221. This code shall not be reported with CPT code 20220 (bone biopsy). When diagnostic bone marrow aspiration(s) and biopsy(ies) are performed on the ipsilateral iliac bone, the appropriate code to report is CPT code 38222. The CPT codes 38220 and 38221 may only be reported together if the two procedures are performed without accompanying biopsy(ies) or aspiration(s) respectively on different iliac bones or sternum or at separate patient encounters. If a diagnostic bone marrow biopsy (CPT code 38221) and diagnostic bone marrow aspiration (CPT code 38220) are performed on the same bone, do not report the bone marrow aspiration, CPT code 38220, in addition to the bone marrow biopsy (CPT code 38221).
2. The CPT code 38747 (Abdominal lymphadenectomy, regional, including celiac, gastric, portal, peripancreatic, with or without para-aortic and venal caval nodes...) shall not be reported for the excision of lymph nodes that are in the operative field of another surgical procedure. For example, CPT code 38747 shall not be reported for the excision of lymph nodes in the operative field of a gastrectomy, pancreatectomy, hepatectomy, colectomy, enterectomy, or nephrectomy.
3. If an iatrogenic laceration of the spleen occurs during the course of another procedure, repair of the laceration with or without splenectomy is not separately reportable. Treatment of an iatrogenic complication of surgery such as a splenic laceration is not a separately reportable service. For example, if an iatrogenic laceration of the spleen occurs during an enterectomy, colectomy, gastrectomy, pancreatectomy, or nephrectomy

**Revision Date (Medicaid): 1/1/2025**

procedure, the physician shall not separately report a splenectomy CPT code (e.g., 38100, 38101, 38120).

## **F. Mediastinum**

The CPT codes 39000 and 39010 describe mediastinotomy by cervical or thoracic approach respectively with “exploration, drainage, removal of foreign body, or biopsy.” Exploration of the surgical field is not separately reportable with another procedure performed in the surgical field. The CPT codes 39000 and 39010 shall not be reported separately for exploration of the mediastinum when performed with procedures on mediastinal structures (e.g., esophagus, bronchi, aorta, heart) or structures accessed through the mediastinum (e.g., lungs, vertebrae). These codes may be reported separately if mediastinal drainage, removal of foreign body, or biopsy is performed.

## **G. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS. A national health care organization, provider, or other interested third party may request a reconsideration of the MUE value. Written requests for reconsideration of an MUE may be sent to the entity and address identified on the CMS Medicaid NCCI webpage.

Please note that any submissions made to the NCCI program that contain Personally Identifiable Information (PII) or Protected Health Information (PHI) are automatically shredded, regardless of the content, in accordance with federal privacy rules with which the NCCI program must comply.

3. CPT codes 36901-36906 describe progressively more intensive services. Report only one code from this range for services provided in a dialysis circuit. CPT codes 36907 and 36908 are add-on codes reported with 36901-36906 as appropriate. These codes may only be reported once per session regardless of the number of lesions treated. CPT 36909 is an add-on code reported with 36901-36906 as appropriate and describes endovascular embolization or occlusion and may be reported only once per session regardless of the number of branches embolized or occluded.

CPT code 36902 (Introduction of needle(s) and/or catheter(s), dialysis circuit... and interpretation necessary to perform the angioplasty) may be reported with one unit of service for transluminal balloon angioplasty of all lesions in the peripheral segment defined as originating at the arterial anastomosis extending to the central dialysis

**Revision Date (Medicaid): 1/1/2025**

segment. 36902 includes angioplasty in the peri-anastomotic region, the peripheral segment region of a dialysis circuit near the anastomosis including the parent artery, anastomosis and immediately adjacent areas when performed.

4. CPT codes 37211 and 37212 describe transcatheter therapy infusions for thrombolysis on the “initial treatment day.” Since each of these codes may only be reported once per day, the MUE value for each of these codes is “1.” CPT codes 37213 and 37214 describe transcatheter therapy infusions for thrombolysis “continued treatment on subsequent day.” Since each of these codes may only be reported once per day, the MUE value for each of these codes is “1.”
5. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
6. CPT code 36415 describes collection of venous blood by venipuncture. Each unit of service of this code includes all collections of venous blood by venipuncture during a single episode of care regardless of the number of times venipuncture is performed to collect venous blood specimens. Two or more collections of venous blood by venipuncture during the same episode of care are not reportable as additional UOS.

An episode of care begins when a patient arrives at a facility for treatment and terminates when the patient leaves the facility.

## **H. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician”. Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.
3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Manual*, use of a

**Revision Date (Medicaid): 1/1/2025**

numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.

4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. The CPT code 76000 shall not be reported separately with an endoscopic procedure.
6. Open procedures of the thoracic cavity require a thoracotomy for the surgical approach. A physician shall not report CPT code 32100 (Thoracotomy; with exploration) in addition to an open thoracic procedure CPT code.
7. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379), or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting of moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report

**Revision Date (Medicaid): 1/1/2025**



CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The HCPCS/CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with a NCCI PTP-associated modifier if performed in a non-facility site of service.

8. The global package includes insertion of urinary catheters. The CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
9. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
10. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
11. For more information regarding biopsies, see Chapter I, Introduction, Section A.
12. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with another biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
13. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.

**Revision Date (Medicaid): 1/1/2025**



14. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the two codes of the code pair edit may be reported if the two procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the two codes generally should not be reported together unless the two corresponding procedures are performed at two separate patient encounters or two separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.
15. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
16. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with a NCCI PTP-associated modifier if appropriate.
17. A cystourethroscopy (CPT code 52000) performed near the termination of an intra-abdominal, intra-pelvic, or retroperitoneal surgical procedure to assure that there was no intraoperative injury to the ureters or urinary bladder and that they are functioning properly is not separately reportable with the surgical procedure.
18. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes must not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
19. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

**CHAPTER VI**  
**SURGERY: DIGESTIVE SYSTEM**  
**CPT CODES 40000 – 49999**

**MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are  
copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't  
assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The  
AMA doesn't directly or indirectly practice medicine or dispense medical services. The  
AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory  
Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter VI .....	VI-3
Surgery: Digestive System .....	VI-3
CPT Codes 40000 - 49999.....	VI-3
A. Introduction .....	VI-3
B. Evaluation & Management (E&M) Services .....	VI-3
C. Endoscopic Services .....	VI-5
D. Esophageal Procedures .....	VI-7
E. Abdominal Procedures .....	VI-7
F. Laparoscopy .....	VI-9
G. Medically Unlikely Edits (MUEs).....	VI-11
H. General Policy Statements .....	VI-11

**Revision Date (Medicaid): 1/1/2025**

## **Chapter VI**

### **Surgery: Digestive System**

### **CPT Codes 40000 - 49999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 40000-49999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage at:

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for

**Revision Date (Medicaid): 1/1/2025**

the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical

**Revision Date (Medicaid): 1/1/2025**

procedure may be appropriate in some instances.

### C. Endoscopic Services

Endoscopic services may be performed in many places of service (e.g., office, outpatient, ambulatory surgical centers (ASC)). Services that are an integral component of an endoscopic procedure are not separately reportable. These services include, but are not limited to, venous access (e.g., CPT code 36000), infusion/injection (e.g., CPT codes 96360-96379), non-invasive oximetry (e.g., CPT codes 94760 and 94761), and anesthesia provided by the surgeon.

1. Per *CPT Professional codebook* instructions, surgical endoscopy includes diagnostic endoscopy. A diagnostic endoscopy HCPCS/CPT code shall not be reported with a surgical endoscopy code.
2. If multiple endoscopic services are performed, the most comprehensive code describing the service(s) rendered shall be reported. If multiple services are performed and not adequately described by a single HCPCS/CPT code, more than one code may be reported. The multiple procedure modifier 51 should be appended to the secondary HCPCS/CPT code. Only medically necessary services may be reported. Incidental examination of other areas shall not be reported separately.
3. If the same endoscopic procedure (e.g., polypectomy) is performed multiple times at a single patient encounter in the same region as defined by the *CPT Professional codebook* narrative, only one CPT code may be reported with one unit of service.
4. Gastroenterological procedures included in CPT code ranges 43753-43757 and 91010-91299 are frequently complementary to endoscopic procedures. Esophageal and gastric washings for cytology when performed are integral components of an esophagogastroduodenoscopy (e.g., CPT code 43235). Gastric or duodenal intubation with or without aspiration (e.g., CPT codes 43753, 43754, 43756) shall not be separately reported when performed as part of an upper gastrointestinal endoscopic procedure. Gastric or duodenal stimulation testing (e.g., CPT codes 43755, 43757) may be facilitated by gastrointestinal endoscopy (e.g., procurement of gastric or duodenal specimens). When performed concurrent with an upper gastrointestinal endoscopy, CPT code 43755 or 43757 should be reported with modifier 52 indicating that a reduced level of service was performed.
5. If an endoscopy or enteroscopy is performed as a common standard of practice when performing another service, the endoscopy or enteroscopy is not separately reportable. For example, if a small intestinal endoscopy or enteroscopy is performed during the creation or revision of an enterostomy, the small intestinal endoscopy or enteroscopy is not separately reportable.
6. An endoscopy to assess anatomic landmarks or assess extent of disease preceding another surgical procedure at the same patient encounter is not separately reportable. However, an

**Revision Date (Medicaid): 1/1/2025**

endoscopic procedure for diagnostic purposes to decide whether a more extensive open procedure needs to be performed is separately reportable. In the latter situation, modifier 58 may be used to indicate that the diagnostic endoscopy and more extensive open procedure were staged procedures.

If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure no intraoperative injury occurred or verify the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.

7. If a non-endoscopic esophageal dilation (e.g., CPT codes 43450, 43453) fails and is followed by an endoscopic esophageal dilation procedure (e.g., CPT codes 43213, 43214, 43233), only the endoscopic esophageal dilation procedure may be reported. The physician shall not report the failed procedure.
8. If it is necessary to perform diagnostic or surgical endoscopy of the hepatic/biliary/pancreatic system using different methodologies (e.g., biliary T-tube endoscopy, ERCP) multiple CPT codes may be reported. Modifier 51 should be appended to indicate that multiple procedures were performed at the same patient encounter.
9. Intubation of the gastrointestinal tract (e.g., percutaneous placement of G-tube) includes subsequent non-endoscopic removal of the tube. CPT codes such as 43247 (Upper gastrointestinal endoscopic removal of foreign body(s)) shall not be reported for non-endoscopic removal of previously placed therapeutic devices. However, if a previously placed therapeutic device must be removed endoscopically because it cannot be removed by a non-endoscopic procedure, a CPT code such as 43247 may be reported for the endoscopic removal.
10. Rules for reporting biopsies performed at the same patient encounter as an excision, destruction, or other type of removal are discussed in Section H (General Policy Statements), Subsection 22.
11. Control of bleeding is an integral component of endoscopic procedures and is not separately reportable. For example, if a provider/supplier performs endoscopic band ligation(s) by flexible sigmoidoscopy (CPT code 45350) or colonoscopy (CPT code 45398), control of bleeding is not separately reportable with CPT codes 45334 (Flexible sigmoidoscopic control of bleeding) or 45382 (Colonoscopic control of bleeding) respectively.

If it is necessary to repeat an endoscopy to control bleeding at a separate patient encounter on the same date of service, the HCPCS/CPT code for endoscopy for control of bleeding is separately reportable with modifier 78 indicating that the procedure required return to the operating room (or endoscopy suite) for a related procedure during the postoperative period.

**Revision Date (Medicaid): 1/1/2025**



12. Only the more extensive endoscopic procedure may be reported for a patient encounter. For example, if a sigmoidoscopy is completed and the physician also performs a colonoscopy during the same patient encounter, only the colonoscopy may be reported.
13. If an endoscopic procedure fails and is converted into an open procedure at the same patient encounter, only the open procedure is reportable. Neither a surgical endoscopy nor diagnostic endoscopy procedure code shall be reported with the open procedure code when an endoscopic procedure is converted to an open procedure.
14. If a transabdominal colonoscopy via colostomy and/or standard sigmoidoscopy or colonoscopy is performed as a necessary part of an open procedure (e.g., colectomy), the endoscopic procedure(s) is (are) not separately reportable. However, if either endoscopic procedure is performed as a diagnostic procedure upon which the decision to perform the open procedure is made, the endoscopic procedure may be reported separately. Modifier 58 may be used to indicate that the diagnostic endoscopy and the open procedure were staged or planned services.
15. If the larynx is viewed through an esophagoscope or upper gastrointestinal endoscope during endoscopy, a laryngoscopy CPT code cannot be reported separately. However, if a medically necessary laryngoscopy is performed with a separate laryngoscope, both the laryngoscopy and esophagoscopy (or upper gastro-intestinal endoscopy) CPT codes may be reported with NCCI PTP-associated modifiers.
16. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. CPT code 76000 shall not be reported separately with an endoscopic procedure. For example, fluoroscopy (e.g., CPT code 76000) is not separately reportable with CPT codes describing gastrointestinal endoscopy for foreign body removal (e.g., 43194, 43215, 43247, 44390, 45332, 45379).

#### **D. Esophageal Procedures**

The CPT codes 39000 and 39010 describe mediastinotomy by cervical or thoracic approaches respectively with “exploration, drainage, removal of foreign body, or biopsy.” Exploration of the surgical field is not separately reportable with another procedure performed in the surgical field. The CPT codes 39000 and 39010 shall not be reported separately for exploration of the mediastinum when performed with an esophageal procedure. These codes may be reported separately if mediastinal drainage, removal of foreign body, or biopsy is performed. However, these codes shall not be reported separately for removal of foreign body with CPT code 43020 (Esophagotomy, cervical approach, with removal of foreign body) or CPT code 43045 (Esophagotomy, thoracic approach, with removal of foreign body).

#### **E. Abdominal Procedures**

1. During an open abdominal procedure, exploration of the surgical field is routinely performed to identify anatomic structures and disease. An exploratory laparotomy (CPT

**Revision Date (Medicaid): 1/1/2025**

code 49000) is not separately reportable with an open abdominal procedure.

2. Hepatectomy procedures (e.g., CPT codes 47120-47130, 47133-47142) include removal of the gallbladder, based on anatomic considerations and standards of practice. A cholecystectomy CPT code is not separately reportable with a hepatectomy CPT code.
3. A medically necessary appendectomy may be reported separately. However, an incidental appendectomy of a normal appendix during another abdominal procedure is not separately reportable.
4. If a hernia repair is performed at the site of an incision for an open or laparoscopic abdominal procedure, the hernia repair (e.g., CPT codes 15778, 49591-49596, 49613-49618, 49621-49623) is not separately reportable. The hernia repair is separately reportable if it is performed at a site other than the incision for an open or laparoscopic abdominal procedure, and is medically reasonable and necessary. An incidental hernia repair is not medically reasonable and necessary and shall not be reported separately. (CPT codes 49560, 49566, 49652, and 49657 were deleted January 1, 2023.)
5. Subsection deleted, January 1, 2024.
6. The CPT code 49568 was an Add-on Code (AOC) describing implantation of mesh or other prosthesis for incisional or ventral hernia repair. (CPT code 49568 was deleted January 1, 2023.)
7. Most CPT codes that describe a procedure that includes a hernia repair include insertion of mesh or other prosthesis. CPT codes describing implantation of mesh or other prosthesis (e.g., 15777, 49568, 57267, 0437T) shall not be reported with a procedure including a hernia repair unless there is a *CPT Professional codebook* instruction specifically stating that the implantation of mesh or other prosthesis CPT code may be reported with that procedure. (CPT code 49568 was deleted January 1, 2023.)
8. Removal of excessive skin and subcutaneous tissue (panniculectomy) at the site of an abdominal incision for an open procedure including hernia repair is not separately reportable. CPT code 15830 shall not be reported for this type of panniculectomy. However, an abdominoplasty which requires significantly more work than a panniculectomy is separately reportable.
9. Open enterolysis (CPT code 44005) and laparoscopic enterolysis (CPT code 44180) are defined by the *CPT Professional codebook* as “separate procedures.” They are not separately reportable with other intra-abdominal or pelvic procedures.
10. If an iatrogenic laceration/perforation occurs during the course of another procedure, repair of the laceration/perforation is not separately reportable. Treatment of an iatrogenic complication of surgery such as an intestinal laceration/perforation is not a separately reportable service. For example, CPT codes describing suture of the small intestine (CPT

**Revision Date (Medicaid): 1/1/2025**

codes 44602, 44603) or suture of large intestine (CPT codes 44604, 44605) shall not be reported for repair of an intestinal laceration/perforation during an enterectomy, colectomy, gastrectomy, pancreatectomy, hysterectomy, or oophorectomy procedure.

11. A Whipple-type pancreatectomy procedure (CPT codes 48150-48154) includes removal of the gallbladder. A cholecystectomy (e.g., CPT codes 47562-47564, 47600-47620) shall not be reported separately.
12. If closure of a fistula requires excision of a portion of an organ into which the fistula passes, excision of that tissue shall not be reported separately. For example, if closure of an enterocolic fistula requires removal of a portion of adjacent small intestinal tissue and a portion of adjacent colonic tissue, closure of the enterocolic fistula (CPT code 44650) includes the removal of the small and large intestinal tissue. The excision of the small intestinal or colonic tissue shall not be reported separately.
13. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).
14. Liver allotransplantation (e.g., CPT code 47135) requires arterial anastomosis of the hepatic artery and anastomosis of the extrahepatic biliary ducts. Physicians shall not separately report other CPT codes describing these types of services (e.g., 47760, 47780, 47800).
15. Liver allotransplantation procedures include, if performed, biliary tract T-tube insertion/conversion/exchange/removal, drainage, or stent procedures (e.g., CPT codes 47533-47540). CPT codes such as 47531-47541 or 47801 should not be reported with a liver allotransplantation procedure.
16. CPT code 47544 (Removal of calculi/debris from biliary duct(s) and/or gallbladder, percutaneous...) is a Type I AOC. The primary codes are defined by the *CPT Professional codebook* and include CPT codes 47531-47540 (percutaneous biliary tract procedures). The *CPT Professional codebook* also includes a separate instruction indicating that CPT code 47544 shall not be reported with CPT codes 47531-47540 for incidental removal of debris. Thus, CPT code 47544 may be reported with CPT codes 47531-47540 only for percutaneous removal of calculi or non-incidental debris.

## **F. Laparoscopy**

1. Surgical laparoscopy includes diagnostic laparoscopy which is not separately reportable. If a diagnostic laparoscopy leads to a surgical laparoscopy at the same patient encounter, only the surgical laparoscopy may be reported.
2. If a laparoscopy is performed to assess the surgical field or extent of disease, it is not

**Revision Date (Medicaid): 1/1/2025**

separately reportable. If the findings of a diagnostic laparoscopy lead to the decision to perform an open procedure, the diagnostic laparoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic laparoscopy and non-laparoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic laparoscopy.

3. CPT code 49321 describes a laparoscopic biopsy. If this procedure is performed for diagnostic purposes and the decision to proceed with an open or laparoscopic –ectomy procedure is based on this biopsy, CPT code 49321 may be reported in addition to the CPT code for the –ectomy procedure. However, if the laparoscopic biopsy is performed for a different purpose such as assessing the margins of resection, CPT code 49321 is not separately reportable.
4. If a laparoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical laparoscopy nor a diagnostic laparoscopy code shall be reported with the open procedure code when a laparoscopic procedure is converted to an open procedure.
5. Laparoscopic lysis of adhesions (CPT codes 44180 or 58660) is not separately reportable with other surgical laparoscopic procedures.
6. The CPT code 44970 describes a laparoscopic appendectomy and may be reported separately with another laparoscopic procedure code when a diseased appendix is removed. Since removal of a normal appendix with another laparoscopic procedure is not separately reportable, this code shall not be reported for an incidental laparoscopic appendectomy.
7. Fluoroscopy (CPT code 76000) is an integral component of all laparoscopic procedures when performed. The CPT code 76000 shall not be reported separately with a laparoscopic procedure.
8. A diagnostic laparoscopy includes “washing,” infusion and/or removal of fluid from the body cavity. A physician shall not report CPT codes 49082-49083 (Abdominal paracentesis) or 49084 (Peritoneal lavage) for infusion and/or removal of fluid from the body cavity performed during a diagnostic or surgical laparoscopic procedure.
9. Injection of air into the abdominal or pelvic cavity is integral to many laparoscopic procedures. Physicians shall not separately report CPT code 49400 (Injection of air or contrast into peritoneal cavity (separate procedure)) for this service.
10. CPT codes 43821 and 43282 describe laparoscopic paraesophageal hernia repair with fundoplasty, if performed, without or with mesh implantation respectively. These codes shall not be reported for a figure-of-eight suture often performed during gastric restrictive procedures.

**Revision Date (Medicaid): 1/1/2025**

## **G. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
4. Gastrointestinal endoscopy CPT codes describing dilation of stricture(s) (e.g., CPT codes 43213, 45340, 45386) include dilation of all strictures dilated during the endoscopic procedure. These codes shall not be reported with more than one unit of service if more than one stricture is dilated.
5. The UOS for CPT code 43277 (Endoscopic retrograde cholangiopancreatography (ERCP); with trans-endoscopic balloon dilation of biliary/pancreatic duct(s) or of ampulla (sphincteroplasty), including sphincterotomy, when performed, each duct) is each duct. One unit of service includes trans-endoscopic balloon dilation of one or more strictures within each duct. Dilation of one or more strictures in the pancreatic duct including the major and minor ductal branches is reported as a single unit of service. Similarly, dilation of one or more strictures in each of the following ducts may be reported as a single unit of service for each duct: common bile duct, cystic duct, right hepatic duct, and left hepatic duct.

## **H. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the

**Revision Date (Medicaid): 1/1/2025**

term “physician” would not include some of these entities because specific rules do not apply to them.

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. A glossectomy procedure reported with CPT codes 41153 (Glossectomy; composite procedure with resection floor of mouth, with suprahyoid neck dissection) or 41155 (Glossectomy; composite procedure with resection floor of mouth, mandibular resection, and radical neck dissection (Commando type)) includes resection of the ipsilateral submandibular and sublingual glands. CPT codes 42450 (Excision of sublingual gland) and 42440 (Excision of submandibular (submaxillary) gland) shall not be reported separately for excision of the ipsilateral submandibular or sublingual glands.
6. The vagotomy CPT codes (e.g., 43635-43641, 64755-64760) are not separately reportable with esophageal or gastric procedures that include vagotomy as part of the service. For example, the esophagogastrostomy procedure described by CPT code 43320 includes a vagotomy if performed. The vagotomy procedures are mutually exclusive, and only one vagotomy procedure code may be reported at a patient encounter.
7. If closure of an enterostomy or fistula involving the intestine requires resection and anastomosis of a segment of intestine, the resection and anastomosis of the intestine are not separately reportable.
8. If multiple services are used to treat hemorrhoids at the same patient encounter, only one HCPCS/CPT code describing the most extensive procedure may be reported. If an abscess is drained during the treatment of hemorrhoids, the incision and drainage is not separately reportable unless the incision and drainage is at a separate site unrelated to the

**Revision Date (Medicaid): 1/1/2025**



hemorrhoids. In the latter case, the incision and drainage code may be reported appending an anatomic modifier or modifier 59 or XS.

9. Diagnostic anoscopy (CPT code 46600) is not separately reportable with an open or endoscopic procedure of the anus (e.g., 46020-46942, 0184T, 46948). The diagnostic anoscopy (CPT code 46600) is an included service that is not separately reportable. It is a misuse of CPT codes describing diagnostic proctosigmoidoscopy (CPT code 45300), sigmoidoscopy (CPT code 45330), or colonoscopy (CPT code 45378) to report an examination limited to the anus. If the physician performs a complete diagnostic proctosigmoidoscopy, sigmoidoscopy, or colonoscopy, the procedure may be reported separately.
10. The *CPT Professional codebook* contains groups of codes describing different approaches or methods to accomplish similar results. These codes are generally mutually exclusive of one another. For example, CPT codes 45110-45123 describe different proctectomy procedures and are mutually exclusive of one another. Other examples include groups of codes for colectomy (CPT codes 44140-44160), gastrectomy (CPT codes 43620-43635), and pancreatectomy (CPT codes 48140-48155).
11. An enterostomy closure HCPCS/CPT code shall not be reported with a code for creation or revision of a colostomy. Closure of an enterostomy is mutually exclusive with the creation or revision of the colostomy.
12. If an excised section of intestine includes a fistula tract, a fistula closure code shall not be reported separately. Closure of the fistula is included in the excision of intestine.
13. The mouth and anus have mucocutaneous margins. Numerous procedures (e.g., biopsy, destruction, excision) have CPT codes that describe the procedure as an integumentary procedure (CPT codes 10000-19999) or as a digestive system procedure (CPT codes 40000-49999). If a procedure is performed on a lesion at or near a mucocutaneous margin, only one CPT code which best describes the procedure may be reported. If the code descriptor of a CPT code from the digestive system (or any other system) includes a tissue transfer service (e.g., flap, graft), the CPT codes for such services (e.g., transfer, graft, flap) from the integumentary system (e.g., CPT codes 14000-15770) shall not be reported separately.
14. If a physician must drain an abscess to complete a sialolithotomy procedure, the drainage of the abscess is not separately reportable. If a definitive surgical procedure requires access through diseased tissue, treatment of the diseased tissue for this access is not separately reportable.
15. An open cholecystectomy includes an examination of the abdomen through the abdominal wall incision. If this examination is performed laparoscopically, it is not separately reportable as CPT code 49320 (Diagnostic laparoscopy).

**Revision Date (Medicaid): 1/1/2025**



16. The CPT code 92502 (Otolaryngologic examination under general anesthesia) is not separately reportable with any other otolaryngologic procedure performed under general anesthesia.
17. The CPT codes 43770-43774 describe laparoscopic gastric restrictive procedures. Only one of these procedure codes may be reported for a single patient encounter. If a patient develops a complication during the postoperative period of the initial procedure requiring return to the operating room for a different laparoscopic gastric restrictive procedure to treat the complication, the second procedure should be reported with modifier 78.
18. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (e.g., CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

**Revision Date (Medicaid): 1/1/2025**

19. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
20. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
21. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
22. For more information regarding biopsies, see Chapter I, Section A, Introduction.
23. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with another biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
24. The NCCI PTP edit with Column One CPT code 45385 (Flexible colonoscopy with removal of tumor(s), polyp(s), or lesion(s) by snare technique) and Column Two CPT code 45380 (Flexible colonoscopy with single or multiple biopsies) may be appropriately bypassed by using modifier 59 or XS. Use of modifier 59 or XS is only appropriate if the 2 procedures are performed on separate lesions. Use of modifier 59 or XE is only appropriate if the 2 procedures are performed at separate patient encounters.
25. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
26. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, or lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate

**Revision Date (Medicaid): 1/1/2025**

patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

27. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
28. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
29. A cystourethroscopy (CPT code 52000) performed near the termination of an intra-abdominal, intra-pelvic, or retroperitoneal surgical procedure to assure that there was no intraoperative injury to the ureters or urinary bladder and that they are functioning properly is not separately reportable with the surgical procedure.
30. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
31. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

## **CHAPTER VII**

### **SURGERY: URINARY, MALE GENITAL, FEMALE GENITAL, MATERNITY CARE AND DELIVERY SYSTEMS CPT CODES 50000 -59999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are  
copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't  
assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The  
AMA doesn't directly or indirectly practice medicine or dispense medical services. The  
AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory  
Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter VII.....	VII-3
Surgery: Urinary, Male Genital, Female Genital, Maternity Care and Delivery Systems...	VII-3
CPT Codes 50000 - 59999.....	VII-3
A. Introduction.....	VII-3
B. Evaluation & Management (E&M) Services .....	VII-3
C. Urinary System.....	VII-5
D. Male Genital System.....	VII-9
E. Female Genital System.....	VII-10
F. Laparoscopy.....	VII-11
G. Maternity Care and Delivery.....	VII-12
H. Medically Unlikely Edits (MUEs).....	VII-13
I. General Policy Statements.....	VII-13

**Revision Date (Medicaid): 1/1/2025**

## **Chapter VII**

### **Surgery: Urinary, Male Genital, Female Genital, Maternity Care and Delivery Systems**

### **CPT Codes 50000 - 59999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 50000-59999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/ Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

**Revision Date (Medicaid): 1/1/2025**

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances.**

**Revision Date (Medicaid): 1/1/2025**



## C. Urinary System

1. Insertion of a urinary bladder catheter is a component of the global package. Urinary bladder catheterization (CPT codes 51701, 51702, and 51703) is not separately reportable with a surgical procedure when performed at the time of or just before the procedure.

Additionally, many procedures involving the urinary tract include the placement of a urethral/bladder catheter for postoperative drainage. Because this is integral to the procedure, placement of a urinary catheter is not separately reportable.

2. Cystourethroscopy, with biopsy(s) (CPT code 52204) includes all biopsies during the procedure and shall be reported with one unit of service.
3. Some lesions of the genitourinary tract occur at mucocutaneous borders. The *CPT Professional codebook* contains integumentary system (CPT codes 10000-19999) and genitourinary system (CPT codes 50000-59899) codes to describe various procedures such as biopsy, excision, or destruction. A single code from 1 of these 2 sections of the *CPT Professional codebook* that best describes the biopsy, excision, destruction, or other procedure performed on 1 or multiple similar lesions at a mucocutaneous border shall be reported. Separate codes from the integumentary system and genitourinary system sections of the *CPT Professional codebook* may only be reported if separate procedures are performed on completely separate lesions on the skin and genitourinary tract. Modifier 59 or XS should be used to indicate that the procedures are on separate lesions. The medical record must accurately describe the precise locations of the lesions.
4. If an irrigation or drainage procedure is necessary and integral to complete a genitourinary or other procedure, only the more extensive procedure shall be reported. The irrigation or drainage procedure is not separately reportable.
5. The CPT code descriptor for some genitourinary procedures includes a hernia repair. A HCPCS/CPT code for a hernia repair is not separately reportable unless the hernia repair is performed at a different site through a separate incision. In the latter case, the hernia repair may be reported with modifier 59 or XS.
6. In general, multiple methods of performing a procedure (e.g., prostatectomy) cannot be performed at the same patient encounter. (See general policy on mutually exclusive services, [Chapter I, Section P](#).) Therefore, only one method of accomplishing a given procedure may be reported. If an initial approach fails and is followed by an alternative approach, only the completed or last uncompleted approach may be reported.
7. If a diagnostic endoscopy leads to the performance of a laparoscopic or open procedure, the diagnostic endoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic endoscopy and non-endoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic endoscopy. However, if an endoscopic procedure is performed as an integral part of an open procedure, only the open procedure is reportable. If the

**Revision Date (Medicaid): 1/1/2025**

endoscopy is confirmatory or is performed to assess the surgical field, the endoscopy does not represent a separate diagnostic or surgical endoscopy. The endoscopy represents exploration of the surgical field and shall not be reported separately with a diagnostic or surgical endoscopy code.

8. If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure no intraoperative injury occurred or verify the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.
9. If an endoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical endoscopy nor a diagnostic endoscopy code shall be reported with the open procedure code when an endoscopic procedure is converted to an open procedure.
10. Surgical endoscopy includes diagnostic endoscopy, which is not separately reportable. If a diagnostic endoscopy leads to a surgical endoscopy at the same patient encounter, only the surgical endoscopy may be reported.
11. When multiple endoscopic procedures are performed at the same patient encounter, the most comprehensive code accurately describing the service(s) performed shall be reported. If several procedures not included in a more comprehensive code are performed at the same endoscopic session, multiple HCPCS/CPT codes may be reported with modifier 51. (For example, if renal endoscopy is performed through an established nephrostomy with biopsy, fulguration of a lesion, and foreign body (calculus) removal, the appropriate CPT coding would be CPT codes 50557 and 50561-51, not CPT codes 50551, 50555, 50557, and 50561.) This policy applies to all endoscopic procedures, not only those of the genitourinary system.
12. The CPT code 51700 (Bladder irrigation, simple, lavage and/or instillation) is used to report irrigation with therapeutic agents or as an independent therapeutic procedure. It is not separately reportable if bladder irrigation is part of a more comprehensive service, such as to gain access to or visualize the urinary system. Irrigation of a urinary catheter is included in the global package. The CPT code 51700 shall not be misused to report irrigation of a urinary catheter.
13. The CPT codes 51784 and 51785 describe diagnostic electromyography (EMG). When EMG is performed as part of a biofeedback session, neither CPT code 51784 nor 51785 shall be reported unless a significant, separately identifiable diagnostic EMG service is provided. If either CPT code 51784 or CPT code 51785 is reported for a diagnostic electromyogram, a separate report must be available in the medical record to indicate this service was performed for diagnostic purposes.
14. When endoscopic visualization of the urinary system involves several regions (e.g., kidney, renal pelvis, calyx, and ureter), the appropriate CPT code is defined by the approach (e.g., nephrostomy, pyelostomy, ureterostomy, etc.) as indicated in the CPT

**Revision Date (Medicaid): 1/1/2025**

descriptor. When multiple endoscopic approaches at the same patient encounter are medically reasonable and necessary (e.g., renal endoscopy through a nephrostomy and cystourethroscopy) to perform different procedures, they may be separately reported appending modifier 51 to the less extensive procedure codes. However, when multiple endoscopic approaches are used to attempt the same procedure, only the completed approach shall be reported.

15. Endoscopic procedures include all minor related functions performed at the same encounter. Although CPT codes may exist to describe these functions, they shall not be reported separately. For example, transurethral resection of the prostate includes meatotomy, urethral calibration and/or dilation, urethroscopy, and cystoscopy. Codes for the included procedures shall not be reported separately.
16. A provider/supplier shall not unbundle services that are integral to a more comprehensive procedure. For example, surgical access is integral to a surgical procedure. When urethral catheterization or urethral dilation (e.g., CPT codes 51701-51703) is necessary to complete a more extensive procedure, the urethral catheterization/dilation is not separately reportable.
17. Ureteral anastomosis procedures are described by CPT codes 50740-50825, and 50860. In general, they represent mutually exclusive procedures that are not reported together. If one type of anastomosis is performed on one ureter, and a different type of anastomosis is performed on the contralateral ureter, the appropriate modifier (e.g., LT, RT) shall be reported with the CPT code to describe the service performed on each ureter. For example, the procedure described by CPT code 50860 (Ureterostomy, transplantation of ureter to skin) is mutually exclusive with the procedures described by CPT codes 50800-50830 (e.g., Ureteroenterostomy, Ureterocolon conduit, Urinary undiversion) unless performed on contralateral ureters, in which case anatomic modifiers shall be reported.
18. The CPT codes 53502-53515 describe urethral repair codes for urethral wounds or injuries (urethrorrhaphy). When an urethroplasty is performed, codes for urethrorrhaphy shall not be reported in addition since "suture to repair wound or injury" is included in the urethroplasty service.
19. The CPT code 78730 (Urinary bladder, residual study) is a nuclear medicine procedure requiring use of a radiopharmaceutical. This CPT code shall not be used to report measurement of residual urine in the urinary bladder determined by other methods.
20. The CPT code 52332 (Cystourethroscopy, with insertion of indwelling ureteral stent (e.g., Gibbons or double-J type)) describes insertion of a self-retaining indwelling stent during cystourethroscopy with ureteroscopy and/or pyeloscopy and shall not be reported to describe insertion and removal of a temporary ureteral stent during diagnostic or therapeutic cystourethroscopy with ureteroscopy and/or pyeloscopy (e.g., CPT codes 52320-52330, 52334-52355). The insertion and removal of a temporary ureteral catheter (stent) during these procedures is not separately reportable and shall not be reported with CPT codes 52005 (Cystourethroscopy, with ureteral catheterization, with or without

**Revision Date (Medicaid): 1/1/2025**

irrigation, instillation, or ureteropyelography, exclusive of radiologic service;) or 52007 (Cystourethroscopy, with ureteral catheterization, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service; with brush biopsy of ureter and/or renal pelvis).

CPT codes 52332 and 52005 are not separately reportable for the same ureter for the same patient encounter.

21. Prostatectomy procedures (CPT codes 55801-55845) include cystoplasty or cystourethroplasty as a standard of surgical practice. The CPT code 51800 (cystoplasty or cystourethroplasty...) shall not be reported separately with prostatectomy procedures.
22. The CPT code 50650 (ureterectomy, with bladder cuff (separate procedure)) shall not be reported with other procedures on the ipsilateral ureter. Since CPT code 50650 includes the “separate procedure” designation, the NCCI program does not allow additional payment for the procedure when it is performed with other procedures in an anatomically related area.
23. The code descriptors for CPT codes 52310 and 52315 (Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure) ...) include the “separate procedure” designation. Per NCCI policy for procedures with the “separate procedure” designation, these codes shall not be reported with other cystourethroscopy CPT codes for the same patient encounter.
24. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. The CPT code 76000 shall not be reported separately with an endoscopic procedure.
25. Cystourethroscopy and transurethral procedures include fluoroscopy when performed. The CPT codes describing fluoroscopy or fluoroscopic guidance (e.g., 76000, 77002) shall not be reported separately with a cystourethroscopy or transurethral procedure CPT code.
26. A ureteral stent is commonly inserted at the site of an anastomosis of a ureter and another structure to maintain patency of the ureter. A ureteral stent is also often inserted into a ureter if the ureter is incised during a procedure (e.g., nephrectomy, cystectomy, ureteral anastomosis). With these procedures, insertion of the ureteral stent is integral to the procedure and is not separately reportable. For example, CPT code 50605 (Ureterotomy for insertion of indwelling stent, all types) shall not be reported with CPT codes describing cystectomy, urinary diversion, or ureteral anastomosis for insertion of a ureteral stent to maintain patency at the site of a ureteral anastomosis.
27. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).

**Revision Date (Medicaid): 1/1/2025**

28. CPT code 50435 (Exchange nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy)) and all associated radiological supervision and interpretation) describes exchange of a percutaneous nephrostomy catheter, including diagnostic nephrostogram. CPT codes 50430 and 50431 should not be reported separately with 50435.
29. CPT codes 52317 and 52318 describe litholapaxy (crushing/fragmentation and removal) of calculus in the urinary bladder. These codes may be reported for crushing/fragmentation with removal of calculi originating de novo in the urinary bladder. These codes shall not be reported for crushing/fragmentation and removal of calculi in the urinary bladder that result from a procedure to remove, manipulate, and/or fragment calculi higher up in the urinary tract.
30. The procedure described by CPT codes 51700 (bladder irrigation, simple) and 51701-51703 (insertion of bladder catheter) include the catheter and any needed insertion supplies. HCPCS codes A4310-A4355 and A5112 are not separately reportable with CPT codes 51700-51703.

#### **D. Male Genital System**

1. Transurethral drainage of a prostatic abscess (e.g., CPT code 52700) is included in male transurethral prostatic procedures and shall not be reported separately.
2. The puncture aspiration of a hydrocele (e.g., CPT code 55000) is included in services involving the tunica vaginalis and proximate anatomy (e.g., scrotum, vas deferens) and in inguinal hernia repairs and shall not be reported separately.
3. The *CPT Professional codebook* contains many codes (e.g., CPT codes 52601-52649, 53850-53855, 55801-55845, 55866, and 55880) which describe various methods of removing or destroying prostate tissue. These procedures are mutually exclusive, and two codes from these code ranges shall not be reported together.
4. Scrotal exploration (CPT code 55110) is not separately reportable with procedures of the scrotum, scrotal sac, or its contents, including the testes and epididymis. Exploration of the surgical field is not separately reportable.
5. If a prostatectomy procedure necessitates reconstruction of the bladder neck, the bladder neck reconstruction is not separately reportable. For example, CPT code 51800 (Cystoplasty or cystourethroplasty, plastic operation on bladder and/or vesical neck...) shall not be reported with a prostatectomy CPT code where the cystoplasty or cystourethroplasty is necessitated by the prostatectomy procedure.

**Revision Date (Medicaid): 1/1/2025**

## **E. Female Genital System**

1. When a pelvic examination is performed in conjunction with a gynecologic procedure, either as a necessary part of the procedure or as a confirmatory examination, the pelvic examination is not separately reportable. A diagnostic pelvic examination may be performed to decide to perform a procedure. This examination is included in the E&M service at the time the decision to perform the procedure is made.
2. All surgical laparoscopic, hysteroscopic or peritoneoscopic procedures include diagnostic procedures. Therefore, CPT code 49320 is included in CPT codes 38120, 38570-38572, 43280, 43651-43653, 44180-44227, 44970, 47562-47570, 49321-49323, 49650-49651, 54690-54692, 55550, 58545-58554, 58660-58673, and 60650. The CPT code 58555 is included in CPT codes 58558-58565.
3. Pelvic examination under anesthesia (CPT code 57410) is included in all major and most minor gynecological procedures and is not separately reportable. This procedure represents routine evaluation of the surgical field.
4. Dilation of vagina or cervix (CPT codes 57400 or 57800) are generally not reportable in conjunction with vaginal approach procedures.
5. Colposcopy (CPT codes 56820, 57420, 57452) shall not be reported separately when performed as a procedure to confirm a lesion or to assess the surgical field before a surgical procedure. A diagnostic colposcopy resulting in the decision to perform a non-colposcopic procedure may be reported separately with modifier 58 appended to the non-colposcopic procedure code. Diagnostic colposcopies (CPT codes 56820, 57420, 57452) are not separately reportable with other colposcopic procedures.
6. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).
7. CPT code 57250 describes posterior colporrhaphy for repair of rectocele including perineorrhaphy if performed. If a vaginal hysterectomy is accompanied by additional dissection to repair a rectocele (with perineorrhaphy if performed), the vaginal hysterectomy CPT code and CPT code 57250 may be reported together with an NCCI PTP-associated modifier.
8. CPT code 57240 describes anterior colporrhaphy for repair of cystocele including repair of urethrocele if performed. If a vaginal hysterectomy is accompanied by additional dissection to repair a cystocele (with repair of urethrocele if performed), the vaginal hysterectomy CPT code and CPT code 57240 may be reported together with an NCCI PTP-associated modifier.
9. CPT code 57260 describes a combined anteroposterior colporrhaphy. If a vaginal

**Revision Date (Medicaid): 1/1/2025**



hysterectomy is accompanied by additional dissection to repair a rectocele (with perineorrhaphy if performed) and repair a cystocele (with repair of urethrocele if performed), the vaginal hysterectomy CPT code and CPT code 57260 may be reported together with an NCCI PTP-associated modifier.

10. A vaginal hysterectomy normally includes fixation of the vagina to surrounding tissues. It is a misuse of CPT code 57282 (Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)) or 57283 (Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)) to report this fixation of the vagina to describe the fixation that routinely occurs during a vaginal hysterectomy. If a more extensive colpopexy consistent with the requirements of CPT code 57282 or 57283 is performed, CPT codes 57282 or 57283 may be reported with the vaginal hysterectomy CPT code using an NCCI PTP-associated modifier.
11. Radiofrequency ablation of uterine fibroid(s) (e.g., CPT codes 58674, 58580, 0404T) and myomectomy of leiomyoma(ta) (e.g., CPT codes 58140-58146, 58545, 58546, 58561) shall not be reported for a procedure on the same leiomyoma. For example, if a physician initiates a laparoscopic radiofrequency ablation of a uterine fibroid but must complete the procedure by laparoscopic myomectomy, only the completed procedure, laparoscopic myomectomy, may be reported. (CPT code 0404T was deleted January 1, 2024.)

## **F. Laparoscopy**

1. Surgical laparoscopy includes diagnostic laparoscopy, which is not separately reportable. If a diagnostic laparoscopy leads to a surgical laparoscopy at the same patient encounter, only the surgical laparoscopy may be reported.
2. If a laparoscopy is performed to assess the surgical field or extent of disease, it is not separately reportable. If the finding of a diagnostic laparoscopy leads to the decision to perform an open procedure, the diagnostic laparoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic laparoscopy and non-laparoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic laparoscopy.
3. CPT code 49321 describes a laparoscopic biopsy. If this procedure is performed for diagnostic purposes and the decision to proceed with an open or laparoscopic –ectomy procedure is based on this biopsy, CPT code 49321 may be reported in addition to the CPT code for the –ectomy procedure. However, if the laparoscopic biopsy is performed for a different purpose such as assessing the margins of resection, CPT code 49321 is not separately reportable.
4. If a laparoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical laparoscopy nor a diagnostic laparoscopy code shall be reported with the open procedure code when a laparoscopic procedure is converted to an open procedure.

**Revision Date (Medicaid): 1/1/2025**



5. Laparoscopic lysis of adhesions (CPT codes 44180 or 58660) is not separately reportable with other surgical laparoscopic procedures.
6. The CPT code 44970 describes a laparoscopic appendectomy and may be reported separately with another laparoscopic procedure code when a diseased appendix is removed. Since removal of a normal appendix with another laparoscopic procedure is not separately reportable, this code shall not be reported for an incidental laparoscopic appendectomy.
7. Fluoroscopy (CPT code 76000) is an integral component of all laparoscopic procedures when performed. CPT code 76000 shall not be reported separately with a laparoscopic procedure.
8. A diagnostic laparoscopy includes “washing,” infusion and/or removal of fluid from the body cavity. A physician shall not report CPT codes 49082-49083 (abdominal paracentesis) or 49084 (Peritoneal lavage) for infusion and/or removal of fluid from the body cavity performed during a diagnostic or surgical laparoscopic procedure.
9. Injection of air into the abdominal or pelvic cavity is integral to many laparoscopic procedures. Physicians shall not separately report CPT code 49400 (injection of air or contrast into peritoneal cavity (separate procedure)) for this service.

## **G. Maternity Care and Delivery**

1. The total obstetrical packages (e.g., CPT codes 59400 and 59510) include antepartum care, the delivery, and postpartum care. They do not include other services such as ultrasound, amniocentesis, special screening tests for genetic disorders, visits for unrelated conditions (incidental to pregnancy), or additional frequent visits due to high risk conditions.
2. The CPT codes 59050 and 59051 (Fetal monitoring during labor), 59300 (Episiotomy) and 59414 (Delivery of placenta) are included in CPT codes 59400 (Routine obstetric care, vaginal delivery), 59409 (Vaginal delivery only), 59410 (Vaginal delivery and postpartum care), 59510 (Routine obstetric care, cesarean delivery), 59514 (Cesarean delivery only), 59515 (Cesarean delivery and postpartum care), 59610 (Routine obstetric care, vaginal delivery, after previous cesarean delivery), 59612 (Vaginal delivery only after previous cesarean delivery), 59614 (Vaginal delivery and postpartum care after previous cesarean delivery), 59618 (Routine obstetric care, cesarean delivery, after previous cesarean delivery), 59620 (Cesarean delivery only after previous cesarean delivery), and 59622 (Cesarean delivery and postpartum care after previous cesarean delivery). They are not separately reportable.
3. Antepartum care includes urinalysis, which is not separately reportable.
4. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is

**Revision Date (Medicaid): 1/1/2025**

included in the global package.

## **H. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The unit of service for a procedure describing destruction or removal of renal system calculus(i) is one. The unit of service is not each calculus. If a procedure for destruction or removal of renal system calculi is performed bilaterally, the CPT code may be reported with modifier 50 and one unit of service.

For example, CPT code 52353 (Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with lithotripsy (ureteral catheterization is included)) shall be reported with only one unit of service per ureter regardless of the number of calculi in the ureter. If the procedure is performed on bilateral ureters, it may be reported with modifier 50 and one unit of service. This code shall not be reported with a separate unit of service for each calculus.

4. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

## **I. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

**Revision Date (Medicaid): 1/1/2025**

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual* use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances, wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes

**Revision Date (Medicaid): 1/1/2025**

may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
7. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
8. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. For more information regarding biopsies, see Chapter I, Section A, Introduction.
10. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with a biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
11. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
12. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the

**Revision Date (Medicaid): 1/1/2025**

NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

13. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
14. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
15. A cystourethroscopy (e.g., CPT code 52000) or cystourethroscopy with ureteroscopy (e.g., CPT code 52351) performed near the termination of an intra-abdominal, intra-pelvic, or retroperitoneal surgical procedure to assure that there was no intraoperative injury to the ureters or urinary bladder and that they are functioning properly is not separately reportable with the surgical procedure.
16. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
17. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

## **CHAPTER VIII**

### **SURGERY: ENDOCRINE, NERVOUS, EYE AND OCULAR ADNEXA, AND AUDITORY SYSTEMS CPT CODES 60000 – 69999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter VIII.....	VIII-3
Surgery: Endocrine, Nervous, Eye and Ocular Adnexa, and Auditory Systems.....	VIII-3
CPT Codes 60000 – 69999 .....	VIII-3
A. Introduction .....	VIII-3
B. Evaluation & Management (E&M) Services .....	VIII-3
C. Nervous System.....	VIII-5
D. Ophthalmology .....	VIII-12
E. Auditory System .....	VIII-15
F. Operating Microscope .....	VIII-15
G. Laparoscopy .....	VIII-16
H. Medically Unlikely Edits (MUEs).....	VIII-17
I. General Policy Statements.....	VIII-18

Revision Date (Medicaid): 1/1/2025



## **Chapter VIII**

### **Surgery: Endocrine, Nervous, Eye and Ocular Adnexa, and Auditory Systems**

#### **CPT Codes 60000 – 69999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedure Terminology (CPT) codes in the range 60000-69999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program:

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

**Revision Date (Medicaid): 1/1/2025**

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances.**

**Revision Date (Medicaid): 1/1/2025**

## C. Nervous System

1. A burr hole is often necessary for intracranial surgery (e.g., craniotomy, craniectomy) to access intracranial contents, to alleviate pressure, or to place an intracranial pressure monitoring device. When this service is integral to the performance of other services, CPT codes describing this service are not separately reportable if performed at the same patient encounter. A burr hole is separately reportable with another cranial procedure only if performed at a separate site unrelated to the other cranial procedure or at a separate patient encounter on the same date of service.

In addition, taps, punctures, or burr holes accompanied by drainage procedures (e.g., hematoma, abscess, cyst, etc.) followed by other procedures are not separately reportable unless performed as staged procedures. Modifier 58 may be reported to indicate staged or planned services. Many intracranial procedures include bone grafts by CPT definition, and these grafts should not be reported separately.

2. Biopsies performed in the course of Central Nervous System (CNS) surgery shall not be reported as separate procedures. For more information regarding biopsies, see Chapter I, Section A, Introduction.
3. Craniotomies and craniectomies always include a general exploration of the accessible field. An exploratory craniectomy or craniotomy (CPT code 61304 or 61305) shall not be reported separately with another craniectomy/craniotomy procedure performed at the same anatomic site and same patient encounter.
4. A craniotomy is performed through a skull defect resulting from reflection of a skull flap. Replacing the skull flap during the same procedure is an integral component of a craniotomy procedure and shall not be reported separately using the cranioplasty CPT codes 62140 and 62141. A cranioplasty may be separately reportable with a craniotomy procedure if the cranioplasty is performed to replace a skull bone flap removed during a procedure at a prior patient encounter or if the cranioplasty is performed to repair a skull defect larger than that created by the bone flap.
5. If 2 procedures are performed at the same anatomic site and same patient encounter, 1 procedure may be bundled into the other (e.g., 1 procedure may be integral to the other). However, if the 2 procedures are performed at separate anatomic sites or at separate patient encounters, they may be separately reportable. Modifiers 59 or XE or XS may be reported to indicate that the 2 procedures are distinct and separately reportable services under these circumstances.

### Example

A patient with an open head injury and a contre-coup subdural hematoma requires an exploratory craniectomy for the open head injury and a burr hole drainage on the contralateral side for a subdural hematoma. The creation of a burr hole at the site of the exploratory craniectomy would be considered integral to the craniectomy. However, the

**Revision Date (Medicaid): 1/1/2025**

contralateral burr hole drainage is a separate service not integral to the exploratory craniectomy. To correctly report the burr hole drainage for the contralateral subdural hematoma and the exploratory craniectomy, the burr hole should be reported with the appropriate modifier. In this example, the correct coding would be CPT codes 61304 (Exploratory craniectomy) with one unit of service and 61154 (Burr hole(s) with evacuation and/or drainage of hematoma, extradural or subdural) -59 or XE or XS with one unit of service.

6. If a physician performs a craniectomy or craniotomy procedure and places a ventricular catheter, pressure recording device, or other intracerebral monitoring device through the same hole in the skull, the physician shall not separately report CPT code 61107 (Twist drill hole(s) for subdural, intracerebral, or ventricular puncture; for implanting ventricular catheter...monitoring device). CPT code 61107 may be reported separately with an NCCI PTP-associated modifier if it is necessary to place a ventricular catheter, pressure recording device, or other intracerebral monitoring device through a different hole in the skull.
7. If a physician evacuates, aspirates, or drains an intracranial hematoma (e.g., CPT codes 61154, 61156, 61312-61315), the physician shall not separately report a code for drainage of a hematoma in the overlying skin to access the intracranial hematoma. Access through diseased tissue to perform a more extensive definitive procedure is not separately reportable.
8. CPT codes 61781-61783 are Add-on Codes (AOCs) describing computer-assisted navigational procedures of the cranium or spine. NCCI policy does not allow CPT code 69990 (microsurgical technique requiring use of operating microscope) to be reported for use of the operating microscope with these procedures. NCCI policy allows CPT code 69990 to be reported with one of the following CPT codes: 61304-61546, 61550-61711, 62010-62100, 63081-63308, 63704-63710, 64831, 64834-64836, 64840-64858, 64861-64868, 64885-64891, 64905-64907. If a physician performs one of the listed procedures allowing separate reporting of CPT code 69990 and that procedure requires computer-assisted navigation as well as microsurgical techniques using the operating microscope, the physician may report modifier 59 or XU with CPT code 69990 to indicate that the procedure described by CPT code 69990 was performed for a procedure other than the computer-assisted navigation on the same date of service.
9. The use of general intravascular access devices (e.g., intravenous lines), cardiac monitoring, oximetry, laboratory sample procurement, and other routine monitoring for patient safety during general anesthesia, monitored anesthesia care, or other anesthesia are included in the anesthesia service and are not separately reportable. For example, if a physician performing a spinal puncture for intrathecal injection administers an anxiolytic agent, the vascular access and any appropriate monitoring is considered part of the spinal puncture procedure and is not separately reportable.
10. When a spinal puncture is performed, the local anesthesia necessary to perform the spinal puncture is included in the procedure. The reporting of nerve block or facet block CPT

**Revision Date (Medicaid): 1/1/2025**

codes for anesthesia for a diagnostic or therapeutic lumbar puncture is inappropriate.

11. If cerebrospinal fluid is withdrawn during a nerve block procedure, the withdrawal is not separately reportable (e.g., diagnostic lumbar puncture). It is integral to the nerve block procedure.
12. If a dural (cerebrospinal fluid) leak occurs during a spinal procedure, repair of the dural leak is integral to the spinal procedure. CPT code 63707 or 63709 (Repair of dural/cerebrospinal fluid leak) shall not be reported separately for the repair.

If a dural (cerebrospinal fluid) leak occurs during a skull base approach procedure, repair of the dural leak is integral to the skull base approach procedure. CPT code 61618 or 61619 (Secondary repair of dura for cerebrospinal fluid leak) shall not be reported separately for the repair.

If a dural (cerebrospinal fluid) leak occurs during a burr hole, craniotomy, or craniectomy procedure, repair of the dural leak is integral to the burr hole, craniotomy, or craniectomy procedure. CPT code 62100 (Craniotomy for repair of dural/cerebrospinal fluid leak) shall not be reported separately for the repair.

13. CPT code 29848 describes endoscopic release of the transverse carpal ligament of the wrist. CPT code 64721 describes a neuroplasty and/or transposition of the median nerve at the carpal tunnel and includes open release of the transverse carpal ligament. The procedure coded as CPT code 64721 includes the procedure coded as CPT code 29848 when performed on the same wrist at the same patient encounter. If an endoscopic procedure is converted to an open procedure, only the open procedure may be reported.
14. Nerve repairs by suture (neurorrhaphies) (CPT codes 64831-64876) include suture and anastomosis of nerves when performed to correct traumatic injury or anastomosis of nerves which are proximally associated (e.g., facial-spinal accessory, facial-hypoglossal, etc.). When neurorrhaphy is performed with a nerve graft (CPT codes 64885-64913), neuroplasty, transection, excision, neurectomy, excision of neuroma, etc., the neurorrhaphy is integral to the procedure and is not separately reportable.
15. Implantation of neurostimulator electrodes in an area of the cerebral cortex may not be reported with 2 codes describing different approaches. CPT code 61860 describes implantation by craniectomy or craniotomy. CPT code 61850 describes implantation by twist drill or burr hole(s).
16. CPT codes 61885, 61886, and 63685 describe “insertion or replacement” of cranial or spinal neurostimulator pulse generators or receivers. Reporting an “insertion or replacement” CPT code necessitates use of a new neurostimulator pulse generator or receiver. CPT codes 61888 and 63688 describe “revision or removal” of cranial or spinal neurostimulator pulse generators or receivers. If the same pulse generator is removed and replaced (or relocated) into the same or another skin pocket, only the “revision” CPT code may be reported. The “replacement” CPT code which requires use of a new

**Revision Date (Medicaid): 1/1/2025**

neurostimulator pulse generator or receiver shall not be reported. If one pulse generator is removed and a new pulse generator is inserted, only the “replacement” CPT code may be reported. The “removal” CPT code is not separately reportable. The “insertion or replacement” CPT code is separately reportable with a “revision or removal” CPT code only if 2 separate batteries/generators are changed in two separate locations. For example, if one battery/generator is replaced (e.g., right side) and another is removed (e.g., left side), CPT codes for the “insertion or replacement” and “revision or removal” could be reported together with modifier 59 or XU.

17. Because procedures necessary to perform a Column One coded procedure are included in the Column One coded procedure, Column Two CPT codes such as 62320-62327 (Injection of diagnostic or therapeutic substances) are included in the codes describing more invasive spinal/back procedures.
18. A laminectomy includes excision of all the posterior vertebral components, and a laminotomy includes partial excision of posterior vertebral components. Since a laminectomy is a more extensive procedure than a laminotomy, a laminotomy code shall not be reported with a laminectomy code for the same vertebra. CPT codes 22100-22103 (Partial excision of posterior vertebral component (eg, spinous process, lamina, or facet) for intrinsic bony lesion, **single vertebral segment;...**) are not separately reportable with laminectomy or laminotomy procedures for the same vertebra.
19. Some spinal procedures may require manipulation of the spine which is integral to the procedure. CPT code 22505 (Manipulation of spine requiring anesthesia, any region) shall not be reported separately with a spinal procedure.
20. Fluoroscopy reported as CPT code 76000 shall not be reported with spinal procedures unless there is a specific *CPT Professional codebook* instruction indicating that it is separately reportable. For some spinal procedures there are specific radiologic guidance codes to report in lieu of these fluoroscopy codes. For other spinal procedures, fluoroscopy is used in lieu of a more traditional intraoperative radiologic examination which is included in the operative procedure. For other spinal procedure codes, fluoroscopy is integral to the procedure.
21. CPT codes 62321, 62323, 62325, and 62327 describe injections of diagnostic or therapeutic substance(s) into the epidural or subarachnoid spaces at different spinal levels with fluoroscopic or CT guidance. Imaging guidance such as CPT code 77003 (Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinal diagnostic or therapeutic injection procedures (epidural or subarachnoid)) or 77012 (Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), **radiological supervision and interpretation**) is included in these procedures and should not be reported separately with these codes.
22. Many spinal procedures are grouped into families of codes where there are separate primary procedure codes describing the procedure at a single vertebral level in the cervical, thoracic, or lumbar region of the spine. Within some families of codes there is

**Revision Date (Medicaid): 1/1/2025**



an AOC for reporting the same procedure at each additional level without specification of the spinal region for the AOC. When multiple procedures from one of these families of codes are performed at contiguous vertebral levels, a physician shall report only one primary code within the family of codes for one level and shall report additional contiguous levels using the AOC(s) in the family of codes. The reported primary code should be the one corresponding to the spinal region of the first procedure. If multiple procedures from one of these families of codes are performed through separate skin incisions at multiple vertebral levels that are not contiguous and in different regions of the spine, the physician may report one primary code for each non-contiguous region.

For example, the family of CPT codes 22532-22534 describes arthrodesis by lateral extracavitary technique. CPT code 22532 describes the procedure for a single thoracic vertebral segment. CPT code 22533 describes the procedure for a single lumbar vertebral segment. CPT code 22534 is an AOC describing the procedure for each additional thoracic or lumbar vertebral segment. If a physician performs arthrodesis by lateral extracavitary technique on contiguous vertebral segments such as T12 and L1, only one primary procedure code, the one for the first procedure, may be reported. The procedure on the second vertebral body may be reported with CPT code 22534. If a physician performs the procedure at T10 and L4 through separate skin incisions, the physician may report CPT codes 22532 and 22533.

CPT codes 22510-22512 represent a family of codes describing percutaneous vertebroplasty, and CPT codes 22513-22515 represent a family of codes describing percutaneous vertebral augmentation. Within each of these families of codes, the physician may report only one primary procedure code and the add-on procedure code for each additional level(s) whether the additional level(s) are contiguous or not.

23. CPT codes 22600-22614 describe arthrodesis by posterior or posterolateral technique. CPT codes 22630-22632 describe arthrodesis by posterior interbody technique. CPT codes 22633-22634 describe arthrodesis by combined posterior or posterolateral technique with posterior interbody technique. These codes are reported per level or interspace. CPT code 22614 is an AOC that may be reported with primary CPT codes 22600, 22610, 22612, 22630, or 22633. CPT code 22632 is an AOC that may be reported with primary CPT codes 22612, 22630, or 22633. CPT code 22634 is an AOC that may be reported with primary CPT code 22633.

If a physician performs arthrodesis across multiple interspaces using the same technique in the same spinal region, the physician shall report a primary code for the first interspace and an AOC for each additional interspace. If the interspaces span 2 different spinal regions through the same skin incision, the physician shall report a primary code for the first interspace and an AOC for each additional interspace. If the interspaces span 2 different spinal regions through different skin incisions, the physician may report a primary code for the first interspace through each skin incision and an AOC for each additional interspace through the same skin incision.

If a physician performs arthrodesis across multiple contiguous interspaces through the

**Revision Date (Medicaid): 1/1/2025**



same skin incision using different techniques, the physician shall report one primary code for the first interspace and AOCs for each additional interspace.

If a physician performs arthrodesis across multiple non-contiguous interspaces through the same skin incision using different techniques, the physician shall report one primary code for the first interspace and AOCs for each additional interspace.

If a physician performs arthrodesis across multiple non-contiguous interspaces through different skin incisions using different techniques, the physician may report one primary code for the first interspace through each skin incision and AOCs for each additional interspace through the same skin incision.

24. CPT code 38220 describes diagnostic bone marrow aspiration(s). It shall not be reported separately with musculoskeletal procedures (e.g., spinal osteotomy, vertebral fracture repair, spinal arthrodesis, spinal fusion, spinal laminectomy, spinal decompression, vertebral corpectomy), for bone marrow aspiration for platelet rich stem cell injection or other therapeutic musculoskeletal applications.
25. CPT codes 38230 (Bone marrow harvesting for transplantation; allogeneic) and 38232 (Bone marrow harvesting for transplantation; autologous) shall not be reported separately with a spinal osteotomy, vertebral fracture repair, spinal arthrodesis, spinal fusion, spinal laminectomy, spinal decompression, or vertebral corpectomy CPT code for procurement of bone marrow aspirate. CPT codes 38230 and 38232 are used to report the procurement of bone marrow for future bone marrow transplantation.
26. NCCI policy does not allow separate payment for CPT codes 63042 (Laminotomy...; lumbar) or 63047 (Laminectomy...; lumbar) with CPT codes 22630 or 22633 (Arthrodesis; lumbar) when performed at the same interspace. If the 2 procedures are performed at different interspaces, the 2 codes of an edit pair may be reported with modifier 59 or XS appended.
27. Since the code descriptor for CPT code 61576 (Transoral approach to skull base... (including tracheostomy)) includes a tracheostomy in the code descriptor, a CPT code describing a tracheostomy shall not be reported separately.
28. For reporting CPT code 69990 (Operating microscope), see Chapter VIII, Section F (Operating Microscope).
29. CPT code 61623 (Endovascular temporary balloon arterial occlusion... concomitant neurological monitoring...post occlusion) describes a procedure that includes prolonged neurologic assessment. This code shall not be used to report the temporary arterial occlusion that is an inherent component of CPT code 61624 (Transcatheter permanent occlusion or embolization...; central nervous system (intracranial, spinal cord)).
30. Some procedures (e.g., intracranial, spinal) use intraoperative neurophysiology testing. Intraoperative neurophysiology testing (CPT codes 95940, 95941, and G0453) shall not

**Revision Date (Medicaid): 1/1/2025**

be reported by the physician performing an operative procedure since it is included in the global package. The physician performing an operative procedure shall not report other CPT section 9XXXX neurophysiology testing codes for intraoperative neurophysiology testing (e.g., CPT codes 92585, 95822, 95860-95870, 95907-95913, 95925, 95926, 95927, 95928, 95929, 95930-95937, 95938, 95939) since they are also included in the global package. However, when performed by a different physician during the procedure, intraoperative neurophysiology testing is separately reportable by the second physician. (CPT code 92585 was deleted January 1, 2021).

31. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. CPT code 76000 shall not be reported separately with an endoscopic procedure.
32. Access to the brachial plexus for a neuroplasty or suture procedure often requires division of a scalene muscle. Since access to the surgical field to perform a surgical procedure is integral to the procedure, division of a scalene muscle is not separately reportable with a brachial plexus procedure.
33. If the injection procedure for discography (CPT codes 62290, 62291) is followed by postoperative pain, treatment of this pain is not separately reportable (e.g., CPT codes 62320-62323). The injection procedure codes are minor surgical procedures and treatment of postoperative pain is included in the global package.
34. CPT code 61783 (Stereotactic computer assisted (navigational) procedure; spinal...) shall not be reported for a simple spinal decompression (e.g., CPT codes 63001-63053). Stereotactic navigational procedures are usually performed to identify anatomy for precise treatments and avoid vital structures which are not necessary for a simple spinal decompression procedure.
35. CPT code 64561 (Percutaneous implantation of neurostimulator electrode array; sacral nerve...if performed) is priced to include a “percutaneous neuro test stimulation kit.” This kit includes a “test stimulation lead.” HCPCS code A4290 (Sacral nerve stimulation test lead, each) shall not be reported with CPT code 64561.
36. The PTP edit with Column One CPT code 22630 (Arthrodesis, posterior interbody technique, including laminectomy and/or discectomy to prepare interspace (other than for decompression), single interspace; lumbar) and Column Two CPT code 63056 (Transpedicular approach with decompression of spinal cord, equina and/or nerve root(s) (e.g., herniated intervertebral disc), single segment; lumbar (including transfacet, or lateral extraforaminal approach) (e.g., far lateral herniated intervertebral disc)) consists of 2 CPT codes with code descriptors representing different surgeries. The edit indicates that the 2 procedures shall not be reported together at the same anatomic site (spinal level) at the same patient encounter. A physician shall not use modifier 59 or XE or XS to bypass this edit unless the 2 procedures are performed at separate anatomic sites (i.e., different spinal levels) or separate patient encounters on the same date of service.

**Revision Date (Medicaid): 1/1/2025**

## D. Ophthalmology

1. When a subconjunctival injection (e.g., CPT code 68200) with local anesthetic is performed as part of a more extensive anesthetic procedure (e.g., peribulbar or retrobulbar block), the subconjunctival injection is not separately reportable. It is part of the anesthetic procedure and does not represent a separate service.
2. Iridectomy and/or anterior vitrectomy may be performed in conjunction with cataract extraction. If an iridectomy is performed to complete a cataract extraction, it is an integral part of the procedure and is not separately reportable. Similarly, the minimal vitreous loss occurring during routine cataract extraction does not represent a vitrectomy and is not separately reportable. If an iridectomy or vitrectomy that is separate and distinct from the cataract extraction is performed for an unrelated reason at the same patient encounter, the iridectomy and/or vitrectomy may be reported separately with an NCCI PTP-associated modifier. The medical record must document the distinct medical necessity for each procedure.

If a trabeculectomy that is separate and distinct from the cataract extraction is performed at the same encounter, the trabeculectomy may be reported separately with an NCCI PTP-associated modifier. For example, if a patient with glaucoma requires a cataract extraction and a trabeculectomy is the appropriate treatment for the glaucoma, the trabeculectomy may be separately reportable. However, performance of a trabeculectomy as a preventative service for an expected transient increase in intraocular pressure postoperatively, without other evidence for glaucoma, is not separately reportable.

3. The CPT codes describing cataract extraction (66830-66991) are mutually exclusive of one another. Only one code from this CPT code range may be reported for an eye.
4. There are numerous CPT codes describing repair of retinal detachment (e.g., 67101-67113). These procedures are mutually exclusive and shall not be reported separately for the ipsilateral eye on the same date of service. Some retinal detachment repair procedures include some vitreous procedures which are not separately reportable. For example, the procedure described by CPT code 67108 includes the procedures described by CPT codes 67015, 67025, 67028, 67031, 67036, 67039, and 67040.
5. The procedures described by CPT codes 68020-68200 (e.g., incision, drainage, biopsy, excision, destruction, injection of the conjunctiva or subconjunctival structures) are included in all conjunctivoplasties (CPT codes 68320-68362). CPT codes 68020-68200 shall not be reported separately with CPT codes 68320-68362 for the ipsilateral eye.
6. CPT code 67950 (Canthoplasty) is included in repair procedures such as blepharoplasties (e.g., CPT codes 67917, 67924, 67961, 67966).
7. Correction of lid retraction (CPT code 67911) includes a full thickness graft (e.g., CPT code 15260) as part of the procedure. A full thickness graft code such as CPT code 15260 shall not be reported separately with CPT code 67911 for the ipsilateral eye.

**Revision Date (Medicaid): 1/1/2025**

8. If it is medically reasonable and necessary to inject anti-sclerosing agents at the same patient encounter as surgery to correct glaucoma, the injection is included in the glaucoma procedure. CPT codes such as 67500, 67515, and 68200 for injection of anti-sclerosing agents (e.g., 5-FU, HCPCS code J9190) shall not be reported separately with other pressure-reducing or glaucoma procedures.
9. Since visual field examination (CPT codes 92081-92083) would be performed before scheduling a patient for a blepharoplasty (CPT codes 15820-15823) or blepharoptosis (CPT codes 67901-67908) procedure, the visual field examination CPT codes shall not be reported separately with the blepharoplasty or blepharoptosis procedure codes for the same date of service.
10. The CPT code descriptors for CPT code 67108 (Repair of retinal detachment...same technique) and 67113 (Repair of complex retinal detachment...removal of lens) include removal of lens if performed. CPT codes for removal of lens or cataract extraction (e.g., 66830-66984 and 66986-66991) shall not be reported separately.
11. **The NCCI program** prohibits the physician performing an operative procedure from separately reporting anesthesia for that procedure, except for moderate conscious sedation for some procedures. CPT codes describing ophthalmic injections (e.g., CPT codes 67500, 67515, 68200) shall not be reported separately with other ophthalmic procedure codes when the injected substance is an anesthetic agent. Since **the NCCI program** prohibits the separate reporting of postoperative pain management by the physician performing the procedure, the same CPT codes shall not be reported separately by the physician performing the procedure for postoperative pain management.
12. NCCI policy does not allow separate payment for a medically necessary blepharoptosis procedure (CPT code 67901-67908) and medically necessary blepharoplasty procedure (CPT codes 15822, 15823) on an ipsilateral upper eyelid.
13. The CPT codes 65420 and 65426 describe excision of pterygium without and with graft, respectively. Graft codes and the ocular surface reconstruction CPT codes 65780-65782 shall not be reported separately with either of these codes for the ipsilateral eye.
14. The CPT codes 92018 and 92019 (Ophthalmological examination and evaluation, under general anesthesia...) are generally not separately reportable with ophthalmological surgical procedures. The examination and evaluation of an eye while a patient is under general anesthesia for another ophthalmological procedure is integral to the procedure. However, there are unusual circumstances when an adequate ophthalmological examination cannot be completed without anesthesia (e.g., uncooperative pediatric patient, severe eye trauma). In such situations, CPT codes 92018 or 92019 may be separately reportable with appropriate documentation and modifier 59 or XU.
15. Procedures of the cornea shall not be reported with anterior chamber “separate procedures” such as CPT codes 65800-65815 and 66020. The NCCI program does not

**Revision Date (Medicaid): 1/1/2025**

allow separate payment for procedures including the “separate procedure” designation in their code descriptor when the “separate procedure” is performed with another procedure in an anatomically related area.

16. Repair of a surgical skin or mucous membrane incision (CPT codes 12001-13153) is generally included in the global package. For procedures of the eye requiring a skin or mucous membrane incision (e.g., eyelid, orbitotomy, lacrimal system), simple, intermediate, and complex repair codes shall not be reported separately.
17. Repair of an incision to perform an ophthalmic procedure is integral to completion of the procedure. It is a misuse of the repair of laceration codes (CPT codes 65270-65286) to separately report closure of a surgical incision of the conjunctiva, cornea, or sclera.
18. CPT codes 65280 and 65285 describe repair of laceration of the cornea and/or sclera. These codes shall not be reported to describe repair of a surgical incision of the cornea and/or sclera which is integral to a surgical procedure (e.g., 65710-65756).
19. Posterior segment ophthalmic surgical procedures (CPT codes 67005-67229) include extended ophthalmoscopy (CPT codes 92201, 92202), if performed during the operative procedure or post-operatively on the same date of service. Except when performed on an emergent basis, extended ophthalmoscopy would normally not be performed pre-operatively on the same date of service.
20. Injection of an antibiotic, steroid, and/or nonsteroidal anti-inflammatory drug during a cataract extraction procedure (e.g., CPT codes 66820-66991) or other ophthalmic procedure is not separately reportable. Physicians shall not report CPT codes such as 66020, 66030, 67028, 67500, 67515, or 68200 for such injections.
21. CPT code 67028 (Intravitreal injection of a pharmacologic agent (separate procedure)) shall not be reported with CPT codes 65800-65815 (Paracentesis of anterior chamber of the eye (separate procedure)...) when both procedures are performed on the same eye at the same patient encounter. Two codes each defined as a “separate procedure” by its code descriptor should not be reported together when performed in the same anatomic region at the same patient encounter.
22. CPT code 67028 describes intravitreal injection of a pharmacologic agent. CPT code 68200 (Subconjunctival injection) performed on the ipsilateral side should not be reported separately with CPT code 67028.
23. CPT codes 67515 (injection into Tenon’s capsule) and 68200 (subconjunctival injection) shall not be reported with a paracentesis (e.g., CPT code 65800-65815) since the injections, if performed, are integral components of the paracentesis procedure.
24. Removal of corneal epithelium (e.g., CPT codes 65435, 65436) shall not be reported with removal of corneal foreign body (e.g., CPT codes 65220, 65222) or repair of laceration of the cornea (e.g., CPT codes 65275-65285) for the ipsilateral eye.

**Revision Date (Medicaid): 1/1/2025**

25. Repair of entropion (CPT codes 67923, 67924) or repair of ectropion (CPT codes 67916, 67917) shall not be reported with excision and repair of eyelid (CPT codes 67961, 67966) for the same eyelid. The latter codes include the excision and repair of the eyelid involving lid margin, tarsus, conjunctiva, canthus, or full thickness and may include preparation for skin graft or pedicle flap with adjacent tissue transfer or rearrangement. A repair of entropion or repair of ectropion CPT code may be reported with an excision and repair of eyelid CPT code only if the procedures are performed on different eyelids. Modifiers E1, E2, E3, or E4 should be used to indicate that the procedures were performed on different eyelids.

## **E. Auditory System**

1. If the code descriptor for a procedure of the auditory system includes a mastoidectomy (e.g., CPT codes 69530, 69910), an additional code describing a mastoidectomy (e.g., 69502-69511) is not separately reportable for the ipsilateral mastoid.
2. A myringotomy (e.g., CPT codes 69420, 69421) is included in a tympanoplasty or tympanostomy procedure and is not separately reportable.
3. If an otologic procedure requires a transcanal or endaural approach with incision of the tympanic membrane and access through the middle ear, exploration of the middle ear (CPT code 69440) and tympanic membrane procedures (e.g., CPT codes 69420, 69421, 69424, 69433, 69436, 69610, 69620) shall not be reported separately.
4. A labyrinthotomy procedure includes vestibular function testing performed for monitoring during the procedure. Since diagnostic vestibular function testing would have been performed before the procedure on a different date of service, diagnostic vestibular function tests shall not be reported separately with a labyrinthotomy procedure code on the same date of service.

## **F. Operating Microscope**

1. The NCCI program limits the reporting of use of an operating microscope (CPT code 69990) to procedures described by CPT codes 61304-61546, 61550-61711, 62010-62100, 63081-63308, 63704-63710, 64831, 64834-64836, 64840-64858, 64861-64868, 64885-64891 and 64905-64907. CPT code 69990 should not be reported with other procedures even if an operating microscope is used. The NCCI program guidelines for reporting of CPT code 69990 differ from *CPT Professional codebook* instructions following CPT code 69990. The NCCI program bundles CPT code 69990 into all surgical procedures other than those listed above. Most edits do not allow use of NCCI PTP-associated modifiers.
2. If a physician performs 2 procedures using the operating microscope, but only 1 of the procedures is on the list of procedures for which CPT code 69990 is separately payable, CPT code 69990 may be denied because of an edit bundling CPT code 69990 into the other procedure not on the NCCI list. (Claims processing systems do not identify which

**Revision Date (Medicaid): 1/1/2025**



procedure is linked to CPT code 69990.) If this situation occurs, the provider may resubmit the claim for reconsideration of the denial of CPT code 69990 pursuant to the resubmission established by the state Medicaid agency.

## **G. Laparoscopy**

1. Surgical laparoscopy includes diagnostic laparoscopy which is not separately reportable. If a diagnostic laparoscopy leads to a surgical laparoscopy at the same patient encounter, only the surgical laparoscopy may be reported.
2. If a laparoscopy is performed as a procedure to assess the surgical field or extent of disease, it is not separately reportable. If the findings of a diagnostic laparoscopy lead to the decision to perform an open procedure, the diagnostic laparoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic laparoscopy and non-laparoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic laparoscopy.
3. CPT code 49321 describes a laparoscopic biopsy. If this procedure is performed for diagnostic purposes and the decision to proceed with an open or laparoscopic –ectomy procedure is based on this biopsy, CPT code 49321 may be reported in addition to the CPT code for the –ectomy procedure. However, if the laparoscopic biopsy is performed for a different purpose such as assessing the margins of resection, CPT code 49321 is not separately reportable.
4. If a laparoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical laparoscopy nor a diagnostic laparoscopy code shall be reported with the open procedure code when a laparoscopic procedure is converted to an open procedure.
5. Laparoscopic lysis of adhesions (CPT codes 44180 or 58660) is not separately reportable with other surgical laparoscopic procedures.
6. The CPT code 44970 describes a laparoscopic appendectomy and may be reported separately with another laparoscopic procedure code when a diseased appendix is removed. Since removal of a normal appendix with another laparoscopic procedure is not separately reportable, this code shall not be reported for an incidental laparoscopic appendectomy.
7. Fluoroscopy (CPT code 76000) is an integral component of all laparoscopic procedures when performed. CPT code 76000 shall not be reported separately with a laparoscopic procedure.
8. A diagnostic laparoscopy includes “washing” infusion and/or removal of fluid from the body cavity. A physician shall not report CPT codes 49082-49083 (Abdominal paracentesis) or 49084 (Peritoneal lavage) for infusion and/or removal of fluid from the body cavity performed during a diagnostic or surgical laparoscopic procedure.

**Revision Date (Medicaid): 1/1/2025**



9. Injection of air into the abdominal or pelvic cavity is integral to many laparoscopic procedures. Physicians shall not separately report CPT code 49400 (Injection of air or contrast into peritoneal cavity (separate procedure)) for this service.

## **H. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The MUE values for CPT code 63661 (Removal of spinal neurostimulator electrode percutaneous array(s) ...when performed) and CPT code 63662 (Removal of spinal neurostimulator electrode plate/paddle(s) placed via laminotomy or laminectomy ...when performed) are “1.” Each code descriptor includes the removal of some or all electrode percutaneous arrays and some or all electrode plates/paddles for a neurostimulator pulse generator.
4. The MUE value for CPT code 64612 (Chemodenervation of muscle(s); muscle(s) innervated by facial nerve, unilateral (e.g., for blepharospasm, hemifacial spasm)) is “1.” The unit of service for this code is all injections for chemodenervation into any and all muscles innervated by a facial nerve. A provider may separately report a unit of service for chemodenervation of any and all muscles innervated by the left facial nerve and a unit of service for chemodenervation of any and all muscles innervated by the right facial nerve. However, a provider shall not report more than one unit of service for chemodenervation of one or more muscles innervated by a single facial nerve. If the procedure is performed bilaterally on the muscles of the left facial nerve and right facial nerve, it should be reported with modifier 50 and one unit of service.
5. Bilateral ophthalmic procedures should be reported with modifier 50 and one unit of service on a single claim line. Procedures performed on eyelids should be reported with modifiers E1- E4. The MUE values for many eyelid procedures are one based on use of these modifiers for clinical scenarios in which the same procedure is performed on more than one eyelid.
6. CPT code 68840 describes probing of lacrimal canaliculi and includes probing of the lacrimal canaliculi of both the upper and lower eyelids of an eye. This code may only be reported with one unit of service for a single eye. If the procedure is performed bilaterally, it may be reported with modifier 50 and one unit of service on a single line of the claim.
7. The unit of service for procedures to correct trichiasis (e.g., CPT codes 67820-67835) is

**Revision Date (Medicaid): 1/1/2025**

the eye, not eyelid. The MUEs for these codes are “1.” If a procedure is performed bilaterally, it may be reported with modifier 50 and one unit of service.

8. CPT codes 64400-64530 describe injection of anesthetic agent for diagnostic or therapeutic purposes, the codes being distinguished from one another by the named nerve and whether a single or continuous infusion by catheter is used. All injections into the nerve including branches described (named) by the code descriptor at a single patient encounter constitute a single unit of service. For example:
  - (1) If a physician injects an anesthetic agent into multiple areas around the sciatic nerve at a single patient encounter, only one unit of service of CPT code 64445 (Injection(s), anesthetic agent(s) and/or steroid; sciatic nerve) may be reported.
  - (2) If a physician injects the superior medial and lateral branches and inferior medial branches of the left genicular nerve, only one unit of service of CPT code 64450 (Injection(s), anesthetic agent(s) and/or steroid; other peripheral nerve or branch) may be reported regardless of the number of injections needed to block this nerve and its branches.
9. MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

## **I. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.
3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.

**Revision Date (Medicaid): 1/1/2025**

4. With few exceptions, the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, either singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if provided for purposes unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service

**Revision Date (Medicaid): 1/1/2025**

(e.g., CPT codes 96360-96379) for a purpose unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. The CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with any surgical procedure.
7. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
8. Control of bleeding during an operative procedure is an integral component of a surgical procedure, and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. For more information regarding biopsies, see Chapter I, Section A, Introduction.
10. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with another biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
11. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
12. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

**Revision Date (Medicaid): 1/1/2025**

13. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
14. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
15. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
16. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

## **CHAPTER IX**

### **RADIOLOGY SERVICES CPT CODES 70000 – 79999**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter IX .....	IX-3
Radiology Services.....	IX-3
CPT Codes 70000 - 79999.....	IX-3
A. Introduction .....	IX-3
B. Evaluation & Management (E&M) Services .....	IX-3
C. Non-interventional Diagnostic Imaging.....	IX-5
D. Interventional/Invasive Diagnostic Imaging.....	IX-8
E. Nuclear Medicine.....	IX-11
F. Radiation Oncology.....	IX-13
G. Medically Unlikely Edits (MUEs).....	IX-15
H. General Policy Statements .....	IX-16

Revision Date (Medicaid): **1/1/2025**



## **Chapter IX**

### **Radiology Services**

### **CPT Codes 70000 - 79999**

#### **A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 70000-79999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

#### **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File” Minor surgery – those codes with 000 or 010 Global Days
- The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

**Revision Date (Medicaid): 1/1/2025**

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances.**

When physician interaction with a patient is necessary to accomplish a radiographic procedure, typically occurring in invasive or interventional radiology, the interaction generally involves limited pertinent historical inquiry about reasons for the examination, the presence of allergies,

**Revision Date (Medicaid): 1/1/2025**

acquisition of informed consent, discussion of follow-up, and the review of the medical record. In this setting, a separate E&M service is not reported. As a rule, if the medical decision making based on the information from the patient is limited to whether the procedure should be performed, whether comorbidity may impact the procedure, or involves discussion and education with the patient, an E&M code is not reported separately. If a significant, separately identifiable service is rendered, involving taking a history, performing an exam, and making medical decisions distinct from the procedure, the appropriate E&M service may be reported.

In radiation oncology, E&M CPT codes are separately reportable for an initial visit at which time a decision is made whether to proceed with the treatment.

### **C. Non-interventional Diagnostic Imaging**

Non-invasive/interventional diagnostic imaging includes (but is not limited to) standard radiographs, single or multiple views, contrast studies, computed/computerized tomography, and magnetic resonance imaging. The *CPT Professional codebook* allows for various combinations of codes to address the number and type of radiographic views. For a given radiographic series, the procedure code that most accurately describes what was performed shall be reported. Because the number of views necessary to obtain medically useful information may vary, a complete review of CPT coding options for a given radiographic session is important to assure accurate coding with the most comprehensive code describing the services performed rather than billing multiple codes to describe the service.

1. If imaging studies (e.g., radiographs, computerized tomography, magnetic resonance imaging) are repeated during the course of a radiological encounter due to substandard quality or need for additional views, only one unit of service for the appropriate code may be reported. If the radiologist elects to obtain additional views after reviewing initial films in order to render an interpretation, the state Medicaid policy on the ordering of diagnostic tests must be followed. The CPT code describing the total service shall be reported, even if the patient was released from the radiology suite and had to return for additional services. The CPT descriptors for many of these services refer to a “minimum” number of views. If more than the minimum number specified is necessary and no other more specific CPT code is available, only that service shall be reported. However, if additional films are necessary due to a change in the patient’s condition, separate reporting may be appropriate.
2. The CPT code descriptors that specify a minimum number of views include additional views if there is no more comprehensive code specifically including the additional views. For example, if 3 views of the shoulder are obtained, CPT code 73030 (Radiologic examination, shoulder; complete, minimum of 2 views) with 1 unit of service shall be reported rather than CPT code 73020 (Radiologic examination, shoulder; 1 view) plus CPT code 73030.
3. When a comparative imaging study is performed to assess potential complications or completeness of a procedure (e.g., post-reduction, post-intubation, post-catheter placement, etc.), the professional component of the CPT code for the post-procedure

**Revision Date (Medicaid): 1/1/2025**

imaging study is not separately payable and shall not be reported. The technical component of the CPT code for the post-procedure imaging study may be reported.

4. Some studies may be performed without contrast, with contrast, or with and without contrast. There are separate codes to describe all of these combinations of contrast use. When studies require contrast, the number of radiographs obtained varies between patients. All radiographs necessary to complete a study are included in the CPT code description.
5. Fluoroscopy is inherent in many radiological supervision and interpretation procedures. Unless specifically noted, fluoroscopy necessary to complete a radiologic procedure and obtain the necessary permanent radiographic record is included in the radiologic procedure and shall not be reported separately.
6. Preliminary radiographs before contrast administration or delayed imaging radiographs are not separately reportable.
7. The *CPT Professional codebook* instructions state that in the presence of a clinical history suggesting urinary tract pathology complete ultrasound evaluation of the kidneys and urinary bladder constitutes a complete retroperitoneal ultrasound study (CPT code 76770). A limited retroperitoneal ultrasound (CPT code 76775) plus limited pelvic ultrasound (CPT code 76857) shall not be reported in lieu of the complete retroperitoneal ultrasound (CPT code 76770).
8. CPT code 76380 (Computed tomography, limited or localized follow-up study) shall not be reported with other computed tomography (CT), computed tomography angiography (CTA), or computed tomography guidance codes for the same patient encounter.
9. When a central venous catheter is inserted, a chest radiologic examination is usually performed to confirm the position of the catheter and absence of pneumothorax. Similarly, when an emergency endotracheal intubation procedure (CPT code 31500), chest tube insertion procedure (e.g., CPT codes, 32550, 32551, 32554, 32555), or insertion of a central flow directed catheter procedure (e.g., Swan-Ganz) (CPT code 93503) is performed, a chest radiologic examination is usually performed to confirm the location and proper positioning of the tube or catheter. The chest radiologic examination is integral to the procedures, and a chest radiologic examination (e.g., CPT codes 71045, 71046) shall not be reported separately.
10. The CPT code 77075 (Radiologic examination, osseous survey; complete (axial and appendicular skeleton)) includes radiologic examination of all bones. CPT codes for radiologic examination of other bones shall not be reported in addition to CPT code 77075. However, if a separate and distinct radiologic examination with additional films of a specific area of the skeleton is performed to evaluate a different problem, the appropriate CPT code for the additional radiologic examination may be reported with an NCCI PTP-associated modifier.

**Revision Date (Medicaid): 1/1/2025**

11. The CPT code 77073 (Bone length studies...) includes radiologic examination of the lower extremities. CPT codes for radiologic examination of lower extremity structures shall not be reported in addition to CPT code 77073 for examination of the radiologic films for the bone length studies. However, if a separate and distinct radiologic examination with additional films of a specific area of a lower extremity is performed to evaluate a different problem, the appropriate CPT code for the additional radiologic examination may be reported with an NCCI PTP-associated modifier.
12. CPT code 75635 describes computed tomographic angiography of the abdominal aorta and bilateral iliofemoral lower extremity runoff. This code includes the services described by CPT codes 73706 (computed tomographic angiography, lower extremity...image postprocessing) and 74175 (computed tomographic angiography, abdomen...image postprocessing). CPT codes 73706 and 74175 shall not be reported with CPT code 75635 for the same patient encounter. CPT code 73706 plus CPT code 74175 shall not be reported in lieu of CPT code 75635.
13. Ultrasound examination of a transplanted kidney and retroperitoneal structures at the same patient encounter may be reported with CPT code 76770 (Ultrasound, retroperitoneal...; complete). It shall not be reported with CPT code 76776 (Ultrasound, transplanted kidney...) plus CPT code 76775 (Ultrasound, retroperitoneal...; limited).
14. Computed tomography (CT) of the spine with intrathecal contrast shall not be reported with myelography (e.g., CPT codes 72240-72270) unless both studies are medically reasonable and necessary. Radiography after injection of intrathecal contrast to perform a CT of the spine in order to confirm the location of the contrast is not separately reportable as myelography.
15. CPT code 77063 is an Add-on Code (AOC) describing screening digital tomosynthesis for mammography. This procedure requires performance of a screening mammography producing direct digital images. Beginning calendar year 2018, CPT code 77063 may be reported with CPT code 77067.
16. CPT codes 72081-72084 describe radiologic examination of the entire spine, the codes differing based on the number of views. The other codes in the CPT code range 72020-72120 describe radiologic examination of specific regions of the spine differing based on the region of the spine and the number of views. If a physician performs a procedure described by CPT codes 72081-72084 and at the same patient encounter performs a procedure described by one or more other codes in the CPT code range 72020-72120, the physician shall sum the total number of views and report the appropriate code in the CPT code range 72081-72084. The physician shall not report a code from the CPT code range 72081-72084 plus another code in the CPT code range 72020-72120 for services performed at the same patient encounter.
17. Since the foot includes the toes and calcaneus bone, CPT code 73630 (Radiologic examination, foot; complete, minimum of 3 views) includes radiologic examination of the toes and calcaneus. A physician shall not report CPT code 73650 (Radiologic

**Revision Date (Medicaid): 1/1/2025**

examination; calcaneus, minimum of 2 views) or 73660 (Radiological examination; toe(s), minimum of 2 views) with CPT code 73630 for the same foot on the same date of service.

#### **D. Interventional/Invasive Diagnostic Imaging**

1. If a radiologic procedure requires that contrast be administered orally (e.g., upper GI series) or rectally (e.g., barium enema), the administration is integral to the radiologic procedure, and the administration service is not separately reportable. If a radiologic procedure requires that contrast material be administered parenterally (e.g., IVP, CT, MRI), the vascular access (e.g., CPT codes 36000, 36406, 36410) and contrast administration (e.g., CPT codes 96360-96379) are integral to the procedure and are not separately reportable.
2. Many services using contrast are composed of a procedural component (CPT codes outside the 70000 section) and a radiologic supervision and interpretation component (CPT codes in the 70000 section). If a single physician performs both components of the service, the physician may report both codes. However, if different physicians perform the different components, each physician reports the CPT code corresponding to that component.
3. Many interventional procedures require contrast injections for localization and/or guidance. Unless there are CPT instructions directing the physician to report specific CPT codes for the localization or guidance, the localization or guidance is integral to the interventional procedure and is not separately reportable.
4. Diagnostic angiography (arteriogram/venogram) performed on the same date of service by the same provider as a percutaneous intravascular interventional procedure should be reported with modifier 59 or XU. If a diagnostic angiogram (fluoroscopic or computed tomographic) was performed before the date of the percutaneous intravascular interventional procedure, a second diagnostic angiogram cannot be reported on the date of the percutaneous intravascular interventional procedure unless it is medically reasonable and necessary to repeat the study to further define the anatomy and pathology. Report the second angiogram with modifier 59 or XU. If it is medically reasonable and necessary to repeat only a portion of the diagnostic angiogram, append modifier 52 in addition to modifier 59 or XU to the angiogram CPT code. If the prior diagnostic angiogram (fluoroscopic or computed tomographic) was complete, the provider shall not report a second angiogram for the dye injections necessary to perform the percutaneous intravascular interventional procedure.
5. The individual CPT codes in the 70000 section identify which injection or administration code, if any, is appropriate for a given procedure. In the absence of a parenthetical CPT note, the injection or administration service is integral to the procedure and is not separately reportable. If an intravenous line is inserted (e.g., CPT code 36000) for access for the procedure or administration of contrast, it is integral to the procedure and is not separately reportable. The CPT code 36005 describes the injection procedure for contrast

**Revision Date (Medicaid): 1/1/2025**



venography of an extremity and includes the introduction of a needle or an intracatheter (e.g., CPT code 36000). CPT code 36005 shall not be reported for injections for arteriography or venography of sites other than an extremity.

6. For lymphangiography procedures, injection of dye into subcutaneous tissue is integral to the procedure. The CPT code 96372 (Therapeutic, prophylactic, or diagnostic injection...; subcutaneous or intramuscular) shall not be reported separately for this injection of dye.
7. When urologic radiologic procedures require insertion of a urethral catheter (e.g., CPT code 51701-51703), this insertion is integral to the procedure and is not separately reportable.
8. Fluoroscopy reported as CPT code 76000 is integral to many procedures including, but not limited, to most spinal, endoscopic, and injection procedures and shall not be reported separately. For some of these procedures, there are separate fluoroscopic guidance codes which may be reported separately.
9. Computed tomography (CT) and computed tomographic angiography (CTA) procedures for the same anatomic location may be reported together in limited circumstances. If a single technical study is performed which is used to generate images for separate CT and CTA reports, only one procedure, either the CT or CTA, for the anatomic region may be reported. Both a CT and CTA may be reported for the same anatomic region if they are performed at separate patient encounters or if 2 separate and distinct technical studies, 1 for the CT and 1 for the CTA, are performed at the same patient encounter. The medical necessity for the latter situation is uncommon.

Similarly, magnetic resonance imaging (MRI) and magnetic resonance angiography (MRA) procedures for the same anatomic location may be reported together in limited circumstances. If a single technical study is performed which is used to generate images for separate MRI and MRA reports, only 1 procedure, either the MRI or MRA, for the anatomic region may be reported. Both an MRI and MRA may be reported for the same anatomic region if they are performed at separate patient encounters or if 2 separate and distinct technical studies, 1 for the MRI and 1 for the MRA, are performed at the same patient encounter. The medical necessity for the latter situation is uncommon.

10. Computed tomography of the heart (CPT codes 75571-75573) and computed tomographic angiography of the heart (CPT code 75574) include electrocardiographic monitoring if performed. CPT codes 93000-93010 (Electrocardiogram...) and 93040-93042 (Rhythm ECG...) shall not be reported separately with CPT codes 75571-75574 for the ECG monitoring integral to these procedures.
11. If a breast biopsy, needle localization wire, metallic localization clip, or other breast procedure is performed with mammographic guidance (e.g., 19281, 19282), the physician shall not separately report a post procedure mammography code (e.g., 77065-77067) for the same patient encounter. The radiologic guidance codes include all imaging by the defined modality required to perform the procedure.

**Revision Date (Medicaid): 1/1/2025**



12. Many spinal procedures are grouped into a family of codes where there are separate primary procedure codes describing the procedure at a single vertebral level in the cervical, thoracic, or lumbar region of the spine. Within some families of codes there is an AOC for reporting the same procedure at each additional level without specification of the spinal region for the AOC. When multiple procedures from one of these families of codes are performed at contiguous vertebral levels, a physician shall report only one primary code within the family of codes for one level and shall report additional contiguous levels using the AOC(s) in the family of codes. The reported primary code should be the one corresponding to the spinal region of the first procedure. If multiple procedures from one of these families of codes are performed at multiple vertebral levels that are not contiguous and in different regions of the spine, the physician may report one primary code for each non-contiguous region.

For example, the family of CPT codes 22532-22534 describes arthrodesis by lateral extracavitary technique. CPT code 22532 describes the procedure for a single thoracic vertebral segment. CPT code 22533 describes the procedure for a single lumbar vertebral segment. CPT code 22534 is an AOC describing the procedure for each additional thoracic or lumbar vertebral segment. If a physician performs arthrodesis by lateral extracavitary technique on contiguous vertebral segments such as T12 and L1, only one primary procedure code, the one for the first procedure, may be reported. The procedure on the second vertebral body may be reported with CPT code 22534. If a physician performs the procedure at T10 and L4, the physician may report CPT codes 22532 and 22533.

CPT codes 22510-22512 represent a family of codes describing percutaneous vertebroplasty, and CPT codes 22513-22515 represent a family of codes describing percutaneous vertebral augmentation. Within each of these families of codes, the physician may report only one primary procedure code and the AOC for each additional level(s) whether the additional level(s) are contiguous or not.

13. Reserved for future use.
14. Diagnostic studies of the cervicocerebral arteries (CPT codes 36221-36227) include angiography of the thoracic aortic arch. Physicians shall not separately report CPT codes 75600 or 75605 (Thoracic aortography) for this examination unless it is medically reasonable and necessary to additionally examine the descending thoracic aorta. A physician shall not report CPT codes 75600 or 75605 for the examination of the descending thoracic aorta with the runoff of the dye used to examine the thoracic aortic arch included in the diagnostic studies of the cervicocerebral arteries. Additionally, if an unexpected abnormality of the descending thoracic aorta is identified while examining the dye runoff in the descending aorta, CPT codes 75600 or 75605 shall not be reported separately.
15. **Three-dimensional** (3D) rendering of an imaging modality (e.g., CPT codes 76376, 76377) shall not be reported for mapping the sites of multiple biopsies or other needle

**Revision Date (Medicaid): 1/1/2025**

placements under radiologic guidance. For example, a provider performing multiple prostate biopsies under ultrasound guidance (e.g., CPT code 76942) shall not report CPT codes 76376 or 76377 for developing a map of the locations of the biopsies.

## **E. Nuclear Medicine**

The general policies described above apply to nuclear medicine as well as standard diagnostic imaging.

1. The injection of a radiopharmaceutical is an integral component of a nuclear medicine procedure. CPT codes for vascular access (e.g., CPT code 36000) and injection of the radiopharmaceutical (e.g., CPT codes 96360-96379) are not separately reportable.
2. Single photon emission computed tomography (SPECT) studies represent an enhanced methodology over standard planar nuclear imaging. Several nuclear medicine CPT codes describe combinations of planar, single photon emission computed tomography (SPECT), flow imaging, or SPECT with CT imaging for evaluation of a specific anatomic area. Unless specified by a single code that combines 2 or more imaging modalities, no additional information is procured by obtaining both planar and SPECT studies for a limited anatomic area.
3. Myocardial perfusion imaging (CPT codes 78451-78454) is not reportable with cardiac blood pool imaging by gated equilibrium (CPT codes 78472-78473) because the 2 types of tests use different radiopharmaceuticals.
4. The CPT codes 76376 and 76377 (3D rendering) are not separately reportable for nuclear medicine procedures (CPT codes 78012-78999). However, CPT code 76376 or 76377 may be separately reported with modifier 59 or XS on the same date of service as a nuclear medicine procedure if the 3D rendering procedure is performed in association with a third procedure (other than nuclear medicine) for which 3D rendering is appropriately reported.
5. The CPT codes 78451-78452 (Myocardial perfusion imaging... additional quantification...) includes calculation of the heart-lung ratio if obtained. The CPT code 78580 (Pulmonary perfusion imaging, particulate) shall not be reported for calculation of the heart-lung ratio during the processing of a SPECT myocardial perfusion procedure.
6. Subsection deleted, January 1, 2024.
7. Positron emission tomography (PET) procedures include a finger stick blood glucose level. CPT codes 82948 (Glucose; blood, reagent strip) or 82962 (Glucose, blood by glucose monitoring device(s)...home use) shall not be reported separately for the measurement of the finger stick blood glucose included in a PET procedure.
8. HCPCS code A9512 (Technetium Tc-99m pertechnetate, diagnostic, per millicurie) describes a radiopharmaceutical used for nuclear medicine studies. Technetium Tc-99m

**Revision Date (Medicaid): 1/1/2025**

pertechnetate is also a component of other Technetium Tc-99m radiopharmaceuticals with separate AXXXX codes. Code A9512 shall not be reported with other AXXXX radiopharmaceuticals containing Technetium Tc-99m for a single nuclear medicine study. However, if 2 separate nuclear medicine studies are performed on the same date of service, 1 with the radiopharmaceutical described by HCPCS code A9512 and 1 with another AXXXX radiopharmaceutical labeled with Technetium Tc-99m, both codes may be reported using an NCCI **PTP**-associated modifier. HCPCS codes A9500, A9540, and A9541 describe radiopharmaceuticals labeled with Technetium Tc-99m that may be used for separate nuclear medicine studies on the same date of service as a nuclear medicine study using the radiopharmaceutical described by HCPCS code A9512.

9. Generally diagnostic nuclear medicine procedures are performed on different dates of service than therapeutic nuclear medicine procedures. However, if a diagnostic nuclear medicine procedure is performed on an organ and the decision to proceed with a therapeutic nuclear medicine procedure on the same organ on the same date of service is based on results of the diagnostic nuclear medicine procedure, both procedures may be reported on the same date of service using an NCCI PTP-associated modifier. A physician shall not report a radiopharmaceutical therapy administration code for the radionuclide administration that is integral to diagnostic nuclear imaging procedures.
10. A 3 phase bone and/or joint imaging study (CPT code 78315) includes initial vascular flow imaging. CPT code 78445 (Non-cardiac vascular flow imaging (ie, angiography, venography)) shall not be reported separately for the vascular flow imaging integral to CPT code 78315.
11. Non-cardiac vascular flow imaging, when performed, is integral to a nuclear medicine procedure. CPT code 78445 (Non-cardiac vascular flow imaging (ie, angiography, venography)) shall not be reported with any other nuclear medicine procedure code.
12. Supervision and handling of radionuclides is integral to nuclear medicine procedures (e.g., CPT codes 78012-79999). Physicians shall not separately report CPT code 77790 (Supervision, handling, loading of radiation source) for this service.
13. The NCCI program contains PTP edits that bundle some radiopharmaceutical codes into nuclear medicine procedure codes. In some situations where a patient has 2 nuclear medicine procedures performed on the same date of service, the radiopharmaceutical used for 1 nuclear medicine procedure may be incompatible with the second nuclear medicine procedure. In this circumstance, it may be appropriate to report the radiopharmaceutical with modifiers 59 or XE or XS.
14. Tumor imaging by positron emission tomography (PET) may be reported with CPT codes 78811-78816. If a concurrent computed tomography (CT) scan is performed for attenuation correction and anatomical localization, CPT codes 78814-78816 shall be reported rather than CPT codes 78811-78813. A CT scan for localization shall not be reported separately with CPT codes 78811-78816.

**Revision Date (Medicaid): 1/1/2025**

A medically reasonable and necessary diagnostic CT scan may be separately reportable with an NCCI PTP-associated modifier. If the data set for the diagnostic CT is obtained concurrently on the same PET/CT integrated system where the CT portion of the study is co-registered with the PET images for the purpose of attenuation correction and anatomic localization, the diagnostic CT CPT code may be reported with PET CPT codes 78811-78813 using an NCCI **PTP**-associated modifier. Under these circumstances, the diagnostic CT CPT code shall not be reported with PET/CT CPT codes 78814-78816. However, if a data set for the PET/CT for attenuation correction and anatomic localization and a separate data set for the diagnostic CT are obtained separately, the diagnostic CT CPT code may be reported with CPT codes 78811-78816 using an NCCI **PTP**-associated modifier.

## **F. Radiation Oncology**

1. Except for an initial visit E&M service at which the decision to perform radiation therapy is made, E&M services are not separately reportable with radiation oncology services with the following exceptions as noted below. The initial E&M visit for radiation oncology services may be reported with office/outpatient E&M CPT codes 99202-99215, initial hospital care E&M CPT codes 99221-99223, subsequent hospital care E&M CPT codes 99231-99233, observation/inpatient hospital care with same day admission and discharge E&M CPT codes 99234-99236, or consultation E&M codes 99241-99255.

E&M services in addition to an initial visit E&M service may be reported with CPT codes 77770-77772 (Remote afterloading high dose rate radionuclide brachytherapy...). E&M services reported with these brachytherapy codes must be significant, separate and distinct from radiation treatment management services.

E&M services (i.e., 99211-99213) may be reported with CPT code 77401 (Radiation treatment delivery, superficial and/or ortho voltage, per day) with modifier 25 to report physician services for certain aspects of radiation therapy planning. Modifier -59 is not appropriate to use with weekly radiation therapy management codes (77427) or with evaluation and management service codes (99202-99499).

2. Continuing medical physics consultation (CPT code 77336) is reported “per week of therapy.” It may be reported after every 5 radiation treatments. (It may also be reported if the total number of radiation treatments in a course of radiation therapy is less than 5.) Since radiation planning procedures (CPT codes 77261-77334) are generally performed before radiation treatment commences, the NCCI program contains edits preventing payment of CPT code 77336 with CPT codes 77261-77295, 77301-77318 and 77332-77334. Because radiation planning procedures may occasionally be repeated during a course of radiation treatment, the edits allow modifiers 59 or XE, XP, XS, XU to be appended to CPT code 77336 when the radiation planning procedure and continuing medical physics consultation are reported on the same date of service.
3. The NCCI program includes edits for services that may not be reported separately with radiation oncology procedures. These edits bundle certain CPT codes into all radiation

**Revision Date (Medicaid): 1/1/2025**

therapy services.

4. Brachytherapy (CPT codes 77750-77790) includes radiation treatment management (CPT codes 77427 and 77431) and continuing medical physics consultation (CPT code 77336). CPT codes 77427, 77431, and 77336 should not in general be reported separately with brachytherapy services. However, if a patient receives external beam radiation treatment and brachytherapy treatment during the same time period, radiation treatment management and continuing medical physics consultation may be reported for the external beam radiation treatments. Additionally, if a patient has multi-step brachytherapy, it may be appropriate to separately report continuing medical physics consultation with the brachytherapy.
5. Reserved for future use.
6. The procedures described by CPT codes 77778 (Interstitial radiation source application, complex...when performed) requires that a radiation source be applied interstitially. Reporting a CPT code requires that all essential components of the procedure are performed. These codes shall not be reported by a radiation oncologist for intraoperative work with another physician who surgically places catheters interstitially unless the radiation oncologist also applies the radiation source at the same patient encounter. The intraoperative work of the radiation oncologist may be reportable with a non-brachytherapy code. If the radiation source application occurs postoperatively in a different room, the radiation oncologist may report CPT codes 77770-77772 (Remote afterloading high dose rate radionuclide brachytherapy...) for the radiation source application.
7. Stereotactic radiosurgery (SRS) treatment delivery (CPT codes 77371-77373) includes stereotactic guidance for placement of the radiation therapy fields for treatment delivery. CPT code 77014 (Computed tomography guidance for placement of radiation therapy fields) and HCPCS code G6001 (Ultrasonic guidance for placement of radiation therapy fields) should not be reported additionally for guidance for placement of the radiation therapy field for SRS treatment delivery.
8. Since HCPCS code G6017 (Intra-fraction localization and tracking of target or patient motion during delivery of radiation therapy...of treatment) includes localization of the radiation field, it should not be reported with other HCPCS/CPT codes describing localization of the radiation field such as HCPCS/CPT codes G6001 (Ultrasonic guidance for placement of radiation therapy fields), 77014 (Computed tomography guidance for placement of radiation therapy fields), or G6002 (Stereoscopic X-ray guidance for localization of target volume for the delivery of radiation therapy).
9. Since CPT code 77387 (Guidance for localization of target volume for delivery of radiation treatment, includes intrafraction tracking, when performed) includes localization of the radiation field, it should not be reported with other **HCPCS/CPT** codes describing localization of the radiation field such as HCPCS/CPT codes G6001 (Ultrasonic guidance for placement of radiation therapy fields) or 77014 (Computed

**Revision Date (Medicaid): 1/1/2025**

tomography guidance for placement of radiation therapy fields).

10. Partial breast high dose rate brachytherapy may be performed 2 times a day. The first therapeutic radiology simulation for the course of therapy may be complex and reported as CPT code 77290. However, subsequent simulations during the course of therapy shall be reported as CPT code 77280.
11. Intensity modulated treatment (IMRT) delivery (e.g., CPT codes G6015, 77385, 77386) is not normally reported with treatment device design and construction CPT codes 77332-77334. The latter codes are generally reported for treatment device(s) design and construction for external proton beam radiation therapy. IMRT planning (CPT code 77301) includes many treatment device(s) required for IMRT. Multi-leaf collimator (MLC) device(s) (CPT code 77338) may be reported separately once per IMRT plan. However, patients receiving IMRT occasionally require an additional treatment device at a later date due to decreased tumor volume or patient weight. This device may be reported with CPT codes 77332-77334.
12. CPT code 77338 (Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan) shall not be reported with CPT code 77385 (Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple) if the IMRT is compensator based. However, if the IMRT is not compensator based, CPT code 77338 may be reported separately.
13. Calculations described by CPT code 77300, if performed, are integral to some clinical brachytherapy procedures (e.g., CPT codes 77767-77772, 77778). CPT code 77300 shall not be reported with these clinical brachytherapy procedure codes.
14. IMRT plan (CPT code 77301) includes therapeutic radiology simulation-aided field settings. Simulation-aided field settings for IMRT shall not be reported separately using CPT codes 77280-77290. Although NCCI PTP edits based on this principle exist in the NCCI program for procedures performed on the same date of service, these edits shall not be circumvented by performing the 2 procedures described by a code pair edit on different dates of service.
15. CPT codes 77280-77290 (Simulation-aided field settings) shall not be reported for verification of the treatment field during a course of IMRT treatment.

#### **G. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting

**Revision Date (Medicaid): 1/1/2025**



their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.

3. The CPT codes 76942, 77002, 77003, 77012, and 77021 describe radiologic guidance for needle placement by different modalities. The NCCI program allows one unit of service for any of these codes at a single patient encounter regardless of the number of needle placements performed. The unit of service for these codes is the patient encounter, not number of lesions, number of aspirations, number of biopsies, number of injections, or number of localizations.
4. The MUE values for HCPCS code J0153 injection, adenosine, 1 mg (not to be used to report any adenosine phosphate compounds) and HCPCS code J1245 (Injection, dipyridamole, per 10 mg) were set for single pharmacologic stress tests. For the unusual patient who requires 2 different types of pharmacologic stress tests (e.g., myocardial perfusion and echocardiography) on the same date of service, the amount of drug used for each stress test should be reported on separate lines of a claim with modifier 59 or XU appended to the code on 1 of the claim lines.
5. The code descriptor for CPT code 77417 states “Therapeutic radiology port image(s).” The MUE value for this code is “1” since it includes all port films.
6. MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. If a bilateral surgical procedure is performed at different sites bilaterally, one unit of service may be reported for each site. That is, the HCPCS/CPT code may be reported with modifier 50 and one unit of service for each site at which it was performed bilaterally. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
7. A single unit of service for an isodose plan (CPT codes 77316-77318) includes dose calculations at multiple points. For example, calculations for the craniocaudal position and mediolateral position are included in the same unit of service.

## **H. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of

**Revision Date (Medicaid): 1/1/2025**



Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. Any abdominal radiology procedure that has a radiological supervision and interpretation code (e.g., CPT code 75625 for abdominal aortogram) includes abdominal x-rays (e.g., CPT codes 74018-74022) as part of the total service.
6. Reserved for future use.
7. Evaluation of an anatomic region and guidance for a needle placement procedure by the same radiologic modality on the same date of service may be reported separately if the 2 procedures are performed in different anatomic regions. For example, a physician may report a diagnostic ultrasound CPT code and CPT code 76942 (Ultrasonic guidance for needle placement...and interpretation) when performed in different anatomic regions on the same date of service. Physicians shall not avoid edits based on this principle by requiring patients to have the procedures performed on different dates of service if historically the evaluation of the anatomic region and guidance for needle biopsy procedures were performed on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
8. Reserved for future use.
9. The CPT code 77790 (Supervision, handling, loading of radiation source) is not separately reportable with any of the brachytherapy codes (e.g., CPT codes 77770-77772,

**Revision Date (Medicaid): 1/1/2025**

77778) since these procedures include the supervision, handling, and loading of the radioelement.

10. Bone studies such as CPT codes 77072-77076 require a series of radiographs. Separate reporting of a bone study and individual radiographs obtained in the course of the bone study is inappropriate.
11. Radiological supervision and interpretation codes include all radiological services necessary to complete the service. The CPT codes for fluoroscopy/fluoroscopic guidance (e.g., 76000, 77002, 77003) or ultrasound/ultrasound guidance (e.g., 76942, 76998) shall not be reported separately.

Radiological guidance procedures include all radiological services necessary to complete the procedure. The CPT codes for fluoroscopy (e.g., CPT code 76000) shall not be reported separately with a fluoroscopic guidance procedure. The CPT codes for ultrasound (e.g., 76998) shall not be reported separately with an ultrasound guidance procedure. A limited or localized follow-up computed tomography study (CPT code 76380) shall not be reported separately with a computed tomography guidance procedure.

12. Abdominal ultrasound examinations (CPT codes 76700-76775) and abdominal duplex examinations (CPT codes 93975, 93976) are generally performed for different clinical scenarios although there are some instances where both types of procedures are medically reasonable and necessary. In the latter case, the abdominal ultrasound procedure CPT code should be reported with an NCCI PTP-associated modifier.
13. Tumor imaging by positron emission tomography (PET) may be reported with CPT codes 78811-78816. If a concurrent computed tomography (CT) scan is performed for attenuation correction and anatomical localization, CPT codes 78814-78816 shall be reported rather than CPT codes 78811-78813. A CT scan for localization shall not be reported separately with CPT codes 78811-78816.

A medically reasonable and necessary diagnostic CT scan may be separately reportable with an NCCI PTP-associated modifier. If the data set for the diagnostic CT is obtained concurrently on the same PET/CT integrated system where the CT portion of the study is co-registered with the PET images for the purpose of attenuation correction and anatomic localization, the diagnostic CT CPT code may be reported with PET CPT codes 78811-78813 using an NCCI **PTP**-associated modifier. Under these circumstances, the diagnostic CT CPT code shall not be reported with PET/CT CPT codes 78814-78816. However, if a data set for the PET/CT for attenuation correction and anatomic localization and a separate data set for the diagnostic CT are obtained on separate pieces of equipment, the diagnostic CT CPT code may be reported with CPT codes 78811-78816 using an NCCI **PTP**-associated modifier.

14. Axial bone density studies may be reported with CPT codes 77078 or 77080. Peripheral site bone density studies may be reported with CPT codes 77081, 76977, or G0130. Although it may be medically reasonable and necessary to perform an axial and a

**Revision Date (Medicaid): 1/1/2025**

peripheral bone density studies on the same date of service, NCCI PTP edits prevent the reporting of more than one axial bone density study or more than one peripheral site bone density study on the same date of service.

15. When existing vascular access lines or selectively placed catheters are used to procure arterial or venous samples, reporting sample collection separately is inappropriate. The CPT codes 36500 (Venous catheterization for selective organ blood sampling) or 75893 (Venous sampling through catheter with or without angiography...and interpretation) may be reported for venous blood sampling through a catheter placed for the sole purpose of venous blood sampling with or without venography. The CPT code 75893 includes concomitant venography. If a catheter is placed for a purpose other than venous blood sampling with or without venography (CPT code 75893), it is a misuse of CPT codes 36500 or 75893 to report them in addition to CPT codes for the other venous procedure(s). CPT codes 36500 or 75893 shall not be reported for blood sampling during an arterial procedure.
16. The CPT codes 70540-70543 are used to report magnetic resonance imaging of the orbit, face, and/or neck. Only 1 code may be reported for an imaging session regardless of whether 1, 2, or 3 areas are evaluated in the imaging session.
17. An MRI study of the brain (CPT codes 70551-70553) and MRI study of the orbit (CPT codes 70540-70543) are separately reportable only if they are both medically reasonable and necessary and are performed as distinct studies. A MRI of the orbit is not separately reportable with an MRI of the brain if an incidental abnormality of the orbit is identified during an MRI of the brain since only one MRI study is performed.
18. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. Separate reporting of a procedure designated as a “separate procedure” is not allowed when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
19. CPT code 36005 (Injection procedure for extremity venography (including introduction of needle or intracatheter)) shall not be used to report venous catheterization unless it is used for an injection procedure for extremity venography.
20. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the

**Revision Date (Medicaid): 1/1/2025**

same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

21. Physicians shall not report radiologic supervision and interpretation codes, radiologic guidance codes, or other radiology codes where the radiologic procedure is integral to another procedure being performed at the same patient encounter. Procedure-to-procedure edits that bundle these radiologic codes into the relevant procedure codes have a CCMI of “1” allowing use of NCCI PTP-associated modifiers to bypass them. An NCCI PTP-associated modifier may be used to bypass such an edit if and only if the radiologic procedure is unrelated to the procedure to which it is integral. For example, fluoroscopy is integral to a cardiac catheterization procedure and shall not be reported separately with a cardiac catheterization. However, if on the same date of service, the physician performs another procedure in addition to the cardiac catheterization, the additional procedure requires fluoroscopy, and fluoroscopy is not integral to the additional procedure, the fluoroscopy procedure may be reported separately with an NCCI PTP-associated modifier.
22. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
23. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

**CHAPTER X**  
**PATHOLOGY/LABORATORY SERVICES**  
**CPT CODES 80000 – 89999**

**MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are  
copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't  
assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The  
AMA doesn't directly or indirectly practice medicine or dispense medical services. The  
AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory  
Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter X .....	X-3
Pathology and Laboratory Services .....	X-3
CPT Codes 80000 - 89999.....	X-3
A. Introduction .....	X-3
B. Evaluation & Management (E&M) Services .....	X-4
C. Organ or Disease Oriented Panels .....	X-6
D. Evocative/Suppression Testing .....	X-6
E. Drug Testing .....	X-6
F. Molecular Pathology .....	X-7
G. Chemistry .....	X-8
H. Hematology and Coagulation.....	X-9
I. Immunology.....	X-10
J. Transfusion Medicine.....	X-11
K. Microbiology.....	X-11
L. Anatomic Pathology (Cytopathology and Surgical Pathology).....	X-12
M. Medically Unlikely Edits (MUEs) .....	X-15
N. General Policy Statements .....	X-20

Revision Date (Medicaid): 1/1/2025

## Chapter X

### Pathology and Laboratory Services

#### CPT Codes 80000 - 89999

#### A. Introduction

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 80000-89999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

The Centers for Medicare & Medicaid Services (CMS) often publishes coding instructions in its rules, manuals, and notices. Physicians must use these instructions when reporting services.

The *CPT Professional codebook* also includes coding instructions which may be found in the introduction, individual chapters, and appendices. In individual chapters, the instructions may appear at the beginning of a chapter, at the beginning of a subsection of the chapter, or after specific CPT codes. Physicians should follow *CPT Professional codebook* instructions unless CMS has provided different coding or reporting instructions.

Specific issues unique to this section of CPT are clarified in this chapter.

Pathology and laboratory CPT codes describe services to evaluate specimens (e.g., blood, body fluid, tissue) obtained from patients to provide information to the treating physician.

Generally, pathology and laboratory specimens are prepared, screened, and/or tested by laboratory personnel with a pathologist assuming responsibility for the integrity of the results generated by the laboratory. Certain types of specimens and tests are reviewed or interpreted personally by the pathologist. CPT coding for this section includes few codes requiring patient contact or Evaluation & Management (E&M) services rendered directly by the pathologist. If a pathologist provides significant, separately identifiable face-to-face patient care services that satisfy the criteria set forth in the E&M guidelines of the *CPT Professional codebook*, a pathologist may report the appropriate code from the E&M section of the *CPT Professional codebook*.

**Revision Date (Medicaid): 1/1/2025**



National Correct Coding Initiative (NCCI) policy prohibits separate payment for duplicate testing or testing for the same analyte by more than one methodology. (See definition of analyte in Section N (General Policy Statements), Subsection 3. If, after a test is ordered and performed, additional related procedures are necessary to provide or verify the result, these would be considered part of the ordered test. For example, if a patient with leukemia has a thrombocytopenia, and a manual platelet count (CPT code 85032) is performed in addition to the performance of an automated hemogram with automated platelet count (CPT code 85027), it would be inappropriate to report CPT codes 85032 and 85027 because the former provides verification for the automated hemogram and platelet count (CPT code 85027). As another example, if a patient has an abnormal test result and repeat performance of the test is done to verify the result, the test is reported as 1 unit of service rather than 2.

By contrast, some laboratory test results typically require separate follow-up testing which is implicit in the physician's order. Such tests are termed reflex tests. For example, if an RBC antibody screen (CPT code 86850) is positive, the laboratory proceeds to identify the RBC antibody. The reflex test is separately reportable. Similarly, if a urine culture is positive, the laboratory proceeds to organism identification testing which is separately reportable. In these examples, the initial results have limited clinical value without the separate follow-up test.

Other laboratory test results may or may not require additional testing in order to have clinical value. This type of additional testing must be distinguished from reflex testing. The additional testing is not implicit in the initial physician order. An example is a test for a monoclonal protein band. The physician's initial order does not implicitly include any additional testing. A laboratory shall not routinely perform additional testing to identify the type of monoclonal protein unless ordered by the treating physician. If the patient has a known monoclonal gammopathy, the additional testing would not be appropriate unless ordered by the treating physician.

If a laboratory procedure produces multiple reportable test results, only a single HCPCS/CPT code shall be reported for the procedure. If there is no HCPCS/CPT code that describes the procedure, the laboratory shall report a miscellaneous or unlisted procedure code with a single unit of service.

Proprietary Laboratory Analyses (PLA) codes are alpha-numeric codes describing manufacturers' tests.

## **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or E&M services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of NCCI Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

**Revision Date (Medicaid): 1/1/2025**

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57.

Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the

**Revision Date (Medicaid): 1/1/2025**

supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances**.

### **C. Organ or Disease Oriented Panels**

The *CPT Professional codebook* assigns CPT codes to organ- or disease-oriented panels consisting of groups of specified tests. If all tests of a CPT-defined panel are performed, the provider shall bill the panel code. The panel codes shall be used when the tests are ordered as that panel. For example, if the individually ordered tests are cholesterol (CPT code 82465), triglycerides (CPT code 84478), and HDL cholesterol (CPT code 83718), the service should be reported as a lipid panel (CPT code 80061). (See Chapter I, Section N (Laboratory Panel)).

NCCI PTP edits pair each panel CPT code (Column One code) with each CPT code corresponding to the individual laboratory tests that are included in the panel (Column Two code). These edits allow use of NCCI PTP-associated modifiers to bypass them if one or more of the individual laboratory tests are repeated on the same date of service. The repeat testing must be medically reasonable and necessary. Modifiers 59 or 91 may be used to report this repeat testing. Under the NCCI program, repeat testing that is performed to confirm initial results due to testing problems with specimens and equipment or for any other reason when a normal, one-time, reportable result is all that is required is not separately reportable.

### **D. Evocative/Suppression Testing**

Evocative/suppression testing requires the administration of pharmaceutical agents to determine a patient's response to those agents. CPT codes 80400-80439 describe the laboratory components of the testing. Administration of the pharmaceutical agent may be reported with CPT codes 96365-96379. In the facility setting, these codes may be reported by the facility, but not the physician. In the non-facility setting, these codes may be reported by the physician. While supplies necessary to perform the testing are included in the testing CPT codes, the appropriate HCPCS level II J code for the pharmacologic agent may be reported separately. E&M services, including prolonged services, should not be reported separately unless a significant, separately identifiable service medically reasonable and necessary E&M is provided and documented.

### **E. Drug Testing**

1. Presumptive drug testing may be reported with CPT codes 80305-80307. These codes differ based on the level of complexity of the testing methodology. Only one code from this code range may be reported per date of service.

**Revision Date (Medicaid): 1/1/2025**

Definitive drug testing may be reported with HCPCS codes G0480-G0483. These codes differ based on the number of drug classes including metabolites tested. Only one code from this group of codes may be reported per date of service.

2. Providers performing validity testing on urine specimens used for drug testing shall not separately bill the validity testing. For example, if a laboratory performs a urinary pH, specific gravity, creatinine, nitrates, oxidants, or other tests to confirm that a urine specimen is not adulterated, this testing is not separately billed.

## **F. Molecular Pathology**

1. Physician (M.D. or D.O.) interpretation of a molecular pathology procedure (e.g., CPT codes 81161-81408) may be reported with HCPCS code G0452 when medically reasonable and necessary. It shall not be reported with CPT code 88291 (Cytogenetics and molecular cytogenetics, interpretation, and report).

Several criteria must be satisfied to report HCPCS code G0452. (See this chapter, Section M (Medically Unlikely Edits (MUEs)), Subsection 4 for reporting requirements related to HCPCS code G0452). One criterion is that it requires the exercise of medical judgement. If the information could ordinarily be furnished by a nonphysician laboratory specialist, the service does not require the exercise of medical judgement.

2. Molecular pathology procedures (e.g., CPT codes 81161-81408) include all aspects of sample preparation, cell lysis, internal measures to assure adequate quantity of DNA or RNA, and performance of the assay. These procedures include DNA analysis and/or RNA analysis.
3. Quantitation of extracted DNA and/or RNA is included in the payment for a molecular pathology procedure (e.g., CPT codes 81161-81408). Other HCPCS/CPT codes such as CPT code 84311 (Spectrophotometry...not elsewhere specified) shall not be reported for this quantitation.
4. Scraping tumor off an unstained slide, if performed, is included in the payment for a molecular pathology procedure (e.g., CPT codes 81161-81408). A physician shall not report microdissection (CPT codes 88380 or 88381) for this process.
5. CPT codes 81445, 81450, and 81455 describe targeted genomic sequence analysis, DNA analysis or combined DNA and RNA analysis. 81445 applies to solid organ neoplasm type (5-50 genes) and 81450 applies to hematolymphoid neoplasm type (5-50 genes), while 81455 applies to the number of genes analyzed for either a solid or hematolymphoid neoplasm (51 or greater genes). Providers may not report 81455 with either 81445 or 81450. CPT codes 81449, 81451, 81456 describe targeted genomic sequence RNA analysis using a separate method.
6. All genomic sequencing procedures, molecular multianalyte assays (e.g., CPT codes 81410-81471), many multianalyte assays with algorithmic analyses (e.g., CPT codes

**Revision Date (Medicaid): 1/1/2025**

81490-81599, 0004M-XXXXM), and many Proprietary Laboratory Analyses (PLA) (e.g., CPT codes 0001U – XXXXU) are DNA or RNA analytic methods that simultaneously assay multiple genes or genetic regions. A physician shall not additionally separately report testing for the same gene or genetic region by a different methodology (e.g., CPT codes 81105-81408, 81479, 88364-88377). CMS payment policy does not allow separate payment for multiple methods to test for the same analyte.

7. A Tier 1 or Tier 2 molecular pathology procedure CPT code **should not, in general,** be reported with a genomic sequencing procedure, molecular multianalyte assay, multianalyte assay with algorithmic analysis, or proprietary laboratory analysis CPT code where the CPT code descriptor includes testing for the analyte described by the Tier 1 or Tier 2 molecular pathology code. Procedures reported together must be both medically reasonable and necessary (e.g., sequencing of procedures) and ordered by the physician who is treating the beneficiary and using the results in the management of the beneficiary's specific medical problem.
8. If one laboratory procedure evaluates multiple genes using a next generation sequencing procedure, the laboratory shall report only one unit of service of one genomic sequencing procedure, molecular multianalyte assay, multianalyte assay with algorithmic analysis, or proprietary laboratory analysis CPT code. If no CPT code accurately describes the procedure performed, the laboratory may report CPT code 81479 (unlisted molecular pathology procedure) with one unit of service or may report multiple individual CPT codes describing the component test results when medically reasonable and necessary. Procedures reported together must be both medically reasonable and necessary (e.g., sequencing of procedures) and ordered by the physician who is treating the beneficiary and using the results in the management of the beneficiary's specific medical problem.
9. PTP edits bundling two Tier 1 molecular pathology procedure CPT codes describe procedures that should not, in general, routinely be performed and reported together. For example, CPT code 81292 describes full sequence gene analysis of MLH1, and CPT code 81294 describes duplication/deletion variant gene analysis of MLH1. In evaluating a patient with colon carcinoma (vs. constitutional genetic disorder), it may be appropriate to perform duplication/deletion testing if the disease variant(s) is (are) not identified by performing full gene sequencing. The same principle applies to other code pair combinations of testing for the same gene (e.g., 81295/81297, 81298/81300). Procedures reported together must be both medically reasonable and necessary (e.g., sequencing of procedures) and ordered by the physician who is treating the beneficiary and using the results in the management of the beneficiary's specific medical problem.

## **G. Chemistry**

1. CPT code 83721 (Lipoprotein, direct measurement; LDL cholesterol) describes direct measurement of LDL cholesterol. It shall not be used to report a calculated LDL cholesterol.

**Revision Date (Medicaid): 1/1/2025**

2. Free thyroxine (CPT code 84439) is generally considered to be a better measure of the hypothyroid or hyperthyroid state than total thyroxine (CPT code 84436). If free thyroxine is measured, it is not considered appropriate to measure total thyroxine with or without thyroid hormone binding ratio (CPT code 84479). The NCCI program does not permit payment of CPT codes 84436 or 84479 with CPT code 84439.
3. Reserved for future use.
4. CPT code 83704 (Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy) includes lipoprotein particle subclass(es), when performed) is generally not reported on the same date of service as CPT codes 80061 (Lipid panel...), 82465 (Cholesterol...total), 84478 (Triglycerides), and 83718 (Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)). Typically, a lipid panel is performed, and if necessary, the physician may order an NMR lipoprotein panel as a follow-up study to further characterize the abnormality. However, uncommonly a patient might have a previously diagnosed lipid panel abnormality and separate NMR lipoprotein panel abnormality that require retesting after a therapeutic intervention.

## **H. Hematology and Coagulation**

1. If a treating physician orders an automated complete blood count with automated differential WBC count (CPT code 85025) or without automated differential WBC count (CPT code 85027), the laboratory sometimes examines a blood smear in order to complete the ordered test based on laboratory selected criteria flagging the results for additional verification. The laboratory shall not report CPT code 85007 (**Blood count; blood smear, microscopic examination with manual WBC differential count**) or CPT code 85008 (**Blood count; blood smear, microscopic examination without manual WBC differential count**) for the examination of a blood smear to complete the ordered automated complete blood count (CPT codes 85025 or 85027). The same principle applies if the treating physician orders any type of blood count and the laboratory's practice is to perform an automated complete blood count with or without automated differential WBC count.
2. If a treating physician orders an automated hemogram (CPT code 85027) and a manual differential WBC count (CPT code 85007), both codes may be reported. However, a provider may not report an automated hemogram with automated differential WBC count (CPT code 85025) with a manual differential WBC count (CPT code 85007) because this combination of codes results in duplicate payment for the differential WBC count. The NCCI program does not allow reporting twice for the same laboratory test result even if performed by 2 different methods unless the 2 methods are medically reasonable and necessary.
3. Multiple CPT codes describe bone and bone marrow biopsy and/or aspiration and interpretation of the specimens. If a bone biopsy is performed for evaluation of bone matrix structure, the appropriate CPT codes to report are CPT code 20220 for the biopsy

**Revision Date (Medicaid): 1/1/2025**



and CPT code 88307 for the surgical pathology interpretation.

If diagnostic bone marrow aspiration(s) is (are) performed without biopsy, the procedure may be reported as CPT code 38220. Interpretation of the aspirate smear(s) may be reported as CPT code 85097. Both codes may be reported by the same physician if both the procedure and interpretation are performed by that physician. If a cell block is prepared from the bone marrow aspirate(s), interpretation of the cell block may be reported as CPT code 88305.

Diagnostic bone marrow biopsy(ies) may be reported with CPT code 38221. If bone marrow aspiration(s) is(are) also performed on the same bone, the biopsy(ies) and aspiration(s) may be reported with CPT code 38222. However, CPT code 38221 shall not be reported with CPT code 38220 for the same bone. Interpretation of the bone marrow biopsy(ies) may be reported with CPT code 88305.

The bone marrow aspiration(s) procedure (CPT code 38220) shall not be reported separately with the bone marrow biopsy(ies) procedure (CPT code 38221) unless the 2 procedures are performed on different bones or at separate patient encounters on the same date of service.

When it is medically necessary to evaluate both bone structure and bone marrow and both can be evaluated from a single biopsy, only one code (CPT code 38221 or 20220) shall be reported for the surgical procedure. If 2 separate biopsies are medically necessary, both may be reported appending modifier 59 or XS to 1 of the codes. If only one specimen is submitted for surgical pathology, only one surgical pathology code (CPT codes 88305 or 88307 as appropriate) may be reported even if the report includes evaluation of both bone structure and bone marrow morphology.

Bone marrow biopsy(ies)is(are)are typically performed with a Jamshidi needle yielding a cylindrical core of bone and marrow. The surgical pathology interpretation of this type of specimen is reported with CPT code 88305. A bone biopsy is typically performed with a different instrument and yields a larger non-cylindrical bony specimen which may include some bone marrow. The surgical pathology interpretation of this type of specimen may be reported with CPT code 88307.

## **I. Immunology**

Allergen specific IgE testing may be performed using crude allergen extracts (CPT code 86003) or recombinant or purified components (CPT code 86008). Both procedures may be reported for the same date of service if the 2 types of testing are performed for different allergens. Both procedures may also be reported for the same date of service if allergen specific IgE crude extract testing is positive and allergen specific IgE component testing for that crude allergen is ordered by the treating physician and is used for management of the patient's specific medical problem. The laboratory shall not routinely perform allergen specific IgE component testing when the allergen specific IgE crude allergen extract test is positive.

**Revision Date (Medicaid): 1/1/2025**



## **J. Transfusion Medicine**

Blood products are described by HCPCS level II P codes. If a P code describes an irradiated blood product, CPT code 86945 (Irradiation of blood product, each unit) shall not be reported separately since the P code includes irradiation of the blood product. If a P code describes a CMV negative blood product, CPT codes 86644 and/or 86645 (CMV antibody) shall not be reported separately for that blood product since the P code includes the CMV antibody testing. If a P code describes a deglycerolized blood product, CPT codes 86930 (Frozen blood, each unit; freezing includes preparation), 86931 (Frozen blood, each unit; thawing), and/or 86932 (Frozen blood, each unit; freezing (includes preparation) and thawing) shall not be reported separately since the P code includes the freezing and thawing processes. If a P code describes a pooled blood product, CPT code 86965 (Pooling of platelets or other blood products) shall not be reported separately since the P code includes the pooling of the blood products. If the P code describes a “frozen” plasma product, CPT code 86927 (Fresh frozen plasma, thawing, each unit) shall not be reported separately since the P code includes the thawing process.

## **K. Microbiology**

1. The CPT codes 87040-87158 describe microbiological culture studies. The type of culture is coded to the highest level of specificity regarding source, type, etc. When a culture is processed by a commercial kit, report the code that describes the test to its highest level of specificity. A screening culture and culture for definitive identification are not performed on the same day on the same specimen and therefore are not reported together.
2. Infectious agent molecular diagnostic testing using nucleic acid probes is reported with CPT codes such as 87471-87801, 87910, 87901, 87906, 87912, 87902, 87903, and 87904. These CPT codes include all the molecular diagnostic analyses/processes.
3. The test described by CPT code 87624 (Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)) generally includes detection of HPV types 16, 18, and 45, as well as other high-risk types. CPT code 87625 (Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed) describes detection of the subset of HPV types 16, 18 and 45. It would be incorrect to report CPT code 87625 as a component of screening for a larger number of HPV types (CPT code 87624) as CPT code 87624 specifies any combination of high risk types, and therefore shall not be broken down and billed separately for subgroups when the HPV types are tested at the same time. However, there are some clinical scenarios defined by nationally accepted guidelines were identifying a particular subset of types (CPT code 87625) may be medically reasonable and necessary on a patient with a positive test result for the test described by CPT code 87624. In those instances, in which 2 separate sequential services are medically necessary, such as when a national guideline supports the use of specific type identification after a positive result on a broad assay, CPT code 87625 may be reported separately and billed with an appropriate modifier.

**Revision Date (Medicaid): 1/1/2025**

4. With one exception, NCCI policy prohibits separate payment for testing for a single microorganism from an anatomic site by more than one methodology. For example, if a physician performs tests for cytomegalovirus antigen at an anatomic site by immunoassay (CPT code 87332) and by nucleic acid direct probe (CPT code 87495), only one of these codes may be reported for the testing.

If a culture independent diagnostic testing method is positive for a microorganism, it may be medically reasonable and necessary to additionally culture the microorganism for drug sensitivity testing or (rarely) for community surveillance identification.

5. CPT codes 87483 (Multiplex infectious agent detection by nucleic acid methodology for central nervous system pathogens), 87505-87507 (Multiplex infectious agent detection by nucleic acid methodology for gastrointestinal pathogens), and 87631-87633 (Multiplex infectious agent detection by nucleic acid methodology for respiratory virus) describe multiplex testing procedures for multiple microorganisms using reverse transcription and/or amplified probe techniques. The codes describe an anatomic region and the number of “targets” tested. If one of these multiplex tests is performed and additional testing by these methodologies for additional microorganisms that might cause disease in the anatomic region described by the code descriptor is performed, only one multiplex testing code summing the testing for all “targets” shall be reported. The code descriptors identify some microorganisms, but not all, that might be tested by these methodologies for the respective anatomic regions. The physician shall not report separate CPT codes for nucleic acid testing by these methodologies for other microorganisms that might cause disease in the respective anatomic region. If it is medically reasonable and necessary to test by a different methodology or for other types of microorganisms not included in the multiplex test that might cause disease in the respective anatomic region, the test may be reported separately.

The same organism could be a target in one panel reflecting one organ system and also a target in a different organ system when testing a different specimen. The same organism could be the target tested on each of 2 or more specimens from different anatomic sites.

#### **L. Anatomic Pathology (Cytopathology and Surgical Pathology)**

1. Cytopathology codes describe varying methods of preparation and examination of different types of specimens. For a single specimen, only one code from a group of related codes describing a group of services that could be performed on the specimen with the same end result (e.g., 88104-88112, 88142-88143, 88150-88153, 88164-88167, etc.) shall be reported. If multiple services (i.e., separate specimens from different anatomic sites) are reported, modifier 59 or XS may be used to indicate that different levels of service were provided for different specimens from different anatomic sites. This information shall be documented in the cytopathology reports. A cytopathology preparation from a fluid, washing, or brushing shall be reported using one code from the CPT code range 88104-88112. It is inappropriate to additionally report CPT codes 88160-88162 because the smears are included in the codes referable to fluids (or washings or brushings) and CPT codes 88160-88162 reference “any other source” which

**Revision Date (Medicaid): 1/1/2025**

would exclude fluids, washings, or brushings.

2. CPT codes 88321-88325 describe surgical pathology consultation services to review slides, tissues, or other material obtained, prepared, and interpreted at a different location by a different pathologist and referred to another pathologist for a second opinion. These codes shall not be reported by pathologists reporting a second opinion on slides, tissue, or other material also examined and reported by another pathologist in the same provider group. The NCCI program generally does not allow reporting twice for an interpretation of a given technical service (e.g., ECGs, radiographs, etc.). CPT codes 88321-88325 are reported with one unit of service regardless of the number of specimens, paraffin blocks, stained slides, etc.

When reporting CPT codes 88321-88325, physicians shall not report other pathology CPT codes such as 88312, 88313, 88187, 88188, 88189, 88342, 88341, 88344, etc., for interpretation of stains, slides or other material previously interpreted by another pathologist. CPT codes 88312, 88313, 88342, 88341, and 88344 may be reported with CPT codes 88321-88325 only if the physician performs these staining procedure(s) and interprets these newly stained slide(s). CPT code 88323 may be reported for consultation and report on referred material if the physician performs additional necessary de novo routine staining (e.g., hematoxylin-eosin, Giemsa) on additional slides.

CPT codes 88321-88325 shall not be reported with a face-to-face evaluation of a patient. If a physician provides an E&M service to a patient, and, in the course of the E&M service, specimens obtained elsewhere are reviewed as well, this review is part of the E&M service and is not reported separately. Only the E&M service shall be reported.

3. Medicaid does not pay for duplicate testing. Immunocytochemistry, (e.g., CPT codes 88342, 88341, 88344, 88360, 88361) and flow cytometry (e.g., CPT codes 88184-88189) should generally not in general be reported for the same or similar specimens. The diagnosis should be established using one of these methods. The physician may report both CPT codes if both methods are required because the initial method does not explain all the light microscopic findings. The physician may report both methods using modifier 59 or XU and document the need for both methods in the medical record.

If the abnormal cells in 2 or more specimens are morphologically similar and testing on 1 specimen by 1 method (CPT codes 88184, 88185, 88187, 88188, 88189, 88342, 88341, and 88344) establishes the diagnosis, the same or other method shall not be reported on the same or similar specimen. Similar specimens would include, but are not limited to:

- (1) Blood and bone marrow;
- (2) Bone marrow aspiration and bone marrow biopsy;
- (3) Two separate lymph nodes; or
- (4) Lymph node and other tissue with lymphoid infiltrate.

4. Quantitative or semi-quantitative immunohistochemistry using computer-assisted technology (digital cellular imaging) should be reported with CPT code 88361, not with

**Revision Date (Medicaid): 1/1/2025**

CPT code 88358 in addition to CPT codes 88342, 88341 and/or 88344. Digital cellular imaging includes computer software analysis of stained microscopic slides. Quantitative or semi-quantitative immunohistochemistry performed by manual techniques should be reported as CPT code 88360. Immunohistochemistry reported with qualitative grading such as 1+ to 4+ shall be reported as CPT codes 88342, 88341, and 88344.

5. DNA ploidy and S-phase analysis of tumor by digital cellular imaging technique should be reported with CPT code 88358. CPT code 88358 shall not be used to report any service other than DNA ploidy and S-phase analysis. One unit of service for CPT code 88358 includes both DNA ploidy and S-phase analysis.
6. Quantitative or semi-quantitative in situ hybridization (tissue or cellular) performed by computer-assisted technology should be reported as CPT code 88367, 88373, or 88374 when performed by a physician (limited to M.D./D.O.). Quantitative or semi-quantitative in situ hybridization (tissue or cellular) performed by manual methods should be reported as CPT code 88368, 88369, or 88377 when performed by a physician (limited to M.D./D.O.). Do not report more than one in situ hybridization CPT code (88364-88369, 88373, 88374, 88377) for the same probe tested on a specimen. In situ hybridization reported with qualitative grading such as 1+ to 4+ shall be reported as CPT code 88365, 88364, or 88366.
7. When in situ hybridization is performed on tissue or cellular specimens by a non-physician (provider other than M.D./D.O.), it shall be reported using appropriate CPT codes in the range 88271-88275. For each reportable probe, a provider shall not report CPT codes both from the code group 88364-88369, 88373, 88374, 88377 and the range 88271-88275. In situ hybridization reported as CPT codes 88364-88369, 88373, 88374, 88377 includes both physician (limited to M.D./D.O.) and non-physician (non-M.D./D.O.) services to obtain a reportable probe result. The physician (limited to M.D./D.O.) work component of CPT codes 88364-88369, 88373, 88374, 88377 requires that a physician (limited to M.D./D.O.) rather than laboratory scientist or technician read, quantitate (88367-88369, 88373, 88374, 88377), and interpret the tissues/cells stained with the probe(s). If this work is performed by a laboratory scientist or technician, CPT codes 88271-88275 shall be reported.

When a physician (limited to M.D./D.O.) reads/quantitates (CPT codes 88367-88369, 88373, 88374, 88377) and interprets (CPT codes 88364-88369, 88373, 88374, 88377) the tissues/cells stained with the probe(s), the provider may report the global code or professional component (modifier 26) as appropriate. When the professional component of CPT codes 88364-88369, 88373, 88374, 88377 is reported by the physician (limited to M.D./D.O.), the laboratory may report the technical component (modifier TC), and a hospital reporting an outpatient laboratory test may report the appropriate CPT code. If a non-physician (provider other than M.D./D.O.) reads and quantitates the tissues/cells stained with the probe(s), the laboratory shall not report the technical component (TC) of CPT codes 88367-88369, 88373, 88374, and 88377, and a hospital reporting an outpatient laboratory test shall not report CPT codes 88367-88369, 88373, 88374, 88377. The laboratory or hospital may report these services with CPT codes 88271-88275.

**Revision Date (Medicaid): 1/1/2025**

8. Flow cytometry interpretation shall be reported using CPT codes 88187-88189. Only one code shall be reported for all flow cytometry performed on a specimen. Since Medicaid does not pay for duplicate testing, do not report flow cytometry on multiple specimens on the same date of service unless the morphology or other clinical factors suggest differing results on the different specimens. There is no CPT code for interpretation of one marker. The provider shall not bill for interpretation of a single marker using another CPT code. Quantitative cell counts performed by flow cytometry (e.g., CPT codes 86355-86367) shall not be reported with the flow cytometry interpretation CPT codes 88187-88189 since there is no interpretative service for these quantitative cell counts.
9. Gross examination of a specimen is an integral component of pathology consultation during surgery (CPT codes 88329-88334) and surgical pathology gross and microscopic examination (CPT codes 88302-88309). The CPT code 88300 (Level I – Surgical pathology, gross examination only) shall not be reported with any of the previously listed CPT codes for examination of the same specimen.
10. CMS requires that surgical pathology, including gross and microscopic examination, of any and all submitted prostate needle biopsy specimens from a single patient be reported with one unit of service of HCPCS code G0416 rather than CPT code 88305.

#### **M. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUEs values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. NCCI policy allows only one unit of service for CPT codes 88321, 88323, and 88325 per beneficiary, per provider, on a single date of service. Providers shall not report these codes on separate lines of a claim using CPT modifiers to bypass the MUEs for these codes.
4. The code descriptor for CPT code 88291 (Cytogenetics and molecular cytogenetics, interpretation and report) does not define the unit of service for the code. The MUE value for this code is “1.” The NCCI program interprets this code to include the synthesis with interpretation and report of all cytogenetic/molecular cytogenetic testing respectively performed on a single date of service. This code shall not be reported with separate unit of service based on the number of specimens nor tests on a single date of service.

HCPCS code G0452 (Molecular pathology procedure; physician interpretation and report) may be reported for medically reasonable and necessary interpretations of molecular pathology procedures by physicians (M.D. or D.O.). This code may be

**Revision Date (Medicaid): 1/1/2025**

reported if: (1) the interpretation is requested by the attending physician; (2) the interpretation results in a written narrative report; and (3) the interpretation requires the exercise of medical judgment. (If the information could ordinarily be furnished by a nonphysician laboratory specialist, the service does not require the exercise of medical judgement.) This code shall not be reported for an interpretation by a laboratory scientist. This code may be reported with a maximum of one unit of service for a Tier 1 molecular pathology procedure CPT code for each distinct source of a specimen. For example, if separate interpretations and reports for the same CPT coded Tier 1 molecular pathology procedure are reported for testing on a bone marrow specimen and a lymph node specimen, 2 UOS may be reported for the G0452. Since each Tier 2 molecular pathology procedure CPT code includes a list of numerous specific molecular pathology procedures, one unit of service may be reported for each physician interpretation for each separately listed molecular pathology procedure for each distinct source of a specimen. A physician shall not report more than one unit of service for any Tier 1 molecular pathology CPT code for testing on a specimen from a single source. For Tier 2 molecular pathology CPT codes, a physician shall not report more than one unit of service for each listed molecular pathology procedure on a specimen from a single source.

5. The procedure described by CPT code 88264 (Chromosome analysis; analyze 20-25 cells) includes analysis of 20-25 cells with a count of all chromosomes in each cell and a karyotype for each cell. Thus, reporting 1 unit of service includes up to 25 karyotypes.

The code descriptor for CPT code 88280 (Chromosome analysis; additional karyotypes, each study) includes the term “karyotypes.” One unit of service includes all karyotypes determined per study. Each study refers to evaluation of a separate tumor. For example, if a provider performs chromosome analysis on an additional 10 cells from a single tumor determining the karyotype for each cell, only 1 unit of service of CPT code 88280 may be reported.

6. The MUE values for CPT codes 86021 (Antibody identification; leukocyte antibodies) and 86022 (Antibody identification; platelet antibodies) are “1.” The code descriptors are plural, and CMS priced each of these codes to include all antibodies to leukocytes and platelets respectively in a single unit of service.
7. The unit of service for CPT codes 88172 (Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site) and 88177 (Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site...) is the evaluation episode. An evaluation episode consists of examination of a set of cytologic material to determine whether the material is adequate for diagnosis. The evaluation episode ends when a pathologist renders an assessment advising the operating physician whether the submitted material is adequate. The operating physician uses the cytologic diagnosis to determine whether additional cytologic material should be obtained for examination. The evaluation episode is independent of the number of passes of the needle into a lesion and the number of slides examined. A second or additional evaluation episode (i.e., CPT code 88177)

**Revision Date (Medicaid): 1/1/2025**



cannot begin before an assessment is rendered by the pathologist to the operating physician, and the operating physician uses the assessment to determine whether additional needle passes should be performed. If the operating physician performs multiple needle passes into a lesion while the pathologist is examining the material from each pass as rapidly as possible, only one evaluation episode may be reported since the operating physician does not wait for the pathologic result to determine whether additional passes are necessary. CPT code 88172 may be reported with one unit of service for each separate lesion evaluated.

8. The unit of service for gross and microscopic surgical pathology (CPT codes 88300-88309), pathology consultation during surgery (CPT codes 88329, 88331, 88333), electron microscopy (CPT codes 88348) and morphometric analysis (CPT codes 88355-88358) is the specimen. A specimen is defined as tissue(s) that are submitted for individual and separate attention, examination, and diagnosis. Separate specimens are usually submitted in separate containers. It must be medically reasonable and necessary to submit the specimens for individual attention, examination, and diagnosis. For example, if colonoscopy identifies 2 separate polyps at 15 cm and 25 cm, it may be medically reasonable and necessary to submit them as separate specimens. If one of the polyps is malignant, it may be important to know for future therapy which one was malignant. Multiple biopsies of the same polyp are usually submitted as a single specimen.
9. The unit of service for special stains (CPT codes 88312-88319) is each stain. If it is medically reasonable and necessary to perform the same stain on more than one specimen or more than one block of tissue from the same specimen, additional UOS may be reported for the additional specimen(s) or block(s). Physicians shall not report more than one unit of service for a stain performed on a single tissue block. For example, it is common practice to cut multiple levels from a tissue block and stain each level with the same stain. The multiple levels from the same block of tissue stained with the same stain shall not be reported as additional UOS. Only one unit of service may be reported for the stain on multiple levels from the single tissue block.

Additionally, controls performed with special stains shall not be reported as separate UOS for the stain.

For cytology specimens from a single anatomic site, only one unit of service shall be reported for each special stain regardless of the number of slides from that site stained with the special stain.

For hematology smears only one unit of service shall be reported for each special stain regardless of the number of smears from an anatomic site stained with the special stain. For example, if multiple smears of peripheral blood are stained with an iron stain, only one unit of service shall be reported. Similarly, if 3 smears from a bone marrow aspirate are stained with an acid fast stain, only 1 unit of service shall be reported. Smears from peripheral blood, 1 iliac crest, and contralateral iliac crest are from 3 separate anatomic sites.

**Revision Date (Medicaid): 1/1/2025**



The unit of service for immunohistochemistry/immunocytochemistry (e.g., CPT codes 88341, 88342 and 88344) is each single or multiplex antibody stain (procedure) per specimen. A multiplex antibody immunohistochemical staining procedure is one that uses multiple antibodies to obtain multiple separately reportable results that are medically reasonable and necessary. An antibody stain containing multiple antibodies that yields a single reportable result is not a multiplex stain and shall be reported with a single antibody staining procedure CPT code. An immunohistochemistry stain procedure with multiple antibodies that are not separately interpretable (e.g., antibody cocktail) shall only be reported as one unit of service per specimen.

If a single immunohistochemical/immunocytochemistry stain procedure for one or more antibodies is performed on multiple blocks from a surgical specimen, multiple slides from a cytologic specimen, or multiple slides from a hematologic specimen, only one unit of service may be reported for each separate specimen.

For immunohistochemistry reported as CPT codes 88360 or 88361, the unit of service is each single or multiplex antibody(s) stain procedure per specimen. If a single or multiplex antibody immunohistochemical stain procedure reported as CPT codes 88360 or 88361 is performed on multiple blocks from a surgical specimen, multiple slides from a cytologic specimen, or multiple slides from a hematologic specimen, only one unit of service shall be reported for each separate specimen. Physicians shall not report more than one unit of service for CPT codes 88360 or 88361 per specimen for an immunohistochemical multiplex antibody stain procedure even if it contains multiple separately interpretable antibodies.

10. Morphometric analysis of tumor immunohistochemistry using a multiplex antibody stain shall be reported with 1 unit of service of CPT code 88360 or 88361 per specimen. It shall not be reported with one or more UOS of CPT codes 88341, 88342, or 88344.
11. The unit of service for in situ hybridization reported as CPT codes 88364-88369, 88373, 88374, 88377 is each single or multiplex probe staining procedure per specimen. If a single or multiplex probe staining procedure is performed on multiple blocks from a surgical specimen, multiple slides from a cytologic specimen, or multiple slides from a hematologic specimen, only one unit of service shall be reported for each separate specimen. Physicians shall not report more than one unit of service for CPT codes 88366, 88374, or 88377 per specimen for each multiplex probe staining procedure even if it contains multiple separately interpretable probes.

A multiplex probe staining procedure is one that uses multiple probes to obtain multiple separately reportable results that are medically reasonable and necessary. A probe stain containing multiple probes that yields a single reportable result is not a multiplex stain and shall be reported with a single probe staining procedure CPT code.

12. The unit of service for immunofluorescent antibody studies (e.g., CPT codes 88346, 88350) is each antibody staining procedure per specimen. If a single antibody staining procedure for one or more antibodies is performed on multiple blocks from a surgical

**Revision Date (Medicaid): 1/1/2025**

specimen, multiple slides from a cytologic specimen, or multiple slides from a hematologic specimen, only one unit of service shall be reported for each separate specimen. Physicians shall not report more than one unit of service for an immunofluorescent antibody stain per specimen for an immunofluorescent antibody staining procedure even if it contains multiple separately interpretable antibodies.

13. The MUE value for CPT code 86807 (Serum screening for cytotoxic percent reactive antibody (PRA); standard method) is “2.” One unit of service may be reported for a PRA test result for class I HLA antigens, and one unit of service may be reported for a PRA test result for class II HLA antigens. Payment for this procedure is based on the test result, not the methodological steps used to obtain the test result. If multiple steps each using cytotoxic antibody testing of a panel of lymphocytes are performed to obtain the final PRA test result for the class I HLA antigens, only one unit of service for 86807 may be reported. The same principle applies to the final PRA test result for class II HLA antigens.
14. CPT codes 88380 and 88381 describe microdissection procedures and include sample preparation of microscopically identified target cells. Microdissection of “normal tissue” to compare to target tumor tissue is not separately reportable as an additional unit of service. Comparison to “normal tissue” is a necessary component of the test since an interpretation of the tumor tissue cannot be rendered without it.
15. In the case of tests for infectious agents, methodologies include detection by immunofluorescence, immunoassay, or nucleic acid probe techniques. A single laboratory procedure shall be reported as one unit of service whether it generates one or multiple results. CPT codes that test for a single infectious agent that employ one procedure, one methodology, or one test kit are reported with one unit of service.

CPT codes that test for multiple infectious agents are reported with one unit of service if one procedure, one methodology, or one test kit is used to perform the test (e.g., 87300, 87451, 87800, 87801). When multiple procedures, multiple methodologies, or multiple kits are medically necessary and used to perform a test for multiple infectious agents, the units of service reported for CPT codes that identify multiple infectious agents equals the number of different procedures, methodologies, or kits used to perform the test.

For example, if a provider tests for 5 different species of an infectious agent using a single multiple-result test kit, only 1 unit of service for that test kit may be reported. However, if a provider tests for 3 different species of an infectious agent by using 3 different single result test kits, the provider may report 3 UOS of the appropriate CPT code.

16. Since CPT code 87400 (Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], fluorescence immunoassay [FIA], immunochemiluminometric assay [IMCA], qualitative or semiquantitative; Influenza, A or B, each) allows separate UOS for influenza A and influenza B, the MUE value for CPT code 87400 is “2.”

**Revision Date (Medicaid): 1/1/2025**

17. Reserved for future use.
18. CPT code 81373 (HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each) is reported with one unit of service for each HLA Class I locus typed. This code may be reported with a maximum of 2 UOS even though there are 3 HLA Class I loci. If all 3 loci are typed, the laboratory would report 1 unit of service of CPT code 81372 (HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)) rather than 3 UOS of CPT code 81373. Similarly, CPT code 81380 (HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each) may also be reported with a maximum of 2 UOS even though there are 3 HLA Class I loci. If all 3 loci are typed, the laboratory would report 1 unit of service of CPT code 81379 (HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)) rather than 3 UOS of CPT code 81380.
19. Beginning January 1, 2017, presumptive drug testing may be reported with CPT codes 80305-80307. These codes differ based on the level of complexity of the testing methodology. Only one code from this code range may be reported per date of service.  
  
Beginning January 1, 2016, definitive drug testing could have been reported with HCPCS codes G0480-G0483 or CPT codes 80320-80377 or 83992. The G codes differ based on the number of drug classes including metabolites tested. Only one code from the G code range may be reported per date of service. Codes 80320-80377 or 83992 shall not be reported on the same date of service as codes G0480-G0483.
20. Definitive drug testing HCPCS code G0659 was implemented January 1, 2017. This code is reported “per day” and shall not be reported with more than one unit of service per day.
21. CPT code 86334 describes serum immunofixation electrophoresis and has an MUE value of “2.” This procedure is usually performed only once on a single date of service to characterize a monoclonal protein. It may occasionally be necessary to perform the procedure a second time in a patient with multiple myeloma producing a monoclonal IgG kappa protein in certain situations. For example, if the patient is being treated with similar monoclonal proteins that mimic an IgG kappa myeloma protein on immunofixation electrophoresis.

## **N. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the usage of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of

**Revision Date (Medicaid): 1/1/2025**

1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

3. An “analyte” as used in this manual refers to the entity measured by a quantitative or qualitative laboratory test or assay. Examples of analytes include, but are not limited to, the results of drug tests, urinalysis tests, molecular pathology tests, genomic sequence and molecular multianalyte tests, multianalyte assays with algorithmic analyses, chemistry tests, hematology and coagulation tests, immunology tests, tissue typing, transfusion medicine tests, microbiology tests, anatomic pathology (including surgical pathology and cytopathology) tests, cytogenetic tests, reproductive medicine tests, and other procedures/tests/assays listed in the Pathology and Laboratory section of the *CPT Professional codebook* as well as clinical laboratory tests or assays assigned HCPCS level II codes.
4. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual for Medicaid Services*,” use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
5. With few exceptions, the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances, wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure utilizing tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Under the OPPS, HCPCS code G0168 is not recognized and paid. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
6. CPT codes 80503-80506 describe clinical pathology consultation services. CMS has specific rules for reporting these services. Reporting of these services may be based on either the total time for pathology clinical consultation services performed on the date of consultation or level of medical decision making. There must be a written order for the clinical pathology consultation from the treating physician. A standing order is not an acceptable substitute for an individual written order by the treating physician. (Federal Register, Volume 62, Number 211, October 31, 1997, Page 59077). The consultation must be related to an abnormal test result that requires medical judgment by a physician (M.D. or D.O.). Since the clinical pathology consultation requires that medical judgment be exercised, the nature of the consultation must include information that could not be

**Revision Date (Medicaid): 1/1/2025**

provided by a laboratory scientist, technologist, or technician. A written report documenting the consultation must appear in the medical record. A clinical pathology consultation does not require face-to-face patient contact. If face-to-face contact is medically reasonable and necessary, an E&M CPT code may be reported in lieu of a clinical pathology consultation code.

Since E&M services include interpretation of laboratory test results, a clinical pathology consultation code shall not be reported with an E&M code on the same date of service. CPT codes 80503-80506 shall not be reported for consultation related to a pathology or laboratory service that includes a physician interpretation. (CPT codes 80500 and 80502 were deleted January 1, 2022.)

7. Medicaid does not pay for duplicate testing. Multiple tests to identify the same analyte, marker, or infectious agent shall not be reported separately. For example, it would not be appropriate to report both direct probe and amplified probe technique tests for the same infectious agent.
8. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
9. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**CHAPTER XI**  
**MEDICINE**  
**EVALUATION AND MANAGEMENT SERVICES**  
**CPT CODES 90000 – 99999**

**MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association (AMA). All rights reserved.**

**CPT® is a registered trademark of the AMA.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter XI .....	XI-3
Medicine Evaluation and Management Services.....	XI-3
CPT Codes 90000 - 99999.....	XI-3
A. Introduction .....	XI-3
B. Therapeutic or Diagnostic Infusions/Injections and Immunizations .....	XI-3
C. Psychiatric Services .....	XI-7
D. Biofeedback.....	XI-8
E. Dialysis .....	XI-8
F. Gastroenterology .....	XI-9
G. Ophthalmology .....	XI-10
H. Otorhinolaryngologic Services.....	XI-10
I. Cardiovascular Services .....	XI-12
J. Pulmonary Services.....	XI-18
K. Allergy Testing and Immunotherapy .....	XI-21
L. Neurology and Neuromuscular Procedures.....	XI-21
M. Central Nervous System (CNS) Assessments/Tests .....	XI-23
N. Chemotherapy Administration .....	XI-23
O. Special Dermatological Procedures.....	XI-25
P. Physical Medicine and Rehabilitation .....	XI-25
Q. Medical Nutrition Therapy.....	XI-27
R. Osteopathic Manipulative Treatment.....	XI-28
S. Chiropractic Manipulative Treatment (CMT) .....	XI-28
T. Miscellaneous Services .....	XI-28
U. Evaluation & Management (E&M) Services .....	XI-29
V. Medically Unlikely Edits (MUEs).....	XI-33
W. General Policy Statements .....	XI-36

**Revision Date (Medicaid): 1/1/2025**



**Chapter XI**  
**Medicine Evaluation and Management Services**  
**CPT Codes 90000 - 99999**

**A. Introduction**

The principles of correct coding discussed in Chapter I apply to Current Procedural Terminology (CPT) codes in the range 90000-99999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

**B. Therapeutic or Diagnostic Infusions/Injections and Immunizations**

1. CPT codes 96360-96379 and C8957 describe hydration and therapeutic or diagnostic injections and infusions of non-chemotherapeutic drugs. CPT codes 96401-96549 describe administration of chemotherapy or other highly complex drug or biologic agents. Issues related to chemotherapy administration are discussed in this section as well as Section N, Chemotherapy Administration.
2. CPT codes 96360, 96365, 96374, 96409, and 96413 describe “initial” service codes. For a patient encounter only one “initial” service code may be reported unless it is medically reasonable and necessary that the drug or substance administrations occur at separate intravenous access sites.

To report 2 different “initial” service codes, use National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP)-associated modifiers.

3. If both lumina of a double lumen catheter are used for infusions of different substances or drugs, only 1 “initial” infusion CPT code may be reported. The double lumen catheter permits intravenous access through a single vascular site. Thus, it would not be correct to report 2 “initial” infusion CPT codes, 1 for each lumen of the catheter.

**Revision Date (Medicaid): 1/1/2025**

4. Because the placement of peripheral vascular access devices is integral to intravenous infusions and injections, the CPT codes for placement of these devices are not separately reportable. Thus, insertion of an intravenous catheter (e.g., CPT codes 36000, 36410) for intravenous infusion, injection or chemotherapy administration (e.g., CPT codes 96360-96368, 96374-96379, 96409-96417) shall not be reported separately. Because insertion of central venous access is not routinely necessary to perform infusions/injections, this service may be reported separately. Since intra-arterial infusion often involves selective catheterization of an arterial supply to a specific organ, there is no routine arterial catheterization common to all arterial infusions. Selective arterial catheterization codes may be reported separately.
5. The administration of drugs and fluids other than antineoplastic agents, such as growth factors, antiemetics, saline, or diuretics, may be reported with CPT codes 96360-96379. If the sole purpose of fluid administration (e.g., saline, D5W, etc.) is to maintain patency of an access device, the infusion is neither diagnostic nor therapeutic and shall not be reported separately. Similarly, the fluid used to administer drug(s)/substance(s) is incidental hydration and shall not be reported separately.

Transfusion of blood or blood products includes the insertion of a peripheral intravenous line (e.g., CPT codes 36000, 36410) which is not separately reportable. Administration of fluid during a transfusion or between units of blood products to maintain intravenous line patency is incidental hydration and is not separately reportable.

If therapeutic fluid administration is medically necessary (e.g., correction of dehydration, prevention of nephrotoxicity) before or after transfusion or chemotherapy, it may be reported separately.

6. Hydration concurrent with other drug administration services is not separately reportable.
7. CPT codes 96360-96379, 96401-96425, and 96521-96523 are reportable by physicians for services performed in physicians' offices. These drug administration services shall not be reported by physicians for services provided in a facility setting such as a hospital outpatient department or emergency department. Drug administration services performed in an Ambulatory Surgical Center (ASC) are not separately reportable by physicians. Hospital outpatient facilities may separately report drug administration services when appropriate. For purposes of this paragraph, the term "physician" refers to M.D.'s, D.O.'s, and other practitioners who bill Medicaid (MCD) for practitioner services.
8. The drug and chemotherapy administration CPT codes 96360-96379 and 96401-96425 have been valued to include the work and practice expenses of CPT code 99211 (Evaluation and Management (E&M) service, office or other outpatient visit, established patient, level I). Although CPT code 99211 is not reportable with chemotherapy and non-chemotherapy drug/substance administration HCPCS/CPT codes, other non-facility-based E&M CPT codes (e.g., 99202-99205, 99212-99215) are separately reportable with modifier 25 if the physician provides a significant and separately identifiable E&M

**Revision Date (Medicaid): 1/1/2025**

service. Since physicians shall not report drug administration services in a facility setting, a facility-based E&M CPT code (e.g., 99281-99285) shall not be reported by a physician with a drug administration CPT code unless the drug administration service is performed at a separate patient encounter in a non-facility setting on the same date of service. In such situations, the E&M code should be reported with modifier 25. For purposes of this paragraph, the term “physician” refers to M.D.’s, D.O.’s, and other practitioners who bill MCD.

Hospital outpatient facilities may report drug administration services (e.g., CPT codes 96360-96379) and chemotherapy administration services (CPT codes 96401-96425) with facility-based E&M codes (e.g., 99281-99285) if the E&M service is significant and separately identifiable. In these situations, modifier 25 should be appended to the E&M code.

9. Flushing or irrigation of an implanted vascular access port or device of a drug delivery system before or subsequent to the administration of chemotherapeutic or non-chemotherapeutic drugs is integral to the drug administration service and is not separately reportable. Do not report CPT code 96523.
10. CPT code 96522 describes the refilling and maintenance of an implantable pump or reservoir for systemic drug delivery. The pump or reservoir must be capable of programmed release of a drug at a prescribed rate. CPT code 96522 shall not be reported for accessing a non-programmable implantable intravenous device for the provision of infusion(s) or chemotherapy administration.

CPT code 96522 (Refilling and maintenance of implantable pump or reservoir for drug delivery, systemic (eg, intravenous, intra-arterial)) and CPT code 96521 (Refilling and maintenance of portable pump) shall not be reported with CPT code 96416 (Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump) or CPT code 96425 (Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump). CPT codes 96416 and 96425 include the initial filling and maintenance of a portable or implantable pump. CPT codes 96521 and 96522 are used to report subsequent refilling of the pump. Similarly for hospital outpatient facilities, CPT codes 96521 (Refilling and maintenance of portable pump) and 96522 (Refilling and maintenance of implantable pump or reservoir for systemic drug delivery (eg, intravenous, intra-arterial)) shall not be reported with HCPCS/CPT code C8957 (Intravenous infusion for therapy/diagnosis; initiation of prolonged intravenous infusion (more than 8 hours), requiring use of portable or implantable pump).

CPT codes 96521 and 96522 shall not be reported for accessing or flushing an indwelling peripherally placed intravenous catheter port (external to skin), subcutaneous port, or non-programmable subcutaneous pump. Accessing and flushing these devices is an inherent service facilitating these infusion(s) and is not reported separately.

**Revision Date (Medicaid): 1/1/2025**

11. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia services for a medical or surgical service when it is provided by the physician performing the service.

Drug administration services, (e.g., CPT codes 96360-96379) shall not be reported for anesthesia provided by the physician performing a medical or surgical service.

Separate reporting for moderate conscious sedation services (CPT codes 99151-99153) is allowed when it is provided by the same physician performing a medical or surgical procedure.

12. Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. CPT codes 36000, 36410, 62320-62327, 64400-64489 and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

13. Administration of most immunizations is reported with CPT codes 90460-90461 or 90471-90474 depending upon the patient's age and physician counseling of the patient/family. Some states may use HCPCS codes G0008, G0009, or G0010 to report administration of influenza virus vaccine, pneumococcal vaccine, or hepatitis B vaccine, respectively.

In those situations, providers shall not report both a CPT code and a G code for the same vaccine.

14. If one or more immunizations and a significant, separately identifiable E&M service are rendered by a physician on the same date of service, the immunization administration code (e.g., CPT codes 90460-90474) and the E&M code with modifier 25 appended may be reported. If the patient returns on another day solely to receive another immunization, only the immunization administration code shall be reported.

**Revision Date (Medicaid): 1/1/2025**

15. Similar to drug and chemotherapy administration CPT codes, CPT code 99211 (E&M service, office or other outpatient visit, established patient, level I) is not separately reportable with vaccine administration HCPCS/CPT codes 90460-90474, G0008-G0010. Other E&M CPT codes are separately reportable with a vaccine administration code if the E&M service is significant and separately identifiable, in which case the E&M CPT code may be reported with modifier 25.
16. CPT codes 96361 and 96366 are used to report each additional hour of intravenous hydration and intravenous infusion for therapy, prophylaxis, or diagnosis respectively. These codes may be reported only if the infusion is medically reasonable and necessary for the patient's treatment or diagnosis. They shall not be reported for "keep open" infusions as often occur in the emergency department or observation unit.

### **C. Psychiatric Services**

CPT codes for psychiatric services include diagnostic (CPT codes 90791, 90792) and therapeutic (individual, group, other) procedures. Since psychotherapy includes continuing psychiatric evaluation, CPT codes 90791 and 90792 are not separately reportable with individual, group, family, crisis, or other psychotherapy codes for the same date of service.

CPT codes 90832-90838 include all psychotherapy of a patient with family members as informants, if present, for a single date of service. Family psychotherapy, (e.g., CPT codes 90846, 90847) focused on the patient addressing interactions between the patient and family members may be reported separately with psychotherapy CPT codes 90832-90838 on the same date of service if performed as a separate and distinct service during a separate time interval.

Interactive services (diagnostic or therapeutic) are distinct services for patients who have "lost, or have not yet developed either the expressive language communication skills to explain his/her symptoms and response to treatment..." Interactive complexity to psychiatric services is reported with add-on CPT code 90785.

Diagnostic psychiatric evaluation is reported with 1 of 2 CPT codes. CPT code 90791 is psychiatric evaluation without medical E&M, and CPT code 90792 is psychiatric evaluation with medical E&M. E&M codes (e.g., 99202-99215) shall not be reported with either of these diagnostic psychiatric codes.

Individual psychotherapy codes are time-based codes. There are separate codes for psychotherapy without E&M service (CPT codes 90832, 90834, 90837) and Add-on Codes (AOCs) (CPT codes 90833, 90836, 90838) for psychotherapy to be reported in conjunction with the appropriate E&M code.

For practitioner services, E&M codes are separately reportable on the same date of service as psychoanalysis (CPT code 90845), narcosynthesis (CPT code 90865), or hypnotherapy (CPT code 90880) only if the E&M service is separate and distinct from the psychiatric service. Facilities may separately report E&M codes and psychoanalysis, narcosynthesis, or

**Revision Date (Medicaid): 1/1/2025**

hypnotherapy if the services are performed at separate patient encounters on the same date of service.

HCPCS codes G0396 and G0397 describe alcohol and/or substance (other than tobacco) abuse structured assessment and intervention services. If a state MCD program uses these codes, they shall not be reported separately with an E&M, medicine, psychiatric diagnostic, or psychotherapy service code on the same day. E&M, medicine, psychiatric diagnostic, or psychotherapy service may include assessment and/or intervention of alcohol or substance abuse based on the patient's clinical presentation, therefore HCPCS G0396 or G0397 shall not be additionally reported.

HCPCS codes G0396 and G0397 describe services that are similar to those described by CPT codes 99408 and 99409. Where CPT codes 99408 and 99409 are covered by state MCD programs, the policies explained in the previous paragraph for G0396/G0397 also apply to 99408/99409. Codes 99408/99409 shall not be reported in addition to codes G0396/G0397.

If an E&M, medicine, psychiatric diagnostic, or psychotherapy service is related to a problem that may require E&M duplicative of the HCPCS code (e.g., G0442 (Annual alcohol misuse screening, 5 to 15 minutes), G0443 (Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes), and G0444 (Annual depression screening, 5 to 15 minutes)), the HCPCS code is not separately reportable. For example, if a patient presents with symptoms suggestive of depression, the provider shall not report G0444 in addition to the E&M, medicine, psychiatric diagnostic, or psychotherapy service code. The time and work effort devoted to the HCPCS code screening, intervention, or counseling service must be distinct and separate from the time and work of the E&M, medicine, psychiatric diagnostic, or psychotherapy service. Both services may occur at the same patient encounter.

#### **D. Biofeedback**

Biofeedback services use electromyographic techniques to detect and record muscle activity. CPT codes 95860-95872 (Electromyography (EMG)) shall not be reported separately with biofeedback services based on the use of electromyography during a biofeedback session.

If an EMG is performed as a separate medically necessary service for diagnosis or follow-up of organic muscle dysfunction, the appropriate EMG code(s) (e.g., CPT codes 95860-95872) may be reported separately. Modifiers 59 or XE or XS should be appended to the EMG code to indicate that the service was a separately identifiable diagnostic service. Recording an objective electromyographic response to biofeedback is not sufficient to separately report a diagnostic EMG CPT code.

#### **E. Dialysis**

Renal dialysis procedures coded as CPT codes 90935, 90937, 90945, 90947, G0491, and G0492 include E&M services related to the dialysis procedure and the renal failure. If the physician additionally performs on the same date of service medically reasonable and necessary E&M

**Revision Date (Medicaid): 1/1/2025**



services unrelated to the dialysis procedure or renal failure that are significant and separately identifiable, these services may be separately reportable. The NCCI program allows physicians to additionally report if appropriate CPT codes 99202-99215, 99221-99223, 99238-99239, and 99291-99292. These codes must be reported with modifier 25 if performed on the same date of service as the dialysis procedure.

Under the NCCI program, any E&M service that is related to the renal failure (e.g., hypertension, fluid overload, uremia, electrolyte imbalance) or to the dialysis procedure and that is performed on the same date of service as the dialysis procedure shall not be reported separately, even if performed at a separate patient encounter. E&M services for conditions unrelated to the dialysis procedure or renal failure may be reported separately with modifier 25 only if they cannot be performed during the dialysis session.

## **F. Gastroenterology**

1. Gastroenterology procedures included in CPT code ranges 43753-43757 and 91010-91299 are frequently complementary to endoscopic procedures. Esophageal and gastric washings for cytology when performed are integral components of an esophagogastroduodenoscopy (e.g., CPT code 43235). Gastric or duodenal intubation with or without aspiration (e.g., CPT codes 43753, 43754, 43756) shall not be separately reported when performed as part of an upper gastrointestinal endoscopic procedure. Gastric or duodenal stimulation testing (e.g., CPT codes 43755, 43757) may be facilitated by gastrointestinal endoscopy (e.g., procurement of gastric or duodenal specimens). When performed concurrent with an upper gastrointestinal endoscopy, CPT code 43755 or 43757 should be reported with modifier 52 indicating a reduced level of service was performed.
2. The gastroesophageal reflux test described by CPT code 91035 requires attachment of a telemetry pH electrode to the esophageal mucosa. If a physician uses endoscopic guidance to attach the electrode, the physician shall not report CPT codes 43235 (Esophagogastroduodenoscopy...; diagnostic...) for the guidance procedure. The guidance is not separately reportable. Additionally, it would be a misuse of CPT code 43235 since this code does not describe guidance, but a more extensive diagnostic endoscopy.

Similarly, the procedures described by CPT codes 91110 (Gastrointestinal tract imaging, intraluminal, (eg, capsule endoscopy), esophagus through ileum, with interpretation and report) and 91112 (Gastrointestinal transit and pressure measurement, stomach through colon, wireless capsule, with interpretation and report) require a patient to swallow a capsule.

If the patient cannot swallow a capsule, and a physician places it in the stomach using endoscopic guidance, CPT code 43235 shall not be reported unless the physician performs a medically reasonable and necessary complete diagnostic upper gastrointestinal endoscopy procedure. CPT code 43235 should not be reported with modifier 52 for endoscopic guidance to place the capsule in the stomach.

**Revision Date (Medicaid): 1/1/2025**



## **G. Ophthalmology**

1. General ophthalmological services (CPT codes 92002-92014) describe components of the ophthalmologic examination. When E&M codes are reported, these general ophthalmological service codes (e.g., CPT codes 92002-92014) shall not be reported separately. The E&M service includes the general ophthalmological services.
2. Special ophthalmologic services represent specific services not included in a general or routine ophthalmological examination. Special ophthalmological services are recognized as significant, separately identifiable services and may be reported separately.
3. For procedures requiring intravenous injection of dye or other diagnostic agent, insertion of an intravenous catheter and dye injection are integral to the procedure and are not separately reportable. Therefore, CPT codes 36000 (Introduction of a needle or catheter), 36410 (Venipuncture), 96360-96368 (IV infusion), 96374-96376 (IV push injection), and selective vascular catheterization codes are not separately reportable with services requiring intravenous injection (e.g., CPT codes 92230, 92235, 92240, 92242, 92287).
4. CPT codes 92230 and 92235 (Fluorescein angiography and angiography) include selective catheterization and injection procedures for angiography.
5. Fundus photography (CPT code 92250) and scanning ophthalmic computerized diagnostic imaging (e.g., CPT codes 92133, 92134) are generally mutually exclusive of one another in that a provider would use one technique or the other to evaluate fundal disease. However, there are a limited number of clinical conditions where both techniques are medically reasonable and necessary on the ipsilateral eye. In these situations, both CPT codes may be reported appending modifier 59 or XU to CPT code 92250.
6. Posterior segment ophthalmic surgical procedures (CPT codes 67005-67229) include extended ophthalmoscopy (CPT codes 99201, 99202), if performed during the operative procedure or post-operatively on the same date of service. Except when performed on an emergent basis, extended ophthalmoscopy would normally not be performed pre-operatively on the same date of service as an elective posterior segment ophthalmic surgical procedure.
7. CPT code 92071 (Fitting of contact lens for treatment of ocular surface disease) shall not be reported with a corneal procedure CPT code for a bandage contact lens applied after completion of a procedure on the cornea.

## **H. Otorhinolaryngologic Services**

1. The CPT coding for otorhinolaryngologic services includes codes for diagnostic tests that may be performed qualitatively during physical examination or quantitatively with electrical recording equipment. The procedures described by CPT codes 92552-92557,

**Revision Date (Medicaid): 1/1/2025**

92562-92588, and 92650-92653 may be reported only if calibrated electronic equipment is used. Qualitative assessment of these tests by the physician is included in the E&M service. (CPT codes 92585 and 92586 were deleted January 1, 2021.) (CPT codes 92561 and 92564 were deleted January 1, 2022.)

2. Speech language pathologists may perform services coded as CPT codes 92507, 92508, or 92526. They do not perform services coded as CPT codes 97110, 97112, 97150, or 97530 which are generally performed by physical or occupational therapists. Speech language pathologists shall not report HCPCS/CPT codes 97110, 97112, 97150, 97530, as unbundled services included in the services coded as 92507, 92508, or 92526.
3. A single practitioner shall not report CPT codes 92507 (Treatment of speech, language, voice...; individual) and/or 92508 (Treatment of speech, language, voice...; group, 2 or more individuals) on the same date of service as CPT codes 97129 (Therapeutic interventions that focus on cognitive function...; initial 15 minutes), 97130 (Therapeutic interventions that focus on cognitive function...; each additional 15 minutes), and/or 97533 (Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes). However, if the 2 types of services are performed by different types of practitioners on the same date of service, they may be reported separately by a single billing entity. For example, if a speech language pathologist performs the procedures described by CPT codes 92507 and/or 92508 on the same date of service that an occupational therapist performs the procedures described by CPT codes 97129, 97130, and/or 97533, a provider entity that employs both types of practitioners may report both services using an NCCI PTP-associated modifier.
4. Treatment of swallowing dysfunction and/or oral function for feeding (CPT code 92526) may use electrical stimulation. The HCPCS code G0283 (Electrical stimulation (unattended), to one or more areas for indication(s) other than wound care, as part of a therapy plan of care) shall not be reported with CPT code 92526 for electrical stimulation during the procedure. The NCCI PTP edit (92526/G0283) for practitioner service claims does not allow use of NCCI PTP-associated modifiers with this edit because the same provider would never perform both of these services on the same date of service. However, the same edit for outpatient hospital facility claims does allow use of NCCI PTP-associated modifiers because 2 separate practitioners in the same outpatient hospital facility or institutional therapy provider might perform the 2 procedures for different purposes at different patient encounters on the same date of service.
5. CPT code 92502 (Otolaryngologic examination under general anesthesia) is not separately reportable with any other otolaryngologic procedure performed under general anesthesia.
6. Removal of cerumen by an audiologist before audiologic function testing is not separately reportable. If the cerumen is impacted, cannot be removed by the audiologist, and requires removal by a physician, the physician may report HCPCS code G0268

**Revision Date (Medicaid): 1/1/2025**

(Removal of impacted cerumen (one or both ears) by physician on same date of service as audiologic function testing). The physician shall not report CPT code 69209 (Removal of impacted cerumen using irrigation/lavage, unilateral) or 69210 (Removal of impacted cerumen requiring instrumentation, unilateral) for this service.

7. CPT code 92540 (Basic vestibular evaluation...with recording) includes all the services separately included in CPT codes 92541 (Spontaneous nystagmus test...with recording), 92542 (Positional nystagmus test...with recording), 92544 (Optokinetic nystagmus test...with recording), and 92545 (Oscillating tracking test, with recording). Therefore, none of the component test CPT codes (92541, 92542, 92544, and 92545) may be reported with CPT code 92540. Additionally, if all 4 component tests are performed, CPT code 92540 shall be reported rather than the 4 separate individual CPT codes. If 1, 2, or 3 of the component tests are performed without the others, the individual test codes may be reported separately. However, if 2 or 3 component test codes are reported, NCCI PTP-associated modifiers should be used.
8. CPT code 95992 describing canalith repositioning procedure(s) is reported with no more than 1 one unit of service per day and includes all services necessary to achieve the canalith repositioning. Other CPT codes (e.g., 97110, 97112, 97140, 97530) shall not be reported separately for services related to the canalith repositioning.
9. Comprehensive central auditory function evaluation (CPT codes 92620, 92621) includes, when performed, filtered speech test (CPT code 92571), staggered spondaic word test (CPT code 92572), and synthetic sentence identification test (CPT code 92576).

## **I. Cardiovascular Services**

Cardiovascular medicine services include non-invasive and invasive diagnostic testing including intracardiac testing as well as therapeutic services (e.g., electrophysiological procedures).

1. If cardiopulmonary resuscitation (CPR) is performed without other E&M services, only CPT code 92950 (Cardiopulmonary resuscitation (eg, in cardiac arrest)) shall be reported. For example, if a physician directs cardiopulmonary resuscitation and the patient's attending physician resumes the care of the patient after the patient has been revived, the first physician may report CPT code 92950 but not an E&M code.
2. Critical care E&M services (CPT codes 99291 and 99292) and prolonged E&M services (CPT codes 99418, G0316) are reported based on time. Providers/suppliers shall not include the time devoted to performing separately reportable services when determining the amount of critical care or prolonged provider E&M service time. For example, the time devoted to performing cardiopulmonary resuscitation (CPT code 92950) shall not be included in critical care E&M service time.
3. There is no CPT code to report emergency cardiac defibrillation. It is included in cardiopulmonary resuscitation (CPT code 92950). If emergency cardiac defibrillation

**Revision Date (Medicaid): 1/1/2025**

without cardiopulmonary resuscitation is performed in the emergency department or critical/intensive care unit, the cardiac defibrillation service is not separately reportable. Physicians shall not report CPT code 92960 (Cardioversion, elective...; external) for emergency cardiac defibrillation. CPT code 92960 describes a planned elective procedure. If a planned elective external cardioversion is performed by a physician reporting critical care time (CPT codes 99291, 99292), the time to perform the elective external cardioversion shall not be included in the critical care time.

4. A number of diagnostic and therapeutic cardiovascular procedures (e.g., CPT codes 92950-92998, 93451-93505, 93569, 93573, 93574, 93575, 93600-93624, 93640-93657) routinely use intravenous or intra-arterial vascular access, routinely require electrocardiographic monitoring, and frequently require agents administered by injection or infusion techniques. Since these services are integral components of the more comprehensive procedures, codes for routine vascular access, ECG monitoring, and injection/infusion services are not separately reportable. Fluoroscopic guidance is integral to diagnostic and therapeutic intravascular procedures and is not separately reportable. HCPCS/CPT codes describing radiologic supervision and interpretation for specific interventional vascular procedures may be separately reportable. (CPT code 92993 was deleted January 1, 2021.)
5. Cardiac output measurements (CPT code 93598) are routinely performed during cardiac catheterization procedures. Per CPT instruction, CPT code 93598 shall not be reported separately with cardiac catheterization codes (CPT codes 93451-93461).
6. CPT codes 93797 and 93798 describe comprehensive services provided by a physician for cardiac rehabilitation. Since these codes include all services necessary for cardiac rehabilitation, E&M codes shall not be reported separately unless a significant, separately identifiable E&M service is performed and documented in the medical record. The physician should report the E&M service with modifier 25 to indicate that it was significant and separately identifiable.
7. Cardiac rehabilitation services include medical nutrition services to reduce cardiac disease risk factors. Medical nutrition therapy (CPT codes 97802-97804) shall not be reported separately for the same patient encounter.
8. Under the NCCI program, physical or occupational therapy services performed at the same patient encounter as cardiac rehabilitation services are included in the cardiac rehabilitation benefit and are not separately reportable. If physical therapy or occupational therapy services are performed at a separate, medically reasonable and necessary patient encounter on the same date of service as cardiac rehabilitation services, both types of services may be reported using an NCCI PTP-associated modifier.
9. If a physician in attendance for a cardiac stress test obtains a history and performs a limited physical examination related to the cardiac stress test, a separate E&M code shall not be reported separately unless a significant, separately identifiable E&M service is

**Revision Date (Medicaid): 1/1/2025**

performed unrelated to the performance of the cardiac stress test. The E&M code should be reported with modifier 25 to indicate that it is a significant, separately identifiable E&M service.

10. Cardiovascular stress tests include insertion of needle and/or catheter, infusion/injection (pharmacologic stress tests) and ECG strips (e.g., CPT codes 36000, 36410, 96360-96379, 93000-93010, 93040-93042). These services shall not be reported separately.
11. Microvolt T-wave alternans (MTWA) (CPT code 93025) testing requires a submaximal stress test that differs from the traditional exercise stress test (CPT codes 93015-93018) which uses a standard exercise protocol. CPT codes 93015-93018 shall not be reported separately for the submaximal stress test integral to MTWA testing. CPT codes 93015-93018 shall not be reported on the same date of service as CPT code 93025.
12. CPT codes 93040-93042 describe diagnostic rhythm ECG testing. They shall not be reported for cardiac rhythm monitoring in any site of service.
13. Routine monitoring of ECG rhythm and review of daily hemodynamics including cardiac output are part of critical care E&M services. Separate reporting of ECG rhythm strips and cardiac output measurements (e.g., CPT codes 93040-93042) with critical care E&M services is inappropriate. An exception to this principle may include a sudden change in patient status associated with a change in cardiac rhythm requiring a diagnostic ECG rhythm strip and return to the critical care unit. If reported separately, the time for this service is not included in the critical care time calculated for reporting the critical care E&M service. (CPT codes 93561 and 93562 were deleted January 1, 2022.)
14. Percutaneous coronary artery interventions (PCI) include stent placement, atherectomy, and balloon angioplasty. There are CPT codes describing various combinations of these PCI procedures. There are 5 major coronary arteries (left main, left anterior descending, left circumflex, right, and ramus intermedius). Only one PCI code may be reported for all PCIs of a major coronary artery through the native circulation. However, PCI treatment of a different second segment of a major coronary artery through a bypass graft may also be reported with a different PCI code for revascularization treatment through a coronary artery bypass. Two PCI codes shall not be reported for treatment of the same segment of a major coronary artery or one of its branches. For reporting purposes there are 2 coronary branches of the left anterior descending (diagonals), left circumflex (marginals), and right (posterior descending, posterolaterals) coronary arteries. For reporting purposes, there are no recognized branches of the left main and ramus intermedius coronary arteries. Only 1 PCI code may be reported for each of up to 2 branches of a major coronary artery with recognized branches. PCI of a third branch of a major coronary artery with recognized branches shall not be reported. One PCI code may be reported for each coronary artery bypass graft plus each branch off the main graft. PCI performed on a major coronary artery or coronary artery branch accessed through a bypass graft may be reported using a bypass graft PCI code. If a single lesion extends from 1 target vessel (major coronary artery, coronary bypass graft, or coronary artery branch) into another

**Revision Date (Medicaid): 1/1/2025**

target vessel and can be revascularized with a single intervention, only 1 PCI code shall be reported even though 2 target vessels are treated.

15. Cardiac catheterization, percutaneous coronary artery interventional procedures (angioplasty, atherectomy, or stenting), and internal cardioversion include insertion of a needle and/or catheter, infusion, fluoroscopy and ECG rhythm strips (e.g., CPT codes 36000, 36140, 36160, 36200-36248, 36410, 96360-96379, 76000, 93040-93042). All these services are components of a cardiac catheterization or percutaneous coronary artery interventional procedure, or internal cardioversion and are not separately reportable. Additionally, ultrasound guidance is not separately reportable with these procedures. Physicians shall not report CPT codes 76937, 76942, 76998, 93318, or other ultrasound procedural codes if the ultrasound procedure is performed for guidance during one of these procedures.
16. A cardiac catheterization procedure or a percutaneous coronary artery interventional procedure may require ECG tracings to assess chest pain during the procedure. These ECG tracings are not separately reportable. Diagnostic ECGs performed before or after the procedure may be separately reportable with modifier 59 or XU.
17. Percutaneous coronary artery interventions (e.g., stent, atherectomy, angioplasty) include coronary artery catheterization, radiopaque dye injections, and fluoroscopic guidance. CPT codes for these procedures (e.g., 93454-93461, 76000) shall not be reported separately. If medically reasonable and necessary diagnostic coronary angiography precedes the percutaneous coronary artery intervention, a coronary artery or cardiac catheterization and associated radiopaque dye injections may be reported separately. However, fluoroscopy is not separately reportable with diagnostic coronary angiography or cardiac catheterization.
18. While withdrawing the catheter during a cardiac catheterization procedure, physicians often inject a small amount of dye to examine the renal arteries and/or iliac arteries. These services when medically reasonable and necessary may be reported with HCPCS code G0278. A physician shall not report CPT codes 75625 (Abdominal aortography) or 75630 (Abdominal aortography with bilateral iliofemoral lower extremity angiography) unless a complete study including venous phase is performed and interpreted. In order to report angiography CPT codes 75625, 75630, or others with a cardiac catheterization procedure, the angiography procedure must be as complete a procedure as it would be without concomitant cardiac catheterization.
19. Placement of an occlusive device such as an angio seal or vascular plug into an arterial or venous access site after cardiac catheterization or other diagnostic or interventional procedure may be reported with HCPCS code G0269. A physician shall not separately report an associated imaging code such as CPT code 75710 or HCPCS code G0278.
20. Many Pacemaker/Implantable Defibrillator procedures (CPT codes 33202-33275) and Intracardiac Electrophysiology procedures (CPT codes 93600-93662) require

**Revision Date (Medicaid): 1/1/2025**



intravascular placement of catheters into coronary vessels or cardiac chambers under fluoroscopic guidance. Physicians shall not separately report cardiac catheterization or selective vascular catheterization CPT codes for placement of these catheters. A cardiac catheterization CPT code is separately reportable if it is a medically reasonable, necessary, and distinct service performed at the same or different patient encounter. Fluoroscopy codes (e.g., CPT code 76000) are not separately reportable with the procedures described by CPT codes 33202-33275 and 93600-93662. Fluoroscopy codes intended for specific procedures may be reported separately. Additionally, ultrasound guidance is not separately reportable with these HCPCS/CPT codes. Physicians shall not report CPT codes 76937, 76942, 76998, 93318, or other ultrasound procedural codes if the ultrasound procedure is performed for guidance during one of the procedures described by CPT codes 33202-33275 or 93600-93662.

21. CPT codes 93600 (Bundle of His recording), 93602 (Intra-atrial recording), 93603 (Right ventricular recording), 93610 (Intra-atrial pacing), and 93612 (Intraventricular pacing) shall not be reported with a code describing insertion or replacement of an electrode or device (pacemaker, defibrillator) because they are integral to the procedure. If a physician performs a medically reasonable and necessary limited diagnostic electrophysiology test preceding the insertion or replacement of the electrode or device to determine the necessity to proceed with insertion or replacement of an electrode or device, the appropriate CPT codes describing the limited diagnostic electrophysiology testing may be reported with an NCCI PTP-associated modifier. The limited diagnostic electrophysiology testing to determine the necessity to proceed with insertion or replacement of the electrode or device may be performed at the same or different patient encounter.
22. Endomyocardial biopsy requires intravascular placement of catheters into the right ventricle under fluoroscopic guidance. Physicians should not separately report a right heart catheterization or selective vascular catheterization CPT code for placement of these catheters. A right heart catheterization CPT code may be separately reportable if it is a medically reasonable, necessary, and distinct service performed at the same or different patient encounter. The right heart catheterization CPT code may be reported only if a complete right heart catheterization is performed. If an abbreviated right heart catheterization is medically reasonable and necessary, it may be reported with CPT code 93799 (Unlisted cardiovascular service or procedure). Fluoroscopy codes (e.g., CPT code 76000) are not separately reportable for an endomyocardial biopsy.
23. Occasionally it is medically reasonable and necessary to perform echocardiography (CPT codes 93303-93318) using intravenous push injections of contrast. The injection of contrast (e.g., CPT codes 96365, 96374, 96375, 96376) is not separately reportable.

HCPCS codes C8921-C8930 describe echocardiography procedures with contrast and include echocardiography without contrast if performed at the same patient encounter. If the state MCD program uses HCPCS codes C8921-C8930, facilities should report the appropriate code from the HCPCS code range C8921-C8930 when echocardiography is

**Revision Date (Medicaid): 1/1/2025**



performed with contrast rather than the corresponding CPT code in the code range 93303-93350. Since the HCPCS codes C8921-C8930 include echocardiography without contrast if performed at the same patient encounter as echocardiography with contrast, a code from the HCPCS code range C8921-C8930 and the corresponding code from the CPT code range 93303-93352 shall not be reported separately for the same patient encounter for echocardiography.

CPT code 93352 is an AOC that describes use of echocardiographic contrast during stress echocardiography. It may be reported by physicians with CPT codes 93350 or 93351 in the appropriate site of service.

24. CPT code 36005 (Injection procedure for extremity venography (including introduction of needle or intracatheter)) shall not be used to report venous catheterization unless it is used for an injection procedure for extremity venography. Some physicians have misused this code to report any type of venous catheterization.
25. CPT code 93503 (Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes) shall not be reported with CPT codes 36555-36556 (Insertion of non-tunneled centrally inserted central venous catheter) or CPT codes 36568-36569 (Insertion of peripherally inserted central venous catheter) for the insertion of a single catheter. If a physician does not complete the insertion of one type of catheter and subsequently inserts another at the same patient encounter, only the completed procedure may be reported.
26. A procedure to insert a central flow directed catheter (e.g., Swan-Ganz) (CPT code 93503) is often followed by a chest radiologic examination to confirm proper positioning of the flow directed catheter. A chest radiologic examination CPT code (e.g., 71045, 71046) shall not be reported separately for this radiologic examination.
27. Since cardioversion includes interrogation and programming of an implantable defibrillator if performed, interrogation and programming of an implantable defibrillator system (e.g., CPT codes 93282-93284, 93289, 93292, and 93295) shall not be reported separately with a cardioversion procedure (e.g., CPT codes 92960, 92961).
28. Since electronic analysis of an antitachycardia pacemaker system includes interrogation and programming of the pacemaker system, interrogation and programming of a pacemaker system (e.g., CPT codes 93279-93281, 93286, and 93288) shall not be reported separately with electronic analysis of an antitachycardia pacemaker system (CPT code 93724).
29. CPT code 92961 (Cardioversion, elective...; internal (separate procedure)) is not separately reportable with a cardiac catheterization or percutaneous cardiac interventional procedure. CPT code 92961 is defined as a “separate procedure,” and the NCCI program policy does not allow separate payment for a “separate procedure” performed with another procedure in an anatomically related region through similar access. The internal

**Revision Date (Medicaid): 1/1/2025**

cardioversion, like a cardiac catheterization or a percutaneous cardiac interventional procedure, is performed using similar percutaneous vascular access and placement of one or more catheters into the heart under fluoroscopy. CPT codes for percutaneous vascular access, radiopaque dye injections, and fluoroscopic guidance shall not be reported separately.

30. CPT code 93623 (Programmed stimulation and pacing after intravenous drug infusion) is an AOC that may be reported per *CPT Professional codebook* instructions only with CPT codes 93610, 93612, 93619, 93620, or 93653-93656. Although CPT code 93623 may be reported for intravenous drug infusion for diagnostic programmed stimulation and pacing, it shall not be reported for injections of a drug with stimulation and pacing following an intracardiac catheter ablation procedure (e.g., CPT codes 93650-93657) to confirm adequacy of the ablation. Confirmation of the adequacy of ablation is included in the intracardiac catheter ablation procedure.
31. Transesophageal echocardiography (TEE) monitoring (CPT code 93318) without probe placement is not separately reportable by a physician performing critical care E&M services. However, if a physician places a transesophageal probe to be used for TEE monitoring on the same date of service that the physician performs critical care E&M services, CPT code 93318 may be reported with modifier 59 or XU. The time necessary for probe placement shall not be included in the critical care time reported with CPT codes 99291 and 99292 as is true for all separately reportable procedures performed on a patient receiving critical care E&M services. Diagnostic TEE services may be separately reportable by a physician performing critical care E&M services.
32. CPT code 93590 describes percutaneous transcatheter closure of a mitral valve paravalvular leak. If a left heart catheterization by transapical puncture is additionally performed, add-on CPT code 93462 may additionally be reported. However, if the left heart catheterization is performed by transseptal puncture, CPT code 93462 shall not be additionally reported. Therefore, CPT code 93590 is listed as a primary code for add-on CPT code 93462. These 2 codes are also bundled in a PTP edit that allows use of an NCCI **PTP**-associated modifier to bypass it if left heart catheterization by transapical puncture is performed.

## **J. Pulmonary Services**

The CPT coding for pulmonary function tests includes both comprehensive and component codes to accommodate variation among pulmonary function laboratories.

1. Alternate methods of reporting data obtained during a spirometry or other pulmonary function session shall not be reported separately. For example, the flow volume loop is an alternative method of calculating a standard spirometric parameter. CPT code 94375 is included in standard spirometry (rest and exercise) studies.
2. If a physician in attendance for pulmonary diagnostic testing or therapy obtains a limited

**Revision Date (Medicaid): 1/1/2025**

history and performs a limited physical examination related to the pulmonary testing or therapy, separate reporting of an E&M service is not appropriate. If a significant, separately identifiable E&M service is performed unrelated to the performance of the pulmonary diagnostic testing or therapy, an E&M service may be reported with modifier 25.

3. If multiple spirometric determinations are necessary to complete the service described by a CPT code, only one unit of service shall be reported. For example, CPT code 94070 describes bronchospasm provocation with an administered agent and uses multiple spirometric determinations as in CPT code 94010. A single unit of service includes all the necessary spirometric determinations.
4. Cardiopulmonary exercise testing (CPT code 94621) is a comprehensive exercise test with a number of component tests separately defined in the *CPT Professional codebook*. It is inappropriate to separately report component services such as, but not limited to, venous access, ECG monitoring, spirometric parameters performed before, during and after exercise, oximetry, O<sub>2</sub> consumption, CO<sub>2</sub> production, and rebreathing cardiac output calculations when performed during the same patient encounter as a cardiopulmonary exercise test. It is also inappropriate to report a cardiac stress test, a pulmonary stress test (CPT code 94618), or a component of either of these stress tests when performed during the same patient encounter as a cardiopulmonary exercise test.
5. Under the NCCI program, ventilation management CPT codes (94002-94004 and 94660-94662) are not separately reportable with E&M CPT codes. If an E&M code and a ventilation management code are reported, only the E&M code is payable.
6. The procedure described by CPT code 94644 (Continuous inhalation treatment with aerosol medication for acute airway obstruction, first hour) does not include any physician work RVUs. When performed in a facility, the procedure uses facility staff and supplies, and the physician does not have any practice expenses related to the procedure. Thus, a physician shall not report this code when the physician orders it in a facility. This code shall not be reported with CPT codes 99221-99239, 99281-99285, 99466-99467, 99291-99292, 99468-99469, 99471-99472, 99477-99480, and 99304-99316, unless the physician supervises the performance of the procedure at a separate patient encounter on the same date of service outside the facility where the physician does have practice expenses related to the procedure. (CPT codes 99217-99220, 99224-99226, 99318, 99324-99328, 99334, 99335, and 99337 were deleted January 1, 2023.)
7. CPT code 94060 (Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration) describes a diagnostic test that is used to assess patient symptoms that might be related to reversible airway obstruction. It does not describe treatment of acute airway obstruction. CPT code 94060 includes the administration of a bronchodilator. It is a misuse of CPT code 94640 (Pressurized or non-pressurized inhalation treatment for acute airway obstruction... (IPPB) device) to report 94640 for the administration of the bronchodilator included in CPT code 94060. The bronchodilator

**Revision Date (Medicaid): 1/1/2025**

medication may be reported separately.

8. CPT code 94640 (Pressurized or non-pressurized inhalation treatment for acute airway obstruction... (IPPB) device) describes either treatment of acute airway obstruction with inhaled medication or the use of an inhalation treatment to induce sputum for diagnostic purposes. CPT code 94640 shall only be reported once during an episode of care regardless of the number of separate inhalation treatments that are administered. If CPT code 94640 is used for treatment of acute airway obstruction, spirometry measurements before and/or after the treatment(s) shall not be reported separately. It is a misuse of CPT code 94060 to report it in addition to CPT code 94640. The inhaled medication may be reported separately.

An episode of care begins when a patient arrives at a facility for treatment and terminates when the patient leaves the facility. If the episode of care lasts more than one calendar day, only one unit of service of CPT code 94640 may be reported for the entire episode of care.

If a patient receives inhalation treatment during an episode of care and returns to the facility for a second episode of care that also includes inhalation treatment on the same date of service, the inhalation treatment during the second episode of care may be reported with modifier 76 appended to CPT code 94640.

If inhalation drugs are administered in a continuous treatment or a series of “back-to-back” continuous treatments exceeding one hour, CPT codes 94644 (Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour) and 94645 (...; each additional hour) may be reported instead of CPT code 94640.

9. CPT code 94640 (Pressurized or non-pressurized inhalation treatment for acute airway obstruction... (IPPB) device) and CPT code 94664 (Demonstration and/or evaluation of patient utilization of an aerosol generator... (IPPB) device) generally should not be reported for the same patient encounter.

The demonstration and/or evaluation described by CPT code 94664 is included in CPT code 94640 if it uses the same device (e.g., aerosol generator) that is used in the performance of CPT code 94640. If performed at separate patient encounters on the same date of service, the 2 services may be reported separately.

10. Practitioner ventilation management (e.g., CPT codes 94002-94005, 94660, 94662) and critical care (e.g., CPT codes 99291, 99292, 99466-99486) include respiratory flow volume loop (CPT code 94375), breathing response to carbon dioxide (CPT code 94400), and breathing response to hypoxia (CPT code 94450) testing if performed. (CPT code 94400 was deleted January 1, 2021.)

**Revision Date (Medicaid): 1/1/2025**

## K. Allergy Testing and Immunotherapy

The *CPT Professional codebook* divides allergy and clinical immunology into testing and immunotherapy. Immunotherapy includes codes for the preparation of antigen (allergen) and separate codes for allergen administration.

1. If percutaneous or intracutaneous (intradermal) single test (CPT codes 95004 or 95024) and “sequential and incremental” tests (CPT codes 95017, 95018, or 95027) are performed on the same date of service, both the “sequential and incremental” test and single test codes may be reported if the tests are for different allergens or different dilutions of the same allergen. The unit of service to report is the number of separate tests. A single test and a “sequential and incremental” test for the same dilution of an allergen shall not be reported separately on the same date of service.

For example, if the single test for an antigen is positive and the physician proceeds to “sequential and incremental” tests with 3 additional different dilutions of the same antigen, the physician may report 1 unit of service for the single test code and 3 units of service (UOS) for the “sequential and incremental” test code.

2. Photo patch tests (CPT code 95052) consist of applying a patch(s) containing allergenic substance(s) to the skin and exposing the skin to light. Physicians shall not unbundle this service by reporting both CPT code 95044 (Patch or application tests) plus CPT code 95056 (Photo tests) rather than CPT code 95052.
3. Evaluation and management codes reported with allergy testing or allergy immunotherapy are appropriate only if a significant, separately identifiable service is performed. Obtaining informed consent is included in the immunotherapy service and shall not be reported with an E&M code. If E&M services are reported, modifier 25 should be used.
4. In general, allergy testing is not performed on the same day as allergy immunotherapy in standard medical practice. Allergy testing is performed before immunotherapy to determine the offending allergens. CPT codes for allergy testing and immunotherapy are generally not reported on the same date of service unless the physician provides allergy immunotherapy and testing for additional allergens on the same day. Physicians shall not report allergy testing CPT codes for allergen potency (safety) testing before administration of immunotherapy. Confirmation of the appropriate potency of an allergen vial for immunotherapy is an inherent component of immunotherapy. Additionally, allergy testing is an integral component of rapid desensitization kits/procedures (CPT code 95180) and is not separately reportable.

## L. Neurology and Neuromuscular Procedures

The *CPT Professional codebook* defines codes for neuromuscular diagnostic and therapeutic services. Sleep testing, nerve and muscle testing, and electroencephalographic procedures are

**Revision Date (Medicaid): 1/1/2025**

included. The *CPT Professional codebook* guidelines for sleep testing are very precise and should be followed carefully when reporting these services.

1. Sleep testing differs from polysomnography in that the latter requires sleep staging. Sleep staging includes a qualitative and quantitative assessment of sleep as determined by standard sleep scoring techniques. A “sleep study” and “polysomnography” shall not be reported separately for the same patient encounter.
2. Polysomnography requires at least one central and usually several other EEG electrodes. EEG procurement for polysomnography (sleep staging) differs greatly from that required for diagnostic EEG testing (e.g., speed of paper, number of channels). The EEG testing shall not be reported separately with polysomnography unless a complete diagnostic EEG is performed separately in the usual manner at a separate patient encounter on the same date of service. If a complete diagnostic EEG is performed at a separate patient encounter on the same date of service as a polysomnography, modifier 59 or XE should be appended to the EEG code.
3. Continuous electroencephalographic monitoring services (e.g., CPT codes 95700-95726) describe different services than those provided during sleep testing or polysomnography. These procedures may be reported separately with sleep testing only if they are performed as significant, separately identifiable services distinct from EEG testing included in sleep testing or polysomnography. In the latter situation, the EEG codes must be reported with modifier 59 or XU to indicate that a different service was performed.
4. If nerve testing (e.g., EMG, nerve conduction velocity) is performed to assess the level of paralysis during anesthesia or during mechanical ventilation, the range of CPT codes 95851-95941 is not separately reportable. These codes describe significant, separately identifiable diagnostic services requiring a formal report in the medical record. Electrical stimulation used to identify or locate nerves during a procedure involving treatment of a cranial or peripheral nerve (e.g., nerve block, nerve destruction, neuroplasty, transection, excision, repair) is integral to the procedure and is not separately reportable. (CPT code 95943 was deleted January 1, 2022.)
5. Intraoperative neurophysiology testing (HCPCS/CPT codes 95940, 95941, and G0453) shall not be reported by the physician performing an operative or anesthesia procedure since it is included in the global package. However, when performed by a different physician during the procedure, it is separately reportable by the second physician. The physician performing an operative procedure shall not report other 90000 neurophysiology testing codes for intraoperative neurophysiology testing (e.g. 95822, 95860-95870, 95907-95913, 95925-95939) since they are also included in the global package. (CPT code 92585 was deleted January 1, 2021.)
6. CPT code 95940 describes continuous intraoperative neurophysiology monitoring in the operating room requiring one-on-one monitoring and personal attendance. HCPCS code G0453 describes continuous intraoperative neurophysiology monitoring for a single

**Revision Date (Medicaid): 1/1/2025**



patient from outside the operating room (remote or nearby). The unit of service for each of these procedures is “each 15 minutes.” A physician shall not report both of these procedures for the same time period. If the 2 procedures are reported for the same date of service for the same patient, the time period for each procedure must be distinct and not overlapping with the time period for the other procedure.

CPT code 95941 describes continuous intraoperative neurophysiology monitoring from outside the operating room (remote or nearby) or monitoring of more than one case while in the operating room. This code is not valid for practitioner services.

#### **M. Central Nervous System (CNS) Assessments/Tests**

1. Neurobehavioral status exam (CPT codes 96116 and 96121) shall not be reported when a mini-mental status examination is performed. CPT codes 96116 and 96121 shall not be reported with psychiatric diagnostic examinations (CPT codes 90791 or 90792). CPT codes 96116 and 96121 may be reported with other psychiatric services or E&M services only if a complete neurobehavioral status exam is performed. If a mini-mental status examination is performed by a physician, it is included in the E&M service.
2. The psychiatric diagnostic interview examination (CPT codes 90791, 90792), psychological/neuropsychological testing (CPT codes 96136-96146), and psychological/neuropsychological evaluation services (CPT codes 96130-96133) must be distinct services if reported on the same date of service. *CPT Professional codebook* instructions permit physicians to integrate other sources of clinical data into the report that is generated for CPT codes 96130-96133. Since the procedures described by CPT codes 96130-96139 are timed procedures, physicians shall not report time for duplicating information (collection or interpretation) included in the psychiatric diagnostic interview examination and/or psychological/neuropsychological evaluation services or test administration and scoring.
3. Central nervous system (CNS) assessment/test CPT codes (e.g., 96105, 96125, 96130-96133, 96136-96146) shall not be reported for tests that are reportable as part of an E&M service when performed. In order to report a CNS assessment/test CPT code the test cannot be self-administered. It must be administered as required by the code descriptor of the reported CPT code. The test must assess CNS function (e.g., psychological health, aphasia, neuropsychological health) per requirements of the CNS assessment/test CPT code descriptors. The assessment must use tests described by the code descriptor or other tests not available in the public domain.

#### **N. Chemotherapy Administration**

1. CPT codes 96360, 96365, 96374, 96409, and 96413 describe “initial” service codes. For a patient encounter only one “initial” service code may be reported unless it is medically reasonable and necessary that the drug or substance administrations occur at separate intravenous access sites. To report 2 different “initial” service codes, use NCCI PTP-

**Revision Date (Medicaid): 1/1/2025**



associated modifiers.

2. CPT codes 96360-96379, 96401-96425, and 96521-96523 are reportable by physicians for services performed in physicians' offices. These drug administration services shall not be reported by physicians for services provided in a facility setting such as a hospital outpatient department or emergency department. Drug administration services performed in an ASC are not separately reportable by physicians. Hospital outpatient facilities may separately report drug administration services when appropriate. For purposes of this paragraph, the term "physician" refers to M.D.'s, D.O.'s, and other practitioners who bill MCD for practitioner services.
3. The drug and chemotherapy administration CPT codes 96360-96375, 96377 and 96401-96425 include the services of CPT code 99211 (E&M service, office or other outpatient visit, established patient, level I). Although CPT code 99211 is not reportable with chemotherapy and non-chemotherapy drug/substance administration CPT codes, other non-facility-based E&M CPT codes (e.g., 99202-99205, 99212-99215) are separately reportable with modifier 25 if the physician provides a significant and separately identifiable E&M service.

Since physicians shall not report drug administration services in a facility setting, a facility-based E&M CPT code (e.g., 99281-99285) shall not be reported with a drug administration CPT code unless the drug administration service is performed at a separate patient encounter in a non-facility setting on the same date of service. In such situations, the E&M code should be reported with modifier 25. For purposes of this paragraph, the term "physician" refers to M.D.'s, D.O.'s, and other practitioners who bill MCD for practitioner services.

Outpatient hospital facilities may report drug administration services and facility-based E&M codes (e.g., 99281-99285, G0463) if the E&M service is significant and separately identifiable. In these situations, modifier 25 should be appended to the E&M code.

4. Flushing or irrigation of an implanted vascular access port or device before or subsequent to the administration of chemotherapeutic or non-chemotherapeutic drugs is integral to the drug administration service and is not separately reportable. Under these circumstances, do not report CPT code 96523.
5. CPT code 96522 describes the refilling and maintenance of an implantable pump or reservoir for systemic drug delivery. The pump or reservoir must be capable of programmed release of a drug at a prescribed rate. CPT code 96522 shall not be reported for accessing a non-programmable implantable intravenous device for the provision of infusion(s) or chemotherapy administration.

CPT code 96522 (Refilling and maintenance of implantable pump or reservoir for drug delivery, systemic (eg, intravenous, intra-arterial) and CPT code 96521 (Refilling and maintenance of portable pump) shall not be reported with CPT code 96416 (Initiation of

**Revision Date (Medicaid): 1/1/2025**

prolonged intravenous chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump) or CPT code 96425 (Chemotherapy administration, intra-arterial; infusion technique, initiation of prolonged infusion (more than 8 hours) requiring the use of a portable or implantable pump). CPT codes 96416 and 96425 include the initial filling and maintenance of a portable or implantable pump. CPT codes 96521 and 96522 are used to report subsequent refilling of the pump.

CPT codes 96521 and 96522 shall not be reported for accessing or flushing an indwelling peripherally-placed intravenous catheter port (external to skin), subcutaneous port, or non-programmable subcutaneous pump. Accessing and flushing these devices is an inherent service facilitating these infusion(s) and is not reported separately.

6. A concurrent intravenous infusion of an antiemetic or other non-chemotherapeutic drug with intravenous infusion of chemotherapeutic agents may be reported separately as CPT code 96368 (concurrent intravenous infusion). CPT code 96368 may be reported with a maximum of one unit of service per patient encounter regardless of the number of concurrently infused drugs or the length of time for the concurrent infusion(s). Hydration concurrent with chemotherapy is not separately reportable.

## **O. Special Dermatological Procedures**

1. The NCCI program does not allow separate reporting of E&M CPT code 99211 with photochemotherapy procedures (CPT codes 96910-96913) for services performed by a nurse or technician such as examining a patient before a subsequent procedure for burns or reactions to the prior treatment. If a physician performs a significant separately identifiable medically reasonable and necessary E&M service on the same date of service, it may be reported with modifier 25.
2. Reflectance confocal microscopy (CPT codes 96931-96936) is performed to determine whether a skin lesion is malignant. PTP edits allow physicians to report on the same date of service excision of the lesion if malignant, but not biopsy or excision of the lesion if benign.

## **P. Physical Medicine and Rehabilitation**

1. An occupational therapist may report only one evaluation/re-evaluation (CPT codes 97165-97168) on a single date of service. A physical therapist may report only one evaluation/re-evaluation (CPT codes 97161-97164) on a single date of service. A physician or facility shall not report both an occupational therapy evaluation/re-evaluation service and physical therapy evaluation/re-evaluation service if performed by the same practitioner. If the 2 services are performed by 2 different practitioners on the same date of service, both procedures may be reported.
2. With one exception, providers shall not report more than one physical medicine and rehabilitation therapy service for the same fifteen-minute time period. (The only

**Revision Date (Medicaid): 1/1/2025**

exception involves a “supervised modality” defined by CPT codes 97010-97028 which may be reported for the same fifteen-minute time period as other therapy services.) Some CPT codes for physical medicine and rehabilitation services include an amount of time in their code descriptors. Some NCCI PTP edits pair a “timed” CPT code with another “timed” CPT code or a non-timed CPT code. These edits may be bypassed with modifier 59 or XU if the 2 procedures of a code pair edit are performed in different timed intervals even if sequential during the same patient encounter. NCCI PTP edits do not include all possible pairs of physical medicine and rehabilitation services (excepting “supervised modality” services) even though they shall not be reported for the same fifteen-minute time period.

Physicians are expected to code correctly even in the absence of NCCI PTP edits.

3. NCCI PTP edits include those with Column One codes for physical medicine and rehabilitation therapy services and Column Two codes for physical therapy and occupational therapy re-evaluation, CPT codes 97164 and 97168. The re-evaluation services shall not be routinely reported during a planned course of physical or occupational therapy. However, if the patient’s status should change and a re-evaluation is medically reasonable and necessary, it may be reported with modifier 59 or XU appended to CPT code 97164 or 97168 as appropriate.
4. The procedure coded as CPT code 97755 (Assistive technology assessment...direct one-on-one contact with written report, each 15 minutes) is intended for use on severely impaired patients requiring adaptive technology. For example, a patient with the use of only one or no limbs might require the use of high-level adaptive technology.
5. Reserved for future use.
6. Based on *CPT Professional codebook* instructions debridement CPT codes 97597-97602 shall not be reported in conjunction with surgical debridement (CPT codes 11042-11047) for the same wound. Similarly, CPT code 97602 shall not be reported in conjunction with CPT codes 97597 and 97598 for the same wound.
7. Physical or occupational therapy services performed at the same patient encounter as cardiac rehabilitation or pulmonary rehabilitation services are included in the cardiac rehabilitation or pulmonary rehabilitation benefit and are not separately reportable.

If physical therapy or occupational therapy services are performed at a separate, medically reasonable and necessary patient encounter on the same date of service as cardiac rehabilitation or pulmonary rehabilitation services, both types of services may be reported using an NCCI PTP-associated modifier. Similarly, physical and occupational therapy services are not separately reportable with therapeutic pulmonary procedures (e.g., HCPCS codes G0237-G0239) for the same patient encounter.

8. CPT codes 97750 (Physical performance test or measurement...each 15 minutes), 97755

**Revision Date (Medicaid): 1/1/2025**

(Assistive technology assessment), and 97763 (Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes) are not separately reportable for the same date of service with a physical therapy evaluation/re-evaluation CPT code (e.g., 97161-97164) or occupational therapy evaluation/re-evaluation CPT code (e.g., 97165-97168) when the 2 services are performed by a single practitioner or 2 practitioners of the same specialty. If the 2 services are performed by 2 different practitioners of different specialties, the 2 services may be reported using an NCCI **PTP**-associated modifier. For example, if a physical therapist performs 1 service and an occupational therapist performs the other service, the 2 services may be reported separately. However, if a physical therapist performs 1 service and a different physical therapist performs the other service, the 2 services are not separately reportable.

CPT codes 97760 (Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(ies), lower extremity(ies) and/or trunk, initial orthotic(s) encounter, each 15 minutes) and CPT code 97761 (Prosthetic(s) training, upper and/or lower extremity(ies), initial prosthetic(s) encounter, each 15 minutes) are not separately reportable for the same date of service with physical therapy re-evaluation CPT code 97164 or occupational therapy re-evaluation CPT code 97168 when the 2 services are performed by a single practitioner or 2 practitioners of the same specialty. If the 2 services are performed by 2 different practitioners of different specialties, the 2 services may be reported using an NCCI PTP-associated modifier.

9. CPT Code 97610 (Low frequency, non-contact, non-thermal ultrasound..., per day) is not separately reportable for treatment of the same wound with other active wound care management CPT codes (97597-97606) or wound debridement CPT codes (e.g., CPT codes 11042-11047, 97597, 97598).

## **Q. Medical Nutrition Therapy**

1. CPT codes 97802-97804 (Medical nutrition therapy;...) are used to report covered medical nutrition therapy services after an initial referral each year. If during the same year there is a change in the patient's diagnosis, medical condition, or treatment regimen, the treating physician may make a second referral for medical nutrition therapy. These services should be reported with HCPCS codes G0270-G0271 (Medical nutrition therapy...following second referral in same year for change in diagnosis, medical condition or treatment regimen...) rather than CPT codes 97802-97804.
2. Medical nutrition therapy services (CPT codes 97802-97804) performed at the same patient encounter as a cardiac rehabilitation, pulmonary rehabilitation, or pulmonary therapeutic service are included in the cardiac rehabilitation, pulmonary rehabilitation, or pulmonary therapeutic service and are not separately reportable. If a physician provides a state MCD covered medical nutrition service to a beneficiary on the same date of service as a cardiac rehabilitation, pulmonary rehabilitation, or pulmonary therapeutic service but at a separate patient encounter, the medical nutrition therapy service may be separately

**Revision Date (Medicaid): 1/1/2025**

reportable with an NCCI PTP-associated modifier. Under the NCCI program, medical nutrition service codes are not separately reportable for the same patient encounter as the cardiac rehabilitation, pulmonary rehabilitation, or pulmonary therapeutic service.

## **R. Osteopathic Manipulative Treatment**

Under the NCCI program, a provider performing Osteopathic Manipulative Treatment (OMT) cannot separately report anesthesia services such as nerve blocks or epidural injections for OMT. In addition, under the NCCI program, postoperative pain management after OMT (e.g., nerve block, epidural injection) is not separately reportable. Further, since a single therapeutic intervention is recognized per region, a physician shall not report OMT and an injection for the same region. Epidural or nerve block injections performed on the same date of service as OMT, unrelated to the OMT, and in a different region than the OMT, may be reported with OMT using modifier 59 or XS.

## **S. Chiropractic Manipulative Treatment (CMT)**

Physical medicine and rehabilitation services described by CPT codes 97112, 97124 and 97140 are not separately reportable when performed in a spinal region undergoing CMT. If these physical medicine and rehabilitation services are performed in a different region than CMT and the provider is eligible to report physical medicine and rehabilitation codes, the provider may report CMT and the above codes using modifier 59 or XS.

## **T. Miscellaneous Services**

1. When CPT code 99175 (Ipecac or similar administration for individual emesis and continued observation until stomach adequately emptied of poison) is reported, observation time provided predominantly to monitor the patient for a response to an emetogenic agent shall not be included in other timed codes (e.g., critical care, prolonged services).
2. If hypothermia is accomplished by regional infusion techniques, chemotherapy administration CPT codes shall not be reported unless chemotherapeutic agents are also administered at the same patient encounter.
3. Therapeutic phlebotomy (CPT code 99195) is not separately reportable with autologous blood collection (CPT codes 86890, 86891), plasmapheresis, or exchange transfusion. Services integral to performing the phlebotomy (e.g., CPT codes 36000, 36410, 96360-96379) are not separately reportable.
4. Physician attendance and supervision of hyperbaric oxygen therapy (CPT code 99183) includes E&M services related to the hyperbaric oxygen therapy. E&M services integral to this procedure include, but are not limited to, updating history and physical, examining the patient, reviewing laboratory results and vital signs with special attention to pulmonary function, blood pressure, and blood sugar levels, clearing patient for

**Revision Date (Medicaid): 1/1/2025**

procedure, monitoring and/or assisting with patient positioning, evaluating and treating the patient for barotrauma and other complications, prescribing appropriate medications, etc. A physician shall not report an E&M CPT code for these services. If a physician performs unrelated, significant, and separately identifiable E&M services on the same date of service, the physician may report those E&M services with modifier 25.

## **U. Evaluation & Management (E&M) Services**

The CPT codes for Evaluation & Management (E&M) services are principally included in the CPT code range 99202-99499. The codes describe the site of service (e.g., office, hospital, home, nursing facility, emergency department, critical care), the type of service (e.g., new or initial encounter, follow-up or subsequent encounter), and various miscellaneous services (e.g., prolonged physician service, care plan oversight service).

The E&M services are further classified by the complexity of the relevant clinical history, physical examination, and medical decision making. Some E&M codes are based on the duration of the encounter (e.g., per diem services).

Rules governing the reporting of more than one E&M code for a patient on the same date of service are very complex and are not described herein. However, the NCCI program contains numerous edits based on several principles including, but not limited to:

1. A physician may report only one “new patient” code on a single date of service.
2. A physician may report only one code from a range of codes describing an initial E&M service on a single date of service.
3. A physician may report only one “per diem” E&M service from a range of per diem codes on a single date of service.
4. A physician shall not report an “initial” per diem E&M service with the same type of “subsequent” per diem service on the same date of service.
5. A physician shall not double count time if reporting more than one E&M service for the same date of service or same monthly period.
6. The E&M codes describing observation/inpatient care services with admission and discharge on same date (CPT codes 99234-99236) shall not be reported on the same date of service as initial hospital care per diem codes (99221-99223), subsequent hospital care per diem codes (99231-99233), or hospital discharge day management codes (99238-99239).

The prolonged service with or without direct face-to-face patient contact E&M codes (CPT/HCPCS codes 99417, 99418, G2212, G0316) may be reported in conjunction with some E&M codes.

**Revision Date (Medicaid): 1/1/2025**



Since critical care (CPT codes 99291-99292) and prolonged E&M services (CPT/HCPCS codes 99417, 99418, G2212, G0316) are reported based on time, providers shall not include the time devoted to performing separately reportable services when determining the amount of critical care or prolonged provider E&M service time. (CPT codes 99354-99357 were deleted January 1, 2023.)

E&M services, in general, are cognitive services, and significant procedural services are not included in E&M services. Certain procedural services that arise directly from the E&M service are included as part of the E&M service. For example, cleansing of traumatic lesions, closure of lacerations with adhesive strips, application of dressings, counseling and educational services are included in E&M services.

Under the NCCI program, digital rectal examination for prostate screening (HCPCS code G0102) is not separately reportable with an E&M code.

Because of the intensive nature of caring for critically ill patients, certain practitioner services in addition to patient history, examination, and medical decision making are included in the E&M associated with critical and intensive care. Per *CPT Professional codebook* instructions, services not separately reportable by practitioners reporting critical care CPT codes 99291 and 99292 include, but are not limited to, the interpretation of cardiac output measurements, chest X-rays (CPT codes 71045 and 71046), blood gases, and data stored in computers (e.g., ECGs, blood pressures, hematologic data), gastric intubation (CPT codes 43752, 43753), temporary transcutaneous monitoring (CPT code 92953), ventilator management (CPT codes 94002-94004, 94660, 94662), and vascular access procedures (CPT codes 36000, 36410, 36600). However, facilities may separately report these services with critical care CPT codes 99291 and 99292. (CPT codes 93561 and 93562 were deleted January 1, 2022).

Under the NCCI program, critical and intensive care CPT codes include thoracic electrical bioimpedance (CPT code 93701) which shall not be reported separately.

Certain sections of CPT codes include codes describing specialty-specific services which primarily involve E&M services. When codes for these services are reported, a separate E&M service from the range of CPT codes 99202-99499 shall not be reported on the same date of service. Examples of these codes include general and special ophthalmologic services and general and special diagnostic and therapeutic psychiatric services.

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or E&M services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of NCCI PTP edits, providers should bill for their services following these rules.

The MCD NCCI program uses the same definition of major and minor surgery procedures as the Medicare (MCR) program.

**Revision Date (Medicaid): 1/1/2025**



- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The MCR designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS MCR webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery.

Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with

**Revision Date (Medicaid): 1/1/2025**

them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure.

With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. **Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure may be appropriate in some instances.**

Pediatric and neonatal critical and intensive care CPT codes (99468-99480) are per diem codes that are generally reported by only one physician on each day of service. These codes are reported by the physician directing the inpatient critical or intensive care of the patient. These codes shall not be reported by another physician performing critical care services on the same date of service. Critical care services provided by a second physician of a different specialty may be reported with CPT codes 99291 and 99292. However, if a neonate or infant becomes critically ill on a day when initial or subsequent intensive care service (CPT codes 99477-99480) has been performed by one physician and is transferred to a critical care level of care provided by a different physician in a different group, the second physician may report a per diem critical care service (CPT codes 99468-99476).

7. CPT codes 99238 and 99239 describe hospital discharge day management. These codes shall not be reported with initial hospital inpatient or observation care (CPT codes 99221-99223) for the same date of service. If a physician provides initial hospital care or observation care on the same day as discharge, the services shall be reported with CPT codes 99234-99236 (**Hospital inpatient or observation care** with admission and discharge on the same date of service).

Additionally, CPT codes 99238 and 99239 include all physician services provided to the patient on the date of discharge. The physician shall not report another E&M CPT code (e.g., 99202-99215, 99281-99285) on the same date of service that the physician reports CPT code 99238 or 99239. (**CPT code 99201 was deleted January 1, 2021.**)

8. HCPCS codes G0396 and G0397 describe alcohol and/or substance (other than tobacco) abuse structured assessment and intervention services.

If a state MCD program uses these codes, they shall not be reported separately with an E&M, psychiatric diagnostic, or psychotherapy service code for the same work/time. If the E&M, psychiatric diagnostic, or psychotherapy service would normally include assessment and/or intervention of alcohol or substance abuse based on the patient's clinical presentation, HCPCS G0396 or G0397 shall not be additionally reported. If a physician reports either of these G codes with an E&M, psychiatric diagnostic, or

**Revision Date (Medicaid): 1/1/2025**

psychotherapy code using an NCCI PTP-associated modifier, the physician is certifying that the G code service is a distinct and separate service performed during a separate time period (not necessarily a separate patient encounter) than the E&M, psychiatric diagnostic, or psychotherapy service and is a service that is not included in the E&M, psychiatric diagnostic, or psychotherapy service based on the clinical reason for the E&M, psychiatric diagnostic, or psychotherapy service.

CPT codes 99408 and 99409 describe services which are similar to those described by HCPCS codes G0396 and G0397 but are “screening” services. Where CPT codes 99408 and 99409 are covered by state MCD programs, the policies explained in the previous paragraph for G0396/G0397 also apply to 99408/99409. Codes 99408/99409 shall not be reported in addition to codes G0396/G0397.

9. Transesophageal echocardiography (TEE) monitoring (CPT code 93318) without probe placement is not separately reportable by a physician performing critical care E&M services. However, if a physician places a transesophageal probe to be used for TEE monitoring on the same date of service that the physician performs critical care E&M services, CPT code 93318 may be reported with modifier 59 or XU. The time necessary for probe placement shall not be included in the critical care time reported with CPT codes 99291 and 99292 as is true for all separately reportable procedures performed on a patient receiving critical care E&M services. Diagnostic TEE services may be separately reportable by a physician performing critical care E&M services.
10. Practitioner ventilation management (e.g., CPT codes 94002-94005, 94660, 94662) and critical care (e.g., CPT codes 99291, 99292, 99466-99486) include respiratory flow volume loop (CPT code 94375), and breathing response to hypoxia (CPT code 94450) testing if performed. (CPT code 94400 was deleted January 1, 2021.)

## **V. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. For purposes of reporting UOS for antigen preparation (i.e., CPT codes 95145-95170), the physician reports “number of doses.” The NCCI program defines a dose for reporting purposes as 1 milliliter (ml). Thus, if a physician prepares a 10 ml vial of antigen, the physician may only report a maximum of 10 UOS for that vial even if the number of actual administered doses is greater than 10.

**Revision Date (Medicaid): 1/1/2025**

4. CPT code 94681 (Oxygen uptake, expired gas analysis; including CO<sub>2</sub> output, percentage oxygen extracted) may be reported one time per day. It includes rest and exercise determinations.
5. The unit of service for CPT codes 90849 (Multiple-family group psychotherapy) and 90853 (Group psychotherapy (other than of a multiple-family group)) is each separate and distinct therapy session even if it lasts longer than one hour. These are not timed codes and shall not be reported with a unit of service corresponding to any particular time interval. A practitioner may report only one unit of service on a single date of service. An outpatient facility may report one unit of service for each separate and distinct group or multiple family group therapy session provided by a different practitioner.

If permitted by a state MCD program, group therapy services provided in a partial hospitalization program (PHP) or intensive outpatient program (IOP) may be reported with either CPT code 90853 or timed HCPCS codes G0410 or G0411.

The code descriptors for CPT codes 90846 (Family psychotherapy (without the patient present), 50 minutes) and 90847 (Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes) describe 50 minutes of family psychotherapy.

6. CPT code 90845 (Psychoanalysis) includes all psychoanalysis services performed by a physician on a single date of service.
7. CPT codes 90867, 90868, and 90869 describe delivery of therapeutic repetitive transcranial magnetic stimulation (TMS) treatment. CPT code 90867 may be reported only once with a single unit of service during a course of TMS treatment since it describes the initial treatment. CPT codes 90868 and 90869 may be reported with only one unit of service per day since they are not timed codes and only one treatment session would be performed on a single date of service.
8. The MUE values for CPT codes 93797 and 93798 (Physician services for outpatient cardiac rehabilitation... (per session)) are "2." The NCCI program allows a maximum of 2 one-hour sessions per day.
9. The MUE value for CPT code 92546 (Sinusoidal vertical axis rotational testing) is "1." Since there is only one vertical axis and the word "testing" references all testing, not individual tests, only one unit of service may be reported for a patient encounter. Because it is highly unlikely that a provider would perform this testing at 2 separate patient encounters on the same date of service, correct reporting of this code on more than 1 line of a claim shall be very uncommon.
10. CPT codes 92081-92083 describe visual field examinations. The visual field examination (one unit of service) includes examination of the right and left eyes. Additionally, if a physician performs visual field examination with the eyelids in the patient's usual position and with the eyelids taped up at the same patient encounter, the visual field

**Revision Date (Medicaid): 1/1/2025**

examination code shall be reported with only one unit of service.

11. The MUE value for CPT code 93568 (Injection procedure during cardiac catheterization...; for pulmonary angiography) is “1.” The code descriptor indicates that the angiography includes all pulmonary vessels and their branches. The code shall not be reported with separate UOS for different parts of the pulmonary vasculature.
12. The code descriptor for CPT code 95887 states: “Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study (List separately in addition to code for primary procedure).” The MUE for this code is “1” since the code descriptor includes all non-extremity “muscle(s).” A physician shall not report this code with more than one unit of service on more than one line of a claim for the same date of service.
13. CPT code 91122 describes anorectal manometry which includes all measurements performed at the same patient encounter. The MUE value for this code is “1” since it is unlikely that this procedure would be performed more than once on a single date of service.
14. CPT code 95873 describes electrical stimulation for guidance in conjunction with chemodenervation, and CPT code 95874 describes needle electromyography for guidance in conjunction with chemodenervation. During a patient encounter only one of these codes may be reported with a maximum of one unit of service for guidance in conjunction with chemodenervation regardless of the number of muscles chemodenervated.
15. CPT codes 90935 and 90937 describe a hemodialysis procedure (i.e., session) with single or repeated evaluations respectively by a physician or other qualified health care provider. Each of these codes may be reported with a single unit of service for a single hemodialysis procedure (i.e., session). CPT codes 90945 and 90947 describe a dialysis procedure (i.e., session) other than hemodialysis with single or repeated evaluations respectively by a physician or other qualified health care provider. Each of these codes may be reported with a single unit of service for a single dialysis procedure (i.e., session) other than hemodialysis.
16. CPT codes 93922 and 93923 describe bilateral noninvasive physiologic studies of the upper or lower extremities. The MUE value for each of these codes is “2” since it is unlikely that this testing would be performed on both the upper and lower extremities on the same date of service. In the unusual situation where testing on both the upper and lower extremities are performed on the same date of service, the appropriate code may be reported on 2 lines of a claim each with 1 unit of service and modifier 59 appended to the code on 1 of the claim lines.
17. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one

**Revision Date (Medicaid): 1/1/2025**

line of a claim with modifier 50 and one unit of service. If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

18. Some allergy testing CPT codes (e.g., 95004, 95017-95052) are reported based on the number of individual tests performed. NCCI policy does not allow including testing of positive or negative controls in the number of tests reported. For example, if percutaneous testing (CPT code 95018) with penicillin allergens administering 6 allergens plus a positive and negative control is performed, only 6 tests may be reported for CPT code 95018.
19. Audiologic function testing (CPT codes 92550-92588) includes testing of both ears, and only unit of service for any of these CPT codes may be reported for the described testing on both ears. If only one ear is tested, the appropriate CPT code should be reported with modifier 52.
20. The unit of service for CPT code 93505 (Endomyocardial biopsy) is the procedure to obtain the endomyocardial biopsy and includes biopsy specimens from one or more endomyocardial sites.
21. Physical therapy evaluation (CPT codes 97161-97163) and occupational therapy evaluation (CPT codes 97165-97167) shall not be reported with more than one unit of service per episode of care. Physical therapy re-evaluation (CPT code 97164) and occupational therapy re-evaluation (CPT code 97168) shall not be reported with more than one unit of service per date of service.
22. CPT code 92941 describes percutaneous transluminal revascularization of an acute total/subtotal occlusion of a coronary artery or coronary artery bypass graft during an acute myocardial infarction. This code may be reported with only one unit of service. If additional revascularization procedures of coronary arteries or coronary artery bypass grafts are performed at the same patient encounter, these procedures shall not be reported with CPT code 92941, but with other CPT codes such as 92920, 92924, and/or 92943.

## **W. General Policy Statements**

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of

**Revision Date (Medicaid): 1/1/2025**



Federal Regulations (CFR), and MCD rules. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. With limited exceptions the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64450 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services (e.g., CPT codes 96360-96379) are not separately reportable by the physician performing a procedure for drug administration services related to the procedure.

For outpatient hospital facilities drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of

**Revision Date (Medicaid): 1/1/2025**



such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management.

The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
7. Closure/repair of a surgical incision (CPT codes 12001-13153) is generally included in the global package. These codes shall not be reported separately to describe closure of such surgical incisions. However, there are a few types of procedures defined by the *CPT Professional codebook* where repair codes are separately reportable.

NCCI PTP edits do not bundle CPT codes 12001-13153 into all surgical procedures where closure of the incision is included in the global package, but only into those surgical procedures with identified problems. Physicians must code correctly even in the absence of NCCI PTP edits. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.

8. Control of bleeding during an operative procedure is an integral component of a surgical procedure, and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.

**Revision Date (Medicaid): 1/1/2025**

10. For more information regarding biopsies, see Chapter I, Section A, Introduction.
11. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.
12. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
13. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or MCD NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography (CT), or magnetic resonance imaging (MRI) codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
14. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
15. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

## **CHAPTER XII**

### **SUPPLEMENTAL SERVICES HCPCS LEVEL II CODES A0000 – V9999 FOR MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association (AMA). All rights reserved.**

**CPT® is a registered trademark of the AMA.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter XII .....	XII-3
Supplemental Services .....	XII-3
HCPCS Level II Codes A0000 - V9999.....	XII-3
A. Introduction .....	XII-3
B. Evaluation & Management (E&M) Services .....	XII-4
C. NCCI Procedure-to-Procedure (PTP) Edit Specific Issues .....	XII-5
D. Wheelchairs and Related Items .....	XII-9
E. Other Durable Medical Equipment (DME).....	XII-10
F. Spinal and Limb Orthoses .....	XII-10
G. Limb Prostheses.....	XII-11
H. Orthopedic Shoes and Inserts.....	XII-12
I. Hearing Aids.....	XII-12
J. Eyeglasses .....	XII-13
K. Therapeutic Shoes for Diabetics.....	XII-13
L. Urological Supplies.....	XII-13
M. Medically Unlikely Edits (MUEs).....	XII-14
N. General Policy Statements .....	XII-16

**Revision Date (Medicaid): 1/1/2025**

## Chapter XII

### Supplemental Services

#### HCPCS Level II Codes A0000 - V9999

#### A. Introduction

The principles of correct coding discussed in Chapter I apply to the Healthcare Common Procedure Coding System (HCPCS) Level II codes in the range A0000-V9999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to HCPCS Level II codes are clarified in this chapter.

The HCPCS Level II codes are alpha-numeric codes developed by the Centers for Medicare & Medicaid Services (CMS) as a complementary coding system to the *CPT Professional codebook*. These codes describe physician and non-physician services not included in the *CPT Professional codebook*, supplies, drugs, Durable Medical Equipment (DME), ambulance services, etc. The correct coding edits and policy statements that follow address those HCPCS Level II codes that are reported to Medicaid (MCD) fiscal agents.

The presence of a HCPCS/CPT code in a National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edit, or of a Medically Unlikely Edit (MUE) value for a HCPCS/CPT code does not necessarily indicate that the code is covered by any or all state MCD programs.

In October 2012, CMS implemented a new NCCI methodology for MCD – i.e., NCCI PTP edits for DME.

The MCD NCCI program has also implemented additional edits in the original 5 methodologies that are unique to MCD NCCI – e.g., edits for codes that are noncovered or otherwise not separately payable by the Medicare (MCR) program (e.g., H, S and T series HCPCS Level II codes).

**Revision Date (Medicaid): 1/1/2025**

## **B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of NCCI PTP edits, providers shall bill for their services following these rules.

The MCD NCCI program uses the same definition of major and minor surgery procedures as the MCR program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The MCR designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform a minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of

**Revision Date (Medicaid): 1/1/2025**

surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code.

Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. **Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure may be appropriate in some instances.**

### **C. NCCI Procedure-to-Procedure (PTP) Edit Specific Issues**

1. The HCPCS code Q0091 (Screening Papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory) describes the services necessary to procure and transport a pap smear specimen to the laboratory. If an E&M service is performed at the same patient encounter solely for the purpose of performing a screening pap smear, the E&M service is not separately reportable. However, if a significant, separately identifiable E&M service is performed to evaluate other medical problems, the screening pap smear and the E&M service may be reported separately. Modifier 25 should be appended to the E&M CPT code indicating that a significant, separately identifiable E&M service was rendered.
2. The HCPCS code G0101 (Cervical or vaginal cancer screening; pelvic and clinical breast examination) may be reported with E&M services under certain circumstances. If a covered reasonable and medically necessary E&M service requires breast and/or pelvic examination, HCPCS code G0101 shall not be additionally reported.

However, if the covered reasonable and medically necessary E&M service and the screening service, G0101, are unrelated to one another, both HCPCS code G0101 and the E&M service may be reported appending modifier 25 to the E&M service CPT code. Use of modifier 25 indicates that the E&M service is significant and separately identifiable from the screening service, G0101.

3. Under the NCCI program, HCPCS code G0102 (Prostate cancer screening; digital rectal examination) is not separately payable with an E&M code (e.g., 99201-99499, G0463,

**Revision Date (Medicaid): 1/1/2025**



G0466-G0470, G0438, G0439).

4. Subsection deleted, January 1, 2024.
5. The HCPCS code A9512 (Technetium Tc-99m pertechnetate, diagnostic, per millicurie) describes a radiopharmaceutical used for nuclear medicine studies. Technetium Tc-99m pertechnetate is also a component of other Technetium Tc-99m radiopharmaceuticals with separate AXXXX codes. **HCPCS** code A9512 shall not be reported with other AXXXX radiopharmaceuticals containing Technetium Tc-99m for a single nuclear medicine study. However, if 2 separate nuclear medicine studies are performed on the same date of service, 1 with the radiopharmaceutical described by HCPCS code A9512 and 1 with another AXXXX radiopharmaceutical labeled with Technetium Tc-99m, both codes may be reported using an NCCI PTP-associated modifier. HCPCS codes A9500, A9540, and A9541 describe radiopharmaceuticals labeled with Technetium Tc-99m that may be used for separate nuclear medicine studies on the same date of service as a nuclear medicine study using the radiopharmaceutical described by HCPCS code A9512.
6. The NCCI program contains PTP edits that bundle some radiopharmaceutical codes into nuclear medicine procedure codes. In some situations where a patient has 2 nuclear medicine procedures performed on the same date of service, the radiopharmaceutical used for 1 nuclear medicine procedure may be incompatible with the second nuclear medicine procedure. In this circumstance, it may be appropriate to report the radiopharmaceutical with modifiers 59 or XE or XS.
7. HCPCS code A4220 describes a refill kit for an implantable pump. It shall not be reported separately with CPT codes 95990 (Refilling and maintenance of implantable pump..., spinal ...or brain...when performed) or 95991 (Refilling and maintenance of implantable pump..., spinal ...or brain...requiring physician or other qualified health care professional) since payment for these 2 CPT codes includes the refill kit.  
  
Similarly, HCPCS code A4220 shall not be reported separately with CPT codes 62369 (Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill) or 62370 (Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill (requiring skill of a physician or other qualified health care professional)) since payment for these 2 CPT codes includes the refill kit.
8. HCPCS code E0781 describes an ambulatory infusion pump used by a patient for infusions outside the physician office or clinic. It is a misuse of this code to report the infusion pump typically used in the physician office or clinic.
9. HCPCS codes G0422 and G0423 (Intensive cardiac rehabilitation...per session) include the same services as the cardiac rehabilitation CPT codes 93797 and 93798 but at a greater frequency. Intensive cardiac rehabilitation may be reported with as many as 6

**Revision Date (Medicaid): 1/1/2025**

hourly sessions on a single date of service. Cardiac rehabilitation services include medical nutrition services to reduce cardiac disease risk factors. Medical nutrition therapy (CPT codes 97802-97804) shall not be reported separately for the same patient encounter. However, medical nutrition therapy services covered by a state MCD program and performed at a separate patient encounter on the same date of service may be reported separately. The state MCD covered medical nutrition service cannot be provided at the same patient encounter as the cardiac rehabilitation service.

Under the NCCI program, physical or occupational therapy services performed at the same patient encounter as cardiac rehabilitation services are included in the cardiac rehabilitation services and are not separately reportable. If physical therapy or occupational therapy services are performed at a separate, medically reasonable, and necessary patient encounter on the same date of service as cardiac rehabilitation services, both types of services may be reported using an NCCI PTP-associated modifier.

10. Pulmonary rehabilitation (HCPCS code G0424, CPT codes 94625, 94626) includes therapeutic services and all related monitoring services to improve respiratory function. (HCPCS code G0424 was deleted January 1, 2022).

It requires measurement of patient outcome which includes, but is not limited to, pulmonary function testing (e.g., pulmonary stress testing (CPT codes 94618 and cardiopulmonary exercise testing 94621)). Pulmonary rehabilitation shall not be reported with HCPCS codes G0237 (Therapeutic procedures to increase strength or endurance of respiratory muscles... (includes monitoring)), G0238 (Therapeutic procedures to improve respiratory function... (includes monitoring)), or G0239 (Therapeutic procedures to improve respiratory function or increase strength...(includes monitoring)). The services are mutually exclusive. The procedures described by HCPCS codes G0237-G0239 include therapeutic procedures as well as all related monitoring services, the latter including, but not limited to, pulmonary function testing (e.g., pulmonary stress testing (CPT codes 94618 and cardiopulmonary exercise testing 94621)).

Under the NCCI program, physical or occupational therapy services performed at the same patient encounter as pulmonary rehabilitation services are included in the pulmonary rehabilitation services and are not separately reportable. If physical therapy or occupational therapy services are performed at a separate, medically reasonable, and necessary patient encounter on the same date of service as pulmonary rehabilitation services, both types of services may be reported using an NCCI PTP-associated modifier. Similarly, physical, and occupational therapy services are not separately reportable with therapeutic pulmonary procedures for the same patient encounter.

Medical nutrition therapy services (CPT codes 97802-97804) performed at the same patient encounter as a pulmonary rehabilitation or pulmonary therapeutic service are included in the pulmonary rehabilitation or pulmonary therapeutic service and are not separately reportable. If a physician provides a state MCD covered medical nutrition service to a beneficiary on the same date of service as a pulmonary rehabilitation or pulmonary therapeutic service but at a separate patient encounter, the medical nutrition

**Revision Date (Medicaid): 1/1/2025**

therapy service may be separately reportable with an NCCI PTP-associated modifier. The state MCD covered medical nutrition service cannot be reported at the same patient encounter as the pulmonary rehabilitation or pulmonary therapeutic service.

11. Presumptive drug testing may be reported with CPT codes 80305-80307. These codes differ based on the level of complexity of the testing methodology. Only one code from this code range may be reported per date of service.

Definitive drug testing may be reported with HCPCS codes G0480-G0483 or CPT codes 80320-80377 or 83992. The G codes differ based on the number of drug classes including metabolites tested. HCPCS code G0659 defining a different type of definitive drug testing was added. Only one definitive drug testing HCPCS code may be reported per date of service.

12. See Section M, Subsection 8, for Telehealth Services.
13. Blood products are described by HCPCS Level II P codes. If a P code describes an irradiated blood product, CPT code 86945 (Irradiation of blood product, each unit) should not be reported separately since the P code includes irradiation of the blood product. If a P code describes a CMV negative blood product, CPT codes 86644 and/or 86645 (CMV antibody) should not be reported separately for that blood product since the P code includes the CMV antibody testing. If a P code describes a deglycerolized blood product, CPT codes 86930 (Frozen blood, each unit; freezing (includes preparation)), 86931 (Frozen blood, each unit; thawing), and/or 86932 (Frozen blood, each unit; freezing (includes preparation) and thawing) should not be reported separately since the P code includes the freezing and thawing processes.

If a P code describes a pooled blood product, CPT code 86965 (Pooling of platelets or other blood products) shall not be reported separately since the P code includes the pooling of the blood products. If the P code describes a “frozen” plasma product, CPT code 86927 (Fresh frozen plasma, thawing, each unit) shall not be reported separately since the P code includes the thawing process.

14. HCPCS codes G0396 and G0397 describe alcohol and/or substance (other than tobacco) abuse structured assessment and intervention services. These codes shall not be reported separately with an E&M, psychiatric diagnostic, or psychotherapy service code for the same work/time. If the E&M, psychiatric diagnostic, or psychotherapy service would normally include assessment and/or intervention of alcohol or substance abuse based on the patient’s clinical presentation, HCPCS G0396 or G0397 shall not be additionally reported. If a physician reports either of these G codes with an E&M, psychiatric diagnostic, or psychotherapy code using an NCCI PTP-associated modifier, the physician is certifying that the G code service is a distinct and separate service performed during a separate time period (not necessarily a separate patient encounter) than the E&M, psychiatric diagnostic, or psychotherapy service and is a service that is not included in the E&M, psychiatric diagnostic, or psychotherapy service based on the clinical reason for the E&M, psychiatric diagnostic, or psychotherapy service.

**Revision Date (Medicaid): 1/1/2025**

CPT codes 99408 and 99409 describe services which are similar to those described by HCPCS codes G0396 and G0397 but are “screening services.” Where CPT codes 99408 and 99409 are covered by state MCD programs, the policies explained in the previous paragraph for G0396/G0397 also apply to 99408/99409. Codes 99408/99409 shall not be reported in addition to codes G0396/G0397.

The same principles apply to separate reporting of E&M services with other screening, intervention, or counseling service HCPCS Level II codes (e.g., G0442 (Annual alcohol misuse screening, 5 to 15 minutes), G0443 (Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes), and G0444 (Annual depression screening, 5 to 15 minutes). If an E&M, psychiatric diagnostic, or psychotherapy service is related to a problem which would normally require evaluation and management duplicative of the HCPCS Level II code, the HCPCS Level II code is not separately reportable.

For example, if a patient presents with symptoms suggestive of depression, the provider should not report G0444 in addition to the E&M, psychiatric diagnostic, or psychotherapy service code. The time and work effort devoted to the HCPCS code screening, intervention, or counseling service must be distinct and separate from the time and work of the E&M, psychiatric diagnostic, or psychotherapy service. Both services may occur at the same patient encounter.

15. HCPCS code G0269 describes placement of an occlusive device into a venous or arterial access site after an open or percutaneous vascular procedure. Payment for this service is included in the payment for the vascular procedure.
16. HCPCS code V2790 (Amniotic membrane for surgical reconstruction, per procedure) shall not be reported separately with CPT codes 65778 (Placement of amniotic membrane on the ocular surface; without sutures) or 65779 (Placement of amniotic membrane on the ocular surface; single layer, sutured) since payment for these 2 CPT codes includes the amniotic membrane.
17. Subsection deleted, January 1, 2025.

#### **D. Wheelchairs and Related Items**

Codes for wheelchair bases describe complete products. Codes for wheelchair options, accessories, or seating systems describe items that can either be added to a complete wheelchair base or substituted for an existing component on a wheelchair base.

The following principles apply to items provided on the same date of service:

1. Two different wheelchair bases shall not be reported separately.
2. The code for a wheelchair option or accessory must be compatible with the type of wheelchair that is provided. For example, a sip and puff drive control interface (e.g., HCPCS code E2325) shall not be reported with a Group 1 power wheelchair (e.g.,

**Revision Date (Medicaid): 1/1/2025**

HCPCS code K0813-K0816).

3. The code for a wheelchair repair or replacement part shall not be reported at the time of initial issue of a wheelchair base. For example, a replacement motor (e.g., HCPCS code E2368) shall not be reported with a power wheelchair base.
4. A wheelchair option or accessory shall not be reported separately if it is included in the payment for the wheelchair base. For example, a complete footrest assembly (e.g., HCPCS code K0045) shall not be reported with a wheelchair base.
5. A separate code for a wheelchair seat cushion shall not be reported with any power wheelchair that has captain's chair style seating, with any power operated vehicle (POV), or with a rollabout chair or transport chair.
6. Two codes for items in the same general category of wheelchair options, accessories, or seating systems shall not be reported separately. For example, different types of power seating systems (e.g., HCPCS codes E1002-E1008) shall not be reported separately.
7. A wheelchair option, accessory, or seating component shall not be reported separately if it is included in the payment for another item. For example, a solid seat insert (e.g., HCPCS code E0992) shall not be reported with a wheelchair seat cushion (e.g., HCPCS codes E2601-E2610, E2622-E2625).

#### **E. Other Durable Medical Equipment (DME)**

The following principles apply to items provided on the same date of service:

1. Different types of similar equipment shall not be reported separately. For example, a wheeled walker (e.g., HCPCS codes E0141, E0143) shall not be reported with a non-wheeled walker (e.g., HCPCS codes E0130, E0135).
2. Codes that describe items that are components of other codes shall not be reported separately. For example, oxygen contents (e.g., HCPCS codes E0441, E0442) shall not be reported with rented oxygen equipment (e.g., HCPCS codes E0424, E0439).
3. Accessories must be compatible with the specific type of equipment provided. For example, a replacement interface for a nasal mask used with a continuous positive airway pressure (CPAP) device (e.g., HCPCS code A7032) shall not be reported with a full-face mask used with a CPAP device (e.g., HCPCS code A7030).

#### **F. Spinal and Limb Orthoses**

An orthosis base code describes a complete orthosis. An orthosis addition code describes items that can either be added to a complete orthosis or substituted for an existing component of an orthosis.

**Revision Date (Medicaid): 1/1/2025**

The following principles apply to items provided on the same date of service:

1. Two different orthosis base codes for the same anatomical region shall not be reported for the same limb. For example, only one hand finger orthosis (HFO) base code (e.g., HCPCS codes L3912, L3913, L3921, L3923, L3929) shall be reported for the same limb.
2. Orthoses from different anatomical regions that overlap cannot be worn at the same time. For example, a code for a unilateral hip knee ankle foot orthosis (HKAFO) (e.g., HCPCS codes L2070-L2090) shall not be reported with an ankle foot orthosis (AFO) (e.g., HCPCS codes L1900-L1990) for the same leg.
3. Most orthoses from adjacent anatomical regions cannot be worn at the same time. For example, a code for a hip orthosis (HO) (e.g., HCPCS code L1686) shall not be reported with a KAFO (e.g., HCPCS codes L2000-L2038) for the same leg because the HO extends to the mid-thigh and the KAFO begins at the mid-thigh and therefore both cannot be worn at the same time.
4. Addition codes can only be used with certain types of base orthosis codes. For example, a code that describes an “addition to TLSO” (e.g., HCPCS codes L1210-L1290) shall not be reported with a lumbar sacral orthosis (LSO) (e.g., HCPCS codes L0628-L0640).

## **G. Limb Prostheses**

A prosthesis base code describes a complete prosthesis. A prosthesis addition code describes items that can either be added to a complete prosthesis or substituted for an existing component of a prosthesis.

The following principles apply to items provided on the same date of service:

1. Only one complete prosthesis shall be reported for the same limb. For example, an above knee (AK) prosthesis (e.g., HCPCS codes L5200-L5230) and a below knee (BK) prosthesis (e.g., HCPCS codes L5100, L5105) shall not be reported for the same limb.
2. Only one component in the same category (e.g., an electric hand [e.g., HCPCS codes L6880, L7007, L7008] or a non-electric terminal device [e.g., HCPCS codes L6703-L6722] for an upper limb prosthesis) shall be reported for the same limb.
3. Codes that represent components of other codes shall not be reported for the same limb. For example, batteries (e.g., HCPCS codes L7360, L7364, L7367) and a charger (e.g., HCPCS codes L7362, L7366, L7368) are included in electrical components (e.g., HCPCS codes L7007-L7259) at initial issue and shall not be reported separately.
4. Components for different amputation levels (e.g., an above knee [AK] socket [e.g., HCPCS code L5631] and a below knee [BK] socket [e.g., HCPCS code L5645]) shall not be reported for the same limb.

**Revision Date (Medicaid): 1/1/2025**



5. Addition codes that do not match the base prosthesis code shall not be reported. For example, a BK addition (e.g., HCPCS code L5655) shall not be reported with an AK base prosthesis (e.g., HCPCS codes L5200-L5230) for the same leg.
6. Certain addition codes should not be reported with preparatory or immediate prosthesis base codes. For example, an electric hand (e.g., HCPCS code L7007) shall not be reported with a preparatory prosthesis (e.g., HCPCS codes L6584-L6586).

## **H. Orthopedic Shoes and Inserts**

The following principles apply to items provided on the same date of service:

1. Different types of foot orthotics or different types of shoes shall not be reported for the same foot. For example, a silicone gel insert (e.g., HCPCS code L3003) and a Plastazote insert (e.g., HCPCS code L3002) shall not be reported for the same foot.
2. Addition codes which are standard features of shoes shall not be reported separately. For example, a new standard rubber heel (e.g., HCPCS code L3460) shall not be reported with a shoe (e.g., HCPCS codes L3215-L3222) for the same foot.
3. Different shoe modifications of the same type (e.g., 2 different sole wedges [e.g., HCPCS codes L3360 and L3370]) shall not be reported for a shoe for the same foot.

## **I. Hearing Aids**

The following principles apply to items provided on the same date of service:

1. Only one type of binaural hearing aid may be reported. For example, a behind the ear **digital binaural** hearing aid (e.g., HCPCS code **V5261**) shall not be reported with a behind the ear **digitally programmable** binaural hearing aid (e.g., HCPCS code **V5253**).
2. Only one type of monaural hearing device may be reported for the same ear. For example, a digital monaural behind the ear hearing aid (e.g., HCPCS code V5257) shall not be reported with a digital monaural in the ear hearing aid (e.g., HCPCS code V5256) for the same ear.
3. A binaural **behind the ear** hearing aid (e.g., HCPCS code **V5140**) shall not be reported with a monaural hearing aid (e.g., HCPCS code V5256).
4. Similar assistive listening devices shall not be reported separately. For example, a fm/dm system assistive listening device with a loop induction receiver (e.g., HCPCS code V5283) shall not be reported with an assistive device with a Bluetooth receiver (e.g., HCPCS code V5286).
5. Codes that are components of other codes should not be reported separately. For example, a transmitter microphone (e.g., HCPCS code V5290) shall not be reported with

**Revision Date (Medicaid): 1/1/2025**



a binaural fm/dm system assistive listening device (e.g., HCPCS code V5282).

## **J. Eyeglasses**

The following principles apply to items provided on the same date of service:

1. Different types of similar items shall not be reported for the same eye. For example, a plano to +/- 4.00d bifocal lens (e.g., HCPCS code V2200) shall not be reported with a similar lens with 0.12-2.00 cylinder (e.g., HCPCS code V2203) for the same eye.
2. Certain addition codes are incompatible with specific lens codes. For example, bifocal segment width over 28 mm (e.g., HCPCS code V2219) shall not be reported with a trifocal lens (e.g., HCPCS codes V2300-V2399) for the same eye.
3. Different types of similar features (e.g., HCPCS codes V2710 and V2715 for prism add-on) shall not be reported for the same eye.

## **K. Therapeutic Shoes for Diabetics**

The following principles apply to items provided on the same date of service:

1. Only one pair of shoes shall be reported on the same date of service.
2. Inserts and modifications for therapeutic shoes for diabetics (HCPCS codes A5500, A5501) shall be reported with HCPCS codes A5503-A5513. They shall not be reported with L3xxx codes for orthopedic shoes.
3. Inserts and modifications for orthopedic shoes (HCPCS codes L3201-L3253) should be reported with HCPCS codes L3000-L3170 and L3254-L3649. They shall not be reported with A55xx codes for diabetic shoes.

## **L. Urological Supplies**

The following principles apply to items provided on the same date of service:

1. Only one type of indwelling catheter, intermittent catheter, or external catheter shall be reported on the same date of service.
2. Intermittent catheters shall not be reported with supplies that are used with indwelling or exdwelling catheters.
3. Exdwelling catheters shall not be reported with supplies that are used with indwelling catheters.

**Revision Date (Medicaid): 1/1/2025**

## **M. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The MUE values of HCPCS Level II codes for discontinued drugs are generally “0.”
4. The MUE value of HCPCS Level II codes describing compounded inhalation drugs is “0” because compounded drugs are generally not FDA approved.
5. HCPCS code J0171 (Injection, adrenalin, epinephrine, 0.1 mg) may be reported incorrectly. A 1 ml ampule of adrenalin/ epinephrine contains 1.0 mg of adrenalin/epinephrine in a 1:1,000 solution. However, a 10 ml prefilled syringe with a 1:10,000 solution of adrenalin/epinephrine also contains only 1.0 mg of adrenalin/epinephrine. Thus, a physician must recognize that 10 UOS for HCPCS code J0171 correspond to a 1 ml ampule or 10 ml of a prefilled syringe (1:10,000 (0.1 mg/ml) solution).
6. There may be multiple HCPCS Level II codes describing certain drugs. For example, HCPCS code J1094 (Injection, dexamethasone acetate, 1 mg) is no longer manufactured and has an MUE value of “0”. HCPCS code J1100 (Injection, dexamethasone sodium phosphate, 1 mg) is available and has an MUE of 120. When billing for drugs, providers/suppliers should be careful to report the correct formulation with the correct HCPCS code.
7. Based on the code descriptor, HCPCS code J3471 (Injection, hyaluronidase, ovine, preservative free, per 1 USP unit (up to 999 USP units)), the physician may report HCPCS code J3471 on more than one line of a claim appending modifier 59 or XU to additional claim lines.
8. HCPCS codes G0406-G0408 describe follow-up inpatient consultation services via telehealth and HCPCS codes G0425-G0427 describe emergency or initial inpatient telehealth consultation services via telehealth. These codes shall not be reported by a practitioner on the same date of service that the practitioner reports a face-to-face E&M code. These codes are used to report telehealth services that if performed with the patient physically present would be reported with corresponding CPT codes.

Since follow-up inpatient consultation services with a patient present are reported using per diem CPT codes 99231-99233, HCPCS codes G0406-G0408 may only be reported with a single unit of service per day.

**Revision Date (Medicaid): 1/1/2025**

Since initial inpatient consultation services with a patient present are reported using per diem CPT codes 99231-99233, HCPCS codes G0425-G0427 may only be reported with a single unit of service per day when reporting inpatient telehealth consultation services. However, if HCPCS codes G0425-G0427 are used to report emergency department services, reporting rules are comparable to CPT codes 99281-99285.

9. If a HCPCS Level II drug code descriptor defines the unit of service as “per dose,” only one unit of service may be reported per drug administration procedure even if more than the usual amount of drug is administered. For example, HCPCS code J7321 (Hyaluronan or derivative, Hyalgan, Supartz, or Visco-3, for intra-articular injection, per dose) describes a drug that may be injected into the knee joint. Only one unit of service may be reported for injection of the drug into each knee joint even if the amount of injected drug exceeds the usual amount of drug injected.
10. Presumptive drug testing may be reported with CPT codes 80305-80307. These codes differ based on the level of complexity of the testing methodology. Only one code from this code range may be reported per date of service.

Definitive drug testing may be reported with HCPCS codes G0480-G0483 or CPT codes 80320-80377 or 83992. The G codes differ based on the number of drug classes including metabolites tested. HCPCS codes G0480-G0483 are reported “per day” and shall not be reported with more than one unit of service per day. Codes 80320-80377 or 83992 shall not be reported on the same date of service as codes G0480-G0483. Definitive drug testing HCPCS code G0659 is reported “per day” and shall not be reported with more than one unit per day.

11. HCPCS codes Q9951 and Q9965-Q9967 describe low osmolar contrast material with different iodine concentrations. The appropriate code to report is based on the iodine concentration in the contrast material administered. HCPCS code Q9951 (Low osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml) is often incorrectly reported for low osmolar contrast material products with lower iodine concentrations. Similarly, HCPCS codes Q9958-Q9964 describe high osmolar contrast material with different iodine concentrations. The appropriate code to report is based on the iodine concentration in the contrast material administered.
12. MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
13. For H, S, and T series HCPCS Level II codes, MUE values are based on the description of the unit of service in the code descriptor (e.g., per hour, per diem). If an individual state has defined the unit of service for a HCPCS Level II code differently (e.g., per 15 minutes instead of per diem), the state may request permission from CMS to deactivate

**Revision Date (Medicaid): 1/1/2025**

that MUE.

14. If the unit of service for evaluation and/or management service is not defined in a H, S, or T series HCPCS Level II code descriptor (e.g., code H1000 – Prenatal care, at-risk assessment), the MUE value is usually based on a unit of service per visit. If an individual state has defined the unit of service for a HCPCS Level II code differently (e.g., per hour), the state may request permission from CMS to deactivate that MUE.
15. When providing items for arms, legs, or other paired organs, the appropriate anatomical HCPCS modifier (e.g., RT – right side, LT – left side) should be appended to the HCPCS Level II code.
16. HCPCS code K0462 (Temporary replacement for patient owned equipment being repaired, any type) may be reported with one unit of service for each item of patient owned equipment that is being repaired. Component parts of a patient owned piece of equipment being repaired shall not be reported separately. For example, if a patient owned CPAP blower requires repair, the supplier may report one unit of service for K0462. The supplier shall not report an additional unit of service for an integral humidifier even if it also requires repair. The supplier shall not report an additional unit of service for a detachable humidifier unless it also requires repair at the same time.
17. Generally, only one unit of service for an item of DME (e.g., oxygen concentrator, wheelchair base) may be paid on a single date of service. Payment for backup or duplicate DME is not generally allowed. More than one unit of service may be paid on a single date of service for accessories and supplies related to DME when appropriate. Prosthetics and orthotics may also be paid with more than one unit of service on a single date of service if the items are for different limbs.
18. HCPCS code P9604 describes a prorated, one-way travel allowance for collection of medically necessary laboratory specimen (s) drawn from a home bound or nursing home bound patient. A round trip should be reported with modifier LR and 1 unit of service rather than 2 UOS. The reported UOS should be prorated for multiple patients drawn at the same address and for stops at the homes of MCD and non-MCD patients.
19. HCPCS code G9157 (Transesophageal doppler measurement of cardiac output (including probe placement, image acquisition, and interpretation per course of treatment) for monitoring purposes) describes a diagnostic procedure reportable only for ventilated patients in the Intensive Care Unit or operative patients with a need for intra-operative fluid optimization. Reporting this code is limited to an inpatient hospital place of service. HCPCS code G9157 shall be reported no more than once per course of treatment.

## **N. General Policy Statements**

1. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes

**Revision Date (Medicaid): 1/1/2025**

pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and MCD rules. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.

2. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

**Revision Date (Medicaid): 1/1/2025**

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with any surgical procedure.
7. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package. Simple, intermediate, and complex wound repair codes may be reported with Mohs surgery (CPT codes 17311-17315). Intermediate and complex repair codes may be reported with excision of benign lesions (CPT codes 11401-11406, 11421-11426, 11441-11471) and excision of malignant lesions (CPT codes 11600-11646). Wound repair codes (CPT codes 12001-13153) shall not be reported with excisions of benign lesions with an excised diameter of 0.5 cm or less (CPT codes 11400, 11420, 11440).
8. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. For more information regarding biopsies, see Chapter I, Section A, Introduction.
10. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated

**Revision Date (Medicaid): 1/1/2025**

modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

11. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
12. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or MCD NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography (CT), or magnetic resonance imaging (MRI) codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
13. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
14. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.



## **CHAPTER XIII**

### **Category III Codes CPT Codes 0001T – 0999T**

#### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion factors and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

**Revision Date (Medicaid): 1/1/2025**

## Table of Contents

Chapter XIII.....	XIII-3
Category III Codes .....	XIII-3
CPT Codes 0001T – 0999T .....	XIII-3
A. Introduction .....	XIII-3
B. Evaluation & Management (E&M) Services .....	XIII-3
C. NCCI Procedure-to-Procedure (PTP) Edit Specific Issues .....	XIII-5
D. Medically Unlikely Edits (MUEs).....	XIII-5
E. General Policy Statements.....	XIII-6

**Revision Date (Medicaid): 1/1/2025**

**Chapter XIII**  
**Category III Codes**  
**CPT Codes 0001T – 0999T**

**A. Introduction**

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 0001T-0999T. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

The *CPT Professional codebook* contains Category III codes, XXXXT, that represent emerging technologies, services, and procedures. Each Category III code is referenced in another section of the *CPT Professional codebook* that contains related procedures. The National Correct Coding Initiative (NCCI) program contains edits for many of these codes. The coding policies used to establish these edits are the same as those used for other procedures in the related sections of the *CPT Professional codebook*. For example, if the XXXXT code describes a laboratory procedure, the coding policies that apply are those found in Chapter I (General Correct Coding Policies) and Chapter X (Pathology and Laboratory Services (CPT Codes 80000-89999)) of the *Medicaid NCCI Policy Manual*.

The presence of a HCPCS/CPT code in an NCCI Procedure-to-Procedure (PTP) edit or of an Medically Unlikely Edit (MUE) value for a HCPCS/CPT code does not necessarily indicate that the code is covered by any or all state Medicaid (MCD) programs.

**B. Evaluation & Management (E&M) Services**

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of NCCI PTP edits, providers shall bill for their services following these rules.

**Revision Date (Medicaid): 1/1/2025**

The MCD NCCI program uses the same definition of major and minor surgery procedures as the Medicare (MCR) program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The MCR designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS MCR webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform a minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated E&M Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical

**Revision Date (Medicaid): 1/1/2025**

procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure **may be appropriate in some instances.**

#### **C. NCCI Procedure-to-Procedure (PTP) **Edit** Specific Issues**

1. **Subsection deleted, January 1, 2025.**
2. Since CPT code G6017 (Intra-fraction localization and tracking of target or patient motion during delivery of radiation therapy...each fraction of treatment) includes localization of the radiation field, it should not be reported with other CPT codes describing localization of the radiation field such as CPT codes G6001 (Ultrasonic guidance for placement of radiation therapy fields), 77014 (Computed tomography guidance for placement of radiation therapy fields), or G6002 (Stereoscopic X-ray guidance for localization of target volume for the delivery of radiation therapy).

#### **D. Medically Unlikely Edits (MUEs)**

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

**Revision Date (Medicaid): 1/1/2025**

## E. General Policy Statements

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and MCD rules. In some sections of this manual, the term “physician” would not include some of these entities because specific rules do not apply to them.
3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions, the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances, wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

**Revision Date (Medicaid): 1/1/2025**

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
7. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package. Simple, intermediate, and complex wound repair codes may be reported with Mohs surgery (CPT codes 17311-17315). Intermediate and complex repair codes may be reported with excision of benign lesions (CPT codes 11401-11406, 11421-11426, 11441-11471) and excision of malignant lesions (CPT codes 11600-11646). Wound repair codes (CPT codes 12001-13153) shall not be reported with excisions of benign lesions with an excised diameter of 0.5 cm or less (CPT codes 11400, 11420, 11440).
8. Control of bleeding during an operative procedure is an integral component of a surgical procedure, and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. For more information regarding biopsies, see Chapter I, Section A, Introduction.

**Revision Date (Medicaid): 1/1/2025**



10. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.
11. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
12. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or MCD NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography (CT), or magnetic resonance imaging (MRI) codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
13. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
14. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

**Revision Date (Medicaid): 1/1/2025**

## **GENERAL CORRECT CODING POLICIES**

### **MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL**

**Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.**

**CPT® is a registered trademark of the American Medical Association.**

**Applicable FARS/DFARS Restrictions Apply to Government Use.**

**Fee schedules, relative value units, conversion, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.**

## List of Acronyms

AA	Anesthesia Assistant
AMA	American Medical Association
AOC	Add-On Code
ASC	Ambulatory Surgical/Surgery Center
CBC	Complete Blood Count
CCMI	Correct Coding Modifier Indicator
CFR	Code of Federal Regulations
CLEID	Correspondence Language Example Identification Number
CMS	Centers for Medicare & Medicaid Services
CMT	Chiropractic Manipulative Treatment
CMV	Cytomegalovirus
CNS	Central Nervous System
COTS	Commercial Off-the-Shelf
CPAP	Continuous positive Airway Pressure
CPR	Cardio-Pulmonary Resuscitation
CPT	Current Procedural Terminology
CRNA	Certified Registered Nurse Anesthetist
CT	Computed Tomography
CTA	Computed Tomographic Angiogram
D.O.	Doctor of Osteopathy
DME	Durable Medical Equipment
DOJ	Department of Justice
E/M or E&M	Evaluation & Management
EEG	Electroencephalograph
EMG	Electromyogram
FAQ	Frequently Asked Question
FNA	Fine Needle Aspiration
HCPCS	Healthcare Common Procedure Coding System
HIPAA	Health Insurance Portability and Accountability Act of 1996
HLA	Human Leukocyte Antigen
IOM	Internet-Only Manual
IOP	Intensive outpatient program
IPPB	Intermittent Positive Pressure Breathing
IVP	Intravenous Pyelogram
LC	Left Circumflex Coronary Artery
LD	Left Anterior Descending Coronary Artery
LT	Left Side
M.D.	Medical Doctor
MCD	Medicaid
MCD NCCI	Medicaid National Correct Coding Initiative
MCR	Medicare
MRA	Magnetic Resonance Angiogram
MRI	Magnetic Resonance Imaging

MUE	Medically Unlikely Edit
NCCI	National Correct Coding Initiative
NHO	National Healthcare Organization
OPPS	Hospital Outpatient Prospective Payment Services
PET	Positron Emission Tomography
PTP	Procedure-to-Procedure
RAC	Recovery Audit Contractors
RC	Right Coronary Artery
RISSNET	Regional Information Sharing System Network
RS&I	Radiological Supervision and Interpretation
RT	Right Side
SMA	State Medicaid Agency
SPECT	Single Photon Emission Computed Tomography
SSA	Social Security Act
TGM	Technical Guidance Manual
UPIC	Unified Program Integrity Contractor
TC	Technical Component
UOS	Units of Service
VAD	Ventricular Assist Device
WBC	White Blood Cell