

Section A - Identification Information

A1900. Admission Date (Date this episode of care in this facility began)

		-			-				
Month			Day			Year			

A2000. Discharge Date

Complete only if A0310F = 10, 11, or 12

		-			-				
Month			Day			Year			

A2105. Discharge Status

Complete only if A0310F = 10, 11, or 12

Enter Code

--	--

01. **Home/Community** (e.g., private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) → Skip to A2123, Provision of Current Reconciled Medication List to Resident at Discharge
02. **Nursing Home** (long-term care facility)
03. **Skilled Nursing Facility** (SNF, swing beds)
04. **Short-Term General Hospital** (acute hospital, IPPS)
05. **Long-Term Care Hospital** (LTCH)
06. **Inpatient Rehabilitation Facility** (IRF, free standing facility or unit)
07. **Inpatient Psychiatric Facility** (psychiatric hospital or unit)
08. **Intermediate Care Facility** (ID/DD facility)
09. **Hospice** (home/non-institutional)
10. **Hospice** (institutional facility)
11. **Critical Access Hospital** (CAH)
12. **Home under care of organized home health service organization**
13. **Deceased**
99. **Not listed** → Skip to A2123, Provision of Current Reconciled Medication List to Resident at Discharge

A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge

Complete only if A0310H = 1 and A2105 = 02–12

Enter Code

--

At the time of discharge to another provider, did your facility provide the resident's current reconciled medication list to the subsequent provider?

0. **No** - Current reconciled medication list not provided to the subsequent provider → Skip to A2300, Assessment Reference Date
1. **Yes** - Current reconciled medication list provided to the subsequent provider

A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider

Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.

Complete only if A2121 = 1

↓ **Check all that apply**

Route of Transmission

- | | |
|--------------------------|---|
| <input type="checkbox"/> | A. Electronic Health Record |
| <input type="checkbox"/> | B. Health Information Exchange |
| <input type="checkbox"/> | C. Verbal (e.g., in-person, telephone, video conferencing) |
| <input type="checkbox"/> | D. Paper-based (e.g., fax, copies, printouts) |
| <input type="checkbox"/> | E. Other methods (e.g., texting, email, CDs) |

Section A - Identification Information

A2123. Provision of Current Reconciled Medication List to Resident at Discharge

Complete only if A0310H = 1 and A2105 = 01, 99

Enter Code

At the time of discharge, did your facility provide the resident's current reconciled medication list to the resident, family and/or caregiver?

- 0. **No** - Current reconciled medication list not provided to the resident, family and/or caregiver → Skip to A2300, Assessment Reference Date
- 1. **Yes** - Current reconciled medication list provided to the resident, family and/or caregiver

A2124. Route of Current Reconciled Medication List Transmission to Resident

Indicate the route(s) of transmission of the current reconciled medication list to the resident/family/caregiver. Complete only if A2123 = 1

↓ Check all that apply

Route of Transmission

- A. **Electronic Health Record** (e.g., electronic access to patient portal)
- B. **Health Information Exchange**
- C. **Verbal** (e.g., in-person, telephone, video conferencing)
- D. **Paper-based** (e.g., fax, copies, printouts)
- E. **Other methods** (e.g., texting, email, CDs)

A2300. Assessment Reference Date

Observation end date:

		-			-				
Month			Day			Year			

A2400. Medicare Stay

Enter Code

A. Has the resident had a Medicare-covered stay since the most recent entry?

- 0. **No** → Skip to B0100, Comatose
- 1. **Yes** → Continue to A2400B, Start date of most recent Medicare stay

B. Start date of most recent Medicare stay:

		-			-				
Month			Day			Year			

C. End date of most recent Medicare stay - Enter dashes if stay is ongoing:

		-			-				
Month			Day			Year			

Look back period for all items is 7 days unless another time frame is indicated

Section B - Hearing, Speech, and Vision

B0100. Comatose

Enter Code

Persistent vegetative state/no discernible consciousness

0. **No** → Continue to B0200, Hearing
1. **Yes** → Skip to GG0100, Prior Functioning: Everyday Activities

B0200. Hearing

Enter Code

Ability to hear (with hearing aid or hearing appliances if normally used)

0. **Adequate** - no difficulty in normal conversation, social interaction, listening to TV
1. **Minimal difficulty** - difficulty in some environments (e.g., when person speaks softly or setting is noisy)
2. **Moderate difficulty** - speaker has to increase volume and speak distinctly
3. **Highly impaired** - absence of useful hearing

B0300. Hearing Aid

Enter Code

Hearing aid or other hearing appliance used in completing B0200, Hearing

0. **No**
1. **Yes**

B0600. Speech Clarity

Enter Code

Select best description of speech pattern

0. **Clear speech** - distinct intelligible words
1. **Unclear speech** - slurred or mumbled words
2. **No speech** - absence of spoken words

B0700. Makes Self Understood

Enter Code

Ability to express ideas and wants, consider both verbal and non-verbal expression

0. **Understood**
1. **Usually understood** - difficulty communicating some words or finishing thoughts **but** is able if prompted or given time
2. **Sometimes understood** - ability is limited to making concrete requests
3. **Rarely/never understood**

B0800. Ability To Understand Others

Enter Code

Understanding verbal content, however able (with hearing aid or device if used)

0. **Understands** - clear comprehension
1. **Usually understands** - misses some part/intent of message **but** comprehends most conversation
2. **Sometimes understands** - responds adequately to simple, direct communication only
3. **Rarely/never understands**

B1000. Vision

Enter Code

Ability to see in adequate light (with glasses or other visual appliances)

0. **Adequate** - sees fine detail, such as regular print in newspapers/books
1. **Impaired** - sees large print, but not regular print in newspapers/books
2. **Moderately impaired** - limited vision; not able to see newspaper headlines but can identify objects
3. **Highly impaired** - object identification in question, but eyes appear to follow objects
4. **Severely impaired** - no vision or sees only light, colors or shapes; eyes do not appear to follow objects

B1200. Corrective Lenses

Enter Code

Corrective lenses (contacts, glasses, or magnifying glass) used in completing B1000, Vision

0. **No**
1. **Yes**

Section B - Hearing, Speech, and Vision

B1300. Health Literacy

Enter Code

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

- 0. **Never**
- 1. **Rarely**
- 2. **Sometimes**
- 3. **Often**
- 4. **Always**
- 7. **Resident declines to respond**
- 8. **Resident unable to respond**

Section C - Cognitive Patterns

C0100. Should Brief Interview for Mental Status (C0200–C0500) be Conducted?

Attempt to conduct interview with all residents

Enter Code

0. **No** (resident is rarely/never understood) → Skip to and complete C0700–C1000, Staff Assessment for Mental Status
1. **Yes** → Continue to C0200, Repetition of Three Words

Brief Interview for Mental Status (BIMS)

C0200. Repetition of Three Words

Enter Code

Ask resident: *“I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: **sock, blue, and bed.** Now tell me the three words.”*

Number of words repeated after first attempt

0. **None**
1. **One**
2. **Two**
3. **Three**

After the resident's first attempt, repeat the words using cues (*“sock, something to wear; blue, a color; bed, a piece of furniture”*). You may repeat the words up to two more times.

C0300. Temporal Orientation (orientation to year, month, and day)

Enter Code

Ask resident: *“Please tell me what year it is right now.”*

A. Able to report correct year

0. **Missed by > 5 years** or no answer
1. **Missed by 2–5 years**
2. **Missed by 1 year**
3. **Correct**

Enter Code

Ask resident: *“What month are we in right now?”*

B. Able to report correct month

0. **Missed by > 1 month** or no answer
1. **Missed by 6 days to 1 month**
2. **Accurate within 5 days**

Enter Code

Ask resident: *“What day of the week is today?”*

C. Able to report correct day of the week

0. **Incorrect** or no answer
1. **Correct**

C0400. Recall

Enter Code

Ask resident: *“Let's go back to an earlier question. What were those three words that I asked you to repeat?”*
If unable to remember a word, give cue (*something to wear; a color; a piece of furniture*) for that word.

A. Able to recall “sock”

0. **No** - could not recall
1. **Yes, after cueing** (*“something to wear”*)
2. **Yes, no cue required**

Enter Code

B. Able to recall “blue”

0. **No** - could not recall
1. **Yes, after cueing** (*“a color”*)
2. **Yes, no cue required**

Enter Code

C. Able to recall “bed”

0. **No** - could not recall
1. **Yes, after cueing** (*“a piece of furniture”*)
2. **Yes, no cue required**

C0500. BIMS Summary Score

Enter Score

Add scores for questions C0200–C0400 and fill in total score (00–15)
Enter 99 if the resident was unable to complete the interview



Section C - Cognitive Patterns

C0600. Should the Staff Assessment for Mental Status (C0700–C1000) be Conducted?

Enter Code

- 0. **No** (resident was able to complete Brief Interview for Mental Status) → Skip to C1310, Signs and Symptoms of Delirium
- 1. **Yes** (resident was unable to complete Brief Interview for Mental Status) → Continue to C0700, Short-term Memory OK

Staff Assessment for Mental Status

Do not conduct if Brief Interview for Mental Status (C0200–C0500) was completed

C0700. Short-term Memory OK

Enter Code

Seems or appears to recall after 5 minutes

- 0. **Memory OK**
- 1. **Memory problem**

C0800. Long-term Memory OK

Enter Code

Seems or appears to recall long past

- 0. **Memory OK**
- 1. **Memory problem**

C0900. Memory/Recall Ability

↓

Check all that the resident was normally able to recall

A. **Current season**

B. **Location of own room**

C. **Staff names and faces**

D. **That they are in a nursing home/hospital swing bed**

Z. **None of the above were recalled**

C1000. Cognitive Skills for Daily Decision Making

Enter Code

Made decisions regarding tasks of daily life

- 0. **Independent** - decisions consistent/reasonable
- 1. **Modified independence** - some difficulty in new situations only
- 2. **Moderately impaired** - decisions poor; cues/supervision required
- 3. **Severely impaired** - never/rarely made decisions

Section C - Cognitive Patterns

Delirium

C1310. Signs and Symptoms of Delirium (from CAM®)

Code **after completing** Brief Interview for Mental Status or Staff Assessment, and reviewing medical record

Enter Code

A. Acute Onset Mental Status Change

Is there evidence of an acute change in mental status from the resident's baseline?

- 0. No
- 1. Yes

Coding:	↓	Enter Codes in Boxes
0. Behavior not present	<input type="text"/>	B. Inattention - Did the resident have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said?
1. Behavior continuously present, does not fluctuate	<input type="text"/>	C. Disorganized Thinking - Was the resident's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
2. Behavior present, fluctuates (comes and goes, changes in severity)	<input type="text"/>	D. Altered Level of Consciousness - Did the resident have altered level of consciousness, as indicated by any of the following criteria? <ul style="list-style-type: none"> ▪ vigilant - startled easily to any sound or touch ▪ lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch ▪ stuporous - very difficult to arouse and keep aroused for the interview ▪ comatose - could not be aroused

Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.

Section D - Mood

D0100. Should Resident Mood Interview be Conducted?

Attempt to conduct interview with all residents

Enter Code

- 0. **No** (resident is rarely/never understood) → Skip to and complete D0500–D0600, Staff Assessment of Resident Mood (PHQ-9-OV)
- 1. **Yes** → Continue to D0150, Resident Mood Interview (PHQ-2 to 9[©])

D0150. Resident Mood Interview (PHQ-2 to 9[©])

Say to resident: “Over the last 2 weeks, have you been bothered by any of the following problems?”

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the resident: “About **how often** have you been bothered by this?”

Read and show the resident a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	2. Symptom Frequency	
<p>0. No (enter 0 in column 2)</p> <p>1. Yes (enter 0–3 in column 2)</p> <p>9. No response (leave column 2 blank)</p>	<p>0. Never or 1 day</p> <p>1. 2–6 days (several days)</p> <p>2. 7–11 days (half or more of the days)</p> <p>3. 12–14 days (nearly every day)</p>	
Enter Scores in Boxes		
	1. Symptom Presence	2. Symptom Frequency
A. <i>Little interest or pleasure in doing things</i>	<input type="text"/>	<input type="text"/>
B. <i>Feeling down, depressed, or hopeless</i>	<input type="text"/>	<input type="text"/>
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.		
C. <i>Trouble falling or staying asleep, or sleeping too much</i>	<input type="text"/>	<input type="text"/>
D. <i>Feeling tired or having little energy</i>	<input type="text"/>	<input type="text"/>
E. <i>Poor appetite or overeating</i>	<input type="text"/>	<input type="text"/>
F. <i>Feeling bad about yourself - or that you are a failure or have let yourself or your family down</i>	<input type="text"/>	<input type="text"/>
G. <i>Trouble concentrating on things, such as reading the newspaper or watching television</i>	<input type="text"/>	<input type="text"/>
H. <i>Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual</i>	<input type="text"/>	<input type="text"/>
I. <i>Thoughts that you would be better off dead, or of hurting yourself in some way</i>	<input type="text"/>	<input type="text"/>

D0160. Total Severity Score

Enter Score

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).



Section D - Mood

D0500. Staff Assessment of Resident Mood (PHQ-9-OV*)

Do not conduct if Resident Mood Interview (D0150–D0160) was completed

Over the last 2 weeks, did the resident have any of the following problems or behaviors?

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

Then move to column 2, Symptom Frequency, and indicate symptom frequency.

1. Symptom Presence	2. Symptom Frequency	
0. No (enter 0 in column 2) 1. Yes (enter 0–3 in column 2)	0. Never or 1 day 1. 2–6 days (several days) 2. 7–11 days (half or more of the days) 3. 12–14 days (nearly every day)	
Enter Scores in Boxes		
	1. Symptom Presence	2. Symptom Frequency
A. Little interest or pleasure in doing things	<input type="text"/>	<input type="text"/>
B. Feeling or appearing down, depressed, or hopeless	<input type="text"/>	<input type="text"/>
C. Trouble falling or staying asleep, or sleeping too much	<input type="text"/>	<input type="text"/>
D. Feeling tired or having little energy	<input type="text"/>	<input type="text"/>
E. Poor appetite or overeating	<input type="text"/>	<input type="text"/>
F. Indicating that they feel bad about self, are a failure, or have let self or family down	<input type="text"/>	<input type="text"/>
G. Trouble concentrating on things, such as reading the newspaper or watching television	<input type="text"/>	<input type="text"/>
H. Moving or speaking so slowly that other people have noticed. Or the opposite - being so fidgety or restless that they have been moving around a lot more than usual	<input type="text"/>	<input type="text"/>
I. States that life isn't worth living, wishes for death, or attempts to harm self	<input type="text"/>	<input type="text"/>
J. Being short-tempered, easily annoyed	<input type="text"/>	<input type="text"/>

D0600. Total Severity Score

Enter Score

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 30.

D0700. Social Isolation

Enter Code

How often do you feel lonely or isolated from those around you?

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Resident declines to respond
- 8. Resident unable to respond

Section E - Behavior

E0100. Potential Indicators of Psychosis

↓ Check all that apply

- A. **Hallucinations** (perceptual experiences in the absence of real external sensory stimuli)
- B. **Delusions** (misconceptions or beliefs that are firmly held, contrary to reality)
- Z. **None of the above**

Behavioral Symptoms

E0200. Behavioral Symptom - Presence and Frequency

Note presence of symptoms and their frequency

Coding:	↓	Enter Codes in Boxes
0. Behavior not exhibited	<input type="checkbox"/>	A. Physical behavioral symptoms directed toward others (e.g., hitting, kicking, pushing, scratching, grabbing, abusing others sexually)
1. Behavior of this type occurred 1 to 3 days	<input type="checkbox"/>	B. Verbal behavioral symptoms directed toward others (e.g., threatening others, screaming at others, cursing at others)
2. Behavior of this type occurred 4 to 6 days, but less than daily	<input type="checkbox"/>	C. Other behavioral symptoms not directed toward others (e.g., physical symptoms such as hitting or scratching self, pacing, rummaging, public sexual acts, disrobing in public, throwing or smearing food or bodily wastes, or verbal/vocal symptoms like screaming, disruptive sounds)
3. Behavior of this type occurred daily	<input type="checkbox"/>	

E0800. Rejection of Care - Presence and Frequency

Enter Code

Did the resident reject evaluation or care (e.g., bloodwork, taking medications, ADL assistance) **that is necessary to achieve the resident's goals for health and well-being?** Do not include behaviors that have already been addressed (e.g., by discussion or care planning with the resident or family), and determined to be consistent with resident values, preferences, or goals.

- 0. **Behavior not exhibited**
- 1. **Behavior of this type occurred 1 to 3 days**
- 2. **Behavior of this type occurred 4 to 6 days, but less than daily**
- 3. **Behavior of this type occurred daily**

E0900. Wandering - Presence and Frequency

Enter Code

Has the resident wandered?

- 0. **Behavior not exhibited**
- 1. **Behavior of this type occurred 1 to 3 days**
- 2. **Behavior of this type occurred 4 to 6 days, but less than daily**
- 3. **Behavior of this type occurred daily**

Section GG - Functional Abilities

GG0100. Prior Functioning: Everyday Activities

Indicate the resident's usual ability with everyday activities prior to the current illness, exacerbation, or injury

Coding:	↓	Enter Codes in Boxes
3. Independent - Resident completed all the activities by themselves, with or without an assistive device, with no assistance from a helper.	<input type="checkbox"/>	A. Self-Care: Code the resident's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury.
2. Needed Some Help - Resident needed partial assistance from another person to complete any activities.	<input type="checkbox"/>	B. Indoor Mobility (Ambulation): Code the resident's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.
1. Dependent - A helper completed all the activities for the resident.	<input type="checkbox"/>	C. Stairs: Code the resident's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.
8. Unknown.	<input type="checkbox"/>	D. Functional Cognition: Code the resident's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.
9. Not Applicable.		

GG0110. Prior Device Use

Indicate devices and aids used by the resident prior to the current illness, exacerbation, or injury

↓	Check all that apply
<input type="checkbox"/>	A. Manual wheelchair
<input type="checkbox"/>	B. Motorized wheelchair and/or scooter
<input type="checkbox"/>	C. Mechanical lift
<input type="checkbox"/>	D. Walker
<input type="checkbox"/>	E. Orthotics/Prosthetics
<input type="checkbox"/>	Z. None of the above

GG0115. Functional Limitation in Range of Motion

Code for limitation that interfered with daily functions or placed resident at risk of injury in the last 7 days

Coding:	↓	Enter Codes in Boxes
0. No impairment	<input type="checkbox"/>	A. Upper extremity (shoulder, elbow, wrist, hand)
1. Impairment on one side	<input type="checkbox"/>	B. Lower extremity (hip, knee, ankle, foot)
2. Impairment on both sides	<input type="checkbox"/>	

Section GG - Functional Abilities - Admission

GG0130. Self-Care (Assessment period is the first 3 days of the stay)

The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance

Enter Codes in Boxes

--	--

A. **Eating:** The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the resident.

--	--

B. **Oral hygiene:** The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.

--	--

C. **Toileting hygiene:** The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.

--	--

E. **Shower/bathe self:** The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.

--	--

F. **Upper body dressing:** The ability to dress and undress above the waist; including fasteners, if applicable.

--	--

G. **Lower body dressing:** The ability to dress and undress below the waist, including fasteners; does not include footwear.

--	--

H. **Putting on/taking off footwear:** The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Section GG - Functional Abilities - Admission

GG0170. Mobility (Assessment period is the first 3 days of the stay)
The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance

Enter Codes in Boxes

A. **Roll left and right:** The ability to roll from lying on back to left and right side, and return to lying on back on the bed.

B. **Sit to lying:** The ability to move from sitting on side of bed to lying flat on the bed.

C. **Lying to sitting on side of bed:** The ability to move from lying on the back to sitting on the side of the bed and with no back support.

D. **Sit to stand:** The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.

E. **Chair/bed-to-chair transfer:** The ability to transfer to and from a bed to a chair (or wheelchair).

F. **Toilet transfer:** The ability to get on and off a toilet or commode.

G. **Car transfer:** The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.

I. **Walk 10 feet:** Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)

J. **Walk 50 feet with two turns:** Once standing, the ability to walk at least 50 feet and make two turns.

K. **Walk 150 feet:** Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Section GG - Functional Abilities - Admission

GG0170. Mobility (Assessment period is the first 3 days of the stay)
The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

1. Admission Performance

Enter Codes in Boxes

L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.

M. 1 step (curb): The ability to go up and down a curb and/or up and down one step.
If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object

N. 4 steps: The ability to go up and down four steps with or without a rail.
If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object

O. 12 steps: The ability to go up and down 12 steps with or without a rail.

P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.

Enter Code

- Q1. Does the resident use a wheelchair and/or scooter?**
- 0. **No** → Skip to GG0130, Self Care - Discharge
 - 1. **Yes** → Continue to GG0170R, Wheel 50 feet with two turns

R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.

Enter Code

- RR1. Indicate the type of wheelchair or scooter used.**
- 1. **Manual**
 - 2. **Motorized**

S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.

Enter Code

- SS1. Indicate the type of wheelchair or scooter used.**
- 1. **Manual**
 - 2. **Motorized**

Section GG - Functional Abilities - Discharge

GG0130. Self-Care (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 **and** A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance

Enter Codes in Boxes

--	--

A. **Eating:** The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the resident.

--	--

B. **Oral hygiene:** The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.

--	--

C. **Toileting hygiene:** The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.

--	--

E. **Shower/bathe self:** The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.

--	--

F. **Upper body dressing:** The ability to dress and undress above the waist; including fasteners, if applicable.

--	--

G. **Lower body dressing:** The ability to dress and undress below the waist, including fasteners; does not include footwear.

--	--

H. **Putting on/taking off footwear:** The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Section GG - Functional Abilities - Discharge

GG0170. Mobility (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 **and** A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance

Enter Codes in Boxes

<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed and with no back support.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	F. Toilet transfer: The ability to get on and off a toilet or commode.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
<input style="width: 20px; height: 20px;" type="text"/> <input style="width: 20px; height: 20px;" type="text"/>	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Section GG - Functional Abilities - Discharge

GG0170. Mobility (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 **and** A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

Coding:

Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** - Resident completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** - Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.

If activity was not attempted, code reason:

- 07. **Resident refused**
- 09. **Not applicable** - Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury
- 10. **Not attempted due to environmental limitations** (e.g., lack of equipment, weather constraints)
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance

Enter Codes in Boxes

L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.

M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object

N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object

O. 12 steps: The ability to go up and down 12 steps with or without a rail.

P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.

Enter Code

Q3. Does the resident use a wheelchair and/or scooter?

- 0. **No** → Skip to H0100, Appliances
- 1. **Yes** → Continue to GG0170R, Wheel 50 feet with two turns

R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.

Enter Code

RR3. Indicate the type of wheelchair or scooter used.

- 1. **Manual**
- 2. **Motorized**

S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.

Enter Code

SS3. Indicate the type of wheelchair or scooter used.

- 1. **Manual**
- 2. **Motorized**

Section H - Bladder and Bowel

H0100. Appliances

↓ Check all that apply

- A. **Indwelling catheter** (including suprapubic catheter and nephrostomy tube)
- B. **External catheter**
- C. **Ostomy** (including urostomy, ileostomy, and colostomy)
- D. **Intermittent catheterization**
- Z. **None of the above**

H0200. Urinary Toileting Program

Enter Code

- A. **Has a trial of a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) been attempted on admission/entry or reentry or since urinary incontinence was noted in this facility?**
0. **No** → Skip to H0300, Urinary Continence
1. **Yes** → Continue to H0200C, Current toileting program or trial
9. **Unable to determine** → Continue to H0200C, Current toileting program or trial

Enter Code

- C. **Current toileting program or trial** - Is a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) currently being used to manage the resident's urinary continence?
0. **No**
1. **Yes**

H0300. Urinary Continence

Enter Code

Urinary continence - Select the one category that best describes the resident

0. **Always continent**
1. **Occasionally incontinent** (less than 7 episodes of incontinence)
2. **Frequently incontinent** (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)
3. **Always incontinent** (no episodes of continent voiding)
9. **Not rated**, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for the entire 7 days

H0400. Bowel Continence

Enter Code

Bowel continence - Select the one category that best describes the resident

0. **Always continent**
1. **Occasionally incontinent** (one episode of bowel incontinence)
2. **Frequently incontinent** (2 or more episodes of bowel incontinence, but at least one continent bowel movement)
3. **Always incontinent** (no episodes of continent bowel movements)
9. **Not rated**, resident had an ostomy or did not have a bowel movement for the entire 7 days

H0500. Bowel Toileting Program

Enter Code

Is a toileting program currently being used to manage the resident's bowel continence?

0. **No**
1. **Yes**

Section I - Active Diagnoses

I0020. Indicate the resident's primary medical condition category

Enter Code

--	--

Indicate the resident's primary medical condition category that best describes the primary reason for admission

01. Stroke
02. Non-Traumatic Brain Dysfunction
03. Traumatic Brain Dysfunction
04. Non-Traumatic Spinal Cord Dysfunction
05. Traumatic Spinal Cord Dysfunction
06. Progressive Neurological Conditions
07. Other Neurological Conditions
08. Amputation
09. Hip and Knee Replacement
10. Fractures and Other Multiple Trauma
11. Other Orthopedic Conditions
12. Debility, Cardiorespiratory Conditions
13. Medically Complex Conditions

I0020B. ICD Code

--	--	--	--	--	--	--	--	--	--

Active Diagnoses in the last 7 days

Check all that apply.

Diagnoses listed in parentheses are provided as examples and should not be considered as all-inclusive lists

Cancer

- I0100. Cancer (with or without metastasis)

Heart/Circulation

- I0200. Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)
- I0400. Coronary Artery Disease (CAD) (e.g., angina, myocardial infarction, and atherosclerotic heart disease (ASHD))
- I0600. Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)
- I0700. Hypertension
- I0800. Orthostatic Hypotension
- I0900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)

Gastrointestinal

- I1300. Ulcerative Colitis, Crohn's Disease, or Inflammatory Bowel Disease

Genitourinary

- I1500. Renal Insufficiency, Renal Failure, or End-Stage Renal Disease (ESRD)
- I1550. Neurogenic Bladder
- I1650. Obstructive Uropathy

Active Diagnoses in the last 7 days continued on next page

Section I - Active Diagnoses

Active Diagnoses in the last 7 days - Continued

Infections	
<input type="checkbox"/>	I1700. Multidrug-Resistant Organism (MDRO)
<input type="checkbox"/>	I2000. Pneumonia
<input type="checkbox"/>	I2100. Septicemia
<input type="checkbox"/>	I2200. Tuberculosis
<input type="checkbox"/>	I2300. Urinary Tract Infection (UTI) (LAST 30 DAYS)
<input type="checkbox"/>	I2400. Viral Hepatitis (e.g., Hepatitis A, B, C, D, and E)
<input type="checkbox"/>	I2500. Wound Infection (other than foot)
Metabolic	
<input type="checkbox"/>	I2900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)
<input type="checkbox"/>	I3100. Hyponatremia
<input type="checkbox"/>	I3200. Hyperkalemia
<input type="checkbox"/>	I3300. Hyperlipidemia (e.g., hypercholesterolemia)
Musculoskeletal	
<input type="checkbox"/>	I3900. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)
<input type="checkbox"/>	I4000. Other Fracture
Neurological	
<input type="checkbox"/>	I4200. Alzheimer's Disease
<input type="checkbox"/>	I4300. Aphasia
<input type="checkbox"/>	I4400. Cerebral Palsy
<input type="checkbox"/>	I4500. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke
<input type="checkbox"/>	I4800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases)
<input type="checkbox"/>	I4900. Hemiplegia or Hemiparesis
<input type="checkbox"/>	I5000. Paraplegia
<input type="checkbox"/>	I5100. Quadriplegia
<input type="checkbox"/>	I5200. Multiple Sclerosis (MS)
<input type="checkbox"/>	I5250. Huntington's Disease
<input type="checkbox"/>	I5300. Parkinson's Disease
<input type="checkbox"/>	I5350. Tourette's Syndrome
<input type="checkbox"/>	I5400. Seizure Disorder or Epilepsy
<input type="checkbox"/>	I5500. Traumatic Brain Injury (TBI)

Active Diagnoses in the last 7 days continued on next page

Section I - Active Diagnoses

Active Diagnoses in the last 7 days - Continued

Nutritional

I5600. **Malnutrition** (protein or calorie) or at risk for malnutrition

Psychiatric/Mood Disorder

I5700. **Anxiety Disorder**

I5800. **Depression** (other than bipolar)

I5900. **Bipolar Disorder**

I5950. **Psychotic Disorder** (other than schizophrenia)

I6000. **Schizophrenia** (e.g., schizoaffective and schizophreniform disorders)

I6100. **Post Traumatic Stress Disorder (PTSD)**

Pulmonary

I6200. **Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease** (e.g., chronic bronchitis and restrictive lung diseases such as asbestosis)

I6300. **Respiratory Failure**

None of Above

I7900. **None of the above active diagnoses** within the last 7 days

Other

I8000. **Additional active diagnoses**
Enter diagnosis on line and ICD code in boxes. Include the decimal for the code in the appropriate box.

A.	<input type="text"/>
B.	<input type="text"/>
C.	<input type="text"/>
D.	<input type="text"/>
E.	<input type="text"/>
F.	<input type="text"/>
G.	<input type="text"/>
H.	<input type="text"/>
I.	<input type="text"/>
J.	<input type="text"/>

Section J - Health Conditions

J0100. Pain Management

Complete for all residents, regardless of current pain level

At any time in the last 5 days, has the resident:

Enter Code

A. Received scheduled pain medication regimen?

- 0. No
- 1. Yes

Enter Code

B. Received PRN pain medications OR was offered and declined?

- 0. No
- 1. Yes

Enter Code

C. Received non-medication intervention for pain?

- 0. No
- 1. Yes

J0200. Should Pain Assessment Interview be Conducted?

Attempt to conduct interview with all residents. If resident is comatose, skip to J1100, Shortness of Breath (dyspnea)

Enter Code

- 0. No (resident is rarely/never understood) → Skip to and complete J0800, Indicators of Pain or Possible Pain
- 1. Yes → Continue to J0300, Pain Presence

Pain Assessment Interview

J0300. Pain Presence

Enter Code

Ask resident: ***“Have you had pain or hurting at any time in the last 5 days?”***

- 0. No → Skip to J1100, Shortness of Breath (dyspnea)
- 1. Yes → Continue to J0410, Pain Frequency
- 9. Unable to answer → Skip to J0800, Indicators of Pain or Possible Pain

J0410. Pain Frequency

Enter Code

Ask resident: ***“How much of the time have you experienced pain or hurting over the last 5 days?”***

- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 9. Unable to answer

J0510. Pain Effect on Sleep

Enter Code

Ask resident: ***“Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?”***

- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

J0520. Pain Interference with Therapy Activities

Enter Code

Ask resident: ***“Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?”***

- 0. Does not apply - I have not received rehabilitation therapy in the past 5 days
- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

Pain Assessment Interview continued on next page

Section J - Health Conditions

Pain Assessment Interview - Continued

J0530. Pain Interference with Day-to-Day Activities

Enter Code

Ask resident: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?"

1. Rarely or not at all
2. Occasionally
3. Frequently
4. Almost constantly
8. Unable to answer

J0600. Pain Intensity

Administer **ONLY ONE** of the following pain intensity questions (A or B)

Enter Rating

A. Numeric Rating Scale (00–10)

Ask resident: "Please rate your worst pain over the last 5 days on a zero to ten scale, with zero being no pain and ten as the worst pain you can imagine." (Show resident 00–10 pain scale)

Enter two-digit response. Enter 99 if unable to answer.

Enter Code

B. Verbal Descriptor Scale

Ask resident: "Please rate the intensity of your worst pain over the last 5 days." (Show resident verbal scale)

1. Mild
2. Moderate
3. Severe
4. Very severe, horrible
9. Unable to answer

J0700. Should the Staff Assessment for Pain be Conducted?

Enter Code

0. No (J0410 = 1 thru 4) → Skip to J1100, Shortness of Breath (dyspnea)
1. Yes (J0410 = 9) → Continue to J0800, Indicators of Pain or Possible Pain

Staff Assessment for Pain

J0800. Indicators of Pain or Possible Pain in the last 5 days

↓

Check all that apply

A. Non-verbal sounds (e.g., crying, whining, gasping, moaning, or groaning)

B. Vocal complaints of pain (e.g., that hurts, ouch, stop)

C. Facial expressions (e.g., grimaces, wincing, wrinkled forehead, furrowed brow, clenched teeth or jaw)

D. Protective body movements or postures (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement)

Z. None of these signs observed or documented → If checked, skip to J1100, Shortness of Breath (dyspnea)

J0850. Frequency of Indicator of Pain or Possible Pain in the last 5 days

Enter Code

Frequency with which resident complains or shows evidence of pain or possible pain

1. Indicators of pain or possible pain observed 1 to 2 days
2. Indicators of pain or possible pain observed 3 to 4 days
3. Indicators of pain or possible pain observed daily

Section J - Health Conditions

Other Health Conditions

J1100. Shortness of Breath (dyspnea)

↓ Check all that apply

- A. **Shortness of breath** or trouble breathing **with exertion** (e.g., walking, bathing, transferring)
- B. **Shortness of breath** or trouble breathing **when sitting at rest**
- C. **Shortness of breath** or trouble breathing **when lying flat**
- Z. **None of the above**

J1400. Prognosis

Enter Code

Does the resident have a condition or chronic disease that may result in a **life expectancy of less than 6 months?** (Requires physician documentation)

0. **No**
1. **Yes**

J1550. Problem Conditions

↓ Check all that apply

- A. **Fever**
- B. **Vomiting**
- C. **Dehydrated**
- D. **Internal bleeding**
- Z. **None of the above**

J1700. Fall History on Admission/Entry or Reentry

Complete only if A0310A = 01 or A0310E = 1

Enter Code

A. Did the resident have a fall any time in the **last month** prior to admission/entry or reentry?

0. **No**
1. **Yes**
9. **Unable to determine**

Enter Code

B. Did the resident have a fall any time in the **last 2–6 months** prior to admission/entry or reentry?

0. **No**
1. **Yes**
9. **Unable to determine**

Enter Code

C. Did the resident have any **fracture related to a fall in the 6 months** prior to admission/entry or reentry?

0. **No**
1. **Yes**
9. **Unable to determine**

J1800. Any Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent

Enter Code

Has the resident **had any falls since admission/entry or reentry or the prior assessment** (OBRA or Scheduled PPS), whichever is more recent?

0. **No** → Skip to J2000, Prior Surgery
1. **Yes** → Continue to J1900, Number of Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)

Section J - Health Conditions

J1900. Number of Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent

Coding:	↓	Enter Codes in Boxes
0. None	<input type="checkbox"/>	A. No injury - no evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the resident; no change in the resident's behavior is noted after the fall
1. One	<input type="checkbox"/>	B. Injury (except major) - skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the resident to complain of pain
2. Two or more	<input type="checkbox"/>	C. Major injury - bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma

J2000. Prior Surgery

Enter Code	Did the resident have major surgery during the 100 days prior to admission ?
<input type="checkbox"/>	0. No
	1. Yes
	8. Unknown

J2100. Recent Surgery Requiring Active SNF Care

Enter Code	Did the resident have a major surgical procedure during the prior inpatient hospital stay that requires active care during the SNF stay?
<input type="checkbox"/>	0. No
	1. Yes
	8. Unknown

Surgical Procedures

Complete only if J2100 = 1

↓	Check all that apply
Major Joint Replacement	
<input type="checkbox"/>	J2300. Knee Replacement - partial or total
<input type="checkbox"/>	J2310. Hip Replacement - partial or total
<input type="checkbox"/>	J2320. Ankle Replacement - partial or total
<input type="checkbox"/>	J2330. Shoulder Replacement - partial or total
Spinal Surgery	
<input type="checkbox"/>	J2400. Involving the spinal cord or major spinal nerves
<input type="checkbox"/>	J2410. Involving fusion of spinal bones
<input type="checkbox"/>	J2420. Involving lamina, discs, or facets
<input type="checkbox"/>	J2499. Other major spinal surgery

Surgical Procedures continued on next page

Section J - Health Conditions

Surgical Procedures - Continued

Complete only if J2100 = 1

↓ Check all that apply

Other Orthopedic Surgery

- J2500. Repair fractures of the shoulder (including clavicle and scapula) or arm (but not hand)
- J2510. Repair fractures of the pelvis, hip, leg, knee, or ankle (not foot)
- J2520. Repair but not replace joints
- J2530. Repair other bones (such as hand, foot, jaw)
- J2599. Other major orthopedic surgery

Neurological Surgery

- J2600. Involving the brain, surrounding tissue or blood vessels (excludes skull and skin but includes cranial nerves)
- J2610. Involving the peripheral or autonomic nervous system - open or percutaneous
- J2620. Insertion or removal of spinal or brain neurostimulators, electrodes, catheters, or CSF drainage devices
- J2699. Other major neurological surgery

Cardiopulmonary Surgery

- J2700. Involving the heart or major blood vessels - open or percutaneous procedures
- J2710. Involving the respiratory system, including lungs, bronchi, trachea, larynx, or vocal cords - open or endoscopic
- J2799. Other major cardiopulmonary surgery

Genitourinary Surgery

- J2800. Involving genital systems (such as prostate, testes, ovaries, uterus, vagina, external genitalia)
- J2810. Involving the kidneys, ureters, adrenal glands, or bladder - open or laparoscopic (includes creation or removal of nephrostomies or urostomies)
- J2899. Other major genitourinary surgery

Other Major Surgery

- J2900. Involving tendons, ligaments, or muscles
- J2910. Involving the gastrointestinal tract or abdominal contents from the esophagus to the anus, the biliary tree, gall bladder, liver, pancreas, or spleen - open or laparoscopic (including creation or removal of ostomies or percutaneous feeding tubes, or hernia repair)
- J2920. Involving the endocrine organs (such as thyroid, parathyroid), neck, lymph nodes, or thymus - open
- J2930. Involving the breast
- J2940. Repair of deep ulcers, internal brachytherapy, bone marrow or stem cell harvest or transplant
- J5000. Other major surgery not listed above

Section K - Swallowing/Nutritional Status

K0100. Swallowing Disorder

Signs and symptoms of possible swallowing disorder

↓ Check all that apply

- A. Loss of liquids/solids from mouth when eating or drinking
- B. Holding food in mouth/cheeks or residual food in mouth after meals
- C. Coughing or choking during meals or when swallowing medications
- D. Complaints of difficulty or pain with swallowing
- Z. None of the above

K0200. Height and Weight

While measuring, if the number is X.1–X.4 round down; X.5 or greater round up

Inches

--	--

- A. **Height** (in inches)
Record most recent height measure since the most recent admission/entry or reentry

Pounds

--	--	--

- B. **Weight** (in pounds)
Base weight on most recent measure in last 30 days; measure weight consistently, according to standard facility practice (e.g., in a.m. after voiding, before meal, with shoes off, etc.)

K0300. Weight Loss

Enter Code

--

- Loss of 5% or more in the last month or loss of 10% or more in last 6 months**
- 0. No or unknown
 - 1. Yes, on physician-prescribed weight-loss regimen
 - 2. Yes, not on physician-prescribed weight-loss regimen

K0310. Weight Gain

Enter Code

--

- Gain of 5% or more in the last month or gain of 10% or more in last 6 months**
- 0. No or unknown
 - 1. Yes, on physician-prescribed weight-gain regimen
 - 2. Yes, not on physician-prescribed weight-gain regimen

K0520. Nutritional Approaches

Check all of the following nutritional approaches that apply

1. On Admission	2. While Not a Resident	3. While a Resident	4. At Discharge		
Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B	Performed while NOT a resident of this facility and within the last 7 days Only check column 2 if resident entered (admission or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or more days ago, leave column 2 blank.	Performed while a resident of this facility and within the last 7 days	Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C		
Check all that apply					
		1. On Admission	2. While Not a Resident	3. While a Resident	4. At Discharge
A. Parenteral/IV feeding		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Feeding tube (e.g., nasogastric or abdominal (PEG))		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the above		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Section K - Swallowing/Nutritional Status

K0710. Percent Intake by Artificial Route

Complete K0710 only if Column 2 and/or Column 3 are checked for K0520A and/or K0520B

		Enter Codes	
		2. While a Resident	3. During Entire 7 Days
		Performed while a resident of this facility and within the last 7 days	Performed during the entire last 7 days
	A. Proportion of total calories the resident received through parenteral or tube feeding		
	1. 25% or less	<input type="checkbox"/>	<input type="checkbox"/>
	2. 26–50%		
	3. 51% or more		
	B. Average fluid intake per day by IV or tube feeding		
	1. 500 cc/day or less	<input type="checkbox"/>	<input type="checkbox"/>
	2. 501 cc/day or more		

Section L - Oral/Dental Status

L0200. Dental

↓ Check all that apply

- | | |
|--------------------------|---|
| <input type="checkbox"/> | A. Broken or loosely fitting full or partial denture (chipped, cracked, uncleanable, or loose) |
| <input type="checkbox"/> | F. Mouth or facial pain, discomfort or difficulty with chewing |

Section M - Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not “reverse” stage

M0100. Determination of Pressure Ulcer/Injury Risk

↓ Check all that apply

- A. Resident has a pressure ulcer/injury, a scar over bony prominence, or a non-removable dressing/device
- B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)
- C. Clinical assessment
- Z. None of the above

M0150. Risk of Pressure Ulcers/Injuries

Enter Code Is this resident at risk of developing pressure ulcers/injuries?

0. No
1. Yes

M0210. Unhealed Pressure Ulcers/Injuries

Enter Code Does this resident have one or more unhealed pressure ulcers/injuries?

0. No → Skip to M1030, Number of Venous and Arterial Ulcers
1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage

A. **Stage 1:** Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues

Enter Number 1. Number of Stage 1 pressure injuries

B. **Stage 2:** Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister

Enter Number 1. Number of Stage 2 pressure ulcers - If 0 → Skip to M0300C, Stage 3

Enter Number 2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

C. **Stage 3:** Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling

Enter Number 1. Number of Stage 3 pressure ulcers - If 0 → Skip to M0300D, Stage 4

Enter Number 2. Number of these Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

D. **Stage 4:** Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling

Enter Number 1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device

Enter Number 2. Number of these Stage 4 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry

M0300 continued on next page

Section M - Skin Conditions

M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued

E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device

Enter Number **1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device** - If 0 → Skip to M0300F, Unstageable - Slough and/or eschar

Enter Number **2. Number of these unstageable pressure ulcers/injuries that were present upon admission/entry or reentry** - enter how many were noted at the time of admission/entry or reentry

F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar

Enter Number **1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar** - If 0 → Skip to M0300G, Unstageable - Deep tissue injury

Enter Number **2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry** - enter how many were noted at the time of admission/entry or reentry

G. Unstageable - Deep tissue injury:

Enter Number **1. Number of unstageable pressure injuries presenting as deep tissue injury** - If 0 → Skip to M1030, Number of Venous and Arterial Ulcers

Enter Number **2. Number of these unstageable pressure injuries that were present upon admission/entry or reentry** - enter how many were noted at the time of admission/entry or reentry

M1030. Number of Venous and Arterial Ulcers

Enter Number **Enter the total number of venous and arterial ulcers present**

Section M - Skin Conditions

M1040. Other Ulcers, Wounds and Skin Problems

↓ Check all that apply

Foot Problems

- A. Infection of the foot (e.g., cellulitis, purulent drainage)
- B. Diabetic foot ulcer(s)
- C. Other open lesion(s) on the foot

Other Problems

- D. Open lesion(s) other than ulcers, rashes, cuts (e.g., cancer lesion)
- E. Surgical wound(s)
- F. Burn(s) (second or third degree)
- G. Skin tear(s)
- H. Moisture Associated Skin Damage (MASD) (e.g., incontinence-associated dermatitis (IAD), perspiration, drainage)

None of the Above

- Z. None of the above were present

M1200. Skin and Ulcer/Injury Treatments

↓ Check all that apply

- A. Pressure reducing device for chair
- B. Pressure reducing device for bed
- C. Turning/repositioning program
- D. Nutrition or hydration intervention to manage skin problems
- E. Pressure ulcer/injury care
- F. Surgical wound care
- G. Application of nonsurgical dressings (with or without topical medications) other than to feet
- H. Applications of ointments/medications other than to feet
- I. Application of dressings to feet (with or without topical medications)
- Z. None of the above were provided

Section N - Medications

N0300. Injections

Enter Days

Record the number of days that injections of any type were received during the last 7 days or since admission/entry or reentry if less than 7 days. If 0 → Skip to N0415, High-Risk Drug Classes: Use and Indication

N0350. Insulin

Enter Days

A. Insulin injections
Record the number of days that insulin injections were received during the last 7 days or since admission/entry or reentry if less than 7 days

Enter Days

B. Orders for insulin
Record the number of days the physician (or authorized assistant or practitioner) changed the resident's insulin orders during the last 7 days or since admission/entry or reentry if less than 7 days

N0415. High-Risk Drug Classes: Use and Indication

1. Is taking

2. Indication noted

Check if the resident is taking any medications by pharmacological classification, not how it is used, during the last 7 days or since admission/entry or reentry if less than 7 days

If Column 1 is checked, check if there is an indication noted for all medications in the drug class

Check all that apply

1. Is taking

2. Indication noted

	1. Is taking	2. Indication noted
A. Antipsychotic	<input type="checkbox"/>	<input type="checkbox"/>
B. Antianxiety	<input type="checkbox"/>	<input type="checkbox"/>
C. Antidepressant	<input type="checkbox"/>	<input type="checkbox"/>
D. Hypnotic	<input type="checkbox"/>	<input type="checkbox"/>
E. Anticoagulant (e.g., warfarin, heparin, or low-molecular weight heparin)	<input type="checkbox"/>	<input type="checkbox"/>
F. Antibiotic	<input type="checkbox"/>	<input type="checkbox"/>
G. Diuretic	<input type="checkbox"/>	<input type="checkbox"/>
H. Opioid	<input type="checkbox"/>	<input type="checkbox"/>
I. Antiplatelet	<input type="checkbox"/>	<input type="checkbox"/>
J. Hypoglycemic (including insulin)	<input type="checkbox"/>	<input type="checkbox"/>
K. Anticonvulsant	<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the above	<input type="checkbox"/>	

Section N - Medications

N2001. Drug Regimen Review

Enter Code

Did a complete drug regimen review identify potential clinically significant medication issues?

- 0. **No** - No issues found during review
- 1. **Yes** - Issues found during review
- 9. **N/A** - Resident is not taking any medications

N2003. Medication Follow-up

Complete only if N2001 = 1

Enter Code

Did the facility contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues?

- 0. **No**
- 1. **Yes**

N2005. Medication Intervention

Complete only if A0310H = 1

Enter Code

Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission?

- 0. **No**
- 1. **Yes**
- 9. **N/A** - There were no potential clinically significant medication issues identified since admission or resident is not taking any medications

Section O - Special Treatments, Procedures, and Programs

00110. Special Treatments, Procedures, and Programs

Check all of the following treatments, procedures, and programs that were performed

a. On Admission	b. While a Resident	c. At Discharge
Assessment period is days 1 through 3 of the SNF PPS Stay starting with A2400B	Performed while a resident of this facility and within the last 14 days	Assessment period is the last 3 days of the SNF PPS Stay ending on A2400C
Check all that apply		
	a. On Admission	b. While a Resident
		c. At Discharge
Cancer Treatments		
A1. Chemotherapy	<input type="checkbox"/>	<input type="checkbox"/>
A2. IV	<input type="checkbox"/>	<input type="checkbox"/>
A3. Oral	<input type="checkbox"/>	<input type="checkbox"/>
A10. Other	<input type="checkbox"/>	<input type="checkbox"/>
B1. Radiation	<input type="checkbox"/>	<input type="checkbox"/>
Respiratory Treatments		
C1. Oxygen therapy	<input type="checkbox"/>	<input type="checkbox"/>
C2. Continuous	<input type="checkbox"/>	<input type="checkbox"/>
C3. Intermittent	<input type="checkbox"/>	<input type="checkbox"/>
C4. High-concentration	<input type="checkbox"/>	<input type="checkbox"/>
D1. Suctioning	<input type="checkbox"/>	<input type="checkbox"/>
D2. Scheduled	<input type="checkbox"/>	<input type="checkbox"/>
D3. As needed	<input type="checkbox"/>	<input type="checkbox"/>
E1. Tracheostomy care	<input type="checkbox"/>	<input type="checkbox"/>
F1. Invasive Mechanical Ventilator (ventilator or respirator)	<input type="checkbox"/>	<input type="checkbox"/>
G1. Non-invasive Mechanical Ventilator	<input type="checkbox"/>	<input type="checkbox"/>
G2. BiPAP	<input type="checkbox"/>	<input type="checkbox"/>
G3. CPAP	<input type="checkbox"/>	<input type="checkbox"/>
Other		
H1. IV Medications	<input type="checkbox"/>	<input type="checkbox"/>
H2. Vasoactive medications	<input type="checkbox"/>	<input type="checkbox"/>
H3. Antibiotics	<input type="checkbox"/>	<input type="checkbox"/>
H4. Anticoagulant	<input type="checkbox"/>	<input type="checkbox"/>
H10. Other	<input type="checkbox"/>	<input type="checkbox"/>
I1. Transfusions	<input type="checkbox"/>	<input type="checkbox"/>
J1. Dialysis	<input type="checkbox"/>	<input type="checkbox"/>
J2. Hemodialysis	<input type="checkbox"/>	<input type="checkbox"/>
J3. Peritoneal dialysis	<input type="checkbox"/>	<input type="checkbox"/>
K1. Hospice care	<input type="checkbox"/>	<input type="checkbox"/>
M1. Isolation or quarantine for active infectious disease (does not include standard body/fluid precautions)	<input type="checkbox"/>	<input type="checkbox"/>
O1. IV Access	<input type="checkbox"/>	<input type="checkbox"/>
O2. Peripheral	<input type="checkbox"/>	<input type="checkbox"/>
O3. Midline	<input type="checkbox"/>	<input type="checkbox"/>
O4. Central (e.g., PICC, tunneled, port)	<input type="checkbox"/>	<input type="checkbox"/>
None of the Above		
Z1. None of the above	<input type="checkbox"/>	<input type="checkbox"/>

Section O - Special Treatments, Procedures, and Programs

00250. Influenza Vaccine

Refer to current version of RAI manual for current influenza vaccination season and reporting period

Enter Code

A. Did the resident receive the influenza vaccine in this facility for this year's influenza vaccination season?

- 0. **No** → Skip to O0250C, If influenza vaccine not received, state reason
- 1. **Yes** → Continue to O0250B, Date influenza vaccine received

B. Date influenza vaccine received → Complete date and skip to O0300A, Is the resident's Pneumococcal vaccination up to date?

		-			-			
Month			Day			Year		

Enter Code

C. If influenza vaccine not received, state reason:

- 1. **Resident not in this facility** during this year's influenza vaccination season
- 2. **Received outside of this facility**
- 3. **Not eligible** - medical contraindication
- 4. **Offered and declined**
- 5. **Not offered**
- 6. **Inability to obtain influenza vaccine** due to a declared shortage
- 9. **None of the above**

00300. Pneumococcal Vaccine

Enter Code

A. Is the resident's Pneumococcal vaccination up to date?

- 0. **No** → Continue to O0300B, If Pneumococcal vaccine not received, state reason
- 1. **Yes** → Skip to O0350, Resident's COVID-19 vaccination is up to date

Enter Code

B. If Pneumococcal vaccine not received, state reason:

- 1. **Not eligible** - medical contraindication
- 2. **Offered and declined**
- 3. **Not offered**

00350. Resident's COVID-19 vaccination is up to date

Enter Code

- 0. **No**, resident is not up to date
- 1. **Yes**, resident is up to date

00390. Therapy Services

Indicate therapies administered for at least 15 minutes a day on one or more days in the last 7 days

↓

Check all that apply

A. Speech-Language Pathology and Audiology Services

B. Occupational Therapy

C. Physical Therapy

D. Respiratory Therapy

E. Psychological Therapy

Z. None of the above

Section O - Special Treatments, Procedures, and Programs

00400. Therapies

Complete only if O0390D is checked

D. Respiratory Therapy

Enter Number of Days

2. **Days** - record the **number of days** this therapy was administered for **at least 15 minutes** a day in the last 7 days

00425. Part A Therapies

Complete only if A0310H = 1

A. Speech-Language Pathology and Audiology Services

Enter Number of Minutes

1. **Individual minutes** - record the total number of minutes this therapy was administered to the resident **individually** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

2. **Concurrent minutes** - record the total number of minutes this therapy was administered to the resident **concurrently with one other resident** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

3. **Group minutes** - record the total number of minutes this therapy was administered to the resident as **part of a group of residents** since the start date of the resident's most recent Medicare Part A stay (A2400B)

If the sum of individual, concurrent, and group minutes is zero, → skip to O0425B, Occupational Therapy

Enter Number of Minutes

4. **Co-treatment minutes** - record the total number of minutes this therapy was administered to the resident in **co-treatment sessions** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Days

5. **Days** - record the **number of days** this therapy was administered for **at least 15 minutes** a day since the start date of the resident's most recent Medicare Part A stay (A2400B)

B. Occupational Therapy

Enter Number of Minutes

1. **Individual minutes** - record the total number of minutes this therapy was administered to the resident **individually** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

2. **Concurrent minutes** - record the total number of minutes this therapy was administered to the resident **concurrently with one other resident** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

3. **Group minutes** - record the total number of minutes this therapy was administered to the resident as **part of a group of residents** since the start date of the resident's most recent Medicare Part A stay (A2400B)

If the sum of individual, concurrent, and group minutes is zero, → skip to O0425C, Physical Therapy

Enter Number of Minutes

4. **Co-treatment minutes** - record the total number of minutes this therapy was administered to the resident in **co-treatment sessions** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Days

5. **Days** - record the **number of days** this therapy was administered for **at least 15 minutes** a day since the start date of the resident's most recent Medicare Part A stay (A2400B)

00425 continued on next page

Section O - Special Treatments, Procedures, and Programs

00425. Part A Therapies - Continued

C. Physical Therapy

Enter Number of Minutes

--	--	--	--

- Individual minutes** - record the total number of minutes this therapy was administered to the resident **individually** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

--	--	--	--

- Concurrent minutes** - record the total number of minutes this therapy was administered to the resident **concurrently with one other resident** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Minutes

--	--	--	--

- Group minutes** - record the total number of minutes this therapy was administered to the resident as **part of a group of residents** since the start date of the resident's most recent Medicare Part A stay (A2400B)

If the sum of individual, concurrent, and group minutes is zero, → skip to O0430, Distinct Calendar Days of Part A Therapy

Enter Number of Minutes

--	--	--	--

- Co-treatment minutes** - record the total number of minutes this therapy was administered to the resident in **co-treatment sessions** since the start date of the resident's most recent Medicare Part A stay (A2400B)

Enter Number of Days

--	--

- Days** - record the **number of days** this therapy was administered for **at least 15 minutes** a day since the start date of the resident's most recent Medicare Part A stay (A2400B)

00430. Distinct Calendar Days of Part A Therapy

Complete only if A0310H = 1

Enter Number of Days

--	--

Record the number of **calendar days** that the resident received Speech-Language Pathology and Audiology Services, Occupational Therapy, or Physical Therapy for **at least 15 minutes** since the start date of the resident's most recent Medicare Part A stay (A2400B)

00500. Restorative Nursing Programs

Record the **number of days** each of the following restorative programs was performed for **at least 15 minutes a day** in the last 7 calendar days (enter 0 if none or less than 15 minutes daily)

Technique

↓ Number of Days

A. Range of motion (passive)

B. Range of motion (active)

C. Splint or brace assistance

Training and Skill Practice In:

↓ Number of Days

D. Bed mobility

E. Transfer

F. Walking

G. Dressing and/or grooming

H. Eating and/or swallowing

I. Amputation/prostheses care

J. Communication

Section P - Restraints and Alarms

P0100. Physical Restraints

Physical restraints are any manual method or physical or mechanical device, material or equipment attached or adjacent to the resident's body that the individual cannot remove easily which restricts freedom of movement or normal access to one's body

Coding:	↓	Enter Codes in Boxes
0. Not used		Used in Bed
1. Used less than daily	<input type="checkbox"/>	A. Bed rail
2. Used daily	<input type="checkbox"/>	B. Trunk restraint
	<input type="checkbox"/>	C. Limb restraint
	<input type="checkbox"/>	D. Other
		Used in Chair or Out of Bed
	<input type="checkbox"/>	E. Trunk restraint
	<input type="checkbox"/>	F. Limb restraint
	<input type="checkbox"/>	G. Chair prevents rising
	<input type="checkbox"/>	H. Other

Section Q - Participation in Assessment and Goal Setting

Q0110. Participation in Assessment and Goal Setting

Identify all active participants in the assessment process

↓ Check all that apply

- A. Resident
- B. Family
- C. Significant other
- D. Legal guardian
- E. Other legally authorized representative
- Z. None of the above

Q0310. Resident's Overall Goal

Complete only if A0310E = 1

Enter Code

- A. Resident's overall goal for discharge established during the assessment process**
1. Discharge to the community
 2. Remain in this facility
 3. Discharge to another facility/institution
 9. Unknown or uncertain

Enter Code

- B. Indicate information source for Q0310A**
1. Resident
 2. Family
 3. Significant other
 4. Legal guardian
 5. Other legally authorized representative
 9. None of the above

Q0400. Discharge Plan

Enter Code

- A. Is active discharge planning already occurring for the resident to return to the community?**
0. No
 1. Yes → Skip to Q0610, Referral

Q0490. Resident's Documented Preference to Avoid Being Asked Question Q0500B

Complete only if A0310A = 02, 06, or 99

Enter Code

- Does resident's clinical record document a request that this question (Q0500B) be asked only on a comprehensive assessment?**
0. No
 1. Yes → Skip to Q0610, Referral

Q0500. Return to Community

Enter Code

- B. Ask the resident (or family or significant other or guardian or legally authorized representative only if resident is unable to understand or respond): "Do you want to talk to someone about the possibility of leaving this facility and returning to live and receive services in the community?"**
0. No
 1. Yes
 9. Unknown or uncertain

Enter Code

- C. Indicate information source for Q0500B**
1. Resident
 2. Family
 3. Significant other
 4. Legal guardian
 5. Other legally authorized representative
 9. None of the above

Section Q - Participation in Assessment and Goal Setting**Q0550. Resident's Preference to Avoid Being Asked Question Q0500B**

Enter Code

- A. Does resident** (or family or significant other or guardian or legally authorized representative **only** if resident is unable to understand or respond) **want to be asked about returning to the community on all assessments?** (Rather than on comprehensive assessments alone)
0. **No** - then document in resident's clinical record and ask again only on the next comprehensive assessment
 1. **Yes**
 8. **Information not available**

Enter Code

- C. Indicate information source for Q0550A**
1. **Resident**
 2. **Family**
 3. **Significant other**
 4. **Legal guardian**
 5. **Other legally authorized representative**
 9. **None of the above**

Q0610. Referral

Enter Code

- A. Has a referral been made to the Local Contact Agency (LCA)?**
0. **No**
 1. **Yes**

Q0620. Reason Referral to Local Contact Agency (LCA) Not Made

Complete only if Q0610 = 0

Enter Code

- Indicate reason why referral to LCA was not made**
1. **LCA unknown**
 2. **Referral previously made**
 3. **Referral not wanted**
 4. **Discharge date 3 or fewer months away**
 5. **Discharge date more than 3 months away**

Section R - Health-Related Social Needs

Complete only if A2300 minus A1900 is less than 366 days.

R0310. Living Situation

Enter Code

What is your living situation today?

- 0. I have a steady place to live
- 1. I have a place to live today, but *I am worried* about losing it in the future
- 2. I do not have a steady place to live
- 7. Resident declines to respond
- 8. Resident unable to respond

R0320. Food

Enter Code

A. Within the past 12 months, you worried that your food would run out before you got money to buy more.

- 0. Often true → Skip to R0330, Utilities
- 1. Sometimes true → Skip to R0330, Utilities
- 2. Never true
- 7. Resident declines to respond
- 8. Resident unable to respond

Enter Code

B. Within the past 12 months, the food you bought just didn't last and you didn't have money to get more.

- 0. Often true
- 1. Sometimes true
- 2. Never true
- 7. Resident declines to respond
- 8. Resident unable to respond

R0330. Utilities

Enter Code

In the past 12 months, has the electric, gas, oil, or water company threatened to shut off services in your home?

- 0. Yes
- 1. No
- 2. Already shut off
- 7. Resident declines to respond
- 8. Resident unable to respond

R0340. Transportation

Enter Code

In the past 12 months, has lack of reliable transportation kept you from medical appointments, meetings, work or from getting things needed for daily living?

- 0. Yes
- 1. No
- 7. Resident declines to respond
- 8. Resident unable to respond

*Items R0310 and R0340 have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was developed and is owned by the National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association of Asian Pacific Community Health Organizations (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit www.prapare.org. Item R0320 is based on E. R. Hager, A. M. Quigg, M. M. Black, et al., "Development and Validity of a 2-Item Screen to Identify Families at Risk for Food Insecurity," *Pediatrics*, vol. 126, no. 1 (2010), pp. 26–32; doi:10.1542/peds.2009-3146. Item R0330 is based on J. T. Cook, D. A. Frank, P. H. Casey, et al., "A Brief Indicator of Household Energy Security: Associations with Food Security, Child Health, and Child Development in US Infants and Toddlers," *Pediatrics*, vol. 122, no. 4 (2008), pp. 867–75; doi:10.1542/peds.2008-0286. All items used with permission.*



Section X - Correction Request

X0600. Type of Assessment (A0310 on existing record to be modified/inactivated)

Enter Code

- A. Federal OBRA Reason for Assessment**
01. **Admission** assessment (required by day 14)
 02. **Quarterly** review assessment
 03. **Annual** assessment
 04. **Significant change in status** assessment
 05. **Significant correction to prior comprehensive** assessment
 06. **Significant correction to prior quarterly** assessment
 99. **None of the above**

Enter Code

- B. PPS Assessment**
- PPS Scheduled Assessment for a Medicare Part A Stay**
01. **5-day** scheduled assessment
- PPS Unscheduled Assessment for a Medicare Part A Stay**
08. **IPA** - Interim Payment Assessment
- Not PPS Assessment**
99. **None of the above**

Enter Code

- F. Entry/discharge reporting**
01. **Entry** tracking record
 10. **Discharge** assessment - **return not anticipated**
 11. **Discharge** assessment - **return anticipated**
 12. **Death in facility** tracking record
 99. **None of the above**

Enter Code

- H. Is this a SNF Part A PPS Discharge Assessment?**
0. **No**
 1. **Yes**

X0700. Date on existing record to be modified/inactivated Complete one only

- A. Assessment Reference Date** (A2300 on existing record to be modified/inactivated) - Complete only if X0600F = 99

- -
 Month Day Year

- B. Discharge Date** (A2000 on existing record to be modified/inactivated) - Complete only if X0600F = 10, 11, or 12

- -
 Month Day Year

- C. Entry Date** (A1600 on existing record to be modified/inactivated) - Complete only if X0600F = 01

- -
 Month Day Year

Section Z - Assessment Administration

Z0100. Medicare Part A Billing

A. Medicare Part A HIPPS code:

--	--	--	--	--	--	--	--	--	--

B. Version code:

--	--	--	--	--	--	--	--	--	--	--	--

Z0200. State Medicaid Billing (if required by the state)

A. Case Mix group:

--	--	--	--	--	--	--	--	--	--	--

B. Version code:

--	--	--	--	--	--	--	--	--	--	--

Z0250. Alternate State Medicaid Billing (if required by the state)

A. Case Mix group:

--	--	--	--	--	--	--	--	--	--	--

B. Version code:

--	--	--	--	--	--	--	--	--	--	--

Z0300. Insurance Billing

A. Billing code:

--	--	--	--	--	--	--	--	--	--

B. Billing version:

--	--	--	--	--	--	--	--	--	--

Section Z - Assessment Administration

Z0400. Signature of Persons Completing the Assessment or Entry/Death Reporting

I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.

Signature	Title	Sections	Date Section Completed
A.			
B.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			

Z0500. Signature of RN Assessment Coordinator Verifying Assessment Completion

A. Signature:

B. Date RN Assessment Coordinator signed assessment as complete:

		-			-				
Month			Day			Year			

Legal Notice Regarding MDS 3.0 - Copyright 2011 United States of America and InterRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9; Confusion Assessment Method. © 1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Inouye SK et al. Ann Intern Med. 1990; 113:941-8. Questions on transportation and housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), for which the National Association of Community Health Centers (NACHC) holds the copyright. Questions on food are adapted from Hager, E. R., et al., Pediatrics 2010; 126(1):26-32. Question on utilities is adapted from Cook, J.T., et al., Pediatrics 2008; 122(4):867-85. Pfizer Inc., the Hospital Elder Life Program, LLC, NACHC, and Pediatrics have granted permission to use these instruments in association with the MDS 3.0. All rights reserved.