

**HEDIS® MEASUREMENT YEAR (MY) 2023 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2024 Reporting)**

**3.1 HEADER RECORD**

**Note:** Include one header row per file as the first record.

**Column 1:** Record Identifier—use the tilde (~) character to start the line.  
**Column 2-6:** CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).  
**Column 7-66:** Organization Name—as reported to NCQA for summary-level data submission.  
**Column 67-71:** Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

**\*Due to the addition of 5-digit submission IDs, please follow the guidelines below:**

Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

**Example:** In columns 67 – 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

**Column 72-638:** Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;  
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2024.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2023 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-11		11	MBI - A beneficiary's Medicare Beneficiary Identifier	<p>MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes.</p> <p>The MBI must be a continuous string, with no hyphens or embedded spaces.</p> <p>For a list of valid MBI formats, please refer to 'HEDIS_MY_2023_Patient_Level_Data_File_Specifications_File_1_of_2.docx.'</p> <p>This field is mandatory—do not leave blank.</p>
12-35		24	Last Name. A beneficiary's individual Last Name	<p>The Last Name must be filled by no more than 24 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
36-50		15	First Name. A beneficiary's individual First Name	<p>The First Name must be filled by no more than 15 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
51-72		22	City. A beneficiary's individual City of residence	<p>The City must be filled by no more than 22 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
73-74		2	State. A beneficiary's individual State of residence	<p>The State must be filled with the postal code (ex. Maryland would be MD).</p> <p>This field is mandatory—do not leave blank.</p>
75-79		5	Zip Code. A beneficiary's individual Zip Code	<p>The Zip Code must be filled with 5 digits.</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.</p>
80		1	Sex. A beneficiary's gender assigned at birth	<p>Enter:</p> <p>'F' if this member is female</p> <p>'M' if this member is male</p> <p>'O' if the member refused to provide gender</p> <p>This field is mandatory—do not leave blank.</p>
81-88		8	Birth Date. A beneficiary's individual Birth Date	<p>The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970)</p> <p>No characters other than numbers are allowed</p> <p>This field is mandatory—do not leave blank.</p>
89-91		3	Plan ID Number. A beneficiary's assigned plan benefit number	<p>The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134).</p> <p>NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.</p>
92		1	SNP Enrollee Type. SNP benefit package at end of measurement year	<p>Enter:</p> <p>'0' if this member is NOT enrolled in an SNP plan benefit package</p> <p>'1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package</p> <p>'2' if this member is enrolled in an INSTITUTIONAL SNP benefit package</p> <p>'3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package</p>
93-94		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	Each member should have an MMC value between 0 and 12
95 COL		1	Denominator for Colorectal Cancer Screening (COL): 46-50 years	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
96 COL		1	Numerator for Colorectal Cancer Screening (COL) : 46-50 years	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
97 COL		1	Denominator for Colorectal Cancer Screening (COL): 51-75 years	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
98 COL		1	Numerator for Colorectal Cancer Screening (COL) : 51-75 years	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
99 OMW		1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
100 OMW		1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
101 CBP		1	Denominator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
102 CBP		1	Numerator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
103	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
104	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
105	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
106	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
107-108	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
109-110	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
111-112	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
113-114	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
115-116	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
117-118	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
119-120	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
121-122	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
123-124	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
125-126	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
127-128	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
129-130	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
131	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
132	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
133	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
134	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
135	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
136	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
137	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
138	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
139	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
140	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
141	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
142	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
143	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
144	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
145	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
146	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
147	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
149	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
150-151	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
152-153	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
154-155	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
156-157	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
158-159	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
160-161	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
162-163	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
164-165	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
166-167	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168-169	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
170-171	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
172-173	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174-175	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
176-177	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
178-179	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180-181	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
182-183	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
184-185	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186-187	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
188-189	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
190-191	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
192-193	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
194-195	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
196-197	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
198-199	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
200-201	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
202-203	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
204	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
205	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
206	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
207	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
208	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
209	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
210	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
211	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
212	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
213	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
214	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
215	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
216	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
217	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
218	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
219	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
220-222	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
223-234	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
235-246	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
247-258	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
259-270	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
271	EDU	1	Emergency Department Utilization (EDU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
272	EDU	1	Emergency Department Utilization (EDU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
273-275	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
276-287	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
288-299	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
300-311	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
312-323	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
324	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
325	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
326	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
327	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
328	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
329	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
330-331	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
332-333	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
334-335	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
336-347	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
348-359	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
360-371	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
372-383	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
384-395	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
396-407	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
408-419	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
420-431	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
432-443	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
444-455	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
456-467	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
468-479	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
480-481	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
482-483	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
484-485	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
486-487	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
488-489	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
490-491	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
492-493	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
494-495	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
496-497	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
498-499	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
500-501	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
502-503	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
504-505	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
506-507	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
508-509	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
510	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
511	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
512	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
513	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
514	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
515	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
516-517	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator



COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
518-519	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
520-521	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
522-523	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
524-525	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
526-527	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
528-529	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
530-531	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
532-533	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
534-535	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
536-537	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
538-539	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
540-541	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
542-543	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
544-545	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
546-547	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
548-549	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
550-551	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
552-553	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
554-555	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
556	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
557	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
558	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
559	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
560	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
561	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
562	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
563	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
564	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
565	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
566	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
567	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
568	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
569	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
570	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
571	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
572	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
573	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
574	OSW	1	Denominator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
575	OSW	1	Numerator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
576	BPD	1	Denominator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
577	BPD	1	Numerator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
578	HBD	1	Denominator for Hemoglobin A1c Control for Patients With Diabetes (HBD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
579	HBD	1	Numerator for Hemoglobin A1c Control for Patients With Diabetes (HBD): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
580	HBD	1	Numerator for Hemoglobin A1c Control for Patients With Diabetes (HBD): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
581	EED	1	Denominator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
582	EED	1	Numerator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
583-584	POD	2	Denominator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
585-586	POD	2	Numerator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
587	BCS-E	1	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
588	BCS-E	1	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
589	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
590	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
591	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
592	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
593	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
594	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
595	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
596	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
597	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 19-65 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
598	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 19-65 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
599	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 19-65 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
600	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
601	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
602	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
603	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 50-65 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
604	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 50-65years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
605	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
606	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
607	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Pneumococcal, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
608	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Pneumococcal, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

12

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
632	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Transportation Screening, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
633	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Food Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
634	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Food Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
635	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Housing Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
636	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Housing Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
637	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Transportation Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
638	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Transportation Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing