

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1190

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Patient has one or more skin conditions | Asmt | | Code | 1 | 833-833 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|------------|
| 0 | | No |
| 1 | | Yes |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|--------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Diabetic foot ulcer(s) | Asmt | | Checklist | 1 | 834-834 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Open lesion(s) | Asmt | | Checklist | 1 | 835-835 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195C

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Pressure Ulcer(s)/Injuries | Asmt | | Checklist | 1 | 836-836 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195D

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Rash(es) | Asmt | | Checklist | 1 | 837-837 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195E

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Skin tear(s) | Asmt | | Checklist | 1 | 838-838 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195F

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Surgical wound(s) | Asmt | | Checklist | 1 | 839-839 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195G

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Ulcers (not diabetic or pressure) | Asmt | | Checklist | 1 | 840-840 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195H

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Skin Condition - Moisture Associated Skin Damage | Asmt | | Checklist | 1 | 841-841 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1195Z

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------------|------------|------------|-----------|------------|------------------------------|
| Skin Condition - None of the above | Asmt | | Checklist | 1 | 842-842 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3094 | None of above | Fatal | (a) If M1195Z=[0], then at least one item from M1195A through M1195H must equal [1]. (b) If M1195Z=[1], then all items from M1195A through M1195H must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200A

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatments - Pressure reducing device for chair | Asmt | | Checklist | 1 | 843-843 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200B

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatments - Pressure reducing device for bed | Asmt | | Checklist | 1 | 844-844 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200C

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatments - Turning/repositioning program | Asmt | | Checklist | 1 | 845-845 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200D

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatments - Nutrition or hydration intervention | Asmt | | Checklist | 1 | 846-846 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200E

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatments - Pressure ulcer/injury care | Asmt | | Checklist | 1 | 847-847 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200F

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Treatments - Surgical wound care | Asmt | | Checklist | 1 | 848-848 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200G

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatments - Apply nonsurgical dressings-not feet | Asmt | | Checklist | 1 | 849-849 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200H

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatments - Apply ointments/meds (not feet) | Asmt | | Checklist | 1 | 850-850 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200I

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatments - Application of dressings to feet | Asmt | | Checklist | 1 | 851-851 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200J

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| Treatments - Incontinence Management | Asmt | | Checklist | 1 | 852-852 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |

HOPE Data Submission Specifications (V1.00.0)

Detailed Data Specifications Report

Section: M

Item ID: M1200Z

| Item Label | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Treatments - None of the above | Asmt | | Checklist | 1 | 853-853 |

Item Subsets

Active: HA,HUV
Inactive: HD,XX

Item Values

| Value | LOINC Code | Value Text |
|-------|------------|----------------------|
| 0 | | Unchecked (No) |
| 1 | | Checked (Yes) |
| ^ | | Blank (skip pattern) |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|---------------|----------|---|
| -3009 | Format | Fatal | Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |
| -3093 | Skip pattern | Fatal | (a) If M1190=[0], then M1195A through M1200Z must equal [^]. (b) If M1190=[1], then M1195A through M1200Z must not equal [^]. |
| -3095 | None of above | Fatal | (a) If M1200Z=[0], then at least one item from M1200A through M1200J must equal [1]. (b) If M1200Z=[1], then all items from M1200A through M1200J must equal [0]. |