# Data Submission Specifications for the IRF-PAI (V5.00.1)
## Detailed Data Specifications Report
## Section: Identification

**Item ID:  1A**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---|---|---|---|---|---|
| R1A | Facility Name | Asmt | Text | 50 | 539-588 |

**Item Values**

| Value | Value Text |
|---|---|
| Nonblank Text | Facility Name |

**Item Edits**

| Edit ID | Edit Type | Severity | Edit Text |
|---|---|---|---|
| -1014 | Consistency | Fatal | Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record. |
| -1024 | Consistency | Warning | Facility information updated: Submitted values for the item(s) listed are not the same as the values in the CMS National database. The database has been updated. |
| -1008 | Format | Fatal | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: This nonblank text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period), [_] (underscore), [&] (ampersand), [ ] (embedded space(s)). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed. |
| -5156 | Format | Fatal | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. |

**Version Changes**

| Type | ID | Description |
|---|---|---|
| Format | -1008 | [V5.00.0]-Mapped new item A1110A. |
| Format | -5156 | [V5.00.0]-New edit. |
| Consistency | -1024 | [V5.00.1]-Revised edit text from 'QIES database' to 'CMS National database.' |

**Item ID:  1B**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|-----------|-----------|-----------|------------------|
| R1B | CMS Certification Number (CCN) | Asmt | Text | 12 | 589-600 |

### Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | CMS Certification Number (CCN) |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1014 | Consistency | Fatal | Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record. |
| -1015 | Consistency | Warning | CCN Mismatch: The CCN submitted (1B) on the assessment does not match the CCN stored in the CMS National database for the facility. Please contact the IQIES help desk. |
| -1006 | Format | Fatal | Formatting of Alphanumeric Text Items: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z]. |
| -1023 | Format | Fatal | Invalid CCN length: The CMS Certification Number (CCN) (1B) must be exactly 6 characters. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1006 | [V5.00.1]-Revised error description to add 'Formatting of Alphanumeric Text Items.' |
| Consistency | -1015 | [V5.00.1]-Revised edit text 'QIES ASAP system' to 'CMS National database,'  and 'help desk' to 'IQIES help desk.' |

**Item ID: 2**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|-----------|------------------------|
| R2 | Patient Medicare Number | Asmt | Text | 12 | 601-612 |

### Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | Patient Medicare number |
| ^ | No Information |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated.  Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1109 | Consistency | Fatal | Inconsistent 2/20A/20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then the Patient Medicare number (2) cannot be skipped with value of "No information" [^]. |
| -1006 | Format | Fatal | Formatting of Alphanumeric Text Items: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z]. |
| -1131 | Format | Fatal | Incorrect Medicare Beneficiary Identifier (MBI):  This item must conform to the format defined below: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters:  S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1006 | [V5.00.1]-Revised error description to add 'Formatting of Alphanumeric Text Items.' |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted. [V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID: 3**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|------------|------------------------|
| R3 | Patient Medicaid Number | Asmt | Text | 14 | 613-626 |

## Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | Patient Medicaid number |
| + | Enter "+" if Medicaid application is pending |
| ^ | No information |

## Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated. Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1006 | Format | Fatal | Formatting of Alphanumeric Text Items: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z]. |

## Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1006 | [V5.00.1]-Revised error description to add 'Formatting of Alphanumeric Text Items.' |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted. [V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID: 4**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|------------|------------------------|
| R4 | Patient First Name | Asmt | Text | 12 | 627-638 |

### Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | Patient first name |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1014 | Consistency | Fatal | Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record. |
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in theCMS National database. The database has been updated. Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1008 | Format | Fatal | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: This nonblank text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period), [_] (underscore), [&] (ampersand), [ ] (embedded space(s)). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed. |
| -5156 | Format | Fatal | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1008 | [V5.00.0]-Mapped new item A1110A. |
| Format | -5156 | [V5.00.0]-New edit. |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted. [V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID:  5A**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|-----------|------------------------|
| R5A | Patient Last Name | Asmt | Text | 18 | 639-656 |

### Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | Patient last name |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1014 | Consistency | Fatal | Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record. |
| -1030 | Consistency | Warning | Patient Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident has been updated. |
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated.  Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1008 | Format | Fatal | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: This nonblank text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period), [_] (underscore), [&] (ampersand), [ ] (embedded space(s)). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed. |
| -5156 | Format | Fatal | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1008 | [V5.00.0]-Mapped new item A1110A. |
| Format | -5156 | [V5.00.0]-New edit. |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted.<br>[V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

# Data Submission Specifications for the IRF-PAI (V5.00.1)
## Detailed Data Specifications Report
## Section: Identification

**Item ID: 6**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---|---|---|---|---|---|
| R6 | Birth Date | Asmt | Date | 8 | 657-664 |

### Item Values

| Value | Value Text |
|---|---|
| YYYYMMDD | Patient birth date |
| YYYYMM | Patient birth date (if day of month is unknown) |
| YYYY | Patient birth date (if month and day unknown) |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---|---|---|---|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated. Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1046 | Consistency | Fatal | Date Too Old: This date is more than 140 years in the past. This date cannot be more than 140 years in the past. |
| -1047 | Consistency | Fatal | Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE) |
| -1012 | Format | Fatal | Formatting of Birthdate: This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101". If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901". If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY and must be zero filled, where necessary. For example, 1909 must be submitted as "1909" and 1900 must be submitted as "1900". |

## Version Changes

| Type | ID | Description |
| --- | --- | --- |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted.<br>[V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID: 7**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---|---|---|---|---|---|
| R7 | Social Security Number (SSN) | Asmt | Text | 9 | 665-673 |

### Item Values

| Value | Value Text |
|---|---|
| Nonblank Text | Patient Social Security Number (SSN) |
| ^ | No information |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---|---|---|---|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated.  Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1007 | Format | Fatal | Formatting of Numeric Text Items:<br>If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9]. |
| -1108 | Format | Fatal | Invalid SSN: If the value is not equal to "No information" [^], it must be 9 characters long, the first three characters must not be equal to [000], and the value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999]. |

### Version Changes

| Type | ID | Description |
|---|---|---|
| Format | -1007 | [V5.00.1]-Revised error description to add 'Formatting of Numeric Text Items.' |
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted.<br>[V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID: 8**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---|---|---|---|---|---|
| R8 | Gender | Asmt | Code | 1 | 674-674 |

### Item Values

| Value | Value Text |
|---|---|
| 1 | Male |
| 2 | Female |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---|---|---|---|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated. Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

### Version Changes

| Type | ID | Description |
|---|---|---|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C. |

Mapped the following new items:  A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2, D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A, O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C,

O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.
[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.

| | | |
|---|---|---|
| Consistency | -1031 | [V5.00.0]-Deleted mappings to items 9A-F, since those items were deleted.<br>[V5.00.1]-Updated edit text from 'QIES ASAP system' to 'CMS National database.' |

**Item ID:  10**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|------------|------------|-----------|------------|------------------------|
| R10 | Marital Status | Asmt | Code | 2 | 681-682 |

**Item Values**

| Value | Value Text |
|-------|------------|
| 01 | Never Married |
| 02 | Married |
| 03 | Widowed |
| 04 | Separated |
| 05 | Divorced |
| ^ | No information |

**Item Edits**

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

**Version Changes**

| Type | ID | Description |
|------|----|----|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C. |

Mapped the following new items:  A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2, D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A, O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C,

O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, 2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.

[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.

**Item ID:  11**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|-----------|-----------|-----------|------------------------|
| R11 | ZIP Code of Patient's Pre-hospital Residence | Asmt | Text | 5 | 683-687 |

### Item Values

| Value | Value Text |
|-------|-----------|
| Nonblank Text | Zip code, country abbreviation |
| ^ | No information |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -5156 | Format | Fatal | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -5156 | [V5.00.0]-New edit. |

**Item ID: 12**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|------------|------------------------|
| R12 | Admission Date | Asmt | Date | 8 | 688-695 |

### Item Values

| Value | Value Text |
|-------|-----------|
| YYYYMMDD | Admission Date |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1047 | Consistency | Fatal | Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows:<br>Birth Date (6) <=<br>Date of Onset (23) <=<br>Admission Date (12) <=<br>Assessment Reference Date (13) <=<br>Discharge Date (40) <=<br>Submission Date (SUBMISSION_DATE) |
| -1053 | Consistency | Fatal | Inconsistent Admission date: Admission Date (12) should be later than 1980. |
| -1060 | Consistency | Warning | Inconsistent 12/13: The Assessment Reference Date (13) usually must be two days later than the Admission Date (12). |
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^].<br>Admission Date (12) <=<br>1st Interruption Date (43A) <=<br>1st Return Date (43B) <=<br>2nd Interruption Date (43C) <=<br>2nd Return Date (43D) <=<br>3rd Interruption Date (43E) <=<br>3rd Return Date (43F) <=<br>Discharge Date (40) |
| -5083 | Consistency | Fatal | Incomplete Stay Skip Pattern:<br>(a) IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3. |

(b) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]) AND (Discharge Date (40) minus Admission Date (12) >= 3 days), then the following items must not equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3.

| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

## Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Consistency | -5083 | [V5.00.1]-Added subedit b. |

**Item ID:  13**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---|---|---|---|---|---|
| R13 | Assessment Reference Date | Asmt | Date | 8 | 696-703 |

### Item Values

| Value | Value Text |
|---|---|
| YYYYMMDD | Assessment Reference Date |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---|---|---|---|
| -1047 | Consistency | Fatal | Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE) |
| -1060 | Consistency | Warning | Inconsistent 12/13: The Assessment Reference Date (13) usually must be two days later than the Admission Date (12). |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

**Item ID: 14**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|------------|------------------------|
| R14 | Admission Class | Asmt | Code | 2 | 704-705 |

### Item Values

| Value | Value Text |
|-------|-----------|
| 01 | Initial Rehab |
| 02 | Evaluation |
| 03 | Readmission |
| 04 | Unplanned Discharge |
| 05 | Continuing Rehabilitation |
| ^ | No information |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C. |

Mapped the following new items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2, D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A, O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C,

O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.

[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.

# Data Submission Specifications for the IRF-PAI (V5.00.1)
## Detailed Data Specifications Report
## Section: Identification

**Item ID: 15A**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|-----------|-----------|-----------|------------------------|
| R15A | Admit From | Asmt | Code | 2 | 1128-1129 |

**Item Values**

| Value | Value Text |
|-------|-----------|
| 01 | Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) |
| 02 | Short-term General Hospital |
| 03 | Skilled Nursing Facility (SNF) |
| 04 | Intermediate Care |
| 06 | Home under care of organized home health service organization |
| 50 | Hospice (Home) |
| 51 | Hospice (medical facility) |
| 61 | Swing bed |
| 62 | Another Inpatient Rehabilitation Facility |
| 63 | Long-Term Care Hospital (LTCH) |
| 64 | Medicaid Nursing Facility |
| 65 | Inpatient Psychiatric Facility |
| 66 | Critical Access Hospital (CAH) |
| 99 | Not Listed |

**Item Edits**

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

**Version Changes**

| Type | ID | Description |
|------|-----|-------------|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C.<br>Mapped the following new items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2, D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, |

N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A, O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C, O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.

[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.

**Item ID:  16A**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|------------|------------|-----------|------------|------------------------|
| R16A | Pre-hospital Living Setting | Asmt | Code | 2 | 1130-1131 |

### Item Values

| Value | Value Text |
|-------|------------|
| 01 | Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) |
| 02 | Short-term General Hospital |
| 03 | Skilled Nursing Facility (SNF) |
| 04 | Intermediate Care |
| 06 | Home under care of organized home health service organization |
| 50 | Hospice (Home) |
| 51 | Hospice (medical facility) |
| 61 | Swing bed |
| 62 | Another Inpatient Rehabilitation Facility |
| 63 | Long-Term Care Hospital (LTCH) |
| 64 | Medicaid Nursing Facility |
| 65 | Inpatient Psychiatric Facility |
| 66 | Critical Access Hospital (CAH) |
| 99 | Not Listed |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1105 | Consistency | Fatal | Inconsistent 16A/17: If Pre-Hospital Living Setting (16A) is equal to [01], then Pre_Hospital Living With (17) cannot be skipped [^]. If Pre-hospital Living Setting (16A) is not equal to [01], then Pre_Hospital Living With (17) must be skipped [^]. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C. |

Mapped the following new items:  A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2,

# Data Submission Specifications for the IRF-PAI (V5.00.1)
## Detailed Data Specifications Report
## Section: Identification

D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A, O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C, O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.

[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.

**Item ID: 17**

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------|------------|-----------|------------|------------------------|
| R17 | Pre-Hospital Living With | Asmt | Code | 2 | 710-711 |

### Item Values

| Value | Value Text |
|-------|-----------|
| 01 | Alone |
| 02 | Family/Relatives |
| 03 | Friends |
| 04 | Attendant |
| 05 | Other |
| ^ | Skipped |

### Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|-----------|
| -1105 | Consistency | Fatal | Inconsistent 16A/17: If Pre-Hospital Living Setting (16A) is equal to [01], then Pre_Hospital Living With (17) cannot be skipped [^]. If Pre-hospital Living Setting (16A) is not equal to [01], then Pre_Hospital Living With (17) must be skipped [^]. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

### Version Changes

| Type | ID | Description |
|------|-----|-------------|
| Format | -1010 | [V5.00.0]-Unmapped items O0100N, 9A, 9B, 9C, 9D, 9E, 9F, K0110A, K0110B, and K0110C. |

Mapped the following new items: A1005A, A1005B, A1005C, A1005D, A1005E, A1005X, A1010A, A1010B, A1010C, A1010D, A1010E, A1010F, A1010G, A1010H, A1010I, A1010J, A1010K, A1010L, A1010M, A1010N, A1010X, A1110B, A1250A_1, A1250B_1, A1250C_1, A1250X_1, A1250A_2, A1250B_2, A1250C_2, A1250X_2, B0200, B1000, B1300_1, B1300_2, C1310A_1, C1310B_1, C1310C_1, C1310D_1, C1310A_2, C1310B_2, C1310C_2, C1310D_2, D0150A1_1, D0150A1_2, D0150A2_1, D0150A2_2, D0150B1_1, D0150B1_2, D0150B2_1, D0150B2_2, D0150C1_1, D0150C1_2, D0150C2_1, D0150C2_2, D0150D1_1, D0150D1_2, D0150D2_1, D0150D2_2, D0150E1_1, D0150E1_2, D0150E2_1, D0150E2_2, D0150F1_1, D0150F1_2, D0150F2_1, D0105F2_2, D0150G1_1, D0150G1_2, D0150G2_1, G0150G2_2, D0150H1_1, D0150H1_2, D0150H2_1, D0150H2_2, D0150I1_1, D0150I1_2, D0150I2_1, D0150I2_2, D0160_1, D0160_2, D0700_1, D0700_2, J0510_1, J0510_2, J0520_1, J0520_2, J0530_1, J0530_2, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1_1, N0415A1_2, N0415A2_1, N0415A2_2, N0415E1_1, N0415E1_2, N0415E2_1, N0415E2_2, N0415F1_1, N0415F1_2, N0415F2_1, N0415F2_2, N0415H1_1, N0415H1_2, N0415H2_1, N0415H2_2, N0415I1_1, N0415I1_2, N0415I2_1, N0415I2_2, N0415J1_1, N0415J1_2, N0415J2_1, N0415J2_2, N0415Z1_1, N0415Z1_2, O0110A1A, O0110A1C, O0110A2A, O0110A2C O0110A3A, O0110A3C, O0110A10A, O0110A10C, O0110B1A, O0110B1C, O0110C1A, O0110C1C, O0110C2A, O0110C2C, O0110C3A, O0110C3C, O0110C4A, O0110C4C, O0110D1A, O0110D1C, O0110D2A, O0110D2C, O0110D3A, O0110D3C, O0110E1A, O0110E1C, O0110F1A, O0110F1C, O0110G1A, O0110G1C, O0110G2A, O0110G2C, O0110G3A, O0110G3C, O0110H1A, O0110H1C, O0110H2A, O0110H2C, O0110H3A, O0110H3C, O0110H4A, O0110H4C, O0110H10A,

O0110H10C, O0110I1A, O0110I1C, O0110J1A, O0110J1C, O0110J2A, O0110J2C, O0110J3A, O0110J3C, O0110O1A, O0110O1C, O0110O2A, O0110O2C, O0110O3A, O01103C, O0110O4A, O0110O4C, O0110Z1A, O0110Z1C, A2121, A2122A, A2122B, A2122C, A2122D, A2122E, A2123, A2124A, A2124B, A2124C, A2124D, A2124E, C0100_2, C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.

[V5.00.1] - Mapped the following items: A1005Y, A1010Y, A1010Z, A1250Y_1, A1250Y_2, K0520A4, K0520A5, K0520B4, K0520B5, K0520C4, K0520C5, K0520D4, K0520D5, K0520Z4, K0520Z5.  Removed mapping to A1110A.