

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 40

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|----------------|------------|-----------|------------|------------------------|
| R40 | Discharge Date | Asmt | Date | 8 | 996-1003 |

Item Values

| Value | Value Text |
|----------|----------------|
| YYYYMMDD | Discharge Date |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1031 | Consistency | Warning | Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the CMS National database. The database has been updated. Note that the Death Date in the CMS National database will be updated with the value in Item 40 (Discharge Date) when item 44C (Was the patient discharged alive) is equal to No (0). |
| -1047 | Consistency | Fatal | Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE) |
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -5083 | Consistency | Fatal | Incomplete Stay Skip Pattern: (a) IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

GG0170I3, GG0170M3, GG0170P3, GG0170Q3.

(b) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]) AND (Discharge Date (40) minus Admission Date (12) >= 3 days), then the following items must not equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3.

-1045

Format

Fatal

Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 41

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R41 | Patient Discharged Against Medical Advice | Asmt | Code | 1 | 1004-1004 |

Item Values

| Value | Value Text |
|-------|------------|
| 0 | No |
| 1 | Yes |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -5083 | Consistency | Fatal | Incomplete Stay Skip Pattern: (a) IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3. (b) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]) AND (Discharge Date (40) minus Admission Date (12) >= 3 days), then the following items must not equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3. |
| -5165 | Consistency | Fatal | (a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. (b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -1010 | [V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B. |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 42

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------------------------|------------|-----------|------------|------------------------|
| R42 | Program Interruption(s) Indicator | Asmt | Code | 1 | 1005-1005 |

Item Values

| Value | Value Text |
|-------|------------|
| 0 | No |
| 1 | Yes |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1116 | Consistency | Fatal | Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to [1] (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No information" [^]. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -1010 | [V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B. |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43A

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------------|------------|-----------|------------|------------------------|
| R43A | 1st Interruption Date | Asmt | Date | 8 | 1006-1013 |

Item Values

| Value | Value Text |
|----------|-----------------------|
| YYYYMMDD | 1st Interruption Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1116 | Consistency | Fatal | Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to [1] (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

2nd Interruption Date (43C) and 2nd Return Date (43D)

3rd Interruption Date (43E) and 3rd Return Date (43F)

-1045

Format

Fatal

Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43B

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------|------------|-----------|------------|------------------------|
| R43B | 1st Return Date | Asmt | Date | 8 | 1014-1021 |

Item Values

| Value | Value Text |
|----------|-----------------|
| YYYYMMDD | 1st Return Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F) |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: Discharge Information

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43C

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------------|------------|-----------|------------|------------------------|
| R43C | 2nd Interruption Date | Asmt | Date | 8 | 1022-1029 |

Item Values

| Value | Value Text |
|----------|-----------------------|
| YYYYMMDD | 2nd Interruption Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F) |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: Discharge Information

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43D

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------|------------|-----------|------------|------------------------|
| R43D | 2nd Return Date | Asmt | Date | 8 | 1030-1037 |

Item Values

| Value | Value Text |
|----------|-----------------|
| YYYYMMDD | 2nd Return Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F) |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: Discharge Information

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43E

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------------|------------|-----------|------------|------------------------|
| R43E | 3rd Interruption Date | Asmt | Date | 8 | 1038-1045 |

Item Values

| Value | Value Text |
|----------|-----------------------|
| YYYYMMDD | 3rd Interruption Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F) |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: Discharge Information

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 43F

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------|------------|-----------|------------|------------------------|
| R43F | 3rd Return Date | Asmt | Date | 8 | 1046-1053 |

Item Values

| Value | Value Text |
|----------|-----------------|
| YYYYMMDD | 3rd Return Date |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1114 | Consistency | Fatal | Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^]. Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40) |
| -1115 | Consistency | Fatal | Inconsistent Skip Pattern: If Program Interruption(s) (42) is equal to [0] (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^]. |
| -1117 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^]. 1st Interruption Date (43A) 1st Return Date (43B) 2nd Interruption Date (43C) 2nd Return Date (43D) 3rd Interruption Date (43E) 3rd Return Date (43F) |
| -1118 | Consistency | Fatal | Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^]. 1st Interruption Date (43A) and 1st Return Date (43B) 2nd Interruption Date (43C) and 2nd Return Date (43D) 3rd Interruption Date (43E) and 3rd Return Date (43F) |
| -1045 | Format | Fatal | Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)
Detailed Data Specifications Report
Section: Discharge Information

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 44C

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|--------------------------|------------|-----------|------------|------------------------|
| R44C | Patient Discharged Alive | Asmt | Code | 1 | 1257-1257 |

Item Values

| Value | Value Text |
|-------|------------|
| 0 | No |
| 1 | Yes |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1102 | Consistency | Fatal | Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C) = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^]. |
| -5083 | Consistency | Fatal | Incomplete Stay Skip Pattern: (a) IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3. (b) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]) AND (Discharge Date (40) minus Admission Date (12) >= 3 days), then the following items must not equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3. |
| -5163 | Consistency | Fatal | (a) If 44C=[0], then the following items must equal [^]: A2121, A2123. |
| -5165 | Consistency | Fatal | (a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. (b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -1010 | [V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B. |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 44D

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|-----------------------------|------------|-----------|------------|------------------------|
| R44D | Discharge to Living Setting | Asmt | Code | 2 | 1259-1260 |

Item Values

| Value | Value Text |
|-------|---|
| 01 | Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) |
| 02 | Short-term General Hospital |
| 03 | Skilled Nursing Facility (SNF) |
| 04 | Intermediate Care |
| 06 | Home under care of organized home health service organization |
| 50 | Hospice (Home) |
| 51 | Hospice (medical facility) |
| 61 | Swing bed |
| 62 | Another Inpatient Rehabilitation Facility |
| 63 | Long-Term Care Hospital (LTCH) |
| 64 | Medicaid Nursing Facility |
| 65 | Inpatient Psychiatric Facility |
| 66 | Critical Access Hospital (CAH) |
| 99 | Not Listed |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1101 | Consistency | Fatal | Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^]. |
| -1102 | Consistency | Fatal | Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^]. |
| -5083 | Consistency | Fatal | Incomplete Stay Skip Pattern: |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

(a) IF (44D=[02, 63, 65, 66]) OR (41=[1]) OR (44C=[0]) OR (Discharge Date (40) minus Admission Date (12) < 3 days), then the following items must equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3.

(b) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]) AND (Discharge Date (40) minus Admission Date (12) >= 3 days), then the following items must not equal [^]: GG0130A3, GG0130B3, GG0130C3, GG0130E3, GG0130F3, GG0130G3, GG0130H3, GG0170A3, GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170G3, GG0170I3, GG0170M3, GG0170P3, GG0170Q3.

-5164 Consistency Fatal

(a) IF 44D = [01,99], then A2121 must equal [^] and A2123 must not equal [^].

(b) IF 44D = [02,03,04,06,50,51,61,62,63,64,65,66], then A2121 must not equal [^] and A2123 must equal [^].

-5165 Consistency Fatal

(a) IF (44D=[02,63,65,66]) OR (14=[04]) OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.

(b) IF (44D=[01,03,04,06,50,51,61,62,64,99]) AND (14=[01,03,05,^]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.

-1010 Format Fatal

Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.

Version Changes

| Type | ID |
|--------|-------|
| Format | -1010 |

Description

[V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B.

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 45

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|--------------------------|------------|-----------|------------|------------------------|
| R45 | Discharge to Living With | Asmt | Code | 2 | 1057-1058 |

Item Values

| Value | Value Text |
|-------|------------------|
| 01 | Alone |
| 02 | Family/Relatives |
| 03 | Friends |
| 04 | Attendant |
| 05 | Other |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|---|
| -1101 | Consistency | Fatal | Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^]. |
| -1102 | Consistency | Fatal | Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C = [1]), then Discharge to Living Setting (44D) must not be skipped with value of "No information" [^]. |
| -1010 | Format | Fatal | Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values. |

Version Changes

| Type | ID | Description |
|--------|-------|--|
| Format | -1010 | [V5.02.0]-Added mappings to new items A1400A-A1400K, A1400X, A1400Y, O0350. Removed mappings to the following deleted items: GG0130A2, GG0130B2, GG0130C2, GG0130E2, GG0130F2, GG0130G2, GG0130H2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2, 20A, 20B. |

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 46

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|--|------------|-----------|------------|------------------------|
| R46 | Diagnosis for Interruption or Death (ICD Code) | Asmt | ICD | 8 | 1059-1066 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-----------|----------|--------------------------|
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47A

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47A | Complication during rehab stay 1 (ICD Code) | Asmt | ICD | 8 | 1067-1074 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47B

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47B | Complication during rehab stay 2 (ICD Code) | Asmt | ICD | 8 | 1075-1082 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47C

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47C | Complication during rehab stay 3 (ICD Code) | Asmt | ICD | 8 | 1083-1090 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47D

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47D | Complication during rehab stay 4 (ICD Code) | Asmt | ICD | 8 | 1091-1098 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47E

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47E | Complication during rehab stay 5 (ICD Code) | Asmt | ICD | 8 | 1099-1106 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].

Data Submission Specifications for the IRF-PAI (V5.02.0)

Detailed Data Specifications Report

Section: Discharge Information

Item ID: 47F

| XML Tag | Item Label | Item Group | Item Type | Max Length | Fixed Format Start-End |
|---------|---|------------|-----------|------------|------------------------|
| R47F | Complication during rehab stay 6 (ICD Code) | Asmt | ICD | 8 | 1107-1114 |

Item Values

| Value | Value Text |
|-------|----------------|
| ICD | Valid ICD Code |
| ^ | No information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text |
|---------|-------------|----------|--|
| -1113 | Consistency | Fatal | Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^]. |
| -1100 | Format | Fatal | Formatting of ICD Items: |

If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character. An entirely blank ICD-10 item must be submitted as a single ^.

Other formatting rules are as follows:

- Character 1 must be alphabetic.
- Character 2 must be numeric [0-9].
- Character 3 must be numeric [0-9] or alphabetic [A-Z, a-z].
- Character 4 must be a decimal point.
- Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z, a-z], or caret [^].
- If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].