

Item ID: O0110A1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Admission)	Asmt		Checklist	1	3363-3363

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-]. (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110A1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4006	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110A1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (14 days)	Asmt		Checklist	1	3364-3364

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110A1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110A1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Discharge)	Asmt		Checklist	1	3365-3365

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-]. (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110A1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4013	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110A2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Admission)	Asmt		Checklist	1	3366-3366

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-]. (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110A2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4006	[V3.01.0]-New edit.

Item ID: O0110A2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Discharge)	Asmt		Checklist	1	3367-3367

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-]. (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110A2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4013	[V3.01.0]-New edit.

Item ID: O0110A3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Admission)	Asmt		Checklist	1	3368-3368

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-]. (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110A3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4006	[V3.01.0]-New edit.

Item ID: O0110A3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Discharge)	Asmt		Checklist	1	3369-3369

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-]. (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110A3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4013	[V3.01.0]-New edit.

Item ID: O0110A10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Admission)	Asmt		Checklist	1	3361-3361

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4006	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-]. (d) If O0110A1A=[^], then all active items from O0110A2A through O0110A10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110A10A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4006	[V3.01.0]-New edit.

Item ID: O0110A10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Discharge)	Asmt		Checklist	1	3362-3362

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4013	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-]. (d) If O0110A1C=[^], then all active items from O0110A2C through O0110A10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110A10C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4013	[V3.01.0]-New edit.

Item ID: O0110B1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Admission)	Asmt		Checklist	1	3370-3370

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

Version Changes

Type	ID	Description
Item	O0110B1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110B1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (14 days)	Asmt		Checklist	1	3371-3371

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110B1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110B1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Discharge)	Asmt		Checklist	1	3372-3372

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110B1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110C1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Admission)	Asmt		Checklist	1	3373-3373

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-]. (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110C1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4007	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110C1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (14 days)	Asmt		Checklist	1	3374-3374

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110C1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110C1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Discharge)	Asmt		Checklist	1	3375-3375

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-]. (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110C1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4014	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110C2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Admission)	Asmt		Checklist	1	3376-3376

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-]. (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

Version Changes

Type	ID	Description
Item	O0110C2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4007	[V3.01.0]-New edit.

Item ID: O0110C2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Discharge)	Asmt		Checklist	1	3377-3377

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-]. (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

Version Changes

Type	ID	Description
Item	O0110C2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4014	[V3.01.0]-New edit.

Item ID: O0110C3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Admission)	Asmt		Checklist	1	3378-3378

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-]. (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

Version Changes

Type	ID	Description
Item	O0110C3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4007	[V3.01.0]-New edit.

Item ID: O0110C3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Discharge)	Asmt		Checklist	1	3379-3379

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-]. (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

Version Changes

Type	ID	Description
Item	O0110C3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4014	[V3.01.0]-New edit.

Item ID: O0110C4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Admission)	Asmt		Checklist	1	3380-3380

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4007	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-]. (d) If O0110C1A=[^], then all active items from O0110C2A through O0110C4A must equal [^].

Version Changes

Type	ID	Description
Item	O0110C4A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4007	[V3.01.0]-New edit.

Item ID: O0110C4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Discharge)	Asmt		Checklist	1	3381-3381

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4014	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and all remaining item must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-]. (d) If O0110C1C=[^], then all active items from O0110C2C through O0110C4C must equal [^].

Version Changes

Type	ID	Description
Item	O0110C4C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4014	[V3.01.0]-New edit.

Item ID: O0110D1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Admission)	Asmt		Checklist	1	3382-3382

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0]. (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-]. (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110D1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4008	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110D1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (14 days)	Asmt		Checklist	1	3383-3383

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110D1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110D1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Discharge)	Asmt		Checklist	1	3384-3384

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0]. (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-]. (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110D1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4015	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110D2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Admission)	Asmt		Checklist	1	3385-3385

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0]. (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-]. (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110D2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4008	[V3.01.0]-New edit.

Item ID: O0110D2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Discharge)	Asmt		Checklist	1	3386-3386

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0]. (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-]. (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110D2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4015	[V3.01.0]-New edit.

Item ID: O0110D3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Admission)	Asmt		Checklist	1	3387-3387

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4008	Consistency	Fatal	(a) If O0110D1A=[0], then the following items O0110D2A and O0110D3A must equal [0]. (b) If O0110D1A=[1], then at least one of the following items O0110D2A and O0110D3A must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1A=[-], then the following items O0110D2A and O0110D3A must equal [-]. (d) If O0110D1A=[^], then the following items O0110D2A and O0110D3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110D3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4008	[V3.01.0]-New edit.

Item ID: O0110D3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Discharge)	Asmt		Checklist	1	3388-3388

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4015	Consistency	Fatal	(a) If O0110D1C=[0], then the following items O0110D2C and O0110D3C must equal [0]. (b) If O0110D1C=[1], then at least one of the following items O0110D2C and O0110D3C must equal [1], and the remaining item must equal [0,1]. (c) If O0110D1C=[-], then the following items O0110D2C and O0110D3C must equal [-]. (d) If O0110D1C=[^], then the following items O0110D2C and O0110D3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110D3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4015	[V3.01.0]-New edit.

Item ID: O0110E1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Admission)	Asmt		Checklist	1	3389-3389

Item Subsets

Active: NC,NQ,NP,SP
 Inactive: ND,NT,NPE,IPA,SD,ST,XX
 State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

Version Changes

Type	ID	Description
Item	O0110E1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110E1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (14 days)	Asmt		Checklist	1	3390-3390

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110E1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110E1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Discharge)	Asmt		Checklist	1	3391-3391

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110E1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110F1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Admis)	Asmt		Checklist	1	3392-3392

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

Version Changes

Type	ID	Description
Item	O0110F1A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Skip pattern	-4062	[V3.01.0]-New edit.

Item ID: O0110F1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (14day)	Asmt		Checklist	1	3393-3393

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110F1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110F1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Disch)	Asmt		Checklist	1	3394-3394

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110F1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110G1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Admis)	Asmt		Checklist	1	3395-3395

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0]. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-]. (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110G1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4009	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110G1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (14day)	Asmt		Checklist	1	3396-3396

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110G1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110G1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Disch)	Asmt		Checklist	1	3397-3397

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0]. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-]. (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

-4021 None of above Fatal

(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

(b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

(c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110G1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4016	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110G2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Admission)	Asmt		Checklist	1	3398-3398

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0]. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-]. (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110G2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4009	[V3.01.0]-New edit.

Item ID: O0110G2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Discharge)	Asmt		Checklist	1	3399-3399

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0]. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-]. (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110G2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4016	[V3.01.0]-New edit.

Item ID: O0110G3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Admission)	Asmt		Checklist	1	3400-3400

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4009	Consistency	Fatal	(a) If O0110G1A=[0], then O0110G2A and O0110G3A must equal [0]. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then O0110G2A and O0110G3A must equal [-]. (d) If O0110G1A=[^], then O0110G2A and O0110G3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110G3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4009	[V3.01.0]-New edit.

Item ID: O0110G3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Discharge)	Asmt		Checklist	1	3401-3401

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4016	Consistency	Fatal	(a) If O0110G1C=[0], then O0110G2C and O0110G3C must equal [0]. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then O0110G2C and O0110G3C must equal [-]. (d) If O0110G1C=[^], then O0110G2C and O0110G3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110G3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4016	[V3.01.0]-New edit.

Item ID: O0110H1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Admission)	Asmt		Checklist	1	3404-3404

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-]. (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110H1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4010	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110H1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (14 days)	Asmt		Checklist	1	3405-3405

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110H1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110H1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Discharge)	Asmt		Checklist	1	3406-3406

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-]. (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110H1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4017	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110H2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Admission)	Asmt		Checklist	1	3407-3407

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-]. (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110H2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4010	[V3.01.0]-New edit.

Item ID: O0110H2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Discharge)	Asmt		Checklist	1	3408-3408

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-]. (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110H2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4017	[V3.01.0]-New edit.

Item ID: O0110H3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Admission)	Asmt		Checklist	1	3409-3409

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-]. (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110H3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4010	[V3.01.0]-New edit.

Item ID: O0110H3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Discharge)	Asmt		Checklist	1	3410-3410

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD
Inactive: NT,IPA,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-]. (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110H3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4017	[V3.01.0]-New edit.

Item ID: O0110H4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Admission)	Asmt		Checklist	1	3411-3411

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-]. (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110H4A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4010	[V3.01.0]-New edit.

Item ID: O0110H4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Discharge)	Asmt		Checklist	1	3412-3412

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-]. (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110H4C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4017	[V3.01.0]-New edit.

Item ID: O0110H10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Admission)	Asmt		Checklist	1	3402-3402

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4010	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one active item from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-]. (d) If O0110H1A=[^], then all active items from O0110H2A through O0110H10A must equal [^].

Version Changes

Type	ID	Description
Item	O0110H10A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4010	[V3.01.0]-New edit.

Item ID: O0110H10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Discharge)	Asmt		Checklist	1	3403-3403

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4017	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-]. (d) If O0110H1C=[^], then all active items from O0110H2C through O0110H10C must equal [^].

Version Changes

Type	ID	Description
Item	O0110H10C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4017	[V3.01.0]-New edit.

Item ID: O0110I1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Admission)	Asmt		Checklist	1	3413-3413

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

Version Changes

Type	ID	Description
Item	O0110I1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110I1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (14 days)	Asmt		Checklist	1	3414-3414

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110I1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O01101C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Discharge)	Asmt		Checklist	1	3415-3415

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110I1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110J1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Admission)	Asmt		Checklist	1	3416-3416

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0]. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-]. (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110J1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4011	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110J1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (14 days)	Asmt		Checklist	1	3417-3417

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110J1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110J1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Discharge)	Asmt		Checklist	1	3418-3418

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0]. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-]. (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110J1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4018	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0110J2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Admission)	Asmt		Checklist	1	3419-3419

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0]. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-]. (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110J2A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4011	[V3.01.0]-New edit.

Item ID: O0110J2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Discharge)	Asmt		Checklist	1	3420-3420

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0]. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-]. (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110J2C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4018	[V3.01.0]-New edit.

Item ID: O0110J3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Admission)	Asmt		Checklist	1	3421-3421

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4011	Consistency	Fatal	(a) if O0110J1A=[0], then O0110J2A and O0110J3A must equal [0]. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then O0110J2A and O0110J3A must equal [-]. (d) If O0110J1A=[^], then O0110J2A and O0110J3A must equal [^].

Version Changes

Type	ID	Description
Item	O0110J3A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4011	[V3.01.0]-New edit.

Item ID: O0110J3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Discharge)	Asmt		Checklist	1	3422-3422

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4018	Consistency	Fatal	(a) if O0110J1C=[0], then O0110J2C and O0110J3C must equal [0]. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining item must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then O0110J2C and O0110J3C must equal [-]. (d) If O0110J1C=[^], then O0110J2C and O0110J3C must equal [^].

Version Changes

Type	ID	Description
Item	O0110J3C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4018	[V3.01.0]-New edit.

Item ID: O0110K1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hospice care (14 days)	Asmt		Checklist	1	3423-3423

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110K1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110M1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Isolation - Infectious Disease (14 days)	Asmt		Checklist	1	3424-3424

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110M1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O011001A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Admission)	Asmt		Checklist	1	3425-3425

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-]. (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.

-4020 None of above Fatal

(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

(c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

Version Changes

Type	ID	Description
Item	O0110O1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4012	[V3.01.0]-New edit.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O011001B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (14 days)	Asmt		Checklist	1	3426-3426

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O011001B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O011001C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Discharge)	Asmt		Checklist	1	3427-3427

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-]. (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.

- 4021 None of above Fatal
- (a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.
- (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110O1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.
Consistency	-3908	[V3.01.1]-Mapping to the following item was deleted: O0450A. [V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4019	[V3.01.0]-New edit.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O011002A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Admission)	Asmt		Checklist	1	3428-3428

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-]. (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

Version Changes

Type	ID	Description
Item	O011002A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4012	[V3.01.0]-New edit.

Item ID: O011002C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Discharge)	Asmt		Checklist	1	3429-3429

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-]. (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].

Version Changes

Type	ID	Description
Item	O011002C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4019	[V3.01.0]-New edit.

Item ID: O011003A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Midline (Admission)	Asmt		Checklist	1	3430-3430

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-]. (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

Version Changes

Type	ID	Description
Item	O011003A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4012	[V3.01.0]-New edit.

Item ID: 0011003C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Midline (Discharge)	Asmt		Checklist	1	3431-3431

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If 0011001C=[0], then all active items from 0011002C through 0011004C must equal [0]. (b) If 0011001C=[1], then at least one active item from 0011002C through 0011004C must equal [1], and all remaining items must equal [0,1]. (c) If 0011001C=[-], then all active items from 0011002C through 0011004C must equal [-]. (d) If 0011001C=[^], then all active items from 0011002C through 0011004C must equal [^].

Version Changes

Type	ID	Description
Item	0011003C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4019	[V3.01.0]-New edit.

Item ID: O011004A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Admission)	Asmt		Checklist	1	3432-3432

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4012	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one active item from O011002A through O011004A must equal [1], and all remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-]. (d) If O011001A=[^], then all active items from O011002A through O011004A must equal [^].

Version Changes

Type	ID	Description
Item	O011004A	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Consistency	-4012	[V3.01.0]-New edit.

Item ID: O011004C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Discharge)	Asmt		Checklist	1	3433-3433

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4019	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and all remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-]. (d) If O011001C=[^], then all active items from O011002C through O011004C must equal [^].

Version Changes

Type	ID	Description
Item	O011004C	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Consistency	-4019	[V3.01.0]-New edit.

Item ID: O0110Z1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Admission)	Asmt		Checklist	1	3434-3434

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4062	Skip pattern	Fatal	O0110 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A. (b) If A0310B=[99], then the following items, if active, must equal [^]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A, O0110Z1A.
-4020	None of above	Fatal	(a) If O0110Z1A=[1], then the following items, if active, must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) if O0110Z1A=[0], then at least one item of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items, if active, must equal [-]: O0110A1A, O0110B1A, O0110C1A,

Version Changes

Type	ID	Description
Item	O0110Z1A	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3897	[V3.01.0]-Added mapping to the following new items: A1110A, A1110B, A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, D0700, J0510, J0520, J0530, K0520A1, K0520B1, K0520C1, K0520D1, K0520Z1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1A, O0110A2A, O0110A3A, O0110A10A, O0110B1A, O0110C1A, O0110C2A, O0110C3A, O0110C4A, O0110D1A, O0110D2A, O0110D3A, O0110E1A, O0110F1A, O0110G1A, O0110G2A, O0110G3A, O0110H1A, O0110H2A, O0110H3A, O0110H4A, O0110H10A, O0110I1A, O0110J1A, O0110J2A, O0110J3A, O0110O1A, O0110O2A, O0110O3A, O0110O4A, O0110Z1A. Added mappings to the following existing items: B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1. Removed mapping to N2005.
Skip pattern	-4062	[V3.01.0]-New edit.
None of above	-4020	[V3.01.0]-New edit.

Item ID: O0110Z1B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (14 days)	Asmt		Checklist	1	3435-3435

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP

Inactive: NT,NPE,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4022	None of above	Fatal	(a) If O0110Z1B=[1], then the following items, if active, must equal [0]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (b) if O0110Z1B=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B. (c) If O0110Z1B=[-], then the following items, if active, must equal [-]: O0110A1B, O0110B1B, O0110C1B, O0110D1B, O0110E1B, O0110F1B, O0110G1B, O0110H1B, O0110I1B, O0110J1B, O0110K1B, O0110M1B, O0110O1B.

Version Changes

Type	ID	Description
Item	O0110Z1B	[V3.01.0]-New item.

Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
None of above	-4022	[V3.01.0]-New edit.

Item ID: O0110Z1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Discharge)	Asmt		Checklist	1	3436-3436

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4063	Skip pattern	Fatal	O0110 Column 3 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C. (b) If A0310H=[0], then the following items, if active, must equal [^]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C, O0110Z1C.
-4021	None of above	Fatal	(a) If O0110Z1C=[1], then the following items, if active, must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (b) if O0110Z1C=[0], then at least one of the following active items must equal [1], and the remaining active items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C. (c) If O0110Z1C=[-], then the following items, if active, must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.

Version Changes

Type	ID	Description
Item	O0110Z1C	[V3.01.0]-New item.
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.
Consistency	-3908	[V3.01.0]-Added mappings to new items A1250A-A1250Y, B1300, D0150A1, D0150B1, D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1, D0150I1, J0520, J0530, K0520A4, K0520B4, K0520C4, K0520D4, K0520Z4, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, O0110A1C, O0110A2C, O0110A3C, O0110A10C, O0110B1C, O0110C1C, O0110C2C, O0110C3C, O0110C4C, O0110D1C, O0110D2C, O0110D3C, O0110E1C, O0110F1C, O0110G1C, O0110G2C, O0110G3C, O0110H1C, O0110H2C, O0110H3C, O0110H4C, O0110H10C, O0110I1C, O0110J1C, O0110J2C, O0110J3C, O0110O1C, O0110O2C, O0110O3C, O0110O4C, O0110Z1C. Added mappings to the following existing items: C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A-D, N2005.
Skip pattern	-4063	[V3.01.0]-New edit.
None of above	-4021	[V3.01.0]-New edit.

Item ID: O0250A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was influenza vaccine received	Asmt		Code	1	996-996

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3555	Skip pattern	Fatal	a) If O0250A=[1], then if O0250B is active it must not equal [^]. b) If O0250A=[0], then if O0250B is active it must equal [^]. c) If O0250A=[-], then if O0250B is active it must equal [-].
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.

Item ID: O0250B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date influenza vaccine received.	Asmt		Date	8	997-1004

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date vaccine received
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.
-------	-------------	-------	---

GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

- A0900 (birthdate) <=
- A1900 (admission date) <=
- A1600 (entry date) <=
- A2300 (assessment reference date) = A2000 (discharge date) <=
- Z0500B (date RN signed assessment as complete) <=
- V0200B2 (CAT assessment process signature date) <=
- V0200C2 (CAT care planning signature date) <=
- X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3555 Skip pattern Fatal

a) If O0250A=[1], then if O0250B is active it must not equal [^].

b) If O0250A=[0], then if O0250B is active it must equal [^].

c) If O0250A=[-], then if O0250B is active it must equal [-].

Item ID: O0250C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If influenza vaccine not received, state reason	Asmt		Code	1	1005-1005

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
1		Resident not in this facility during this year's influenza vaccination season
2		Received outside of this facility
3		Not eligible - medical contraindication
4		Offered and declined
5		Not offered
6		Inability to obtain influenza vaccine due to a declared shortage
9		None of the above
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3736	Skip pattern	Fatal	a) If O0250A=[0], then if O0250C is active it must not equal [^]. b) If O0250A=[1], then if O0250C is active it must equal [^]. c) If O0250A=[-], then if O0250C is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620.

[V3.01.1]-Mapping to the following item was deleted: O0450A.

Item ID: O0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Is pneumococcal vaccination up to date	Asmt		Code	1	1006-1006

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3556	Skip pattern	Fatal	a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.

Item ID: O0300B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If pneumococcal vacc not received, state reason	Asmt		Code	1	1007-1007

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
1		Not eligible - medical contraindication
2		Offered and declined
3		Not offered
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3556	Skip pattern	Fatal	a) If O0300A=[0], then if O0300B is active it must not equal [^]. b) If O0300A=[1], then if O0300B is active it must equal [^]. c) If O0300A=[-], then if O0300B is active it must equal [-].

Version Changes

Type	ID	Description
Format	-3676	[V3.01.0]-Mappings to the following deleted items were removed: A0300A, A0300B, A1000A-F, A1100A, A1800, A2100, D0200A1-D0200I2, J0400, J0500A-B, K0510A1-K0510Z2, O0100A1-O0100Z2, Q0100A-C, Q0300A, Q0300B, Q0550B, Q0600, X0570A, X0570B. Added mappings to the following new items: A1005A-Y, A1010A-Z, A1250A-Y, A2122A-E, A2124A-E, GG0120A-Z, K0520A1-A4, K0520B1-B4, K0520C1-C4, K0520D1-D4, K0520Z1-Z4, N0415A1-Z1, O0110A1A-Z1C, Q0110A-Z, A1110B, A1805, A2105, A2121, A2123, B1300, D0150A1-I2, D0700, GG0115A-B, GG0130I1-I5, GG0170FF1-FF5, GG0170Q5, GG0170R5, GG0170RR5, GG0170S5, GG0170SS5, J0410, J0510, J0520, J0530, Q0310A-B, Q0500C, Q0610A, Q0620. [V3.01.1]-Mapping to the following item was deleted: O0450A.

Item ID: O0400A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: individ minutes	Asmt		Number	4	1008-1011

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3843	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400A3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3696	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400A4*15.
- b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).
- c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].
- b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].
- c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400A1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: concur minutes	Asmt		Number	4	1012-1015

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3843	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400A3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3696	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400A4*15.
- b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).
- c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].
- b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].
- c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400A2	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: group minutes	Asmt		Number	4	1016-1019

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3843	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400A3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3696	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400A4*15.
- b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).
- c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].
- b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].
- c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400A3	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: co-treatment minutes	Asmt		Number	4	1472-1475

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3843	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400A3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3557	Consistency	Fatal	Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].
- b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].
- c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal (a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: number of days	Asmt		Number	1	1020-1020

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3696	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400A4*15.

- b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).
- c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3846 Consistency Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420, when active, must conform with the following rules:

a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Skip pattern

-4058

[V3.01.0]-New edit.

[V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: start date	Asmt		Date	8	1021-1028

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Start date
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400A6

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Speech-language/audiology: end date	Asmt		Date	8	1029-1036

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		End date
-----		Therapy is ongoing
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.
-------	-------------	-------	---

GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

- A0900 (birthdate) <=
- A1900 (admission date) <=
- A1600 (entry date) <=
- A2300 (assessment reference date) = A2000 (discharge date) <=
- Z0500B (date RN signed assessment as complete) <=
- V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3557 Consistency Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: individ minutes	Asmt		Number	4	1037-1040

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3844	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400B3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3697	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400B4*15.
- b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).
- c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558 Consistency Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400B1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: concur minutes	Asmt		Number	4	1041-1044

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3844	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400B3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3697	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400B4*15.
- b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).
- c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558 Consistency Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400B2	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: group minutes	Asmt		Number	4	1045-1048

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3844	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400B3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3697	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

If the sum is greater than zero, then the following rules apply:

- a) The sum must be greater than or equal to O0400B4*15.
- b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).
- c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558 Consistency Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400B3	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: co-treatment minutes	Asmt		Number	4	1476-1479

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3844	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400B3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3558	Consistency	Fatal	Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058	Skip pattern	Fatal	(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420. (b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].
-------	--------------	-------	---

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: number of days	Asmt		Number	1	1049-1049

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3697	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400B4*15.

- b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).
- c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3846 Consistency Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420, when active, must conform with the following rules:

a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

-3558 Consistency Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].

b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].

c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Skip pattern

-4058

[V3.01.0]-New edit.

[V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: start date	Asmt		Date	8	1050-1057

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Start date
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3558	Consistency	Fatal	<p>Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].</p> <p>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].</p>
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400B6

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational therapy: end date	Asmt		Date	8	1058-1065

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		End date
-----		Therapy is ongoing
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3558 Consistency Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: individ minutes	Asmt		Number	4	1066-1069

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3698	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400C4*15.

- b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).
- c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3845	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes.
-3559	Consistency	Fatal	<p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400C3A is active, it must equal [-] or contain a value that is less than or equal to the sum.</p> <p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <ul style="list-style-type: none"> a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^]. b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^]. c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Item	O0400C1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: concur minutes	Asmt		Number	4	1070-1073

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3698	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400C4*15.

- b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).
- c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3845	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes.
-3559	Consistency	Fatal	<p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400C3A is active, it must equal [-] or contain a value that is less than or equal to the sum.</p> <p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <ul style="list-style-type: none"> a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^]. b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^]. c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Item	O0400C2	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: group minutes	Asmt		Number	4	1074-1077

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3698	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400C4*15.

- b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).
- c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3845	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes.
-3559	Consistency	Fatal	<p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400C3A is active, it must equal [-] or contain a value that is less than or equal to the sum.</p> <p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <ul style="list-style-type: none"> a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^]. b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^]. c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Item	O0400C3	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: co-treatment minutes	Asmt		Number	4	1480-1483

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3845	Consistency	Fatal	Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then if O0400C3A is active, it must equal [-] or contain a value that is less than or equal to the sum.
-3559	Consistency	Fatal	Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of

these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].
- b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].
- c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

-4058 Skip pattern Fatal (a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: number of days	Asmt		Number	1	1078-1078

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3698	Consistency	Fatal	Consistency between therapy minutes and days. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: If the sum is greater than zero, then the following rules apply: a) The sum must be greater than or equal to O0400C4*15.

- b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).
- c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3846	Consistency	Fatal	<p>Consistency between therapy days within types of therapy and distinct days across types of therapy.</p> <p>Item O0420, when active, must conform with the following rules:</p> <ul style="list-style-type: none"> a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-]. b) If O0420 is not equal to [-], then both of the following rules apply: <ul style="list-style-type: none"> ---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero. ---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.
-3559	Consistency	Fatal	<p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <ul style="list-style-type: none"> a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^]. b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^]. c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Skip pattern

-4058

[V3.01.0]-New edit.

[V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: start date	Asmt		Date	8	1079-1086

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Start date
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <= V0200C2 (CAT care planning signature date) <= X1100E (correction: attestation date) <=

current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3559	Consistency	Fatal	<p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].</p> <p>c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].</p>
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400C6

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical therapy: end date	Asmt		Date	8	1087-1094

Item Subsets

Active: NC,NQ,NP,ND,SP
Inactive: NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		End date
-----		Therapy is ongoing
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
-3886	Consistency	Fatal	Date Item Consistency Rules Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules. ----- GROUP A RULES (Edit -3886a) Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order: A0900 (birthdate) <= A1900 (admission date) <= A1600 (entry date) <= A2300 (assessment reference date) = A2000 (discharge date) <= Z0500B (date RN signed assessment as complete) <= V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=
X1100E (correction: attestation date) <=
current date

GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)
O0250B (date influenza vaccine received)
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)
O0400B5 <= O0400B6 (occupational therapy start/end)
O0400C5 <= O0400C6 (physical therapy start/end)
V0100C (prior assessment reference date)

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:
A1600 (entry date) <=
A2200 (previous ARD for significant correction)<=
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:
A0900 (birthdate) <=
A2200 (previous ARD for significant correction) <=
A2300 (assessment reference date)

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)
O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

-3559 Consistency Fatal

Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].
- b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].
- c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

-4058 Skip pattern Fatal

(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory therapy: number of minutes	Asmt		Number	4	1095-1098

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3699	Consistency	Fatal	If O0400D1 and O0400D2 are active, and O0400D1 is not equal to [0000,-] and O0400D2 is not equal to [-], then the following rules apply: a) O0400D1 must be greater than or equal to O0400D2*15. b) If O0400D2>[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day). c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3560	Skip pattern	Fatal	a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^]. b) If O0400D1=[0000], then if O0400D2 is active it must equal [^]. c) If O0400D1=[-], then if O0400D2 is active it must equal [-].
-4058	Skip pattern	Fatal	(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420. (b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400D1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory therapy: number of days	Asmt		Number	1	1099-1099

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3699	Consistency	Fatal	If O0400D1 and O0400D2 are active, and O0400D1 is not equal to [0000,-] and O0400D2 is not equal to [-], then the following rules apply: a) O0400D1 must be greater than or equal to O0400D2*15. b) If O0400D2>[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day). c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3560	Skip pattern	Fatal	a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^]. b) If O0400D1=[0000], then if O0400D2 is active it must equal [^]. c) If O0400D1=[-], then if O0400D2 is active it must equal [-].
-4058	Skip pattern	Fatal	(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420. (b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychological therapy: number of minutes	Asmt		Number	4	1100-1103

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3700	Consistency	Fatal	If O0400E1 and O0400E2 are active, and O0400E1 is not equal to [0000,-] and O0400E2 is not equal to [-], then the following rules apply: a) O0400E1 must be greater than or equal to O0400E2*15. b) If O0400E2>[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day). c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3561	Skip pattern	Fatal	a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^]. b) If O0400E1=[0000], then if O0400E2 is active it must equal [^]. c) If O0400E1=[-], then if O0400E2 is active it must equal [-].
-4058	Skip pattern	Fatal	(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420. (b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0400E1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychological therapy: number of days	Asmt		Number	1	1104-1104

Item Subsets

Active: NC,NQ,NP
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3700	Consistency	Fatal	If O0400E1 and O0400E2 are active, and O0400E1 is not equal to [0000,-] and O0400E2 is not equal to [-], then the following rules apply: a) O0400E1 must be greater than or equal to O0400E2*15. b) If O0400E2>[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day). c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3561	Skip pattern	Fatal	<p>a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^].</p> <p>b) If O0400E1=[0000], then if O0400E2 is active it must equal [^].</p> <p>c) If O0400E1=[-], then if O0400E2 is active it must equal [-].</p>
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Recreational therapy: number of minutes	Asmt		Number	4	1105-1108

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3701	Consistency	Fatal	If O0400F1 and O0400F2 are active, and O0400F1 is not equal to [0000,-] and O0400F2 is not equal to [-], then the following rules apply: a) O0400F1 must be greater than or equal to O0400F2*15. b) If O0400F2>[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day). c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3562	Skip pattern	Fatal	<p>a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^].</p> <p>b) If O0400F1=[0000], then if O0400F2 is active it must equal [^].</p> <p>c) If O0400F1=[-], then if O0400F2 is active it must equal [-].</p>
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Item	O0400F1	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0400F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Recreational therapy: number of days	Asmt		Number	1	1109-1109

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3701	Consistency	Fatal	If O0400F1 and O0400F2 are active, and O0400F1 is not equal to [0000,-] and O0400F2 is not equal to [-], then the following rules apply: a) O0400F1 must be greater than or equal to O0400F2*15. b) If O0400F2>[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day). c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3562	Skip pattern	Fatal	<p>a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^].</p> <p>b) If O0400F1=[0000], then if O0400F2 is active it must equal [^].</p> <p>c) If O0400F1=[-], then if O0400F2 is active it must equal [-].</p>
-4058	Skip pattern	Fatal	<p>(a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.</p> <p>(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].</p>

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0420

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Distinct calendar days of therapy	Asmt		Number	1	1484-1484

Item Subsets

Active: NC,NQ,NP
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3846	Consistency	Fatal	Consistency between therapy days within types of therapy and distinct days across types of therapy. Item O0420, when active, must conform with the following rules: a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-]. b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

-4058 Skip pattern Fatal (a) If A0310B=[01], then the following items, when active, must not be equal to [^]: O0400A1, O0400A2, O0400A3, O0400B1, O0400B2, O0400B3, O0400C1, O0400C2, O0400C3, O0400D1, O0400E1, O0400F1, O0420.

(b) If A0310B=[99], then all active items from O0400A1 through O0420 must be equal to [^].

Version Changes

Type	ID	Description
Item	O0420	[V3.01.0]-Added [^] as a valid value.
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Skip pattern	-4058	[V3.01.0]-New edit. [V3.01.1]-Revised to remove [08] as a value for A0310B in subedit b.

Item ID: O0425A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Individual Minutes	Asmt		Number	4	1764-1767

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5. Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].

c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].

-3960 Consistency Warning SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:

a) Calculate the Total Therapy Minutes using $O0425A1+O0425A2+O0425A3$.

b) Calculate the Total Concurrent and Group Minutes using $O0425A2+O0425A3$.

c) If $A0310F=[10,11,12]$ and $(\text{Total Concurrent and Group Minutes}/\text{Total Therapy Minutes}) > 0.25$, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If $A0310H=[0]$, then all active items from O0425A1 through O0430 must be equal to [^].

b) If $A0310H=[1]$, then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Concurrent Minutes	Asmt		Number	4	1768-1771

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5. Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].

c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].

-3960 Consistency Warning SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:

a) Calculate the Total Therapy Minutes using O0425A1+O0425A2+O0425A3.

b) Calculate the Total Concurrent and Group Minutes using O0425A2+O0425A3.

c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Group Minutes	Asmt		Number	4	1772-1775

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5. Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].

c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].

-3960 Consistency Warning SLP and Audiology Services Concurrent and Group Therapy Minutes compliance:

a) Calculate the Total Therapy Minutes using O0425A1+O0425A2+O0425A3.

b) Calculate the Total Concurrent and Group Minutes using O0425A2+O0425A3.

c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Co-treatment Minutes	Asmt		Number	4	1776-1779

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5. Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].

c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425A5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
SLP and Audiology Services: Days	Asmt		Number	3	1780-1782

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3948	Consistency	Fatal	Skip pattern for O0425A4, O0425A5. Compute the sum of minutes in O0425A1, O0425A2, and O0425A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425A1, O0425A2, and O0425A3 is not equal to [-], then O0425A4 and O0425A5 must equal [^].

b) If the sum is greater than zero, then O0425A4 and O0425A5 must not equal [^].

c) If O0425A1, O0425A2, and O0425A3 are all equal to [-], then O0425A4 and O0425A5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Individual Minutes	Asmt		Number	4	1783-1786

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5. Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].

c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].

-3961	Consistency	Warning	Occupational Therapy Concurrent and Group Therapy Minutes compliance: a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3. b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3. c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^]. b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Concurrent Minutes	Asmt		Number	4	1787-1790

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5. Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].

c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].

-3961	Consistency	Warning	Occupational Therapy Concurrent and Group Therapy Minutes compliance: a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3. b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3. c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^]. b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Group Minutes	Asmt		Number	4	1791-1794

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5. Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].

c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].

-3961	Consistency	Warning	Occupational Therapy Concurrent and Group Therapy Minutes compliance: a) Calculate the Total Therapy Minutes using O0425B1+O0425B2+O0425B3. b) Calculate the Total Concurrent and Group Minutes using O0425B2+O0425B3. c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^]. b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Co-treatment Minutes	Asmt		Number	4	1795-1798

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5. Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].

c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425B5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Occupational Therapy: Days	Asmt		Number	3	1799-1801

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3949	Consistency	Fatal	Skip pattern for O0425B4, O0425B5. Compute the sum of minutes in O0425B1, O0425B2, and O0425B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425B1, O0425B2, and O0425B3 is not equal to [-], then O0425B4 and O0425B5 must equal [^].

b) If the sum is greater than zero, then O0425B4 and O0425B5 must not equal [^].

c) If O0425B1, O0425B2, and O0425B3 are all equal to [-], then O0425B4 and O0425B5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Individual Minutes	Asmt		Number	4	1802-1805

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5. Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].

c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].

-3962 Consistency Warning Physical Therapy Concurrent and Group Therapy Minutes compliance

a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.

b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.

c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Concurrent Minutes	Asmt		Number	4	1806-1809

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5. Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].

c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].

-3962 Consistency Warning Physical Therapy Concurrent and Group Therapy Minutes compliance

a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.

b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.

c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Group Minutes	Asmt		Number	4	1810-1813

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5. Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].

c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].

-3962 Consistency Warning Physical Therapy Concurrent and Group Therapy Minutes compliance

a) Calculate the Total Therapy Minutes using O0425C1+O0425C2+O0425C3.

b) Calculate the Total Concurrent and Group Minutes using O0425C2+O0425C3.

c) If A0310F=[10,11,12] and (Total Concurrent and Group Minutes/Total Therapy Minutes) > 0.25, then the number of Concurrent and Group Minutes is non-compliant, and the following warning message will be triggered: The total number of group and/or concurrent minutes for one or more therapy disciplines exceeds the 25 percent limit on concurrent and group therapy. Consistent violation of this limit may result in your facility being flagged for additional medical review.

-3944 Skip pattern Fatal a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Co-treatment Minutes	Asmt		Number	4	1814-1817

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0000		Minimum value
9999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5. Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].

c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0425C5

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Physical Therapy: Days	Asmt		Number	3	1818-1820

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3950	Consistency	Fatal	Skip pattern for O0425C4, O0425C5. Compute the sum of minutes in O0425C1, O0425C2, and O0425C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0425C1, O0425C2, and O0425C3 is not equal to [-], then O0425C4 and O0425C5 must equal [^].

b) If the sum is greater than zero, then O0425C4 and O0425C5 must not equal [^].

c) If O0425C1, O0425C2, and O0425C3 are all equal to [-], then O0425C4 and O0425C5 must equal [-].

-3944 Skip pattern Fatal

a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^].

b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0430

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Distinct Calendar Days of Part A Therapy	Asmt		Number	3	1821-1823

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3944	Skip pattern	Fatal	a) If A0310H=[0], then all active items from O0425A1 through O0430 must be equal to [^]. b) If A0310H=[1], then the following active items must not be equal to [^]: O0425A1, O0425A2, O0425A3, O0425B1, O0425B2, O0425B3, O0425C1, O0425C2, O0425C3, O0430.

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Range of motion (passive): number of days	Asmt		Number	1	1110-1110

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Range of motion (active): number of days	Asmt		Number	1	1111-1111

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Splint or brace assistance: number of days	Asmt		Number	1	1112-1112

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bed mobility training: number of days	Asmt		Number	1	1113-1113

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Transfer training: number of days	Asmt		Number	1	1114-1114

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Walking training: number of days	Asmt		Number	1	1115-1115

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Dressing and/or grooming training: number of days	Asmt		Number	1	1116-1116

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Eating and/or swallowing training: number of days	Asmt		Number	1	1117-1117

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Amputation/prosthesis training: number of days	Asmt		Number	1	1118-1118

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

Item ID: O0500J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Communication training: number of days	Asmt		Number	1	1119-1119

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Minimum value
7		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Version Changes

Type	ID	Description
Format	-3679	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.
Format	-3680	[V3.01.0]-Removed mappings to the following deleted items: D0300, N0410A-H, O0600, O0700. Added mapping to new item D0160.

