

**Item ID:** J0100A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Pain: received scheduled pain med regimen	Asmt		Code	1	831-831

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J0100B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Pain: received PRN pain medications	Asmt		Code	1	832-832

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J0100C

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Pain: received non-medication intervention	Asmt		Code	1	833-833

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Should pain assessment interview be conducted	Asmt		Code	1	834-834

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD  
 Inactive: NT,IPA,ST,XX  
 State optional:

**Item Values**

Value	LOINC Code	Value Text
0		No (resident rarely/never understood)
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

**Item Edits**

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3918	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if J0200 is active it must equal [-].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: presence	Asmt		Code	1	835-835

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3751	Consistency	Warning	A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].
-------	--------------	-------	---

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0410

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain Frequency	Asmt		Code	1	3318-3318

### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost constantly
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].

-3971	Consistency	Fatal	Consistency rules for J0700: a) If J0410=[1,2,3,4,-], then if J0700 is active it must equal [0]. b) If J0410=[9], then if J0700 is active it must equal [1,-].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0510

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain Effect on Sleep	Asmt		Code	1	3319-3319

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

- c) If J0300=[9], then the following rules apply:
  - c1) All active items from J0410 through J0700 must equal [^].
  - c2) All active items from J0800A through J0800Z must not equal [^].
- d) If J0300=[-], then the following rules apply:
  - d1) All active items from J0410 through J0600B must equal [-].
  - d2) If J0700 is an active item, it must not equal [^].

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: J0520

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain Interference with Therapy Activities	Asmt		Code	1	3320-3320

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		Does not apply - I have not received rehabilitation therapy in the past 5 days
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value

other than [^].

---b3) If J0700 is an active item, it must not equal [^].

c) If J0300=[9], then the following rules apply:

---c1) All active items from J0410 through J0700 must equal [^].

---c2) All active items from J0800A through J0800Z must not equal [^].

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0410 through J0600B must equal [-].

---d2) If J0700 is an active item, it must not equal [^].

-3610 Skip pattern Fatal If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784 Skip pattern Fatal

Skip patterns based on J0200:

a) If J0200=[0], then the following rules apply:

---a1) All active items from J0300 through J0700 must equal [^].

---a2) If J0800A through J0800Z are active, they must not equal [^].

b) If J0200=[1], then if J0300 is active it must not equal [^].

c) If J0200=[-], then J0300, if active, must equal [-].

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: J0530

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain Interference with Day-to-Day Activities	Asmt		Code	1	3321-3321

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^].

- c) If J0300=[9], then the following rules apply:
  - c1) All active items from J0410 through J0700 must equal [^].
  - c2) All active items from J0800A through J0800Z must not equal [^].
- d) If J0300=[-], then the following rules apply:
  - d1) All active items from J0410 through J0600B must equal [-].
  - d2) If J0700 is an active item, it must not equal [^].

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: J0600A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: intensity rating scale	Asmt		Number	2	839-840

### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
00		Minimum value
10		Maximum value
99		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.  The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3751	Consistency	Warning	A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^].

- b) If J0300=[1], then the following rules apply:
  - b1) All active items from J0410 through J0530 must not equal [^].
  - b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].
  - b3) If J0700 is an active item, it must not equal [^].
- c) If J0300=[9], then the following rules apply:
  - c1) All active items from J0410 through J0700 must equal [^].
  - c2) All active items from J0800A through J0800Z must not equal [^].
- d) If J0300=[-], then the following rules apply:
  - d1) All active items from J0410 through J0600B must equal [-].
  - d2) If J0700 is an active item, it must not equal [^].

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

## Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.

Item ID: J0600B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Res pain interview: verbal descriptor scale	Asmt		Code	1	841-841

#### Item Subsets

Active: NC,NQ,NP,ND,SP  
Inactive: NT,NPE,IPA,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
1		Mild
2		Moderate
3		Severe
4		Very severe, horrible
9		Unable to answer
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	Skip patterns based on J0200: a) If J0200=[0], then the following rules apply: ---a1) All active items from J0300 through J0700 must equal [^]. ---a2) If J0800A through J0800Z are active, they must not equal [^]. b) If J0200=[1], then if J0300 is active it must not equal [^]. c) If J0200=[-], then J0300, if active, must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Should staff assessment for pain be conducted	Asmt		Code	1	842-842

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		No (J0400=1 thru 4)
1		Yes (J0200=0 or J0300=9 or J0400=9)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3971	Consistency	Fatal	Consistency rules for J0700:

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0800A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: non-verbal sounds	Asmt		Checklist	1	843-843

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0800B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: vocal complaints of pain	Asmt		Checklist	1	844-844

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0800C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: facial expressions	Asmt		Checklist	1	845-845

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0800D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: protective movements/postures	Asmt		Checklist	1	846-846

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0800Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: none of these signs observed	Asmt		Checklist	1	847-847

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].
-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].

-3784	Skip pattern	Fatal	<p>Skip patterns based on J0200:</p> <p>a) If J0200=[0], then the following rules apply:</p> <p>---a1) All active items from J0300 through J0700 must equal [^].</p> <p>---a2) If J0800A through J0800Z are active, they must not equal [^].</p> <p>b) If J0200=[1], then if J0300 is active it must not equal [^].</p> <p>c) If J0200=[-], then J0300, if active, must equal [-].</p>
-3787	Skip pattern	Fatal	<p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].</p> <p>b) If J0800Z=[1,^], then if J0850 is active it must equal [^].</p> <p>c) If J0800Z=[-], then if J0850 is active it must equal [-].</p>
-3508	None of above	Fatal	<p>If J0800A through J0800D and J0800Z are all active, then the following rules apply:</p> <p>a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].</p> <p>b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].</p> <p>c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].</p>

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J0850

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Staff pain asmt: frequency of pain	Asmt		Code	1	848-848

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
1		Indicators of pain or possible pain observed 1 to 2 days
2		Indicators of pain or possible pain observed 3 to 4 days
3		Indicators of possible pain observed daily
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3786	Consistency	Fatal	a) If J0700=[0], then all active items from J0800A through J0850 must equal [^]. b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^]. c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^].
-3970	Consistency	Fatal	Skip patterns based on J0300: a) If J0300=[0], then all active items from J0410 through J0850 must equal [^]. b) If J0300=[1], then the following rules apply: ---b1) All active items from J0410 through J0530 must not equal [^]. ---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^]. ---b3) If J0700 is an active item, it must not equal [^]. c) If J0300=[9], then the following rules apply: ---c1) All active items from J0410 through J0700 must equal [^]. ---c2) All active items from J0800A through J0800Z must not equal [^]. d) If J0300=[-], then the following rules apply: ---d1) All active items from J0410 through J0600B must equal [-]. ---d2) If J0700 is an active item, it must not equal [^].

-3610	Skip pattern	Fatal	If B0100=[1], then all active items from J0200 through J0850 must equal [^].
-3787	Skip pattern	Fatal	a) If J0800Z=[0], then if J0850 is active it must not equal [^]. b) If J0800Z=[1,^], then if J0850 is active it must equal [^]. c) If J0800Z=[-], then if J0850 is active it must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: with exertion	Asmt		Checklist	1	849-849

### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1100B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Short breath/trouble breathing: sitting at rest	Asmt		Checklist	1	850-850

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1100C

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Short breath/trouble breathing: lying flat	Asmt		Checklist	1	851-851

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Short breath/trouble breathing: none of above	Asmt		Checklist	1	852-852

### Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3509	None of above	Fatal	a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1]. b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0]. c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [-] and all remaining active items must equal [0,-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1300

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Current tobacco use	Asmt		Code	1	853-853

**Item Subsets**

Active: NC  
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX  
State optional: NQ,NP

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1400

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Prognosis: life expectancy of less than 6 months	Asmt		Code	1	854-854

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1550A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Problem conditions: fever	Asmt		Checklist	1	855-855

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1550B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Problem conditions: vomiting	Asmt		Checklist	1	856-856

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1550C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Problem conditions: dehydrated	Asmt		Checklist	1	857-857

### Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1550D

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Problem conditions: internal bleeding	Asmt		Checklist	1	858-858

**Item Subsets**

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1550Z

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Problem conditions: none of the above	Asmt		Checklist	1	859-859

**Item Subsets**

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3510	None of above	Fatal	a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1]. b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0]. c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1700A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fall during month before admission	Asmt		Code	1	860-860

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].  b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1700B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fall 2-6 months before admission	Asmt		Code	1	861-861

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].  b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1700C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Fall history: fracture from fall 6 month pre admit	Asmt		Code	1	862-862

### Item Subsets

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		Unable to determine
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3797	Consistency	Fatal	a) If A0310A is equal to [01] OR A0310E is equal to [1], then all active items J1700A through J1700C must not equal [^].  b) If A0310A is not equal to [01] AND A0310E is not equal to [1], then all active items J1700A through J1700C must equal [^].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J1800

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Falls since admit/prior asmt: any falls	Asmt		Code	1	863-863

**Item Subsets**

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
-		Not assessed/no information

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: no injury	Asmt		Code	1	864-864

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1900B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: injury (not major)	Asmt		Code	1	865-865

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J1900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since admit/prior asmt: major injury	Asmt		Code	1	866-866

### Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item:  Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3605	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

**Item ID:** J2000

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Prior Surgery (100 days)	Asmt		Code	1	1697-1697

**Item Subsets**

Active: NC,NQ,NP,SP  
Inactive: ND,NT,NPE,IPA,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		No
1		Yes
8		Unknown
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3925	Skip pattern	Fatal	a) If A0310B=[01], then if J2000 is active, it must not be equal to [^].  b) If A0310B=[99], then if J2000 is active, it must be equal to [^].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Recent Surgery Requiring Active SNF Care	Asmt		Code	1	1734-1734

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
8		Unknown
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].
-3942	Skip pattern	Fatal	a) If A0310B=[01,08], then if J2100 is active, it must not be equal to [^].  b) If A0310B=[99], then  --b1) If STATE_PDPM_OBRA_CD is active and STATE_PDPM_OBRA_CD=[0], then if J2100 is active, it must be equal to [^].  --b2) If STATE_PDPM_OBRA_CD is active and STATE_PDPM_OBRA_CD=[1], then if J2100 is active, it must not be equal to [^].  --b3) If STATE_PDPM_OBRA_CD is not active, then if J2100 is active, it must be equal to [^].  NOTE: The submission system will use the iQIES value instead of STATE_PDPM_OBRA_CD in order to determine whether to enforce the b1 and b2 edits.

## Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2300

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Knee Replacement - partial or total	Asmt		Checklist	1	1735-1735

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2310

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hip Replacement - partial or total	Asmt		Checklist	1	1736-1736

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2320

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ankle Replacement - partial or total	Asmt		Checklist	1	1737-1737

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2330

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Shoulder Replacement - partial or total	Asmt		Checklist	1	1738-1738

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal Surgery-spinal cord or major spinal nerves	Asmt		Checklist	1	1739-1739

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2410

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - fusion of spinal bones	Asmt		Checklist	1	1740-1740

#### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

#### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

#### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2420

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - lamina, discs, or facets	Asmt		Checklist	1	1741-1741

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2499

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Spinal surgery - other	Asmt		Checklist	1	1742-1742

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr frctrd shoulder/arm	Asmt		Checklist	1	1743-1743

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2510

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr frctrd pelvis/hip/leg/knee/ankle	Asmt		Checklist	1	1744-1744

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2520

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr but not replace joints	Asmt		Checklist	1	1745-1745

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2530

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - rpr other bones	Asmt		Checklist	1	1746-1746

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2599

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ortho srgr - other	Asmt		Checklist	1	1747-1747

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2600

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Neuro surgery - brain, surrounding tissue	Asmt		Checklist	1	1748-1748

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2610

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Neuro surgery - nervous system	Asmt		Checklist	1	1749-1749

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2620

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Neuro surgery - nsrt neural/brain neurostimulators	Asmt		Checklist	1	1750-1750

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2699

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neuro surgery - other	Asmt		Checklist	1	1751-1751

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - heart/mjr bld vssls	Asmt		Checklist	1	1752-1752

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2710

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - respiratory system	Asmt		Checklist	1	1753-1753

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2799

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cardiopulmonary surgery - other	Asmt		Checklist	1	1754-1754

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - male or female organs	Asmt		Checklist	1	1755-1755

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2810

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - kidneys	Asmt		Checklist	1	1756-1756

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2899

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Genitourinary surgery - other	Asmt		Checklist	1	1757-1757

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2900

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Major surgery - tendons, ligament, or muscles	Asmt		Checklist	1	1758-1758

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2910

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - GI tract/abdominal contents	Asmt		Checklist	1	1759-1759

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2920

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - endocrine organs	Asmt		Checklist	1	1760-1760

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: J2930

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Major surgery - breast	Asmt		Checklist	1	1761-1761

### Item Subsets

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

### Item Values

Value	LOINC Code	Value Text
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

### Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J2940

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Major surgery - repair deep ulcers	Asmt		Checklist	1	1762-1762

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

**Item ID:** J5000

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Major surgery - other not listed above	Asmt		Checklist	1	1763-1763

**Item Subsets**

Active: NC,NQ,NP,IPA,SP  
Inactive: ND,NT,NPE,SD,ST,XX  
State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
0		Not Checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

**Item Edits**

<b>Edit ID</b>	<b>Edit Type</b>	<b>Severity</b>	<b>Edit Text</b>
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3943	Consistency	Fatal	a) If J2100=[0,8,^], then all active items from J2300 through J5000 must equal [^]. b) If J2100=[1], then at least one of all active items from J2300 through J5000 must equal [1].

**Version Changes**

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.