

**Item ID:** ASSESSMENT\_ID

**Item Label**

Assessment internal ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Assessment internal ID

**Item Group**

Calc

**LOINC Code**

**Item Type**

Number

**Max Length**

15

**Fixed Format Start-End Bytes**

2951-2965

**Item ID:** ORIGINAL\_ASSESSMENT\_ID

**Item Label**

Original assessment ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Original assessment ID

**Item Group**

Calc

**LOINC Code**

**Item Type**

Number

**Max Length**

15

**Fixed Format Start-End Bytes**

2966-2980

**Item ID:** RESIDENT\_INTERNAL\_ID

**Item Label**

Resident internal ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Resident internal ID

**Item Group**

Calc

**LOINC Code**

**Item Type**

Number

**Max Length**

10

**Fixed Format Start-End Bytes**

2981-2990

**Item ID:** TARGET\_DATE

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Target date	Calc		Date	8	2927-2934

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
YYYYMMDD		Target date

**Supplemental Information**

<b>Info ID</b>	<b>Type</b>	<b>Text</b>
-9017	Information	The target date is defined as follows:

- a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).
- b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).
- c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).

**Item ID:** FACILITY\_PROVIDER\_INTERNAL\_ID

**Item Label**

Facility/provider internal ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Facility/provider internal ID

**Item  
Group**

Calc

**LOINC  
Code**

**Item  
Type**

Number

**Max  
Length**

10

**Fixed Format  
Start-End Bytes**

3063-3072

**Item ID:** SUBMISSION\_ID

**Item Label**

Submission ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Submission ID

**Item  
Group**

Calc

**LOINC  
Code**

**Item  
Type**

Number

**Max  
Length**

15

**Fixed Format  
Start-End Bytes**

3021-3035

**Item ID:** SUBMISSION\_DATE

**Item Label**

Submission date

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

YYYYMMDD

**LOINC Code**

**Value Text**

Submission date

**Item  
Group**  
Calc

**LOINC  
Code**

**Item  
Type**  
Date

**Max  
Length**  
8

**Fixed Format  
Start-End Bytes**  
3036-3043

**Item ID:** SUBMISSION\_COMPLETE\_DATE

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Submission processing completion date	Calc		Date	8	3044-3051

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
YYYYMMDD		Submission processing completion date

**Item ID:** SUBMITTING\_USER\_ID

**Item Label**

Submitter user ID

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Submitter user ID

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Text

**Max Length**  
30

**Fixed Format Start-End Bytes**  
2991-3020

**Item ID:** RESIDENT\_MATCH\_CRITERIA

**Item Label**

Resident matching criteria

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

Resident matching criteria

**Item Group**

Calc

**LOINC Code**

**Item Type**

Number

**Max Length**

2

**Fixed Format Start-End Bytes**

3052-3053

**Item ID:** RESIDENT\_AGE

**Item Label**

Age of resident on the target date

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Number

**Max Length**  
8

**Fixed Format Start-End Bytes**  
2935-2942

**Item ID:** BIRTHDATE\_SUBMIT\_CODE

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Birth date submit code	Calc		Code	1	3258-3258

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
S		Full date submitted
M		Year only (month and day were set to default values)
D		Year and month only (day was set to default value)

**Item ID:** CBSA\_URBAN\_RURAL\_CODE

**Item Label**

CBSA urban/rural code.

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
R		Rural
U		Urban

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Code

**Max Length**  
1

**Fixed Format Start-End Bytes**  
3054-3054

**Item ID:** STATE\_EXTRACT\_FILE\_ID

**Item Label**

State extract file identifier

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

State extract file identifier

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Number

**Max Length**  
8

**Fixed Format Start-End Bytes**  
3055-3062

**Item ID:** RECALCULATED\_Z0100A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated Medicare Part A: HIPPS code	Calc		Text	7	3073-3079

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated Medicare Part A: HIPPS code

**Item ID:** RECALCULATED\_Z0100B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated Medicare Part A: Version Code	Calc		Text	10	3080-3089

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated Medicare Part A: Version Code

**Item ID:** RECALCULATED\_Z0200A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated State case mix: Group	Calc		Text	10	3128-3137

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated State case mix: Group

**Item ID:** CMI\_VALUE\_FOR\_RECALC\_Z0200A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
CMI value returned for State Group	Calc		Text	7	3148-3154

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		CMI value returned for State Group

**Item ID:** CMI\_SET\_FOR\_RECALC\_Z0200A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Set Code used for State Group	Calc		Text	3	3155-3157

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Set Code used for State Group

**Item ID:** RECALCULATED\_Z0200B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated State case mix: Version code	Calc		Text	10	3138-3147

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated State case mix: Version code

**Item ID:** RECALCULATED\_Z0200C

**Item Label**

Calculated State case mix: Short Stay Assessment

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item  
Group**  
Calc

**LOINC  
Code**

**Item  
Type**  
Text

**Max  
Length**  
1

**Fixed Format  
Start-End Bytes**  
3296-3296

**Item ID:** RECALCULATED\_Z0250A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated State case mix: Alternative group	Calc		Text	10	3158-3167

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated State case mix: Alternative group

**Item ID:** CMI\_VALUE\_FOR\_RECALC\_Z0250A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Alternate CMI value returned for State Group	Calc		Text	7	3178-3184

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Alternate CMI value returned for State Group

**Item ID:** CMI\_SET\_FOR\_RECALC\_Z0250A

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Alternate Set Code used for State Group	Calc		Text	3	3185-3187

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Alternate Set Code used for State Group

**Item ID:** RECALCULATED\_Z0250B

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated State case mix: Alt version code	Calc		Text	10	3168-3177

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated State case mix: Alternative version code

**Item ID:** MEDICARE\_RUG4\_HIER\_GRP

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG IV Medicare hierarchical group	Calc		Text	10	3188-3197

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG IV Medicare hierarchical group

**Item ID:** MEDICARE\_RUG4\_HIER\_VERSION

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG IV Medicare hierarchical version	Calc		Text	10	3198-3207

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG IV Medicare hierarchical version

**Item ID:** MEDICARE\_RUG3\_IDX\_MAX\_GRP

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare index max group	Calc		Text	10	3208-3217

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare index max group

**Item ID:** MEDICARE\_RUG3\_IDX\_MAX\_VERSION

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare index max version	Calc		Text	10	3218-3227

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare index max version

**Item ID:** MEDICARE\_RUG3\_IDX\_MAX\_CMI\_VAL

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare index max case mix index	Calc		Text	7	3228-3234

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare index max case mix index

**Item ID:** MEDICARE\_RUG3\_IDX\_MAX\_CMI\_SET

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare index max case mix index set	Calc		Text	3	3235-3237

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare index max case mix index set

**Item ID:** MEDICARE\_RUG3\_HIER\_GRP

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare hierarchical group	Calc		Text	10	3238-3247

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare hierarchical group

**Item ID:** MEDICARE\_RUG3\_HIER\_VERSION

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
RUG III Medicare hierarchical version	Calc		Text	10	3248-3257

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		RUG III Medicare hierarchical version

**Item ID:** C\_CCN\_NUM

<b>Item Label</b>	<b>Item Group</b>	<b>LOINC Code</b>	<b>Item Type</b>	<b>Max Length</b>	<b>Fixed Format Start-End Bytes</b>
Calculated facility CMS certification number (CCN)	Calc		Text	12	3259-3270

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		Calculated facility CMS certification number (CCN)

**Item ID:** HICN\_MBI\_IND

**Item Label**

Calculated HICN MBI Indicator

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Text

**Max Length**  
1

**Fixed Format Start-End Bytes**  
3271-3271

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**  
Text

**LOINC Code**

**Value Text**

Calculated HICN MBI Indicator

**Item ID:** SSNRI\_TRNSLTN\_HICN\_TXT

**Item Label**

SSNRI Translation HICN Text

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Text

**Max Length**  
12

**Fixed Format Start-End Bytes**  
3272-3283

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

<b>Value</b>	<b>LOINC Code</b>	<b>Value Text</b>
Text		SSNRI Translation HICN Text

**Item ID:** SSNRI\_TRNSLTN\_MBI\_TXT

**Item Label**

SSNRI Translation MBI Text

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

Text

**LOINC Code**

**Value Text**

SSNRI Translation MBI Text

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Text

**Max Length**  
12

**Fixed Format Start-End Bytes**  
3284-3295

**Item ID:** DATA\_END\_INDICATOR

**Item Label**

End of data terminator code

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

Value	LOINC Code	Value Text
%		Percent sign

**Item Group**  
Calc

**LOINC Code**

**Item Type**  
Code

**Max Length**  
1

**Fixed Format Start-End Bytes**  
3688-3688

**Item ID:** CR

**Item Label**

Carriage return (ASCII 013)

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

ASCII 013

**LOINC Code**

**Value Text**

Carriage return character (ASCII 013)

**Item  
Group**

Calc

**LOINC  
Code**

**Item  
Type**

Code

**Max  
Length**

1

**Fixed Format  
Start-End Bytes**

3689-3689

**Item ID:** LF

**Item Label**

Line feed character (ASCII 010)

**Item Group**

Calc

**LOINC Code**

**Item Type**

Code

**Max Length**

1

**Fixed Format Start-End Bytes**

3690-3690

**Item Subsets**

Active:

Inactive: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

**Item Values**

**Value**

ASCII 010

**LOINC Code**

**Value Text**

Line feed character (ASCII 010)