

Item ID: I0020

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary Medical Condition Category	Asmt		Code	2	1687-1688

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
01		Stroke
02		Non-Traumatic Brain Dysfunction
03		Traumatic Brain Dysfunction
04		Non-Traumatic Spinal Cord Dysfunction
05		Traumatic Spinal Cord Dysfunction
06		Progressive Neurological Conditions
07		Other Neurological Conditions
08		Amputation
09		Hip and Knee Replacement
10		Fractures and Other Multiple Trauma
11		Other Orthopedic Conditions
12		Debility, Cardiorespiratory Conditions
13		Medically Complex Conditions
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3919	Skip pattern	Fatal	If A0310B=[01,08], then I0020 and I0020B must not equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0020B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary Medical Condition ICD	Asmt		ICD	8	1726-1733

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3945	Consistency	Fatal	If A0310B=[01,08], then this ICD code must be one of the codes in the data spec dictionary table pdpm_icd_codes_FYxxxx (where FYxxxx is the fiscal year matching the target date of the assessment), in order to ensure that the PDPM grouper is able to generate a valid HIPPS code.
-3967	Consistency	Warning	If A0310B=[99] and STATE_PDPM_OBRA_CD is active and STATE_PDPM_OBRA_CD=[1] and I0020B cannot be found in either data spec dictionary table pdpm_icd_codes_FYxxxx or pdpm_icd_codes_2_FYxxxx (where FYxxxx is the fiscal year matching the target date of the assessment), then the PDPM cannot be determined for this assessment. NOTE: The submission system will use the IQIES value for the state where the assessment was performed instead of STATE_PDPM_OBRA_CD to determine whether this warning is applicable.
-3919	Skip pattern	Fatal	This edit only applies to assessments with target date on or after October 1, 2020. If A0310B=[01,08], then I0020 and I0020B must not equal [^].

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.

Item ID: I0100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cancer (with or without metastasis)	Asmt		Checklist	1	694-694

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anemia	Asmt		Checklist	1	695-695

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Atrial fibrillation and other dysrhythmias	Asmt		Checklist	1	696-696

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Coronary artery disease (CAD)	Asmt		Checklist	1	697-697

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Deep venous thrombosis (DVT), PE, or PTE	Asmt		Checklist	1	698-698

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Heart failure	Asmt		Checklist	1	699-699

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hypertension	Asmt		Checklist	1	700-700

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Orthostatic hypotension	Asmt		Checklist	1	701-701

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I0900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Peripheral vascular disease (PVD) or PAD	Asmt		Checklist	1	702-702

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

Item ID: I1100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cirrhosis	Asmt		Checklist	1	703-703

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Gastroesophageal reflux disease (GERD) or ulcer	Asmt		Checklist	1	704-704

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Ulcerative colitis, Chrohn's, inflam bowel disease	Asmt		Checklist	1	705-705

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Benign prostatic hyperplasia (BPH)	Asmt		Checklist	1	706-706

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Renal insufficiency, renal failure, ESRD	Asmt		Checklist	1	707-707

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1550

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Neurogenic bladder	Asmt		Checklist	1	708-708

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1650

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Obstructive uropathy	Asmt		Checklist	1	709-709

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I1700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multidrug resistant organism (MDRO)	Asmt		Checklist	1	710-710

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pneumonia	Asmt		Checklist	1	711-711

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Septicemia	Asmt		Checklist	1	712-712

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tuberculosis	Asmt		Checklist	1	713-713

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Urinary tract infection (UTI) (LAST 30 DAYS)	Asmt		Checklist	1	714-714

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Viral hepatitis (includes type A, B, C, D, and E)	Asmt		Checklist	1	715-715

Item Subsets

Active: NC,NQ,NP

Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Wound infection (other than foot)	Asmt		Checklist	1	716-716

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I2900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Diabetes mellitus (DM)	Asmt		Checklist	1	717-717

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340

Item ID: I3100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyponatremia	Asmt		Checklist	1	718-718

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperkalemia	Asmt		Checklist	1	719-719

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hyperlipidemia (e.g., hypercholesterolemia)	Asmt		Checklist	1	720-720

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Thyroid disorder	Asmt		Checklist	1	721-721

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Arthritis	Asmt		Checklist	1	722-722

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Osteoporosis	Asmt		Checklist	1	723-723

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I3900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hip fracture	Asmt		Checklist	1	724-724

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other fracture	Asmt		Checklist	1	725-725

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Alzheimer's disease	Asmt		Checklist	1	726-726

Item Subsets

Active: NC,NQ,NP
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Aphasia	Asmt		Checklist	1	727-727

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebral palsy	Asmt		Checklist	1	728-728

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cerebrovascular accident (CVA), TIA, or stroke	Asmt		Checklist	1	729-729

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Non-Alzheimer's dementia	Asmt		Checklist	1	730-730

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I4900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hemiplegia or hemiparesis	Asmt		Checklist	1	731-731

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Paraplegia	Asmt		Checklist	1	732-732

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Quadriplegia	Asmt		Checklist	1	733-733

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Multiple sclerosis	Asmt		Checklist	1	734-734

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5250

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Huntington's disease	Asmt		Checklist	1	735-735

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Parkinson's disease	Asmt		Checklist	1	736-736

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5350

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Tourette's syndrome	Asmt		Checklist	1	737-737

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5400

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Seizure disorder or epilepsy	Asmt		Checklist	1	738-738

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Traumatic brain injury (TBI)	Asmt		Checklist	1	739-739

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5600

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Malnutrition (protein, calorie), risk of malnutrit	Asmt		Checklist	1	740-740

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5700

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Anxiety disorder	Asmt		Checklist	1	741-741

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Depression (other than bipolar)	Asmt		Checklist	1	742-742

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Bipolar disorder	Asmt		Checklist	1	743-743

Item Subsets

Active: NC,NQ,NP,ND,SP,SD
Inactive: NT,NPE,IPA,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I5950

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Psychotic disorder (other than schizophrenia)	Asmt		Checklist	1	744-744

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I6000

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Schizophrenia	Asmt		Checklist	1	745-745

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I6100

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Post-traumatic stress disorder (PTSD)	Asmt		Checklist	1	746-746

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I6200

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Asthma (COPD) or chronic lung disease	Asmt		Checklist	1	747-747

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I6300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Respiratory failure	Asmt		Checklist	1	748-748

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I6500

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Cataracts, glaucoma, or macular degeneration	Asmt		Checklist	1	749-749

Item Subsets

Active: NC
Inactive: ND,NT,NPE,IPA,SP,SD,ST,XX
State optional: NQ,NP

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I7900

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
None of above active diseases within last 7 days	Asmt		Checklist	1	750-750

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3507	None of above	Fatal	a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1]. b) If I7900=[1], then all active items from I0100 through I6500 must equal [0]. c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].

Version Changes

Type	ID	Description
Item	I7900	[V3.10.0]-Item added to the NQ, ND, NP, SP, and SD ISCs.
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.

Item ID: I8000A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 1	Asmt		ICD	8	751-758

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 2	Asmt		ICD	8	759-766

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 3	Asmt		ICD	8	767-774

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 4	Asmt		ICD	8	775-782

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000E

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 5	Asmt		ICD	8	783-790

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000F

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 6	Asmt		ICD	8	791-798

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000G

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 7	Asmt		ICD	8	799-806

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000H

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 8	Asmt		ICD	8	807-814

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000I

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 9	Asmt		ICD	8	815-822

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Item ID: I8000J

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Additional active ICD diagnosis 10	Asmt		ICD	8	823-830

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD

Inactive: NT,NPE,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 code
^		Blank (no diagnosis code)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3852	Format	Fatal	FORMATTING OF ICD-10 DIAGNOSIS CODES ICD-10 diagnosis codes must conform with the following formatting rules: a) Character 1 must be alphabetic [A-Z,a-z]. b) Character 2 must be numeric [0-9]. c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z]. d) Character 4 must be a decimal point. e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^]. f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^]. Note that an entirely blank ICD code must be submitted as a single caret: [^].
-3958	Consistency	Fatal	If a value submitted in items I8000A-J is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this set.

Supplemental Information

Info ID	Type	Text
-9006	Information	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
-9019	Information	For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852.

For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

