

Item ID: X0150

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: type of provider | Asmt       |            | Code      | 1          | 1217-1217                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text            |
|-------|------------|-----------------------|
| 1     |            | Nursing home (SNF/NF) |
| 2     |            | Swing bed             |
| ^     |            | Blank (skip pattern)  |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date)<br><br>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected. |
| -3978   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F.  |

-3746 Consistency Fatal If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X0200A

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: resident first name | Asmt       |            | Text      | 12         | 1218-1229                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                                      |
|-------|------------|---|
| Text  |            | Resident first name                             |
| ^     |            | Blank (skip pattern, not available, or unknown) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3690   | Format      | Fatal    | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:<br>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z].<br>c) The character [-].<br>d) The following special characters:<br>[@] (at sign)<br>['] (single quote)<br>[/] (forward slash)<br>[+] (plus sign)<br>[,] (comma)<br>[.] (period)<br>[_] (underscore)<br>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. |
| -3793   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)   |

- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600F (entry/discharge reporting)
- j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)
- k) X0700A (assessment reference date)
- l) X0700B (discharge date)
- m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |             |       |   |
|-------|-------------|-------|---|
| -3978 | Consistency | Fatal | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F. |
| -3746 | Consistency | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |

### Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values. |

Item ID: X0200C

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: resident last name | Asmt       |            | Text      | 18         | 1230-1247                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| Text  |            | Resident last name   |
| ^     |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3690   | Format      | Fatal    | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:<br>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z].<br>c) The character [-].<br>d) The following special characters:<br>[@] (at sign)<br>['] (single quote)<br>[/] (forward slash)<br>[+] (plus sign)<br>[,] (comma)<br>[.] (period)<br>[_] (underscore)<br>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. |
| -3793   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)   |

- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600F (entry/discharge reporting)
- j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)
- k) X0700A (assessment reference date)
- l) X0700B (discharge date)
- m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |             |       |   |
|-------|-------------|-------|---|
| -3978 | Consistency | Fatal | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F. |
| -3746 | Consistency | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |

### Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values. |

Item ID: X0300

| Item Label                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: resident gender | Asmt       |            | Code      | 1          | 1248-1248                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 1     |            | Male                 |
| 2     |            | Female               |
| ^     |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date)<br><br>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected. |
| -3978   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F.  |

-3746 Consistency Fatal If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Item   | X0300 | 9V3.10.0]-Removed the dash [-] as a valid value, since the dash is not a valid value for gender (A0300).   |
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X0400

| <b>Item Label</b>               | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|---------------------------------|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: resident birth date | Asmt              |                   | Date             | 8                 | 1249-1256                           |

**Item Subsets**

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>                               |
|--------------|-------------------|---|
| YYYYMMDD     |                   | Resident birthdate                              |
| YYYYMM       |                   | Resident birthdate (if day of month is unknown) |
| YYYY         |                   | Resident birthdate (if month and day unknown)   |
| ^            |                   | Blank (skip pattern)                            |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3678          | Format           | Fatal           | Formatting of Birthdate:<br>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. |

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".

If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".

If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".

|       |             |       |  |
|-------|-------------|-------|--|
| -3977 | Consistency | Fatal | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number) |
|-------|-------------|-------|--|

- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600F (entry/discharge reporting)
- j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)
- k) X0700A (assessment reference date)
- l) X0700B (discharge date)
- m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |             |       |   |
|-------|-------------|-------|---|
| -3978 | Consistency | Fatal | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F. |
| -3746 | Consistency | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |

Item ID: X0500

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Correction: resident social security number | Asmt       |            | Text      | 9          | 1257-1265                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                                      |
|-------|------------|---|
| Text  |            | Resident social security number                 |
| ^     |            | Blank (skip pattern, not available, or unknown) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3565   | Format      | Fatal    | If the value is not equal to [^], it must be 9 characters long.  |
| -3566   | Format      | Fatal    | If the value is not equal to [^], the first three characters must not be equal to [000].   |
| -3567   | Format      | Fatal    | The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].   |
| -3687   | Format      | Fatal    | Formatting of Numeric Text Items:<br>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].   |
| -3793   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date) |

m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |             |       |  |
|-------|-------------|-------|--|
| -3746 | Consistency | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^]. |
|-------|-------------|-------|--|

Item ID: X0600A

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Correction: OBRA reason for assessment | Asmt       |            | Code      | 2          | 1266-1267                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text   |
|-------|------------|--|
| 01    |            | Admission assessment (required by day 14)                |
| 02    |            | Quarterly review assessment                              |
| 03    |            | Annual assessment  |
| 04    |            | Significant change in status assessment                  |
| 05    |            | Significant correction to prior comprehensive assessment |
| 06    |            | Significant correction to prior quarterly assessment     |
| 99    |            | None of the above  |
| ^     |            | Blank (skip pattern)                                     |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date) |

m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |              |       |   |
|-------|--------------|-------|---|
| -3978 | Consistency  | Fatal | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F.   |
| -3746 | Consistency  | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |
| -3981 | Skip pattern | Fatal | a) If A0050 (formerly X0100)=[2] and A0310B=[01,99], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F, X0600H.<br><br>b) If A0050 (formerly X0100)=[2] and A0310B=[08], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F. |

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X0600B

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: PPS reason for assessment | Asmt       |            | Code      | 2          | 1268-1269                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| 01    |            | 5-day scheduled assessment       |
| 08    |            | IPA - Interim Payment Assessment |
| 99    |            | None of the above                |
| ^     |            | Blank (skip pattern)             |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date)<br><br>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected. |
| -3978   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A,  |

|       |              |       |   |
|-------|--------------|-------|---|
| -3746 | Consistency  | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |
| -3981 | Skip pattern | Fatal | a) If A0050 (formerly X0100)=[2] and A0310B=[01,99], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F, X0600H.<br><br>b) If A0050 (formerly X0100)=[2] and A0310B=[08], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F. |

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X0600F

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: entry/discharge reporting | Asmt       |            | Code      | 2          | 1427-1428                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                                  |
|-------|------------|---|
| 01    |            | Entry tracking record                       |
| 10    |            | Discharge assessment-return not anticipated |
| 11    |            | Discharge assessment-return anticipated     |
| 12    |            | Death in facility tracking record           |
| 99    |            | None of the above                           |
| ^     |            | Blank (skip pattern)                        |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3775   | Consistency | Fatal    | a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].<br>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date) |

- l) X0700B (discharge date)
- m) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

|       |              |       |   |
|-------|--------------|-------|---|
| -3978 | Consistency  | Fatal | If A0050 (formerly X0100)=[2,3] then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F.   |
| -3746 | Consistency  | Fatal | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |
| -3981 | Skip pattern | Fatal | a) If A0050 (formerly X0100)=[2] and A0310B=[01,99], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F, X0600H.<br><br>b) If A0050 (formerly X0100)=[2] and A0310B=[08], then the following items, when active, must not equal [^]: X0600A, X0600B, X0600F. |

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X0600H

| Item Label   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Correction: SNF PPS Part A Discharge (End of Stay) | Asmt       |            | Code      | 1          | 1578-1578                    |

**Item Subsets**

Active: NC,NQ,NP,ND,NT,NPE,SP,SD,ST,XX  
 Inactive: IPA  
 State optional:

**Item Values**

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | No                   |
| 1     |            | Yes                  |
| ^     |            | Blank (skip pattern) |

**Item Edits**

| Edit ID | Edit Type    | Severity | Edit Text  |
|---------|--------------|----------|--|
| -3676   | Format       | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3977   | Consistency  | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date)<br><br>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected. |
| -3746   | Consistency  | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |
| -3981   | Skip pattern | Fatal    | a) If A0050 (formerly X0100)=[2] and A0310B=[01,99], then the following items, when active, must not equal   |

## Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X0700A

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: assessment reference date | Asmt       |            | Date      | 8          | 1273-1280                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value    | LOINC Code | Value Text                |
|----------|------------|---------------------------|
| YYYYMMDD |            | Assessment reference date |
| ^        |            | Blank (skip pattern)      |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3775   | Consistency | Fatal    | a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].<br>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date) |

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3746      Consistency      Fatal      If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3677 | [V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6. |

Item ID: X0700B

| Item Label                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: discharge date | Asmt       |            | Date      | 8          | 1281-1288                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,SP,SD,ST,XX

Inactive: IPA

State optional:

### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Discharge date       |
| ^        |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3775   | Consistency | Fatal    | a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].<br>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date) |

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3746      Consistency      Fatal      If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3677 | [V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6. |

Item ID: X0700C

| Item Label             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: entry date | Asmt       |            | Date      | 8          | 1289-1296                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,SP,SD,ST,XX

Inactive: IPA

State optional:

### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Entry date           |
| ^        |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3775   | Consistency | Fatal    | a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].<br>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].   |
| -3977   | Consistency | Fatal    | In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):<br>a) X0150 (provider type)<br>b) X0200A (resident first name)<br>c) X0200C (resident last name)<br>d) X0300 (gender)<br>e) X0400 (birth date)<br>f) X0500 (social security number)<br>g) X0600A (OBRA reason for assessment)<br>h) X0600B (PPS reason for assessment)<br>i) X0600F (entry/discharge reporting)<br>j) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)<br>k) X0700A (assessment reference date)<br>l) X0700B (discharge date)<br>m) X0700C (entry date) |

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

-3746      Consistency      Fatal      If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3677 | [V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6. |

Item ID: X0800

| Item Label                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: correction number | Asmt       |            | Number    | 2          | 1297-1298                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 01    |            | Minimum value        |
| 99    |            | Maximum value        |
| ^     |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3783   | Consistency | Fatal    | The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.  |
| -3792   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^].   |
| -3746   | Consistency | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].  |

## Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3679 | [V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420. |
| Format | -3680 | [V3.10.0]-Mappings were removed to the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.   |

**Item ID:** X0900A

| <b>Item Label</b>                               | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|---|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: modif reasons - transcription error | Asmt              |                   | Checklist        | 1                 | 1299-1299                           |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>    |
|--------------|-------------------|----------------------|
| 0            |                   | Not checked (No)     |
| 1            |                   | Checked (Yes)        |
| ^            |                   | Blank (skip pattern) |

### Item Edits

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3676          | Format           | Fatal           | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3779          | Consistency      | Fatal           | a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^]. |
| -3795          | Consistency      | Fatal           | If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].   |
| -3746          | Consistency      | Fatal           | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

### Version Changes

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -3676     | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X0900B

| <b>Item Label</b>                            | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: modif reasons - data entry error | Asmt              |                   | Checklist        | 1                 | 1300-1300                           |

**Item Subsets**

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>    |
|--------------|-------------------|----------------------|
| 0            |                   | Not checked (No)     |
| 1            |                   | Checked (Yes)        |
| ^            |                   | Blank (skip pattern) |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3676          | Format           | Fatal           | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3779          | Consistency      | Fatal           | a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^]. |
| -3795          | Consistency      | Fatal           | If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].   |
| -3746          | Consistency      | Fatal           | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

**Version Changes**

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -3676     | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X0900C

| <b>Item Label</b>                          | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: modif reasons - software error | Asmt              |                   | Checklist        | 1                 | 1301-1301                           |

**Item Subsets**

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>    |
|--------------|-------------------|----------------------|
| 0            |                   | Not checked (No)     |
| 1            |                   | Checked (Yes)        |
| ^            |                   | Blank (skip pattern) |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3676          | Format           | Fatal           | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3779          | Consistency      | Fatal           | a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^]. |
| -3795          | Consistency      | Fatal           | If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].   |
| -3746          | Consistency      | Fatal           | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

**Version Changes**

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -3676     | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X0900D

| <b>Item Label</b>                             | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|---|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: modif reasons - item coding error | Asmt              |                   | Checklist        | 1                 | 1302-1302                           |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>    |
|--------------|-------------------|----------------------|
| 0            |                   | Not checked (No)     |
| 1            |                   | Checked (Yes)        |
| ^            |                   | Blank (skip pattern) |

### Item Edits

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3676          | Format           | Fatal           | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3779          | Consistency      | Fatal           | a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^]. |
| -3795          | Consistency      | Fatal           | If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].   |
| -3746          | Consistency      | Fatal           | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

### Version Changes

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -3676     | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X0900Z

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Correction: modif reasons - other error | Asmt       |            | Checklist | 1          | 1303-1303                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3779   | Consistency | Fatal    | a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^]. |
| -3795   | Consistency | Fatal    | If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].   |
| -3746   | Consistency | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

**Item ID:** X1050A

| <b>Item Label</b>                                  | <b>Item Group</b> | <b>LOINC Code</b> | <b>Item Type</b> | <b>Max Length</b> | <b>Fixed Format Start-End Bytes</b> |
|--|-------------------|-------------------|------------------|-------------------|-------------------------------------|
| Correction: inactive reasons - event did not occur | Asmt              |                   | Checklist        | 1                 | 1304-1304                           |

**Item Subsets**

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

**Item Values**

| <b>Value</b> | <b>LOINC Code</b> | <b>Value Text</b>    |
|--------------|-------------------|----------------------|
| 0            |                   | Not checked (No)     |
| 1            |                   | Checked (Yes)        |
| ^            |                   | Blank (skip pattern) |

**Item Edits**

| <b>Edit ID</b> | <b>Edit Type</b> | <b>Severity</b> | <b>Edit Text</b>   |
|----------------|------------------|-----------------|--|
| -3676          | Format           | Fatal           | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3780          | Consistency      | Fatal           | a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^]. |
| -3748          | Consistency      | Fatal           | If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].   |
| -3746          | Consistency      | Fatal           | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

**Version Changes**

| <b>Type</b> | <b>ID</b> | <b>Description</b>   |
|-------------|-----------|--|
| Format      | -3676     | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X1050Z

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Correction: inactive reasons - other reason | Asmt       |            | Checklist | 1          | 1305-1305                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text           |
|-------|------------|----------------------|
| 0     |            | Not checked (No)     |
| 1     |            | Checked (Yes)        |
| ^     |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.                                    |
| -3780   | Consistency | Fatal    | a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].<br>b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^]. |
| -3748   | Consistency | Fatal    | If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].   |
| -3746   | Consistency | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

### Version Changes

| Type   | ID    | Description  |
|--------|-------|--|
| Format | -3676 | [V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. |

Item ID: X1100A

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: attestor first name | Asmt       |            | Text      | 12         | 1306-1317                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                        |
|-------|------------|-----------------------------------|
| Text  |            | Attesting individual's first name |
| ^     |            | Blank (skip pattern)              |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3690   | Format      | Fatal    | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:<br>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z].<br>c) The character [-].<br>d) The following special characters:<br>[@] (at sign)<br>['] (single quote)<br>[/] (forward slash)<br>[+] (plus sign)<br>[,] (comma)<br>[.] (period)<br>[_] (underscore)<br>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. |
| -3793   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.   |
| -3781   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].  |
| -3746   | Consistency | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

## Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values. |

Item ID: X1100B

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: attestor last name | Asmt       |            | Text      | 18         | 1318-1335                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value | LOINC Code | Value Text                       |
|-------|------------|----------------------------------|
| Text  |            | Attesting individual's last name |
| ^     |            | Blank (skip pattern)             |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3690   | Format      | Fatal    | Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:<br>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:<br>a) The numeric characters: [0] through [9].<br>b) The letters [A] through [Z] and [a] through [z].<br>c) The character [-].<br>d) The following special characters:<br>[@] (at sign)<br>['] (single quote)<br>[/] (forward slash)<br>[+] (plus sign)<br>[,] (comma)<br>[.] (period)<br>[_] (underscore)<br>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. |
| -3793   | Format      | Fatal    | The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.   |
| -3781   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].  |
| -3746   | Consistency | Fatal    | If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].   |

## Supplemental Information

| Info ID | Type        | Text  |
|---------|-------------|---|
| -9006   | Information | Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values. |

Item ID: X1100E

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Correction: attestation date | Asmt       |            | Date      | 8          | 1336-1343                    |

### Item Subsets

Active: NC,NQ,NP,ND,NT,NPE,IPA,SP,SD,ST,XX

Inactive:

State optional:

### Item Values

| Value    | LOINC Code | Value Text           |
|----------|------------|----------------------|
| YYYYMMDD |            | Attestation date     |
| ^        |            | Blank (skip pattern) |

### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3781   | Consistency | Fatal    | If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].  |
| -3810   | Consistency | Warning  | RECORD SUBMISSION TIMING RULES<br>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).<br><br>RULES FOR NEW RECORDS (WHERE A0050=[1]):<br>The following rules apply to new records, where A0050=[1].<br><br>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.<br><br>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.<br><br>c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.<br><br>d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then |

submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

|       |             |       |
|-------|-------------|-------|
| -3746 | Consistency | Fatal |
| -4065 | Consistency | Fatal |
| -4075 | Consistency | Fatal |

If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

\*\*\*THIS EDIT WAS DELETED IN V3.10.0\*\*\*

Date Item Consistency Rules

Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.

-----

GROUP A RULES (Edit -4073a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=

A1900 (admission date) <=

A1600 (entry date) <=

A2300 (assessment reference date) = A2000 (discharge date) <=

Z0500B (date RN signed assessment as complete) <=

V0200B2 (CAT assessment process signature date) <=

V0200C2 (CAT care planning signature date) <=

X1100E (correction: attestation date) <= current date

-----

GROUP B (Edit -4073b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)

O0250B (date influenza vaccine received)

V0100C (prior assessment reference date)

-----

GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

RULE C1 (Edit -4073c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=

A2300 (assessment reference date)

RULE C2: (Edit -4073c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

**Version Changes**

| <b>Type</b> | <b>ID</b> | <b>Description</b>  |
|-------------|-----------|---|
| Format      | -3677     | [V3.10.0]-Mappings were removed to the following deleted items: O0400A5, O0400A6, O0400B5, O0400B6, O0400C5, O0400C6. |
| Consistency | -4065     | [V3.10.0]-This edit was deleted, since the O0400 items were deleted. Replaced by edit -4073.                          |
| Consistency | -4075     | [V3.10.0]-New edit. Replaces edit -4065.  |