

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3503	None of above	Fatal	<p>If E0100A through E0100B and E0100Z are all active, then the following rules apply:</p> <p>a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1].</p> <p>b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0].</p> <p>c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].</p> <p>Items:</p> <table><tr><td>E0100A</td><td>Psychosis: hallucinations</td></tr><tr><td>E0100B</td><td>Psychosis: delusions</td></tr><tr><td>E0100Z</td><td>Psychosis: none of the above</td></tr></table>	E0100A	Psychosis: hallucinations	E0100B	Psychosis: delusions	E0100Z	Psychosis: none of the above																		
E0100A	Psychosis: hallucinations																										
E0100B	Psychosis: delusions																										
E0100Z	Psychosis: none of the above																										
-3507	None of above	Fatal	<p>a) If I7900=[0], then at least one active item from I0100 through I6500 must equal [1].</p> <p>b) If I7900=[1], then all active items from I0100 through I6500 must equal [0].</p> <p>c) If I7900=[-], then at least one active item from I0100 through I6500 must equal [-] and all remaining active items must equal [0,-].</p> <p>Items:</p> <table><tr><td>I2000</td><td>Pneumonia</td></tr><tr><td>I2100</td><td>Septicemia</td></tr><tr><td>I2900</td><td>Diabetes mellitus (DM)</td></tr><tr><td>I4300</td><td>Aphasia</td></tr><tr><td>I4400</td><td>Cerebral palsy</td></tr><tr><td>I4900</td><td>Hemiplegia or hemiparesis</td></tr><tr><td>I5100</td><td>Quadriplegia</td></tr><tr><td>I5200</td><td>Multiple sclerosis</td></tr><tr><td>I5300</td><td>Parkinson's disease</td></tr><tr><td>I6200</td><td>Asthma (COPD) or chronic lung disease</td></tr><tr><td>I6300</td><td>Respiratory failure</td></tr><tr><td>I7900</td><td>None of above active diseases within last 7 days</td></tr></table>	I2000	Pneumonia	I2100	Septicemia	I2900	Diabetes mellitus (DM)	I4300	Aphasia	I4400	Cerebral palsy	I4900	Hemiplegia or hemiparesis	I5100	Quadriplegia	I5200	Multiple sclerosis	I5300	Parkinson's disease	I6200	Asthma (COPD) or chronic lung disease	I6300	Respiratory failure	I7900	None of above active diseases within last 7 days
I2000	Pneumonia																										
I2100	Septicemia																										
I2900	Diabetes mellitus (DM)																										
I4300	Aphasia																										
I4400	Cerebral palsy																										
I4900	Hemiplegia or hemiparesis																										
I5100	Quadriplegia																										
I5200	Multiple sclerosis																										
I5300	Parkinson's disease																										
I6200	Asthma (COPD) or chronic lung disease																										
I6300	Respiratory failure																										
I7900	None of above active diseases within last 7 days																										
-3509	None of above	Fatal	<p>a) If J1100Z=[0], then at least one active item from J1100A through J1100C must equal [1].</p> <p>b) If J1100Z=[1], then all active items from J1100A through J1100C must equal [0].</p> <p>c) If J1100Z=[-], then at least one active item from J1100A through J1100C must equal [1].</p> <p>Items:</p> <table><tr><td>J1100C</td><td>Short breath/trouble breathing: lying flat</td></tr><tr><td>J1100Z</td><td>Short breath/trouble breathing: none of above</td></tr></table>	J1100C	Short breath/trouble breathing: lying flat	J1100Z	Short breath/trouble breathing: none of above																				
J1100C	Short breath/trouble breathing: lying flat																										
J1100Z	Short breath/trouble breathing: none of above																										
-3510	None of above	Fatal	<p>a) If J1550Z=[0], then at least one active item from J1550A through J1550D must equal [1].</p> <p>b) If J1550Z=[1], then all active items from J1550A through J1550D must equal [0].</p> <p>c) If J1550Z=[-], then at least one active item from J1550A through J1550D must equal [-] and all remaining active items must equal [0,-].</p> <p>Items:</p> <table><tr><td>J1550A</td><td>Problem conditions: fever</td></tr></table>	J1550A	Problem conditions: fever																						
J1550A	Problem conditions: fever																										

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: J1550B Problem conditions: vomiting J1550C Problem conditions: dehydrated J1550D Problem conditions: internal bleeding J1550Z Problem conditions: none of the above
-3515	None of above	Fatal	<p>If M1200A through M1200I and M1200Z are all active, then the following rules apply:</p> <p>a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1].</p> <p>b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0].</p> <p>c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-]</p>
			Items: M1200A Skin/ulcer/injry treat: prssr rduce dvc for chair M1200B Skin/ulcer/injry treat: prssr reducing dvc for bed M1200C Skin/ulcer/injry treat: turning/repositioning M1200D Skin/ulcer/injry treat: nutrition/hydration M1200E Skin/ulcer/injry treat: prssr ulcer/injry care M1200F Skin/ulcer/injry treat: surgical wound care M1200G Skin/ulcer/injry treat: application of dressings M1200H Skin/ulcer/injry treat: apply ointments/meds M1200I Skin/ulcer/injry treat: apply dressings to feet M1200Z Skin/ulcer/injry treat: none of the above
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p>
			Items: B0100 Comatose E0100A Psychosis: hallucinations E0100B Psychosis: delusions E0100Z Psychosis: none of the above E0200A Physical behav symptoms directed toward others E0200B Verbal behav symptoms directed toward others E0200C Other behav symptoms not directed toward others
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p>
			Items: B0100 Comatose E0800 Rejection of care: presence and frequency E0900 Wandering: presence and frequency

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																				
-3527	Consistency	Fatal	<p>a) If C0100=[0,^], then all active items from C0200 through C0600 must equal [^].</p> <p>b) If C0100=[1], then all active items from C0200 through C0600 must not equal [^].</p> <p>c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].</p> <p>d) If C0100=[-], then if C0600 is active it must equal [1,-].</p> <p>Items:</p> <table><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr><tr><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr><tr><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr><tr><td>C0300B</td><td>BIMS res interview: able to report correct month</td></tr><tr><td>C0300C</td><td>BIMS res interview: can report correct day of week</td></tr><tr><td>C0400A</td><td>BIMS res interview: able to recall "sock"</td></tr><tr><td>C0400B</td><td>BIMS res interview: able to recall "blue"</td></tr><tr><td>C0400C</td><td>BIMS res interview: able to recall "bed"</td></tr><tr><td>C0500</td><td>BIMS res interview: summary score</td></tr><tr><td>C0600</td><td>Staff asmt mental status: conduct asmt</td></tr></table>	C0100	BIMS: should resident interview be conducted	C0200	BIMS res interview: repetition of three words	C0300A	BIMS res interview: able to report correct year	C0300B	BIMS res interview: able to report correct month	C0300C	BIMS res interview: can report correct day of week	C0400A	BIMS res interview: able to recall "sock"	C0400B	BIMS res interview: able to recall "blue"	C0400C	BIMS res interview: able to recall "bed"	C0500	BIMS res interview: summary score	C0600	Staff asmt mental status: conduct asmt
C0100	BIMS: should resident interview be conducted																						
C0200	BIMS res interview: repetition of three words																						
C0300A	BIMS res interview: able to report correct year																						
C0300B	BIMS res interview: able to report correct month																						
C0300C	BIMS res interview: can report correct day of week																						
C0400A	BIMS res interview: able to recall "sock"																						
C0400B	BIMS res interview: able to recall "blue"																						
C0400C	BIMS res interview: able to recall "bed"																						
C0500	BIMS res interview: summary score																						
C0600	Staff asmt mental status: conduct asmt																						
-3528	Consistency	Fatal	<p>a) If C0600=[0], then all active items from C0700 through C1000 must equal [^].</p> <p>b) If C0600=[1], then all active items from C0700 through C1000 must not equal [^].</p> <p>c) If C0600=[-], then all active items from C0700 through C1000 must equal [-].</p> <p>d) If C0600=[^] and C0100=[0], then all active items from C0700 through C1000 must not equal [^].</p> <p>Items:</p> <table><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr><tr><td>C0600</td><td>Staff asmt mental status: conduct asmt</td></tr><tr><td>C0700</td><td>Staff asmt mental status: short-term memory OK</td></tr><tr><td>C1000</td><td>Cognitive skills for daily decision making</td></tr></table>	C0100	BIMS: should resident interview be conducted	C0600	Staff asmt mental status: conduct asmt	C0700	Staff asmt mental status: short-term memory OK	C1000	Cognitive skills for daily decision making												
C0100	BIMS: should resident interview be conducted																						
C0600	Staff asmt mental status: conduct asmt																						
C0700	Staff asmt mental status: short-term memory OK																						
C1000	Cognitive skills for daily decision making																						
-3529	Skip pattern	Fatal	<p>If D0100=[1], then if D0200A1 is active it must not equal [^].</p> <p>Items:</p> <table><tr><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td>D0200A1</td><td>PHQ res: little interest or pleasure - presence</td></tr></table>	D0100	PHQ: should resident mood interview be conducted	D0200A1	PHQ res: little interest or pleasure - presence																
D0100	PHQ: should resident mood interview be conducted																						
D0200A1	PHQ res: little interest or pleasure - presence																						
-3542	Skip pattern	Fatal	<p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].</p> <p>Items:</p> <table><tr><td>M0210</td><td>Resident has 1+ unhealed PU/injuries</td></tr><tr><td>M0300A</td><td>Stage 1 pressure injuries: number present</td></tr><tr><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr></table>	M0210	Resident has 1+ unhealed PU/injuries	M0300A	Stage 1 pressure injuries: number present	M0300B1	Stage 2 pressure ulcers: number present														
M0210	Resident has 1+ unhealed PU/injuries																						
M0300A	Stage 1 pressure injuries: number present																						
M0300B1	Stage 2 pressure ulcers: number present																						
-3543	Skip pattern	Fatal	<p>If M0210=[1], then if M0300C1 is active it must not equal [^].</p> <p>Items:</p> <table><tr><td>M0210</td><td>Resident has 1+ unhealed PU/injuries</td></tr></table>	M0210	Resident has 1+ unhealed PU/injuries																		
M0210	Resident has 1+ unhealed PU/injuries																						

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3544	Skip pattern	Fatal	<p>Items: M0300C1 Stage 3 pressure ulcers: number present</p> <p>If M0210=[1], then if M0300D1 is active it must not equal [^].</p>
-3546	Skip pattern	Fatal	<p>Items: M0210 Resident has 1+ unhealed PU/injuries</p> <p>M0300D1 Stage 4 pressure ulcers: number present</p> <p>If M0210=[1], then if M0300F1 is active it must not equal [^].</p>
-3557	Consistency	Fatal	<p>Items: M0210 Resident has 1+ unhealed PU/injuries</p> <p>M0300F1 Unstaged slough/eschar: number present</p> <p>Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].</p> <p>c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].</p>
-3558	Consistency	Fatal	<p>Items: O0400A1 Speech-language/audiology: individ minutes</p> <p>O0400A2 Speech-language/audiology: concur minutes</p> <p>O0400A3 Speech-language/audiology: group minutes</p> <p>O0400A4 Speech-language/audiology: number of days</p> <p>O0400A5 Speech-language/audiology: start date</p> <p>O0400A6 Speech-language/audiology: end date</p> <p>Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].</p> <p>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].</p>
			<p>Items: O0400B1 Occupational therapy: individ minutes</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date
-3559	Consistency	Fatal	Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum: a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^]. b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^]. c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].
			Items: O0400C1 Physical therapy: individ minutes O0400C2 Physical therapy: concur minutes O0400C3 Physical therapy: group minutes O0400C4 Physical therapy: number of days O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date
-3565	Format	Fatal	If the value is not equal to [^], it must be 9 characters long. Items: A0600A Social Security Number X0500 Correction: resident social security number
-3566	Format	Fatal	If the value is not equal to [^], the first three characters must not be equal to [000]. Items: A0600A Social Security Number X0500 Correction: resident social security number
-3567	Format	Fatal	The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999]. Items: A0600A Social Security Number X0500 Correction: resident social security number
-3568	Format	Fatal	If A0100A is not equal to [^], then it must be 10 digits long.

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3586	Skip pattern	Fatal	Items: A0100A Facility National Provider Identifier (NPI) a) If C0500=[-,99], then if C0600 is active it must equal [1,-]. b) If C0500=[00-15], then if C0600 is active it must equal [0].
			Items: C0500 BIMS res interview: summary score C0600 Staff asmt mental status: conduct asmt
-3587	Consistency	Fatal	D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below. The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^]. a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values. b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum. c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules). d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules). e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99]. f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-]. The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected. Items: D0100 PHQ: should resident mood interview be conducted D0200A2 PHQ res: little interest or pleasure - frequency D0200B2 PHQ res: feeling down, depressed - frequency D0200C2 PHQ res: trouble with sleep - frequency

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3588	Consistency	Fatal	Items: D0200D2 PHQ res: feeling tired/little energy - frequency D0200E2 PHQ res: poor appetite or overeating - frequency D0200F2 PHQ res: feeling bad about self - frequency D0200G2 PHQ res: trouble concentrating - frequency D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score
			D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.
			The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].
			a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.
			b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.
			c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
			d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).
			e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].
			The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.
			Items: D0500A2 PHQ staff: little interest or pleasure - frequency D0500B2 PHQ staff: feeling down, depressed - frequency D0500C2 PHQ staff: trouble with sleep - frequency D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F2 PHQ staff: feeling bad about self - frequency

Unduplicated Edits Report by Edit ID

Items:	B0100	Comatose
	B0700	Makes self understood
	C0100	BIMS: should resident interview be conducted
	C0200	BIMS res interview: repetition of three words
	C0300A	BIMS res interview: able to report correct year
	C0300B	BIMS res interview: able to report correct month
	C0300C	BIMS res interview: can report correct day of week
	C0400A	BIMS res interview: able to recall "sock"
	C0400B	BIMS res interview: able to recall "blue"
	C0400C	BIMS res interview: able to recall "bed"
	C0500	BIMS res interview: summary score
	C0600	Staff asmt mental status: conduct asmt
	C0700	Staff asmt mental status: short-term memory OK
	C1000	Cognitive skills for daily decision making
	D0100	PHQ: should resident mood interview be conducted
	D0200A1	PHQ res: little interest or pleasure - presence
	D0200A2	PHQ res: little interest or pleasure - frequency
	D0200B1	PHQ res: feeling down, depressed - presence
	D0200B2	PHQ res: feeling down, depressed - frequency
	D0200C1	PHQ res: trouble with sleep - presence
	D0200C2	PHQ res: trouble with sleep - frequency
	D0200D1	PHQ res: feeling tired/little energy - presence
	D0200D2	PHQ res: feeling tired/little energy - frequency
	D0200E1	PHQ res: poor appetite or overeating - presence
	D0200E2	PHQ res: poor appetite or overeating - frequency
	D0200F1	PHQ res: feeling bad about self - presence
	D0200F2	PHQ res: feeling bad about self - frequency
	D0200G1	PHQ res: trouble concentrating - presence
	D0200G2	PHQ res: trouble concentrating - frequency

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score E0100A Psychosis: hallucinations E0100B Psychosis: delusions E0100Z Psychosis: none of the above E0200A Physical behav symptoms directed toward others E0200B Verbal behav symptoms directed toward others E0200C Other behav symptoms not directed toward others E0800 Rejection of care: presence and frequency E0900 Wandering: presence and frequency
-3619	Skip pattern	Fatal	If D0100=[1], then if D0200B1 is active it must not equal [^].

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3620	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200B1 PHQ res: feeling down, depressed - presence
			If D0100=[1], then if D0200C1 is active it must not equal [^].
-3621	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200C1 PHQ res: trouble with sleep - presence
			If D0100=[1], then if D0200D1 is active it must not equal [^].
-3622	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200D1 PHQ res: feeling tired/little energy - presence
			If D0100=[1], then if D0200E1 is active it must not equal [^].
-3623	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200E1 PHQ res: poor appetite or overeating - presence
			If D0100=[1], then if D0200F1 is active it must not equal [^].
-3624	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200F1 PHQ res: feeling bad about self - presence
			If D0100=[1], then if D0200G1 is active it must not equal [^].
-3625	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200G1 PHQ res: trouble concentrating - presence
			If D0100=[1], then if D0200H1 is active it must not equal [^].
-3626	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200H1 PHQ res: slow, fidgety, restless - presence
			If D0100=[1], then if D0200I1 is active it must not equal [^].
-3627	Skip pattern	Fatal	Items: D0100 PHQ: should resident mood interview be conducted D0200I1 PHQ res: thoughts better off dead - presence
			If D0100=[1], then if D0300 is active it must not equal [^].
			Items: D0100 PHQ: should resident mood interview be conducted D0300 PHQ res: total mood severity score

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).</p> <p>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).</p> <p>c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</p> <p>d) For OSA assessments, the target date will be equal to A2300 (assessment reference date).</p> <p>Given the target date, the following rules apply:</p> <p>a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).</p> <p>b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).</p> <p>c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).</p> <p>If A0410 is equal to [2,3], then the assessment MUST be submitted to the MDS Submission System. If A0410 is equal to [1], then the assessment MUST NOT be submitted to the MDS Submission System.</p> <p>NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.</p> <table><tr><td>Items:</td><td>A0300A</td><td>State Payment Assessment Purpose</td></tr><tr><td></td><td>A0410</td><td>Submission requirement</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr></table>	Items:	A0300A	State Payment Assessment Purpose		A0410	Submission requirement		A1600	Entry date (date of admission/reentry in facility)		A2300	Assessment reference date
Items:	A0300A	State Payment Assessment Purpose													
	A0410	Submission requirement													
	A1600	Entry date (date of admission/reentry in facility)													
	A2300	Assessment reference date													
-3659	Consistency	Fatal	<p>A0900 (birthdate) cannot be more than 140 years earlier than the current date.</p> <table><tr><td>Items:</td><td>A0900</td><td>Birthdate</td></tr></table>	Items:	A0900	Birthdate									
Items:	A0900	Birthdate													

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																	
-3660	Consistency	Fatal	<p>The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.</p> <p>a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.</p> <p>b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].</p> <p>c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].</p> <p>d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].</p> <table><tr><td>Items:</td><td>C0200</td><td>BIMS res interview: repetition of three words</td></tr><tr><td></td><td>C0300A</td><td>BIMS res interview: able to report correct year</td></tr><tr><td></td><td>C0300B</td><td>BIMS res interview: able to report correct month</td></tr><tr><td></td><td>C0300C</td><td>BIMS res interview: can report correct day of week</td></tr><tr><td></td><td>C0400A</td><td>BIMS res interview: able to recall "sock"</td></tr><tr><td></td><td>C0400B</td><td>BIMS res interview: able to recall "blue"</td></tr><tr><td></td><td>C0400C</td><td>BIMS res interview: able to recall "bed"</td></tr><tr><td></td><td>C0500</td><td>BIMS res interview: summary score</td></tr></table>	Items:	C0200	BIMS res interview: repetition of three words		C0300A	BIMS res interview: able to report correct year		C0300B	BIMS res interview: able to report correct month		C0300C	BIMS res interview: can report correct day of week		C0400A	BIMS res interview: able to recall "sock"		C0400B	BIMS res interview: able to recall "blue"		C0400C	BIMS res interview: able to recall "bed"		C0500	BIMS res interview: summary score									
Items:	C0200	BIMS res interview: repetition of three words																																		
	C0300A	BIMS res interview: able to report correct year																																		
	C0300B	BIMS res interview: able to report correct month																																		
	C0300C	BIMS res interview: can report correct day of week																																		
	C0400A	BIMS res interview: able to recall "sock"																																		
	C0400B	BIMS res interview: able to recall "blue"																																		
	C0400C	BIMS res interview: able to recall "bed"																																		
	C0500	BIMS res interview: summary score																																		
-3668	Consistency	Fatal	<p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.</p> <table><tr><td>Items:</td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr><tr><td></td><td>O0100A1</td><td>Treatment: chemotherapy - while not resident</td></tr><tr><td></td><td>O0100B1</td><td>Treatment: radiation - while not resident</td></tr><tr><td></td><td>O0100C1</td><td>Treatment: oxygen therapy - while not resident</td></tr><tr><td></td><td>O0100D1</td><td>Treatment: suctioning - while not resident</td></tr><tr><td></td><td>O0100E1</td><td>Treatment: tracheostomy care - while not resident</td></tr><tr><td></td><td>O0100F1</td><td>Treat: Invsv Mech Vent - while not resident</td></tr><tr><td></td><td>O0100H1</td><td>Treatment: IV medications - while not resident</td></tr><tr><td></td><td>O0100I1</td><td>Treatment: transfusions - while not resident</td></tr><tr><td></td><td>O0100J1</td><td>Treatment: dialysis - while not resident</td></tr></table>	Items:	A1600	Entry date (date of admission/reentry in facility)		A2300	Assessment reference date		O0100A1	Treatment: chemotherapy - while not resident		O0100B1	Treatment: radiation - while not resident		O0100C1	Treatment: oxygen therapy - while not resident		O0100D1	Treatment: suctioning - while not resident		O0100E1	Treatment: tracheostomy care - while not resident		O0100F1	Treat: Invsv Mech Vent - while not resident		O0100H1	Treatment: IV medications - while not resident		O0100I1	Treatment: transfusions - while not resident		O0100J1	Treatment: dialysis - while not resident
Items:	A1600	Entry date (date of admission/reentry in facility)																																		
	A2300	Assessment reference date																																		
	O0100A1	Treatment: chemotherapy - while not resident																																		
	O0100B1	Treatment: radiation - while not resident																																		
	O0100C1	Treatment: oxygen therapy - while not resident																																		
	O0100D1	Treatment: suctioning - while not resident																																		
	O0100E1	Treatment: tracheostomy care - while not resident																																		
	O0100F1	Treat: Invsv Mech Vent - while not resident																																		
	O0100H1	Treatment: IV medications - while not resident																																		
	O0100I1	Treatment: transfusions - while not resident																																		
	O0100J1	Treatment: dialysis - while not resident																																		

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3675	Consistency	Fatal	<p>Items: 00100Z1 Treatment: none of above - while not resident</p> <p>a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1].</p> <p>b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0].</p> <p>c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].</p>
			<p>Items: E0200A Physical behav symptoms directed toward others</p> <p>E0200B Verbal behav symptoms directed toward others</p> <p>E0200C Other behav symptoms not directed toward others</p>
-3676	Format	Fatal	<p>Values of Code and Checklist Items:</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p>
			<p>Items: ASMT_SYS_CD Assessment system code</p> <p>ITM_SBST_CD Item subset code</p> <p>PRODN_TEST_CD Production/test indicator</p> <p>STATE_CD Facility's state postal code</p> <p>STATE_PDPM_OBR State calculation of PDPM for OBRA</p> <p>A_CD</p> <p>A0050 Type of transaction (formerly X0100)</p> <p>A0200 Type of provider</p> <p>A0300A State Payment Assessment Purpose</p> <p>A0300B State Payment Assessment Type</p> <p>A0410 Submission requirement</p> <p>A0800 Gender</p> <p>A1005A Ethnicity: No, not Hispanic, Latino/a, Spanish</p> <p>A1005B Ethnicity: Yes, Mex, Mex Amer, Chicano/a</p> <p>A1005C Ethnicity: Yes, Puerto Rican</p> <p>A1005D Ethnicity: Yes, Cuban</p> <p>A1005E Ethnicity: Yes, another Hispanic/Latino/Spanish</p> <p>A1005X Ethnicity: Patient unable to respond</p> <p>A1005Y Ethnicity: Patient declines to respond</p> <p>A1010A Race: White</p> <p>A1010B Race: Black or African American</p> <p>A1010C Race: American Indian or Alaska Native</p> <p>A1010D Race: Asian Indian</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	A1010E Race: Chinese
			A1010F Race: Filipino
			A1010G Race: Japanese
			A1010H Race: Korean
			A1010I Race: Vietnamese
			A1010J Race: Other Asian
			A1010K Race: Native Hawaiian
			A1010L Race: Guamanian or Chamorro
			A1010M Race: Samoan
			A1010N Race: Other Pacific Islander
			A1010X Race: Patient unable to respond
			A1010Y Race: Patient declines to respond
			A1010Z Race: None of the above
			A1110B Does the patient need or want an interpreter
			A1200 Marital status
			B0100 Comatose
			B0700 Makes self understood
			C0100 BIMS: should resident interview be conducted
			C0200 BIMS res interview: repetition of three words
			C0300A BIMS res interview: able to report correct year
			C0300B BIMS res interview: able to report correct month
			C0300C BIMS res interview: can report correct day of week
			C0400A BIMS res interview: able to recall "sock"
			C0400B BIMS res interview: able to recall "blue"
			C0400C BIMS res interview: able to recall "bed"
			C0600 Staff asmt mental status: conduct asmt
			C0700 Staff asmt mental status: short-term memory OK
			C1000 Cognitive skills for daily decision making
			D0100 PHQ: should resident mood interview be conducted
			D0200A1 PHQ res: little interest or pleasure - presence
			D0200A2 PHQ res: little interest or pleasure - frequency
			D0200B1 PHQ res: feeling down, depressed - presence
			D0200B2 PHQ res: feeling down, depressed - frequency
			D0200C1 PHQ res: trouble with sleep - presence
			D0200C2 PHQ res: trouble with sleep - frequency
			D0200D1 PHQ res: feeling tired/little energy - presence

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		D0200D2	PHQ res: feeling tired/little energy - frequency
		D0200E1	PHQ res: poor appetite or overeating - presence
		D0200E2	PHQ res: poor appetite or overeating - frequency
		D0200F1	PHQ res: feeling bad about self - presence
		D0200F2	PHQ res: feeling bad about self - frequency
		D0200G1	PHQ res: trouble concentrating - presence
		D0200G2	PHQ res: trouble concentrating - frequency
		D0200H1	PHQ res: slow, fidgety, restless - presence
		D0200H2	PHQ res: slow, fidgety, restless - frequency
		D0200I1	PHQ res: thoughts better off dead - presence
		D0200I2	PHQ res: thoughts better off dead - frequency
		D0500A1	PHQ staff: little interest or pleasure - presence
		D0500A2	PHQ staff: little interest or pleasure - frequency
		D0500B1	PHQ staff: feeling down, depressed - presence
		D0500B2	PHQ staff: feeling down, depressed - frequency
		D0500C1	PHQ staff: trouble with sleep - presence
		D0500C2	PHQ staff: trouble with sleep - frequency
		D0500D1	PHQ staff: feeling tired/little energy - presence
		D0500D2	PHQ staff: feeling tired/little energy - frequency
		D0500E1	PHQ staff: poor appetite or overeating - presence
		D0500E2	PHQ staff: poor appetite or overeating - frequency
		D0500F1	PHQ staff: feeling bad about self - presence
		D0500F2	PHQ staff: feeling bad about self - frequency
		D0500G1	PHQ staff: trouble concentrating - presence
		D0500G2	PHQ staff: trouble concentrating - frequency
		D0500H1	PHQ staff: slow, fidgety, restless - presence
		D0500H2	PHQ staff: slow, fidgety, restless - frequency
		D0500I1	PHQ staff: thoughts better off dead - presence
		D0500I2	PHQ staff: thoughts better off dead - frequency
		D0500J1	PHQ staff: short-tempered - presence
		D0500J2	PHQ staff: short-tempered - frequency
		E0100A	Psychosis: hallucinations
		E0100B	Psychosis: delusions
		E0100Z	Psychosis: none of the above
		E0200A	Physical behav symptoms directed toward others
		E0200B	Verbal behav symptoms directed toward others

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	E0200C Other behav symptoms not directed toward others
			E0800 Rejection of care: presence and frequency
			E0900 Wandering: presence and frequency
			G0110A1 Bed mobility: self-performance
			G0110A2 Bed mobility: support provided
			G0110B1 Transfer: self-performance
			G0110B2 Transfer: support provided
			G0110H1 Eating: self-performance
			G0110H2 Eating: support provided
			G0110I1 Toilet use: self-performance
			G0110I2 Toilet use: support provided
			H0200C Urinary toileting program: current program/trial
			H0500 Bowel toileting program being used
			I2000 Pneumonia
			I2100 Septicemia
			I2900 Diabetes mellitus (DM)
			I4300 Aphasia
			I4400 Cerebral palsy
			I4900 Hemiplegia or hemiparesis
			I5100 Quadriplegia
			I5200 Multiple sclerosis
			I5300 Parkinson's disease
			I6200 Asthma (COPD) or chronic lung disease
			I6300 Respiratory failure
			I7900 None of above active diseases within last 7 days
			J1100C Short breath/trouble breathing: lying flat
			J1100Z Short breath/trouble breathing: none of above
			J1550A Problem conditions: fever
			J1550B Problem conditions: vomiting
			J1550C Problem conditions: dehydrated
			J1550D Problem conditions: internal bleeding
			J1550Z Problem conditions: none of the above
			K0300 Weight loss
			K0510A1 Nutrition approach: Not Res: parenteral/IV feeding
			K0510A2 Nutrition approach: Res: parenteral /IV feeding
			K0510B1 Nutrition approach: Not Res: feeding tube

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		K0510B2	Nutrition approach: Res: feeding tube
		K0510Z1	Nutrition approach: Not Res: none of the above
		K0510Z2	Nutrition approach: Res: none of the above
		K0710A3	Prop calories parenteral/tube feed: 7 days
		K0710B3	Avg fluid intake per day IV/tube: 7 days
		M0210	Resident has 1+ unhealed PU/injuries
		M1040A	Other skin probs: infection of the foot
		M1040B	Other skin probs: diabetic foot ulcer(s)
		M1040C	Other skin probs: other open lesion(s) on the foot
		M1040D	Other skin probs: lesions not ulcers, rashes, cuts
		M1040E	Other skin probs: surgical wound(s)
		M1040F	Other skin probs: burns (second or third degree)
		M1040Z	Other skin probs: none of the above
		M1200A	Skin/ulcer/injry treat: prssr rduce dvc for chair
		M1200B	Skin/ulcer/injry treat: prssr reducing dvc for bed
		M1200C	Skin/ulcer/injry treat: turning/repositioning
		M1200D	Skin/ulcer/injry treat: nutrition/hydration
		M1200E	Skin/ulcer/injry treat: prssr ulcer/injry care
		M1200F	Skin/ulcer/injry treat: surgical wound care
		M1200G	Skin/ulcer/injry treat: application of dressings
		M1200H	Skin/ulcer/injry treat: apply ointments/meds
		M1200I	Skin/ulcer/injry treat: apply dressings to feet
		M1200Z	Skin/ulcer/injry treat: none of the above
		O0100A1	Treatment: chemotherapy - while not resident
		O0100A2	Treatment: chemotherapy - while resident
		O0100B1	Treatment: radiation - while not resident
		O0100B2	Treatment: radiation - while resident
		O0100C1	Treatment: oxygen therapy - while not resident
		O0100C2	Treatment: oxygen therapy - while resident
		O0100D1	Treatment: suctioning - while not resident
		O0100D2	Treatment: suctioning - while resident
		O0100E1	Treatment: tracheostomy care - while not resident
		O0100E2	Treatment: tracheostomy care - while resident
		O0100F1	Treat: Invsy Mech Vent - while not resident
		O0100F2	Treat: Invsy Mech Vent - while resident
		O0100H1	Treatment: IV medications - while not resident

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0100H2 Treatment: IV medications - while resident O0100I1 Treatment: transfusions - while not resident O0100I2 Treatment: transfusions - while resident O0100J1 Treatment: dialysis - while not resident O0100J2 Treatment: dialysis - while resident O0100M2 Treatment: isolate/quarantine - while resident O0100Z1 Treatment: none of above - while not resident O0100Z2 Treatment: none of above - while resident O0450A Has therapy resumed X0150 Correction: type of provider X0300 Correction: resident gender X0570A Correction: Optional State Assessment Purpose X0570B Correction: Optional State Assessment Type X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900Z Correction: modif reasons - other error X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason Z0200C State case mix: Short Stay Assessment
-3677	Format	Fatal	Values of Date Items: This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".
			Items: A1600 Entry date (date of admission/reentry in facility) A1900 Admission date A2300 Assessment reference date A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay O0400A5 Speech-language/audiology: start date O0400A6 Speech-language/audiology: end date

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0400B5 Occupational therapy: start date O0400B6 Occupational therapy: end date O0400C5 Physical therapy: start date O0400C6 Physical therapy: end date X0700A Correction: assessment reference date X1100E Correction: attestation date Z0500B Date RN signed assessment as complete
-3678	Format	Fatal	<p>Formatting of Birthdate:</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled,</p>
			Items: A0900 Birthdate X0400 Correction: resident birth date
-3679	Format	Fatal	<p>Values of Numeric Items:</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p>
			Items: C0500 BIMS res interview: summary score D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300C1 Stage 3 pressure ulcers: number present

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	
		M0300D1	Stage 4 pressure ulcers: number present
		M0300F1	Unstaged slough/eschar: number present
		M1030	Number of venous and arterial ulcers
		N0300	Number of days injectable medications received
		N0350A	Insulin: insulin injections
		N0350B	Insulin: orders for insulin
		O0400A1	Speech-language/audiology: individ minutes
		O0400A2	Speech-language/audiology: concur minutes
		O0400A3	Speech-language/audiology: group minutes
		O0400A4	Speech-language/audiology: number of days
		O0400B1	Occupational therapy: individ minutes
		O0400B2	Occupational therapy: concur minutes
		O0400B3	Occupational therapy: group minutes
		O0400B4	Occupational therapy: number of days
		O0400C1	Physical therapy: individ minutes
		O0400C2	Physical therapy: concur minutes
		O0400C3	Physical therapy: group minutes
		O0400C4	Physical therapy: number of days
		O0400D2	Respiratory therapy: number of days
		O0420	Distinct calendar days of therapy
		O0500A	Range of motion (passive): number of days
		O0500B	Range of motion (active): number of days
		O0500C	Splint or brace assistance: number of days
		O0500D	Bed mobility training: number of days
		O0500E	Transfer training: number of days
		O0500F	Walking training: number of days
		O0500G	Dressing and/or grooming training: number of days
		O0500H	Eating and/or swallowing training: number of days
		O0500I	Amputation/prosthesis training: number of days
		O0500J	Communication training: number of days
		O0600	Physician examinations: number of days
		O0700	Physician orders: number of days
		X0800	Correction: correction number

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3680	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.</p>

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Items:	C0500	BIMS res interview: summary score
	D0300	PHQ res: total mood severity score
	D0600	PHQ staff: total mood score
	M0300A	Stage 1 pressure injuries: number present
	M0300B1	Stage 2 pressure ulcers: number present
	M0300C1	Stage 3 pressure ulcers: number present
	M0300D1	Stage 4 pressure ulcers: number present
	M0300F1	Unstaged slough/eschar: number present
	M1030	Number of venous and arterial ulcers
	N0300	Number of days injectable medications received
	N0350A	Insulin: insulin injections
	N0350B	Insulin: orders for insulin
	O0400A1	Speech-language/audiology: individ minutes
	O0400A2	Speech-language/audiology: concur minutes
	O0400A3	Speech-language/audiology: group minutes
	O0400A4	Speech-language/audiology: number of days
	O0400B1	Occupational therapy: individ minutes
	O0400B2	Occupational therapy: concur minutes
	O0400B3	Occupational therapy: group minutes
	O0400B4	Occupational therapy: number of days
	O0400C1	Physical therapy: individ minutes
	O0400C2	Physical therapy: concur minutes
	O0400C3	Physical therapy: group minutes
	O0400C4	Physical therapy: number of days
	O0400D2	Respiratory therapy: number of days
	O0420	Distinct calendar days of therapy
	O0500A	Range of motion (passive): number of days

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0500B Range of motion (active): number of days O0500C Splint or brace assistance: number of days O0500D Bed mobility training: number of days O0500E Transfer training: number of days O0500F Walking training: number of days O0500G Dressing and/or grooming training: number of days O0500H Eating and/or swallowing training: number of days O0500I Amputation/prosthesis training: number of days O0500J Communication training: number of days O0600 Physician examinations: number of days O0700 Physician orders: number of days X0800 Correction: correction number
-3686	Consistency	Fatal	<p>a) If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>b) If the SFTWR_VNDR_ID is equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_VNDR_EM Software vendor email address AIL_ADR</p>
-3687	Format	Fatal	<p>Formatting of Numeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9].</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID A0100A Facility National Provider Identifier (NPI) A0600A Social Security Number X0500 Correction: resident social security number</p>
-3688	Format	Fatal	<p>Formatting of Alphanumeric Text Items: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z].</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0600B Medicare number A0700 Medicaid number
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p>Items: SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0500A Resident first name A0500C Resident last name A0500D Resident name suffix A1110A Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3691	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The following special characters:</p> <p style="margin-left: 40px;">[@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore)</p> <p>Items: A0500B Resident middle initial</p>
-3692	Format	Fatal	<p>Formatting of email address. Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <p>' single quote " double quote , comma ; semi-colon : colon \ back slash () right and left parentheses [] right and left brackets { } right and left braces < less than > greater than space (embedded space)</p> <p>Items: SFTWR_VNDR_EM Software vendor email address AIL_ADR</p>
-3693	Format	Fatal	<p>FAC_ID is the facility/provider ID.</p> <p>a) This must be the FAC_ID assigned to the provider. The state agency assigns the FAC_ID to nursing homes. The QIES system (QTSO help desk) assigns the FAC_ID to swing bed units. The submitted value must match the FAC_ID in the QIES Assessment Processing System for the facility or provider.</p> <p>b) A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3695	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued.</p> <p>Items: A0100B Facility CMS Certification Number (CCN)</p>
-3696	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400A4*15. b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day). c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p>Items: O0400A1 Speech-language/audiology: individ minutes O0400A2 Speech-language/audiology: concur minutes O0400A3 Speech-language/audiology: group minutes O0400A4 Speech-language/audiology: number of days</p>
-3697	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400B4*15. b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day). c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p>Items: O0400B1 Occupational therapy: individ minutes O0400B2 Occupational therapy: concur minutes O0400B3 Occupational therapy: group minutes O0400B4 Occupational therapy: number of days</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																										
-3698	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400C4*15.</p> <p>b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p>Items:</p> <table><tr><td>O0400C1</td><td>Physical therapy: individ minutes</td></tr><tr><td>O0400C2</td><td>Physical therapy: concur minutes</td></tr><tr><td>O0400C3</td><td>Physical therapy: group minutes</td></tr><tr><td>O0400C4</td><td>Physical therapy: number of days</td></tr></table>	O0400C1	Physical therapy: individ minutes	O0400C2	Physical therapy: concur minutes	O0400C3	Physical therapy: group minutes	O0400C4	Physical therapy: number of days																		
O0400C1	Physical therapy: individ minutes																												
O0400C2	Physical therapy: concur minutes																												
O0400C3	Physical therapy: group minutes																												
O0400C4	Physical therapy: number of days																												
-3702	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p>Items:</p> <table><tr><td>FAC_ID</td><td>Assigned facility/provider submission ID</td></tr><tr><td>A0500A</td><td>Resident first name</td></tr><tr><td>A0500C</td><td>Resident last name</td></tr></table>	FAC_ID	Assigned facility/provider submission ID	A0500A	Resident first name	A0500C	Resident last name																				
FAC_ID	Assigned facility/provider submission ID																												
A0500A	Resident first name																												
A0500C	Resident last name																												
-3703	Skip pattern	Fatal	<p>a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^].</p> <p>b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].</p> <p>Items:</p> <table><tr><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td>D0200A1</td><td>PHQ res: little interest or pleasure - presence</td></tr><tr><td>D0200A2</td><td>PHQ res: little interest or pleasure - frequency</td></tr><tr><td>D0200B1</td><td>PHQ res: feeling down, depressed - presence</td></tr><tr><td>D0200B2</td><td>PHQ res: feeling down, depressed - frequency</td></tr><tr><td>D0200C1</td><td>PHQ res: trouble with sleep - presence</td></tr><tr><td>D0200C2</td><td>PHQ res: trouble with sleep - frequency</td></tr><tr><td>D0200D1</td><td>PHQ res: feeling tired/little energy - presence</td></tr><tr><td>D0200D2</td><td>PHQ res: feeling tired/little energy - frequency</td></tr><tr><td>D0200E1</td><td>PHQ res: poor appetite or overeating - presence</td></tr><tr><td>D0200E2</td><td>PHQ res: poor appetite or overeating - frequency</td></tr><tr><td>D0200F1</td><td>PHQ res: feeling bad about self - presence</td></tr><tr><td>D0200F2</td><td>PHQ res: feeling bad about self - frequency</td></tr></table>	D0100	PHQ: should resident mood interview be conducted	D0200A1	PHQ res: little interest or pleasure - presence	D0200A2	PHQ res: little interest or pleasure - frequency	D0200B1	PHQ res: feeling down, depressed - presence	D0200B2	PHQ res: feeling down, depressed - frequency	D0200C1	PHQ res: trouble with sleep - presence	D0200C2	PHQ res: trouble with sleep - frequency	D0200D1	PHQ res: feeling tired/little energy - presence	D0200D2	PHQ res: feeling tired/little energy - frequency	D0200E1	PHQ res: poor appetite or overeating - presence	D0200E2	PHQ res: poor appetite or overeating - frequency	D0200F1	PHQ res: feeling bad about self - presence	D0200F2	PHQ res: feeling bad about self - frequency
D0100	PHQ: should resident mood interview be conducted																												
D0200A1	PHQ res: little interest or pleasure - presence																												
D0200A2	PHQ res: little interest or pleasure - frequency																												
D0200B1	PHQ res: feeling down, depressed - presence																												
D0200B2	PHQ res: feeling down, depressed - frequency																												
D0200C1	PHQ res: trouble with sleep - presence																												
D0200C2	PHQ res: trouble with sleep - frequency																												
D0200D1	PHQ res: feeling tired/little energy - presence																												
D0200D2	PHQ res: feeling tired/little energy - frequency																												
D0200E1	PHQ res: poor appetite or overeating - presence																												
D0200E2	PHQ res: poor appetite or overeating - frequency																												
D0200F1	PHQ res: feeling bad about self - presence																												
D0200F2	PHQ res: feeling bad about self - frequency																												

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0200G1 PHQ res: trouble concentrating - presence D0200G2 PHQ res: trouble concentrating - frequency D0200H1 PHQ res: slow, fidgety, restless - presence D0200H2 PHQ res: slow, fidgety, restless - frequency D0200I1 PHQ res: thoughts better off dead - presence D0200I2 PHQ res: thoughts better off dead - frequency D0300 PHQ res: total mood severity score
-3704	Skip pattern	Fatal	a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^].
			Items: D0300 PHQ res: total mood severity score D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency D0600 PHQ staff: total mood score

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3706	Consistency	Fatal	<p>The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected.</p> <p>Items: A0200 Type of provider</p>
-3707	Consistency	Fatal	<p>a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]).</p> <p>b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3].</p> <p>c) For both nursing homes and swing bed providers, A0410 must not be equal to [1].</p> <p>Items: A0200 Type of provider A0410 Submission requirement</p>
-3708	Consistency	Fatal	<p>a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -].</p> <p>b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]).</p> <p>d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-].</p> <p>Items: D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency</p>
-3709	Consistency	Fatal	<p>a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -].</p> <p>b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]).</p> <p>d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-].</p> <p>Items: D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency</p>
-3710	Consistency	Fatal	<p>a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -].</p> <p>b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]).</p> <p>d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-].</p> <p>Items: D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency</p>
-3711	Consistency	Fatal	<p>a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -].</p> <p>b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]).</p> <p>d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: D0200D1 PHQ res: feeling tired/little energy - presence
			D0200D2 PHQ res: feeling tired/little energy - frequency
-3712	Consistency	Fatal	<p>a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -].</p> <p>b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]).</p> <p>d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].</p>
			Items: D0200E1 PHQ res: poor appetite or overeating - presence
			D0200E2 PHQ res: poor appetite or overeating - frequency
-3713	Consistency	Fatal	<p>a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -].</p> <p>b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]).</p> <p>d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].</p>
			Items: D0200F1 PHQ res: feeling bad about self - presence
			D0200F2 PHQ res: feeling bad about self - frequency
-3714	Consistency	Fatal	<p>a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -].</p> <p>b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]).</p> <p>d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].</p>
			Items: D0200G1 PHQ res: trouble concentrating - presence
			D0200G2 PHQ res: trouble concentrating - frequency
-3715	Consistency	Fatal	<p>a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -].</p> <p>b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]).</p> <p>d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].</p>
			Items: D0200H1 PHQ res: slow, fidgety, restless - presence
			D0200H2 PHQ res: slow, fidgety, restless - frequency
-3716	Consistency	Fatal	<p>a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -].</p> <p>b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]).</p> <p>d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].</p>
			Items: D0200I1 PHQ res: thoughts better off dead - presence
			D0200I2 PHQ res: thoughts better off dead - frequency

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3717	Consistency	Fatal	<p>a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -].</p> <p>b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].</p> <p>Items: D0500A1 PHQ staff: little interest or pleasure - presence D0500A2 PHQ staff: little interest or pleasure - frequency</p>
-3718	Consistency	Fatal	<p>a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -].</p> <p>b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].</p> <p>Items: D0500B1 PHQ staff: feeling down, depressed - presence D0500B2 PHQ staff: feeling down, depressed - frequency</p>
-3719	Consistency	Fatal	<p>a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -].</p> <p>b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].</p> <p>Items: D0500C1 PHQ staff: trouble with sleep - presence D0500C2 PHQ staff: trouble with sleep - frequency</p>
-3720	Consistency	Fatal	<p>a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -].</p> <p>b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].</p> <p>Items: D0500D1 PHQ staff: feeling tired/little energy - presence D0500D2 PHQ staff: feeling tired/little energy - frequency</p>
-3721	Consistency	Fatal	<p>a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -].</p> <p>b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].</p> <p>Items: D0500E1 PHQ staff: poor appetite or overeating - presence D0500E2 PHQ staff: poor appetite or overeating - frequency</p>
-3722	Consistency	Fatal	<p>a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -].</p> <p>b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].</p> <p>Items: D0500F1 PHQ staff: feeling bad about self - presence D0500F2 PHQ staff: feeling bad about self - frequency</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3723	Consistency	Fatal	<p>a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -].</p> <p>b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].</p> <p>Items: D0500G1 PHQ staff: trouble concentrating - presence D0500G2 PHQ staff: trouble concentrating - frequency</p>
-3724	Consistency	Fatal	<p>a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -].</p> <p>b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].</p> <p>Items: D0500H1 PHQ staff: slow, fidgety, restless - presence D0500H2 PHQ staff: slow, fidgety, restless - frequency</p>
-3725	Consistency	Fatal	<p>a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -].</p> <p>b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].</p> <p>Items: D0500I1 PHQ staff: thoughts better off dead - presence D0500I2 PHQ staff: thoughts better off dead - frequency</p>
-3726	Consistency	Fatal	<p>a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -].</p> <p>b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].</p> <p>Items: D0500J1 PHQ staff: short-tempered - presence D0500J2 PHQ staff: short-tempered - frequency</p>
-3729	Consistency	Fatal	<p>a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].</p> <p>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].</p> <p>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-] and all remaining active items must equal [0,-].</p> <p>Items: O0100A1 Treatment: chemotherapy - while not resident O0100B1 Treatment: radiation - while not resident O0100C1 Treatment: oxygen therapy - while not resident O0100D1 Treatment: suctioning - while not resident O0100E1 Treatment: tracheostomy care - while not resident O0100F1 Treat: Invsy Mech Vent - while not resident O0100H1 Treatment: IV medications - while not resident O0100I1 Treatment: transfusions - while not resident</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: O0100J1 Treatment: dialysis - while not resident O0100Z1 Treatment: none of above - while not resident
-3730	Consistency	Fatal	a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1]. b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0]. c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] and all remaining active items must equal [0,-].
			Items: O0100A2 Treatment: chemotherapy - while resident O0100B2 Treatment: radiation - while resident O0100C2 Treatment: oxygen therapy - while resident O0100D2 Treatment: suctioning - while resident O0100E2 Treatment: tracheostomy care - while resident O0100F2 Treat: Invsy Mech Vent - while resident O0100H2 Treatment: IV medications - while resident O0100I2 Treatment: transfusions - while resident O0100J2 Treatment: dialysis - while resident O0100M2 Treatment: isolate/quarantine - while resident O0100Z2 Treatment: none of above - while resident
-3735	Skip pattern	Fatal	a) If N0300=[0], then all active items from N0350A through N0350B must equal [^]. b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^]. c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].
			Items: N0300 Number of days injectable medications received N0350A Insulin: insulin injections N0350B Insulin: orders for insulin
-3746	Consistency	Fatal	If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].
			Items: A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: X0570A Correction: Optional State Assessment Purpose X0570B Correction: Optional State Assessment Type X0700A Correction: assessment reference date X0800 Correction: correction number X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900Z Correction: modif reasons - other error X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason X1100A Correction: attester first name X1100B Correction: attester last name X1100E Correction: attestation date
-3748	Consistency	Fatal	<p>If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].</p> <p>Items: A0050 Type of transaction (formerly X0100) X1050A Correction: inactive reasons - event did not occur X1050Z Correction: inactive reasons - other reason</p>
-3749	Consistency	Warning	<p>Date Span Requirements The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p> <p>Items: A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: Z0500B Date RN signed assessment as complete
-3753	Consistency	Fatal	<p>If N0300 is equal to [1-7], then one of the following must be true:</p> <p>a) N0350A must be equal to [-], OR</p> <p>b) N0350A must be equal to [0-7] and must be less than or equal to N0300.</p>
			Items: N0300 Number of days injectable medications received N0350A Insulin: insulin injections
-3764	Consistency	Fatal	<p>The following rules apply to each pair of items in Column 1 and Column 2, from G0110A1 through G0110J2, when both items in the pair are active:</p> <p>a) If either item in the pair is equal to [8], then both items in the pair must equal [8].</p> <p>b) If an item in Column 1 is equal to [2,3,4], then the corresponding item in Column 2 must equal [2,3].</p>
			Items: G0110A1 Bed mobility: self-performance G0110A2 Bed mobility: support provided G0110B1 Transfer: self-performance G0110B2 Transfer: support provided G0110H1 Eating: self-performance G0110H2 Eating: support provided G0110I1 Toilet use: self-performance G0110I2 Toilet use: support provided
-3779	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^].</p>
			Items: A0050 Type of transaction (formerly X0100) X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900Z Correction: modif reasons - other error
-3780	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].</p> <p>b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^].</p>
			Items: A0050 Type of transaction (formerly X0100) X1050A Correction: inact reasons - event did not occur

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3781	Consistency	Fatal	<p>Items: X1050Z Correction: inert reasons - other reason</p> <p>If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].</p>
			<p>Items: A0050 Type of transaction (formerly X0100)</p> <p>X1100A Correction: attestor first name</p> <p>X1100B Correction: attestor last name</p> <p>X1100E Correction: attestation date</p>
-3783	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.</p>
-3792	Consistency	Fatal	<p>Items: X0800 Correction: correction number</p> <p>If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^].</p>
			<p>Items: A0050 Type of transaction (formerly X0100)</p> <p>X0800 Correction: correction number</p>
-3793	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p>
			<p>Items: FAC_ID Assigned facility/provider submission ID</p> <p>SFTWR_VNDR_ID Software vendor federal employer tax ID</p> <p>SFTWR_VNDR_NA Software vendor company name</p> <p>ME</p> <p>SFTWR_VNDR_EM Software vendor email address</p> <p>AIL_ADR</p> <p>SFTWR_PROD_NA Software product name</p> <p>ME</p> <p>SFTWR_PROD_VRS Software product version code</p> <p>N_CD</p> <p>FAC_DOC_ID Facility document ID</p> <p>A0100A Facility National Provider Identifier (NPI)</p> <p>A0100C State provider number</p> <p>A0500A Resident first name</p> <p>A0500B Resident middle initial</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A0500C Resident last name A0500D Resident name suffix A0600A Social Security Number A0600B Medicare number A0700 Medicaid number A1110A Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X0500 Correction: resident social security number X1100A Correction: attestor first name X1100B Correction: attestor last name Z0200A State case mix: Group Z0200B State case mix: Version code Z0250A State case mix: Alternate group Z0250B State case mix: Alternate version code
-3794	Consistency	Fatal	<p>a) If SFTWR_PROD_NAME is equal to [^], then SFTWR_PROD_VRSN_CD must be equal to [^].</p> <p>b) If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].</p> <p>Items: SFTWR_PROD_NAME Software product name ME SFTWR_PROD_VRSN_CD Software product version code</p>
-3795	Consistency	Fatal	<p>If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].</p> <p>Items: A0050 Type of transaction (formerly X0100) X0900A Correction: modif reasons - transcription error X0900B Correction: modif reasons - data entry error X0900C Correction: modif reasons - software error X0900D Correction: modif reasons - item coding error X0900Z Correction: modif reasons - other error</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3796	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p>Items: ITM_SBST_CD Item subset code A0050 Type of transaction (formerly X0100) A0200 Type of provider</p>
-3802	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[&] (ampersand)</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p>Items: SFTWR_VNDR_NA Software vendor company name ME SFTWR_PROD_NA Software product name ME Z0200A State case mix: Group Z0200B State case mix: Version code Z0250A State case mix: Alternate group Z0250B State case mix: Alternate version code</p>
-3807	Format	Warning	<p>Version Code Values</p> <p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <p>Items: ITM_SET_VRSN_CD Item set version code</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: SPEC_VRSN_CD Specifications version code
-3809	Skip pattern	Fatal	If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].
			Items: D0100 PHQ: should resident mood interview be conducted
			D0500A1 PHQ staff: little interest or pleasure - presence
			D0500A2 PHQ staff: little interest or pleasure - frequency
			D0500B1 PHQ staff: feeling down, depressed - presence
			D0500B2 PHQ staff: feeling down, depressed - frequency
			D0500C1 PHQ staff: trouble with sleep - presence
			D0500C2 PHQ staff: trouble with sleep - frequency
			D0500D1 PHQ staff: feeling tired/little energy - presence
			D0500D2 PHQ staff: feeling tired/little energy - frequency
			D0500E1 PHQ staff: poor appetite or overeating - presence
			D0500E2 PHQ staff: poor appetite or overeating - frequency
			D0500F1 PHQ staff: feeling bad about self - presence
			D0500F2 PHQ staff: feeling bad about self - frequency
			D0500G1 PHQ staff: trouble concentrating - presence
			D0500G2 PHQ staff: trouble concentrating - frequency
			D0500H1 PHQ staff: slow, fidgety, restless - presence
			D0500H2 PHQ staff: slow, fidgety, restless - frequency
			D0500I1 PHQ staff: thoughts better off dead - presence
			D0500I2 PHQ staff: thoughts better off dead - frequency
			D0500J1 PHQ staff: short-tempered - presence
			D0500J2 PHQ staff: short-tempered - frequency
			D0600 PHQ staff: total mood score

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
-3810	Consistency	Warning	<p>RECORD SUBMISSION TIMING RULES</p> <p>The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).</p> <p>RULES FOR NEW RECORDS (WHERE A0050=[1]):</p> <p>The following rules apply to new records, where A0050=[1].</p> <p>a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.</p> <p>b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.</p> <p>c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less than or equal to 14 days.</p> <p>d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.</p> <p>RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):</p> <p>e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.</p> <table><tr><td>Items:</td><td>A0050</td><td>Type of transaction (formerly X0100)</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>X1100E</td><td>Correction: attestation date</td></tr><tr><td></td><td>Z0500B</td><td>Date RN signed assessment as complete</td></tr></table>	Items:	A0050	Type of transaction (formerly X0100)		A1600	Entry date (date of admission/reentry in facility)		X1100E	Correction: attestation date		Z0500B	Date RN signed assessment as complete
Items:	A0050	Type of transaction (formerly X0100)													
	A1600	Entry date (date of admission/reentry in facility)													
	X1100E	Correction: attestation date													
	Z0500B	Date RN signed assessment as complete													
-3816	Consistency	Fatal	<p>a) If K0510Z2=[0], then at least one active item from K0510A2 through K0510D2 in Column 2 must equal [1].</p> <p>b) If K0510Z2=[1], then all active items from K0510A2 through K0510D2 in Column 2 must equal [0].</p> <p>c) If K0510Z2=[-], then at least one active item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining active items in Column 2 must equal [0,-].</p> <table><tr><td>Items:</td><td>K0510A2</td><td>Nutrition approach: Res: parenteral /IV feeding</td></tr><tr><td></td><td>K0510B2</td><td>Nutrition approach: Res: feeding tube</td></tr><tr><td></td><td>K0510Z2</td><td>Nutrition approach: Res: none of the above</td></tr></table>	Items:	K0510A2	Nutrition approach: Res: parenteral /IV feeding		K0510B2	Nutrition approach: Res: feeding tube		K0510Z2	Nutrition approach: Res: none of the above			
Items:	K0510A2	Nutrition approach: Res: parenteral /IV feeding													
	K0510B2	Nutrition approach: Res: feeding tube													
	K0510Z2	Nutrition approach: Res: none of the above													

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																					
-3828	None of above	Fatal	<p>a) If M1040Z=[0], then at least one active item from M1040A through M1040H must equal [1].</p> <p>b) If M1040Z=[1], then all active items from M1040A through M1040H must equal [0].</p> <p>c) If M1040Z=[-], then at least one active item from M1040A through M1040H must equal [-] and all remaining active items must equal [0,-].</p> <table><tr><td>Items:</td><td>M1040A</td><td>Other skin probs: infection of the foot</td></tr><tr><td></td><td>M1040B</td><td>Other skin probs: diabetic foot ulcer(s)</td></tr><tr><td></td><td>M1040C</td><td>Other skin probs: other open lesion(s) on the foot</td></tr><tr><td></td><td>M1040D</td><td>Other skin probs: lesions not ulcers, rashes, cuts</td></tr><tr><td></td><td>M1040E</td><td>Other skin probs: surgical wound(s)</td></tr><tr><td></td><td>M1040F</td><td>Other skin probs: burns (second or third degree)</td></tr><tr><td></td><td>M1040Z</td><td>Other skin probs: none of the above</td></tr></table>	Items:	M1040A	Other skin probs: infection of the foot		M1040B	Other skin probs: diabetic foot ulcer(s)		M1040C	Other skin probs: other open lesion(s) on the foot		M1040D	Other skin probs: lesions not ulcers, rashes, cuts		M1040E	Other skin probs: surgical wound(s)		M1040F	Other skin probs: burns (second or third degree)		M1040Z	Other skin probs: none of the above
Items:	M1040A	Other skin probs: infection of the foot																						
	M1040B	Other skin probs: diabetic foot ulcer(s)																						
	M1040C	Other skin probs: other open lesion(s) on the foot																						
	M1040D	Other skin probs: lesions not ulcers, rashes, cuts																						
	M1040E	Other skin probs: surgical wound(s)																						
	M1040F	Other skin probs: burns (second or third degree)																						
	M1040Z	Other skin probs: none of the above																						
-3829	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].</p> <p>b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].</p> <table><tr><td>Items:</td><td>B0100</td><td>Comatose</td></tr><tr><td></td><td>B0700</td><td>Makes self understood</td></tr></table>	Items:	B0100	Comatose		B0700	Makes self understood															
Items:	B0100	Comatose																						
	B0700	Makes self understood																						
-3839	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2] (modification record), then the value in ITM_SBST_CD in the modification record must be equal to the value that was submitted in the prior record (the record that is being modified).</p> <table><tr><td>Items:</td><td>ITM_SBST_CD</td><td>Item subset code</td></tr><tr><td></td><td>A0050</td><td>Type of transaction (formerly X0100)</td></tr></table>	Items:	ITM_SBST_CD	Item subset code		A0050	Type of transaction (formerly X0100)															
Items:	ITM_SBST_CD	Item subset code																						
	A0050	Type of transaction (formerly X0100)																						
-3842	Consistency	Fatal	<p>The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below. These edits only apply when K0710A3 and K0710B3 are active.</p> <p>a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^].</p> <p>b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^].</p> <p>c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].</p> <table><tr><td>Items:</td><td>K0510A1</td><td>Nutrition approach: Not Res: parenteral/IV feeding</td></tr><tr><td></td><td>K0510A2</td><td>Nutrition approach: Res: parenteral /IV feeding</td></tr><tr><td></td><td>K0510B1</td><td>Nutrition approach: Not Res: feeding tube</td></tr><tr><td></td><td>K0510B2</td><td>Nutrition approach: Res: feeding tube</td></tr><tr><td></td><td>K0710A3</td><td>Prop calories parenteral/tube feed: 7 days</td></tr><tr><td></td><td>K0710B3</td><td>Avg fluid intake per day IV/tube: 7 days</td></tr></table>	Items:	K0510A1	Nutrition approach: Not Res: parenteral/IV feeding		K0510A2	Nutrition approach: Res: parenteral /IV feeding		K0510B1	Nutrition approach: Not Res: feeding tube		K0510B2	Nutrition approach: Res: feeding tube		K0710A3	Prop calories parenteral/tube feed: 7 days		K0710B3	Avg fluid intake per day IV/tube: 7 days			
Items:	K0510A1	Nutrition approach: Not Res: parenteral/IV feeding																						
	K0510A2	Nutrition approach: Res: parenteral /IV feeding																						
	K0510B1	Nutrition approach: Not Res: feeding tube																						
	K0510B2	Nutrition approach: Res: feeding tube																						
	K0710A3	Prop calories parenteral/tube feed: 7 days																						
	K0710B3	Avg fluid intake per day IV/tube: 7 days																						

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
-3846	Consistency	Fatal	<p>Consistency between therapy days within types of therapy and distinct days across types of therapy.</p> <p>Item O0420, when active, must conform with the following rules:</p> <p>a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].</p> <p>b) If O0420 is not equal to [-], then both of the following rules apply:</p> <p>---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.</p> <p>---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.</p> <table><tr><td>Items:</td><td>O0400A4</td><td>Speech-language/audiology: number of days</td></tr><tr><td></td><td>O0400B4</td><td>Occupational therapy: number of days</td></tr><tr><td></td><td>O0400C4</td><td>Physical therapy: number of days</td></tr><tr><td></td><td>O0420</td><td>Distinct calendar days of therapy</td></tr></table>	Items:	O0400A4	Speech-language/audiology: number of days		O0400B4	Occupational therapy: number of days		O0400C4	Physical therapy: number of days		O0420	Distinct calendar days of therapy
Items:	O0400A4	Speech-language/audiology: number of days													
	O0400B4	Occupational therapy: number of days													
	O0400C4	Physical therapy: number of days													
	O0420	Distinct calendar days of therapy													
-3853	Consistency	Fatal	<p>If A0410=[3] (federal required submission), then A0100B (facility CCN) must not equal</p> <table><tr><td>Items:</td><td>A0100B</td><td>Facility CMS Certification Number (CCN)</td></tr><tr><td></td><td>A0410</td><td>Submission requirement</td></tr></table>	Items:	A0100B	Facility CMS Certification Number (CCN)		A0410	Submission requirement						
Items:	A0100B	Facility CMS Certification Number (CCN)													
	A0410	Submission requirement													
-3854	Format	Fatal	<p>The value submitted in A0100B must either be equal to [^] or it must be exactly 6 characters in length.</p> <table><tr><td>Items:</td><td>A0100B</td><td>Facility CMS Certification Number (CCN)</td></tr></table>	Items:	A0100B	Facility CMS Certification Number (CCN)									
Items:	A0100B	Facility CMS Certification Number (CCN)													
-3878	Format	Fatal	<p>Incorrect Medicare Number: This item must conform to one of two possible formats, as defined below:</p> <p>Format 1: The Medicare Number shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</p> <p>Format 2: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6</p>												

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID Type

Severity Text/Items

Items: A0600B

Medicare number

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3886	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3886a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1900 (admission date) <=</p> <p>A1600 (entry date) <=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) <=</p> <p>Z0500B (date RN signed assessment as complete) <=</p> <p>V0200B2 (CAT assessment process signature date) <=</p> <p>V0200C2 (CAT care planning signature date) <=</p> <p>X1100E (correction: attestation date) <=</p> <p>current date</p> <p>-----</p> <p>GROUP B (Edit -3886b)</p> <p>Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:</p> <ol style="list-style-type: none">1. Each Group B date must be greater than or equal to A0900 (birthdate).2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.4. For start/end date pairs shown below, the start date must be less than or equal to the end date.5. Otherwise, the Group B dates may be in any order. <p>The following is a list of Group B dates:</p> <p>A2400B <= A2400C (Medicare stay start/end)</p> <p>O0250B (date influenza vaccine received)</p> <p>O0400A5 <= O0400A6 (speech-language audiology therapy start/end)</p> <p>O0400B5 <= O0400B6 (occupational therapy start/end)</p> <p>O0400C5 <= O0400C6 (physical therapy start/end)</p> <p>V0100C (prior assessment reference date)</p> <p>-----</p> <p>GROUP C RULES</p> <p>The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																							
			<p>If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies: A1600 (entry date) <= A2200 (previous ARD for significant correction)<= A2300 (assessment reference date)</p> <p>RULE C2: (Edit -3886c2) If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies: A0900 (birthdate) <= A2200 (previous ARD for significant correction) <= A2300 (assessment reference date)</p> <p>-----</p> <p>GROUP D (Edit -3886d)</p> <p>The Group D items include the following:</p> <p>O0400A5, O0400B5, and O0400C5 (therapy start dates) O0400A6, O0400B6, and O0400C6 (therapy end dates)</p> <p>If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).</p> <table><tr><td>Items:</td><td>A0900</td><td>Birthdate</td></tr><tr><td></td><td>A1600</td><td>Entry date (date of admission/reentry in facility)</td></tr><tr><td></td><td>A2300</td><td>Assessment reference date</td></tr><tr><td></td><td>A2400B</td><td>Start date of most recent Medicare stay</td></tr><tr><td></td><td>A2400C</td><td>End date of most recent Medicare stay</td></tr><tr><td></td><td>O0400A5</td><td>Speech-language/audiology: start date</td></tr><tr><td></td><td>O0400A6</td><td>Speech-language/audiology: end date</td></tr><tr><td></td><td>O0400B5</td><td>Occupational therapy: start date</td></tr><tr><td></td><td>O0400B6</td><td>Occupational therapy: end date</td></tr><tr><td></td><td>O0400C5</td><td>Physical therapy: start date</td></tr><tr><td></td><td>O0400C6</td><td>Physical therapy: end date</td></tr><tr><td></td><td>X1100E</td><td>Correction: attestation date</td></tr><tr><td></td><td>Z0500B</td><td>Date RN signed assessment as complete</td></tr></table>	Items:	A0900	Birthdate		A1600	Entry date (date of admission/reentry in facility)		A2300	Assessment reference date		A2400B	Start date of most recent Medicare stay		A2400C	End date of most recent Medicare stay		O0400A5	Speech-language/audiology: start date		O0400A6	Speech-language/audiology: end date		O0400B5	Occupational therapy: start date		O0400B6	Occupational therapy: end date		O0400C5	Physical therapy: start date		O0400C6	Physical therapy: end date		X1100E	Correction: attestation date		Z0500B	Date RN signed assessment as complete
Items:	A0900	Birthdate																																								
	A1600	Entry date (date of admission/reentry in facility)																																								
	A2300	Assessment reference date																																								
	A2400B	Start date of most recent Medicare stay																																								
	A2400C	End date of most recent Medicare stay																																								
	O0400A5	Speech-language/audiology: start date																																								
	O0400A6	Speech-language/audiology: end date																																								
	O0400B5	Occupational therapy: start date																																								
	O0400B6	Occupational therapy: end date																																								
	O0400C5	Physical therapy: start date																																								
	O0400C6	Physical therapy: end date																																								
	X1100E	Correction: attestation date																																								
	Z0500B	Date RN signed assessment as complete																																								
-3887	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> <table><tr><td>Items:</td><td>M0210</td><td>Resident has 1+ unhealed PU/injuries</td></tr><tr><td></td><td>M0300A</td><td>Stage 1 pressure injuries: number present</td></tr><tr><td></td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr></table>	Items:	M0210	Resident has 1+ unhealed PU/injuries		M0300A	Stage 1 pressure injuries: number present		M0300B1	Stage 2 pressure ulcers: number present																														
Items:	M0210	Resident has 1+ unhealed PU/injuries																																								
	M0300A	Stage 1 pressure injuries: number present																																								
	M0300B1	Stage 2 pressure ulcers: number present																																								

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0300C1 Stage 3 pressure ulcers: number present M0300D1 Stage 4 pressure ulcers: number present M0300F1 Unstaged slough/eschar: number present
-3913	Format	Fatal	<p>Incorrect Medicare Number: This item must conform to the format defined below:</p> <p>The Medicare Number shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</p>
-3923	Consistency	Fatal	<p>Items: A0600B Medicare number</p> <p>If A0310B=[08], then the following items in Column 1 must not be equal to [^]: K0510A1, K0510B1, K0510Z1. Otherwise:</p> <p>a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510Z1.</p> <p>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply: ---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1. ---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following item in Column 1 is active, it must equal [^]: K0510Z1. ---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01]), then if the following item in Column 1 is active, it must not equal [^]: K0510Z1. ---b4) If A0310G=[1,^], then if the following item in Column 1 is active, it must not equal [^]: K0510Z1.</p> <p>Items: A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0510Z1 Nutrition approach: Not Res: none of the above</p>
-3931	Consistency	Fatal	<p>a) If K0510Z1=[0], then at least one of the active items K0510A1 through K0510B1 in Column 1 must equal [1]. b) If K0510Z1=[1], then all active items from K0510A1 through K0510B1 in Column 1 must equal [0]. c) If K0510Z1=[-], then at least one of the active items K0510A1 through K0510B1 in Column 1 must equal [-] and the remaining active items in Column 1 must equal [0,-].</p>

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: K0510A1 Nutrition approach: Not Res: parenteral/IV feeding K0510B1 Nutrition approach: Not Res: feeding tube K0510Z1 Nutrition approach: Not Res: none of the above
-3933	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items (when active):</p> <ul style="list-style-type: none"> a) X0150 (provider type) b) X0200A (resident first name) c) X0200C (resident last name) d) X0300 (gender) e) X0400 (birth date) f) X0500 (social security number) g) X0570A (OSA purpose) h) X0600A (OBRA reason for assessment) i) X0600B (PPS reason for assessment) j) X0600F (entry/discharge reporting) k) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment) l) X0700A (assessment reference date) m) X0700B (discharge date) n) X0700C (entry date) <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p>
			Items: X0150 Correction: type of provider X0200A Correction: resident first name X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0500 Correction: resident social security number X0570A Correction: Optional State Assessment Purpose X0700A Correction: assessment reference date
-3934	Consistency	Fatal	<p>a) If A0050 (formerly X0100)=[2,3] and X0570A is active, then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400.</p> <p>b) If A0050 (formerly X0100)=[2,3] and X0570A is NOT active, then the following items, when active, must not equal [^]: X0150, X0200A, X0200C, X0300, X0400, X0600A, X0600B, X0600F, X0600H.</p>
			Items: A0050 Type of transaction (formerly X0100) X0150 Correction: type of provider X0200A Correction: resident first name

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: X0200C Correction: resident last name X0300 Correction: resident gender X0400 Correction: resident birth date X0570A Correction: Optional State Assessment Purpose
-3935	Consistency	Warning	<p>If the item is active and contains a value, the value should be consistent with all of the MDS items used in the PDPM classification (i.e., the HIPPS calculation should be correct).</p> <p>For items Z0100A and Z0100B, the submission system will recalculate the HIPPS code, the version code, and issue a warning if the recalculated values do not match the submitted values.</p> <p>For items Z0200A, Z0200B, Z0250A, and Z0250B, the submission system will recalculate the submitted RUGs group and RUG version code if the State is using a CMS supported RUG model. Z0200C, the short stay indicator, will also be</p>
			Items: Z0200A State case mix: Group Z0200B State case mix: Version code Z0200C State case mix: Short Stay Assessment Z0250A State case mix: Alternate group Z0250B State case mix: Alternate version code
-3937	Consistency	Fatal	<p>a) If A0300A=[0], then ITM_SBST_CD must not equal [OSA].</p> <p>b) If A0300A=[1], then ITM_SBST_CD must equal [OSA].</p>
			Items: ITM_SBST_CD Item subset code A0300A State Payment Assessment Purpose
-3952	Consistency	Fatal	<p>(a) If A0200=[2], then A0300A must equal [0].</p> <p>(b) If A0300A=[1], then A0200 must equal [1].</p>
			Items: A0200 Type of provider A0300A State Payment Assessment Purpose
-3955	Consistency	Fatal	<p>If A0300B=[1,2,3,4], then all active items from A2400B through A2400C must not equal [^].</p>
			Items: A0300B State Payment Assessment Type A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items														
-3956	Skip pattern	Fatal	<p>a) If A0300A=[1] and B0100=[0], then if D0100 is active it must not equal [^].</p> <p>b) If A0300A=[1] and B0100=[-], then if D0100 is active it must equal [-].</p> <p>Items:</p> <table><tr><td>A0300A</td><td>State Payment Assessment Purpose</td></tr><tr><td>B0100</td><td>Comatose</td></tr><tr><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr></table>	A0300A	State Payment Assessment Purpose	B0100	Comatose	D0100	PHQ: should resident mood interview be conducted								
A0300A	State Payment Assessment Purpose																
B0100	Comatose																
D0100	PHQ: should resident mood interview be conducted																
-3957	Skip pattern	Fatal	<p>a) If A0300A=[1] and B0100=[0], then if C0100 is active it must not equal [^].</p> <p>b) If A0300A=[1] and B0100=[-], then if C0100 is active it must equal [-].</p> <p>Items:</p> <table><tr><td>A0300A</td><td>State Payment Assessment Purpose</td></tr><tr><td>B0100</td><td>Comatose</td></tr><tr><td>C0100</td><td>BIMS: should resident interview be conducted</td></tr></table>	A0300A	State Payment Assessment Purpose	B0100	Comatose	C0100	BIMS: should resident interview be conducted								
A0300A	State Payment Assessment Purpose																
B0100	Comatose																
C0100	BIMS: should resident interview be conducted																
-3959	Skip pattern	Fatal	<p>If A0050 (formerly X0100)=[3], then X0570B must be equal to [^].</p> <p>Items:</p> <table><tr><td>A0050</td><td>Type of transaction (formerly X0100)</td></tr><tr><td>X0570B</td><td>Correction: Optional State Assessment Type</td></tr></table>	A0050	Type of transaction (formerly X0100)	X0570B	Correction: Optional State Assessment Type										
A0050	Type of transaction (formerly X0100)																
X0570B	Correction: Optional State Assessment Type																
-3982	Consistency	Fatal	<p>(a) At least one active item from A1005A to A1005Y must equal [1].</p> <p>(b) If A1005A=[1], then all active items from A1005B through A1005E must equal [0], and A1005Y must equal [0].</p> <p>(c) If A1005B=[1] or A1005C=[1] or A1005D=[1] or A1005E=[1], then A1005A must equal [0] and A1005Y must equal [0].</p> <p>(d) If A1005X=[1], then A1005Y must equal [0].</p> <p>(e) If A1005Y=[1], then all active items from A1005A to A1005X must equal [0].</p> <p>Items:</p> <table><tr><td>A1005A</td><td>Ethnicity: No, not Hispanic, Latino/a, Spanish</td></tr><tr><td>A1005B</td><td>Ethnicity: Yes, Mex, Mex Amer, Chicano/a</td></tr><tr><td>A1005C</td><td>Ethnicity: Yes, Puerto Rican</td></tr><tr><td>A1005D</td><td>Ethnicity: Yes, Cuban</td></tr><tr><td>A1005E</td><td>Ethnicity: Yes, another Hispanic/Latino/Spanish</td></tr><tr><td>A1005X</td><td>Ethnicity: Patient unable to respond</td></tr><tr><td>A1005Y</td><td>Ethnicity: Patient declines to respond</td></tr></table>	A1005A	Ethnicity: No, not Hispanic, Latino/a, Spanish	A1005B	Ethnicity: Yes, Mex, Mex Amer, Chicano/a	A1005C	Ethnicity: Yes, Puerto Rican	A1005D	Ethnicity: Yes, Cuban	A1005E	Ethnicity: Yes, another Hispanic/Latino/Spanish	A1005X	Ethnicity: Patient unable to respond	A1005Y	Ethnicity: Patient declines to respond
A1005A	Ethnicity: No, not Hispanic, Latino/a, Spanish																
A1005B	Ethnicity: Yes, Mex, Mex Amer, Chicano/a																
A1005C	Ethnicity: Yes, Puerto Rican																
A1005D	Ethnicity: Yes, Cuban																
A1005E	Ethnicity: Yes, another Hispanic/Latino/Spanish																
A1005X	Ethnicity: Patient unable to respond																
A1005Y	Ethnicity: Patient declines to respond																
-3983	Consistency	Fatal	<p>(a) At least one active item from A1010A through A1010Z must equal [1].</p> <p>(b) If any item from A1010A through A1010N=[1], then A1010Y must equal [0] and A1010Z must equal [0].</p> <p>(c) If A1010X=[1], then A1010Y must equal [0].</p> <p>(d) If A1010Y=[1], then all active items from A1010A to A1010X must equal [0], and A1010Z must equal [0].</p> <p>(e) If A1010Z=[1], then all active items from A1010A to A1010N must equal [0], and A1010Y must equal [0].</p>														

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: A1010A Race: White A1010B Race: Black or African American A1010C Race: American Indian or Alaska Native A1010D Race: Asian Indian A1010E Race: Chinese A1010F Race: Filipino A1010G Race: Japanese A1010H Race: Korean A1010I Race: Vietnamese A1010J Race: Other Asian A1010K Race: Native Hawaiian A1010L Race: Guamanian or Chamorro A1010M Race: Samoan A1010N Race: Other Pacific Islander A1010X Race: Patient unable to respond A1010Y Race: Patient declines to respond A1010Z Race: None of the above
-9001	Information	None	Vendor's version number for the software that was used to create the MDS data submission file.
			Items: SFTWR_PROD_VRS Software product version code N_CD
-9002	Information	None	Optional item. Can be used by facility for unique identification of record and for tracking records submitted to the MDS Submission System.
			Items: FAC_DOC_ID Facility document ID
-9003	Information	None	Valid federal tax ID (EIN) for the company that developed the software used to create the MDS data submission file.
			Items: SFTWR_VNDR_ID Software vendor federal employer tax ID
-9004	Information	None	Name of the software that was used to create the MDS data submission file.
			Items: SFTWR_PROD_NA Software product name ME
-9005	Information	None	Email address of the vendor who created the software that was used to produce the MDS submission file.

Data Submission Specifications for the MDS 3.0 (V3.01.0)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: SFTWR_VNDR_EM Software vendor email address AIL_ADR
-9006	Information	None	Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.
			Items: FAC_ID Assigned facility/provider submission ID SFTWR_VNDR_ID Software vendor federal employer tax ID SFTWR_VNDR_NA Software vendor company name ME SFTWR_PROD_NA Software product name ME SFTWR_PROD_VRS Software product version code N_CD FAC_DOC_ID Facility document ID A0100B Facility CMS Certification Number (CCN) A0100C State provider number A0500A Resident first name A0500B Resident middle initial A0500C Resident last name A0500D Resident name suffix A0600B Medicare number A0700 Medicaid number A1110A Preferred language A1300A Medical record number A1300B Room number A1300C Name by which resident prefers to be addressed A1300D Lifetime occupation(s) X0200A Correction: resident first name X0200C Correction: resident last name X1100A Correction: attestor first name X1100B Correction: attestor last name Z0200A State case mix: Group Z0200B State case mix: Version code Z0250A State case mix: Alternate group Z0250B State case mix: Alternate version code

Data Submission Specifications for the MDS 3.0 (V3.01.0)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9008	Information	None	Submit [+] (the plus sign) to indicate that Medicaid number is pending. Items: A0700 Medicaid number
-9009	Information	None	Submit [N] to indicate that the resident is non-Medicaid. Items: A0700 Medicaid number
-9010	Information	None	Put [/] (slash) between two occupations. Items: A1300D Lifetime occupation(s)
-9013	Information	None	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer. Items: D0300 PHQ res: total mood severity score D0600 PHQ staff: total mood score
-9017	Information	None	The target date is defined as follows: a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date). b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date). c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date). d) For OSA assessments, the target date will be equal to A2300 (assessment reference date). Items: A0300A State Payment Assessment Purpose A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date TARGET_DATE Target date