

**Item ID:** O0100A1

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: chemotherapy - while not resident | Asmt       |            | Checklist | 1          | 969-969                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100A2

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: chemotherapy - while resident | Asmt       |            | Checklist | 1          | 970-970                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100B1

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatment: radiation - while not resident | Asmt       |            | Checklist | 1          | 971-971                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100B2

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Treatment: radiation - while resident | Asmt       |            | Checklist | 1          | 972-972                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100C1

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: oxygen therapy - while not resident | Asmt       |            | Checklist | 1          | 973-973                      |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100C2

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: oxygen therapy - while resident | Asmt       |            | Checklist | 1          | 974-974                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100D1

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: suctioning - while not resident | Asmt       |            | Checklist | 1          | 975-975                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100D2

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: suctioning - while resident | Asmt       |            | Checklist | 1          | 976-976                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |



**Item ID:** O0100E1

| Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatment: tracheostomy care - while not resident | Asmt       |            | Checklist | 1          | 977-977                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100E2

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatment: tracheostomy care - while resident | Asmt       |            | Checklist | 1          | 978-978                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100F1

| Item Label                                  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treat: Invsv Mech Vent - while not resident | Asmt       |            | Checklist | 1          | 979-979                      |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100F2

| Item Label                              | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treat: Invsv Mech Vent - while resident | Asmt       |            | Checklist | 1          | 980-980                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100H1

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: IV medications - while not resident | Asmt       |            | Checklist | 1          | 983-983                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100H2

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: IV medications - while resident | Asmt       |            | Checklist | 1          | 984-984                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100I1

| Item Label                                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: transfusions - while not resident | Asmt       |            | Checklist | 1          | 985-985                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100I2

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: transfusions - while resident | Asmt       |            | Checklist | 1          | 986-986                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |



Item ID: O0100J1

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: dialysis - while not resident | Asmt       |            | Checklist | 1          | 987-987                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100J2

| Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| Treatment: dialysis - while resident | Asmt       |            | Checklist | 1          | 988-988                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0100M2

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Treatment: isolate/quarantine - while resident | Asmt       |            | Checklist | 1          | 993-993                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100Z1

| Item Label                                    | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatment: none of above - while not resident | Asmt       |            | Checklist | 1          | 994-994                      |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.   |
| -3668   | Consistency | Fatal    | a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1.<br><br>b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-] when active: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. |
| -3729   | Consistency | Fatal    | a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [1].<br>b) If O0100Z1=[1], then all active items from O0100A1 through O0100M1 in Column 1 must equal [0].<br>c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-]  |

#### Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0100Z2

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Treatment: none of above - while resident | Asmt       |            | Checklist | 1          | 995-995                      |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Not checked (No)            |
| 1     |            | Checked (Yes)               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3676   | Format      | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.  |
| -3730   | Consistency | Fatal    | a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].<br>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].<br>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] |

Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

Item ID: O0400A1

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: individ minutes | Asmt       |            | Number    | 4          | 1008-1011                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3696   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400A4*15.<br>b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a   |

day).

c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557

Consistency

Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

Item ID: O0400A2

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: concur minutes | Asmt       |            | Number    | 4          | 1012-1015                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3696   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400A4*15.<br>b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a   |



day).

c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557

Consistency

Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

Item ID: O0400A3

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: group minutes | Asmt       |            | Number    | 4          | 1016-1019                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3696   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400A4*15.<br>b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a   |

day).

c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557

Consistency

Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].

b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].

c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

Item ID: O0400A4

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: number of days | Asmt       |            | Number    | 1          | 1020-1020                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3696   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400A4*15.  |

- b) If O0400A4>[0], then the sum must be less than or equal to O0400A4\*1440 (there are 1440 minutes in a day).
- c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3557      Consistency      Fatal

Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].
- b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].
- c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].

-3846      Consistency      Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420, when active, must conform with the following rules:

- a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

- b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

Item ID: O0400A5

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: start date | Asmt       |            | Date      | 8          | 1021-1028                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | Start date                  |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3557   | Consistency | Fatal    | Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].<br>b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].<br>c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.<br><br>-----   |

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=



A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400A6

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Speech-language/audiology: end date | Asmt       |            | Date      | 8          | 1029-1036                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | End date                    |
| -----    |            | Therapy is ongoing          |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3557   | Consistency | Fatal    | Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.<br><br>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].<br>b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].<br>c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.<br><br>-----   |

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:  
A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400B1

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: individ minutes | Asmt       |            | Number    | 4          | 1037-1040                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3697   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400B4*15.<br>b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a   |

day).

c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558

Consistency

Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].

b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].

c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

Item ID: O0400B2

| Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: concur minutes | Asmt       |            | Number    | 4          | 1041-1044                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3697   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400B4*15.<br>b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a   |



day).

c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558

Consistency

Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].

b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].

c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

Item ID: O0400B3

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: group minutes | Asmt       |            | Number    | 4          | 1045-1048                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3697   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400B4*15.<br>b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a   |

day).

c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558

Consistency

Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].

b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].

c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

Item ID: O0400B4

| Item Label                           | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: number of days | Asmt       |            | Number    | 1          | 1049-1049                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3697   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400B4*15.  |

- b) If  $O0400B4 > [0]$ , then the sum must be less than or equal to  $O0400B4 * 1440$  (there are 1440 minutes in a day).
- c) If  $O0400B4 = [0]$ , then the sum must be less than or equal to  $[0098]$  (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3558      Consistency      Fatal

Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.

Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].
- b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].
- c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].

-3846      Consistency      Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420, when active, must conform with the following rules:

- a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

- b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

Item ID: O0400B5

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: start date | Asmt       |            | Date      | 8          | 1050-1057                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | Start date                  |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3558   | Consistency | Fatal    | Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].<br>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].<br>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.  |

-----

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=



A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400B6

| Item Label                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--------------------------------|------------|------------|-----------|------------|------------------------------|
| Occupational therapy: end date | Asmt       |            | Date      | 8          | 1058-1065                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | End date                    |
| -----    |            | Therapy is ongoing          |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3558   | Consistency | Fatal    | Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.<br><br>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].<br>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].<br>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.<br><br>-----   |

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:  
A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400C1

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: individ minutes | Asmt       |            | Number    | 4          | 1066-1069                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3698   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400C4*15.<br>b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a   |

day).

c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3559

Consistency

Fatal

Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].

b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].

c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

Item ID: O0400C2

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: concur minutes | Asmt       |            | Number    | 4          | 1070-1073                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3698   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400C4*15.<br>b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a   |



day).

c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3559

Consistency

Fatal

Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].

b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].

c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

Item ID: O0400C3

| Item Label                      | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: group minutes | Asmt       |            | Number    | 4          | 1074-1077                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0000  |            | Minimum value               |
| 9999  |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3698   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400C4*15.<br>b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a   |

day).

c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3559

Consistency

Fatal

Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].

b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].

c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

Item ID: O0400C4

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: number of days | Asmt       |            | Number    | 1          | 1078-1078                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

#### Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3698   | Consistency | Fatal    | Consistency between therapy minutes and days.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>If the sum is greater than zero, then the following rules apply:<br>a) The sum must be greater than or equal to O0400C4*15.  |

- b) If O0400C4>[0], then the sum must be less than or equal to O0400C4\*1440 (there are 1440 minutes in a day).
- c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

-3559      Consistency      Fatal

Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].
- b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].
- c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

-3846      Consistency      Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420, when active, must conform with the following rules:

- a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

- b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

Item ID: O0400C5

| Item Label                   | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|------------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: start date | Asmt       |            | Date      | 8          | 1079-1086                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | Start date                  |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3559   | Consistency | Fatal    | Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].<br>b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].<br>c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.  |

-----

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:

A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=



A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400C6

| Item Label                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------|------------|------------|-----------|------------|------------------------------|
| Physical therapy: end date | Asmt       |            | Date      | 8          | 1087-1094                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value    | LOINC Code | Value Text                  |
|----------|------------|-----------------------------|
| YYYYMMDD |            | End date                    |
| -----    |            | Therapy is ongoing          |
| -        |            | Not assessed/no information |
| ^        |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text  |
|---------|-------------|----------|--|
| -3677   | Format      | Fatal    | Values of Date Items:<br>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.<br><br>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".   |
| -3559   | Consistency | Fatal    | Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.<br><br>Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:<br><br>a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].<br>b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].<br>c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-]. |
| -3886   | Consistency | Fatal    | Date Item Consistency Rules<br>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.<br><br>-----   |

#### GROUP A RULES (Edit -3886a)

Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:

A0900 (birthdate) <=  
A1900 (admission date) <=  
A1600 (entry date) <=  
A2300 (assessment reference date) = A2000 (discharge date) <=  
Z0500B (date RN signed assessment as complete) <=  
V0200B2 (CAT assessment process signature date) <=  
V0200C2 (CAT care planning signature date) <=  
X1100E (correction: attestation date) <=  
current date

-----

#### GROUP B (Edit -3886b)

Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:

1. Each Group B date must be greater than or equal to A0900 (birthdate).
2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.
3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.
4. For start/end date pairs shown below, the start date must be less than or equal to the end date.
5. Otherwise, the Group B dates may be in any order.

The following is a list of Group B dates:

A2400B <= A2400C (Medicare stay start/end)  
O0250B (date influenza vaccine received)  
O0400A5 <= O0400A6 (speech-language audiology therapy start/end)  
O0400B5 <= O0400B6 (occupational therapy start/end)  
O0400C5 <= O0400C6 (physical therapy start/end)  
V0100C (prior assessment reference date)

-----

#### GROUP C RULES

The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).

#### RULE C1 (Edit -3886c1)

If A0310A=[05,06] and A1700=[1] (admission), then Rule C1 applies:  
A1600 (entry date) <=

A2200 (previous ARD for significant correction)<=  
A2300 (assessment reference date)

RULE C2: (Edit -3886c2)

If A0310A=[05,06] and A1700=[2] (reentry), then Rule C2 applies:

A0900 (birthdate) <=

A2200 (previous ARD for significant correction) <=

A2300 (assessment reference date)

-----

GROUP D (Edit -3886d)

The Group D items include the following:

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Item ID: O0400D2

| Item Label                          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-------------------------------------|------------|------------|-----------|------------|------------------------------|
| Respiratory therapy: number of days | Asmt       |            | Number    | 1          | 1099-1099                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0420

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Distinct calendar days of therapy | Asmt       |            | Number    | 1          | 1484-1484                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type   | Severity | Edit Text   |
|---------|-------------|----------|---|
| -3679   | Format      | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format      | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |
| -3846   | Consistency | Fatal    | Consistency between therapy days within types of therapy and distinct days across types of therapy.<br><br>Item O0420, when active, must conform with the following rules:<br><br>a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].<br><br>b) If O0420 is not equal to [-], then both of the following rules apply:<br><br>---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4, O0400B4,   |

and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and O0400C4 is coded with [-,^], count the number of days for that item as zero.



Item ID: O0450A

| Item Label          | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------|------------|------------|-----------|------------|------------------------------|
| Has therapy resumed | Asmt       |            | Code      | 1          | 1429-1429                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | No                          |
| 1     |            | Yes                         |
| -     |            | Not assessed/no information |
| ^     |            | Blank (skip pattern)        |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3676   | Format    | Fatal    | Values of Code and Checklist Items:<br>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. |

Version Changes

| Type   | ID    | Description   |
|--------|-------|---|
| Format | -3676 | [V3.01.0]-Added mappings to new items A1005A-Y, A1010A-Z, and A1110B. |

**Item ID:** O0500A

| Item Label                                | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Range of motion (passive): number of days | Asmt       |            | Number    | 1          | 1110-1110                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

**Item ID:** O0500B

| Item Label                               | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Range of motion (active): number of days | Asmt       |            | Number    | 1          | 1111-1111                    |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

**Item ID:** O0500C

| Item Label                                 | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Splint or brace assistance: number of days | Asmt       |            | Number    | 1          | 1112-1112                    |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0500D

| Item Label                            | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---------------------------------------|------------|------------|-----------|------------|------------------------------|
| Bed mobility training: number of days | Asmt       |            | Number    | 1          | 1113-1113                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |

Item ID: O0500E

| Item Label                        | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|-----------------------------------|------------|------------|-----------|------------|------------------------------|
| Transfer training: number of days | Asmt       |            | Number    | 1          | 1114-1114                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0500F

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Walking training: number of days | Asmt       |            | Number    | 1          | 1115-1115                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |

Item ID: O0500G

| Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Dressing and/or grooming training: number of days | Asmt       |            | Number    | 1          | 1116-1116                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].



**Item ID:** O0500H

| Item Label  | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|---|------------|------------|-----------|------------|------------------------------|
| Eating and/or swallowing training: number of days | Asmt       |            | Number    | 1          | 1117-1117                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |

**Item ID:** O0500I

| Item Label                                     | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Amputation/prosthesis training: number of days | Asmt       |            | Number    | 1          | 1118-1118                    |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0500J

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Communication training: number of days | Asmt       |            | Number    | 1          | 1119-1119                    |

#### Item Subsets

Active: OSA  
Inactive: XX  
State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 0     |            | Minimum value               |
| 7     |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0600

| Item Label                             | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|--|------------|------------|-----------|------------|------------------------------|
| Physician examinations: number of days | Asmt       |            | Number    | 2          | 1120-1121                    |

#### Item Subsets

Active: OSA

Inactive: XX

State optional:

#### Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 00    |            | Minimum value               |
| 14    |            | Maximum value               |
| -     |            | Not assessed/no information |

#### Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.   |

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Item ID: O0700

| Item Label                       | Item Group | LOINC Code | Item Type | Max Length | Fixed Format Start-End Bytes |
|----------------------------------|------------|------------|-----------|------------|------------------------------|
| Physician orders: number of days | Asmt       |            | Number    | 2          | 1122-1123                    |

Item Subsets

Active: OSA  
Inactive: XX  
State optional:

Item Values

| Value | LOINC Code | Value Text                  |
|-------|------------|-----------------------------|
| 00    |            | Minimum value               |
| 14    |            | Maximum value               |
| -     |            | Not assessed/no information |

Item Edits

| Edit ID | Edit Type | Severity | Edit Text   |
|---------|-----------|----------|---|
| -3679   | Format    | Fatal    | Values of Numeric Items:<br>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will   |
| -3680   | Format    | Fatal    | Formatting of Integer Numeric Items:<br>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.<br><br>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01]. |