

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
038.12*	Methicillin resistant Staphylococcus aureus septicemia	MCC	15 18 25	791 <sup>1</sup> ,793 <sup>1</sup> 870,871,872 974,975,976
041.12*	Methicillin resistant Staphylococcus aureus in conditions classified elsewhere and of unspecified site	N	18	867,868,869
046.11	Variant Creutzfeldt-Jakob disease	CC	01	056,057
046.19	Other and unspecified Creutzfeldt-Jakob disease	CC	01	056,057
046.71	Gerstmann-Sträussler-Scheinker syndrome	CC	01 25	056,057 974,975,976
046.72	Fatal familial insomnia	CC	01 25	056,057 974,975,976
046.79	Other and unspecified prion disease of central nervous system	CC	01 25	056,057 974,975,976
051.01	Cowpox	N	18	865,866
051.02	Vaccinia not from vaccination	N	18	865,866
059.00	Orthopoxvirus infection, unspecified	N	18	865,866
059.01	Monkeypox	CC	18	865,866
059.09	Other orthopoxvirus infections	N	18	865,866
059.10	Parapoxvirus infection, unspecified	N	18	865,866
059.11	Bovine stomatitis	N	18	865,866
059.12	Sealpox	N	18	865,866
059.19	Other parapoxvirus infections	N	18	865,866
059.20*	Yatapoxvirus infection, unspecified	N	18	865,866
059.21	Tanapox	CC	18	865,866
059.22	Yaba monkey tumor virus	N	18	865,866
059.8	Other poxvirus infections	N	18	865,866
059.9	Poxvirus infections, unspecified	N	18	865,866
078.12	Plantar wart	N	09	606,607
136.21	Specific infection due to acanthamoeba	N	18	867,868,869
136.29	Other specific infections by free-living amebae	CC	18	867,868,869
199.2	Malignant neoplasm associated with transplant organ	CC	17	843,844,845
203.02	Multiple myeloma, in relapse	CC	17	820,821,822,823,824, 825,840,841,842
203.12	Plasma cell leukemia, in relapse	CC	17	820,821,822,823,824,

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
				825,840,841,842
203.82	Other immunoproliferative neoplasms, in relapse	CC	17	820,821,822,823,824,825,840,841,842
204.02	Acute lymphoid leukemia, in relapse	CC	17	820,821,822,834,835,836,837 <sup>2</sup> ,838 <sup>2</sup> ,839 <sup>2</sup>
204.12	Chronic lymphoid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
204.22	Subacute lymphoid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
204.82	Other lymphoid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
204.92	Unspecified lymphoid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
205.02	Acute myeloid leukemia, in relapse	CC	17	820,821,822,834,835,836,837 <sup>2</sup> ,838 <sup>2</sup> ,839 <sup>2</sup>
205.12	Chronic myeloid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
205.22	Subacute myeloid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
205.32	Myeloid sarcoma, in relapse	CC	17	820,821,822,823,824,825,840,841,842
205.82	Other myeloid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
205.92	Unspecified myeloid leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
206.02	Acute monocytic leukemia, in relapse	CC	17	820,821,822,834,835,836,837 <sup>2</sup> ,838 <sup>2</sup> ,839 <sup>2</sup>
206.12	Chronic monocytic leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
206.22	Subacute monocytic leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
206.82	Other monocytic leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
206.92	Unspecified monocytic leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
207.02	Acute erythremia and erythroleukemia, in relapse	CC	17	820,821,822,834,835,836,837 <sup>2</sup> ,838 <sup>2</sup> ,839 <sup>2</sup>
207.12	Chronic erythremia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
207.22	Megakaryocytic leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
207.82	Other specified leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
208.02	Acute leukemia of unspecified cell type, in relapse	CC	17	820,821,822,834,835,836,837 <sup>2</sup> ,838 <sup>2</sup> ,839 <sup>2</sup>
208.12	Chronic leukemia of unspecified cell type, in relapse	CC	17	820,821,822,823,824,825,840,841,842
208.22	Subacute leukemia of unspecified cell type, in relapse	CC	17	820,821,822,823,824,825,840,841,842
208.82	Other leukemia of unspecified cell type, in relapse	CC	17	820,821,822,823,824,825,840,841,842
208.92	Unspecified leukemia, in relapse	CC	17	820,821,822,823,824,825,840,841,842
209.00	Malignant carcinoid tumor of the small intestine, unspecified portion	CC	06	374,375,376
209.01	Malignant carcinoid tumor of the duodenum	CC	06	374,375,376
209.02	Malignant carcinoid tumor of the jejunum	CC	06	374,375,376
209.03	Malignant carcinoid tumor of the ileum	CC	06	374,375,376
209.10	Malignant carcinoid tumor of the large intestine, unspecified portion	CC	06	374,375,376
209.11	Malignant carcinoid tumor of the appendix	CC	06	338,339,340,374,375,

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
				376
209.12	Malignant carcinoid tumor of the cecum	CC	06	374,375,376
209.13	Malignant carcinoid tumor of the ascending colon	CC	06	374,375,376
209.14	Malignant carcinoid tumor of the transverse colon	CC	06	374,375,376
209.15	Malignant carcinoid tumor of the descending colon	CC	06	374,375,376
209.16	Malignant carcinoid tumor of the sigmoid colon	CC	06	374,375,376
209.17	Malignant carcinoid tumor of the rectum	CC	06	374,375,376
209.20	Malignant carcinoid tumor of unknown primary site	CC	17	843,844,845
209.21	Malignant carcinoid tumor of the bronchus and lung	CC	04	180,181,182
209.22	Malignant carcinoid tumor of the thymus	CC	17	843,844,845
209.23	Malignant carcinoid tumor of the stomach	CC	06	374,375,376
209.24	Malignant carcinoid tumor of the kidney	CC	11	656,657,658,686,687, 688
209.25	Malignant carcinoid tumor of foregut, not otherwise specified	CC	06	374,375,376
209.26	Malignant carcinoid tumor of midgut, not otherwise specified	CC	06	374,375,376
209.27	Malignant carcinoid tumor of hindgut, not otherwise specified	CC	06	374,375,376
209.29	Malignant carcinoid tumor of other sites	CC	17	843,844,845
209.30	Malignant poorly differentiated neuroendocrine carcinoma, any site	CC	17	843,844,845
209.40	Benign carcinoid tumor of the small intestine, unspecified portion	N	06	393,394,395
209.41	Benign carcinoid tumor of the duodenum	N	06	393,394,395
209.42	Benign carcinoid tumor of the jejunum	N	06	393,394,395
209.43	Benign carcinoid tumor of the ileum	N	06	393,394,395
209.50	Benign carcinoid tumor of the large intestine, unspecified portion	N	06	393,394,395
209.51	Benign carcinoid tumor of the appendix	N	06	393,394,395
209.52	Benign carcinoid tumor of the cecum	N	06	393,394,395
209.53	Benign carcinoid tumor of the ascending colon	N	06	393,394,395
209.54	Benign carcinoid tumor of the transverse colon	N	06	393,394,395

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
209.55	Benign carcinoid tumor of the descending colon	N	06	393,394,395
209.56	Benign carcinoid tumor of the sigmoid colon	N	06	393,394,395
209.57	Benign carcinoid tumor of the rectum	N	06	393,394,395
209.60	Benign carcinoid tumor of unknown primary site	N	17	843,844,845
209.61	Benign carcinoid tumor of the bronchus and lung	N	04	180,181,182
209.62	Benign carcinoid tumor of the thymus	N	16	814,815,816
209.63	Benign carcinoid tumor of the stomach	N	06	393,394,395
209.64	Benign carcinoid tumor of the kidney	N	11	656,657,658,686,687, 688
209.65	Benign carcinoid tumor of foregut, not otherwise specified	N	06	393,394,395
209.66	Benign carcinoid tumor of midgut, not otherwise specified	N	06	393,394,395
209.67	Benign carcinoid tumor of hindgut, not otherwise specified	N	06	393,394,395
209.69	Benign carcinoid tumor of other sites	N	17	843,844,845
238.77	Post-transplant lymphoproliferative disorder (PTLD)	CC	21	919,920,921
249.00	Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified	N	PRE 10	008,010 637,638,639
249.01	Secondary diabetes mellitus without mention of complication, uncontrolled	N	PRE 10	008,010 637,638,639
249.10	Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified	MCC	PRE 10	008,010 637,638,639
249.11	Secondary diabetes mellitus with ketoacidosis, uncontrolled	MCC	PRE 10	008,010 637,638,639
249.20	Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified	MCC	PRE 10	008,010 637,638,639
249.21	Secondary diabetes mellitus with hyperosmolarity, uncontrolled	MCC	PRE 10	008,010 637,638,639
249.30	Secondary diabetes mellitus with other coma, not stated as uncontrolled, or unspecified	MCC	PRE 10	008,010 637,638,639
249.31	Secondary diabetes mellitus with other	MCC	PRE	008,010

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
	coma, uncontrolled		10	637,638,639
249.40	Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled, or unspecified	N	PRE 11	008,010 698,699,700
249.41	Secondary diabetes mellitus with renal manifestations, uncontrolled	N	PRE 11	008,010 698,699,700
249.50	Secondary diabetes mellitus with ophthalmic manifestations, not stated as uncontrolled, or unspecified	N	PRE 02	008,010 124,125
249.51	Secondary diabetes mellitus with ophthalmic manifestations, uncontrolled	N	PRE 02	008,010 124,125
249.60	Secondary diabetes mellitus with neurological manifestations, not stated as uncontrolled, or unspecified	N	PRE 01	008,010 073,074
249.61	Secondary diabetes mellitus with neurological manifestations, uncontrolled	N	PRE 01	008,010 073,074
249.70	Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified	N	PRE 05	008,010 299,300,301
249.71	Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled	N	PRE 05	008,010 299,300,301
249.80	Secondary diabetes mellitus with other specified manifestations, not stated as uncontrolled, or unspecified	N	PRE 10	008,010 637,638,639
249.81	Secondary diabetes mellitus with other specified manifestations, uncontrolled	N	PRE 10	008,010 637,638,639
249.90	Secondary diabetes mellitus with unspecified complication, not stated as uncontrolled, or unspecified	N	PRE 10	008,010 637,638,639
249.91	Secondary diabetes mellitus with unspecified complication, uncontrolled	N	PRE 10	008,010 637,638,639
259.50	Androgen insensitivity, unspecified	N	10	643,644,645
259.51	Androgen insensitivity syndrome	N	10	643,644,645
259.52	Partial androgen insensitivity	N	10	643,644,645
275.5	Hungry bone syndrome	N	10	640,641
279.50	Graft-versus-host disease, unspecified	CC	16	808,809,810
279.51	Acute graft-versus-host disease	CC	16	808,809,810

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
279.52	Chronic graft-versus-host disease	CC	16	808,809,810
279.53	Acute on chronic graft-versus-host disease	CC	16	808,809,810
289.84	Heparin-induced thrombocytopenia (HIT)	N	15 16 25	791 <sup>1</sup> ,793 <sup>1</sup> 813 977
337.00	Idiopathic peripheral autonomic neuropathy, unspecified	N	01	073,074
337.01	Carotid sinus syndrome	N	01	073,074
337.09	Other idiopathic peripheral autonomic neuropathy	N	01	073,074
339.00	Cluster headache syndrome, unspecified	N	01	102,103
339.01	Episodic cluster headache	N	01	102,103
339.02	Chronic cluster headache	N	01	102,103
339.03	Episodic paroxysmal hemicrania	N	01	102,103
339.04	Chronic paroxysmal hemicrania	N	01	102,103
339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing	N	01	102,103
339.09	Other trigeminal autonomic cephalgias	N	01	102,103
339.10	Tension type headache, unspecified	N	01	102,103
339.11	Episodic tension type headache	N	01	102,103
339.12	Chronic tension type headache	N	01	102,103
339.20	Post-traumatic headache, unspecified	N	01	102,103
339.21	Acute post-traumatic headache	N	01	102,103
339.22	Chronic post-traumatic headache	N	01	102,103
339.3	Drug induced headache, not elsewhere classified	N	01	102,103
339.41	Hemicrania continua	N	01	102,103
339.42	New daily persistent headache	N	01	102,103
339.43	Primary thunderclap headache	N	01	102,103
339.44	Other complicated headache syndrome	N	01	102,103
339.81	Hypnic headache	N	01	102,103
339.82	Headache associated with sexual activity	N	01	102,103
339.83	Primary cough headache	N	01	102,103
339.84	Primary exertional headache	N	01	102,103
339.85	Primary stabbing headache	N	01	102,103
339.89	Other headache syndromes	N	01	102,103
346.02	Migraine with aura, without mention of intractable migraine with status migrainosus	N	01	102,103
346.03	Migraine with aura, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.12	Migraine without aura, without mention of	N	01	102,103

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
	intractable migraine with status migrainosus			
346.13	Migraine without aura, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.22	Variants of migraine, not elsewhere classified, without mention of intractable migraine with status migrainosus	N	01	102,103
346.23	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.30	Hemiplegic migraine, without mention of intractable migraine without mention of status migrainosus	N	01	102,103
346.31	Hemiplegic migraine, with intractable migraine, so stated, without mention of status migrainosus	N	01	102,103
346.32	Hemiplegic migraine, without mention of intractable migraine with status migrainosus	N	01	102,103
346.33	Hemiplegic migraine, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.40	Menstrual migraine, without mention of intractable migraine without mention of status migrainosus	N	01	102,103
346.41	Menstrual migraine, with intractable migraine, so stated, without mention of status migrainosus	N	01	102,103
346.42	Menstrual migraine, without mention of intractable migraine with status migrainosus	N	01	102,103
346.43	Menstrual migraine, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.50	Persistent migraine aura without cerebral infarction, without mention of intractable migraine without mention of status migrainosus	N	01	102,103
346.51	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus	N	01	102,103
346.52	Persistent migraine aura without cerebral infarction, without mention of intractable migraine with status migrainosus	N	01	102,103
346.53	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.60	Persistent migraine aura with cerebral	CC	01	102,103



TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
	infarction, without mention of intractable migraine without mention of status migrainosus			
346.61	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus	CC	01	102,103
346.62	Persistent migraine aura with cerebral infarction, without mention of intractable migraine with status migrainosus	CC	01	102,103
346.63	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, with status migrainosus	CC	01	102,103
346.70	Chronic migraine without aura, without mention of intractable migraine without mention of status migrainosus	N	01	102,103
346.71	Chronic migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	N	01	102,103
346.72	Chronic migraine without aura, without mention of intractable migraine with status migrainosus	N	01	102,103
346.73	Chronic migraine without aura, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.82	Other forms of migraine, without mention of intractable migraine with status migrainosus	N	01	102,103
346.83	Other forms of migraine, with intractable migraine, so stated, with status migrainosus	N	01	102,103
346.92*	Migraine, unspecified, without mention of intractable migraine with status migrainosus	N	01	102,103
346.93*	Migraine, unspecified, with intractable migraine, so stated, with status migrainosus	N	01	102,103
349.31*	Accidental puncture or laceration of dura during a procedure	CC	15 21	791 <sup>1</sup> ,793 <sup>1</sup> 919,920,921
349.39*	Other dural tear	CC	15 21	791 <sup>1</sup> ,793 <sup>1</sup> 919,920,921
362.20	Retinopathy of prematurity, unspecified	N	02	124,125
362.22	Retinopathy of prematurity, stage 0	N	02	124,125
362.23	Retinopathy of prematurity, stage 1	N	02	124,125
362.24	Retinopathy of prematurity, stage 2	N	02	124,125
362.25	Retinopathy of prematurity, stage 3	N	02	124,125

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
362.26	Retinopathy of prematurity, stage 4	N	02	124,125
362.27	Retinopathy of prematurity, stage 5	N	02	124,125
364.82	Plateau iris syndrome	N	02	124,125
372.34	Pingueculitis	N	02	124,125
414.3	Coronary atherosclerosis due to lipid rich plaque	N	05	302,303
482.42*	Methicillin resistant pneumonia due to Staphylococcus aureus	MCC	04 15 25	177,178,179 791 <sup>1</sup> ,793 <sup>1</sup> 974,975,976
511.81	Malignant pleural effusion	CC	04	180,181,182
511.89	Other specified forms of effusion, except tuberculous	CC	04 15	186,187,188 791 <sup>1</sup> ,793 <sup>1</sup>
530.13*	Eosinophilic esophagitis	N	06	391,392
535.70*	Eosinophilic gastritis, without mention of hemorrhage	N	06	391,392
535.71*	Eosinophilic gastritis, with hemorrhage	MCC	06	377,378,379
558.41*	Eosinophilic gastroenteritis	N	06 25	391,392 977
558.42*	Eosinophilic colitis	N	06 25	391,392 977
569.44	Dysplasia of anus	N	06	393,394,395
571.42	Autoimmune hepatitis	N	07	441,442,443
599.70	Hematuria, unspecified	N	11 15	695,696 791 <sup>1</sup> ,793 <sup>1</sup>
599.71	Gross hematuria	N	11 15	695,696 791 <sup>1</sup> ,793 <sup>1</sup>
599.72	Microscopic hematuria	N	11 15	695,696 791 <sup>1</sup> ,793 <sup>1</sup>
611.81	Ptosis of breast	N	09	600,601
611.82	Hypoplasia of breast	N	09	600,601
611.83	Capsular contracture of breast implant	N	09	600,601
611.89	Other specified disorders of breast	N	09	600,601
612.0	Deformity of reconstructed breast	N	09	600,601
612.1	Disproportion of reconstructed breast	N	09	600,601
625.70	Vulvodynia, unspecified	N	13	742,743,760,761
625.71	Vulvar vestibulitis	N	13	742,743,757,758,759

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
625.79	Other vulvodynia	N	13	742,743,760,761
649.70	Cervical shortening, unspecified as to episode of care or not applicable	CC	14	998
649.71	Cervical shortening, delivered, with or without mention of antepartum condition	CC	14	765,766,767,768,774, 775
649.73	Cervical shortening, antepartum condition or complication	CC	14	781,782
678.00	Fetal hematologic conditions, unspecified as to episode of care or not applicable	N	14	998
678.01	Fetal hematologic conditions, delivered, with or without mention of antepartum condition	N	14	765,766,767,768,774, 775
678.03	Fetal hematologic conditions, antepartum condition or complication	N	14	781,782
678.10	Fetal conjoined twins, unspecified as to episode of care or not applicable	N	14	998
678.11	Fetal conjoined twins, delivered, with or without mention of antepartum condition	N	14	765,766,767,768,774, 775
678.13	Fetal conjoined twins, antepartum condition or complication	N	14	781,782
679.00	Maternal complications from in utero procedure, unspecified as to episode of care or not applicable	N	14	765,766,767,768,774, 775
679.01	Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition	N	14	765,766,767,768,774
679.02	Maternal complications from in utero procedure, delivered, with mention of postpartum complication	N	14	765,766,767,768,774
679.03	Maternal complications from in utero procedure, antepartum condition or complication	N	14	781,782
679.04	Maternal complications from in utero procedure, postpartum condition or complication	N	14	769,776
679.10	Fetal complications from in utero procedures, unspecified as to episode of care or not applicable	N	14	998
679.11	Fetal complications from in utero procedures, delivered, with or without mention of antepartum condition	N	14	765,766,767,768,774, 775
679.12	Fetal complications from in utero	N	14	765,766,767,768,774,

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
	procedures, delivered, with mention of postpartum complication			775
679.13	Fetal complications from in utero procedures, antepartum condition or complication	N	14	781,782
679.14	Fetal complications from in utero procedures, postpartum condition or complication	N	14	769,776
695.10	Erythema multiforme, unspecified	N	09	595,596
695.11	Erythema multiforme minor	N	09	595,596
695.12	Erythema multiforme major	CC	09	595,596
695.13	Stevens-Johnson syndrome	CC	09	595,596
695.14	Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome	CC	09	595,596
695.15	Toxic epidermal necrolysis	CC	09	595,596
695.19	Other erythema multiforme	N	09	595,596
695.50	Exfoliation due to erythematous condition involving less than 10 percent of body surface	N	09	606,607
695.51	Exfoliation due to erythematous condition involving 10-19 percent of body surface	N	09	606,607
695.52	Exfoliation due to erythematous condition involving 20-29 percent of body surface	N	09	606,607
695.53	Exfoliation due to erythematous condition involving 30-39 percent of body surface	CC	09	606,607
695.54	Exfoliation due to erythematous condition involving 40-49 percent of body surface	CC	09	606,607
695.55	Exfoliation due to erythematous condition involving 50-59 percent of body surface	CC	09	606,607
695.56	Exfoliation due to erythematous condition involving 60-69 percent of body surface	CC	09	606,607
695.57	Exfoliation due to erythematous condition involving 70-79 percent of body surface	CC	09	606,607
695.58	Exfoliation due to erythematous condition involving 80-89 percent of body surface	CC	09	606,607
695.59	Exfoliation due to erythematous condition involving 90 percent or more of body surface	CC	09	606,607
707.20	Pressure ulcer, unspecified stage	N	09	573,574,575,592,593, 594
707.21	Pressure ulcer, stage I	N	09	573,574,575,592,593, 594

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
707.22	Pressure ulcer, stage II	N	09	573,574,575,592,593,594
707.23	Pressure ulcer, stage III	MCC <sup>3</sup>	09	573,574,575,592,593,594
707.24	Pressure ulcer, stage IV	MCC <sup>3</sup>	09	573,574,575,592,593,594
707.25*	Pressure ulcer, unstageable	N	09	573,574,575,592,593,594
729.90	Disorders of soft tissue, unspecified	N	08	555,556
729.91	Post-traumatic seroma	N	08	555,556
729.92	Nontraumatic hematoma of soft tissue	N	08	555,556
729.99	Other disorders of soft tissue	N	08	555,556
733.96*	Stress fracture of femoral neck	N	08	542,543,544
733.97*	Stress fracture of shaft of femur	N	08	542,543,544
733.98*	Stress fracture of pelvis	N	08	542,543,544
760.61	Newborn affected by amniocentesis	N	15	794
760.62	Newborn affected by other in utero procedure	N	15	794
760.63	Newborn affected by other surgical operations on mother during pregnancy	N	15	794
760.64	Newborn affected by previous surgical procedure on mother not associated with pregnancy	N	15	794
777.50	Necrotizing enterocolitis in newborn, unspecified	MCC	15	791 <sup>4</sup> ,793 <sup>4</sup>
777.51	Stage I necrotizing enterocolitis in newborn	MCC	15	791 <sup>4</sup> ,793 <sup>4</sup>
777.52	Stage II necrotizing enterocolitis in newborn	MCC	15	791 <sup>4</sup> ,793 <sup>4</sup>
777.53	Stage III necrotizing enterocolitis in newborn	MCC	15	791 <sup>4</sup> ,793 <sup>4</sup>
780.60*	Fever, unspecified	N	18 25	864 977
780.61*	Fever presenting with conditions classified elsewhere	N	18 25	864 977
780.62*	Postprocedural fever	N	18 25	864 977
780.63*	Postvaccination fever	N	18 25	864 977

TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
780.64*	Chills (without fever)	N	23	947,948
780.65*	Hypothermia not associated with low environmental temperature	N	23	947,948
780.72	Functional quadriplegia	MCC	01	052,053
788.91	Functional urinary incontinence	N	11	695,696
788.99	Other symptoms involving urinary system	N	11	695,696
795.07	Satisfactory cervical smear but lacking transformation zone	N	13	742,743,760,761
795.10	Abnormal glandular Papanicolaou smear of vagina	N	13	742,743,760,761
795.11	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)	N	13	742,743,760,761
795.12	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	N	13	742,743,760,761
795.13	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)	N	13	742,743,760,761
795.14	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)	N	13	742,743,760,761
795.15	Vaginal high risk human papillomavirus (HPV) DNA test positive	N	13	742,743,760,761
795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy	N	13	742,743,760,761
795.18	Unsatisfactory vaginal cytology smear	N	13	742,743,760,761
795.19	Other abnormal Papanicolaou smear of vagina and vaginal HPV	N	13	742,743,760,761
796.70	Abnormal glandular Papanicolaou smear of anus	N	06	393,394,395
796.71	Papanicolaou smear of anus with atypical squamous cells of undetermined significance (ASC-US)	N	06	393,394,395
796.72	Papanicolaou smear of anus with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	N	06	393,394,395
796.73	Papanicolaou smear of anus with low grade squamous intraepithelial lesion (LGSIL)	N	06	393,394,395
796.74	Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)	N	06	393,394,395
796.75	Anal high risk human papillomavirus (HPV) DNA test positive	N	06	393,394,395

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
796.76	Papanicolaou smear of anus with cytologic evidence of malignancy	N	06	393,394,395
796.77	Satisfactory anal smear but lacking transformation zone	N	06	393,394,395
796.78	Unsatisfactory anal cytology smear	N	06	393,394,395
796.79	Other abnormal Papanicolaou smear of anus and anal HPV	N	06	393,394,395
997.31	Ventilator associated pneumonia	CC	04 15	205,206 791 <sup>1</sup> ,793 <sup>1</sup>
997.39	Other respiratory complications	CC	04 15	205,206 791 <sup>1</sup> ,793 <sup>1</sup>
998.30	Disruption of wound, unspecified	CC	21	919,920,921
998.33*	Disruption of traumatic injury wound repair	CC	21	919,920,921
999.81	Extravasation of vesicant chemotherapy	CC	05 15	314,315,316 791 <sup>1</sup> ,793 <sup>1</sup>
999.82	Extravasation of other vesicant agent	CC	05 15	314,315,316 791 <sup>1</sup> ,793 <sup>1</sup>
999.88	Other infusion reaction	N	05 15	314,315,316 791 <sup>1</sup> ,793 <sup>1</sup>
999.89	Other transfusion reaction	N	15 16	791 <sup>1</sup> ,793 <sup>1</sup> 811,812
V02.53*	Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus	N	23	951
V02.54*	Carrier or suspected carrier of Methicillin resistant Staphylococcus aureus	N	23	951
V07.51	Prophylactic use of selective estrogen receptor modulators (SERMs)	N	23	951
V07.52	Prophylactic use of aromatase inhibitors	N	23	951
V07.59	Prophylactic use of other agents affecting estrogen receptors and estrogen levels	N	23	951
V12.04*	Personal history of Methicillin resistant Staphylococcus aureus	N	23	951
V13.51	Personal history of pathologic fracture	N	23	951
V13.52	Personal history of stress fracture	N	23	951
V13.59	Personal history of other musculoskeletal disorders	N	23	951
V15.21	Personal history of undergoing in utero procedure during pregnancy	N	23	951

TABLE 6A. - NEW DIAGNOSIS CODES

<b>Diagnosis Code</b>	<b>Description</b>	<b>CC</b>	<b>MDC</b>	<b>MS-DRG</b>
V15.22	Personal history of undergoing in utero procedure while a fetus	N	23	951
V15.29	Personal history of surgery to other organs	N	23	951
V15.51	Personal history of traumatic fracture	N	23	951
V15.59	Personal history of other injury	N	23	951
V23.85	Pregnancy resulting from assisted reproductive technology	N	14	998
V23.86	Pregnancy with history of in utero procedure during previous pregnancy	N	14	998
V28.81	Encounter for fetal anatomic survey	N	23	951
V28.82	Encounter for screening for risk of pre-term labor	N	23	951
V28.89	Other specified antenatal screening	N	23	951
V45.11	Renal dialysis status	N	23	951
V45.12	Noncompliance with renal dialysis	N	23	951
V45.87	Transplanted organ removal status	N	23	951
V45.88*	Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility	N	23	951
V46.3	Wheelchair dependence	N	23	951
V51.0	Encounter for breast reconstruction following mastectomy	N	09	606,607
V51.8	Other aftercare involving the use of plastic surgery	N	09	606,607
V61.01*	Family disruption due to family member on military deployment	N	23	951
V61.02*	Family disruption due to return of family member from military deployment	N	23	951
V61.03*	Family disruption due to divorce or legal separation	N	23	951
V61.04*	Family disruption due to parent-child estrangement	N	23	951
V61.05*	Family disruption due to child in welfare custody	N	23	951
V61.06*	Family disruption due to child in foster care or in care of non-parental family member	N	23	951
V61.09*	Other family disruption	N	23	951
V62.21*	Personal current military deployment status	N	23	951
V62.22*	Personal history of return from military deployment	N	23	951
V62.29*	Other occupational circumstances or maladjustment	N	23	951
V87.01	Contact with and (suspected) exposure to	N	23	951



TABLE 6A. - NEW DIAGNOSIS CODES

Diagnosis Code	Description	CC	MDC	MS-DRG
	arsenic			
V87.09	Contact with and (suspected) exposure to other hazardous metals	N	23	951
V87.11	Contact with and (suspected) exposure to aromatic amines	N	23	951
V87.12	Contact with and (suspected) exposure to benzene	N	23	951
V87.19	Contact with and (suspected) exposure to other hazardous aromatic compounds	N	23	951
V87.2	Contact with and (suspected) exposure to other potentially hazardous chemicals	N	23	951
V87.31	Contact with and (suspected) exposure to mold	N	23	951
V87.39	Contact with and (suspected) exposure to other potentially hazardous substances	N	23	951
V87.41	Personal history of antineoplastic chemotherapy	N	23	949,950
V87.42	Personal history of monoclonal drug therapy	N	23	949,950
V87.49	Personal history of other drug therapy	N	23	949,950
V88.01	Acquired absence of both cervix and uterus	N	13	742,743,760,761
V88.02	Acquired absence of uterus with remaining cervical stump	N	13	742,743,760,761
V88.03	Acquired absence of cervix with remaining uterus	N	13	742,743,760,761
V89.01	Suspected problem with amniotic cavity and membrane not found	N	23	951
V89.02	Suspected placental problem not found	N	23	951
V89.03	Suspected fetal anomaly not found	N	23	951
V89.04	Suspected problem with fetal growth not found	N	23	951
V89.05	Suspected cervical shortening not found	N	23	951
V89.09	Other suspected maternal and fetal condition not found	N	23	951

**Notes:**

\* These diagnosis codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2008.

<sup>1</sup> Secondary diagnosis of major problem

<sup>2</sup> Secondary diagnosis of acute leukemia

<sup>3</sup> The pressure ulcer site specific codes (707.00-707.09) will be non-CCs. The pressure ulcer stage III and IV codes will be classified as MCCs.

<sup>4</sup> Principal or secondary diagnosis of major problem