

IRF-PAI Data Submission Specifications
Unduplicated Edits Report by Edit ID: Version 1.12.1

Table of Contents

-1001	Format Fatal	4
-1002	Consistency Fatal.....	4
-1004	Format Fatal	4
-1006	Format Fatal	5
-1007	Format Fatal	5
-1008	Format Fatal	5
-1010	Format Fatal	6
-1011	Consistency Fatal.....	9
-1012	Format Fatal	9
-1014	Consistency Fatal.....	9
-1015	Consistency Warning.....	9
-1016	Format Fatal	9
-1023	Format Fatal	9
-1024	Consistency Warning.....	10
-1030	Consistency Warning.....	10
-1031	Consistency Warning.....	10
-1033	Format Fatal	10
-1038	Consistency Fatal.....	10
-1044	Consistency Fatal.....	10
-1045	Format Fatal	10
-1046	Consistency Fatal.....	11
-1047	Consistency Fatal.....	11
-1053	Consistency Fatal.....	11
-1055	Consistency Fatal.....	11
-1056	Consistency Warning.....	11
-1057	Consistency Warning.....	11
-1060	Consistency Warning.....	11
-1071	Consistency Fatal.....	11
-1072	Consistency Warning.....	11
-1100	Format Fatal	11
-1101	Consistency Fatal.....	12
-1102	Consistency Fatal.....	12
-1105	Consistency Fatal.....	13
-1106	Format Fatal	13
-1107	Consistency Fatal.....	13
-1108	Format Fatal	13
-1109	Consistency Fatal.....	13
-1110	Consistency Fatal.....	13
-1111	Consistency Fatal.....	13
-1112	Consistency Fatal.....	13
-1113	Consistency Fatal.....	14
-1114	Consistency Fatal.....	14
-1115	Consistency Fatal.....	14
-1116	Consistency Fatal.....	15
-1117	Consistency Fatal.....	15
-1118	Consistency Fatal.....	15

IRF-PAI Data Submission Specifications
Unduplicated Edits Report by Edit ID: Version 1.12.1

-1120	Consistency Fatal.....	15
-1121	Consistency Fatal.....	15
-1122	Consistency Fatal.....	15
-1123	Consistency Fatal.....	16
-1124	Consistency Fatal.....	16
-1125	Consistency Fatal.....	16
-1127	Consistency Fatal.....	16
-1128	Consistency Fatal.....	16
-1129	Format Warning	16
-5004	Consistency Warning.....	16
-5006	Consistency Fatal.....	17
-5007	Consistency Fatal.....	17
-5009	Consistency Fatal.....	17
-5010	Consistency Fatal.....	17
-5011	Consistency Fatal.....	18
-5013	Consistency Fatal.....	18
-5014	Consistency Fatal.....	18
-5015	Consistency Fatal.....	18
-5016	Consistency Fatal.....	18
-5017	Consistency Fatal.....	18
-5018	Consistency Fatal.....	19
-5019	Consistency Fatal.....	19
-5020	Consistency Fatal.....	19
-5021	Consistency Fatal.....	19
-5022	Consistency Fatal.....	19
-5023	Consistency Fatal.....	19
-5024	Consistency Fatal.....	19
-5025	Consistency Fatal.....	20
-5026	Consistency Fatal.....	20
-5027	Consistency Fatal.....	20
-5028	Consistency Fatal.....	20
-5029	Consistency Fatal.....	20
-5030	Consistency Fatal.....	20
-5031	Consistency Fatal.....	20
-5032	Consistency Fatal.....	20
-5033	Consistency Fatal.....	21
-5034	Consistency Fatal.....	21
-5035	Consistency Fatal.....	21
-5036	Consistency Fatal.....	21
-5037	Consistency Fatal.....	21
-5038	Consistency Fatal.....	22
-5039	Consistency Fatal.....	22
-5040	Consistency Fatal.....	22
-5041	Consistency Fatal.....	22
-5042	Consistency Fatal.....	22
-5043	Consistency Fatal.....	23
-5044	Consistency Fatal.....	23
-5045	Consistency Fatal.....	23
-5046	Consistency Fatal.....	23

IRF-PAI Data Submission Specifications
Unduplicated Edits Report by Edit ID: Version 1.12.1

-5047	Consistency Fatal.....	24
-5048	Consistency Fatal.....	24
-5049	Consistency Fatal.....	24
-5050	Consistency Fatal.....	24
-5051	Consistency Fatal.....	24
-5052	Consistency Fatal.....	25
-5053	Consistency Fatal.....	25
-5054	Consistency Warning.....	25

IRF-PAI Data Submission Specifications
Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
-1001	Format	Fatal	Invalid FAC_ID: The facility ID (FAC_ID) submitted in this record does not identify a valid provider in the QIES ASAP System. Please contact the QTSO Help Desk. Items: FAC_ID Facility ID
-1002	Consistency	Fatal	Invalid TRANS_TYPE_CD: The transaction type code (TRANS_TYPE_CD) submitted in this record does not identify a valid transaction code for the record. Contact your vendor. Items: TRANS_TYPE_CD Transaction Type Code
-1004	Format	Fatal	Formatting of Whole Number Items: Only whole number values and the special values (if any) that are listed in the Item Values list are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. A sign (+ for positive or - for negative) may not be included. The following examples are allowed if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [-1], [+1], [+1.0]. Items: 25A Height 26A Weight O0401AA Physical Therapy - Individual Minutes Week 1 O0401AB Physical Therapy - Concurrent Minutes Week 1 O0401AC Physical Therapy - Group Minutes Week 1 O0401AD Physical Therapy - Co-treatment Minutes Week 1 O0401BA Occupational Therapy - Individual Minutes Week 1 O0401BB Occupational Therapy - Concurrent Minutes Week 1 O0401BC Occupational Therapy - Group Minutes Week 1 O0401BD Occupational Therapy - Co-treatment Minutes Week 1 O0401CA SLP Therapy - Individual Minutes Week 1 O0401CB SLP Therapy - Concurrent Minutes Week 1 O0401CC SLP Therapy - Group Minutes Week 1 O0401CD SLP Therapy - Co-treatment Minutes Week 1 O0402AA Physical Therapy - Individual Minutes Week 2 O0402AB Physical Therapy - Concurrent Minutes Week 2 O0402AC Physical Therapy - Group Minutes Week 2 O0402AD Physical Therapy - Co-treatment Minutes Week 2 O0402BA Occupational Therapy - Individual Minutes Week 2 O0402BB Occupational Therapy - Concurrent Minutes Week 2 O0402BC Occupational Therapy - Group Minutes Week 2 O0402BD Occupational Therapy - Co-treatment Minutes Week 2 O0402CA SLP Therapy - Individual Minutes Week 2 O0402CB SLP Therapy - Concurrent Minutes Week 2 O0402CC SLP Therapy - Group Minutes Week 2 O0402CD SLP Therapy - Co-treatment Minutes Week 2 M0300A1_1 Number of Stage 1 pressure ulcers: Admission M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300C1_2 Number of Stage 3 pressure ulcers: Discharge

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened M0300E1_1 Nbr Unstg non-remov drsg pressure ulcers: Adm M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU M0300G1_1 Nbr Unstg DTI pressure ulcers: Adm M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU M0900A Number of Stage 1 Healed Pressure Ulcers M0900B Number of Stage 2 Healed Pressure Ulcers M0900C Number of Stage 3 Healed Pressure Ulcers M0900D Number of Stage 4 Healed Pressure Ulcers
-1006	Format	Fatal	<p>Invalid Format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following alphanumeric characters: [0] - [9], [A] - [Z], [a] - [z].</p> <p>Items: 1B CMS Certification Number (CCN) 2 Patient Medicare Number 3 Patient Medicaid Number</p>
-1007	Format	Fatal	<p>Invalid format: If the value submitted is not equal to one of the values listed in the Item Values, then the value must only contain the following numeric characters: [0] through [9].</p> <p>Items: FAC_ZIP Facility ZIP Code FAC_PHONE Facility Contact Person Phone FAC_EXTEN Facility Contact Person Phone Extension SFTWR_VNDR_ID Software Vendor EIN 7 Social Security Number (SSN)</p>
-1008	Format	Fatal	<p>Invalid Format: This nonblank text string may contain only the following characters: [0] - [9], [A] - [Z], [a] - [z], [-] (dash), [@] (at sign), ['] (single quote), [/] (forward slash), [+] (plus sign), [,] (comma), [.] (period), [_] (underscore), [&] (ampersand), [] (embedded space(s)). Embedded spaces are the space character(s) surrounded by any of the characters listed in the preceding sentence. For example, [LEGAL TEXT] would be allowed.</p> <p>Items: FAC_ADDR_1 Facility Address Line 1 FAC_ADDR_2 Facility Address Line 2 FAC_CITY Facility City FAC_CNTCT Facility Contact Person Name SFTWR_VNDR_NAME Software Vendor Name SFTWR_PROD_NAME Software Product Name SFTWR_PROD_VRSN_CD Software Product Version Code 1A Facility Name 4 Patient First Name 5A Patient Last Name</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items																																																																																																																																																																		
-1010	Format	Fatal	<div>Invalid Data Value: The submitted value for this item is not in the valid range of acceptable values.</div> <table><tr><td>Items:</td><td>ASMT_SYS_CD</td><td>Assessment System Code</td></tr><tr><td></td><td>STATE_CD</td><td>State Code</td></tr><tr><td></td><td>CORRECTION_NUM</td><td>Correction Number</td></tr><tr><td></td><td>8</td><td>Gender</td></tr><tr><td></td><td>9A</td><td>Race: American Indian/Alaskan Native</td></tr><tr><td></td><td>9B</td><td>Race: Asian</td></tr><tr><td></td><td>9C</td><td>Race: Black or African American</td></tr><tr><td></td><td>9D</td><td>Ethnicity: Hispanic or Latino</td></tr><tr><td></td><td>9E</td><td>Race: Native Hawaiian or other Pacific Islander</td></tr><tr><td></td><td>9F</td><td>Race: White</td></tr><tr><td></td><td>10</td><td>Marital Status</td></tr><tr><td></td><td>14</td><td>Admission Class</td></tr><tr><td></td><td>15A</td><td>Admit From</td></tr><tr><td></td><td>16A</td><td>Pre-hospital Living Setting</td></tr><tr><td></td><td>17</td><td>Pre-Hospital Living With</td></tr><tr><td></td><td>20A</td><td>Primary Payment Source</td></tr><tr><td></td><td>20B</td><td>Secondary Payment Source</td></tr><tr><td></td><td>21A</td><td>Impairment Group: Admission</td></tr><tr><td></td><td>21D</td><td>Impairment Group: Discharge</td></tr><tr><td></td><td>24A1</td><td>Arthritis Conditions Recorded</td></tr><tr><td></td><td>25A</td><td>Height</td></tr><tr><td></td><td>26A</td><td>Weight</td></tr><tr><td></td><td>27A</td><td>Swallowing Status: Admission</td></tr><tr><td></td><td>27D</td><td>Swallowing Status: Discharge</td></tr><tr><td></td><td>29A</td><td>Bladder Level of Assistance: Admission</td></tr><tr><td></td><td>29D</td><td>Bladder Level of Assistance: Discharge</td></tr><tr><td></td><td>30A</td><td>Bladder Frequency of Accidents: Admission</td></tr><tr><td></td><td>30D</td><td>Bladder Frequency of Accidents: Discharge</td></tr><tr><td></td><td>31A</td><td>Bowel Level of Assistance: Admission</td></tr><tr><td></td><td>31D</td><td>Bowel Level of Assistance: Discharge</td></tr><tr><td></td><td>32A</td><td>Bowel Frequency of Accidents: Admission</td></tr><tr><td></td><td>32D</td><td>Bowel Frequency of Accidents: Discharge</td></tr><tr><td></td><td>33A</td><td>Tub Transfer: Admission</td></tr><tr><td></td><td>33D</td><td>Tub Transfer: Discharge</td></tr><tr><td></td><td>34A</td><td>Shower Transfer: Admission</td></tr><tr><td></td><td>34D</td><td>Shower Transfer: Discharge</td></tr><tr><td></td><td>35A</td><td>Distance Walked: Admission</td></tr><tr><td></td><td>35D</td><td>Distance Walked: Discharge</td></tr><tr><td></td><td>36A</td><td>Distance Traveled in Wheelchair: Admission</td></tr><tr><td></td><td>36D</td><td>Distance Traveled in Wheelchair: Discharge</td></tr><tr><td></td><td>37A</td><td>Walk: Admission</td></tr><tr><td></td><td>37D</td><td>Walk: Discharge</td></tr><tr><td></td><td>38A</td><td>Wheelchair: Admission</td></tr><tr><td></td><td>38D</td><td>Wheelchair: Discharge</td></tr><tr><td></td><td>39AA</td><td>Self-Care -Eating: Admission</td></tr><tr><td></td><td>39AD</td><td>Self-Care -Eating: Discharge</td></tr><tr><td></td><td>39AG</td><td>Self-Care -Eating: Goal</td></tr><tr><td></td><td>39BA</td><td>Self-Care -Grooming: Admission</td></tr><tr><td></td><td>39BD</td><td>Self-Care -Grooming: Discharge</td></tr><tr><td></td><td>39BG</td><td>Self-Care -Grooming: Goal</td></tr><tr><td></td><td>39CA</td><td>Self-Care -Bathing: Admission</td></tr><tr><td></td><td>39CD</td><td>Self-Care -Bathing: Discharge</td></tr><tr><td></td><td>39CG</td><td>Self-Care -Bathing: Goal</td></tr><tr><td></td><td>39DA</td><td>Self-Care -Dressing - Upper: Admission</td></tr></table>	Items:	ASMT_SYS_CD	Assessment System Code		STATE_CD	State Code		CORRECTION_NUM	Correction Number		8	Gender		9A	Race: American Indian/Alaskan Native		9B	Race: Asian		9C	Race: Black or African American		9D	Ethnicity: Hispanic or Latino		9E	Race: Native Hawaiian or other Pacific Islander		9F	Race: White		10	Marital Status		14	Admission Class		15A	Admit From		16A	Pre-hospital Living Setting		17	Pre-Hospital Living With		20A	Primary Payment Source		20B	Secondary Payment Source		21A	Impairment Group: Admission		21D	Impairment Group: Discharge		24A1	Arthritis Conditions Recorded		25A	Height		26A	Weight		27A	Swallowing Status: Admission		27D	Swallowing Status: Discharge		29A	Bladder Level of Assistance: Admission		29D	Bladder Level of Assistance: Discharge		30A	Bladder Frequency of Accidents: Admission		30D	Bladder Frequency of Accidents: Discharge		31A	Bowel Level of Assistance: Admission		31D	Bowel Level of Assistance: Discharge		32A	Bowel Frequency of Accidents: Admission		32D	Bowel Frequency of Accidents: Discharge		33A	Tub Transfer: Admission		33D	Tub Transfer: Discharge		34A	Shower Transfer: Admission		34D	Shower Transfer: Discharge		35A	Distance Walked: Admission		35D	Distance Walked: Discharge		36A	Distance Traveled in Wheelchair: Admission		36D	Distance Traveled in Wheelchair: Discharge		37A	Walk: Admission		37D	Walk: Discharge		38A	Wheelchair: Admission		38D	Wheelchair: Discharge		39AA	Self-Care -Eating: Admission		39AD	Self-Care -Eating: Discharge		39AG	Self-Care -Eating: Goal		39BA	Self-Care -Grooming: Admission		39BD	Self-Care -Grooming: Discharge		39BG	Self-Care -Grooming: Goal		39CA	Self-Care -Bathing: Admission		39CD	Self-Care -Bathing: Discharge		39CG	Self-Care -Bathing: Goal		39DA	Self-Care -Dressing - Upper: Admission
Items:	ASMT_SYS_CD	Assessment System Code																																																																																																																																																																			
	STATE_CD	State Code																																																																																																																																																																			
	CORRECTION_NUM	Correction Number																																																																																																																																																																			
	8	Gender																																																																																																																																																																			
	9A	Race: American Indian/Alaskan Native																																																																																																																																																																			
	9B	Race: Asian																																																																																																																																																																			
	9C	Race: Black or African American																																																																																																																																																																			
	9D	Ethnicity: Hispanic or Latino																																																																																																																																																																			
	9E	Race: Native Hawaiian or other Pacific Islander																																																																																																																																																																			
	9F	Race: White																																																																																																																																																																			
	10	Marital Status																																																																																																																																																																			
	14	Admission Class																																																																																																																																																																			
	15A	Admit From																																																																																																																																																																			
	16A	Pre-hospital Living Setting																																																																																																																																																																			
	17	Pre-Hospital Living With																																																																																																																																																																			
	20A	Primary Payment Source																																																																																																																																																																			
	20B	Secondary Payment Source																																																																																																																																																																			
	21A	Impairment Group: Admission																																																																																																																																																																			
	21D	Impairment Group: Discharge																																																																																																																																																																			
	24A1	Arthritis Conditions Recorded																																																																																																																																																																			
	25A	Height																																																																																																																																																																			
	26A	Weight																																																																																																																																																																			
	27A	Swallowing Status: Admission																																																																																																																																																																			
	27D	Swallowing Status: Discharge																																																																																																																																																																			
	29A	Bladder Level of Assistance: Admission																																																																																																																																																																			
	29D	Bladder Level of Assistance: Discharge																																																																																																																																																																			
	30A	Bladder Frequency of Accidents: Admission																																																																																																																																																																			
	30D	Bladder Frequency of Accidents: Discharge																																																																																																																																																																			
	31A	Bowel Level of Assistance: Admission																																																																																																																																																																			
	31D	Bowel Level of Assistance: Discharge																																																																																																																																																																			
	32A	Bowel Frequency of Accidents: Admission																																																																																																																																																																			
	32D	Bowel Frequency of Accidents: Discharge																																																																																																																																																																			
	33A	Tub Transfer: Admission																																																																																																																																																																			
	33D	Tub Transfer: Discharge																																																																																																																																																																			
	34A	Shower Transfer: Admission																																																																																																																																																																			
	34D	Shower Transfer: Discharge																																																																																																																																																																			
	35A	Distance Walked: Admission																																																																																																																																																																			
	35D	Distance Walked: Discharge																																																																																																																																																																			
	36A	Distance Traveled in Wheelchair: Admission																																																																																																																																																																			
	36D	Distance Traveled in Wheelchair: Discharge																																																																																																																																																																			
	37A	Walk: Admission																																																																																																																																																																			
	37D	Walk: Discharge																																																																																																																																																																			
	38A	Wheelchair: Admission																																																																																																																																																																			
	38D	Wheelchair: Discharge																																																																																																																																																																			
	39AA	Self-Care -Eating: Admission																																																																																																																																																																			
	39AD	Self-Care -Eating: Discharge																																																																																																																																																																			
	39AG	Self-Care -Eating: Goal																																																																																																																																																																			
	39BA	Self-Care -Grooming: Admission																																																																																																																																																																			
	39BD	Self-Care -Grooming: Discharge																																																																																																																																																																			
	39BG	Self-Care -Grooming: Goal																																																																																																																																																																			
	39CA	Self-Care -Bathing: Admission																																																																																																																																																																			
	39CD	Self-Care -Bathing: Discharge																																																																																																																																																																			
	39CG	Self-Care -Bathing: Goal																																																																																																																																																																			
	39DA	Self-Care -Dressing - Upper: Admission																																																																																																																																																																			

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			39DD Self-Care -Dressing - Upper: Discharge
			39DG Self-Care -Dressing - Upper: Goal
			39EA Self-Care -Dressing - Lower: Admission
			39ED Self-Care -Dressing - Lower: Discharge
			39EG Self-Care -Dressing - Lower: Goal
			39FA Self-Care -Toileting: Admission
			39FD Self-Care -Toileting: Discharge
			39FG Self-Care -Toileting: Goal
			39GA Sphincter Control -Bladder: Admission
			39GD Sphincter Control -Bladder: Discharge
			39GG Sphincter Control -Bladder: Goal
			39HA Sphincter Control -Bowel: Admission
			39HD Sphincter Control -Bowel: Discharge
			39HG Sphincter Control -Bowel: Goal
			39IA Transfers -Bed, Chair, Wheelchair: Admission
			39ID Transfers -Bed, Chair, Wheelchair: Discharge
			39IG Transfers -Bed, Chair, Wheelchair: Goal
			39JA Transfers -Toilet: Admission
			39JD Transfers -Toilet: Discharge
			39JG Transfers -Toilet: Goal
			39KA Transfers -Tub, Shower: Admission
			39KD Transfers - Tub, Shower: Discharge
			39KG Transfers -Tub, Shower: Goal
			39LA Locomotion -Walk/Wheelchair: Admission
			39LAA Locomotion -Walk/Wheelchair/both: Admission
			39LD Locomotion -Walk/Wheelchair: Discharge
			39LDD Locomotion -Walk/Wheelchair/both: Discharge
			39LG Locomotion -Walk/Wheelchair: Goal
			39MA Locomotion -Stairs: Admission
			39MD Locomotion -Stairs: Discharge
			39MG Locomotion -Stairs: Goal
			39NA Communication -Comprehension: Admission
			39NAA Communication -Comp Auditory/Visual/Both:Admission
			39ND Communication -Comprehension: Discharge
			39NDD Communication -Comp Auditory/Visual/Both:Discharge
			39NG Communication -Comprehension: Goal
			39OA Communication -Expression: Admission
			39OAA Communication -Expr Vocal/Nonvocal/Both: Admission
			39OD Communication -Expression: Discharge
			39ODD Communication -Expr Vocal/Nonvocal/Both: Discharge
			39OG Communication -Expression: Goal
			39PA Social Cognition -Social Interaction: Admission
			39PD Social Cognition -Social Interaction: Discharge
			39PG Social Cognition -Social Interaction: Goal
			39QA Social Cognition -Problem Solving: Admission
			39QD Social Cognition -Problem Solving: Discharge
			39QG Social Cognition -Problem Solving: Goal
			39RA Social Cognition -Memory: Admission
			39RD Social Cognition -Memory: Discharge
			39RG Social Cognition -Memory: Goal
			41 Patient Discharged Against Medical Advice
			42 Program Interruption(s) Indicator
			44C Patient Discharged Alive
			44D Discharge to Living Setting
			45 Discharge to Living With
			00401AA Physical Therapy - Individual Minutes Week 1

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			O0401AB Physical Therapy - Concurrent Minutes Week 1
			O0401AC Physical Therapy - Group Minutes Week 1
			O0401AD Physical Therapy - Co-treatment Minutes Week 1
			O0401BA Occupational Therapy - Individual Minutes Week 1
			O0401BB Occupational Therapy - Concurrent Minutes Week 1
			O0401BC Occupational Therapy - Group Minutes Week 1
			O0401BD Occupational Therapy - Co-treatment Minutes Week 1
			O0401CA SLP Therapy - Individual Minutes Week 1
			O0401CB SLP Therapy - Concurrent Minutes Week 1
			O0401CC SLP Therapy - Group Minutes Week 1
			O0401CD SLP Therapy - Co-treatment Minutes Week 1
			O0402AA Physical Therapy - Individual Minutes Week 2
			O0402AB Physical Therapy - Concurrent Minutes Week 2
			O0402AC Physical Therapy - Group Minutes Week 2
			O0402AD Physical Therapy - Co-treatment Minutes Week 2
			O0402BA Occupational Therapy - Individual Minutes Week 2
			O0402BB Occupational Therapy - Concurrent Minutes Week 2
			O0402BC Occupational Therapy - Group Minutes Week 2
			O0402BD Occupational Therapy - Co-treatment Minutes Week 2
			O0402CA SLP Therapy - Individual Minutes Week 2
			O0402CB SLP Therapy - Concurrent Minutes Week 2
			O0402CC SLP Therapy - Group Minutes Week 2
			O0402CD SLP Therapy - Co-treatment Minutes Week 2
			M0210_1 Pressure Ulcers Present on Admission
			M0210_2 Pressure Ulcers Present on Discharge
			M0300A1_1 Number of Stage 1 pressure ulcers: Admission
			M0300A1_2 Number of Stage 1 pressure ulcers: Discharge
			M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU
			M0300A3_2 Nbr Disch Stg 1 PU new
			M0300B1_1 Number of Stage 2 pressure ulcers: Admission
			M0300B1_2 Number of Stage 2 pressure ulcers: Discharge
			M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU
			M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU
			M0300B4_2 Nbr Disch Stg 2 PU new/worsened
			M0300C1_1 Number of Stage 3 pressure ulcers: Admission
			M0300C1_2 Number of Stage 3 pressure ulcers: Discharge
			M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU
			M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU
			M0300C4_2 Nbr Disch Stg 3 PU new/worsened
			M0300D1_1 Number of Stage 4 pressure ulcers: Admission
			M0300D1_2 Number of Stage 4 pressure ulcers: Discharge
			M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU
			M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU
			M0300D4_2 Nbr Disch Stg 4 PU new/worsened
			M0300E1_1 Nbr Unstg non-remov drsg pressure ulcers: Adm
			M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg
			M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU
			M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU
			M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm
			M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg
			M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU
			M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU
			M0300G1_1 Nbr Unstg DTI pressure ulcers: Adm
			M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg
			M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU
			M0900A Number of Stage 1 Healed Pressure Ulcers

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			M0900B Number of Stage 2 Healed Pressure Ulcers M0900C Number of Stage 3 Healed Pressure Ulcers M0900D Number of Stage 4 Healed Pressure Ulcers I0900A Peripheral Vascular Disease (PVD) I0900B Peripheral Arterial Disease (PAD) I2900A Diabetes Mellitus (DM) I2900B Diabetic Retinopathy I2900C Diabetic Nephropathy I2900D Diabetic Neuropathy O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason
-1011	Consistency	Fatal	<p>Invalid Correction Number: The Correction Number value is invalid for this record. This number must be one number greater than the number on the original or previously corrected assessment.</p> <p>Items: CORRECTION_NUM Correction Number</p>
-1012	Format	Fatal	<p>Formatting of Birthdate: This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format. Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101". If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901". If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY and must be zero filled, where necessary. For example, 1909 must be submitted as "1909" and 1900 must be submitted as "1900".</p> <p>Items: 6 Birth Date</p>
-1014	Consistency	Fatal	<p>Required Item Is blank: The value for this item is blank. Update the value in your IRF-PAI encoding software and resubmit the record.</p> <p>Items: FAC_ADDR_1 Facility Address Line 1 FAC_CITY Facility City FAC_CNTCT Facility Contact Person Name SFTWR_VNDR_ID Software Vendor EIN SFTWR_VNDR_NAME Software Vendor Name SFTWR_VNDR_EMAIL_ADR Software Vendor Email Address 1A Facility Name 1B CMS Certification Number (CCN) 4 Patient First Name 5A Patient Last Name 22A Etiologic Diagnosis Code A (ICD Code)</p>
-1015	Consistency	Warning	<p>CCN Mismatch: The CCN submitted (1B) on the assessment does not match the CCN stored in the QIES ASAP database for the facility. Please contact the help desk.</p> <p>Items: 1B CMS Certification Number (CCN)</p>
-1016	Format	Fatal	<p>Invalid e-mail address: An e-mail address may contain any printable character except single quote ['] and double quote ["].</p> <p>Items: SFTWR_VNDR_EMAIL_ADR Software Vendor Email Address</p>
-1023	Format	Fatal	<p>Invalid CCN length: The CMS Certification Number (CCN) (1B) must be exactly 6 characters.</p> <p>Items: 1B CMS Certification Number (CCN)</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
-1024	Consistency	Warning	<p>Facility information updated: Submitted values for the item(s) listed are not the same as the values in the QIES database. The database has been updated.</p> <p>Items: FAC_ADDR_1 Facility Address Line 1 FAC_ADDR_2 Facility Address Line 2 FAC_CITY Facility City FAC_ZIP Facility ZIP Code FAC_PHONE Facility Contact Person Phone 1A Facility Name</p>
-1030	Consistency	Warning	<p>Patient Provider Updated: Our records indicated that a different provider previously cared for this resident. The provider associated with this resident has been updated.</p> <p>Items: 5A Patient Last Name</p>
-1031	Consistency	Warning	<p>Patient Information Updated: Submitted value(s) for the item(s) listed are not the same as the values in the QIES ASAP database. The database has been updated.</p> <p>Items: 4 Patient First Name 5A Patient Last Name 6 Birth Date 7 Social Security Number (SSN) 8 Gender 9A Race: American Indian/Alaskan Native 9B Race: Asian 9C Race: Black or African American 9D Ethnicity: Hispanic or Latino 9E Race: Native Hawaiian or other Pacific Islander 9F Race: White</p>
-1033	Format	Fatal	<p>Incorrect Medicare Number: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p> <p>Items: 2 Patient Medicare Number</p>
-1038	Consistency	Fatal	<p>Inconsistent 20A/20B values: The Primary Payment Source (20A) cannot be equal to [02, 51] if Secondary Payment Source (20B) is equal to [02, 51].</p> <p>Items: 20A Primary Payment Source 20B Secondary Payment Source</p>
-1044	Consistency	Fatal	<p>Non-Medicare Record: If Medicare is not a payor (20A is not = [02, 51] and 20B is not = [02, 51]), then the record will be rejected by the ASAP system.</p> <p>Items: 20A Primary Payment Source 20B Secondary Payment Source</p>
-1045	Format	Fatal	<p>Invalid date: The date listed must be a valid date in YYYYMMDD format or one of the special allowed values.</p> <p>Items: 12 Admission Date 13 Assessment Reference Date 23 Date of Onset 40 Discharge Date 43A 1st Interruption Date 43B 1st Return Date 43C 2nd Interruption Date 43D 2nd Return Date</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			<div>43E3rd Interruption Date</div> <div>43F3rd Return Date</div> <div>00250BDate influenza vaccine received</div>
-1046	Consistency	Fatal	<p>Date Too Old: This date is more than 140 years in the past. This date cannot be more than 140 years in the past.</p> <p>Items: 6Birth Date</p>
-1047	Consistency	Fatal	<p>Dates Out of Order: The submitted dates are out of order or in the future. These dates must occur chronologically as follows: Birth Date (6) <= Date of Onset (23) <= Admission Date (12) <= Assessment Reference Date (13) <= Discharge Date (40) <= Submission Date (SUBMISSION_DATE)</p> <p>Items: 6Birth Date</p> <p>12Admission Date</p> <p>13Assessment Reference Date</p> <p>23Date of Onset</p> <p>40Discharge Date</p> <p>SUBMISSION_DATESubmission Date</p>
-1053	Consistency	Fatal	<p>Inconsistent Admission date: Admission Date (12) should be later than 1980.</p> <p>Items: 12Admission Date</p>
-1055	Consistency	Fatal	<p>Failed CMG Calculation: CMG calculation could not be performed due to a system error. Please contact the QTSO Help Desk. Please resubmit this record when the system has been corrected.</p> <p>Items: SBMTD_CMG_TXTSubmitted CMG Code</p>
-1056	Consistency	Warning	<p>Inconsistent CMG_CODE/CMG_VERSION: The submitted CMG_CODE/CMG_VERSION must match the corresponding calculated values.</p> <p>Items: SBMTD_CMG_TXTSubmitted CMG Code</p> <p>SBMTD_CMG_VRSN_TXTSubmitted CMG Version Code</p>
-1057	Consistency	Warning	<p>CMG not recalculated: The CMG for this assessment was not recalculated as the discharge date is more than 27 months prior to the submission date.</p> <p>Items: SBMTD_CMG_TXTSubmitted CMG Code</p>
-1060	Consistency	Warning	<p>Inconsistent 12/13: The Assessment Reference Date (13) usually must be two days later than the Admission Date (12).</p> <p>Items: 12Admission Date</p> <p>13Assessment Reference Date</p>
-1071	Consistency	Fatal	<p>Unauthorized Submitter: The submitter's User ID is not authorized to submit data on behalf of the provider identified by the FAC_ID in this record.</p> <p>Items: FAC_IDFacility ID</p>
-1072	Consistency	Warning	<p>Late Transmission (Submission): This record was transmitted (submitted) late. The record must be submitted no later than 27 calendar days from the day the patient is discharged. For this record, the Submission Date (SUBMISSION_DATE) - Discharge date (40) is greater than 26 days. The transmission (submission) date must be reported on your Medicare claim, and may result in a late transmission penalty.</p> <p>Items: 40Discharge Date</p>
-1100	Format	Fatal	<p>Formatting of ICD Items:</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items																																																																																																									
			<p>If the ICD-10 item is active, it must be submitted so it can be formatted in an 8 character, fixed-format string as follows with the decimal point as the 4th character.</p> <p>An entirely blank ICD-10 item must be submitted as a single ^.</p> <p>Other formatting rules are as follows:</p> <p>a) Character 1 must be alphabetic.</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <table><tr><td>Items:</td><td>22A</td><td>Etiologic Diagnosis Code A (ICD Code)</td></tr><tr><td></td><td>22B</td><td>Etiologic Diagnosis Code B (ICD Code)</td></tr><tr><td></td><td>22C</td><td>Etiologic Diagnosis Code C (ICD Code)</td></tr><tr><td></td><td>24A</td><td>Comorbid Condition 1 (ICD Code)</td></tr><tr><td></td><td>24B</td><td>Comorbid Condition 2 (ICD Code)</td></tr><tr><td></td><td>24C</td><td>Comorbid Condition 3 (ICD Code)</td></tr><tr><td></td><td>24D</td><td>Comorbid Condition 4 (ICD Code)</td></tr><tr><td></td><td>24E</td><td>Comorbid Condition 5 (ICD Code)</td></tr><tr><td></td><td>24F</td><td>Comorbid Condition 6 (ICD Code)</td></tr><tr><td></td><td>24G</td><td>Comorbid Condition 7 (ICD Code)</td></tr><tr><td></td><td>24H</td><td>Comorbid Condition 8 (ICD Code)</td></tr><tr><td></td><td>24I</td><td>Comorbid Condition 9 (ICD Code)</td></tr><tr><td></td><td>24J</td><td>Comorbid Condition 10 (ICD Code)</td></tr><tr><td></td><td>24K</td><td>Comorbid Condition 11 (ICD Code)</td></tr><tr><td></td><td>24L</td><td>Comorbid Condition 12 (ICD Code)</td></tr><tr><td></td><td>24M</td><td>Comorbid Condition 13 (ICD Code)</td></tr><tr><td></td><td>24N</td><td>Comorbid Condition 14 (ICD Code)</td></tr><tr><td></td><td>24O</td><td>Comorbid Condition 15 (ICD Code)</td></tr><tr><td></td><td>24P</td><td>Comorbid Condition 16 (ICD Code)</td></tr><tr><td></td><td>24Q</td><td>Comorbid Condition 17 (ICD Code)</td></tr><tr><td></td><td>24R</td><td>Comorbid Condition 18 (ICD Code)</td></tr><tr><td></td><td>24S</td><td>Comorbid Condition 19 (ICD Code)</td></tr><tr><td></td><td>24T</td><td>Comorbid Condition 20 (ICD Code)</td></tr><tr><td></td><td>24U</td><td>Comorbid Condition 21 (ICD Code)</td></tr><tr><td></td><td>24V</td><td>Comorbid Condition 22 (ICD Code)</td></tr><tr><td></td><td>24W</td><td>Comorbid Condition 23 (ICD Code)</td></tr><tr><td></td><td>24X</td><td>Comorbid Condition 24 (ICD Code)</td></tr><tr><td></td><td>24Y</td><td>Comorbid Condition 25 (ICD Code)</td></tr><tr><td></td><td>46</td><td>Diagnosis for Interruption or Death (ICD Code)</td></tr><tr><td></td><td>47A</td><td>Complication during rehab stay 1 (ICD Code)</td></tr><tr><td></td><td>47B</td><td>Complication during rehab stay 2 (ICD Code)</td></tr><tr><td></td><td>47C</td><td>Complication during rehab stay 3 (ICD Code)</td></tr><tr><td></td><td>47D</td><td>Complication during rehab stay 4 (ICD Code)</td></tr><tr><td></td><td>47E</td><td>Complication during rehab stay 5 (ICD Code)</td></tr><tr><td></td><td>47F</td><td>Complication during rehab stay 6 (ICD Code)</td></tr></table>	Items:	22A	Etiologic Diagnosis Code A (ICD Code)		22B	Etiologic Diagnosis Code B (ICD Code)		22C	Etiologic Diagnosis Code C (ICD Code)		24A	Comorbid Condition 1 (ICD Code)		24B	Comorbid Condition 2 (ICD Code)		24C	Comorbid Condition 3 (ICD Code)		24D	Comorbid Condition 4 (ICD Code)		24E	Comorbid Condition 5 (ICD Code)		24F	Comorbid Condition 6 (ICD Code)		24G	Comorbid Condition 7 (ICD Code)		24H	Comorbid Condition 8 (ICD Code)		24I	Comorbid Condition 9 (ICD Code)		24J	Comorbid Condition 10 (ICD Code)		24K	Comorbid Condition 11 (ICD Code)		24L	Comorbid Condition 12 (ICD Code)		24M	Comorbid Condition 13 (ICD Code)		24N	Comorbid Condition 14 (ICD Code)		24O	Comorbid Condition 15 (ICD Code)		24P	Comorbid Condition 16 (ICD Code)		24Q	Comorbid Condition 17 (ICD Code)		24R	Comorbid Condition 18 (ICD Code)		24S	Comorbid Condition 19 (ICD Code)		24T	Comorbid Condition 20 (ICD Code)		24U	Comorbid Condition 21 (ICD Code)		24V	Comorbid Condition 22 (ICD Code)		24W	Comorbid Condition 23 (ICD Code)		24X	Comorbid Condition 24 (ICD Code)		24Y	Comorbid Condition 25 (ICD Code)		46	Diagnosis for Interruption or Death (ICD Code)		47A	Complication during rehab stay 1 (ICD Code)		47B	Complication during rehab stay 2 (ICD Code)		47C	Complication during rehab stay 3 (ICD Code)		47D	Complication during rehab stay 4 (ICD Code)		47E	Complication during rehab stay 5 (ICD Code)		47F	Complication during rehab stay 6 (ICD Code)
Items:	22A	Etiologic Diagnosis Code A (ICD Code)																																																																																																										
	22B	Etiologic Diagnosis Code B (ICD Code)																																																																																																										
	22C	Etiologic Diagnosis Code C (ICD Code)																																																																																																										
	24A	Comorbid Condition 1 (ICD Code)																																																																																																										
	24B	Comorbid Condition 2 (ICD Code)																																																																																																										
	24C	Comorbid Condition 3 (ICD Code)																																																																																																										
	24D	Comorbid Condition 4 (ICD Code)																																																																																																										
	24E	Comorbid Condition 5 (ICD Code)																																																																																																										
	24F	Comorbid Condition 6 (ICD Code)																																																																																																										
	24G	Comorbid Condition 7 (ICD Code)																																																																																																										
	24H	Comorbid Condition 8 (ICD Code)																																																																																																										
	24I	Comorbid Condition 9 (ICD Code)																																																																																																										
	24J	Comorbid Condition 10 (ICD Code)																																																																																																										
	24K	Comorbid Condition 11 (ICD Code)																																																																																																										
	24L	Comorbid Condition 12 (ICD Code)																																																																																																										
	24M	Comorbid Condition 13 (ICD Code)																																																																																																										
	24N	Comorbid Condition 14 (ICD Code)																																																																																																										
	24O	Comorbid Condition 15 (ICD Code)																																																																																																										
	24P	Comorbid Condition 16 (ICD Code)																																																																																																										
	24Q	Comorbid Condition 17 (ICD Code)																																																																																																										
	24R	Comorbid Condition 18 (ICD Code)																																																																																																										
	24S	Comorbid Condition 19 (ICD Code)																																																																																																										
	24T	Comorbid Condition 20 (ICD Code)																																																																																																										
	24U	Comorbid Condition 21 (ICD Code)																																																																																																										
	24V	Comorbid Condition 22 (ICD Code)																																																																																																										
	24W	Comorbid Condition 23 (ICD Code)																																																																																																										
	24X	Comorbid Condition 24 (ICD Code)																																																																																																										
	24Y	Comorbid Condition 25 (ICD Code)																																																																																																										
	46	Diagnosis for Interruption or Death (ICD Code)																																																																																																										
	47A	Complication during rehab stay 1 (ICD Code)																																																																																																										
	47B	Complication during rehab stay 2 (ICD Code)																																																																																																										
	47C	Complication during rehab stay 3 (ICD Code)																																																																																																										
	47D	Complication during rehab stay 4 (ICD Code)																																																																																																										
	47E	Complication during rehab stay 5 (ICD Code)																																																																																																										
	47F	Complication during rehab stay 6 (ICD Code)																																																																																																										
-1101	Consistency	Fatal	<p>Inconsistent 44D/45 values: If Discharge to Living Setting (44D) = [01], then Discharge to Living With (45) must not be skipped with value of "No information" [^]. If Discharge to Living Setting (A44D) not = [01] then Discharge to Living With (45) must be skipped with value of "No information" [^].</p> <table><tr><td>Items:</td><td>44D</td><td>Discharge to Living Setting</td></tr><tr><td></td><td>45</td><td>Discharge to Living With</td></tr></table>	Items:	44D	Discharge to Living Setting		45	Discharge to Living With																																																																																																			
Items:	44D	Discharge to Living Setting																																																																																																										
	45	Discharge to Living With																																																																																																										
-1102	Consistency	Fatal	<p>Inconsistent 44C/44D/45 values: If Patient not discharged alive (44C = [0]), then Discharge to Living Setting (44D) and Discharge to Living With (45) must be skipped with value of "No information" [^]. If Patient discharged alive (44C) = [1]), then Discharge to Living Setting (44D) must not be skipped</p>																																																																																																									

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			with value of "No information" [^].
			Items: 44C Patient Discharged Alive 44D Discharge to Living Setting 45 Discharge to Living With
-1105	Consistency	Fatal	<p>Inconsistent 16A/17: If Pre-Hospital Living Setting (16A) is equal to [01], then Pre-Hospital Living With (17) cannot be skipped [^]. If Pre-hospital Living Setting (16A) is not equal to [01], then Pre-Hospital Living With (17) must be skipped [^].</p> Items: 16A Pre-hospital Living Setting 17 Pre-Hospital Living With
-1106	Format	Fatal	<p>Incorrect item length: If this is not one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then this item must be exactly the length of the maximum length of the item.</p> Items: FAC_ZIP Facility ZIP Code SFTWR_VNDR_ID Software Vendor EIN
-1107	Consistency	Fatal	<p>Inconsistent Race/Ethnicity Items: If any race/ethnicity (items 9A-9F) value equals a dash (-), then all race/ethnicity items must equal dash (-).</p> Items: 9A Race: American Indian/Alaskan Native 9B Race: Asian 9C Race: Black or African American 9D Ethnicity: Hispanic or Latino 9E Race: Native Hawaiian or other Pacific Islander 9F Race: White
-1108	Format	Fatal	<p>Invalid SSN: If the value is not equal to "No information" [^], it must be 9 characters long, the first three characters must not be equal to [000], and the value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> Items: 7 Social Security Number (SSN)
-1109	Consistency	Fatal	<p>Inconsistent 2/20A/20B values: If Medicare is a payor (20A = [02, 51] or 20B = [02, 51], then the Patient Medicare number (2) cannot be skipped with value of "No information" [^].</p> Items: 2 Patient Medicare Number 20A Primary Payment Source 20B Secondary Payment Source
-1110	Consistency	Fatal	<p>Inconsistent 33A/34A values: One of the admission transfer items must be scored. The other must be skipped with value of [^].</p> Items: 33A Tub Transfer: Admission 34A Shower Transfer: Admission
-1111	Consistency	Fatal	<p>Inconsistent 33D/34D values: One of the discharge transfer items must be scored. The other must be skipped with value of [^].</p> Items: 33D Tub Transfer: Discharge 34D Shower Transfer: Discharge
-1112	Consistency	Fatal	<p>Inconsistent Comorbid Condition ICD codes. For the items 24A through 24Y, if a comorbid condition item is "No information" [^], then the next comorbid item in the list must be "No information" [^].</p> Items: 24A Comorbid Condition 1 (ICD Code) 24B Comorbid Condition 2 (ICD Code)

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			24C Comorbid Condition 3 (ICD Code) 24D Comorbid Condition 4 (ICD Code) 24E Comorbid Condition 5 (ICD Code) 24F Comorbid Condition 6 (ICD Code) 24G Comorbid Condition 7 (ICD Code) 24H Comorbid Condition 8 (ICD Code) 24I Comorbid Condition 9 (ICD Code) 24J Comorbid Condition 10 (ICD Code) 24K Comorbid Condition 11 (ICD Code) 24L Comorbid Condition 12 (ICD Code) 24M Comorbid Condition 13 (ICD Code) 24N Comorbid Condition 14 (ICD Code) 24O Comorbid Condition 15 (ICD Code) 24P Comorbid Condition 16 (ICD Code) 24Q Comorbid Condition 17 (ICD Code) 24R Comorbid Condition 18 (ICD Code) 24S Comorbid Condition 19 (ICD Code) 24T Comorbid Condition 20 (ICD Code) 24U Comorbid Condition 21 (ICD Code) 24V Comorbid Condition 22 (ICD Code) 24W Comorbid Condition 23 (ICD Code) 24X Comorbid Condition 24 (ICD Code) 24Y Comorbid Condition 25 (ICD Code)
-1113	Consistency	Fatal	<p>Inconsistent Complications During Rehabilitation Stay Values: For the items 47A through 47F, if an item in the list is "No information" [^], then the next item must also be "No information" [^].</p> <p>Items: 47A Complication during rehab stay 1 (ICD Code) 47B Complication during rehab stay 2 (ICD Code) 47C Complication during rehab stay 3 (ICD Code) 47D Complication during rehab stay 4 (ICD Code) 47E Complication during rehab stay 5 (ICD Code) 47F Complication during rehab stay 6 (ICD Code)</p>
-1114	Consistency	Fatal	<p>Program Interruption Date Out of Order: For the following dates, each date must precede or be the same as the subsequent date, ignoring dates with "No information" [^].</p> <p>Admission Date (12) <= 1st Interruption Date (43A) <= 1st Return Date (43B) <= 2nd Interruption Date (43C) <= 2nd Return Date (43D) <= 3rd Interruption Date (43E) <= 3rd Return Date (43F) <= Discharge Date (40)</p> <p>Items: 12 Admission Date 40 Discharge Date 43A 1st Interruption Date 43B 1st Return Date 43C 2nd Interruption Date 43D 2nd Return Date 43E 3rd Interruption Date 43F 3rd Return Date</p>
-1115	Consistency	Fatal	<p>Inconsistent Skip Pattern: If Program Interruption(s) (42) is 0 (No), then the Program Interruption Dates (43A - 43F) must all be "No information" [^].</p> <p>Items: 42 Program Interruption(s) Indicator</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			<div>43A1st Interruption Date</div> <div>43B1st Return Date</div> <div>43C2nd Interruption Date</div> <div>43D2nd Return Date</div> <div>43E3rd Interruption Date</div> <div>43F3rd Return Date</div>
-1116	Consistency	Fatal	<p>Inconsistent 42/43A values: The Program Interruption(s) (42) value is not consistent with the 1st Interruption Date (43A) value. If Program Interruption(s) (42) is equal to 1 (Yes), then 1st Interruption Date (43A) must not be skipped with a value of "No information" [^].</p> <p>Items: 42Program Interruption(s) Indicator</p> <div>43A1st Interruption Date</div>
-1117	Consistency	Fatal	<p>Inconsistent Program Interruption Dates: For the dates listed, if a date in the list is "No information" [^], then the next date must also be "No information" [^].</p> <div>1st Interruption Date (43A)</div> <div>1st Return Date (43B)</div> <div>2nd Interruption Date (43C)</div> <div>2nd Return Date (43D)</div> <div>3rd Interruption Date (43E)</div> <div>3rd Return Date (43F)</div> <p>Items: 43A1st Interruption Date</p> <div>43B1st Return Date</div> <div>43C2nd Interruption Date</div> <div>43D2nd Return Date</div> <div>43E3rd Interruption Date</div> <div>43F3rd Return Date</div>
-1118	Consistency	Fatal	<p>Inconsistent Program Interruption Dates: For the date pairs listed, if the first date is not "No information" [^] then the second date must not be "No information" [^].</p> <div>1st Interruption Date (43A) and 1st Return Date (43B)</div> <div>2nd Interruption Date (43C) and 2nd Return Date (43D)</div> <div>3rd Interruption Date (43E) and 3rd Return Date (43F)</div> <p>Items: 43A1st Interruption Date</p> <div>43B1st Return Date</div> <div>43C2nd Interruption Date</div> <div>43D2nd Return Date</div> <div>43E3rd Interruption Date</div> <div>43F3rd Return Date</div>
-1120	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p> <p>Items: 00401AAPhysical Therapy - Individual Minutes Week 1</p> <div>00401ABPhysical Therapy - Concurrent Minutes Week 1</div> <div>00401ACPhysical Therapy - Group Minutes Week 1</div> <div>00401ADPhysical Therapy - Co-treatment Minutes Week 1</div>
-1121	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p> <p>Items: 00401BAOccupational Therapy - Individual Minutes Week 1</p> <div>00401BBOccupational Therapy - Concurrent Minutes Week 1</div> <div>00401BCOccupational Therapy - Group Minutes Week 1</div> <div>00401BDOccupational Therapy - Co-treatment Minutes Week 1</div>
-1122	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			Items: 00401CA SLP Therapy - Individual Minutes Week 1 00401CB SLP Therapy - Concurrent Minutes Week 1 00401CC SLP Therapy - Group Minutes Week 1 00401CD SLP Therapy - Co-treatment Minutes Week 1
-1123	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p> Items: 00402AA Physical Therapy - Individual Minutes Week 2 00402AB Physical Therapy - Concurrent Minutes Week 2 00402AC Physical Therapy - Group Minutes Week 2 00402AD Physical Therapy - Co-treatment Minutes Week 2
-1124	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p> Items: 00402BA Occupational Therapy - Individual Minutes Week 2 00402BB Occupational Therapy - Concurrent Minutes Week 2 00402BC Occupational Therapy - Group Minutes Week 2 00402BD Occupational Therapy - Co-treatment Minutes Week 2
-1125	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN THE V1.12.0 ERRATA.</p> Items: 00402CA SLP Therapy - Individual Minutes Week 2 00402CB SLP Therapy - Concurrent Minutes Week 2 00402CC SLP Therapy - Group Minutes Week 2 00402CD SLP Therapy - Co-treatment Minutes Week 2
-1127	Consistency	Fatal	<p>ICD-10-CM Codes Not Allowed: This item cannot contain the following ICD-10-CM codes: V00.01 through Y99.9</p> Items: 22A Etiologic Diagnosis Code A (ICD Code) 22B Etiologic Diagnosis Code B (ICD Code) 22C Etiologic Diagnosis Code C (ICD Code)
-1128	Consistency	Fatal	<p>Inconsistent Etiologic Diagnosis ICD codes. If Item 22B is "No information" [^], then Item 22C must be "No information" [^].</p> Items: 22B Etiologic Diagnosis Code B (ICD Code) 22C Etiologic Diagnosis Code C (ICD Code)
-1129	Format	Warning	<p>Version Code Values: The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report.</p> Items: ITM_SET_VRSN_CD IRF-PAI item Set Version SPEC_VRSN_CD IRF-PAI Specifications Version
-5004	Consistency	Warning	<p>Entering a dash as a response to any Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor.</p> Items: 25A Height 26A Weight M0210_1 Pressure Ulcers Present on Admission M0210_2 Pressure Ulcers Present on Discharge M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B4_2 Nbr Disch Stg 2 PU new/worsened M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C4_2 Nbr Disch Stg 3 PU new/worsened M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300D1_2 Number of Stage 4 pressure ulcers: Discharge

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			M0300D4_2 Nbr Disch Stg 4 PU new/worsened I0900A Peripheral Vascular Disease (PVD) I0900B Peripheral Arterial Disease (PAD) I2900A Diabetes Mellitus (DM)
-5006	Consistency	Fatal	<p>Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [0] (No), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1 through M0300G1_1) must all be skipped with value of "Skipped" [^].</p> <p>Items: M0210_1 Pressure Ulcers Present on Admission M0300A1_1 Number of Stage 1 pressure ulcers: Admission M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300E1_1 Nbr Unstg non-remov drsg pressure ulcers: Adm M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300G1_1 Nbr Unstg DTI pressure ulcers: Adm</p>
-5007	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 0 (No), then the number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2 through M0300G2_2) must all be skipped with value of "Skipped" [^] .</p> <p>Items: M0210_2 Pressure Ulcers Present on Discharge M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU</p>
-5009	Consistency	Fatal	<p>Inconsistent Influenza Vaccination date: If a valid date is entered for the Influenza Vaccination Date (O0250B), then that date must be on or after the birthdate (6) and on or before the discharge date (40).</p> <p>Items: 6 Birth Date 40 Discharge Date O0250B Date influenza vaccine received</p>
-5010	Consistency	Fatal	<p>Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to [1] (Yes), then the number of unhealed pressure ulcers at each Stage at admission (M0300A1_1</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items																								
			through M0300G1_1) must not be "Skipped" [^].																								
			<table><tr><td>Items:</td><td>M0210_1</td><td>Pressure Ulcers Present on Admission</td></tr><tr><td></td><td>M0300A1_1</td><td>Number of Stage 1 pressure ulcers: Admission</td></tr><tr><td></td><td>M0300B1_1</td><td>Number of Stage 2 pressure ulcers: Admission</td></tr><tr><td></td><td>M0300C1_1</td><td>Number of Stage 3 pressure ulcers: Admission</td></tr><tr><td></td><td>M0300D1_1</td><td>Number of Stage 4 pressure ulcers: Admission</td></tr><tr><td></td><td>M0300E1_1</td><td>Nbr Unstg non-remov drsg pressure ulcers: Adm</td></tr><tr><td></td><td>M0300F1_1</td><td>Nbr Unstg slough/eschar pressure ulcers: Adm</td></tr><tr><td></td><td>M0300G1_1</td><td>Nbr Unstg DTI pressure ulcers: Adm</td></tr></table>	Items:	M0210_1	Pressure Ulcers Present on Admission		M0300A1_1	Number of Stage 1 pressure ulcers: Admission		M0300B1_1	Number of Stage 2 pressure ulcers: Admission		M0300C1_1	Number of Stage 3 pressure ulcers: Admission		M0300D1_1	Number of Stage 4 pressure ulcers: Admission		M0300E1_1	Nbr Unstg non-remov drsg pressure ulcers: Adm		M0300F1_1	Nbr Unstg slough/eschar pressure ulcers: Adm		M0300G1_1	Nbr Unstg DTI pressure ulcers: Adm
Items:	M0210_1	Pressure Ulcers Present on Admission																									
	M0300A1_1	Number of Stage 1 pressure ulcers: Admission																									
	M0300B1_1	Number of Stage 2 pressure ulcers: Admission																									
	M0300C1_1	Number of Stage 3 pressure ulcers: Admission																									
	M0300D1_1	Number of Stage 4 pressure ulcers: Admission																									
	M0300E1_1	Nbr Unstg non-remov drsg pressure ulcers: Adm																									
	M0300F1_1	Nbr Unstg slough/eschar pressure ulcers: Adm																									
	M0300G1_1	Nbr Unstg DTI pressure ulcers: Adm																									
-5011	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to 1 (Yes), then number of unhealed pressure ulcers at each Stage at discharge (M0300A1_2, M0300B1_2, M0300C1_2, M0300D1_2, M0300E1_2, M0300F1_2, M0300G1_2) must not be "Skipped" [^].</p> <table><tr><td>Items:</td><td>M0210_2</td><td>Pressure Ulcers Present on Discharge</td></tr><tr><td></td><td>M0300A1_2</td><td>Number of Stage 1 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300B1_2</td><td>Number of Stage 2 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300C1_2</td><td>Number of Stage 3 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300D1_2</td><td>Number of Stage 4 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300E1_2</td><td>Nbr Unstg non-remov drsg pressure ulcers: Dschrg</td></tr><tr><td></td><td>M0300F1_2</td><td>Nbr Unstg slough/eschar pressure ulcers: Dschrg</td></tr><tr><td></td><td>M0300G1_2</td><td>Nbr Unstg DTI pressure ulcers: Dschrg</td></tr></table>	Items:	M0210_2	Pressure Ulcers Present on Discharge		M0300A1_2	Number of Stage 1 pressure ulcers: Discharge		M0300B1_2	Number of Stage 2 pressure ulcers: Discharge		M0300C1_2	Number of Stage 3 pressure ulcers: Discharge		M0300D1_2	Number of Stage 4 pressure ulcers: Discharge		M0300E1_2	Nbr Unstg non-remov drsg pressure ulcers: Dschrg		M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg		M0300G1_2	Nbr Unstg DTI pressure ulcers: Dschrg
Items:	M0210_2	Pressure Ulcers Present on Discharge																									
	M0300A1_2	Number of Stage 1 pressure ulcers: Discharge																									
	M0300B1_2	Number of Stage 2 pressure ulcers: Discharge																									
	M0300C1_2	Number of Stage 3 pressure ulcers: Discharge																									
	M0300D1_2	Number of Stage 4 pressure ulcers: Discharge																									
	M0300E1_2	Nbr Unstg non-remov drsg pressure ulcers: Dschrg																									
	M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg																									
	M0300G1_2	Nbr Unstg DTI pressure ulcers: Dschrg																									
-5013	Consistency	Fatal	<p>Inconsistent Healed Ulcers: If Unhealed Pressure Ulcers at Admission (M0210_1) is equal to [0] (No), then Healed Pressure Ulcers at Discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must all be equal to zero [0].</p> <table><tr><td>Items:</td><td>M0210_1</td><td>Pressure Ulcers Present on Admission</td></tr><tr><td></td><td>M0900A</td><td>Number of Stage 1 Healed Pressure Ulcers</td></tr><tr><td></td><td>M0900B</td><td>Number of Stage 2 Healed Pressure Ulcers</td></tr><tr><td></td><td>M0900C</td><td>Number of Stage 3 Healed Pressure Ulcers</td></tr><tr><td></td><td>M0900D</td><td>Number of Stage 4 Healed Pressure Ulcers</td></tr></table>	Items:	M0210_1	Pressure Ulcers Present on Admission		M0900A	Number of Stage 1 Healed Pressure Ulcers		M0900B	Number of Stage 2 Healed Pressure Ulcers		M0900C	Number of Stage 3 Healed Pressure Ulcers		M0900D	Number of Stage 4 Healed Pressure Ulcers									
Items:	M0210_1	Pressure Ulcers Present on Admission																									
	M0900A	Number of Stage 1 Healed Pressure Ulcers																									
	M0900B	Number of Stage 2 Healed Pressure Ulcers																									
	M0900C	Number of Stage 3 Healed Pressure Ulcers																									
	M0900D	Number of Stage 4 Healed Pressure Ulcers																									
-5014	Consistency	Fatal	<p>Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [0], then M0300A2_2 and M0300A3_2 must be "Skipped" [^].</p> <table><tr><td>Items:</td><td>M0300A1_2</td><td>Number of Stage 1 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300A2_2</td><td>Nbr Disch Stg 1 PU were Adm Stg 1 PU</td></tr><tr><td></td><td>M0300A3_2</td><td>Nbr Disch Stg 1 PU new</td></tr></table>	Items:	M0300A1_2	Number of Stage 1 pressure ulcers: Discharge		M0300A2_2	Nbr Disch Stg 1 PU were Adm Stg 1 PU		M0300A3_2	Nbr Disch Stg 1 PU new															
Items:	M0300A1_2	Number of Stage 1 pressure ulcers: Discharge																									
	M0300A2_2	Nbr Disch Stg 1 PU were Adm Stg 1 PU																									
	M0300A3_2	Nbr Disch Stg 1 PU new																									
-5015	Consistency	Fatal	<p>Inconsistent M0300A1_2 value: If total Stage 1 pressures ulcers present on discharge (M0300A1_2) is equal to [1] thru [9], then M0300A2_2 and M0300A3_2 must not be "Skipped" [^].</p> <table><tr><td>Items:</td><td>M0300A1_2</td><td>Number of Stage 1 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300A2_2</td><td>Nbr Disch Stg 1 PU were Adm Stg 1 PU</td></tr><tr><td></td><td>M0300A3_2</td><td>Nbr Disch Stg 1 PU new</td></tr></table>	Items:	M0300A1_2	Number of Stage 1 pressure ulcers: Discharge		M0300A2_2	Nbr Disch Stg 1 PU were Adm Stg 1 PU		M0300A3_2	Nbr Disch Stg 1 PU new															
Items:	M0300A1_2	Number of Stage 1 pressure ulcers: Discharge																									
	M0300A2_2	Nbr Disch Stg 1 PU were Adm Stg 1 PU																									
	M0300A3_2	Nbr Disch Stg 1 PU new																									
-5016	Consistency	Fatal	<p>Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [0], then M0300B2_2, M0300B3_2, and M0300B4_2 must be "Skipped" [^].</p> <table><tr><td>Items:</td><td>M0300B1_2</td><td>Number of Stage 2 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300B2_2</td><td>Nbr Disch Stg 2 PU were Adm Stg 2 PU</td></tr><tr><td></td><td>M0300B3_2</td><td>Nbr Disch Stg 2 PU were Adm Unstg PU</td></tr><tr><td></td><td>M0300B4_2</td><td>Nbr Disch Stg 2 PU new/worsened</td></tr></table>	Items:	M0300B1_2	Number of Stage 2 pressure ulcers: Discharge		M0300B2_2	Nbr Disch Stg 2 PU were Adm Stg 2 PU		M0300B3_2	Nbr Disch Stg 2 PU were Adm Unstg PU		M0300B4_2	Nbr Disch Stg 2 PU new/worsened												
Items:	M0300B1_2	Number of Stage 2 pressure ulcers: Discharge																									
	M0300B2_2	Nbr Disch Stg 2 PU were Adm Stg 2 PU																									
	M0300B3_2	Nbr Disch Stg 2 PU were Adm Unstg PU																									
	M0300B4_2	Nbr Disch Stg 2 PU new/worsened																									
-5017	Consistency	Fatal	<p>Inconsistent M0300B1_2 value: If total Stage 2 pressures ulcers present on discharge (M0300B1_2) is equal to [1] thru [9], then M0300B2_2, M0300B3_2, and M0300B4_2 must not be "Skipped" [^].</p>																								

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			Items: M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened
-5018	Consistency	Fatal	<p>Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [0], then M0300C2_2, M0300C3_2, and M0300C4_2 must be "Skipped" [^].</p> Items: M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened
-5019	Consistency	Fatal	<p>Inconsistent M0300C1_2 value: If total Stage 3 pressures ulcers present on discharge (M0300C1_2) is equal to [1] thru [9], then M0300C2_2, M0300C3_2, and M0300C4_2 must not be "Skipped" [^].</p> Items: M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened
-5020	Consistency	Fatal	<p>Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [0], then M0300D2_2, M0300D3_2, and M0300D4_2 must be "Skipped" [^].</p> Items: M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened
-5021	Consistency	Fatal	<p>Inconsistent M0300D1_2 value: If total Stage 4 pressures ulcers present on discharge (M0300D1_2) is equal to [1] thru [9], then M0300D2_2, M0300D3_2, and M0300D4_2 must not be "Skipped" [^].</p> Items: M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened
-5022	Consistency	Fatal	<p>Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device present on discharge (M0300E1_2) is equal to [0], then M0300E2_2 and M0300E3_2 must be "Skipped" [^].</p> Items: M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU
-5023	Consistency	Fatal	<p>Inconsistent M0300E1_2 value: If total unstageable pressures ulcers due to non-removable dressing/device on discharge (M0300E1_2) is equal to [1] thru [9], then M0300E2_2 and M0300E3_2 must not be "Skipped" [^].</p> Items: M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU
-5024	Consistency	Fatal	<p>Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar present on discharge (M0300F1_2) is equal to [0], then M0300F2_2 and M0300F3_2 must be "Skipped" [^].</p> Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
-5025	Consistency	Fatal	<p>Inconsistent M0300F1_2 value: If total unstageable pressures ulcers due to slough/eschar on discharge (M0300F1_2) is equal to [1] thru [9], then M0300F2_2 and M0300F3_2 must not be "Skipped" [^].</p> <p>Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU</p>
-5026	Consistency	Fatal	<p>Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI present on discharge (M0300G1_2) is equal to [0], then M0300G2_2 must be "Skipped" [^].</p> <p>Items: M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU</p>
-5027	Consistency	Fatal	<p>Inconsistent M0300G1_2 value: If total unstageable pressures ulcers with suspected DTI on discharge (M0300G1_2) is equal to [1] thru [9], then M0300G2_2 must not be "Skipped" [^].</p> <p>Items: M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU</p>
-5028	Consistency	Fatal	<p>Inconsistent O0250A/O0250B values:</p> <p>a) If O0250A=[1], then O0250B must not be "Skipped" [^]. b) If O0250A=[0], then O0250B must be "Skipped" [^]. c) If O0250A=[-], then O0250B must equal [-].</p> <p>Items: O0250A Was influenza vaccine received O0250B Date influenza vaccine received</p>
-5029	Consistency	Fatal	<p>Inconsistent O0250A/O0250C values:</p> <p>a) If O0250A=[0], then O0250C must not be "Skipped" [^]. b) If O0250A=[1], then O0250C must be "Skipped" [^]. c) If O0250A=[-], then O0250C must equal [-].</p> <p>Items: O0250A Was influenza vaccine received O0250C If influenza vaccine not received, state reason</p>
-5030	Consistency	Fatal	<p>Inconsistent I2900A/I2900B/I2900C/I2900D values:</p> <p>If Diabetes Mellitus present on admission (I2900A) is equal to No [0], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be "Skipped" [^].</p> <p>Items: I2900A Diabetes Mellitus (DM) I2900B Diabetic Retinopathy I2900C Diabetic Nephropathy I2900D Diabetic Neuropathy</p>
-5031	Consistency	Fatal	<p>Inconsistent I2900A/I2900B/I2900C/I2900D values:</p> <p>If Diabetes Mellitus present on admission (I2900A) is equal to Yes [1], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must not be "Skipped" [^].</p> <p>Items: I2900A Diabetes Mellitus (DM) I2900B Diabetic Retinopathy I2900C Diabetic Nephropathy I2900D Diabetic Neuropathy</p>
-5032	Consistency	Fatal	<p>Inconsistent I2900A/I2900B/I2900C/I2900D values:</p> <p>If Diabetes Mellitus present on admission (I2900A) is equal to Not answered/no information [-], then Diabetic Retinopathy, Nephropathy and Neuropathy (I2900B, I2900C, I2900D) must all be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			Items: I2900A Diabetes Mellitus (DM) I2900B Diabetic Retinopathy I2900C Diabetic Nephropathy I2900D Diabetic Neuropathy
-5033	Consistency	Fatal	<p>IF the following Stage 1 ulcer count at discharge items (M0300A1_2, M0300A2_2 and M0300A3_2) are all numeric values ([0] - [9]),</p> <p>THEN</p> <p>Sum the counts (M0300A2_2 + M0300A3_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 1 ulcer count at discharge (M0300A1_2).</p> Items: M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new
-5034	Consistency	Fatal	<p>If either of the following Stage 1 ulcer count at discharge items (M0300A2_2 or M0300A3_2) is a numeric value ([0]-[9]) and M0300A1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300A2_2 + M0300A3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 1 pressure ulcers at discharge (M0300A1_2).</p> Items: M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new
-5035	Consistency	Fatal	<p>IF the following Stage 2 ulcer count at discharge items (M0300B1_2, M0300B2_2, M0300B3_2, and M0300B4_2) are all numeric values ([0] - [9])</p> <p>THEN</p> <p>Then sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 2 ulcer count at discharge (M0300B1_2).</p> Items: M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened
-5036	Consistency	Fatal	<p>IF any of the following Stage 2 ulcer count at discharge items (M0300B2_2, M0300B3_2, or M0300B4_2) is numeric ([0]-[9]), and M0300B1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300B2_2 + M0300B3_2 + M0300B4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 2 ulcer count at discharge (M0300B1_2).</p> Items: M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened
-5037	Consistency	Fatal	<p>If the following Stage 3 ulcer count present at discharge items (M0300C1_2, M0300C2_2, M0300C3_2, and M0300C4_2) are all numeric values ([0] - [9]).</p> <p>THEN</p> <p>Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 3 ulcer count at discharge (M0300C1_2).</p> Items: M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items												
-5038	Consistency	Fatal	<p>If any of the following Stage 3 ulcer count at discharge items (M0300C2_2, M0300C3_2, or M0300C4_2) is numeric ([0]-[9]) and M0300C1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300C2_2 + M0300C3_2 + M0300C4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Stage 3 ulcers at discharge (M0300C1_2).</p> <table><tr><td>Items:</td><td>M0300C1_2</td><td>Number of Stage 3 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300C2_2</td><td>Nbr Disch Stg 3 PU were Adm Stg 3 PU</td></tr><tr><td></td><td>M0300C3_2</td><td>Nbr Disch Stg 3 PU were Adm Unstg PU</td></tr><tr><td></td><td>M0300C4_2</td><td>Nbr Disch Stg 3 PU new/worsened</td></tr></table>	Items:	M0300C1_2	Number of Stage 3 pressure ulcers: Discharge		M0300C2_2	Nbr Disch Stg 3 PU were Adm Stg 3 PU		M0300C3_2	Nbr Disch Stg 3 PU were Adm Unstg PU		M0300C4_2	Nbr Disch Stg 3 PU new/worsened
Items:	M0300C1_2	Number of Stage 3 pressure ulcers: Discharge													
	M0300C2_2	Nbr Disch Stg 3 PU were Adm Stg 3 PU													
	M0300C3_2	Nbr Disch Stg 3 PU were Adm Unstg PU													
	M0300C4_2	Nbr Disch Stg 3 PU new/worsened													
-5039	Consistency	Fatal	<p>If the following Stage 4 ulcer count present at discharge items (M0300D1_2, M0300D2_2, M0300D3_2, and M0300D4_2) are all numeric values ([0] - [9]),</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2). Reset the sum to 9 if it is greater than 9. The resulting sum must equal the total Stage 4 ulcer count at discharge (M0300D1_2).</p> <table><tr><td>Items:</td><td>M0300D1_2</td><td>Number of Stage 4 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300D2_2</td><td>Nbr Disch Stg 4 PU were Adm Stg 4 PU</td></tr><tr><td></td><td>M0300D3_2</td><td>Nbr Disch Stg 4 PU were Adm Unstg PU</td></tr><tr><td></td><td>M0300D4_2</td><td>Nbr Disch Stg 4 PU new/worsened</td></tr></table>	Items:	M0300D1_2	Number of Stage 4 pressure ulcers: Discharge		M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU		M0300D3_2	Nbr Disch Stg 4 PU were Adm Unstg PU		M0300D4_2	Nbr Disch Stg 4 PU new/worsened
Items:	M0300D1_2	Number of Stage 4 pressure ulcers: Discharge													
	M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU													
	M0300D3_2	Nbr Disch Stg 4 PU were Adm Unstg PU													
	M0300D4_2	Nbr Disch Stg 4 PU new/worsened													
-5040	Consistency	Fatal	<p>If any of the following Stage 4 ulcer count at discharge items (M0300D2_2, M0300D3_2, or M0300D4_2) is numeric ([0]-[9]) and M0300D1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300D2_2 + M0300D3_2 + M0300D4_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total number of Stage 4 ulcers at discharge (M0300D1_2).</p> <table><tr><td>Items:</td><td>M0300D1_2</td><td>Number of Stage 4 pressure ulcers: Discharge</td></tr><tr><td></td><td>M0300D2_2</td><td>Nbr Disch Stg 4 PU were Adm Stg 4 PU</td></tr><tr><td></td><td>M0300D3_2</td><td>Nbr Disch Stg 4 PU were Adm Unstg PU</td></tr><tr><td></td><td>M0300D4_2</td><td>Nbr Disch Stg 4 PU new/worsened</td></tr></table>	Items:	M0300D1_2	Number of Stage 4 pressure ulcers: Discharge		M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU		M0300D3_2	Nbr Disch Stg 4 PU were Adm Unstg PU		M0300D4_2	Nbr Disch Stg 4 PU new/worsened
Items:	M0300D1_2	Number of Stage 4 pressure ulcers: Discharge													
	M0300D2_2	Nbr Disch Stg 4 PU were Adm Stg 4 PU													
	M0300D3_2	Nbr Disch Stg 4 PU were Adm Unstg PU													
	M0300D4_2	Nbr Disch Stg 4 PU new/worsened													
-5041	Consistency	Fatal	<p>If either of the following Unstageable ulcers due to a non-removal dressing present at discharge items (M0300E2_2 or M0300E3_2) is a numeric value ([0]-[9]), and M0300E1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum these counts (M0300E2_2 + M0300E3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to a non-removal dressing present at discharge (M0300E1_2).</p> <table><tr><td>Items:</td><td>M0300E1_2</td><td>Nbr Unstg non-remov drsg pressure ulcers: Dschrg</td></tr><tr><td></td><td>M0300E2_2</td><td>Nbr Unstg NRD Disch PU were Adm Unstg NRD PU</td></tr><tr><td></td><td>M0300E3_2</td><td>Nbr Unstg NRD Disch PU were Adm Stageable PU</td></tr></table>	Items:	M0300E1_2	Nbr Unstg non-remov drsg pressure ulcers: Dschrg		M0300E2_2	Nbr Unstg NRD Disch PU were Adm Unstg NRD PU		M0300E3_2	Nbr Unstg NRD Disch PU were Adm Stageable PU			
Items:	M0300E1_2	Nbr Unstg non-remov drsg pressure ulcers: Dschrg													
	M0300E2_2	Nbr Unstg NRD Disch PU were Adm Unstg NRD PU													
	M0300E3_2	Nbr Unstg NRD Disch PU were Adm Stageable PU													
-5042	Consistency	Fatal	<p>If either of the following Unstageable ulcers due to slough/eschar present at discharge items (M0300F2_2 or M0300F3_2) is a numeric value ([0]-[9]) and M0300F1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>Sum the counts (M0300F2_2 + M0300F3_2), counting dash [-] or equal sign [=] values as 0. Reset the sum to 9 if it is greater than 9. The resulting sum must be equal to or less than the total Unstageable ulcers due to slough/eschar present at discharge (M0300F1_2).</p> <table><tr><td>Items:</td><td>M0300F1_2</td><td>Nbr Unstg slough/eschar pressure ulcers: Dschrg</td></tr><tr><td></td><td>M0300F2_2</td><td>Nbr Unstg S/E Disch PU were Adm Unstg S/E PU</td></tr><tr><td></td><td>M0300F3_2</td><td>Nbr Unstg S/E Disch PU were Adm Stageable PU</td></tr></table>	Items:	M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg		M0300F2_2	Nbr Unstg S/E Disch PU were Adm Unstg S/E PU		M0300F3_2	Nbr Unstg S/E Disch PU were Adm Stageable PU			
Items:	M0300F1_2	Nbr Unstg slough/eschar pressure ulcers: Dschrg													
	M0300F2_2	Nbr Unstg S/E Disch PU were Adm Unstg S/E PU													
	M0300F3_2	Nbr Unstg S/E Disch PU were Adm Stageable PU													

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
-5043	Consistency	Fatal	<p>If the following Unstageable ulcers due to deep tissue injury (DTI) present on discharge item (M0300G2_2) is a numeric values ([0]-[9]) and M0300G1_2 is a numeric value ([0]-[9])</p> <p>THEN</p> <p>The item (M0300G2_2), counting dash [-] or equal sign [=] values as 0, must be equal to less than the total count of Unstageable ulcers due to DTI present on discharge (M0300G1_2).</p> <p>Items: M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU</p>
-5044	Consistency	Fatal	<p>Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at admission (M0300A1_1 through M0300G1_1) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0210_1 Pressure Ulcers Present on Admission M0300A1_1 Number of Stage 1 pressure ulcers: Admission M0300B1_1 Number of Stage 2 pressure ulcers: Admission M0300C1_1 Number of Stage 3 pressure ulcers: Admission M0300D1_1 Number of Stage 4 pressure ulcers: Admission M0300E1_1 Nbr Unstg non-remov drsg pressure ulcers: Adm M0300F1_1 Nbr Unstg slough/eschar pressure ulcers: Adm M0300G1_1 Nbr Unstg DTI pressure ulcers: Adm</p>
-5045	Consistency	Fatal	<p>Inconsistent M0210_1 value: If unhealed pressure ulcers present on admission (M0210_1) is equal to "Not assessed/no information" [-], then the number of healed pressure ulcers at discharge that were present on admission (M0900A, M0900B, M0900C, M0900D) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0210_1 Pressure Ulcers Present on Admission M0900A Number of Stage 1 Healed Pressure Ulcers M0900B Number of Stage 2 Healed Pressure Ulcers M0900C Number of Stage 3 Healed Pressure Ulcers M0900D Number of Stage 4 Healed Pressure Ulcers</p>
-5046	Consistency	Fatal	<p>Inconsistent M0210_2 value: If unhealed pressure ulcers present on discharge (M0210_2) is equal to "Not assessed/no information" [-], then the number of unhealed pressure ulcers at each stage at discharge (M0300A1_2 through M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0210_2 Pressure Ulcers Present on Discharge M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
			M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU
-5047	Consistency	Fatal	<p>Inconsistent M0300A1_2 value: If the number of unhealed pressure ulcers at Stage 1 at discharge (M0300A1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 1 pressure ulcers at discharge (M0300A2_2, M0300A3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300A1_2 Number of Stage 1 pressure ulcers: Discharge M0300A2_2 Nbr Disch Stg 1 PU were Adm Stg 1 PU M0300A3_2 Nbr Disch Stg 1 PU new</p>
-5048	Consistency	Fatal	<p>Inconsistent M0300B1_2 value: If the number of unhealed pressure ulcers at Stage 2 at discharge (M0300B1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 2 pressure ulcers at discharge (M0300B2_2, through M0300B4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300B1_2 Number of Stage 2 pressure ulcers: Discharge M0300B2_2 Nbr Disch Stg 2 PU were Adm Stg 2 PU M0300B3_2 Nbr Disch Stg 2 PU were Adm Unstg PU M0300B4_2 Nbr Disch Stg 2 PU new/worsened</p>
-5049	Consistency	Fatal	<p>Inconsistent M0300C1_2 value: If the number of unhealed pressure ulcers at Stage 3 at discharge (M0300C1-2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 3 pressure ulcers at discharge (M0300C2_2, through M0300C4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300C1_2 Number of Stage 3 pressure ulcers: Discharge M0300C2_2 Nbr Disch Stg 3 PU were Adm Stg 3 PU M0300C3_2 Nbr Disch Stg 3 PU were Adm Unstg PU M0300C4_2 Nbr Disch Stg 3 PU new/worsened</p>
-5050	Consistency	Fatal	<p>Inconsistent M0300D1_2 value: If the number of unhealed pressure ulcers at Stage 4 at discharge (M0300D1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed Stage 4 pressure ulcers at discharge (M0300D2_2, through M0300D4_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300D1_2 Number of Stage 4 pressure ulcers: Discharge M0300D2_2 Nbr Disch Stg 4 PU were Adm Stg 4 PU M0300D3_2 Nbr Disch Stg 4 PU were Adm Unstg PU M0300D4_2 Nbr Disch Stg 4 PU new/worsened</p>
-5051	Consistency	Fatal	<p>Inconsistent M0300E1_2 value: If the number of unhealed pressure ulcers unstageable due to a non-removable dressing or device at discharge (M0300E1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to a non-removable dressing or device pressure ulcers at discharge (M0300E2_2, M0300E3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300E1_2 Nbr Unstg non-remov drsg pressure ulcers: Dschrg M0300E2_2 Nbr Unstg NRD Disch PU were Adm Unstg NRD PU M0300E3_2 Nbr Unstg NRD Disch PU were Adm Stageable PU</p>

IRF-PAI Data Submission Specifications

Unduplicated Edits Report by Edit ID: Version 1.12.1

ID	Type	Severity	Text/Items
-5052	Consistency	Fatal	<p>Inconsistent M0300F1_2 value: If the number of unhealed pressure ulcers unstageable due to slough or eschar at discharge (M0300F1_2) is equal to "Not assessed/no information" [-], then the subsequent items for unhealed pressure ulcers unstageable due to slough or eschar pressure ulcers at discharge (M0300F2_2, M0300F3_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300F1_2 Nbr Unstg slough/eschar pressure ulcers: Dschrg M0300F2_2 Nbr Unstg S/E Disch PU were Adm Unstg S/E PU M0300F3_2 Nbr Unstg S/E Disch PU were Adm Stageable PU</p>
-5053	Consistency	Fatal	<p>Inconsistent M0300G1_2 value: If the number of unhealed pressure ulcers with suspected deep tissue injury at discharge (M0300G1_2) is equal to "Not assessed/no information" [-], then the subsequent item that was unstageable with suspected deep tissue injury at discharge (M0300G2_2) must be equal to "Not assessed/no information" [-] or, if the item is voluntary, equal to "Not answered-voluntary" [=].</p> <p>Items: M0300G1_2 Nbr Unstg DTI pressure ulcers: Dschrg M0300G2_2 Nbr Unstg DTI Disch PU were Adm Unstg DTI PU</p>
-5054	Consistency	Warning	<p>Entering a dash as a response to an Influenza Vaccination Quality Measure item may result in a payment reduction of two percentage points for the applicable FY annual increase factor. This edit for the Influenza Vaccination items only applies for an assessment covering one or more days during the October 1st through March 31st influenza season. That is, the edit only applies if the discharge date (Item 40) is on or after October 1 and the admission date (Item 12) is on or before March 31 of the subsequent year.</p> <p>Items: O0250A Was influenza vaccine received O0250B Date influenza vaccine received O0250C If influenza vaccine not received, state reason</p>