

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Table of Contents

-3502	None of above Fatal.....	8
-3503	None of above Fatal.....	8
-3504	None of above Fatal.....	8
-3505	None of above Fatal.....	8
-3506	None of above Fatal.....	9
-3507	None of above Fatal.....	9
-3508	None of above Fatal.....	10
-3509	None of above Fatal.....	10
-3510	None of above Fatal.....	10
-3511	None of above Fatal.....	11
-3513	None of above Fatal.....	11
-3515	None of above Fatal.....	11
-3517	Skip pattern Fatal.....	11
-3518	Skip pattern Fatal.....	11
-3523	Skip pattern Fatal.....	12
-3524	Skip pattern Fatal.....	12
-3525	Skip pattern Fatal.....	12
-3527	Consistency Fatal	12
-3528	Consistency Fatal	12
-3529	Skip pattern Fatal.....	13
-3531	Skip pattern Fatal.....	13
-3532	Skip pattern Fatal.....	13
-3533	Consistency Fatal	13
-3534	Skip pattern Fatal.....	13
-3535	Skip pattern Fatal.....	14
-3536	Skip pattern Fatal.....	14
-3537	Skip pattern Fatal.....	14
-3542	Skip pattern Fatal.....	14
-3543	Skip pattern Fatal.....	14
-3544	Skip pattern Fatal.....	15
-3545	Skip pattern Fatal.....	15
-3546	Skip pattern Fatal.....	15
-3547	Skip pattern Fatal.....	15
-3548	Skip pattern Fatal.....	15
-3549	Skip pattern Fatal.....	15
-3550	Skip pattern Fatal.....	15
-3551	Skip pattern Fatal.....	15
-3552	Skip pattern Fatal.....	15
-3553	Skip pattern Fatal.....	15

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3555	Skip pattern Fatal.....	16
-3556	Skip pattern Fatal.....	16
-3557	Consistency Fatal	16
-3558	Consistency Fatal	16
-3559	Consistency Fatal	16
-3560	Skip pattern Fatal.....	17
-3561	Skip pattern Fatal.....	17
-3562	Skip pattern Fatal.....	17
-3563	Skip pattern Fatal.....	17
-3565	Format Fatal.....	17
-3566	Format Fatal.....	17
-3567	Format Fatal.....	17
-3568	Format Fatal.....	18
-3569	Format Fatal.....	18
-3570	Format Fatal.....	18
-3571	Consistency Fatal	18
-3572	Skip pattern Fatal.....	18
-3586	Skip pattern Fatal.....	18
-3587	Consistency Fatal	18
-3588	Consistency Fatal	19
-3590	Consistency Fatal	19
-3591	Format Fatal.....	20
-3593	Consistency Fatal	20
-3595	None of above Fatal.....	20
-3596	Consistency Fatal	21
-3597	Skip pattern Fatal.....	21
-3598	Skip pattern Fatal.....	21
-3605	Consistency Fatal	21
-3607	Consistency Fatal	21
-3608	Consistency Fatal	22
-3609	Skip pattern Fatal.....	22
-3610	Skip pattern Fatal.....	24
-3612	Consistency Fatal	25
-3616	Consistency Warning	25
-3617	Skip pattern Fatal.....	25
-3618	Skip pattern Fatal.....	26
-3619	Skip pattern Fatal.....	26
-3620	Skip pattern Fatal.....	26
-3621	Skip pattern Fatal.....	26
-3622	Skip pattern Fatal.....	26
-3623	Skip pattern Fatal.....	26

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3624	Skip pattern Fatal.....	26
-3625	Skip pattern Fatal.....	26
-3626	Skip pattern Fatal.....	26
-3627	Skip pattern Fatal.....	26
-3658	Consistency Fatal	26
-3659	Consistency Fatal	27
-3660	Consistency Fatal	27
-3662	Consistency Fatal	27
-3663	Consistency Fatal	27
-3664	Consistency Fatal	28
-3665	Consistency Fatal	28
-3666	Consistency Fatal	28
-3667	Consistency Fatal	28
-3668	Consistency Fatal	28
-3669	None of above Fatal.....	28
-3670	Skip pattern Fatal.....	29
-3673	Consistency Warning	29
-3674	Consistency Warning	29
-3675	Consistency Fatal	29
-3676	Format Fatal.....	29
-3677	Format Fatal.....	39
-3678	Format Fatal.....	39
-3679	Format Fatal.....	40
-3680	Format Fatal.....	41
-3682	Format Fatal.....	43
-3686	Consistency Fatal	43
-3687	Format Fatal.....	43
-3688	Format Fatal.....	43
-3690	Format Fatal.....	44
-3691	Format Fatal.....	44
-3692	Format Fatal.....	45
-3693	Format Fatal.....	45
-3695	Consistency Warning	45
-3696	Consistency Fatal	45
-3697	Consistency Fatal	45
-3698	Consistency Fatal	46
-3699	Consistency Fatal	46
-3700	Consistency Fatal	46
-3701	Consistency Fatal	46
-3702	Format Fatal.....	47
-3703	Skip pattern Fatal.....	47

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3704	Skip pattern Fatal	47
-3705	Skip pattern Fatal	48
-3706	Consistency Fatal	48
-3707	Consistency Fatal	48
-3708	Consistency Fatal	48
-3709	Consistency Fatal	48
-3710	Consistency Fatal	48
-3711	Consistency Fatal	48
-3712	Consistency Fatal	48
-3713	Consistency Fatal	49
-3714	Consistency Fatal	49
-3715	Consistency Fatal	49
-3716	Consistency Fatal	49
-3717	Consistency Fatal	49
-3718	Consistency Fatal	49
-3719	Consistency Fatal	49
-3720	Consistency Fatal	49
-3721	Consistency Fatal	50
-3722	Consistency Fatal	50
-3723	Consistency Fatal	50
-3724	Consistency Fatal	50
-3725	Consistency Fatal	50
-3726	Consistency Fatal	50
-3729	Consistency Fatal	50
-3730	Consistency Fatal	51
-3735	Skip pattern Fatal	51
-3736	Skip pattern Fatal	51
-3744	Consistency Fatal	51
-3745	Consistency Fatal	51
-3746	Consistency Fatal	52
-3748	Consistency Fatal	53
-3749	Consistency Warning	53
-3751	Consistency Warning	53
-3752	Consistency Fatal	53
-3753	Consistency Fatal	54
-3761	Consistency Fatal	54
-3762	Consistency Warning	54
-3764	Consistency Fatal	55
-3774	Consistency Fatal	55
-3775	Consistency Fatal	55
-3778	Consistency Fatal	55

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3779	Consistency Fatal	56
-3780	Consistency Fatal	56
-3781	Consistency Fatal	56
-3782	Consistency Fatal	56
-3783	Consistency Fatal	56
-3784	Consistency Fatal	57
-3785	Consistency Fatal	57
-3786	Consistency Fatal	57
-3787	Skip pattern Fatal.....	58
-3788	Consistency Fatal	58
-3790	Consistency Fatal	58
-3791	Consistency Fatal	58
-3792	Consistency Fatal	58
-3793	Format Fatal.....	58
-3794	Consistency Fatal	59
-3795	Consistency Fatal	59
-3796	Consistency Fatal	59
-3797	Consistency Fatal	60
-3798	Skip pattern Fatal.....	60
-3801	Skip pattern Fatal.....	60
-3802	Format Fatal.....	60
-3804	Consistency Fatal	61
-3805	Consistency Fatal	61
-3807	Format Warning.....	61
-3808	Format Warning.....	61
-3809	Skip pattern Fatal.....	68
-3810	Consistency Warning	68
-3812	Consistency Fatal	69
-3813	Skip pattern Fatal.....	69
-3814	Consistency Fatal	69
-3815	Consistency Fatal	69
-3816	Consistency Fatal	69
-3818	Skip pattern Fatal.....	70
-3819	Consistency Fatal	70
-3820	Skip pattern Fatal.....	70
-3824	Consistency Fatal	70
-3825	Consistency Fatal	71
-3826	Consistency Fatal	71
-3827	Consistency Fatal	71
-3828	None of above Fatal.....	72
-3829	Skip pattern Fatal.....	72

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3830	Skip pattern Fatal.....	72
-3831	Consistency Fatal	72
-3833	Consistency Fatal	72
-3834	Skip pattern Fatal.....	73
-3835	Consistency Fatal	73
-3836	Consistency Fatal	73
-3837	Consistency Fatal	74
-3838	Skip pattern Fatal.....	74
-3839	Consistency Fatal	74
-3840	Consistency Fatal	74
-3841	Consistency Fatal	75
-3842	Consistency Fatal	75
-3843	Consistency Fatal	75
-3844	Consistency Fatal	75
-3845	Consistency Fatal	76
-3846	Consistency Fatal	76
-3847	Consistency Fatal	76
-3848	Consistency Fatal	76
-3849	Consistency Fatal	76
-3850	Consistency Fatal	76
-3851	Consistency Fatal	77
-3852	Format Fatal.....	78
-3853	Consistency Fatal	78
-3854	Format Fatal.....	78
-3857	Consistency Fatal	79
-3858	Consistency Fatal	79
-3859	Consistency Fatal	79
-3860	Consistency Fatal	79
-3861	Consistency Fatal	79
-3862	Skip pattern Fatal.....	79
-3863	Consistency Warning	79
-3864	Consistency Fatal	80
-3865	Consistency Fatal	80
-3866	Consistency Fatal	80
-3867	Consistency Fatal	80
-3868	Consistency Fatal	80
-3869	Consistency Fatal	80
-3870	Consistency Fatal	81
-3871	Skip pattern Fatal.....	81
-3872	Skip pattern Fatal.....	81
-3873	Skip pattern Fatal.....	81

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3874	Skip pattern Fatal	82
-3875	Consistency Fatal	82
-3876	Consistency Fatal	82
-3877	Consistency Fatal	83
-9001	Information None	83
-9002	Information None	83
-9003	Information None	83
-9004	Information None	83
-9005	Information None	83
-9006	Information None	83
-9008	Information None	84
-9009	Information None	84
-9010	Information None	84
-9012	Information None	84
-9013	Information None	84
-9014	Information None	84
-9015	Information Fatal	85
-9016	Information None	85
-9017	Information None	85
-9019	Information None	85

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3502	None of above	Fatal	<p>If C0900A through C0900D and C0900Z are all active, then the following rules apply:</p> <p>a) If C0900Z=[0], then at least one item from C0900A through C0900D must equal [1].</p> <p>b) If C0900Z=[1], then all items from C0900A through C0900D must equal [0].</p> <p>c) If C0900Z=[-], then at least one item from C0900A through C0900D must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items: C0900A</td><td>Staff asmt mental status: recall current season</td></tr><tr><td>C0900B</td><td>Staff asmt mental status: recall location of room</td></tr><tr><td>C0900C</td><td>Staff asmt mental status: recall staff names/faces</td></tr><tr><td>C0900D</td><td>Staff asmt mental status: recall in nh/hosp sw bed</td></tr><tr><td>C0900Z</td><td>Staff asmt mental status: none of above recalled</td></tr></table>	Items: C0900A	Staff asmt mental status: recall current season	C0900B	Staff asmt mental status: recall location of room	C0900C	Staff asmt mental status: recall staff names/faces	C0900D	Staff asmt mental status: recall in nh/hosp sw bed	C0900Z	Staff asmt mental status: none of above recalled																																
Items: C0900A	Staff asmt mental status: recall current season																																												
C0900B	Staff asmt mental status: recall location of room																																												
C0900C	Staff asmt mental status: recall staff names/faces																																												
C0900D	Staff asmt mental status: recall in nh/hosp sw bed																																												
C0900Z	Staff asmt mental status: none of above recalled																																												
-3503	None of above	Fatal	<p>If E0100A through E0100B and E0100Z are all active, then the following rules apply:</p> <p>a) If E0100Z=[0], then at least one item from E0100A through E0100B must equal [1].</p> <p>b) If E0100Z=[1], then all items from E0100A through E0100B must equal [0].</p> <p>c) If E0100Z=[-], then at least one item from E0100A through E0100B must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items: E0100A</td><td>Psychosis: hallucinations</td></tr><tr><td>E0100B</td><td>Psychosis: delusions</td></tr><tr><td>E0100Z</td><td>Psychosis: none of the above</td></tr></table>	Items: E0100A	Psychosis: hallucinations	E0100B	Psychosis: delusions	E0100Z	Psychosis: none of the above																																				
Items: E0100A	Psychosis: hallucinations																																												
E0100B	Psychosis: delusions																																												
E0100Z	Psychosis: none of the above																																												
-3504	None of above	Fatal	<p>If F0800A through F0800T and F0800Z are all active, then the following rules apply:</p> <p>a) If F0800Z=[0], then at least one item from F0800A through F0800T must equal [1].</p> <p>b) If F0800Z=[1], then all items from F0800A through F0800T must equal [0].</p> <p>c) If F0800Z=[-], then at least one item from F0800A through F0800T must equal [-] and all remaining items must equal [0,-].</p> <table><tr><td>Items: F0800A</td><td>Staff assessment: choosing clothes to wear</td></tr><tr><td>F0800B</td><td>Staff assessment: caring for personal belongings</td></tr><tr><td>F0800C</td><td>Staff assessment: receiving tub bath</td></tr><tr><td>F0800D</td><td>Staff assessment: receiving shower</td></tr><tr><td>F0800E</td><td>Staff assessment: receiving bed bath</td></tr><tr><td>F0800F</td><td>Staff assessment: receiving sponge bath</td></tr><tr><td>F0800G</td><td>Staff assessment: snacks between meals</td></tr><tr><td>F0800H</td><td>Staff assessment: staying up past 8PM</td></tr><tr><td>F0800I</td><td>Staff assessment: discuss care with family/other</td></tr><tr><td>F0800J</td><td>Staff assessment: use phone in private</td></tr><tr><td>F0800K</td><td>Staff assessment: place to lock personal things</td></tr><tr><td>F0800L</td><td>Staff assessment: reading books, newspapers, mags</td></tr><tr><td>F0800M</td><td>Staff assessment: listening to music</td></tr><tr><td>F0800N</td><td>Staff assessment: being around animals/pets</td></tr><tr><td>F0800O</td><td>Staff assessment: keeping up with news</td></tr><tr><td>F0800P</td><td>Staff assessment: doing things with groups</td></tr><tr><td>F0800Q</td><td>Staff assessment: participate favorite activities</td></tr><tr><td>F0800R</td><td>Staff assessment: spend time away from nursing home</td></tr><tr><td>F0800S</td><td>Staff assessment: spend time outdoors</td></tr><tr><td>F0800T</td><td>Staff assessment: participate religious activities</td></tr><tr><td>F0800Z</td><td>Staff assessment: none of above activities</td></tr></table>	Items: F0800A	Staff assessment: choosing clothes to wear	F0800B	Staff assessment: caring for personal belongings	F0800C	Staff assessment: receiving tub bath	F0800D	Staff assessment: receiving shower	F0800E	Staff assessment: receiving bed bath	F0800F	Staff assessment: receiving sponge bath	F0800G	Staff assessment: snacks between meals	F0800H	Staff assessment: staying up past 8PM	F0800I	Staff assessment: discuss care with family/other	F0800J	Staff assessment: use phone in private	F0800K	Staff assessment: place to lock personal things	F0800L	Staff assessment: reading books, newspapers, mags	F0800M	Staff assessment: listening to music	F0800N	Staff assessment: being around animals/pets	F0800O	Staff assessment: keeping up with news	F0800P	Staff assessment: doing things with groups	F0800Q	Staff assessment: participate favorite activities	F0800R	Staff assessment: spend time away from nursing home	F0800S	Staff assessment: spend time outdoors	F0800T	Staff assessment: participate religious activities	F0800Z	Staff assessment: none of above activities
Items: F0800A	Staff assessment: choosing clothes to wear																																												
F0800B	Staff assessment: caring for personal belongings																																												
F0800C	Staff assessment: receiving tub bath																																												
F0800D	Staff assessment: receiving shower																																												
F0800E	Staff assessment: receiving bed bath																																												
F0800F	Staff assessment: receiving sponge bath																																												
F0800G	Staff assessment: snacks between meals																																												
F0800H	Staff assessment: staying up past 8PM																																												
F0800I	Staff assessment: discuss care with family/other																																												
F0800J	Staff assessment: use phone in private																																												
F0800K	Staff assessment: place to lock personal things																																												
F0800L	Staff assessment: reading books, newspapers, mags																																												
F0800M	Staff assessment: listening to music																																												
F0800N	Staff assessment: being around animals/pets																																												
F0800O	Staff assessment: keeping up with news																																												
F0800P	Staff assessment: doing things with groups																																												
F0800Q	Staff assessment: participate favorite activities																																												
F0800R	Staff assessment: spend time away from nursing home																																												
F0800S	Staff assessment: spend time outdoors																																												
F0800T	Staff assessment: participate religious activities																																												
F0800Z	Staff assessment: none of above activities																																												
-3505	None of above	Fatal	<p>If G0600A through G0600D and G0600Z are all active, then the following rules apply:</p> <p>a) If G0600Z=[0], then at least one item from G0600A through G0600D must equal [1].</p> <p>b) If G0600Z=[1], then all items from G0600A through G0600D must equal [0].</p> <p>c) If G0600Z=[-], then at least one item from G0600A through G0600D must equal [-] and all remaining items must equal [0,-].</p>																																										

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Items: G0600A	Mobility devices: cane/crutch
G0600B	Mobility devices: walker
G0600C	Mobility devices: wheelchair (manual or electric)
G0600D	Mobility devices: limb prosthesis
G0600Z	Mobility devices: none of the above

-3506 None of above Fatal

If H0100A through H0100D and H0100Z are all active, then the following rules apply:
a) If H0100Z=[0], then at least one item from H0100A through H0100D must equal [1].
b) If H0100Z=[1], then all items from H0100A through H0100D must equal [0].
c) If H0100Z=[-], then at least one item from H0100A through H0100D must equal [-] and all remaining items must equal [0,-].

Items: H0100A	Appliances: indwelling catheter
H0100B	Appliances: external catheter
H0100C	Appliances: ostomy
H0100D	Appliances: intermittent catheterization
H0100Z	Appliances: none of the above

-3507 None of above Fatal

If I0100 through I6500 and I7900 are all active, then the following rules apply:
a) If I7900=[0], then at least one item from I0100 through I6500 must equal [1].
b) If I7900=[1], then all items from I0100 through I6500 must equal [0].
c) If I7900=[-], then at least one item from I0100 through I6500 must equal [-] and all remaining items must equal [0,-].

Items: I0100	Cancer (with or without metastasis)
I0200	Anemia
I0300	Atrial fibrillation and other dysrhythmias
I0400	Coronary artery disease (CAD)
I0500	Deep venous thrombosis (DVT), PE, or PTE
I0600	Heart failure
I0700	Hypertension
I0800	Orthostatic hypotension
I0900	Peripheral vascular disease (PVD) or PAD
I1100	Cirrhosis
I1200	Gastroesophageal reflux disease (GERD) or ulcer
I1300	Ulcerative colitis, Crohn's, inflam bowel disease
I1400	Benign prostatic hyperplasia (BPH)
I1500	Renal insufficiency, renal failure, ESRD
I1550	Neurogenic bladder
I1650	Obstructive uropathy
I1700	Multidrug resistant organism (MDRO)
I2000	Pneumonia
I2100	Septicemia
I2200	Tuberculosis
I2300	Urinary tract infection (UTI) (LAST 30 DAYS)
I2400	Viral hepatitis (includes type A, B, C, D, and E)
I2500	Wound infection (other than foot)
I2900	Diabetes mellitus (DM)
I3100	Hyponatremia
I3200	Hyperkalemia
I3300	Hyperlipidemia (e.g., hypercholesterolemia)
I3400	Thyroid disorder
I3700	Arthritis
I3800	Osteoporosis
I3900	Hip fracture
I4000	Other fracture

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

I4200	Alzheimer's disease
I4300	Aphasia
I4400	Cerebral palsy
I4500	Cerebrovascular accident (CVA), TIA, or stroke
I4800	Non-Alzheimer's dementia
I4900	Hemiplegia or hemiparesis
I5000	Paraplegia
I5100	Quadriplegia
I5200	Multiple sclerosis
I5250	Huntington's disease
I5300	Parkinson's disease
I5350	Tourette's syndrome
I5400	Seizure disorder or epilepsy
I5500	Traumatic brain injury (TBI)
I5600	Malnutrition (protein, calorie), risk of malnutrit
I5700	Anxiety disorder
I5800	Depression (other than bipolar)
I5900	Manic depression (bipolar disease)
I5950	Psychotic disorder (other than schizophrenia)
I6000	Schizophrenia
I6100	Post-traumatic stress disorder (PTSD)
I6200	Asthma (COPD) or chronic lung disease
I6300	Respiratory failure
I6500	Cataracts, glaucoma, or macular degeneration
I7900	None of above active diseases within last 7 days

-3508 None of above Fatal

If J0800A through J0800D and J0800Z are all active, then the following rules apply:
a) If J0800Z=[0], then at least one item from J0800A through J0800D must equal [1].
b) If J0800Z=[1], then all items from J0800A through J0800D must equal [0].
c) If J0800Z=[-], then at least one item from J0800A through J0800D must equal [-] and all remaining items must equal [0,-].

Items: J0800A	Staff pain asmt: non-verbal sounds
J0800B	Staff pain asmt: vocal complaints of pain
J0800C	Staff pain asmt: facial expressions
J0800D	Staff pain asmt: protective movements/postures
J0800Z	Staff pain asmt: none of these signs observed

-3509 None of above Fatal

If J1100A through J1100C and J1100Z are all active, then the following rules apply:
a) If J1100Z=[0], then at least one item from J1100A through J1100C must equal [1].
b) If J1100Z=[1], then all items from J1100A through J1100C must equal [0].
c) If J1100Z=[-], then at least one item from J1100A through J1100C must equal [-] and all remaining items must equal [0,-].

Items: J1100A	Short breath/trouble breathing: with exertion
J1100B	Short breath/trouble breathing: sitting at rest
J1100C	Short breath/trouble breathing: lying flat
J1100Z	Short breath/trouble breathing: none of above

-3510 None of above Fatal

If J1550A through J1550D and J1550Z are all active, then the following rules apply:
a) If J1550Z=[0], then at least one item from J1550A through J1550D must equal [1].
b) If J1550Z=[1], then all items from J1550A through J1550D must equal [0].
c) If J1550Z=[-], then at least one item from J1550A through J1550D must equal [-] and all remaining items must equal [0,-].

Items: J1550A	Problem conditions: fever
J1550B	Problem conditions: vomiting

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			J1550C	Problem conditions: dehydrated
			J1550D	Problem conditions: internal bleeding
			J1550Z	Problem conditions: none of the above
-3511	None of above	Fatal	<p>If K0100A through K0100D and K0100Z are all active, then the following rules apply:</p> <p>a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1].</p> <p>b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0].</p> <p>c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].</p> <p>Items: K0100A Swallow disorder: loss liquids/solids from mouth</p> <p>K0100B Swallow disorder: holds food in mouth/cheeks</p> <p>K0100C Swallow disorder: cough/choke with meals/meds</p> <p>K0100D Swallow disorder: difficulty or pain swallowing</p> <p>K0100Z Swallow disorder: none of the above</p>	
-3513	None of above	Fatal	<p>If L0200A through L0200G and L0200Z are all active, then the following rules apply:</p> <p>a) If L0200Z=[0], then at least one item from L0200A through L0200G must equal [1].</p> <p>b) If L0200Z=[1], then all items from L0200A through L0200G must equal [0].</p> <p>c) If L0200Z=[-], then at least one item from L0200A through L0200G must equal [-] and all remaining items must equal [0,-].</p> <p>Items: L0200A Dental: broken or loosely fitting denture</p> <p>L0200B Dental: no natural teeth or tooth fragment(s)</p> <p>L0200C Dental: abnormal mouth tissue</p> <p>L0200D Dental: cavity or broken natural teeth</p> <p>L0200E Dental: inflamed/bleeding gums or loose teeth</p> <p>L0200F Dental: pain, discomfort, difficulty chewing</p> <p>L0200G Dental: unable to examine</p> <p>L0200Z Dental: none of the above</p>	
-3515	None of above	Fatal	<p>If M1200A through M1200I and M1200Z are all active, then the following rules apply:</p> <p>a) If M1200Z=[0], then at least one item from M1200A through M1200I must equal [1].</p> <p>b) If M1200Z=[1], then all items from M1200A through M1200I must equal [0].</p> <p>c) If M1200Z=[-], then at least one item from M1200A through M1200I must equal [-] and all remaining items must equal [0,-].</p> <p>Items: M1200A Skin/ulcer treat: pressure reduce device for chair</p> <p>M1200B Skin/ulcer treat: pressure reducing device for bed</p> <p>M1200C Skin/ulcer treat: turning/repositioning</p> <p>M1200D Skin/ulcer treat: nutrition/hydration</p> <p>M1200E Skin/ulcer treat: pressure ulcer care</p> <p>M1200F Skin/ulcer treat: surgical wound care</p> <p>M1200G Skin/ulcer treat: application of dressings</p> <p>M1200H Skin/ulcer treat: apply ointments/medications</p> <p>M1200I Skin/ulcer treat: apply dressings to feet</p> <p>M1200Z Skin/ulcer treat: none of the above</p>	
-3517	Skip pattern	Fatal	<p>a) If A2400A=[0], then all active items from A2400B through A2400C must equal [^].</p> <p>b) If A2400A=[1], then all active items from A2400B through A2400C must not equal [^].</p> <p>Items: A2400A Has resident had Medicare-covered stay</p> <p>A2400B Start date of most recent Medicare stay</p> <p>A2400C End date of most recent Medicare stay</p>	
-3518	Skip pattern	Fatal	<p>a) If A0310A=[05,06], then if A2200 is active it must not equal [^].</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			b) If A0310A=[01,02,03,04,99], then if A2200 is active it must equal [^].	
			Items: A0310A	Type of assessment: OBRA
			A2200	Previous asmt reference date for signif correction
-3523	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0100A through E0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0100A through E0300 must equal [-].</p> <p>Items: B0100 Comatose</p> <p>E0100A Psychosis: hallucinations</p> <p>E0100B Psychosis: delusions</p> <p>E0100Z Psychosis: none of the above</p> <p>E0200A Physical behav symptoms directed toward others</p> <p>E0200B Verbal behav symptoms directed toward others</p> <p>E0200C Other behav symptoms not directed toward others</p> <p>E0300 Overall presence of behavioral symptoms</p>	
-3524	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E0800 through E0900 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E0800 through E0900 must equal [-].</p> <p>Items: B0100 Comatose</p> <p>E0800 Rejection of care: presence and frequency</p> <p>E0900 Wandering: presence and frequency</p>	
-3525	Skip pattern	Fatal	<p>a) If B0100=[0], then all active items from E1100 through F0300 must not equal [^].</p> <p>b) If B0100=[-], then all active items from E1100 through F0300 must equal [-].</p> <p>Items: B0100 Comatose</p> <p>E1100 Change in behavioral or other symptoms</p> <p>F0300 Conduct res interview for daily/activity prefs</p>	
-3527	Consistency	Fatal	<p>a) If C0100=[0,^], then all active items from C0200 through C0600 must equal [^].</p> <p>b) If C0100=[1], then all active items from C0200 through C0600 must not equal [^].</p> <p>c) If C0100=[-], then all active items from C0200 through C0500 must equal [-].</p> <p>d) If C0100=[-], then if C0600 is active it must equal [1,-].</p> <p>Items: C0100 BIMS: should resident interview be conducted</p> <p>C0200 BIMS res interview: repetition of three words</p> <p>C0300A BIMS res interview: able to report correct year</p> <p>C0300B BIMS res interview: able to report correct month</p> <p>C0300C BIMS res interview: can report correct day of week</p> <p>C0400A BIMS res interview: able to recall "sock"</p> <p>C0400B BIMS res interview: able to recall "blue"</p> <p>C0400C BIMS res interview: able to recall "bed"</p> <p>C0500 BIMS res interview: summary score</p> <p>C0600 Staff asmt mental status: conduct asmt</p>	
-3528	Consistency	Fatal	<p>a) If C0600=[0], then all active items from C0700 through C1000 must equal [^].</p> <p>b) If C0600=[1], then all active items from C0700 through C1000 must not equal [^].</p> <p>c) If C0600=[-], then all active items from C0700 through C1000 must equal [-].</p> <p>d) If C0600=[^] and C0100=[0], then all active items from C0700 through C1000 must not equal [^].</p> <p>Items: C0100 BIMS: should resident interview be conducted</p> <p>C0600 Staff asmt mental status: conduct asmt</p> <p>C0700 Staff asmt mental status: short-term memory OK</p> <p>C0800 Staff asmt mental status: long-term memory OK</p> <p>C0900A Staff asmt mental status: recall current season</p> <p>C0900B Staff asmt mental status: recall location of room</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			C0900C	Staff asmt mental status: recall staff names/faces
			C0900D	Staff asmt mental status: recall in nh/hosp sw bed
			C0900Z	Staff asmt mental status: none of above recalled
			C1000	Cognitive skills for daily decision making
-3529	Skip pattern	Fatal	<p>If D0100=[1], then if D0200A1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200A1 PHQ res: little interest or pleasure - presence</p>	
-3531	Skip pattern	Fatal	<p>a) If E0300=[0,^], then all active items from E0500A through E0600C must equal [^].</p> <p>b) If E0300=[1], then all active items from E0500A through E0600C must not equal [^].</p> <p>c) If E0300=[-], then all active items from E0500A through E0600C must equal [-].</p> <p>Items: E0300 Overall presence of behavioral symptoms</p> <p>E0500A Behav symptoms put res at risk for illness/injury</p> <p>E0500B Behav symptoms interfere with resident care</p> <p>E0500C Behav symptoms interfere with social activities</p> <p>E0600A Behav symptoms put others at risk for injury</p> <p>E0600B Behav symptoms intrude on privacy of others</p> <p>E0600C Behav symptoms disrupt care or living environment</p>	
-3532	Skip pattern	Fatal	<p>a) If E0900=[0,^], then all active items from E1000A through E1000B must equal [^].</p> <p>b) If E0900=[1,2,3], then all active items from E1000A through E1000B must not equal [^].</p> <p>c) If E0900=[-], then all active items from E1000A through E1000B must equal [-].</p> <p>Items: E0900 Wandering: presence and frequency</p> <p>E1000A Wandering: risk of getting to dangerous place</p> <p>E1000B Wandering: intrude on privacy of others</p>	
-3533	Consistency	Fatal	<p>a) If F0300=[0], then all active items from F0400A through F0700 must equal [^].</p> <p>b) If F0300=[1], then all active items from F0400A through F0700 must not equal [^].</p> <p>c) If F0300=[-], then all active items from F0400A through F0600 must equal [-] and F0700 must not equal [^].</p> <p>Items: F0300 Conduct res interview for daily/activity prefs</p> <p>F0400A Res interview: choose clothes to wear</p> <p>F0400B Res interview: take care of personal belongings</p> <p>F0400C Res interview: choose tub, bath, shower, sponge</p> <p>F0400D Res interview: have snacks between meals</p> <p>F0400E Res interview: choose own bedtime</p> <p>F0400F Res interview: discuss care with family/friend</p> <p>F0400G Res interview: use phone in private</p> <p>F0400H Res interview: lock things to keep them safe</p> <p>F0500A Res interview: have books, newspaper, mags to read</p> <p>F0500B Res interview: listen to music</p> <p>F0500C Res interview: be around animals/pets</p> <p>F0500D Res interview: keep up with news</p> <p>F0500E Res interview: do things with groups of people</p> <p>F0500F Res interview: do favorite activities</p> <p>F0500G Res interview: go outside when good weather</p> <p>F0500H Res interview: participate in religious practices</p> <p>F0600 Primary respondent: daily/activities prefs</p> <p>F0700 Conduct staff assessment for daily/activity prefs</p>	
-3534	Skip pattern	Fatal	<p>a) If F0700=[0], then all active items from F0800A through F0800Z must equal [^].</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

- b) If F0700=[1], then all active items from F0800A through F0800Z must not equal [^].
c) If F0700=[-], then all active items from F0800A through F0800Z must equal [-].

Items: F0700	Conduct staff assessment for daily/activity prefs
F0800A	Staff assessment: choosing clothes to wear
F0800B	Staff assessment: caring for personal belongings
F0800C	Staff assessment: receiving tub bath
F0800D	Staff assessment: receiving shower
F0800E	Staff assessment: receiving bed bath
F0800F	Staff assessment: receiving sponge bath
F0800G	Staff assessment: snacks between meals
F0800H	Staff assessment: staying up past 8PM
F0800I	Staff assessment: discuss care with family/other
F0800J	Staff assessment: use phone in private
F0800K	Staff assessment: place to lock personal things
F0800L	Staff assessment: reading books, newspapers, mags
F0800M	Staff assessment: listening to music
F0800N	Staff assessment: being around animals/pets
F0800O	Staff assessment: keeping up with news
F0800P	Staff assessment: doing things with groups
F0800Q	Staff assessment: participate favorite activities
F0800R	Staff assessment: spend time away from nursng home
F0800S	Staff assessment: spend time outdoors
F0800T	Staff assessment: participate religious activities
F0800Z	Staff assessment: none of above activities

-3535 Skip pattern Fatal

- a) If A0310A=[02,03,04,05,06,99], then all active items from G0900A through G0900B must equal [^].
b) If A0310A=[01], then all active items from G0900A through G0900B must not equal [^].

Items: A0310A	Type of assessment: OBRA
G0900A	Resident believes capable of increased independ
G0900B	Staff believes res capable of increased independ

-3536 Skip pattern Fatal

- a) If H0200A=[0,9], then if H0200B is active it must equal [^].
b) If H0200A=[1], then if H0200B is active it must not equal [^].
c) If H0200A=[-], then if H0200B is active it must equal [-].

Items: H0200A	Urinary toileting program: has been attempted
H0200B	Urinary toileting program: response

-3537 Skip pattern Fatal

- a) If H0200A=[0], then if H0200C is active it must equal [^].
b) If H0200A=[1,9], then if H0200C is active it must not equal [^].
c) If H0200A=[-], then if H0200C is active it must equal [-].

Items: H0200A	Urinary toileting program: has been attempted
H0200C	Urinary toileting program: current program/trial

-3542 Skip pattern Fatal

- If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].

Items: M0210	Resident has Stage 1 or higher pressure ulcers
M0300A	Stage 1 pressure ulcers: number present
M0300B1	Stage 2 pressure ulcers: number present

-3543 Skip pattern Fatal

- If M0210=[1], then if M0300C1 is active it must not equal [^].

Items: M0210	Resident has Stage 1 or higher pressure ulcers
M0300C1	Stage 3 pressure ulcers: number present

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3544	Skip pattern	Fatal	<p>If M0210=[1], then if M0300D1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300D1 Stage 4 pressure ulcers: number present</p>
-3545	Skip pattern	Fatal	<p>If M0210=[1], then if M0300E1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300E1 Unstaged due to dressing: number present</p>
-3546	Skip pattern	Fatal	<p>If M0210=[1], then if M0300F1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300F1 Unstaged slough/eschar: number present</p>
-3547	Skip pattern	Fatal	<p>If M0210=[1], then if M0300G1 is active it must not equal [^].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0300G1 Unstageable - deep tissue injury: # present</p>
-3548	Skip pattern	Fatal	<p>a) If M0300B1=[1-9], then all active items from M0300B2 through M0300B3 must not equal [^].</p> <p>b) If M0300B1=[0,^], then all active items from M0300B2 through M0300B3 must equal [^].</p> <p>c) If M0300B1=[-], then all active items from M0300B2 through M0300B3 must equal [-].</p> <p>Items: M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit/reentry M0300B3 Stage 2 pressure ulcers: date of oldest</p>
-3549	Skip pattern	Fatal	<p>a) If M0300C1=[1-9], then if M0300C2 is active it must not equal [^].</p> <p>b) If M0300C1=[0,^], then if M0300C2 is active it must equal [^].</p> <p>c) If M0300C1=[-], then if M0300C2 is active it must equal [-].</p> <p>Items: M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit/reentry</p>
-3550	Skip pattern	Fatal	<p>a) If M0300D1=[1-9], then if M0300D2 is active it must not equal [^].</p> <p>b) If M0300D1=[0,^], then if M0300D2 is active it must equal [^].</p> <p>c) If M0300D1=[-], then if M0300D2 is active it must equal [-].</p> <p>Items: M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry</p>
-3551	Skip pattern	Fatal	<p>a) If M0300E1=[1-9], then if M0300E2 is active it must not equal [^].</p> <p>b) If M0300E1=[0,^], then if M0300E2 is active it must equal [^].</p> <p>c) If M0300E1=[-], then if M0300E2 is active it must equal [-].</p> <p>Items: M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry</p>
-3552	Skip pattern	Fatal	<p>a) If M0300F1=[1-9], then if M0300F2 is active it must not equal [^].</p> <p>b) If M0300F1=[0,^], then if M0300F2 is active it must equal [^].</p> <p>c) If M0300F1=[-], then if M0300F2 is active it must equal [-].</p> <p>Items: M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry</p>
-3553	Skip pattern	Fatal	<p>a) If M0300G1=[1-9], then if M0300G2 is active it must not equal [^].</p> <p>b) If M0300G1=[0,^], then if M0300G2 is active it must equal [^].</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			c) If M0300G1=[-], then if M0300G2 is active it must equal [-].
		Items: M0300G1	Unstageable - deep tissue injury: # present
		M0300G2	Unstageable - deep tissue injury: # at adm/reent
-3555	Skip pattern	Fatal	<p>a) If O0250A=[1], then if O0250B is active it must not equal [^].</p> <p>b) If O0250A=[0], then if O0250B is active it must equal [^].</p> <p>c) If O0250A=[-], then if O0250B is active it must equal [-].</p> <p>Items: O0250A Was influenza vaccine received</p> <p> O0250B Date influenza vaccine received.</p>
-3556	Skip pattern	Fatal	<p>a) If O0300A=[0], then if O0300B is active it must not equal [^].</p> <p>b) If O0300A=[1], then if O0300B is active it must equal [^].</p> <p>c) If O0300A=[-], then if O0300B is active it must equal [-].</p> <p>Items: O0300A Is pneumococcal vaccination up to date</p> <p> O0300B If pneumococcal vacc not received, state reason</p>
-3557	Consistency	Fatal	<p>Skip pattern for O0400A3A, O0400A4, O0400A5, and O0400A6.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400A1, O0400A2, and O0400A3 is not equal to [-], then O0400A3A and O0400A4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400A3A, O0400A4, O0400A5, and O0400A6 must not equal [^].</p> <p>c) If O0400A1, O0400A2, and O0400A3 are all equal to [-], then O0400A3A, O0400A4, O0400A5, and O0400A6 must equal [-].</p> <p>Items: O0400A1 Speech-language/audiology: individ minutes</p> <p> O0400A2 Speech-language/audiology: concur minutes</p> <p> O0400A3 Speech-language/audiology: group minutes</p> <p> O0400A3A Speech-language/audiology: co-treatment minutes</p> <p> O0400A4 Speech-language/audiology: number of days</p> <p> O0400A5 Speech-language/audiology: start date</p> <p> O0400A6 Speech-language/audiology: end date</p>
-3558	Consistency	Fatal	<p>Skip pattern for O0400B3A, O0400B4, O0400B5, and O0400B6.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>a) If the sum is equal to zero and at least one of the items O0400B1, O0400B2, and O0400B3 is not equal to [-], then O0400B3A and O0400B4 must equal [^].</p> <p>b) If the sum is greater than zero, then O0400B3A, O0400B4, O0400B5, and O0400B6 must not equal [^].</p> <p>c) If O0400B1, O0400B2, and O0400B3 are all equal to [-], then O0400B3A, O0400B4, O0400B5, and O0400B6 must equal [-].</p> <p>Items: O0400B1 Occupational therapy: individ minutes</p> <p> O0400B2 Occupational therapy: concur minutes</p> <p> O0400B3 Occupational therapy: group minutes</p> <p> O0400B3A Occupational therapy: co-treatment minutes</p> <p> O0400B4 Occupational therapy: number of days</p> <p> O0400B5 Occupational therapy: start date</p> <p> O0400B6 Occupational therapy: end date</p>
-3559	Consistency	Fatal	<p>Skip pattern for O0400C3A, O0400C4, O0400C5, and O0400C6.</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:

- a) If the sum is equal to zero and at least one of the items O0400C1, O0400C2, and O0400C3 is not equal to [-], then O0400C3A and O0400C4 must equal [^].
- b) If the sum is greater than zero, then O0400C3A, O0400C4, O0400C5, and O0400C6 must not equal [^].
- c) If O0400C1, O0400C2, and O0400C3 are all equal to [-], then O0400C3A, O0400C4, O0400C5, and O0400C6 must equal [-].

Items: O0400C1 Physical therapy: individ minutes
 O0400C2 Physical therapy: concur minutes
 O0400C3 Physical therapy: group minutes
 O0400C3A Physical therapy: co-treatment minutes
 O0400C4 Physical therapy: number of days
 O0400C5 Physical therapy: start date
 O0400C6 Physical therapy: end date

-3560 Skip pattern Fatal

- a) If O0400D1=[0001-9999], then if O0400D2 is active it must not equal [^].
- b) If O0400D1=[0000], then if O0400D2 is active it must equal [^].
- c) If O0400D1=[-], then if O0400D2 is active it must equal [-].

Items: O0400D1 Respiratory therapy: number of minutes
 O0400D2 Respiratory therapy: number of days

-3561 Skip pattern Fatal

- a) If O0400E1=[0001-9999], then if O0400E2 is active it must not equal [^].
- b) If O0400E1=[0000], then if O0400E2 is active it must equal [^].
- c) If O0400E1=[-], then if O0400E2 is active it must equal [-].

Items: O0400E1 Psychological therapy: number of minutes
 O0400E2 Psychological therapy: number of days

-3562 Skip pattern Fatal

- a) If O0400F1=[0001-9999], then if O0400F2 is active it must not equal [^].
- b) If O0400F1=[0000], then if O0400F2 is active it must equal [^].
- c) If O0400F1=[-], then if O0400F2 is active it must equal [-].

Items: O0400F1 Recreational therapy: number of minutes
 O0400F2 Recreational therapy: number of days

-3563 Skip pattern Fatal

- a) If A0310E=[0], then all active items from Q0300A through Q0300B must equal [^].
- b) If A0310E=[1], then all active items from Q0300A through Q0300B must not equal [^].

Items: A0310E First assessment since most recent entry
 Q0300A Resident's overall goal
 Q0300B Information source for resident's goal

-3565 Format Fatal

If the value is not equal to [^], it must be 9 characters long.

Items: A0600A Social Security Number
 X0500 Correction: resident social security number

-3566 Format Fatal

If the value is not equal to [^], the first three characters must not be equal to [000].

Items: A0600A Social Security Number
 X0500 Correction: resident social security number

-3567 Format Fatal

The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].

Items: A0600A Social Security Number

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			X0500	Correction: resident social security number
-3568	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p>Items: A0100A Facility National Provider Identifier (NPI)</p>	
-3569	Format	Fatal	<p>If the first character is numeric [0 through 9], then the first 9 characters must be digits [0 through 9].</p> <p>Items: A0600B Resident Medicare/railroad insurance number</p>	
-3570	Format	Fatal	<p>If the first character is alphabetic, then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers, up to the length of the item.</p> <p>Items: A0600B Resident Medicare/railroad insurance number</p>	
-3571	Consistency	Fatal	<p>If this is a PPS assessment (A0310B=[01,02,03,04,05,06,07]), then the Medicare or comparable railroad insurance number (A0600B) must be present (not [^]). Thus, the submission will be rejected if this is a PPS assessment and A0600B is equal to [^].</p> <p>Items: A0310B Type of assessment: PPS A0600B Resident Medicare/railroad insurance number</p>	
-3572	Skip pattern	Fatal	<p>a) If A1100A=[0,9], then if A1100B is active it must equal [^]. b) If A1100A=[1], then if A1100B is active it must not equal [^]. c) If A1100A=[-], then if A1100B is active it must equal [-].</p> <p>Items: A1100A Does the resident need or want an interpreter A1100B Preferred language</p>	
-3586	Skip pattern	Fatal	<p>a) If C0500=[-,99], then if C0600 is active it must equal [1,-]. b) If C0500=[00-15], then if C0600 is active it must equal [0].</p> <p>Items: C0500 BIMS res interview: summary score C0600 Staff asmt mental status: conduct asmt</p>	
-3587	Consistency	Fatal	<p>D0300 must equal the sum of the values of the following nine items: D0200A2, D0200B2, D0200C2, D0200D2, D0200E2, D0200F2, D0200G2, D0200H2, D0200I2. These are referred to as the "items in Column 2", below.</p> <p>The following rules describe the computation of the sum that is placed in D0300. Note that these rules apply only if D0100=[1]. If D0100=[0,-,^], then Edit -3703 applies instead. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-] or that are skipped and are therefore equal to [^].</p> <p>a) If all of the items in Column 2 have valid values [0,1,2,3], then D0300 must equal the simple sum of those values.</p> <p>b) If any of the items in Column 2 are equal to [-,^], then count their values as zero in computing the sum.</p> <p>c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 9/8 (1.125), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the seven items in Column 2 that have valid values, multiply the sum by 9/7 (1.286), and place the result rounded to the nearest integer in D0300 (see edit -9013 for rounding rules).</p> <p>e) If the number of missing items in Column 2 (as defined above) is equal to three or more and at least one of the items in Column 2 is not equal to [-], then D0300 must equal [99].</p> <p>f) If all of the items in Column 2 are equal to [-], then D0300 must equal [-].</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

The MDS Submission System will recalculate the value in D0300. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

Items: D0100	PHQ: should resident mood interview be conducted
D0200A2	PHQ res: little interest or pleasure - frequency
D0200B2	PHQ res: feeling down, depressed - frequency
D0200C2	PHQ res: trouble with sleep - frequency
D0200D2	PHQ res: feeling tired/little energy - frequency
D0200E2	PHQ res: poor appetite or overeating - frequency
D0200F2	PHQ res: feeling bad about self - frequency
D0200G2	PHQ res: trouble concentrating - frequency
D0200H2	PHQ res: slow, fidgety, restless - frequency
D0200I2	PHQ res: thoughts better off dead - frequency
D0300	PHQ res: total mood severity score

-3588 Consistency Fatal

D0600 must equal the sum of the values of the following ten items: D0500A2, D0500B2, D0500C2, D0500D2, D0500E2, D0500F2, D0500G2, D0500H2, D0500I2, D0500J2. These are referred to as the "items in Column 2", below.

The following rules describe the computation of the sum that is placed in D0600. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are equal to [-].

a) If all of the items in Column 2 have valid values [0,1,2,3], then D0600 must equal the simple sum of those values.

b) If any of the items in Column 2 are equal to [-], then count their values as zero in computing the sum.

c) If the number of missing items in Column 2 (as defined above) is equal to one, then compute the simple sum of the nine items in Column 2 that have valid values, multiply the sum by 10/9 (1.111), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

d) If the number of missing items in Column 2 (as defined above) is equal to two, then compute the simple sum of the eight items in Column 2 that have valid values, multiply the sum by 10/8 (1.250), and place the result rounded to the nearest integer in D0600 (see edit -9013 for rounding rules).

e) If the number of missing items in Column 2 (as defined above) is equal to three or more, then D0600 must equal [-].

The MDS Submission System will recalculate the value in D0600. If the recalculated value differs from the submitted value, a fatal error message will be issued and the record will be rejected.

Items: D0500A2	PHQ staff: little interest or pleasure - frequency
D0500B2	PHQ staff: feeling down, depressed - frequency
D0500C2	PHQ staff: trouble with sleep - frequency
D0500D2	PHQ staff: feeling tired/little energy - frequency
D0500E2	PHQ staff: poor appetite or overeating - frequency
D0500F2	PHQ staff: feeling bad about self - frequency
D0500G2	PHQ staff: trouble concentrating - frequency
D0500H2	PHQ staff: slow, fidgety, restless - frequency
D0500I2	PHQ staff: thoughts better off dead - frequency
D0500J2	PHQ staff: short-tempered - frequency
D0600	PHQ staff: total mood score

-3590 Consistency Fatal

If F0300 is equal to [1], then the following rules apply:

a) If 3 or more items from F0400A through F0500H are equal to [9, -] and at least one of these items is not equal to [-], then F0600 must equal [9, -] and F0700 must equal [1, -].

b) If 2 or fewer items from F0400A through F0500H are equal to [9, -], then F0600 must

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

equal [1,2,-] and F0700 must equal [0, -].

c) If all items from F0400A through F0500H are equal to [-], then F0600 must equal [-] and F0700 must equal [1,-].

Items: F0300	Conduct res interview for daily/activity prefs
F0400A	Res interview: choose clothes to wear
F0400B	Res interview: take care of personal belongings
F0400C	Res interview: choose tub, bath, shower, sponge
F0400D	Res interview: have snacks between meals
F0400E	Res interview: choose own bedtime
F0400F	Res interview: discuss care with family/friend
F0400G	Res interview: use phone in private
F0400H	Res interview: lock things to keep them safe
F0500A	Res interview: have books, newspaper, mags to read
F0500B	Res interview: listen to music
F0500C	Res interview: be around animals/pets
F0500D	Res interview: keep up with news
F0500E	Res interview: do things with groups of people
F0500F	Res interview: do favorite activities
F0500G	Res interview: go outside when good weather
F0500H	Res interview: participate in religious practices
F0600	Primary respondent: daily/activities prefs
F0700	Conduct staff assessment for daily/activity prefs

-3591 Format Fatal

***THIS EDIT WAS DELETED IN V1.15.0 OF THE DATA SPECS

Items: I8000A	Additional active ICD diagnosis 1
I8000B	Additional active ICD diagnosis 2
I8000C	Additional active ICD diagnosis 3
I8000D	Additional active ICD diagnosis 4
I8000E	Additional active ICD diagnosis 5
I8000F	Additional active ICD diagnosis 6
I8000G	Additional active ICD diagnosis 7
I8000H	Additional active ICD diagnosis 8
I8000I	Additional active ICD diagnosis 9
I8000J	Additional active ICD diagnosis 10

-3593 Consistency Fatal

a) If M0300C1, M0300D1, or M0300F1 are equal to [1-9], then M0610A, M0610B, and M0610C must contain values that are not equal to [^].

b) If M0300C1, M0300D1, and M0300F1 are all equal to [0,-,^], then M0610A, M0610B, and M0610C must equal [^].

Items: M0300C1	Stage 3 pressure ulcers: number present
M0300D1	Stage 4 pressure ulcers: number present
M0300F1	Unstaged slough/eschar: number present
M0610A	Stage 3 or 4 pressure ulcer longest length
M0610B	Stage 3 or 4 pressure ulcer width (same ulcer)
M0610C	Stage 3 or 4 pressure ulcer depth (same ulcer)

-3595 None of above Fatal

If M0100A through M0100C and M0100Z are all active, then the following rules apply:

a) If M0100Z=[0], then at least one item from M0100A through M0100C must equal [1].

b) If M0100Z=[1], then all items from M0100A through M0100C must equal [0].

c) If M0100Z=[-], then at least one item from M0100A through M0100C must equal [-] and all remaining items must equal [0,-].

Items: M0100A	Risk determination: has ulcer, scar, or dressing
M0100B	Risk determination: formal assessment
M0100C	Risk determination: clinical assessment

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			M0100Z	Risk determination: none of the above										
-3596	Consistency	Fatal	<p>a) If A0310E=[1], then all active items from M0800A through M0800C must equal [^].</p> <p>b) If A0310E=[0] and M0210=[1], then all active items from M0800A through M0800C must not equal [^].</p> <p>c) If A0310E=[0] and M0210=[-], then all active items from M0800A through M0800C must equal [-].</p> <table><tr><td>Items: A0310E</td><td>First assessment since most recent entry</td></tr><tr><td>M0210</td><td>Resident has Stage 1 or higher pressure ulcers</td></tr><tr><td>M0800A</td><td>Worsened since prior asmt: Stage 2 pressure ulcers</td></tr><tr><td>M0800B</td><td>Worsened since prior asmt: Stage 3 pressure ulcers</td></tr><tr><td>M0800C</td><td>Worsened since prior asmt: Stage 4 pressure ulcers</td></tr></table>		Items: A0310E	First assessment since most recent entry	M0210	Resident has Stage 1 or higher pressure ulcers	M0800A	Worsened since prior asmt: Stage 2 pressure ulcers	M0800B	Worsened since prior asmt: Stage 3 pressure ulcers	M0800C	Worsened since prior asmt: Stage 4 pressure ulcers
Items: A0310E	First assessment since most recent entry													
M0210	Resident has Stage 1 or higher pressure ulcers													
M0800A	Worsened since prior asmt: Stage 2 pressure ulcers													
M0800B	Worsened since prior asmt: Stage 3 pressure ulcers													
M0800C	Worsened since prior asmt: Stage 4 pressure ulcers													
-3597	Skip pattern	Fatal	<p>If A0310E=[0], then if M0900A is active it must equal [0,1,-].</p> <table><tr><td>Items: A0310E</td><td>First assessment since most recent entry</td></tr><tr><td>M0900A</td><td>Pressure ulcers on prior assessment</td></tr></table>		Items: A0310E	First assessment since most recent entry	M0900A	Pressure ulcers on prior assessment						
Items: A0310E	First assessment since most recent entry													
M0900A	Pressure ulcers on prior assessment													
-3598	Skip pattern	Fatal	<p>a) If M0900A=[1], then all active items from M0900B through M0900D must not equal [^].</p> <p>b) If M0900A=[0,^], then all active items from M0900B through M0900D must equal [^].</p> <p>c) If M0900A=[-], then all active items from M0900B through M0900D must equal [-].</p> <table><tr><td>Items: M0900A</td><td>Pressure ulcers on prior assessment</td></tr><tr><td>M0900B</td><td>Healed pressure ulcers: Stage 2</td></tr><tr><td>M0900C</td><td>Healed pressure ulcers: Stage 3</td></tr><tr><td>M0900D</td><td>Healed pressure ulcers: Stage 4</td></tr></table>		Items: M0900A	Pressure ulcers on prior assessment	M0900B	Healed pressure ulcers: Stage 2	M0900C	Healed pressure ulcers: Stage 3	M0900D	Healed pressure ulcers: Stage 4		
Items: M0900A	Pressure ulcers on prior assessment													
M0900B	Healed pressure ulcers: Stage 2													
M0900C	Healed pressure ulcers: Stage 3													
M0900D	Healed pressure ulcers: Stage 4													
-3605	Consistency	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <table><tr><td>Items: J1800</td><td>Falls since admit/prior asmt: any falls</td></tr><tr><td>J1900A</td><td>Falls since admit/prior asmt: no injury</td></tr><tr><td>J1900B</td><td>Falls since admit/prior asmt: injury (not major)</td></tr><tr><td>J1900C</td><td>Falls since admit/prior asmt: major injury</td></tr></table>		Items: J1800	Falls since admit/prior asmt: any falls	J1900A	Falls since admit/prior asmt: no injury	J1900B	Falls since admit/prior asmt: injury (not major)	J1900C	Falls since admit/prior asmt: major injury		
Items: J1800	Falls since admit/prior asmt: any falls													
J1900A	Falls since admit/prior asmt: no injury													
J1900B	Falls since admit/prior asmt: injury (not major)													
J1900C	Falls since admit/prior asmt: major injury													
-3607	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Character 1 indicates the type of provider and is based upon the value of A0200, as follows:</p> <p>a) If A0200 is equal to [1] (nursing home record), then character 1 of the ISC is equal to [N].</p> <p>b) If A0200 is equal to [2] (swing bed record), then character 1 of the ISC is equal to [S].</p> <p>Characters 2 and 3 indicate the type of record and are based upon the values of the Reason For Assessment (RFA) items A0310A, A0310B, A0310C, A0310D, A0310F, and A0310H. The "Item Subset Code (ISC) Report" that accompanies the data specs lists all possible combinations of the RFA items and their associated ISCs. If the ISC that is listed in the report is equal to dashes, then the combination of RFA items is not allowed. If a record is submitted with one of these invalid RFA combinations, a fatal error will occur and it will be rejected.</p> <p>The ISC_VAL table that is contained in the data specifications Access database is used to generate the ISC report and can be used by programmers as a lookup table. In addition, an appendix of the overview document that accompanies these data specifications contains source code for a Visual Basic function (GetISC_10012016()) that can be used to determine the ISC that is associated with any combination of the RFA items.</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to</p>											

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

the documentation that accompanies these data specifications.

Items: A0200	Type of provider
A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310C	Type of assessment: OMRA
A0310D	Swing bed clinical change assessment
A0310F	Entry/discharge reporting
A0310H	SNF PPS Part A Discharge (End of Stay) Assessment

-3608 Consistency Fatal

- a) If A0200=[1] (this is a nursing home record) and A0310E is equal to [1], then A0310A must equal [01,02,03,04,05,06] OR A0310B must equal [01,02,03,04,05,06] OR A0310F must equal [10,11].
- b) If A0200=[2] (this is a swing bed record) and A0310E is equal to [1], then A0310B must equal [01,02,03,04,05,06] OR A0310F must equal [10,11].

Items: A0200	Type of provider
A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310E	First assessment since most recent entry
A0310F	Entry/discharge reporting

-3609 Skip pattern Fatal

If B0100=[1], then all active items from B0200 through F0800Z must equal [^].

Items: B0100	Comatose
B0200	Hearing
B0300	Hearing aid
B0600	Speech clarity
B0700	Makes self understood
B0800	Ability to understand others
B1000	Vision
B1200	Corrective lenses
C0100	BIMS: should resident interview be conducted
C0200	BIMS res interview: repetition of three words
C0300A	BIMS res interview: able to report correct year
C0300B	BIMS res interview: able to report correct month
C0300C	BIMS res interview: can report correct day of week
C0400A	BIMS res interview: able to recall "sock"
C0400B	BIMS res interview: able to recall "blue"
C0400C	BIMS res interview: able to recall "bed"
C0500	BIMS res interview: summary score
C0600	Staff asmt mental status: conduct asmt
C0700	Staff asmt mental status: short-term memory OK
C0800	Staff asmt mental status: long-term memory OK
C0900A	Staff asmt mental status: recall current season
C0900B	Staff asmt mental status: recall location of room
C0900C	Staff asmt mental status: recall staff names/faces
C0900D	Staff asmt mental status: recall in nh/hosp sw bed
C0900Z	Staff asmt mental status: none of above recalled
C1000	Cognitive skills for daily decision making
C1310A	Acute Onset Mental Status Change
C1310B	Inattention
C1310C	Disorganized thinking
C1310D	Altered level of consciousness
D0100	PHQ: should resident mood interview be conducted
D0200A1	PHQ res: little interest or pleasure - presence
D0200A2	PHQ res: little interest or pleasure - frequency

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

D0200B1	PHQ res: feeling down, depressed - presence
D0200B2	PHQ res: feeling down, depressed - frequency
D0200C1	PHQ res: trouble with sleep - presence
D0200C2	PHQ res: trouble with sleep - frequency
D0200D1	PHQ res: feeling tired/little energy - presence
D0200D2	PHQ res: feeling tired/little energy - frequency
D0200E1	PHQ res: poor appetite or overeating - presence
D0200E2	PHQ res: poor appetite or overeating - frequency
D0200F1	PHQ res: feeling bad about self - presence
D0200F2	PHQ res: feeling bad about self - frequency
D0200G1	PHQ res: trouble concentrating - presence
D0200G2	PHQ res: trouble concentrating - frequency
D0200H1	PHQ res: slow, fidgety, restless - presence
D0200H2	PHQ res: slow, fidgety, restless - frequency
D0200I1	PHQ res: thoughts better off dead - presence
D0200I2	PHQ res: thoughts better off dead - frequency
D0300	PHQ res: total mood severity score
D0350	PHQ res: safety notification
D0500A1	PHQ staff: little interest or pleasure - presence
D0500A2	PHQ staff: little interest or pleasure - frequency
D0500B1	PHQ staff: feeling down, depressed - presence
D0500B2	PHQ staff: feeling down, depressed - frequency
D0500C1	PHQ staff: trouble with sleep - presence
D0500C2	PHQ staff: trouble with sleep - frequency
D0500D1	PHQ staff: feeling tired/little energy - presence
D0500D2	PHQ staff: feeling tired/little energy - frequency
D0500E1	PHQ staff: poor appetite or overeating - presence
D0500E2	PHQ staff: poor appetite or overeating - frequency
D0500F1	PHQ staff: feeling bad about self - presence
D0500F2	PHQ staff: feeling bad about self - frequency
D0500G1	PHQ staff: trouble concentrating - presence
D0500G2	PHQ staff: trouble concentrating - frequency
D0500H1	PHQ staff: slow, fidgety, restless - presence
D0500H2	PHQ staff: slow, fidgety, restless - frequency
D0500I1	PHQ staff: thoughts better off dead - presence
D0500I2	PHQ staff: thoughts better off dead - frequency
D0500J1	PHQ staff: short-tempered - presence
D0500J2	PHQ staff: short-tempered - frequency
D0600	PHQ staff: total mood score
D0650	PHQ staff: safety notification
E0100A	Psychosis: hallucinations
E0100B	Psychosis: delusions
E0100Z	Psychosis: none of the above
E0200A	Physical behav symptoms directed toward others
E0200B	Verbal behav symptoms directed toward others
E0200C	Other behav symptoms not directed toward others
E0300	Overall presence of behavioral symptoms
E0500A	Behav symptoms put res at risk for illness/injury
E0500B	Behav symptoms interfere with resident care
E0500C	Behav symptoms interfere with social activities
E0600A	Behav symptoms put others at risk for injury
E0600B	Behav symptoms intrude on privacy of others
E0600C	Behav symptoms disrupt care or living environment
E0800	Rejection of care: presence and frequency
E0900	Wandering: presence and frequency

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

E1000A	Wandering: risk of getting to dangerous place
E1000B	Wandering: intrude on privacy of others
E1100	Change in behavioral or other symptoms
F0300	Conduct res interview for daily/activity prefs
F0400A	Res interview: choose clothes to wear
F0400B	Res interview: take care of personal belongings
F0400C	Res interview: choose tub, bath, shower, sponge
F0400D	Res interview: have snacks between meals
F0400E	Res interview: choose own bedtime
F0400F	Res interview: discuss care with family/friend
F0400G	Res interview: use phone in private
F0400H	Res interview: lock things to keep them safe
F0500A	Res interview: have books, newspaper, mags to read
F0500B	Res interview: listen to music
F0500C	Res interview: be around animals/pets
F0500D	Res interview: keep up with news
F0500E	Res interview: do things with groups of people
F0500F	Res interview: do favorite activities
F0500G	Res interview: go outside when good weather
F0500H	Res interview: participate in religious practices
F0600	Primary respondent: daily/activities prefs
F0700	Conduct staff assessment for daily/activity prefs
F0800A	Staff assessment: choosing clothes to wear
F0800B	Staff assessment: caring for personal belongings
F0800C	Staff assessment: receiving tub bath
F0800D	Staff assessment: receiving shower
F0800E	Staff assessment: receiving bed bath
F0800F	Staff assessment: receiving sponge bath
F0800G	Staff assessment: snacks between meals
F0800H	Staff assessment: staying up past 8PM
F0800I	Staff assessment: discuss care with family/other
F0800J	Staff assessment: use phone in private
F0800K	Staff assessment: place to lock personal things
F0800L	Staff assessment: reading books, newspapers, mags
F0800M	Staff assessment: listening to music
F0800N	Staff assessment: being around animals/pets
F0800O	Staff assessment: keeping up with news
F0800P	Staff assessment: doing things with groups
F0800Q	Staff assessment: participate favorite activities
F0800R	Staff assessment: spend time away from nursng home
F0800S	Staff assessment: spend time outdoors
F0800T	Staff assessment: participate religious activities
F0800Z	Staff assessment: none of above activities

-3610 Skip pattern Fatal

If B0100=[1], then all active items from J0200 through J0850 must equal [^].

Items: B0100	Comatose
J0200	Should pain assessment interview be conducted
J0300	Res pain interview: presence
J0400	Res pain interview: frequency
J0500A	Res pain interview: made it hard to sleep
J0500B	Res pain interview: limited daily activities
J0600A	Res pain interview: intensity rating scale
J0600B	Res pain interview: verbal descriptor scale
J0700	Should staff assessment for pain be conducted
J0800A	Staff pain asmt: non-verbal sounds

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			J0800B	Staff pain asmt: vocal complaints of pain
			J0800C	Staff pain asmt: facial expressions
			J0800D	Staff pain asmt: protective movements/postures
			J0800Z	Staff pain asmt: none of these signs observed
			J0850	Staff pain asmt: frequency of pain
-3612	Consistency	Fatal	<p>a) If M0210=[0], then all active items from M0300A through M0800C must equal [^].</p> <p>b) If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers</p> <p> M0300A Stage 1 pressure ulcers: number present</p> <p> M0300B1 Stage 2 pressure ulcers: number present</p> <p> M0300B2 Stage 2 pressure ulcers: number at admit/reentry</p> <p> M0300B3 Stage 2 pressure ulcers: date of oldest</p> <p> M0300C1 Stage 3 pressure ulcers: number present</p> <p> M0300C2 Stage 3 pressure ulcers: number at admit/reentry</p> <p> M0300D1 Stage 4 pressure ulcers: number present</p> <p> M0300D2 Stage 4 pressure ulcers: number at admit/reentry</p> <p> M0300E1 Unstaged due to dressing: number present</p> <p> M0300E2 Unstaged due to dressing: number at admit/reentry</p> <p> M0300F1 Unstaged slough/eschar: number present</p> <p> M0300F2 Unstaged slough/eschar: number at admit/reentry</p> <p> M0300G1 Unstageable - deep tissue injury: # present</p> <p> M0300G2 Unstageable - deep tissue injury: # at adm/reent</p> <p> M0610A Stage 3 or 4 pressure ulcer longest length</p> <p> M0610B Stage 3 or 4 pressure ulcer width (same ulcer)</p> <p> M0610C Stage 3 or 4 pressure ulcer depth (same ulcer)</p> <p> M0700 Tissue type for ulcer at most advanced stage</p> <p> M0800A Worsened since prior asmt: Stage 2 pressure ulcers</p> <p> M0800B Worsened since prior asmt: Stage 3 pressure ulcers</p> <p> M0800C Worsened since prior asmt: Stage 4 pressure ulcers</p>	
-3616	Consistency	Warning	<p>If the item is active and contains a value, the value should be consistent with all of the MDS items used in the RUGs classification (i.e., the RUGs calculation should be correct).</p> <p>For items Z0100A, Z0100B, and Z0100C, and for items Z0150A and Z0150B, the submission system will recalculate the HIPPS code, the RUG version code, and, for Z0100C, the short stay indicator, and issue a warning if the recalculated values do not match the submitted values.</p> <p>For items Z0200A, Z0200B, Z0250A, and Z0250B, the submission system will recalculate the submitted RUGs code and RUG version code if the State is using a CMS supported RUG model. A warning will be issued if the recalculated codes do not match the submitted codes.</p> <p>Items: Z0100A Medicare Part A: HIPPS code</p> <p> Z0100B Medicare Part A: RUG version code</p> <p> Z0100C Medicare Part A: Medicare short stay asmt</p> <p> Z0150A Medicare Part A: non-therapy HIPPS code</p> <p> Z0150B Medicare Part A: non-therapy RUG version code</p> <p> Z0200A State case mix: RUG group</p> <p> Z0200B State case mix: RUG version code</p> <p> Z0250A State case mix: Alternate RUG group</p> <p> Z0250B State case mix: Alternate RUG version code</p>	
-3617	Skip pattern	Fatal	<p>a) If D0200I1=[0,9,^,-], then if D0350 is active it must equal [^].</p> <p>b) If D0200I1=[1], then if D0350 is active it must not equal [^].</p> <p>Items: D0200I1 PHQ res: thoughts better off dead - presence</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			D0350	PHQ res: safety notification
-3618	Skip pattern	Fatal	<p>a) If D0500I1=[0,^,-], then if D0650 is active it must equal [^].</p> <p>b) If D0500I1=[1], then if D0650 is active it must not equal [^].</p> <p>Items: D0500I1 PHQ staff: thoughts better off dead - presence</p> <p>D0650 PHQ staff: safety notification</p>	
-3619	Skip pattern	Fatal	<p>If D0100=[1], then if D0200B1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200B1 PHQ res: feeling down, depressed - presence</p>	
-3620	Skip pattern	Fatal	<p>If D0100=[1], then if D0200C1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200C1 PHQ res: trouble with sleep - presence</p>	
-3621	Skip pattern	Fatal	<p>If D0100=[1], then if D0200D1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200D1 PHQ res: feeling tired/little energy - presence</p>	
-3622	Skip pattern	Fatal	<p>If D0100=[1], then if D0200E1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200E1 PHQ res: poor appetite or overeating - presence</p>	
-3623	Skip pattern	Fatal	<p>If D0100=[1], then if D0200F1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200F1 PHQ res: feeling bad about self - presence</p>	
-3624	Skip pattern	Fatal	<p>If D0100=[1], then if D0200G1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200G1 PHQ res: trouble concentrating - presence</p>	
-3625	Skip pattern	Fatal	<p>If D0100=[1], then if D0200H1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200H1 PHQ res: slow, fidgety, restless - presence</p>	
-3626	Skip pattern	Fatal	<p>If D0100=[1], then if D0200I1 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0200I1 PHQ res: thoughts better off dead - presence</p>	
-3627	Skip pattern	Fatal	<p>If D0100=[1], then if D0300 is active it must not equal [^].</p> <p>Items: D0100 PHQ: should resident mood interview be conducted</p> <p>D0300 PHQ res: total mood severity score</p>	
-3658	Consistency	Fatal	<p>Coding of A0410 depends upon the resident's status on the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).</p> <p>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).</p> <p>c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Given the target date, the following rules apply:

- a) If the resident is on a Medicare/Medicaid certified unit on the target date for the assessment, then A0410 must be equal to [3] (federal required submission).
- b) If the resident is on a unit that is not Medicare/Medicaid certified on the target date and if the State requires MDS submission for individuals on the resident's unit, then A0410 must be equal to [2] (state but not federal required submission).
- c) If the facility is completing the assessment for another purpose (other than to satisfy Federal or State requirements), then A0410 must be equal to [1] (neither federal nor state required submission).

If A0410 is equal to [2,3], then the assessment **MUST** be submitted to the MDS Submission System.

If A0410 is equal to [1], then the assessment **MUST NOT** be submitted to the MDS Submission System.

NOTE: It is a violation of a resident's right to privacy to submit data to CMS's data systems when the data are not required.

Items: A0310F	Entry/discharge reporting
A0410	Submission requirement
A1600	Entry date (date of admission/reentry in facility)
A2000	Discharge date
A2300	Assessment reference date

-3659 Consistency Fatal

A0900 (birthdate) cannot be more than 140 years earlier than the current date.

Items: A0900	Birthdate
---------------------	-----------

-3660 Consistency Fatal

The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C.

a) If all of the BIMS component items are active and have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items.

b) If all of the BIMS component items are active and have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99].

c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99].

d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].

Items: C0200	BIMS res interview: repetition of three words
C0300A	BIMS res interview: able to report correct year
C0300B	BIMS res interview: able to report correct month
C0300C	BIMS res interview: can report correct day of week
C0400A	BIMS res interview: able to recall "sock"
C0400B	BIMS res interview: able to recall "blue"
C0400C	BIMS res interview: able to recall "bed"
C0500	BIMS res interview: summary score

-3662 Consistency Fatal

If M0300B1 is equal to [1-9], then one of the following must be true:

- a) M0300B2 must be equal to [-], OR
- b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.

Items: M0300B1	Stage 2 pressure ulcers: number present
M0300B2	Stage 2 pressure ulcers: number at admit/reentry

-3663 Consistency Fatal

If M0300C1 is equal to [1-9], then one of the following must be true:

- a) M0300C2 must be equal to [-], OR
- b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			Items: M0300C1 M0300C2	Stage 3 pressure ulcers: number present Stage 3 pressure ulcers: number at admit/reentry
-3664	Consistency	Fatal	If M0300D1 is equal to [1-9], then one of the following must be true: a) M0300D2 must be equal to [-], OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1. Items: M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit/reentry	
-3665	Consistency	Fatal	If M0300E1 is equal to [1-9], then one of the following must be true: a) M0300E2 must be equal to [-], OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1. Items: M0300E1 Unstaged due to dressing: number present M0300E2 Unstaged due to dressing: number at admit/reentry	
-3666	Consistency	Fatal	If M0300F1 is equal to [1-9], then one of the following must be true: a) M0300F2 must be equal to [-], OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1. Items: M0300F1 Unstaged slough/eschar: number present M0300F2 Unstaged slough/eschar: number at admit/reentry	
-3667	Consistency	Fatal	If M0300G1 is equal to [1-9], then one of the following must be true: a) M0300G2 must be equal to [-], OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1. Items: M0300G1 Unstageable - deep tissue injury: # present M0300G2 Unstageable - deep tissue injury: # at adm/reent	
-3668	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 14 days, then the following items in Column 1 must be equal to [^]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 13 days, then the following items in Column 1 must be equal to [0,1,-]: O0100A1, O0100B1, O0100C1, O0100D1, O0100E1, O0100F1, O0100G1, O0100H1, O0100I1, O0100J1, O0100K1, O0100M1, O0100Z1. Items: A1600 Entry date (date of admission/reentry in facility) A2300 Assessment reference date O0100A1 Treatment: chemotherapy - while not resident O0100B1 Treatment: radiation - while not resident O0100C1 Treatment: oxygen therapy - while not resident O0100D1 Treatment: suctioning - while not resident O0100E1 Treatment: tracheostomy care - while not resident O0100F1 Treatment: vent/respirator - while not resident O0100G1 Treatment: BiPAP/CPAP - while not resident O0100H1 Treatment: IV medications - while not resident O0100I1 Treatment: transfusions - while not resident O0100J1 Treatment: dialysis - while not resident O0100K1 Treatment: hospice care - while not resident O0100M1 Treatment: isolate/quarantine - while not resident O0100Z1 Treatment: none of above - while not resident	
-3669	None of above	Fatal	If A1550A through A1550E and A1550Z are all active, then the following rules apply: a) If A1550Z=[0], then at least one item from A1550A through A1550E must equal [1].	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

b) If A1550Z=[1], then all items from A1550A through A1550E must equal [0].

c) If A1550Z=[-], then at least one item from A1550A through A1550E must equal [-] and all remaining items must equal [0,-].

Items: A1550A	ID/DD status: Down syndrome
A1550B	ID/DD status: Autism
A1550C	ID/DD status: Epilepsy
A1550D	ID/DD status: other organic ID/DD condition
A1550E	ID/DD status: ID/DD with no organic condition
A1550Z	ID/DD status: none of the above

-3670 Skip pattern Fatal

If A0310E=[1], then all active items from M0900A through M0900D must equal [^].

Items: A0310E	First assessment since most recent entry
M0900A	Pressure ulcers on prior assessment
M0900B	Healed pressure ulcers: Stage 2
M0900C	Healed pressure ulcers: Stage 3
M0900D	Healed pressure ulcers: Stage 4

-3673 Consistency Warning

If D0200I1 is equal to [1], then D0350 should equal [1].

Items: D0200I1	PHQ res: thoughts better off dead - presence
D0350	PHQ res: safety notification

-3674 Consistency Warning

If D0500I1 is equal to [1], then D0650 should equal [1].

Items: D0500I1	PHQ staff: thoughts better off dead - presence
D0650	PHQ staff: safety notification

-3675 Consistency Fatal

a) If E0200A or E0200B or E0200C is equal to [1,2,3], then if E0300 is active it must be equal to [1].

b) If E0200A and E0200B and E0200C are all equal to [0], then if E0300 is active it must be equal to [0].

c) If E0200A, E0200B or E0200C is equal to [-] and the remaining two items are equal to [0,-], then if E0300 is active it must be equal to [0,-].

Items:	E0200A Physical behav symptoms directed toward others	
	E0200B Verbal behav symptoms directed toward others	
	E0200C Other behav symptoms not directed toward others	
	E0300 Overall presence of behavioral symptoms	

-3676 Format Fatal

Values of Code and Checklist Items:

Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Items: ASMT_SYS_CD	Assessment system code
ITM_SBST_CD	Item subset code
PRODN_TEST_CD	Production/test indicator
STATE_CD	Facility's state postal code
A0050	Type of transaction (formerly X0100)
A0200	Type of provider
A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310C	Type of assessment: OMRA
A0310D	Swing bed clinical change assessment
A0310E	First assessment since most recent entry
A0310F	Entry/discharge reporting
A0310G	Planned/unplanned discharge
A0310H	SNF PPS Part A Discharge (End of Stay) Assessment

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

A0410	Submission requirement
A0800	Gender
A1000A	Ethnicity: American Indian or Alaska Native
A1000B	Ethnicity: Asian
A1000C	Ethnicity: Black or African American
A1000D	Ethnicity: Hispanic or Latino
A1000E	Ethnicity: Native Hawaiian/Pacific Islander
A1000F	Ethnicity: White
A1100A	Does the resident need or want an interpreter
A1200	Marital status
A1500	Resident evaluated by PASRR
A1510A	Level II PASRR conditions: Serious Mental Illness
A1510B	Level II PASRR conditions: Mental Retardation
A1510C	Level II PASRR conditions: Other related condition
A1550A	ID/DD status: Down syndrome
A1550B	ID/DD status: Autism
A1550C	ID/DD status: Epilepsy
A1550D	ID/DD status: other organic ID/DD condition
A1550E	ID/DD status: ID/DD with no organic condition
A1550Z	ID/DD status: none of the above
A1700	Type of entry
A1800	Entered from
A2100	Discharge status
A2400A	Has resident had Medicare-covered stay
B0100	Comatose
B0200	Hearing
B0300	Hearing aid
B0600	Speech clarity
B0700	Makes self understood
B0800	Ability to understand others
B1000	Vision
B1200	Corrective lenses
C0100	BIMS: should resident interview be conducted
C0200	BIMS res interview: repetition of three words
C0300A	BIMS res interview: able to report correct year
C0300B	BIMS res interview: able to report correct month
C0300C	BIMS res interview: can report correct day of week
C0400A	BIMS res interview: able to recall "sock"
C0400B	BIMS res interview: able to recall "blue"
C0400C	BIMS res interview: able to recall "bed"
C0600	Staff asmt mental status: conduct asmt
C0700	Staff asmt mental status: short-term memory OK
C0800	Staff asmt mental status: long-term memory OK
C0900A	Staff asmt mental status: recall current season
C0900B	Staff asmt mental status: recall location of room
C0900C	Staff asmt mental status: recall staff names/faces
C0900D	Staff asmt mental status: recall in nh/hosp sw bed
C0900Z	Staff asmt mental status: none of above recalled
C1000	Cognitive skills for daily decision making
C1310A	Acute Onset Mental Status Change
C1310B	Inattention
C1310C	Disorganized thinking
C1310D	Altered level of consciousness
D0100	PHQ: should resident mood interview be conducted
D0200A1	PHQ res: little interest or pleasure - presence

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

D0200A2	PHQ res: little interest or pleasure - frequency
D0200B1	PHQ res: feeling down, depressed - presence
D0200B2	PHQ res: feeling down, depressed - frequency
D0200C1	PHQ res: trouble with sleep - presence
D0200C2	PHQ res: trouble with sleep - frequency
D0200D1	PHQ res: feeling tired/little energy - presence
D0200D2	PHQ res: feeling tired/little energy - frequency
D0200E1	PHQ res: poor appetite or overeating - presence
D0200E2	PHQ res: poor appetite or overeating - frequency
D0200F1	PHQ res: feeling bad about self - presence
D0200F2	PHQ res: feeling bad about self - frequency
D0200G1	PHQ res: trouble concentrating - presence
D0200G2	PHQ res: trouble concentrating - frequency
D0200H1	PHQ res: slow, fidgety, restless - presence
D0200H2	PHQ res: slow, fidgety, restless - frequency
D0200I1	PHQ res: thoughts better off dead - presence
D0200I2	PHQ res: thoughts better off dead - frequency
D0350	PHQ res: safety notification
D0500A1	PHQ staff: little interest or pleasure - presence
D0500A2	PHQ staff: little interest or pleasure - frequency
D0500B1	PHQ staff: feeling down, depressed - presence
D0500B2	PHQ staff: feeling down, depressed - frequency
D0500C1	PHQ staff: trouble with sleep - presence
D0500C2	PHQ staff: trouble with sleep - frequency
D0500D1	PHQ staff: feeling tired/little energy - presence
D0500D2	PHQ staff: feeling tired/little energy - frequency
D0500E1	PHQ staff: poor appetite or overeating - presence
D0500E2	PHQ staff: poor appetite or overeating - frequency
D0500F1	PHQ staff: feeling bad about self - presence
D0500F2	PHQ staff: feeling bad about self - frequency
D0500G1	PHQ staff: trouble concentrating - presence
D0500G2	PHQ staff: trouble concentrating - frequency
D0500H1	PHQ staff: slow, fidgety, restless - presence
D0500H2	PHQ staff: slow, fidgety, restless - frequency
D0500I1	PHQ staff: thoughts better off dead - presence
D0500I2	PHQ staff: thoughts better off dead - frequency
D0500J1	PHQ staff: short-tempered - presence
D0500J2	PHQ staff: short-tempered - frequency
D0650	PHQ staff: safety notification
E0100A	Psychosis: hallucinations
E0100B	Psychosis: delusions
E0100Z	Psychosis: none of the above
E0200A	Physical behav symptoms directed toward others
E0200B	Verbal behav symptoms directed toward others
E0200C	Other behav symptoms not directed toward others
E0300	Overall presence of behavioral symptoms
E0500A	Behav symptoms put res at risk for illness/injury
E0500B	Behav symptoms interfere with resident care
E0500C	Behav symptoms interfere with social activities
E0600A	Behav symptoms put others at risk for injury
E0600B	Behav symptoms intrude on privacy of others
E0600C	Behav symptoms disrupt care or living environment
E0800	Rejection of care: presence and frequency
E0900	Wandering: presence and frequency
E1000A	Wandering: risk of getting to dangerous place

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

E1000B	Wandering: intrude on privacy of others
E1100	Change in behavioral or other symptoms
F0300	Conduct res interview for daily/activity prefs
F0400A	Res interview: choose clothes to wear
F0400B	Res interview: take care of personal belongings
F0400C	Res interview: choose tub, bath, shower, sponge
F0400D	Res interview: have snacks between meals
F0400E	Res interview: choose own bedtime
F0400F	Res interview: discuss care with family/friend
F0400G	Res interview: use phone in private
F0400H	Res interview: lock things to keep them safe
F0500A	Res interview: have books, newspaper, mags to read
F0500B	Res interview: listen to music
F0500C	Res interview: be around animals/pets
F0500D	Res interview: keep up with news
F0500E	Res interview: do things with groups of people
F0500F	Res interview: do favorite activities
F0500G	Res interview: go outside when good weather
F0500H	Res interview: participate in religious practices
F0600	Primary respondent: daily/activities prefs
F0700	Conduct staff assessment for daily/activity prefs
F0800A	Staff assessment: choosing clothes to wear
F0800B	Staff assessment: caring for personal belongings
F0800C	Staff assessment: receiving tub bath
F0800D	Staff assessment: receiving shower
F0800E	Staff assessment: receiving bed bath
F0800F	Staff assessment: receiving sponge bath
F0800G	Staff assessment: snacks between meals
F0800H	Staff assessment: staying up past 8PM
F0800I	Staff assessment: discuss care with family/other
F0800J	Staff assessment: use phone in private
F0800K	Staff assessment: place to lock personal things
F0800L	Staff assessment: reading books, newspapers, mags
F0800M	Staff assessment: listening to music
F0800N	Staff assessment: being around animals/pets
F0800O	Staff assessment: keeping up with news
F0800P	Staff assessment: doing things with groups
F0800Q	Staff assessment: participate favorite activities
F0800R	Staff assessment: spend time away from nursng home
F0800S	Staff assessment: spend time outdoors
F0800T	Staff assessment: participate religious activities
F0800Z	Staff assessment: none of above activities
G0110A1	Bed mobility: self-performance
G0110A2	Bed mobility: support provided
G0110B1	Transfer: self-performance
G0110B2	Transfer: support provided
G0110C1	Walk in room: self-performance
G0110C2	Walk in room: support provided
G0110D1	Walk in corridor: self-performance
G0110D2	Walk in corridor: support provided
G0110E1	Locomotion on unit: self-performance
G0110E2	Locomotion on unit: support provided
G0110F1	Locomotion off unit: self-performance
G0110F2	Locomotion off unit: support provided
G0110G1	Dressing: self-performance

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

G0110G2	Dressing: support provided
G0110H1	Eating: self-performance
G0110H2	Eating: support provided
G0110I1	Toilet use: self-performance
G0110I2	Toilet use: support provided
G0110J1	Personal hygiene: self-performance
G0110J2	Personal hygiene: support provided
G0120A	Bathing: self-performance
G0120B	Bathing: support provided
G0300A	Balance: moving from seated to standing position
G0300B	Balance: walking (with assistive device if used)
G0300C	Balance: turning around while walking
G0300D	Balance: moving on and off toilet
G0300E	Balance: surface-to-surface transfer
G0400A	ROM limitation: upper extremity
G0400B	ROM limitation: lower extremity
G0600A	Mobility devices: cane/crutch
G0600B	Mobility devices: walker
G0600C	Mobility devices: wheelchair (manual or electric)
G0600D	Mobility devices: limb prosthesis
G0600Z	Mobility devices: none of the above
G0900A	Resident believes capable of increased independ
G0900B	Staff believes res capable of increased independ
GG0130A1	Eating (Start of Stay Perf)
GG0130A2	Eating (Dschg Goal)
GG0130A3	Eating (Dschg Perf)
GG0130B1	Oral Hygiene (Start of Stay Perf)
GG0130B2	Oral Hygiene (Dschg Goal)
GG0130B3	Oral Hygiene (Dschg Perf)
GG0130C1	Toileting Hygiene (Start of Stay Perf)
GG0130C2	Toileting Hygiene (Dschg Goal)
GG0130C3	Toileting Hygiene (Dschg Perf)
GG0170B1	Sit to lying (Start of Stay Perf)
GG0170B2	Sit to lying (Dschg Goal)
GG0170B3	Sit to lying (Dschg Perf)
GG0170C1	Lying to sitting on bed side (Start of Stay Perf)
GG0170C2	Lying to sitting on bed side (Dschg Goal)
GG0170C3	Lying to sitting on bed side (Dschg Perf)
GG0170D1	Sit to stand (Start of Stay Perf)
GG0170D2	Sit to stand (Dschg Goal)
GG0170D3	Sit to stand (Dschg Perf)
GG0170E1	Chair/bed-to-chair transfer (Start of Stay Perf)
GG0170E2	Chair/bed-to-chair transfer (Dschg Goal)
GG0170E3	Chair/bed-to-chair transfer (Dschg Perf)
GG0170F1	Toilet transfer (Start of Stay Perf)
GG0170F2	Toilet transfer (Dschg Goal)
GG0170F3	Toilet transfer (Dschg Perf)
GG0170H1	Does the resident walk? (Start of Stay Perf)
GG0170H3	Does the resident walk? (Dschg Perf)
GG0170J1	Walk 50 feet with two turns (Start of Stay Perf)
GG0170J2	Walk 50 feet with two turns (Dschg Goal)
GG0170J3	Walk 50 feet with two turns (Dschg Perf)
GG0170K1	Walk 150 feet (Start of Stay Perf)
GG0170K2	Walk 150 feet (Dschg Goal)
GG0170K3	Walk 150 feet (Dschg Perf)

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

GG0170Q1	Use of wheelchair/scooter (Start of Stay Perf)
GG0170Q3	Use of wheelchair/scooter (Dschg Perf)
GG0170R1	Wheel 50 feet with two turns (Start of Stay Perf)
GG0170R2	Wheel 50 feet with two turns (Dschg Goal)
GG0170R3	Wheel 50 feet with two turns (Dschg Perf)
GG0170RR1	Type wheelchair/scooter used (Start of Stay Perf)
GG0170RR3	Type wheelchair/scooter used (Dschg Perf)
GG0170S1	Wheel 150 feet (Start of Stay Perf)
GG0170S2	Wheel 150 feet (Dschg Goal)
GG0170S3	Wheel 150 feet (Dschg Perf)
GG0170SS1	Type wheelchair/scooter used (Start of Stay Perf)
GG0170SS3	Type wheelchair/scooter used (Dschg Perf)
H0100A	Appliances: indwelling catheter
H0100B	Appliances: external catheter
H0100C	Appliances: ostomy
H0100D	Appliances: intermittent catheterization
H0100Z	Appliances: none of the above
H0200A	Urinary toileting program: has been attempted
H0200B	Urinary toileting program: response
H0200C	Urinary toileting program: current program/trial
H0300	Urinary continence
H0400	Bowel continence
H0500	Bowel toileting program being used
H0600	Constipation
I0100	Cancer (with or without metastasis)
I0200	Anemia
I0300	Atrial fibrillation and other dysrhythmias
I0400	Coronary artery disease (CAD)
I0500	Deep venous thrombosis (DVT), PE, or PTE
I0600	Heart failure
I0700	Hypertension
I0800	Orthostatic hypotension
I0900	Peripheral vascular disease (PVD) or PAD
I1100	Cirrhosis
I1200	Gastroesophageal reflux disease (GERD) or ulcer
I1300	Ulcerative colitis, Crohn's, inflam bowel disease
I1400	Benign prostatic hyperplasia (BPH)
I1500	Renal insufficiency, renal failure, ESRD
I1550	Neurogenic bladder
I1650	Obstructive uropathy
I1700	Multidrug resistant organism (MDRO)
I2000	Pneumonia
I2100	Septicemia
I2200	Tuberculosis
I2300	Urinary tract infection (UTI) (LAST 30 DAYS)
I2400	Viral hepatitis (includes type A, B, C, D, and E)
I2500	Wound infection (other than foot)
I2900	Diabetes mellitus (DM)
I3100	Hyponatremia
I3200	Hyperkalemia
I3300	Hyperlipidemia (e.g., hypercholesterolemia)
I3400	Thyroid disorder
I3700	Arthritis
I3800	Osteoporosis
I3900	Hip fracture

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

I4000	Other fracture
I4200	Alzheimer's disease
I4300	Aphasia
I4400	Cerebral palsy
I4500	Cerebrovascular accident (CVA), TIA, or stroke
I4800	Non-Alzheimer's dementia
I4900	Hemiplegia or hemiparesis
I5000	Paraplegia
I5100	Quadriplegia
I5200	Multiple sclerosis
I5250	Huntington's disease
I5300	Parkinson's disease
I5350	Tourette's syndrome
I5400	Seizure disorder or epilepsy
I5500	Traumatic brain injury (TBI)
I5600	Malnutrition (protein, calorie), risk of malnutrit
I5700	Anxiety disorder
I5800	Depression (other than bipolar)
I5900	Manic depression (bipolar disease)
I5950	Psychotic disorder (other than schizophrenia)
I6000	Schizophrenia
I6100	Post-traumatic stress disorder (PTSD)
I6200	Asthma (COPD) or chronic lung disease
I6300	Respiratory failure
I6500	Cataracts, glaucoma, or macular degeneration
I7900	None of above active diseases within last 7 days
J0100A	Pain: received scheduled pain med regimen
J0100B	Pain: received PRN pain medications
J0100C	Pain: received non-medication intervention
J0200	Should pain assessment interview be conducted
J0300	Res pain interview: presence
J0400	Res pain interview: frequency
J0500A	Res pain interview: made it hard to sleep
J0500B	Res pain interview: limited daily activities
J0600B	Res pain interview: verbal descriptor scale
J0700	Should staff assessment for pain be conducted
J0800A	Staff pain asmt: non-verbal sounds
J0800B	Staff pain asmt: vocal complaints of pain
J0800C	Staff pain asmt: facial expressions
J0800D	Staff pain asmt: protective movements/postures
J0800Z	Staff pain asmt: none of these signs observed
J0850	Staff pain asmt: frequency of pain
J1100A	Short breath/trouble breathing: with exertion
J1100B	Short breath/trouble breathing: sitting at rest
J1100C	Short breath/trouble breathing: lying flat
J1100Z	Short breath/trouble breathing: none of above
J1300	Current tobacco use
J1400	Prognosis: life expectancy of less than 6 months
J1550A	Problem conditions: fever
J1550B	Problem conditions: vomiting
J1550C	Problem conditions: dehydrated
J1550D	Problem conditions: internal bleeding
J1550Z	Problem conditions: none of the above
J1700A	Fall history: fall during month before admission
J1700B	Fall history: fall 2-6 months before admission

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

J1700C	Fall history: fracture from fall 6 month pre admit
J1800	Falls since admit/prior asmt: any falls
J1900A	Falls since admit/prior asmt: no injury
J1900B	Falls since admit/prior asmt: injury (not major)
J1900C	Falls since admit/prior asmt: major injury
K0100A	Swallow disorder: loss liquids/solids from mouth
K0100B	Swallow disorder: holds food in mouth/cheeks
K0100C	Swallow disorder: cough/choke with meals/meds
K0100D	Swallow disorder: difficulty or pain swallowing
K0100Z	Swallow disorder: none of the above
K0300	Weight loss
K0310	Weight Gain
K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
K0510A2	Nutrition approach: Res: parenteral /IV feeding
K0510B1	Nutrition approach: Not Res: feeding tube
K0510B2	Nutrition approach: Res: feeding tube
K0510C1	Nutrition approach: Not Res: mechanic altered diet
K0510C2	Nutrition approach: Res: mechanic altered diet
K0510D1	Nutrition approach: Not Res: therapeutic diet
K0510D2	Nutrition approach: Res: therapeutic diet
K0510Z1	Nutrition approach: Not Res: none of the above
K0510Z2	Nutrition approach: Res: none of the above
K0710A1	Prop calories parenteral/tube feed: not resident
K0710A2	Prop calories parenteral/tube feed: while resident
K0710A3	Prop calories parenteral/tube feed: 7 days
K0710B1	Avg fluid intake per day IV/tube: not resident
K0710B2	Avg fluid intake per day IV/ tube: while resident
K0710B3	Avg fluid intake per day IV/tube: 7 days
L0200A	Dental: broken or loosely fitting denture
L0200B	Dental: no natural teeth or tooth fragment(s)
L0200C	Dental: abnormal mouth tissue
L0200D	Dental: cavity or broken natural teeth
L0200E	Dental: inflamed/bleeding gums or loose teeth
L0200F	Dental: pain, discomfort, difficulty chewing
L0200G	Dental: unable to examine
L0200Z	Dental: none of the above
M0100A	Risk determination: has ulcer, scar, or dressing
M0100B	Risk determination: formal assessment
M0100C	Risk determination: clinical assessment
M0100Z	Risk determination: none of the above
M0150	Is resident at risk of developing pressure ulcer
M0210	Resident has Stage 1 or higher pressure ulcers
M0700	Tissue type for ulcer at most advanced stage
M0900A	Pressure ulcers on prior assessment
M1040A	Other skin probs: infection of the foot
M1040B	Other skin probs: diabetic foot ulcer(s)
M1040C	Other skin probs: other open lesion(s) on the foot
M1040D	Other skin probs: lesions not ulcers, rashes, cuts
M1040E	Other skin probs: surgical wound(s)
M1040F	Other skin probs: burns (second or third degree)
M1040G	Skin Tear(s)
M1040H	Moisture Associated Skin Damage (MASD)
M1040Z	Other skin probs: none of the above
M1200A	Skin/ulcer treat: pressure reduce device for chair
M1200B	Skin/ulcer treat: pressure reducing device for bed

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

M1200C	Skin/ulcer treat: turning/repositioning
M1200D	Skin/ulcer treat: nutrition/hydration
M1200E	Skin/ulcer treat: pressure ulcer care
M1200F	Skin/ulcer treat: surgical wound care
M1200G	Skin/ulcer treat: application of dressings
M1200H	Skin/ulcer treat: apply ointments/medications
M1200I	Skin/ulcer treat: apply dressings to feet
M1200Z	Skin/ulcer treat: none of the above
O0100A1	Treatment: chemotherapy - while not resident
O0100A2	Treatment: chemotherapy - while resident
O0100B1	Treatment: radiation - while not resident
O0100B2	Treatment: radiation - while resident
O0100C1	Treatment: oxygen therapy - while not resident
O0100C2	Treatment: oxygen therapy - while resident
O0100D1	Treatment: suctioning - while not resident
O0100D2	Treatment: suctioning - while resident
O0100E1	Treatment: tracheostomy care - while not resident
O0100E2	Treatment: tracheostomy care - while resident
O0100F1	Treatment: vent/respirator - while not resident
O0100F2	Treatment: vent/respirator - while resident
O0100G1	Treatment: BiPAP/CPAP - while not resident
O0100G2	Treatment: BIPAP/CPAP - while resident
O0100H1	Treatment: IV medications - while not resident
O0100H2	Treatment: IV medications - while resident
O0100I1	Treatment: transfusions - while not resident
O0100I2	Treatment: transfusions - while resident
O0100J1	Treatment: dialysis - while not resident
O0100J2	Treatment: dialysis - while resident
O0100K1	Treatment: hospice care - while not resident
O0100K2	Treatment: hospice care - while resident
O0100L2	Treatment: respite care - while resident
O0100M1	Treatment: isolate/quarantine - while not resident
O0100M2	Treatment: isolate/quarantine - while resident
O0100Z1	Treatment: none of above - while not resident
O0100Z2	Treatment: none of above - while resident
O0250A	Was influenza vaccine received
O0250C	If influenza vaccine not received, state reason
O0300A	Is pneumococcal vaccination up to date
O0300B	If pneumococcal vacc not received, state reason
O0450A	Has therapy resumed
P0100A	Restraints used in bed: bed rail
P0100B	Restraints used in bed: trunk restraint
P0100C	Restraints used in bed: limb restraint
P0100D	Restraints used in bed: other
P0100E	Restraints in chair/out of bed: trunk restraint
P0100F	Restraints in chair/out of bed: limb restraint
P0100G	Restraints in chair/out of bed: chair stops rising
P0100H	Restraints in chair/out of bed: other
Q0100A	Resident participated in assessment
Q0100B	Family/signif other participated in assessment
Q0100C	Guardian/legal rep participated in assessment
Q0300A	Resident's overall goal
Q0300B	Information source for resident's goal
Q0400A	Active discharge planning for return to community
Q0490	Resident's preference to avoid being asked

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Q0500B	Do you want to talk about returning to community
Q0550A	Reasking resident preference
Q0550B	Reasking resident preference source
Q0600	Referral been made to Local Contact Agency
V0100A	Prior OBRA reason for assessment
V0100B	Prior PPS reason for assessment
V0200A01A	CAA-Delirium: triggered
V0200A01B	CAA-Delirium: plan
V0200A02A	CAA-Cognitive loss/dementia: triggered
V0200A02B	CAA-Cognitive loss/dementia: plan
V0200A03A	CAA-Visual function: triggered
V0200A03B	CAA-Visual function: plan
V0200A04A	CAA-Communication: triggered
V0200A04B	CAA-Communication: plan
V0200A05A	CAA-ADL functional/rehab potential: triggered
V0200A05B	CAA-ADL functional/rehab potential: plan
V0200A06A	CAA-Urinary incont/indwell catheter: triggered
V0200A06B	CAA-Urinary incont/indwell catheter: plan
V0200A07A	CAA-Psychosocial well-being: triggered
V0200A07B	CAA-Psychosocial well-being: plan
V0200A08A	CAA-Mood state: triggered
V0200A08B	CAA-Mood state: plan
V0200A09A	CAA-Behavioral symptoms: triggered
V0200A09B	CAA-Behavioral symptoms: plan
V0200A10A	CAA-Activities: triggered
V0200A10B	CAA-Activities: plan
V0200A11A	CAA-Falls: triggered
V0200A11B	CAA-Falls: plan
V0200A12A	CAA-Nutritional status: triggered
V0200A12B	CAA-Nutritional status: plan
V0200A13A	CAA-Feeding tubes: triggered
V0200A13B	CAA-Feeding tubes: plan
V0200A14A	CAA-Dehydration/fluid maintenance: triggered
V0200A14B	CAA-Dehydration/fluid maintenance: plan
V0200A15A	CAA-Dental care: triggered
V0200A15B	CAA-Dental care: plan
V0200A16A	CAA-Pressure ulcer: triggered
V0200A16B	CAA-Pressure ulcer: plan
V0200A17A	CAA-Psychotropic drug use: triggered
V0200A17B	CAA-Psychotropic drug use: plan
V0200A18A	CAA-Physical restraints: triggered
V0200A18B	CAA-Physical restraints: plan
V0200A19A	CAA-Pain: triggered
V0200A19B	CAA-Pain: plan
V0200A20A	CAA-Return to community referral: triggered
V0200A20B	CAA-Return to community referral: plan
X0150	Correction: type of provider
X0300	Correction: resident gender
X0600A	Correction: OBRA reason for assessment
X0600B	Correction: PPS reason for assessment
X0600C	Correction: OMRA assessment
X0600D	Correction: Swing bed clinical change asmt
X0600F	Correction: entry/discharge reporting
X0600H	Correction: SNF PPS Part A Discharge (End of Stay)
X0900A	Correction: modif reasons - transcription error

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

X0900B	Correction: modif reasons - data entry error
X0900C	Correction: modif reasons - software error
X0900D	Correction: modif reasons - item coding error
X0900E	Correction: modif reasons - resume therapy date
X0900Z	Correction: modif reasons - other error
X1050A	Correction: inact reasons - event did not occur
X1050Z	Correction: inact reasons - other reason
Z0100C	Medicare Part A: Medicare short stay asmt

-3677 Format Fatal

Values of Date Items:

This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".

Items: A1600	Entry date (date of admission/reentry in facility)
A1900	Admission date
A2000	Discharge date
A2200	Previous asmt reference date for signif correction
A2300	Assessment reference date
A2400B	Start date of most recent Medicare stay
A2400C	End date of most recent Medicare stay
M0300B3	Stage 2 pressure ulcers: date of oldest
O0250B	Date influenza vaccine received.
O0400A5	Speech-language/audiology: start date
O0400A6	Speech-language/audiology: end date
O0400B5	Occupational therapy: start date
O0400B6	Occupational therapy: end date
O0400C5	Physical therapy: start date
O0400C6	Physical therapy: end date
O0450B	Therapy resumption date
V0100C	Prior assessment reference date
V0200B2	CAA-Assessment process signature date
V0200C2	CAA-Care planning signature date
X0700A	Correction: assessment reference date
X0700B	Correction: discharge date
X0700C	Correction: entry date
X1100E	Correction: attestation date
Z0500B	Date RN signed assessment as complete

-3678 Format Fatal

Formatting of Birthdate:

This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.

Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".

If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".

If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".

Items: A0900 X0400	Birthdate Correction: resident birth date
------------------------------	--

-3679 Format Fatal

Values of Numeric Items:

Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.

Items: C0500 D0300 D0600 J0600A K0200A K0200B M0300A M0300B1 M0300B2 M0300C1 M0300C2 M0300D1 M0300D2 M0300E1 M0300E2 M0300F1 M0300F2 M0300G1 M0300G2 M0610A M0610B M0610C M0800A M0800B M0800C M0900B M0900C M0900D M1030 N0300 N0350A N0350B N0410A N0410B N0410C N0410D N0410E N0410F N0410G O0400A1 O0400A2 O0400A3	BIMS res interview: summary score PHQ res: total mood severity score PHQ staff: total mood score Res pain interview: intensity rating scale Height (in inches) Weight (in pounds) Stage 1 pressure ulcers: number present Stage 2 pressure ulcers: number present Stage 2 pressure ulcers: number at admit/reentry Stage 3 pressure ulcers: number present Stage 3 pressure ulcers: number at admit/reentry Stage 4 pressure ulcers: number present Stage 4 pressure ulcers: number at admit/reentry Unstaged due to dressing: number present Unstaged due to dressing: number at admit/reentry Unstaged slough/eschar: number present Unstaged slough/eschar: number at admit/reentry Unstageable - deep tissue injury: # present Unstageable - deep tissue injury: # at adm/reent Stage 3 or 4 pressure ulcer longest length Stage 3 or 4 pressure ulcer width (same ulcer) Stage 3 or 4 pressure ulcer depth (same ulcer) Worsened since prior asmt: Stage 2 pressure ulcers Worsened since prior asmt: Stage 3 pressure ulcers Worsened since prior asmt: Stage 4 pressure ulcers Healed pressure ulcers: Stage 2 Healed pressure ulcers: Stage 3 Healed pressure ulcers: Stage 4 Number of venous and arterial ulcers Number of days injectable medications received Insulin: insulin injections Insulin: orders for insulin Medication received: Days: antipsychotic Medication received: Days: antianxiety Medication received: Days: antidepressant Medication received: Days: hypnotic Medication received: Days: anticoagulant Medication received: Days: antibiotic Medication received: Days: diuretic Speech-language/audiology: individ minutes Speech-language/audiology: concur minutes Speech-language/audiology: group minutes
--	---

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

O0400A3A	Speech-language/audiology: co-treatment minutes
O0400A4	Speech-language/audiology: number of days
O0400B1	Occupational therapy: individ minutes
O0400B2	Occupational therapy: concur minutes
O0400B3	Occupational therapy: group minutes
O0400B3A	Occupational therapy: co-treatment minutes
O0400B4	Occupational therapy: number of days
O0400C1	Physical therapy: individ minutes
O0400C2	Physical therapy: concur minutes
O0400C3	Physical therapy: group minutes
O0400C3A	Physical therapy: co-treatment minutes
O0400C4	Physical therapy: number of days
O0400D1	Respiratory therapy: number of minutes
O0400D2	Respiratory therapy: number of days
O0400E1	Psychological therapy: number of minutes
O0400E2	Psychological therapy: number of days
O0400F1	Recreational therapy: number of minutes
O0400F2	Recreational therapy: number of days
O0420	Distinct calendar days of therapy
O0500A	Range of motion (passive): number of days
O0500B	Range of motion (active): number of days
O0500C	Splint or brace assistance: number of days
O0500D	Bed mobility training: number of days
O0500E	Transfer training: number of days
O0500F	Walking training: number of days
O0500G	Dressing and/or grooming training: number of days
O0500H	Eating and/or swallowing training: number of days
O0500I	Amputation/prosthesis training: number of days
O0500J	Communication training: number of days
O0600	Physician examinations: number of days
O0700	Physician orders: number of days
V0100D	Prior assessment BIMS summary score
V0100E	Prior asmt PHQ res: total mood severity score
V0100F	Prior asmt PHQ staff: total mood score
X0800	Correction: correction number

-3680 Format Fatal

Formatting of Integer Numeric Items:

Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included.

The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].

Items: C0500	BIMS res interview: summary score
D0300	PHQ res: total mood severity score
D0600	PHQ staff: total mood score
J0600A	Res pain interview: intensity rating scale
K0200A	Height (in inches)
K0200B	Weight (in pounds)
M0300A	Stage 1 pressure ulcers: number present
M0300B1	Stage 2 pressure ulcers: number present
M0300B2	Stage 2 pressure ulcers: number at admit/reentry
M0300C1	Stage 3 pressure ulcers: number present

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

M0300C2	Stage 3 pressure ulcers: number at admit/reentry
M0300D1	Stage 4 pressure ulcers: number present
M0300D2	Stage 4 pressure ulcers: number at admit/reentry
M0300E1	Unstaged due to dressing: number present
M0300E2	Unstaged due to dressing: number at admit/reentry
M0300F1	Unstaged slough/eschar: number present
M0300F2	Unstaged slough/eschar: number at admit/reentry
M0300G1	Unstageable - deep tissue injury: # present
M0300G2	Unstageable - deep tissue injury: # at adm/reent
M0800A	Worsened since prior asmt: Stage 2 pressure ulcers
M0800B	Worsened since prior asmt: Stage 3 pressure ulcers
M0800C	Worsened since prior asmt: Stage 4 pressure ulcers
M0900B	Healed pressure ulcers: Stage 2
M0900C	Healed pressure ulcers: Stage 3
M0900D	Healed pressure ulcers: Stage 4
M1030	Number of venous and arterial ulcers
N0300	Number of days injectable medications received
N0350A	Insulin: insulin injections
N0350B	Insulin: orders for insulin
N0410A	Medication received: Days: antipsychotic
N0410B	Medication received: Days: antianxiety
N0410C	Medication received: Days: antidepressant
N0410D	Medication received: Days: hypnotic
N0410E	Medication received: Days: anticoagulant
N0410F	Medication received: Days: antibiotic
N0410G	Medication received: Days: diuretic
O0400A1	Speech-language/audiology: individ minutes
O0400A2	Speech-language/audiology: concur minutes
O0400A3	Speech-language/audiology: group minutes
O0400A3A	Speech-language/audiology: co-treatment minutes
O0400A4	Speech-language/audiology: number of days
O0400B1	Occupational therapy: individ minutes
O0400B2	Occupational therapy: concur minutes
O0400B3	Occupational therapy: group minutes
O0400B3A	Occupational therapy: co-treatment minutes
O0400B4	Occupational therapy: number of days
O0400C1	Physical therapy: individ minutes
O0400C2	Physical therapy: concur minutes
O0400C3	Physical therapy: group minutes
O0400C3A	Physical therapy: co-treatment minutes
O0400C4	Physical therapy: number of days
O0400D1	Respiratory therapy: number of minutes
O0400D2	Respiratory therapy: number of days
O0400E1	Psychological therapy: number of minutes
O0400E2	Psychological therapy: number of days
O0400F1	Recreational therapy: number of minutes
O0400F2	Recreational therapy: number of days
O0420	Distinct calendar days of therapy
O0500A	Range of motion (passive): number of days
O0500B	Range of motion (active): number of days
O0500C	Splint or brace assistance: number of days
O0500D	Bed mobility training: number of days
O0500E	Transfer training: number of days
O0500F	Walking training: number of days
O0500G	Dressing and/or grooming training: number of days

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			<div> <div>O0500H</div> <div>O0500I</div> <div>O0500J</div> <div>O0600</div> <div>O0700</div> <div>V0100D</div> <div>V0100E</div> <div>V0100F</div> <div>X0800</div> </div> <div> <div>Eating and/or swallowing training: number of days</div> <div>Amputation/prosthesis training: number of days</div> <div>Communication training: number of days</div> <div>Physician examinations: number of days</div> <div>Physician orders: number of days</div> <div>Prior assessment BIMS summary score</div> <div>Prior asmt PHQ res: total mood severity score</div> <div>Prior asmt PHQ staff: total mood score</div> <div>Correction: correction number</div> </div>
-3682	Format	Fatal	<p>Formatting of Numeric Items with Tenths Decimal Values:</p> <p>Only integer values, values with tenths decimals, and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading and trailing zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and tenth value may be included; however the fractional portion beyond the tenths decimal place must not be included.</p> <p>The following examples are allowable if the value to be submitted is equal to [1.2] and the maximum length is equal to 4: [1.2], [01.2]. The following values are NOT allowed and will lead to a fatal error: [1.21], [1.20].</p> <p>The following examples are allowable if the value to be submitted is an integer equal to [1] and the maximum length is equal to 4: [1], [01], [1.], [01.], [1.0], [01.0]. The following values are NOT allowed and will lead to a fatal error: [1.00], [01.00].</p> <div> <div>Items: M0610A</div> <div>M0610B</div> <div>M0610C</div> <div>Stage 3 or 4 pressure ulcer longest length</div> <div>Stage 3 or 4 pressure ulcer width (same ulcer)</div> <div>Stage 3 or 4 pressure ulcer depth (same ulcer)</div> </div>
-3686	Consistency	Fatal	<p>a) If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p>b) If the SFTWR_VNDR_ID is equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <div> <div>Items: SFTWR_VNDR_ID</div> <div>SFTWR_VNDR_NAME</div> <div>SFTWR_VNDR_EMAIL_ADR</div> <div>Software vendor federal employer tax ID</div> <div>Software vendor company name</div> <div>Software vendor email address</div> </div>
-3687	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <div> <div>Items: SFTWR_VNDR_ID</div> <div>A0100A</div> <div>A0600A</div> <div>X0500</div> <div>Software vendor federal employer tax ID</div> <div>Facility National Provider Identifier (NPI)</div> <div>Social Security Number</div> <div>Correction: resident social security number</div> </div>
-3688	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <div> <div>Items: A0100B</div> <div>A0100C</div> <div>Facility CMS Certification Number (CCN)</div> <div>State provider number</div> </div>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			A0600B	Resident Medicare/railroad insurance number
			A0700	Resident Medicaid number
-3690	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"> a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: <ul style="list-style-type: none"> [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed. <p>Items: SFTWR_PROD_VRSN_CD Software product version code</p> <p style="padding-left: 40px;">FAC_DOC_ID Facility document ID</p> <p style="padding-left: 40px;">A0500A Resident first name</p> <p style="padding-left: 40px;">A0500C Resident last name</p> <p style="padding-left: 40px;">A0500D Resident name suffix</p> <p style="padding-left: 40px;">A1100B Preferred language</p> <p style="padding-left: 40px;">A1300A Medical record number</p> <p style="padding-left: 40px;">A1300B Room number</p> <p style="padding-left: 40px;">A1300C Name by which resident prefers to be addressed</p> <p style="padding-left: 40px;">A1300D Lifetime occupation(s)</p> <p style="padding-left: 40px;">X0200A Correction: resident first name</p> <p style="padding-left: 40px;">X0200C Correction: resident last name</p> <p style="padding-left: 40px;">X1100A Correction: attestor first name</p> <p style="padding-left: 40px;">X1100B Correction: attestor last name</p>	
-3691	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"> a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The following special characters: <ul style="list-style-type: none"> [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) <p>Items: A0500B Resident middle initial</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3692	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <p>' single quote</p> <p>" double quote</p> <p>, comma</p> <p>; semi-colon</p> <p>: colon</p> <p>\ back slash</p> <p>() right and left parentheses</p> <p>[] right and left brackets</p> <p>{ } right and left braces</p> <p>< less than</p> <p>> greater than</p> <p>space (embedded space)</p> <p>Items: SFTWR_VNDR_EMAIL_ADR Software vendor email address</p>
-3693	Format	Fatal	<p>FAC_ID is the facility/provider ID.</p> <p>a) This must be the FAC_ID assigned to the provider. The state agency assigns the FAC_ID to nursing homes. The QIES system (QTSO help desk) assigns the FAC_ID to swing bed units. The submitted value must match the FAC_ID in the QIES Assessment Processing System for the facility or provider.</p> <p>b) A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p>
-3695	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the MDS Submission System database. If the values do not match, a warning will be issued.</p> <p>Items: A0100B Facility CMS Certification Number (CCN)</p>
-3696	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400A4*15.</p> <p>b) If O0400A4>[0], then the sum must be less than or equal to O0400A4*1440 (there are 1440 minutes in a day).</p> <p>c) If O0400A4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).</p> <p>Items: O0400A1 Speech-language/audiology: individ minutes</p> <p> O0400A2 Speech-language/audiology: concur minutes</p> <p> O0400A3 Speech-language/audiology: group minutes</p> <p> O0400A4 Speech-language/audiology: number of days</p>
-3697	Consistency	Fatal	<p>Consistency between therapy minutes and days.</p> <p>Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:</p> <p>If the sum is greater than zero, then the following rules apply:</p> <p>a) The sum must be greater than or equal to O0400B4*15.</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

- b) If O0400B4>[0], then the sum must be less than or equal to O0400B4*1440 (there are 1440 minutes in a day).
- c) If O0400B4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

Items: O0400B1 Occupational therapy: individ minutes
 O0400B2 Occupational therapy: concur minutes
 O0400B3 Occupational therapy: group minutes
 O0400B4 Occupational therapy: number of days

-3698 Consistency Fatal

- Consistency between therapy minutes and days.
 Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. The following rules apply based upon the computed sum:
 If the sum is greater than zero, then the following rules apply:
 a) The sum must be greater than or equal to O0400C4*15.
 b) If O0400C4>[0], then the sum must be less than or equal to O0400C4*1440 (there are 1440 minutes in a day).
 c) If O0400C4=[0], then the sum must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

Items: O0400C1 Physical therapy: individ minutes
 O0400C2 Physical therapy: concur minutes
 O0400C3 Physical therapy: group minutes
 O0400C4 Physical therapy: number of days

-3699 Consistency Fatal

- If O0400D1 is not equal to [0000,-] and if O0400D2 is not equal to [-], then the following rules apply:
 a) O0400D1 must be greater than or equal to O0400D2*15.
 b) If O0400D2>[0], then O0400D1 must be less than or equal to O0400D2*1440 (there are 1440 minutes in a day).
 c) If O0400D2=[0], then O0400D1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

Items: O0400D1 Respiratory therapy: number of minutes
 O0400D2 Respiratory therapy: number of days

-3700 Consistency Fatal

- If O0400E1 is not equal to [0000,-] and if O0400E2 is not equal to [-], then the following rules apply:
 a) O0400E1 must be greater than or equal to O0400E2*15.
 b) If O0400E2>[0], then O0400E1 must be less than or equal to O0400E2*1440 (there are 1440 minutes in a day).
 c) If O0400E2=[0], then O0400E1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

Items: O0400E1 Psychological therapy: number of minutes
 O0400E2 Psychological therapy: number of days

-3701 Consistency Fatal

- If O0400F1 is not equal to [0000,-] and if O0400F2 is not equal to [-], then the following rules apply:
 a) O0400F1 must be greater than or equal to O0400F2*15.
 b) If O0400F2>[0], then O0400F1 must be less than or equal to O0400F2*1440 (there are 1440 minutes in a day).
 c) If O0400F2=[0], then O0400F1 must be less than or equal to [0098] (if there are 99 or more minutes across 7 days, then at least one of the days must have 15 minutes or more).

Items: O0400F1 Recreational therapy: number of minutes
 O0400F2 Recreational therapy: number of days

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3702	Format	Fatal	This is a required text item. A valid non-blank value must be submitted.																																																																		
			<table><tr><td>Items:</td><td>FAC_ID</td><td>Assigned facility/provider submission ID</td></tr><tr><td></td><td>A0500A</td><td>Resident first name</td></tr><tr><td></td><td>A0500C</td><td>Resident last name</td></tr></table>	Items:	FAC_ID	Assigned facility/provider submission ID		A0500A	Resident first name		A0500C	Resident last name																																																									
Items:	FAC_ID	Assigned facility/provider submission ID																																																																			
	A0500A	Resident first name																																																																			
	A0500C	Resident last name																																																																			
-3703	Skip pattern	Fatal	<p>a) If D0100=[0,^], then all active items from D0200A1 through D0300 must equal [^].</p> <p>b) If D0100=[-], then all active items from D0200A1 through D0300 must equal [-].</p> <table><tr><td>Items:</td><td>D0100</td><td>PHQ: should resident mood interview be conducted</td></tr><tr><td></td><td>D0200A1</td><td>PHQ res: little interest or pleasure - presence</td></tr><tr><td></td><td>D0200A2</td><td>PHQ res: little interest or pleasure - frequency</td></tr><tr><td></td><td>D0200B1</td><td>PHQ res: feeling down, depressed - presence</td></tr><tr><td></td><td>D0200B2</td><td>PHQ res: feeling down, depressed - frequency</td></tr><tr><td></td><td>D0200C1</td><td>PHQ res: trouble with sleep - presence</td></tr><tr><td></td><td>D0200C2</td><td>PHQ res: trouble with sleep - frequency</td></tr><tr><td></td><td>D0200D1</td><td>PHQ res: feeling tired/little energy - presence</td></tr><tr><td></td><td>D0200D2</td><td>PHQ res: feeling tired/little energy - frequency</td></tr><tr><td></td><td>D0200E1</td><td>PHQ res: poor appetite or overeating - presence</td></tr><tr><td></td><td>D0200E2</td><td>PHQ res: poor appetite or overeating - frequency</td></tr><tr><td></td><td>D0200F1</td><td>PHQ res: feeling bad about self - presence</td></tr><tr><td></td><td>D0200F2</td><td>PHQ res: feeling bad about self - frequency</td></tr><tr><td></td><td>D0200G1</td><td>PHQ res: trouble concentrating - presence</td></tr><tr><td></td><td>D0200G2</td><td>PHQ res: trouble concentrating - frequency</td></tr><tr><td></td><td>D0200H1</td><td>PHQ res: slow, fidgety, restless - presence</td></tr><tr><td></td><td>D0200H2</td><td>PHQ res: slow, fidgety, restless - frequency</td></tr><tr><td></td><td>D0200I1</td><td>PHQ res: thoughts better off dead - presence</td></tr><tr><td></td><td>D0200I2</td><td>PHQ res: thoughts better off dead - frequency</td></tr><tr><td></td><td>D0300</td><td>PHQ res: total mood severity score</td></tr></table>	Items:	D0100	PHQ: should resident mood interview be conducted		D0200A1	PHQ res: little interest or pleasure - presence		D0200A2	PHQ res: little interest or pleasure - frequency		D0200B1	PHQ res: feeling down, depressed - presence		D0200B2	PHQ res: feeling down, depressed - frequency		D0200C1	PHQ res: trouble with sleep - presence		D0200C2	PHQ res: trouble with sleep - frequency		D0200D1	PHQ res: feeling tired/little energy - presence		D0200D2	PHQ res: feeling tired/little energy - frequency		D0200E1	PHQ res: poor appetite or overeating - presence		D0200E2	PHQ res: poor appetite or overeating - frequency		D0200F1	PHQ res: feeling bad about self - presence		D0200F2	PHQ res: feeling bad about self - frequency		D0200G1	PHQ res: trouble concentrating - presence		D0200G2	PHQ res: trouble concentrating - frequency		D0200H1	PHQ res: slow, fidgety, restless - presence		D0200H2	PHQ res: slow, fidgety, restless - frequency		D0200I1	PHQ res: thoughts better off dead - presence		D0200I2	PHQ res: thoughts better off dead - frequency		D0300	PHQ res: total mood severity score						
Items:	D0100	PHQ: should resident mood interview be conducted																																																																			
	D0200A1	PHQ res: little interest or pleasure - presence																																																																			
	D0200A2	PHQ res: little interest or pleasure - frequency																																																																			
	D0200B1	PHQ res: feeling down, depressed - presence																																																																			
	D0200B2	PHQ res: feeling down, depressed - frequency																																																																			
	D0200C1	PHQ res: trouble with sleep - presence																																																																			
	D0200C2	PHQ res: trouble with sleep - frequency																																																																			
	D0200D1	PHQ res: feeling tired/little energy - presence																																																																			
	D0200D2	PHQ res: feeling tired/little energy - frequency																																																																			
	D0200E1	PHQ res: poor appetite or overeating - presence																																																																			
	D0200E2	PHQ res: poor appetite or overeating - frequency																																																																			
	D0200F1	PHQ res: feeling bad about self - presence																																																																			
	D0200F2	PHQ res: feeling bad about self - frequency																																																																			
	D0200G1	PHQ res: trouble concentrating - presence																																																																			
	D0200G2	PHQ res: trouble concentrating - frequency																																																																			
	D0200H1	PHQ res: slow, fidgety, restless - presence																																																																			
	D0200H2	PHQ res: slow, fidgety, restless - frequency																																																																			
	D0200I1	PHQ res: thoughts better off dead - presence																																																																			
	D0200I2	PHQ res: thoughts better off dead - frequency																																																																			
	D0300	PHQ res: total mood severity score																																																																			
-3704	Skip pattern	Fatal	<p>a) If D0300=[00-27], then all active items from D0500A1 through D0600 must equal [^].</p> <p>b) If D0300=[99,-], then all active items from D0500A1 through D0600 must not equal [^].</p> <table><tr><td>Items:</td><td>D0300</td><td>PHQ res: total mood severity score</td></tr><tr><td></td><td>D0500A1</td><td>PHQ staff: little interest or pleasure - presence</td></tr><tr><td></td><td>D0500A2</td><td>PHQ staff: little interest or pleasure - frequency</td></tr><tr><td></td><td>D0500B1</td><td>PHQ staff: feeling down, depressed - presence</td></tr><tr><td></td><td>D0500B2</td><td>PHQ staff: feeling down, depressed - frequency</td></tr><tr><td></td><td>D0500C1</td><td>PHQ staff: trouble with sleep - presence</td></tr><tr><td></td><td>D0500C2</td><td>PHQ staff: trouble with sleep - frequency</td></tr><tr><td></td><td>D0500D1</td><td>PHQ staff: feeling tired/little energy - presence</td></tr><tr><td></td><td>D0500D2</td><td>PHQ staff: feeling tired/little energy - frequency</td></tr><tr><td></td><td>D0500E1</td><td>PHQ staff: poor appetite or overeating - presence</td></tr><tr><td></td><td>D0500E2</td><td>PHQ staff: poor appetite or overeating - frequency</td></tr><tr><td></td><td>D0500F1</td><td>PHQ staff: feeling bad about self - presence</td></tr><tr><td></td><td>D0500F2</td><td>PHQ staff: feeling bad about self - frequency</td></tr><tr><td></td><td>D0500G1</td><td>PHQ staff: trouble concentrating - presence</td></tr><tr><td></td><td>D0500G2</td><td>PHQ staff: trouble concentrating - frequency</td></tr><tr><td></td><td>D0500H1</td><td>PHQ staff: slow, fidgety, restless - presence</td></tr><tr><td></td><td>D0500H2</td><td>PHQ staff: slow, fidgety, restless - frequency</td></tr><tr><td></td><td>D0500I1</td><td>PHQ staff: thoughts better off dead - presence</td></tr><tr><td></td><td>D0500I2</td><td>PHQ staff: thoughts better off dead - frequency</td></tr><tr><td></td><td>D0500J1</td><td>PHQ staff: short-tempered - presence</td></tr><tr><td></td><td>D0500J2</td><td>PHQ staff: short-tempered - frequency</td></tr><tr><td></td><td>D0600</td><td>PHQ staff: total mood score</td></tr></table>	Items:	D0300	PHQ res: total mood severity score		D0500A1	PHQ staff: little interest or pleasure - presence		D0500A2	PHQ staff: little interest or pleasure - frequency		D0500B1	PHQ staff: feeling down, depressed - presence		D0500B2	PHQ staff: feeling down, depressed - frequency		D0500C1	PHQ staff: trouble with sleep - presence		D0500C2	PHQ staff: trouble with sleep - frequency		D0500D1	PHQ staff: feeling tired/little energy - presence		D0500D2	PHQ staff: feeling tired/little energy - frequency		D0500E1	PHQ staff: poor appetite or overeating - presence		D0500E2	PHQ staff: poor appetite or overeating - frequency		D0500F1	PHQ staff: feeling bad about self - presence		D0500F2	PHQ staff: feeling bad about self - frequency		D0500G1	PHQ staff: trouble concentrating - presence		D0500G2	PHQ staff: trouble concentrating - frequency		D0500H1	PHQ staff: slow, fidgety, restless - presence		D0500H2	PHQ staff: slow, fidgety, restless - frequency		D0500I1	PHQ staff: thoughts better off dead - presence		D0500I2	PHQ staff: thoughts better off dead - frequency		D0500J1	PHQ staff: short-tempered - presence		D0500J2	PHQ staff: short-tempered - frequency		D0600	PHQ staff: total mood score
Items:	D0300	PHQ res: total mood severity score																																																																			
	D0500A1	PHQ staff: little interest or pleasure - presence																																																																			
	D0500A2	PHQ staff: little interest or pleasure - frequency																																																																			
	D0500B1	PHQ staff: feeling down, depressed - presence																																																																			
	D0500B2	PHQ staff: feeling down, depressed - frequency																																																																			
	D0500C1	PHQ staff: trouble with sleep - presence																																																																			
	D0500C2	PHQ staff: trouble with sleep - frequency																																																																			
	D0500D1	PHQ staff: feeling tired/little energy - presence																																																																			
	D0500D2	PHQ staff: feeling tired/little energy - frequency																																																																			
	D0500E1	PHQ staff: poor appetite or overeating - presence																																																																			
	D0500E2	PHQ staff: poor appetite or overeating - frequency																																																																			
	D0500F1	PHQ staff: feeling bad about self - presence																																																																			
	D0500F2	PHQ staff: feeling bad about self - frequency																																																																			
	D0500G1	PHQ staff: trouble concentrating - presence																																																																			
	D0500G2	PHQ staff: trouble concentrating - frequency																																																																			
	D0500H1	PHQ staff: slow, fidgety, restless - presence																																																																			
	D0500H2	PHQ staff: slow, fidgety, restless - frequency																																																																			
	D0500I1	PHQ staff: thoughts better off dead - presence																																																																			
	D0500I2	PHQ staff: thoughts better off dead - frequency																																																																			
	D0500J1	PHQ staff: short-tempered - presence																																																																			
	D0500J2	PHQ staff: short-tempered - frequency																																																																			
	D0600	PHQ staff: total mood score																																																																			

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3705	Skip pattern	Fatal	<p>a) If M0210=[1], then if M0700 is active it must not equal [^]. b) If M0210=[-], then if M0700 is active it must equal [-].</p> <p>Items: M0210 Resident has Stage 1 or higher pressure ulcers M0700 Tissue type for ulcer at most advanced stage</p>
-3706	Consistency	Fatal	<p>The submitted value of A0200 will be checked against the information stored in CMS's database. For nursing homes, A0200 must equal [1]. For swing-bed providers, A0200 must equal [2]. If the value submitted for A0200 is inconsistent with the information stored in CMS's database, a fatal error will occur and the submitted record will be rejected.</p> <p>Items: A0200 Type of provider</p>
-3707	Consistency	Fatal	<p>a) If A0200=[2] (if the provider is a swing bed provider), then A0410 (submission requirement) must equal [3] (it cannot equal [1,2]). b) If A0200=[1] (the provider is a nursing home), then A0410 must equal [2,3]. c) For both nursing homes and swing bed providers, A0410 must not be equal to [1].</p> <p>Items: A0200 Type of provider A0410 Submission requirement</p>
-3708	Consistency	Fatal	<p>a) If D0200A1 is equal to [0], then D0200A2 must be equal to [0, -]. b) If D0200A1 is equal to [1], then D0200A2 must be equal to [0,1,2,3,-]. c) If D0200A1 is equal to [9], then D0200A2 must be skipped (must be equal to [^]). d) If D0200A1 is equal to [-], then D0200A2 must be equal to [-].</p> <p>Items: D0200A1 PHQ res: little interest or pleasure - presence D0200A2 PHQ res: little interest or pleasure - frequency</p>
-3709	Consistency	Fatal	<p>a) If D0200B1 is equal to [0], then D0200B2 must be equal to [0, -]. b) If D0200B1 is equal to [1], then D0200B2 must be equal to [0,1,2,3,-]. c) If D0200B1 is equal to [9], then D0200B2 must be skipped (must be equal to [^]). d) If D0200B1 is equal to [-], then D0200B2 must be equal to [-].</p> <p>Items: D0200B1 PHQ res: feeling down, depressed - presence D0200B2 PHQ res: feeling down, depressed - frequency</p>
-3710	Consistency	Fatal	<p>a) If D0200C1 is equal to [0], then D0200C2 must be equal to [0, -]. b) If D0200C1 is equal to [1], then D0200C2 must be equal to [0,1,2,3,-]. c) If D0200C1 is equal to [9], then D0200C2 must be skipped (must be equal to [^]). d) If D0200C1 is equal to [-], then D0200C2 must be equal to [-].</p> <p>Items: D0200C1 PHQ res: trouble with sleep - presence D0200C2 PHQ res: trouble with sleep - frequency</p>
-3711	Consistency	Fatal	<p>a) If D0200D1 is equal to [0], then D0200D2 must be equal to [0, -]. b) If D0200D1 is equal to [1], then D0200D2 must be equal to [0,1,2,3,-]. c) If D0200D1 is equal to [9], then D0200D2 must be skipped (must be equal to [^]). d) If D0200D1 is equal to [-], then D0200D2 must be equal to [-].</p> <p>Items: D0200D1 PHQ res: feeling tired/little energy - presence D0200D2 PHQ res: feeling tired/little energy - frequency</p>
-3712	Consistency	Fatal	<p>a) If D0200E1 is equal to [0], then D0200E2 must be equal to [0, -]. b) If D0200E1 is equal to [1], then D0200E2 must be equal to [0,1,2,3,-]. c) If D0200E1 is equal to [9], then D0200E2 must be skipped (must be equal to [^]). d) If D0200E1 is equal to [-], then D0200E2 must be equal to [-].</p> <p>Items: D0200E1 PHQ res: poor appetite or overeating - presence</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			D0200E2	PHQ res: poor appetite or overeating - frequency
-3713	Consistency	Fatal	<p>a) If D0200F1 is equal to [0], then D0200F2 must be equal to [0, -].</p> <p>b) If D0200F1 is equal to [1], then D0200F2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200F1 is equal to [9], then D0200F2 must be skipped (must be equal to [^]).</p> <p>d) If D0200F1 is equal to [-], then D0200F2 must be equal to [-].</p> <p>Items: D0200F1 PHQ res: feeling bad about self - presence</p> <p>D0200F2 PHQ res: feeling bad about self - frequency</p>	
-3714	Consistency	Fatal	<p>a) If D0200G1 is equal to [0], then D0200G2 must be equal to [0, -].</p> <p>b) If D0200G1 is equal to [1], then D0200G2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200G1 is equal to [9], then D0200G2 must be skipped (must be equal to [^]).</p> <p>d) If D0200G1 is equal to [-], then D0200G2 must be equal to [-].</p> <p>Items: D0200G1 PHQ res: trouble concentrating - presence</p> <p>D0200G2 PHQ res: trouble concentrating - frequency</p>	
-3715	Consistency	Fatal	<p>a) If D0200H1 is equal to [0], then D0200H2 must be equal to [0, -].</p> <p>b) If D0200H1 is equal to [1], then D0200H2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200H1 is equal to [9], then D0200H2 must be skipped (must be equal to [^]).</p> <p>d) If D0200H1 is equal to [-], then D0200H2 must be equal to [-].</p> <p>Items: D0200H1 PHQ res: slow, fidgety, restless - presence</p> <p>D0200H2 PHQ res: slow, fidgety, restless - frequency</p>	
-3716	Consistency	Fatal	<p>a) If D0200I1 is equal to [0], then D0200I2 must be equal to [0, -].</p> <p>b) If D0200I1 is equal to [1], then D0200I2 must be equal to [0,1,2,3,-].</p> <p>c) If D0200I1 is equal to [9], then D0200I2 must be skipped (must be equal to [^]).</p> <p>d) If D0200I1 is equal to [-], then D0200I2 must be equal to [-].</p> <p>Items: D0200I1 PHQ res: thoughts better off dead - presence</p> <p>D0200I2 PHQ res: thoughts better off dead - frequency</p>	
-3717	Consistency	Fatal	<p>a) If D0500A1 is equal to [0], then D0500A2 must be equal to [0, -].</p> <p>b) If D0500A1 is equal to [1], then D0500A2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500A1 is equal to [-], then D0500A2 must be equal to [-].</p> <p>Items: D0500A1 PHQ staff: little interest or pleasure - presence</p> <p>D0500A2 PHQ staff: little interest or pleasure - frequency</p>	
-3718	Consistency	Fatal	<p>a) If D0500B1 is equal to [0], then D0500B2 must be equal to [0, -].</p> <p>b) If D0500B1 is equal to [1], then D0500B2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500B1 is equal to [-], then D0500B2 must be equal to [-].</p> <p>Items: D0500B1 PHQ staff: feeling down, depressed - presence</p> <p>D0500B2 PHQ staff: feeling down, depressed - frequency</p>	
-3719	Consistency	Fatal	<p>a) If D0500C1 is equal to [0], then D0500C2 must be equal to [0, -].</p> <p>b) If D0500C1 is equal to [1], then D0500C2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500C1 is equal to [-], then D0500C2 must be equal to [-].</p> <p>Items: D0500C1 PHQ staff: trouble with sleep - presence</p> <p>D0500C2 PHQ staff: trouble with sleep - frequency</p>	
-3720	Consistency	Fatal	<p>a) If D0500D1 is equal to [0], then D0500D2 must be equal to [0, -].</p> <p>b) If D0500D1 is equal to [1], then D0500D2 must be equal to [0,1,2,3,-].</p> <p>c) If D0500D1 is equal to [-], then D0500D2 must be equal to [-].</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			Items: D0500D1 D0500D2	PHQ staff: feeling tired/little energy - presence PHQ staff: feeling tired/little energy - frequency
-3721	Consistency	Fatal	a) If D0500E1 is equal to [0], then D0500E2 must be equal to [0, -]. b) If D0500E1 is equal to [1], then D0500E2 must be equal to [0,1,2,3,-]. c) If D0500E1 is equal to [-], then D0500E2 must be equal to [-].	
			Items: D0500E1 D0500E2	PHQ staff: poor appetite or overeating - presence PHQ staff: poor appetite or overeating - frequency
-3722	Consistency	Fatal	a) If D0500F1 is equal to [0], then D0500F2 must be equal to [0, -]. b) If D0500F1 is equal to [1], then D0500F2 must be equal to [0,1,2,3,-]. c) If D0500F1 is equal to [-], then D0500F2 must be equal to [-].	
			Items: D0500F1 D0500F2	PHQ staff: feeling bad about self - presence PHQ staff: feeling bad about self - frequency
-3723	Consistency	Fatal	a) If D0500G1 is equal to [0], then D0500G2 must be equal to [0, -]. b) If D0500G1 is equal to [1], then D0500G2 must be equal to [0,1,2,3,-]. c) If D0500G1 is equal to [-], then D0500G2 must be equal to [-].	
			Items: D0500G1 D0500G2	PHQ staff: trouble concentrating - presence PHQ staff: trouble concentrating - frequency
-3724	Consistency	Fatal	a) If D0500H1 is equal to [0], then D0500H2 must be equal to [0, -]. b) If D0500H1 is equal to [1], then D0500H2 must be equal to [0,1,2,3,-]. c) If D0500H1 is equal to [-], then D0500H2 must be equal to [-].	
			Items: D0500H1 D0500H2	PHQ staff: slow, fidgety, restless - presence PHQ staff: slow, fidgety, restless - frequency
-3725	Consistency	Fatal	a) If D0500I1 is equal to [0], then D0500I2 must be equal to [0, -]. b) If D0500I1 is equal to [1], then D0500I2 must be equal to [0,1,2,3,-]. c) If D0500I1 is equal to [-], then D0500I2 must be equal to [-].	
			Items: D0500I1 D0500I2	PHQ staff: thoughts better off dead - presence PHQ staff: thoughts better off dead - frequency
-3726	Consistency	Fatal	a) If D0500J1 is equal to [0], then D0500J2 must be equal to [0, -]. b) If D0500J1 is equal to [1], then D0500J2 must be equal to [0,1,2,3,-]. c) If D0500J1 is equal to [-], then D0500J2 must be equal to [-].	
			Items: D0500J1 D0500J2	PHQ staff: short-tempered - presence PHQ staff: short-tempered - frequency
-3729	Consistency	Fatal	a) If O0100Z1=[0], then at least one active item from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [1]. b) If O0100Z1=[1], then all active items from O0100A1 through O0100K1 and O0100M1 in Column 1 must equal [0]. c) If O0100Z1=[-], then at least one active item from O0100A1 through O0100M1 in Column 1 must equal [-] and all remaining active items must equal [0,-].	
			Items: O0100A1 O0100B1 O0100C1 O0100D1 O0100E1 O0100F1 O0100G1	Treatment: chemotherapy - while not resident Treatment: radiation - while not resident Treatment: oxygen therapy - while not resident Treatment: suctioning - while not resident Treatment: tracheostomy care - while not resident Treatment: vent/respirator - while not resident Treatment: BiPAP/CPAP - while not resident

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			<div> <div>O0100H1</div> <div>Treatment: IV medications - while not resident</div> </div> <div> <div>O0100I1</div> <div>Treatment: transfusions - while not resident</div> </div> <div> <div>O0100J1</div> <div>Treatment: dialysis - while not resident</div> </div> <div> <div>O0100K1</div> <div>Treatment: hospice care - while not resident</div> </div> <div> <div>O0100M1</div> <div>Treatment: isolate/quarantine - while not resident</div> </div> <div> <div>O0100Z1</div> <div>Treatment: none of above - while not resident</div> </div>
-3730	Consistency	Fatal	<p>a) If O0100Z2=[0], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [1].</p> <p>b) If O0100Z2=[1], then all active items from O0100A2 through O0100M2 in Column 2 must equal [0].</p> <p>c) If O0100Z2=[-], then at least one active item from O0100A2 through O0100M2 in Column 2 must equal [-] and all remaining active items must equal [0,-].</p> <div> <div>Items: O0100A2</div> <div>Treatment: chemotherapy - while resident</div> </div> <div> <div>O0100B2</div> <div>Treatment: radiation - while resident</div> </div> <div> <div>O0100C2</div> <div>Treatment: oxygen therapy - while resident</div> </div> <div> <div>O0100D2</div> <div>Treatment: suctioning - while resident</div> </div> <div> <div>O0100E2</div> <div>Treatment: tracheostomy care - while resident</div> </div> <div> <div>O0100F2</div> <div>Treatment: vent/respirator - while resident</div> </div> <div> <div>O0100G2</div> <div>Treatment: BIPAP/CPAP - while resident</div> </div> <div> <div>O0100H2</div> <div>Treatment: IV medications - while resident</div> </div> <div> <div>O0100I2</div> <div>Treatment: transfusions - while resident</div> </div> <div> <div>O0100J2</div> <div>Treatment: dialysis - while resident</div> </div> <div> <div>O0100K2</div> <div>Treatment: hospice care - while resident</div> </div> <div> <div>O0100L2</div> <div>Treatment: respite care - while resident</div> </div> <div> <div>O0100M2</div> <div>Treatment: isolate/quarantine - while resident</div> </div> <div> <div>O0100Z2</div> <div>Treatment: none of above - while resident</div> </div>
-3735	Skip pattern	Fatal	<p>a) If N0300=[0], then all active items from N0350A through N0350B must equal [^].</p> <p>b) If N0300=[1-7], then all active items from N0350A through N0350B must not equal [^].</p> <p>c) If N0300=[-], then all active items from N0350A through N0350B must equal [-].</p> <div> <div>Items: N0300</div> <div>Number of days injectable medications received</div> </div> <div> <div>N0350A</div> <div>Insulin: insulin injections</div> </div> <div> <div>N0350B</div> <div>Insulin: orders for insulin</div> </div>
-3736	Skip pattern	Fatal	<p>a) If O0250A=[0], then if O0250C is active it must not equal [^].</p> <p>b) If O0250A=[1], then if O0250C is active it must equal [^].</p> <p>c) If O0250A=[-], then if O0250C is active it must equal [-].</p> <div> <div>Items: O0250A</div> <div>Was influenza vaccine received</div> </div> <div> <div>O0250C</div> <div>If influenza vaccine not received, state reason</div> </div>
-3744	Consistency	Fatal	<p>If A0310E=[1], then all active items from V0100A through V0100F must equal [^].</p> <div> <div>Items: A0310E</div> <div>First assessment since most recent entry</div> </div> <div> <div>V0100A</div> <div>Prior OBRA reason for assessment</div> </div> <div> <div>V0100B</div> <div>Prior PPS reason for assessment</div> </div> <div> <div>V0100C</div> <div>Prior assessment reference date</div> </div> <div> <div>V0100D</div> <div>Prior assessment BIMS summary score</div> </div> <div> <div>V0100E</div> <div>Prior asmt PHQ res: total mood severity score</div> </div> <div> <div>V0100F</div> <div>Prior asmt PHQ staff: total mood score</div> </div>
-3745	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the submission system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

locator items:

- a) X0150 (provider type)
- b) X0200A (resident first name)
- c) X0200C (resident last name)
- d) X0300 (gender)
- e) X0400 (birth date)
- f) X0500 (social security number)
- g) X0600A (OBRA reason for assessment)
- h) X0600B (PPS reason for assessment)
- i) X0600C (PPS OMRA assessment)
- j) X0600D (Swing Bed clinical change assessment) -- if swing bed assessment
- k) X0600F (entry/discharge reporting)
- l) X0600H (SNF PPS Part A Discharge (End of Stay) Assessment)
- m) X0700A (assessment reference date)
- n) X0700B (discharge date)
- o) X0700C (entry date)

If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.

Items: X0150	Correction: type of provider
X0200A	Correction: resident first name
X0200C	Correction: resident last name
X0300	Correction: resident gender
X0400	Correction: resident birth date
X0500	Correction: resident social security number
X0600A	Correction: OBRA reason for assessment
X0600B	Correction: PPS reason for assessment
X0600C	Correction: OMRA assessment
X0600D	Correction: Swing bed clinical change asmt
X0600F	Correction: entry/discharge reporting
X0700A	Correction: assessment reference date
X0700B	Correction: discharge date
X0700C	Correction: entry date

-3746 Consistency Fatal

If A0050 (formerly X0100)=[1], then all active items from X0150 through X1100E must equal [^].

Items: A0050	Type of transaction (formerly X0100)
X0150	Correction: type of provider
X0200A	Correction: resident first name
X0200C	Correction: resident last name
X0300	Correction: resident gender
X0400	Correction: resident birth date
X0500	Correction: resident social security number
X0600A	Correction: OBRA reason for assessment
X0600B	Correction: PPS reason for assessment
X0600C	Correction: OMRA assessment
X0600D	Correction: Swing bed clinical change asmt
X0600F	Correction: entry/discharge reporting
X0600H	Correction: SNF PPS Part A Discharge (End of Stay)
X0700A	Correction: assessment reference date
X0700B	Correction: discharge date
X0700C	Correction: entry date
X0800	Correction: correction number
X0900A	Correction: modif reasons - transcription error
X0900B	Correction: modif reasons - data entry error
X0900C	Correction: modif reasons - software error

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			X0900D	Correction: modif reasons - item coding error
			X0900E	Correction: modif reasons - resume therapy date
			X0900Z	Correction: modif reasons - other error
			X1050A	Correction: inact reasons - event did not occur
			X1050Z	Correction: inact reasons - other reason
			X1100A	Correction: attestor first name
			X1100B	Correction: attestor last name
			X1100E	Correction: attestation date
-3748	Consistency	Fatal	<p>If A0050 (formerly X0100)=[3], then at least one item from X1050A through X1050Z must equal [1].</p> <p>Items: A0050 Type of transaction (formerly X0100)</p> <p> X1050A Correction: inact reasons - event did not occur</p> <p> X1050Z Correction: inact reasons - other reason</p>	
-3749	Consistency	Warning	<p>Date Span Requirements</p> <p>The following rules describe allowable spans between pairs of dates. Each rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values). Violation of these rules will result in warnings.</p> <p>a) Z0500B (completion date) - A2300 (assessment reference date) <= 14 days.</p> <p>b) If A0310A is equal to [03,04,05], then V0200B2 (CAA process signature date) - A2300 (assessment reference date) <= 14 days.</p> <p>c) V0200C2 (CAA care plan signature date) - V0200B2 (CAA process signature date) <= 7 days.</p> <p>d) If A0310A is equal to [01], then Z0500B (completion date) - A1600 (entry date) <= 13 days.</p> <p>e) If A0310A is equal to [01], then V0200B2 (CAA process signature date) - A1600 (entry date) <= 13 days.</p> <p>Items: A0310A Type of assessment: OBRA</p> <p> A1600 Entry date (date of admission/reentry in facility)</p> <p> A2300 Assessment reference date</p> <p> V0200B2 CAA-Assessment process signature date</p> <p> V0200C2 CAA-Care planning signature date</p> <p> Z0500B Date RN signed assessment as complete</p>	
-3751	Consistency	Warning	<p>A warning will be issued if J0300=[1] (indicating pain is present) and J0600A=[00] (indicating a pain scale rating of "no pain").</p> <p>Items: J0300 Res pain interview: presence</p> <p> J0600A Res pain interview: intensity rating scale</p>	
-3752	Consistency	Fatal	<p>The value of this item must be consistent with the values of the MDS items used to determine whether this CAA is triggered or not (i.e., the CAA trigger calculation must be accurate).</p> <p>Items: V0200A01A CAA-Delirium: triggered</p> <p> V0200A02A CAA-Cognitive loss/dementia: triggered</p> <p> V0200A03A CAA-Visual function: triggered</p> <p> V0200A04A CAA-Communication: triggered</p> <p> V0200A05A CAA-ADL functional/rehab potential: triggered</p> <p> V0200A06A CAA-Urinary incont/indwell catheter: triggered</p> <p> V0200A07A CAA-Psychosocial well-being: triggered</p> <p> V0200A08A CAA-Mood state: triggered</p> <p> V0200A09A CAA-Behavioral symptoms: triggered</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			V0200A10A	CAA-Activities: triggered
			V0200A11A	CAA-Falls: triggered
			V0200A12A	CAA-Nutritional status: triggered
			V0200A13A	CAA-Feeding tubes: triggered
			V0200A14A	CAA-Dehydration/fluid maintenance: triggered
			V0200A15A	CAA-Dental care: triggered
			V0200A16A	CAA-Pressure ulcer: triggered
			V0200A17A	CAA-Psychotropic drug use: triggered
			V0200A18A	CAA-Physical restraints: triggered
			V0200A19A	CAA-Pain: triggered
			V0200A20A	CAA-Return to community referral: triggered
-3753	Consistency	Fatal	<p>If N0300 is equal to [1-7], then one of the following must be true:</p> <p>a) N0350A must be equal to [-], OR</p> <p>b) N0350A must be equal to [0-7] and must be less than or equal to N0300.</p> <p>Items: N0300 Number of days injectable medications received</p> <p> N0350A Insulin: insulin injections</p>	
-3761	Consistency	Fatal	<p>If any item A1000A through A1000F is equal to [-], then all items from A1000A through A1000F must equal [-].</p> <p>Items: A1000A Ethnicity: American Indian or Alaska Native</p> <p> A1000B Ethnicity: Asian</p> <p> A1000C Ethnicity: Black or African American</p> <p> A1000D Ethnicity: Hispanic or Latino</p> <p> A1000E Ethnicity: Native Hawaiian/Pacific Islander</p> <p> A1000F Ethnicity: White</p>	
-3762	Consistency	Warning	<p>***NOTE: THIS EDIT HAS BEEN SUSPENDED AND WILL NOT BE APPLIED TO SUBMITTED RECORDS UNTIL FURTHER NOTICE.</p> <p>If O0250B is active and contains a valid date (is not equal to [-,^]), then it should contain a date that is in the appropriate date range, as defined below. Determination of the appropriate date range depends upon the target date for the assessment. The target date is defined as follows:</p> <p>a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).</p> <p>b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).</p> <p>c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).</p> <p>Given the target date, the following rules apply:</p> <p>a) If the target date falls within an ongoing influenza season, then the value of O0250B should be greater than or equal to the starting date of the current influenza season and less than or equal to the target date.</p> <p>b) If the target date falls outside of an ongoing influenza season, then the edit described above in (a) will be suspended and no warning will be issued based upon the value of O0250B.</p> <p>Note that the dates that define the "current influenza season" will be defined each year by CMS and will be published in updates to the MDS user's manual. Note also that violation of the consistency rule described in this edit will result in a warning.</p> <p>Items: A0310F Entry/discharge reporting</p> <p> A1600 Entry date (date of admission/reentry in facility)</p> <p> A2000 Discharge date</p> <p> A2300 Assessment reference date</p> <p> O0250B Date influenza vaccine received.</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3764	Consistency	Fatal	<p>The following rules apply to each pair of items in Column 1 and Column 2, from G0110A1 through G0110J2:</p> <p>a) If either item in the pair is equal to [8], then both items in the pair must equal [8].</p> <p>b) If an item in Column 1 is equal to [2,3,4], then the corresponding item in Column 2 must equal [2,3].</p> <table><tr><td>Items: G0110A1</td><td>Bed mobility: self-performance</td></tr><tr><td>G0110A2</td><td>Bed mobility: support provided</td></tr><tr><td>G0110B1</td><td>Transfer: self-performance</td></tr><tr><td>G0110B2</td><td>Transfer: support provided</td></tr><tr><td>G0110C1</td><td>Walk in room: self-performance</td></tr><tr><td>G0110C2</td><td>Walk in room: support provided</td></tr><tr><td>G0110D1</td><td>Walk in corridor: self-performance</td></tr><tr><td>G0110D2</td><td>Walk in corridor: support provided</td></tr><tr><td>G0110E1</td><td>Locomotion on unit: self-performance</td></tr><tr><td>G0110E2</td><td>Locomotion on unit: support provided</td></tr><tr><td>G0110F1</td><td>Locomotion off unit: self-performance</td></tr><tr><td>G0110F2</td><td>Locomotion off unit: support provided</td></tr><tr><td>G0110G1</td><td>Dressing: self-performance</td></tr><tr><td>G0110G2</td><td>Dressing: support provided</td></tr><tr><td>G0110H1</td><td>Eating: self-performance</td></tr><tr><td>G0110H2</td><td>Eating: support provided</td></tr><tr><td>G0110I1</td><td>Toilet use: self-performance</td></tr><tr><td>G0110I2</td><td>Toilet use: support provided</td></tr><tr><td>G0110J1</td><td>Personal hygiene: self-performance</td></tr><tr><td>G0110J2</td><td>Personal hygiene: support provided</td></tr></table>	Items: G0110A1	Bed mobility: self-performance	G0110A2	Bed mobility: support provided	G0110B1	Transfer: self-performance	G0110B2	Transfer: support provided	G0110C1	Walk in room: self-performance	G0110C2	Walk in room: support provided	G0110D1	Walk in corridor: self-performance	G0110D2	Walk in corridor: support provided	G0110E1	Locomotion on unit: self-performance	G0110E2	Locomotion on unit: support provided	G0110F1	Locomotion off unit: self-performance	G0110F2	Locomotion off unit: support provided	G0110G1	Dressing: self-performance	G0110G2	Dressing: support provided	G0110H1	Eating: self-performance	G0110H2	Eating: support provided	G0110I1	Toilet use: self-performance	G0110I2	Toilet use: support provided	G0110J1	Personal hygiene: self-performance	G0110J2	Personal hygiene: support provided
Items: G0110A1	Bed mobility: self-performance																																										
G0110A2	Bed mobility: support provided																																										
G0110B1	Transfer: self-performance																																										
G0110B2	Transfer: support provided																																										
G0110C1	Walk in room: self-performance																																										
G0110C2	Walk in room: support provided																																										
G0110D1	Walk in corridor: self-performance																																										
G0110D2	Walk in corridor: support provided																																										
G0110E1	Locomotion on unit: self-performance																																										
G0110E2	Locomotion on unit: support provided																																										
G0110F1	Locomotion off unit: self-performance																																										
G0110F2	Locomotion off unit: support provided																																										
G0110G1	Dressing: self-performance																																										
G0110G2	Dressing: support provided																																										
G0110H1	Eating: self-performance																																										
G0110H2	Eating: support provided																																										
G0110I1	Toilet use: self-performance																																										
G0110I2	Toilet use: support provided																																										
G0110J1	Personal hygiene: self-performance																																										
G0110J2	Personal hygiene: support provided																																										
-3774	Consistency	Fatal	<p>a) If either G0120A or G0120B is equal to [8], then both items must equal [8].</p> <p>b) If G0120A=[2,3,4], then G0120B must equal [2,3].</p> <table><tr><td>Items: G0120A</td><td>Bathing: self-performance</td></tr><tr><td>G0120B</td><td>Bathing: support provided</td></tr></table>	Items: G0120A	Bathing: self-performance	G0120B	Bathing: support provided																																				
Items: G0120A	Bathing: self-performance																																										
G0120B	Bathing: support provided																																										
-3775	Consistency	Fatal	<p>a) If X0600F=[99], then X0700A must contain a valid date and X0700B and X0700C must be equal to [^].</p> <p>b) If X0600F=[10,11,12], then X0700B must contain a valid date and X0700A and X0700C must be equal to [^].</p> <p>c) If X0600F=[01], then X0700C must contain a valid date and X0700A and X0700B must be equal to [^].</p> <table><tr><td>Items: X0600F</td><td>Correction: entry/discharge reporting</td></tr><tr><td>X0700A</td><td>Correction: assessment reference date</td></tr><tr><td>X0700B</td><td>Correction: discharge date</td></tr><tr><td>X0700C</td><td>Correction: entry date</td></tr></table>	Items: X0600F	Correction: entry/discharge reporting	X0700A	Correction: assessment reference date	X0700B	Correction: discharge date	X0700C	Correction: entry date																																
Items: X0600F	Correction: entry/discharge reporting																																										
X0700A	Correction: assessment reference date																																										
X0700B	Correction: discharge date																																										
X0700C	Correction: entry date																																										
-3778	Consistency	Fatal	<p>Completion of A1550A through A1550Z.</p> <p>a) If A0310A is equal to [02,06,99], then A1550A through A1550Z must equal [^].</p> <p>b) If the resident's age is 22 years of age or older and A0310A is equal to [01], then A1550A through A1550Z must not equal [^].</p> <p>c) If the resident's age is 22 years of age or older and A0310A is not equal to [01], then A1550A through A1550Z must equal [^].</p> <p>d) If the resident's age is 21 years of age or younger and A0310A is equal to [01,03,04,05], then A1550A through A1550Z must not equal [^].</p> <p>For the rules above, age should be computed in the following way using A0900 (birth date) and A2300 (assessment reference date):</p> <p>a) If only the year is submitted in A0900, then replace the month and day with "0702" (July</p>																																								

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

2, the midpoint of the year) for the purpose of calculating age.

b) If only the year and month are submitted in A0900, replace the day with "15", (the midpoint of the month) for the purpose of calculating age.

c) Provisionally compute age (in years) by subtracting the year in A0900 (as modified above, if necessary) from the year in A2300.

d) If the month in A2300 is less than the month in A0900, then subtract 1 from the provisional age computed in (c) above.

e) If the month in A2300 is equal to the month in A0900 and if the day in A2300 is less than the day in A0900, then subtract 1 from the provisional age computed in (c) above.

Items: A0310A	Type of assessment: OBRA
A0900	Birthdate
A1550A	ID/DD status: Down syndrome
A1550B	ID/DD status: Autism
A1550C	ID/DD status: Epilepsy
A1550D	ID/DD status: other organic ID/DD condition
A1550E	ID/DD status: ID/DD with no organic condition
A1550Z	ID/DD status: none of the above
A2300	Assessment reference date

-3779 Consistency Fatal

a) If A0050 (formerly X0100)=[2], then all active items from X0900A through X0900Z must not equal [^].

b) If A0050 (formerly X0100)=[3], then all active items from X0900A through X0900Z must equal [^].

Items: A0050	Type of transaction (formerly X0100)
X0900A	Correction: modif reasons - transcription error
X0900B	Correction: modif reasons - data entry error
X0900C	Correction: modif reasons - software error
X0900D	Correction: modif reasons - item coding error
X0900E	Correction: modif reasons - resume therapy date
X0900Z	Correction: modif reasons - other error

-3780 Consistency Fatal

a) If A0050 (formerly X0100)=[2], then all active items from X1050A through X1050Z must equal [^].

b) If A0050 (formerly X0100)=[3], then all active items from X1050A through X1050Z must not equal [^].

Items: A0050	Type of transaction (formerly X0100)
X1050A	Correction: inactive reasons - event did not occur
X1050Z	Correction: inactive reasons - other reason

-3781 Consistency Fatal

If A0050 (formerly X0100)=[2,3], then all active items from X1100A through X1100E must not equal [^].

Items: A0050	Type of transaction (formerly X0100)
X1100A	Correction: attestor first name
X1100B	Correction: attestor last name
X1100E	Correction: attestation date

-3782 Consistency Fatal

V0100A and V0100B cannot both be equal to [99].

Items: V0100A	Prior OBRA reason for assessment
V0100B	Prior PPS reason for assessment

-3783 Consistency Fatal

The first record that is submitted to correct or inactivate an existing record must have a value of 01" in X0800 (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

other words, the correction number in X0800 on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in X0800 is incorrect, a fatal error will result and the submitted record will be rejected.

Items: X0800

Correction: correction number

-3784 Consistency Fatal

Skip patterns based on J0200:

a) If J0200=[0], then the following rules apply:

---a1) All active items from J0300 through J0700 must equal [^].

---a2) If J0800A through J0800Z are active, they must not equal [^].

b) If J0200=[1], then if J0300 is active it must not equal [^].

c) If J0200=[-], then all active items from J0300 through J0700 must equal [-].

Items: J0200

Should pain assessment interview be conducted

J0300

Res pain interview: presence

J0400

Res pain interview: frequency

J0500A

Res pain interview: made it hard to sleep

J0500B

Res pain interview: limited daily activities

J0600A

Res pain interview: intensity rating scale

J0600B

Res pain interview: verbal descriptor scale

J0700

Should staff assessment for pain be conducted

J0800A

Staff pain asmt: non-verbal sounds

J0800B

Staff pain asmt: vocal complaints of pain

J0800C

Staff pain asmt: facial expressions

J0800D

Staff pain asmt: protective movements/postures

J0800Z

Staff pain asmt: none of these signs observed

-3785 Consistency Fatal

Skip patterns based on J0300:

a) If J0300=[0], then all active items from J0400 through J0850 must equal [^].

b) If J0300=[1], then the following rules apply:

---b1) All active items from J0400 through J0500B must not equal [^].

---b2) If J0600A and/or J0600B are active items, then at least one of these items must equal a valid value other than [^].

---b3) If J0700 is an active item, it must not equal [^].

c) If J0300=[9], then the following rules apply:

---c1) All active items from J0400 through J0700 must equal [^].

---c2) All active items from J0800A through J0800Z must not equal [^].

d) If J0300=[-], then the following rules apply:

---d1) All active items from J0400 through J0600B must equal [-].

---d2) All active items from J0700 through J0800Z must not equal [^].

Items: J0300

Res pain interview: presence

J0400

Res pain interview: frequency

J0500A

Res pain interview: made it hard to sleep

J0500B

Res pain interview: limited daily activities

J0600A

Res pain interview: intensity rating scale

J0600B

Res pain interview: verbal descriptor scale

J0700

Should staff assessment for pain be conducted

J0800A

Staff pain asmt: non-verbal sounds

J0800B

Staff pain asmt: vocal complaints of pain

J0800C

Staff pain asmt: facial expressions

J0800D

Staff pain asmt: protective movements/postures

J0800Z

Staff pain asmt: none of these signs observed

J0850

Staff pain asmt: frequency of pain

-3786 Consistency Fatal

a) If J0700=[0], then all active items from J0800A through J0850 must equal [^].

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			<p>b) If J0700=[1], then all active items from J0800A through J0800Z must not equal [^].</p> <p>c) If J0700=[-], then all active items from J0800A through J0800Z must not equal [^].</p> <p>Items: J0700 Should staff assessment for pain be conducted</p> <p> J0800A Staff pain asmt: non-verbal sounds</p> <p> J0800B Staff pain asmt: vocal complaints of pain</p> <p> J0800C Staff pain asmt: facial expressions</p> <p> J0800D Staff pain asmt: protective movements/postures</p> <p> J0800Z Staff pain asmt: none of these signs observed</p> <p> J0850 Staff pain asmt: frequency of pain</p>
-3787	Skip pattern	Fatal	<p>a) If J0800Z=[0], then if J0850 is active it must not equal [^].</p> <p>b) If J0800Z=[1,^], then if J0850 is active it must equal [^].</p> <p>c) If J0800Z=[-], then if J0850 is active it must equal [-].</p> <p>Items: J0800Z Staff pain asmt: none of these signs observed</p> <p> J0850 Staff pain asmt: frequency of pain</p>
-3788	Consistency	Fatal	<p>Consistency rules for J0700:</p> <p>a) If J0400=[1,2,3,4], then if J0700 is active it must equal [0].</p> <p>b) If J0400=[9,-], then if J0700 is active it must equal [1,-].</p> <p>Items: J0400 Res pain interview: frequency</p> <p> J0700 Should staff assessment for pain be conducted</p>
-3790	Consistency	Fatal	<p>a) If A0310F is equal to [10,11,12], then A2000 and A2100 must not equal [^].</p> <p>b) If A0310F is not equal to [10,11,12], then A2000 and A2100 must equal [^].</p> <p>Items: A0310F Entry/discharge reporting</p> <p> A2000 Discharge date</p> <p> A2100 Discharge status</p>
-3791	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2,3], then the following active items must not equal [^]: X0150, X0200C, X0300, X0400, X0600A, X0600B, X0600C, X0600F, X0600H.</p> <p>Items: A0050 Type of transaction (formerly X0100)</p> <p> X0150 Correction: type of provider</p> <p> X0200C Correction: resident last name</p> <p> X0300 Correction: resident gender</p> <p> X0400 Correction: resident birth date</p> <p> X0600A Correction: OBRA reason for assessment</p> <p> X0600B Correction: PPS reason for assessment</p> <p> X0600C Correction: OMRA assessment</p> <p> X0600F Correction: entry/discharge reporting</p> <p> X0600H Correction: SNF PPS Part A Discharge (End of Stay)</p>
-3792	Consistency	Fatal	<p>If A0050 (formerly X0100)=[2,3], then if X0800 is active it must not equal [^].</p> <p>Items: A0050 Type of transaction (formerly X0100)</p> <p> X0800 Correction: correction number</p>
-3793	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p> <p> SFTWR_VNDR_ID Software vendor federal employer tax ID</p> <p> SFTWR_VNDR_NAME Software vendor company name</p> <p> SFTWR_VNDR_EMAIL_ADR Software vendor email address</p> <p> SFTWR_PROD_NAME Software product name</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

SFTWR_PROD_VRSN_CD	Software product version code
FAC_DOC_ID	Facility document ID
A0100A	Facility National Provider Identifier (NPI)
A0100C	State provider number
A0500A	Resident first name
A0500B	Resident middle initial
A0500C	Resident last name
A0500D	Resident name suffix
A0600A	Social Security Number
A0600B	Resident Medicare/railroad insurance number
A0700	Resident Medicaid number
A1100B	Preferred language
A1300A	Medical record number
A1300B	Room number
A1300C	Name by which resident prefers to be addressed
A1300D	Lifetime occupation(s)
X0200A	Correction: resident first name
X0200C	Correction: resident last name
X0500	Correction: resident social security number
X1100A	Correction: attestor first name
X1100B	Correction: attestor last name
Z0100A	Medicare Part A: HIPPS code
Z0100B	Medicare Part A: RUG version code
Z0150A	Medicare Part A: non-therapy HIPPS code
Z0150B	Medicare Part A: non-therapy RUG version code
Z0200A	State case mix: RUG group
Z0200B	State case mix: RUG version code
Z0250A	State case mix: Alternate RUG group
Z0250B	State case mix: Alternate RUG version code

-3794 Consistency Fatal

- a) If SFTWR_PROD_NAME is equal to [^], then SFTWR_PROD_VRSN_CD must be equal to [^].
b) If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^].

Items: SFTWR_PROD_NAME Software product name
SFTWR_PROD_VRSN_CD Software product version code

-3795 Consistency Fatal

If A0050 (formerly X0100) is equal to [2], then at least one item from X0900A through X0900Z must equal [1].

Items: A0050 Type of transaction (formerly X0100)
X0900A Correction: modif reasons - transcription error
X0900B Correction: modif reasons - data entry error
X0900C Correction: modif reasons - software error
X0900D Correction: modif reasons - item coding error
X0900E Correction: modif reasons - resume therapy date
X0900Z Correction: modif reasons - other error

-3796 Consistency Fatal

The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If A0050 (formerly X0100)=[3] (the record is an inactivation), then the recalculated ISC value will be [XX]. If A0050=[1,2] (the record is a new record or a modification record), then the recalculated ISC value will be based upon the submitted RFA values. In either case, if the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.

Items: ITM_SBST_CD Item subset code

Unduplicated Edits Report by Edit ID

Page 60 of 86

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			Z0100A	Medicare Part A: HIPPS code
			Z0100B	Medicare Part A: RUG version code
			Z0150A	Medicare Part A: non-therapy HIPPS code
			Z0150B	Medicare Part A: non-therapy RUG version code
			Z0200A	State case mix: RUG group
			Z0200B	State case mix: RUG version code
			Z0250A	State case mix: Alternate RUG group
			Z0250B	State case mix: Alternate RUG version code
-3804	Consistency	Fatal	<p>If A0310C=[1,3] (the assessment is a start-of-therapy OMRA assessment), then the Medicare Part A Billing HIPPS code that is submitted in Z0100A will be recalculated. The first byte of the recalculated HIPPS code must equal [R]. If it does not equal [R], then a fatal error will result and the record will be rejected.</p> <p>Items: A0310C Type of assessment: OMRA Z0100A Medicare Part A: HIPPS code</p>	
-3805	Consistency	Fatal	<p>If F0300 is equal to [0], then all active items from F0800A through F0800Z must not equal [^].</p> <p>Items: F0300 Conduct res interview for daily/activity prefs F0800A Staff assessment: choosing clothes to wear F0800B Staff assessment: caring for personal belongings F0800C Staff assessment: receiving tub bath F0800D Staff assessment: receiving shower F0800E Staff assessment: receiving bed bath F0800F Staff assessment: receiving sponge bath F0800G Staff assessment: snacks between meals F0800H Staff assessment: staying up past 8PM F0800I Staff assessment: discuss care with family/other F0800J Staff assessment: use phone in private F0800K Staff assessment: place to lock personal things F0800L Staff assessment: reading books, newspapers, mags F0800M Staff assessment: listening to music F0800N Staff assessment: being around animals/pets F0800O Staff assessment: keeping up with news F0800P Staff assessment: doing things with groups F0800Q Staff assessment: participate favorite activities F0800R Staff assessment: spend time away from nursng home F0800S Staff assessment: spend time outdoors F0800T Staff assessment: participate religious activities F0800Z Staff assessment: none of above activities</p>	
-3807	Format	Warning	<p>Version Code Values</p> <p>The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted instead.</p> <p>Items: ITM_SET_VRSN_C Item set version code SPEC_VRSN_CD Specifications version code</p>	
-3808	Format	Warning	<p>When this Section S item is required by a State, it should equal one of the valid values indicated in the data specifications for that item. Note that for numeric items, signed numbers (with a leading plus or minus sign) should not be submitted.</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Items: S0101	Admitted from Community
S0102	Admitted from NH or SB
S0111	Lived Alone
S0115	Spouse Location
S0120	Prior Residence ZIP Code
S0122	Prior Residence State
S0123	Prior Residence County
S0125	Prior Residence Town Code
S0130	Highest Education Completed
S0140	Physician License Number
S0141	Physician Name
S0150	State Resident ID
S0160	Specialty unit
S0161A	Requires specialized unit: dementia/Alzheimer
S0161B	Requires specialized unit: behavioral health
S0161C	Requires specialized unit: TBI
S0161D	Requires specialized unit: ventilator
S0161Z	Requires specialized unit: none of the above
S0165A	Specialty services: Dementia/Alzheimers
S0165B	Specialty services: Behavioral Health
S0165C	Specialty services: Traumatic Brain Injury
S0165D	Specialty services: Ventilator
S0165E	Specialty services: On-Site Dialysis
S0165Z	Specialty services: None of the Above
S0170A	Advanced directive: Guardian
S0170B	Advanced directive: DPOA-HC
S0170C	Advanced directive: Living will
S0170D	Advanced directive: Do not resuscitate
S0170E	Advanced directive: Do not hospitalize
S0170F	Advanced directive: Do not intubate
S0170G	Advanced directive: Feeding restrictions
S0170H	Advanced directive: Other treatment restrictions
S0170Z	Advanced directive: None of the above
S0171A	Resident healthcare proxy exists
S0171B	Resident healthcare proxy invoked
S0172A	Goal discussion: documentation received
S0172B	Goal discussion: hospital
S0172C	Goal discussion: previous NH
S0172D	Goal discussion: Home without home health services
S0172E	Goal discussion: Home with home health services
S0172F	Goal discussion: PCP office
S0172G	Goal discussion: Other
S0172H	Goal discussion: Not occur reason
S0173	Documentation of goals of care discussion
S0174	Resident has Advanced Directive
S0175	Resident has POA for Health Care
S0180	Discharged to Community
S0183	Discharged prior to admission assessment
S0500	Level of Care
S0501	CCNH RHNS Level of Care
S0509	PASRR Level 1 completed prior to admission
S0510	PASRR Screening Complete
S0511	PASRR Level 1 Complete Date
S0512	PASRR Level 1
S0513	PASRR Screening Outcome

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S0520	Reason for Admission
S0600A	Meets criteria: requires ventilator 10+ hours
S0600B	Meets criteria: requires ventilator 16+ hours
S0600C	Meets criteria: Traumatic Brain Injury-Tier I
S0600D	Meets criteria: Traumatic Brain Injury-Tier II
S0600E	Meets criteria: Traumatic Brain Injury-Tier III
S0600Z	Meets criteria: none of the above
S1000	Local Health Department Reporting
S1001	State Health Department Reporting
S1002	Local Health Department Reporting
S1003	State Health Department Reporting
S1004	Local/State Health Department Reporting
S1100A	Disease: Clostridium Difficile
S1100B	Disease: MRSA
S1100C	Disease: VRE
S1100D	Disease: VISA
S1100E	Disease: VRSA
S1100F	Disease: Other MDRO
S1100F1	Disease: MDRO Name1
S1100F2	Disease: MDRO Name2
S1100G	Disease: Tuberculosis
S1100H	Disease: Herpes Zoster
S1100I	Disease: Scabies
S1100J	Disease: CRE
S1100Z	Disease: None of the Above
S1150	Active TBI Diagnosis
S1200A	Primary/secondary SMI dx: schizophrenia
S1200B	Primary/secondary SMI dx: delusional disorder
S1200C	Primary/secondary SMI dx: schizoaffective disorder
S1200D	Primary/secondary SMI dx: psychotic disorder NOS
S1200E	Primary/secondary SMI dx: bipolar disorder I
S1200F	Primary/secondary SMI dx: bipolar disorder II
S1200G	Primary/secondary SMI dx: cyclothymic disorder
S1200H	Primary/secondary SMI dx: bipolar disorder NOS
S1200I	Primary/secondary SMI dx: major depress recurrent
S2000	Capable of self-administration of medications
S2001	Wishes to self-medicate
S2010	Refused meds 3 days
S2011	Staff support for meds 3 days
S2015	Refused meds occasionally 30 days
S2016	Refused meds frequently 30 days
S2040	Behavior Management Program
S2050	Resists grooming/hygiene
S2060A	Resident centered care: Oasis
S2060B	Resident centered care: habilitation therapy
S2060C	Resident centered care: hand in hand
S2060D	Resident centered care: consistent assignment
S2060E	Resident centered care: other
S2060Z	Resident centered care: none of the above
S3100A	Contractures: Hand
S3100B	Contractures: Wrist
S3100C	Contractures: Elbow
S3100D	Contractures: Shoulder
S3100E	Contractures: Neck
S3100F	Contractures: Ankle

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S3100G	Contractures: Knee
S3100H	Contractures: Hip
S3100Z	Contractures: Other
S3200A	Dominant Side
S3200B	Use of dominant hand/arm
S3300	Weight-based Equipment Need
S3305A	Lifting device for weight
S3305B	Wheelchair or mobility device for weight
S3305C	Bed for weight
S3305D	Seating for weight
S3305E	More than 2 staff for weight
S3305Y	Other for weight
S3310A	Therapy Services Billed - Medicare Part A
S3310B	Therapy Services Billed - Medicare Part B
S3310C	Therapy Services Billed - Managed Care Entity
S3310D	Therapy Services Billed - Medicaid
S3310Y	Therapy Services Billed - Other
S3310Z	Therapy Services Billed - None Of The Above
S3315A	COPD Treatment - Oxygen
S3315B	COPD Treatment - Inhaler/Nebulizer
S3315C	COPD Treatment - Acute Monitoring Of Respiratory
S3315D	COPD Treatment - Medications
S3315Y	COPD Treatment - Other
S3315Z	COPD Treatment - None Of The Above
S4000A	Harm: Self Injury/Self-injurious attempt
S4000B	Harm: Attempt was to kill self
S4000C	Harm: Considered injuring self
S4000D	Harm: Self-injury caregiver concern
S4010A	Hourly Interval Observation
S4010B	15- Min. Interval Observation
S4010C	5- Min. Interval Observation
S4010D	Constant Observation for < 1 hr
S4010E	Constant Observation for > 1 hr
S4500	Substance Abuse: Alcoholic Drinks
S4510A	Substance Abuse: Inhalants
S4510B	Substance Abuse: Hallucinogens
S4510C	Substance Abuse: Cocaine and Crack
S4510D	Substance Abuse: Stimulants
S4510E	Substance Abuse: Opiates
S4510F	Substance Abuse: Cannabis
S5000	Number of New Pressure Ulcers
S5005	New Pressure Ulcer setting
S5010A1	Pressure ulcer 1 location
S5010A2	Pressure ulcer 1 status
S5010B1	Pressure ulcer 2 location
S5010B2	Pressure ulcer 2 status
S5010C1	Pressure ulcer 3 location
S5010C2	Pressure ulcer 3 status
S5010D1	Pressure ulcer 4 location
S5010D2	Pressure ulcer 4 status
S5010E1	Pressure ulcer 5 location
S5010E2	Pressure ulcer 5 status
S5010F1	Pressure ulcer 6 location
S5010F2	Pressure ulcer 6 status
S5010G1	Pressure ulcer 7 location

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S5010G2	Pressure ulcer 7 status
S5010H1	Pressure ulcer 8 location
S5010H2	Pressure ulcer 8 status
S5010I1	Pressure ulcer 9 location
S5010I2	Pressure ulcer 9 status
S6000	Parenteral/IV feeding in NH
S6005	IV meds in NH
S6010	Oxygen Therapy in NH
S6020A	Vent/resp specialized RN expertise
S6020B	Vent/resp specialized CNA training needed
S6020C	Vent/resp specialized therapy (PT,OT,RT) expertise
S6020D	Vent/resp specialized equipment
S6020Y	Vent/resp Other
S6020Z	Vent/resp None of the Above
S6022A	Vent/resp days licensed nurse: hourly intervals
S6022B	Vent/resp days licensed nurse: 15-minute intervals
S6022C	Vent/resp days licensed nurse: 5-minute intervals
S6023A	Vent/resp days CNA: hourly intervals
S6023B	Vent/resp days CNA: 15-minute intervals
S6023C	Vent/resp days CNA: 5-minute intervals
S6024A	Vent/resp days RT: hourly intervals
S6024B	Vent/resp days RT: 15-minute intervals
S6024C	Vent/resp days RT: 5-minute intervals
S6050	Isolation precautions needed
S6051A	Isolation Precaution: Airborne
S6051B	Isolation Precaution: Contact
S6051C	Isolation Precaution: Droplet
S6051D	Isolation Precaution: Protective
S6052	Isolation Required
S6053A	Met Isolation Requirements Start Date
S6053B	Met Isolation Requirements End Date
S6100A	Vaccination: Varicella
S6100B	Vaccination: Tetanus, diphtheria (Td)
S6100C	Vaccination: Tetanus, diphtheria, pertussis (Tdap)
S6100D	Vaccination: Measles, Mumps, Rubella (MMR)
S6100E	Vaccination: Other
S6100F1	Vaccination: Other Name 1
S6100F2	Vaccination: Other Name 2
S6100F3	Vaccination: Other Name 3
S6100Z	Vaccination: None of the above
S6200	Number of Hospital Stays
S6201	Number of Unreported Hospital Stays
S6205	Number of Observation Stays
S6210	Number of ER visits
S6211	Number of Unreported ER Visits
S6220	Alzheimer's/Dementia Special Care Unit
S6230	Has resident received antipsychotic
S6232	Is resident currently receiving antipsychotic
S6234	Attempt to reduce amount of antipsychotic
S6236	Was reduction in antipsychotic maintained
S7000	Dental Care
S8000A1	Medicare - Primary Payor
S8000A2	Medicare - Secondary Payor
S8000A3	Medicare Payor
S8000B1	Medicare Part A - Primary Payor

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S8000B2	Medicare Part A - Secondary Payor
S8000B3	Medicare Part A Payor
S8000C1	Medicare Part B - Primary Payor
S8000C2	Medicare Part B - Secondary Payor
S8000C3	Medicare Part B Payor
S8000D1	Medicare Part C - Primary Payor
S8000D2	Medicare Part C - Secondary Payor
S8000D3	Medicare Part C Payor
S8000E1	Medicare per diem - Primary Payor
S8000E2	Medicare per diem - Secondary Payor
S8000E3	Medicare per diem Payor
S8000Z	Medicare not a payment source
S8010A1	In-state Medicaid - Primary Payor
S8010A2	In-state Medicaid - Secondary Payor
S8010A3	In-state Medicaid payor
S8010B1	Out-of-state Medicaid - Primary Payor
S8010B2	Out-of-state Medicaid - Secondary Payor
S8010B3	Out-of-state Medicaid Payor
S8010C1	Medicaid per diem - Primary Payor
S8010C2	Medicaid per diem - Secondary Payor
S8010C3	Medicaid per diem Payor
S8010D1	Medicaid managed care per diem - Primary Payor
S8010D2	Medicaid managed care per diem - Secondary Payor
S8010D3	Medicaid managed care per diem Payor
S8010E1	Medicaid per diem (not MC) - Primary Payor
S8010E2	Medicaid per diem (not MC) - Secondary Payor
S8010E3	Medicaid per diem (not MC) Payor
S8010F	Medicaid per diem type
S8010F1	Medicaid Resident Liability - Primary Payor
S8010F2	Medicaid Resident Liability - Secondary Payor
S8010F3	Medicaid Resident Liability Payor
S8010G	Medicaid state source
S8010G1	Medicare Co-Pay - Primary Payor
S8010G2	Medicare Co-pay - Secondary Payor
S8010G3	Medicare Co-pay Payor
S8010H1	Picture Date reporting
S8010H2	Medicaid Other - Secondary Payor
S8010H3	Medicaid Other Payor
S8010I1	Medicaid Pending - Primary Payor
S8010I2	Medicaid Pending - Secondary Payor
S8010I3	Medicaid Pending Payor
S8010Z	Medicaid not a payment source
S8020A1	Private - Primary Payor
S8020A2	Private - Secondary Payor
S8020A3	Private Payor
S8020B1	Private per diem - Primary Payor
S8020B2	Private per diem - Secondary Payor
S8020B3	Private per diem Payor
S8020C1	Private LTC insurance policy - Primary Payor
S8020C2	Private LTC insurance policy - Secondary Payor
S8020C3	Private LTC insurance policy
S8020Z	Private insurance not a payment source
S8030A1	Self-pay - Primary Payor
S8030A2	Self-pay - Secondary Payor
S8030A3	Self-pay Payor

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S8030B1	Family pay - Primary Payor
S8030B2	Family pay - Secondary Payor
S8030B3	Family pay Payor
S8030C	Self or Family pay for full per diem
S8030Z	Self or Family not a payment source
S8040A1	State Run Medical Assistance - Primary Payor
S8040A2	State Run Medical Assistance - Secondary Payor
S8040A3	State Run Medical Assistance Payor
S8040B1	Tricare per diem - Primary Payor
S8040B2	Tricare per diem - Secondary Payor
S8040B3	Tricare per diem Payor
S8040C1	VA per diem - Primary Payor
S8040C2	VA per diem - Secondary Payor
S8040C3	VA per diem Payor
S8040D1	Other Public - Primary Payor
S8040D2	Other Public - Secondary Payor
S8040D3	Other Public Payor
S8040Z	Other government not a payment source
S8050A1	Other - Primary Payor
S8050A2	Other - Secondary Payor
S8050A3	Other Payor
S8050B	Other Payor Name 1
S8050C	Other Payor Name 2
S8050D	Other Payor Name 3
S8055	Primary payor
S8099	Payor: None of the Above
S8500	Medicaid begin date
S8510A	Medicaid Therapeutic bed-hold days since last asmt
S8510B	Medicaid Therapeutic bed-hold days - YTD
S8512A	Medicaid hospital bed-hold days since last asmt
S8512B	Medicaid hospital bed-hold days - YTD
S8520A	Medicaid Leave Days Type 1
S8520B	Leave Days for Medicaid begin date 1
S8520C	Leave Days for Medicaid end date 1
S8521A	Medicaid Leave Days Type 2
S8521B	Leave Days for Medicaid begin date 2
S8521C	Leave Days for Medicaid end date 2
S9000	IL Skills Training
S9001	IL IDPH Subpart S criteria
S9002A	IL IDPH Subpart S: Schizophrenia
S9002B	IL IDPH Subpart S: Delusional disorder
S9002C	IL IDPH Subpart S: Schizoaffective disorder
S9002D	IL IDPH Subpart S: Psychotic disorder not specified
S9002E	IL IDPH Subpart S: Bipolar I mixed, manic, & depr
S9002F	IL IDPH Subpart S: Bipolar disorder II
S9002G	IL IDPH Subpart S: Cyclothymic disorder
S9002H	IL IDPH Subpart S: Bipolar disorder not specified
S9002I	IL IDPH Subpart S: Major depression, recurrent
S9003	IL IDPH Subpart S: Ancillary
S9020	FL FRAES number
S9040A	CA POLST
S9040B	CA POLST Section A
S9040C	CA POLST Section B
S9040C1	CA POLST Section B (revised)
S9040D	CA POLST Section C

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

S9040D1	CA POLST Section C (revised)
S9040E	CA POLST D physician signature
S9040F	CA POLST D resident signature
S9040G	CA POLST D discussed with patient or decision maker
S9040H	CA POLST advanced directive
S9060	NY Medicaid add-on eligibility
S9080A	PA MA CASE-MIX
S9080B	PA MA CASE-MIX Date
S9080C	PA MA CASE-MIX Access Card Number
S9080D	PA MA CASE-MIX MA NF Effective Date
S9080E	PA MA CASE-MIX Day One MA
S9100A	VA Room & Board Payment Assessment Reference Date
S9100B	VA Room & Board Payment Entry Date
S9100C	VA Medicaid Room & Board initial date
S9120	CT Approved LTC
S9140	Completed LAPOST

-3809 Skip pattern Fatal

If D0100=[0], then all active items from D0500A1 through D0600 must not equal [^].

Items: D0100	PHQ: should resident mood interview be conducted
D0500A1	PHQ staff: little interest or pleasure - presence
D0500A2	PHQ staff: little interest or pleasure - frequency
D0500B1	PHQ staff: feeling down, depressed - presence
D0500B2	PHQ staff: feeling down, depressed - frequency
D0500C1	PHQ staff: trouble with sleep - presence
D0500C2	PHQ staff: trouble with sleep - frequency
D0500D1	PHQ staff: feeling tired/little energy - presence
D0500D2	PHQ staff: feeling tired/little energy - frequency
D0500E1	PHQ staff: poor appetite or overeating - presence
D0500E2	PHQ staff: poor appetite or overeating - frequency
D0500F1	PHQ staff: feeling bad about self - presence
D0500F2	PHQ staff: feeling bad about self - frequency
D0500G1	PHQ staff: trouble concentrating - presence
D0500G2	PHQ staff: trouble concentrating - frequency
D0500H1	PHQ staff: slow, fidgety, restless - presence
D0500H2	PHQ staff: slow, fidgety, restless - frequency
D0500I1	PHQ staff: thoughts better off dead - presence
D0500I2	PHQ staff: thoughts better off dead - frequency
D0500J1	PHQ staff: short-tempered - presence
D0500J2	PHQ staff: short-tempered - frequency
D0600	PHQ staff: total mood score

-3810 Consistency Warning

RECORD SUBMISSION TIMING RULES

The following rules specify the maximum number of days which should elapse between each date listed and the submission date. There are different rules for new records (where A0050 (formerly X0100)=[1]) and for modifications and inactivations (where A0050 (formerly X0100)=[2,3]).

RULES FOR NEW RECORDS (WHERE A0050=[1]):

The following rules apply to new records, where A0050=[1].

a) If A0310F is equal to [01] (entry record), then submission date - A1600 (entry date) should be less than or equal to 14 days.

b) If A0310F is equal to [12] (death in facility record), then submission date - A2000 (discharge date) should be less than or equal to 14 days.

c) If A0310F is equal to [10,11,99] and A0310A is equal to [01,03,04,05] (comprehensive assessment), then submission date - V0200C2 (care plan completion date) should be less

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

than or equal to 14 days.

d) If A0310F is equal to [10,11,99] and A0310A is equal to [02,06,99] (all other types of assessment), then submission date - Z0500B (assessment completion date) should be less than or equal to 14 days.

RULES FOR MODIFICATIONS/INACTIVATIONS (WHERE A0050=[2,3]):

e) If A0050 is equal to [2,3] (modification or inactivation record), then submission date - X1100E (attestation date) should be less than or equal to 14 days.

Items: A0050	Type of transaction (formerly X0100)
A0310A	Type of assessment: OBRA
A0310F	Entry/discharge reporting
A1600	Entry date (date of admission/reentry in facility)
A2000	Discharge date
V0200C2	CAA-Care planning signature date
X1100E	Correction: attestation date
Z0500B	Date RN signed assessment as complete

-3812 Consistency Fatal

a) If A0310C=[2,3] and A0310F=[99], then if O0450A is active it must equal [0,1,-].

b) If A0310C=[0,1,4] or A0310F=[01,10,11,12], then all active items from O0450A through O0450B must equal [^].

Items: A0310C	Type of assessment: OMRA
A0310F	Entry/discharge reporting
O0450A	Has therapy resumed
O0450B	Therapy resumption date

-3813 Skip pattern Fatal

a) If O0450A=[0,-], then if O0450B is active it must equal [^].

b) If O0450A=[1], then if O0450B is active it must not equal [^].

Items: O0450A	Has therapy resumed
O0450B	Therapy resumption date

-3814 Consistency Fatal

If O0450A=[1] and O0450B does not equal [-], then the following rules apply:

a) At least one of the following items must contain a valid date (YYYYMMDD) and must not equal [^,-,-----]: O0400A6, O0400B6, O0400C6.

b) The date in O0450B must be greater than the latest date that is contained in O0400A6, O0400B6, and O0400C6.

c) The difference between the date in O0450B and the latest date that is contained in O0400A6, O0400B6, and O0400C6 must be less than or equal to 5 days.

d) The date contained in O0450B must be less than or equal to the current date.

Items: O0400A6	Speech-language/audiology: end date
O0400B6	Occupational therapy: end date
O0400C6	Physical therapy: end date
O0450A	Has therapy resumed
O0450B	Therapy resumption date

-3815 Consistency Fatal

If X0900E=[1], then O0450A must equal [1].

Items: O0450A	Has therapy resumed
X0900E	Correction: modif reasons - resume therapy date

-3816 Consistency Fatal

If K0510A2 through K0510D2 and K0510Z2 in Column 2 are all active and K0510Z2 is not equal to ^], then the following rules apply:

a) If K0510Z2=[0], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [1].

b) If K0510Z2=[1], then all items from K0510A2 through K0510D2 in Column 2 must equal [0].

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

c) If K0510Z2=[-], then at least one item from K0510A2 through K0510D2 in Column 2 must equal [-] and all remaining items in Column 2 must equal [0,-].

Items: K0510A2	Nutrition approach: Res: parenteral /IV feeding
K0510B2	Nutrition approach: Res: feeding tube
K0510C2	Nutrition approach: Res: mechanic altered diet
K0510D2	Nutrition approach: Res: therapeutic diet
K0510Z2	Nutrition approach: Res: none of the above

-3818 Skip pattern Fatal

a) If A1500=[1], then all active items from A1510A through A1510C must not equal [^].
b) If A1500=[0,9,^], then all active items from A1510A through A1510C must equal [^].
c) If A1500=[-], then all active items from A1510A through A1510C must equal [-].

Items: A1500	Resident evaluated by PASRR
A1510A	Level II PASRR conditions: Serious Mental Illness
A1510B	Level II PASRR conditions: Mental Retardation
A1510C	Level II PASRR conditions: Other related condition

-3819 Consistency Fatal

a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 1 must be equal to [^]: K0510A1, K0510B1, K0510C1, K0510D1, K0510Z1.
b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following rules apply:
---b1) If the following items in Column 1 are active, they must not equal [^]: K0510A1 and K0510B1.
---b2) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 1 are active, they must equal [^]: K0510C1, K0510D1 and K0510Z1.
---b3) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.
---b4) If A0310G=[1,^], then if the following items in Column 1 are active, they must not equal [^]: K0510C1, K0510D1 and K0510Z1.

Items: A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310G	Planned/unplanned discharge
A1600	Entry date (date of admission/reentry in facility)
A2300	Assessment reference date
K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
K0510B1	Nutrition approach: Not Res: feeding tube
K0510C1	Nutrition approach: Not Res: mechanic altered diet
K0510D1	Nutrition approach: Not Res: therapeutic diet
K0510Z1	Nutrition approach: Not Res: none of the above

-3820 Skip pattern Fatal

a) If Q0490=[1], then all active items from Q0500B through Q0550B must equal [^].
b) If Q0490=[0,8,-], then all active items from Q0500B through Q0550B must not equal [^].

Items: Q0490	Resident's preference to avoid being asked
Q0500B	Do you want to talk about returning to community
Q0550A	Reasking resident preference
Q0550B	Reasking resident preference source

-3824 Consistency Fatal

a) If A0310G=[2] and A0310A=[99] and A0310B=[99], then if the following items in Column 2 are active, they must equal [^]: K0510C2, K0510D2 and K0510Z2.
b) If A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

c) If A0310G=[1,^], then if the following items in Column 2 are active, they must not equal [^]: K0510C2, K0510D2 and K0510Z2.

Items: A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310G	Planned/unplanned discharge
K0510C2	Nutrition approach: Res: mechanic altered diet
K0510D2	Nutrition approach: Res: therapeutic diet
K0510Z2	Nutrition approach: Res: none of the above

-3825 Consistency Fatal

a) If B0100=[0] and A0310G=[1,^], then if C0100 is active it must not equal [^].
b) If B0100=[-] and A0310G=[1,^], then if C0100 is active it must equal [-].
c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must not equal [^].
d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if C0100 is active it must equal [-].

Items: A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310G	Planned/unplanned discharge
B0100	Comatose
C0100	BIMS: should resident interview be conducted

-3826 Consistency Fatal

If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from C0100 through C0600 must equal [^] and all active items from C0700 through C1000 must not equal [^].

Items: A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310G	Planned/unplanned discharge
B0100	Comatose
C0100	BIMS: should resident interview be conducted
C0200	BIMS res interview: repetition of three words
C0300A	BIMS res interview: able to report correct year
C0300B	BIMS res interview: able to report correct month
C0300C	BIMS res interview: can report correct day of week
C0400A	BIMS res interview: able to recall "sock"
C0400B	BIMS res interview: able to recall "blue"
C0400C	BIMS res interview: able to recall "bed"
C0500	BIMS res interview: summary score
C0600	Staff asmt mental status: conduct asmt
C0700	Staff asmt mental status: short-term memory OK
C0800	Staff asmt mental status: long-term memory OK
C0900A	Staff asmt mental status: recall current season
C0900B	Staff asmt mental status: recall location of room
C0900C	Staff asmt mental status: recall staff names/faces
C0900D	Staff asmt mental status: recall in nh/hosp sw bed
C0900Z	Staff asmt mental status: none of above recalled
C1000	Cognitive skills for daily decision making

-3827 Consistency Fatal

If K0510A1 through K0510D1 and K0510Z1 in Column 1 are all active and K0510Z1 is not equal to ^], then the following rules apply:
a) If K0510Z1=[0], then at least one item from K0510A1 through K0510D1 in Column 1 must equal [1].
b) If K0510Z1=[1], then all items from K0510A1 through K0510D1 in Column 1 must equal [0].
c) If K0510Z1=[-], then at least one item from K0510A1 through K0510D1 in Column 1 must

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

equal [-] and all remaining items in Column 1 must equal [0,-].

Items: K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
K0510B1	Nutrition approach: Not Res: feeding tube
K0510C1	Nutrition approach: Not Res: mechanic altered diet
K0510D1	Nutrition approach: Not Res: therapeutic diet
K0510Z1	Nutrition approach: Not Res: none of the above

-3828 None of above Fatal

If M1040A through M1040H and M1040Z are all active, then the following rules apply:
a) If M1040Z=[0], then at least one item from M1040A through M1040H must equal [1].
b) If M1040Z=[1], then all items from M1040A through M1040H must equal [0].
c) If M1040Z=[-], then at least one item from M1040A through M1040H must equal [-] and all remaining items must equal [0,-].

Items: M1040A	Other skin probs: infection of the foot
M1040B	Other skin probs: diabetic foot ulcer(s)
M1040C	Other skin probs: other open lesion(s) on the foot
M1040D	Other skin probs: lesions not ulcers, rashes, cuts
M1040E	Other skin probs: surgical wound(s)
M1040F	Other skin probs: burns (second or third degree)
M1040G	Skin Tear(s)
M1040H	Moisture Associated Skin Damage (MASD)
M1040Z	Other skin probs: none of the above

-3829 Skip pattern Fatal

a) If B0100=[0], then all active items from B0200 through B1200 must not equal [^].
b) If B0100=[-], then all active items from B0200 through B1200 must equal [-].

Items: B0100	Comatose
B0200	Hearing
B0300	Hearing aid
B0600	Speech clarity
B0700	Makes self understood
B0800	Ability to understand others
B1000	Vision
B1200	Corrective lenses

-3830 Skip pattern Fatal

***THIS EDIT WAS DELETED IN V2.00.0 OF THE DATA SPECS.

Items: B0100	Comatose
---------------------	----------

-3831 Consistency Fatal

a) If B0100=[0] and A0310G=[1,^], then if J0200 is active it must not equal [^].
b) If B0100=[-] and A0310G=[1,^], then if J0200 is active it must equal [-].
c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must not equal [^].
d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if J0200 is active it must equal [-].

Items: A0310A	Type of assessment: OBRA
A0310B	Type of assessment: PPS
A0310G	Planned/unplanned discharge
B0100	Comatose
J0200	Should pain assessment interview be conducted

-3833 Consistency Fatal

a) If Q0400A=[0,-] and A0310A=[01,03,04,05], then both of the following rules apply:
--a1) If Q0490 is active, it must equal [^].
--a2) All active items from Q0500B through Q0550B must not equal [^].
b) If Q0400A=[0,-] and A0310A=[02,06,99], then if Q0490 is active it must not equal [^].
c) If Q0400A=[1], then all active items from Q0490 through Q0550B must equal [^].

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			Items: A0310A Q0400A Q0490 Q0500B Q0550A Q0550B	Type of assessment: OBRA Active discharge planning for return to community Resident's preference to avoid being asked Do you want to talk about returning to community Reasking resident preference Reasking resident preference source
-3834	Skip pattern	Fatal	a) If A0310A=[01,03,04,05], then if A1500 is active it must not equal [^]. b) If A0310A=[02,06,99], then if A1500 is active it must equal [^].	
			Items: A0310A A1500	Type of assessment: OBRA Resident evaluated by PASRR
-3835	Consistency	Fatal	a) If B0100=[0] and A0310G=[1,^], then if D0100 is active it must not equal [^]. b) If B0100=[-] and A0310G=[1,^], then if D0100 is active it must equal [-]. c) If B0100=[0] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must not equal [^]. d) If B0100=[-] and A0310G=[2] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05,06,07]), then if D0100 is active it must equal [-].	
			Items: A0310A A0310B A0310G B0100 D0100	Type of assessment: OBRA Type of assessment: PPS Planned/unplanned discharge Comatose PHQ: should resident mood interview be conducted
-3836	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from D0100 through D0650 must equal [^].	
			Items: A0310A A0310B A0310G B0100 D0100 D0200A1 D0200A2 D0200B1 D0200B2 D0200C1 D0200C2 D0200D1 D0200D2 D0200E1 D0200E2 D0200F1 D0200F2 D0200G1 D0200G2 D0200H1 D0200H2 D0200I1 D0200I2 D0300 D0350 D0500A1 D0500A2 D0500B1	Type of assessment: OBRA Type of assessment: PPS Planned/unplanned discharge Comatose PHQ: should resident mood interview be conducted PHQ res: little interest or pleasure - presence PHQ res: little interest or pleasure - frequency PHQ res: feeling down, depressed - presence PHQ res: feeling down, depressed - frequency PHQ res: trouble with sleep - presence PHQ res: trouble with sleep - frequency PHQ res: feeling tired/little energy - presence PHQ res: feeling tired/little energy - frequency PHQ res: poor appetite or overeating - presence PHQ res: poor appetite or overeating - frequency PHQ res: feeling bad about self - presence PHQ res: feeling bad about self - frequency PHQ res: trouble concentrating - presence PHQ res: trouble concentrating - frequency PHQ res: slow, fidgety, restless - presence PHQ res: slow, fidgety, restless - frequency PHQ res: thoughts better off dead - presence PHQ res: thoughts better off dead - frequency PHQ res: total mood severity score PHQ res: safety notification PHQ staff: little interest or pleasure - presence PHQ staff: little interest or pleasure - frequency PHQ staff: feeling down, depressed - presence

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			D0500B2 D0500C1 D0500C2 D0500D1 D0500D2 D0500E1 D0500E2 D0500F1 D0500F2 D0500G1 D0500G2 D0500H1 D0500H2 D0500I1 D0500I2 D0500J1 D0500J2 D0600 D0650	PHQ staff: feeling down, depressed - frequency PHQ staff: trouble with sleep - presence PHQ staff: trouble with sleep - frequency PHQ staff: feeling tired/little energy - presence PHQ staff: feeling tired/little energy - frequency PHQ staff: poor appetite or overeating - presence PHQ staff: poor appetite or overeating - frequency PHQ staff: feeling bad about self - presence PHQ staff: feeling bad about self - frequency PHQ staff: trouble concentrating - presence PHQ staff: trouble concentrating - frequency PHQ staff: slow, fidgety, restless - presence PHQ staff: slow, fidgety, restless - frequency PHQ staff: thoughts better off dead - presence PHQ staff: thoughts better off dead - frequency PHQ staff: short-tempered - presence PHQ staff: short-tempered - frequency PHQ staff: total mood score PHQ staff: safety notification
-3837	Consistency	Fatal	If B0100=[0,-] and A0310G=[2] and A0310A=[99] and A0310B=[99], then all active items from J0200 through J0850 must equal [^]. Items: A0310A Type of assessment: OBRA A0310B Type of assessment: PPS A0310G Planned/unplanned discharge B0100 Comatose J0200 Should pain assessment interview be conducted J0300 Res pain interview: presence J0400 Res pain interview: frequency J0500A Res pain interview: made it hard to sleep J0500B Res pain interview: limited daily activities J0600A Res pain interview: intensity rating scale J0600B Res pain interview: verbal descriptor scale J0700 Should staff assessment for pain be conducted J0800A Staff pain asmt: non-verbal sounds J0800B Staff pain asmt: vocal complaints of pain J0800C Staff pain asmt: facial expressions J0800D Staff pain asmt: protective movements/postures J0800Z Staff pain asmt: none of these signs observed J0850 Staff pain asmt: frequency of pain	
-3838	Skip pattern	Fatal	a) If A0310F=[01,12,99], then if A0310G is active it must equal [^]. b) If A0310F=[10,11], then if A0310G is active it must not equal [^]. Items: A0310F Entry/discharge reporting A0310G Planned/unplanned discharge	
-3839	Consistency	Fatal	If A0050 (formerly X0100)=[2] (modification record), then the value in ITM_SBST_CD in the modification record must be equal to the value that was submitted in the prior record (the record that is being modified). Items: ITM_SBST_CD Item subset code A0050 Type of transaction (formerly X0100)	
-3840	Consistency	Fatal	a) If K0510A1 or K0510B1 is equal to [1], then if K0710A1 or K0710B1 are active, they must not equal [^].	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

b) If K0510A1 and K0510B1 are equal to [0,^], then if K0710A1 or K0710B1 are active, they must be equal to [^].

c) If either K0510A1 or K0510B1 is equal to [-] and the other item is equal to [0,-], then if K0710A1 or K0710B1 are active, they must be equal to [-].

d) If K0510A1 and K0510B1 are both equal to [-], then if K0710A1 or K0710B1 are active, they must be equal to [-].

Items: K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
K0510B1	Nutrition approach: Not Res: feeding tube
K0710A1	Prop calories parenteral/tube feed: not resident
K0710B1	Avg fluid intake per day IV/tube: not resident

-3841 Consistency Fatal

a) If K0510A2 or K0510B2 is equal to [1], then if K0710A2 or K0710B2 are active, they must not equal [^].

b) If K0510A2 and K0510B2 are equal to [0], then if K0710A2 or K0710B2 are active, they must be equal to [^].

c) If either K0510A2 or K0510B2 is equal to [-] and the other item is equal to [0,-], then if K0710A2 or K0710B2 are active, they must be equal to [-].

d) If K0510A2 and K0510B2 are both equal to [-], then if K0710A2 or K0710B2 are active, they must be equal to [-].

Items: K0510A2	Nutrition approach: Res: parenteral /IV feeding
K0510B2	Nutrition approach: Res: feeding tube
K0710A2	Prop calories parenteral/tube feed: while resident
K0710B2	Avg fluid intake per day IV/ tube: while resident

-3842 Consistency Fatal

The following sub-edits are based upon the values of items K0510A1, K0510A2, K0510B1, and K0510B2. These will be referred to as the "feeding items" below.

a) If one or more of the four feeding items is equal to [1], then K0710A3 and K0710B3 must not equal [^].

b) If all four of the feeding items are equal to [0,^], then K0710A3 and K0710B3 must be equal to [^].

c) If at least one of the four feeding items is equal to [-] and the remaining feeding items are equal to [0,-,^], then K0710A3 and K0710B3 must be equal to [-].

Items: K0510A1	Nutrition approach: Not Res: parenteral/IV feeding
K0510A2	Nutrition approach: Res: parenteral /IV feeding
K0510B1	Nutrition approach: Not Res: feeding tube
K0510B2	Nutrition approach: Res: feeding tube
K0710A3	Prop calories parenteral/tube feed: 7 days
K0710B3	Avg fluid intake per day IV/tube: 7 days

-3843 Consistency Fatal

Consistency between individual, concurrent, group, and co-treatment minutes.

Compute the sum of minutes in O0400A1, O0400A2, and O0400A3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400A3A must equal [-] or must contain a value that is less than or equal to the sum.

Items: O0400A1	Speech-language/audiology: individ minutes
O0400A2	Speech-language/audiology: concur minutes
O0400A3	Speech-language/audiology: group minutes
O0400A3A	Speech-language/audiology: co-treatment minutes

-3844 Consistency Fatal

Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400B1, O0400B2, and O0400B3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400B3A must equal [-] or must contain a value that is less

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

than or equal to the sum.

Items: O0400B1	Occupational therapy: individ minutes
O0400B2	Occupational therapy: concur minutes
O0400B3	Occupational therapy: group minutes
O0400B3A	Occupational therapy: co-treatment minutes

-3845 Consistency Fatal

Consistency between individual, concurrent, group, and co-treatment minutes. Compute the sum of minutes in O0400C1, O0400C2, and O0400C3. When computing this sum, if any of these items is coded with [-], count the number of minutes for that item as zero. If the sum is greater than zero, then O0400C3A must equal [-] or must contain a value that is less than or equal to the sum.

Items: O0400C1	Physical therapy: individ minutes
O0400C2	Physical therapy: concur minutes
O0400C3	Physical therapy: group minutes
O0400C3A	Physical therapy: co-treatment minutes

-3846 Consistency Fatal

Consistency between therapy days within types of therapy and distinct days across types of therapy.

Item O0420 must conform with the following rules:

a) If O0400A4, O0400B4, and O0400C4 are all equal to [-], then O0420 must equal [-].

b) If O0420 is not equal to [-], then both of the following rules apply:

---b1) O0420 must contain a value that is greater than or equal to the largest value in O0400A4,

O0400B4, and O0400C4. When determining this value, if any of the items O0400A4, O0400B4, and

O0400C4 is coded with [-,^], count the number of days for that item as zero.

---b2) O0420 must contain a value that is less than or equal to sum of the days in O0400A4, O0400B4, and O0400C4. When computing this sum, if any of the items O0400A4, O0400B4, and

O0400C4 is coded with [-,^], count the number of days for that item as zero.

Items: O0400A4	Speech-language/audiology: number of days
O0400B4	Occupational therapy: number of days
O0400C4	Physical therapy: number of days
O0420	Distinct calendar days of therapy

-3847 Consistency Fatal

If M0800A=[0-9] and M0300B1=[0-9], then the value in M0800A must be less than or equal to the value in M0300B1.

Items: M0300B1	Stage 2 pressure ulcers: number present
M0800A	Worsened since prior asmt: Stage 2 pressure ulcers

-3848 Consistency Fatal

If M0800B=[0-9] and M0300C1=[0-9], then the value in M0800B must be less than or equal to the value in M0300C1.

Items: M0300C1	Stage 3 pressure ulcers: number present
M0800B	Worsened since prior asmt: Stage 3 pressure ulcers

-3849 Consistency Fatal

If M0800C=[0-9] and M0300D1=[0-9], then the value in M0800C must be less than or equal to the value in M0300D1.

Items: M0300D1	Stage 4 pressure ulcers: number present
M0800C	Worsened since prior asmt: Stage 4 pressure ulcers

-3850 Consistency Fatal

a) If A0310F=[12], then A2100 must equal [08].

b) If A2100=[08], then A0310F must equal [12].

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

Edit ID	Edit Category	Edit Description	Items:	Entry/discharge reporting
			A0310F A2100	Discharge status
-3851	Consistency	Fatal	<p>Date Item Consistency Rules</p> <p>Date items fall into four groups, designated Group A, B, C, and D below. Each group has its own consistency rules.</p> <p>-----</p> <p>GROUP A RULES (Edit -3851a)</p> <p>Group A items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birthdate) <=</p> <p>A1900 (admission date) <=</p> <p>A1600 (entry date) <=</p> <p>A2300 (assessment reference date) = A2000 (discharge date) <=</p> <p>Z0500B (date RN signed assessment as complete) <=</p> <p>V0200B2 (CAT assessment process signature date) <=</p> <p>V0200C2 (CAT care planning signature date) <=</p> <p>X1100E (correction: attestation date) <= current date</p> <p>-----</p> <p>GROUP B (Edit -3851b)</p> <p>Group B items are listed below. Each active item in this list that contains a valid date (not blank or dashes) must obey all of the following rules:</p> <ol style="list-style-type: none">1. Each Group B date must be greater than or equal to A0900 (birthdate).2. Each Group B date must be less than or equal to A2300 (assessment reference date) if A2300 is active.3. If A0310F is equal to [10,11,12] (if A2000 discharge date is completed), then each Group B date must be less than or equal to A2000.4. For start/end date pairs shown below, the start date must be less than or equal to the end date.5. Otherwise, the Group B dates may be in any order. <p>The following is a list of Group B dates:</p> <p>A2400B <= A2400C (Medicare stay start/end)</p> <p>M0300B3 (date of oldest Stage 2 pressure ulcer)</p> <p>O0250B (date influenza vaccine received)</p> <p>O0400A5 <= O0400A6 (speech-language audiology therapy start/end)</p> <p>O0400B5 <= O0400B6 (occupational therapy start/end)</p> <p>O0400C5 <= O0400C6 (physical therapy start/end)</p> <p>V0100C (prior assessment reference date)</p> <p>-----</p> <p>GROUP C RULES</p> <p>The Group C rules only apply to records where A0310A = [05, 06] (significant correction to prior comprehensive or quarterly).</p> <p>RULE C1 (Edit -3851c1)</p> <p>If A0310A = [05, 06] and A1700=[1] (admission), then Rule C1 applies:</p> <p>A1600 (entry date) <=</p> <p>A2200 (previous ARD for significant correction) <=</p> <p>A2300 (assessment reference date)</p> <p>RULE C2: (Edit -3851c2)</p> <p>If A0310A = [05, 06] and A1700=[2] (reentry), then Rule C2 applies:</p> <p>A0900 (birthdate) <=</p> <p>A2200 (previous ARD for significant correction) <=</p> <p>A2300 (assessment reference date)</p> <p>-----</p> <p>GROUP D (Edit -3851d)</p> <p>The Group D items include the following:</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

O0400A5, O0400B5, and O0400C5 (therapy start dates)

O0400A6, O0400B6, and O0400C6 (therapy end dates)

If any of these 6 items contains a valid date (not [-,^,-----]), then each of those dates must be greater than or equal to A1600 (entry date).

Items: A0310A	Type of assessment: OBRA
A0310F	Entry/discharge reporting
A0900	Birthdate
A1600	Entry date (date of admission/reentry in facility)
A1700	Type of entry
A2000	Discharge date
A2200	Previous asmt reference date for signif correction
A2300	Assessment reference date
A2400B	Start date of most recent Medicare stay
A2400C	End date of most recent Medicare stay
M0300B3	Stage 2 pressure ulcers: date of oldest
O0250B	Date influenza vaccine received.
O0400A5	Speech-language/audiology: start date
O0400A6	Speech-language/audiology: end date
O0400B5	Occupational therapy: start date
O0400B6	Occupational therapy: end date
O0400C5	Physical therapy: start date
O0400C6	Physical therapy: end date
V0100C	Prior assessment reference date
V0200B2	CAA-Assessment process signature date
V0200C2	CAA-Care planning signature date
X1100E	Correction: attestation date
Z0500B	Date RN signed assessment as complete

-3852 Format Fatal

FORMATTING OF ICD-10 DIAGNOSIS CODES

ICD-10 diagnosis codes must conform with the following formatting rules:

- a) Character 1 must be alphabetic [A-Z,a-z].
 - b) Character 2 must be numeric [0-9].
 - c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].
 - d) Character 4 must be a decimal point.
 - e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].
 - f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].
- Note that an entirely blank ICD code must be submitted as a single caret: [^].

Items: I8000A	Additional active ICD diagnosis 1
I8000B	Additional active ICD diagnosis 2
I8000C	Additional active ICD diagnosis 3
I8000D	Additional active ICD diagnosis 4
I8000E	Additional active ICD diagnosis 5
I8000F	Additional active ICD diagnosis 6
I8000G	Additional active ICD diagnosis 7
I8000H	Additional active ICD diagnosis 8
I8000I	Additional active ICD diagnosis 9
I8000J	Additional active ICD diagnosis 10

-3853 Consistency Fatal

If A0410=[3] (federal required submission), then A0100B (facility CCN) must not equal [^].

Items: A0100B	Facility CMS Certification Number (CCN)
A0410	Submission requirement

-3854 Format Fatal

The value submitted in A0100B must either be equal to [^] or it must be exactly 6 characters in length.

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3857	Consistency	Fatal	Items: A0100B	Facility CMS Certification Number (CCN)
			If A0310E=[0] and M0300B1=[-], then M0800A must equal [-].	
-3858	Consistency	Fatal	Items: A0310E	First assessment since most recent entry
			M0300B1	Stage 2 pressure ulcers: number present
-3859	Consistency	Fatal	M0800A	Worsened since prior asmt: Stage 2 pressure ulcers
			If A0310E=[0] and M0300C1=[-], then M0800B must equal [-].	
-3860	Consistency	Fatal	Items: A0310E	First assessment since most recent entry
			M0300D1	Stage 3 pressure ulcers: number present
-3861	Consistency	Fatal	M0800C	Worsened since prior asmt: Stage 3 pressure ulcers
			If A0310E=[0] and M0300D1=[-], then M0800C must equal [-].	
-3862	Consistency	Fatal	Items: A1600	Entry date (date of admission/reentry in facility)
			A1700	Type of entry
-3863	Consistency	Fatal	A1900	Admission date
			If A1700=[1], then A1600 must equal A1900.	
-3864	Consistency	Fatal	Items: A1600	Entry date (date of admission/reentry in facility)
			A1700	Type of entry
-3865	Skip pattern	Fatal	A1900	Admission date
			If A1700=[2], then A1600 must be greater than A1900.	
-3866	Skip pattern	Fatal	Items: B0100	Comatose
			C1310A	Acute Onset Mental Status Change
-3867	Skip pattern	Fatal	C1310B	Inattention
			C1310C	Disorganized thinking
-3868	Skip pattern	Fatal	C1310D	Altered level of consciousness
			a) If B0100=[0], then all active items from C1310A through C1310D must not equal [^]. b) If B0100=[-], then all active items from C1310A through C1310D must equal [-].	
-3869	Consistency	Warning	Items: A0310B	Type of assessment: PPS
			GG0130A2	Eating (Dschg Goal)
-3870	Consistency	Warning	GG0130B2	Oral Hygiene (Dschg Goal)
			GG0130C2	Toileting Hygiene (Dschg Goal)
-3871	Consistency	Warning	GG0170B2	Sit to lying (Dschg Goal)
			GG0170C2	Lying to sitting on bed side (Dschg Goal)
-3872	Consistency	Warning	GG0170D2	Sit to stand (Dschg Goal)
			GG0170E2	Chair/bed-to-chair transfer (Dschg Goal)
-3873	Consistency	Warning	GG0170F2	Toilet transfer (Dschg Goal)
			GG0170J2	Walk 50 feet with two turns (Dschg Goal)
-3874	Consistency	Warning	GG0170K2	Walk 150 feet (Dschg Goal)
			GG0170R2	Wheel 50 feet with two turns (Dschg Goal)
-3875	Consistency	Warning	GG0170S2	Wheel 150 feet (Dschg Goal)
			Self-Care and Mobility Discharge Goals: If A0310B=[01], then at least one of the Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06].	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

-3864	Consistency	Fatal	<p>If GG0170H1=[-], then GG0170J1 and GG0170K1 must all be equal to [-].</p> <p>Items: GG0170H1 Does the resident walk? (Start of Stay Perf) GG0170J1 Walk 50 feet with two turns (Start of Stay Perf) GG0170K1 Walk 150 feet (Start of Stay Perf)</p>
-3865	Consistency	Fatal	<p>If GG0170H3=[-], then GG0170J3 and GG0170K3 must both be equal to [-].</p> <p>Items: GG0170H3 Does the resident walk? (Dschg Perf) GG0170J3 Walk 50 feet with two turns (Dschg Perf) GG0170K3 Walk 150 feet (Dschg Perf)</p>
-3866	Consistency	Fatal	<p>If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>Items: GG0170Q1 Use of wheelchair/scooter (Start of Stay Perf) GG0170R1 Wheel 50 feet with two turns (Start of Stay Perf) GG0170R2 Wheel 50 feet with two turns (Dschg Goal) GG0170RR1 Type wheelchair/scooter used (Start of Stay Perf) GG0170S1 Wheel 150 feet (Start of Stay Perf) GG0170S2 Wheel 150 feet (Dschg Goal) GG0170SS1 Type wheelchair/scooter used (Start of Stay Perf)</p>
-3867	Consistency	Fatal	<p>a) If GG0170Q3=[0], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3. c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>Items: GG0170Q3 Use of wheelchair/scooter (Dschg Perf) GG0170R3 Wheel 50 feet with two turns (Dschg Perf) GG0170RR3 Type wheelchair/scooter used (Dschg Perf) GG0170S3 Wheel 150 feet (Dschg Perf) GG0170SS3 Type wheelchair/scooter used (Dschg Perf)</p>
-3868	Consistency	Fatal	<p>a) If GG0170H1=[0], then the following items must be equal to [^]: GG0170J1, GG0170J2, GG0170K1, GG0170K2. b) If GG0170H1=[1], then items GG0170J1 and GG0170K1 must be equal to [^], and items GG0170J2 and GG0170K2 must not be equal to [^]. c) If GG0170H1=[2], then the following items must not be equal to [^]: GG0170J1, GG0170J2, GG0170K1, GG0170K2.</p> <p>Items: GG0170H1 Does the resident walk? (Start of Stay Perf) GG0170J1 Walk 50 feet with two turns (Start of Stay Perf) GG0170J2 Walk 50 feet with two turns (Dschg Goal) GG0170K1 Walk 150 feet (Start of Stay Perf) GG0170K2 Walk 150 feet (Dschg Goal)</p>
-3869	Consistency	Fatal	<p>a) If GG0170Q1=[0], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1. b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>Items: GG0170Q1 Use of wheelchair/scooter (Start of Stay Perf) GG0170R1 Wheel 50 feet with two turns (Start of Stay Perf) GG0170R2 Wheel 50 feet with two turns (Dschg Goal) GG0170RR1 Type wheelchair/scooter used (Start of Stay Perf)</p>

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			GG0170S1	Wheel 150 feet (Start of Stay Perf)
			GG0170S2	Wheel 150 feet (Dschg Goal)
			GG0170SS1	Type wheelchair/scooter used (Start of Stay Perf)
-3870	Consistency	Fatal	<p>a) If GG0170H3=[0], then GG0170J3 and GG0170K3 must be equal to [^].</p> <p>b) If GG0170H3=[2], then GG0170J3 and GG0170K3 must not be equal to [^].</p> <p>Items: GG0170H3 Does the resident walk? (Dschg Perf)</p> <p>GG0170J3 Walk 50 feet with two turns (Dschg Perf)</p> <p>GG0170K3 Walk 150 feet (Dschg Perf)</p>	
-3871	Skip pattern	Fatal	<p>a) If A0310B=[01], then the following items must not be equal to [^]: GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2.</p> <p>b) If A0310B=[02,03,04,05,07,99], then the following items must be equal to [^]: GG0130A1, GG0130A2, GG0130B1, GG0130B2, GG0130C1, GG0130C2.</p> <p>Items: A0310B Type of assessment: PPS</p> <p>GG0130A1 Eating (Start of Stay Perf)</p> <p>GG0130A2 Eating (Dschg Goal)</p> <p>GG0130B1 Oral Hygiene (Start of Stay Perf)</p> <p>GG0130B2 Oral Hygiene (Dschg Goal)</p> <p>GG0130C1 Toileting Hygiene (Start of Stay Perf)</p> <p>GG0130C2 Toileting Hygiene (Dschg Goal)</p>	
-3872	Skip pattern	Fatal	<p>a) If A0310G=[1,^] and A0310H=[1] and A2400C - A2400B is greater than 2 and A2100=[01,02,04,05,06,07,08,09,99,^], then GG0130A3, GG0130B3, and GG0130C3 must not be equal to [^].</p> <p>b) If A0310G=[2] or A0310H=[0] or A2400C - A2400B is less than or equal to 2 or A2100=[03], then GG0130A3, GG0130B3, and GG0130C3 must be equal to [^].</p> <p>Items: A0310G Planned/unplanned discharge</p> <p>A0310H SNF PPS Part A Discharge (End of Stay) Assessment</p> <p>A2100 Discharge status</p> <p>A2400B Start date of most recent Medicare stay</p> <p>A2400C End date of most recent Medicare stay</p> <p>GG0130A3 Eating (Dschg Perf)</p> <p>GG0130B3 Oral Hygiene (Dschg Perf)</p> <p>GG0130C3 Toileting Hygiene (Dschg Perf)</p>	
-3873	Skip pattern	Fatal	<p>a) If A0310B=[01], then the following items must not be equal to [^]: GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170H1, GG0170Q1.</p> <p>b) If A0310B=[02,03,04,05,07,99], then the following items must be equal to [^]: GG0170B1, GG0170B2, GG0170C1, GG0170C2, GG0170D1, GG0170D2, GG0170E1, GG0170E2, GG0170F1, GG0170F2, GG0170H1, GG0170J1, GG0170J2, GG0170K1, GG0170K2, GG0170Q1, GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>Items: A0310B Type of assessment: PPS</p> <p>GG0170B1 Sit to lying (Start of Stay Perf)</p> <p>GG0170B2 Sit to lying (Dschg Goal)</p> <p>GG0170C1 Lying to sitting on bed side (Start of Stay Perf)</p> <p>GG0170C2 Lying to sitting on bed side (Dschg Goal)</p> <p>GG0170D1 Sit to stand (Start of Stay Perf)</p> <p>GG0170D2 Sit to stand (Dschg Goal)</p> <p>GG0170E1 Chair/bed-to-chair transfer (Start of Stay Perf)</p> <p>GG0170E2 Chair/bed-to-chair transfer (Dschg Goal)</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			GG0170F1	Toilet transfer (Start of Stay Perf)
			GG0170F2	Toilet transfer (Dschg Goal)
			GG0170H1	Does the resident walk? (Start of Stay Perf)
			GG0170J1	Walk 50 feet with two turns (Start of Stay Perf)
			GG0170J2	Walk 50 feet with two turns (Dschg Goal)
			GG0170K1	Walk 150 feet (Start of Stay Perf)
			GG0170K2	Walk 150 feet (Dschg Goal)
			GG0170Q1	Use of wheelchair/scooter (Start of Stay Perf)
			GG0170R1	Wheel 50 feet with two turns (Start of Stay Perf)
			GG0170R2	Wheel 50 feet with two turns (Dschg Goal)
			GG0170RR1	Type wheelchair/scooter used (Start of Stay Perf)
			GG0170S1	Wheel 150 feet (Start of Stay Perf)
			GG0170S2	Wheel 150 feet (Dschg Goal)
			GG0170SS1	Type wheelchair/scooter used (Start of Stay Perf)
-3874	Skip pattern	Fatal	<p>a) If A0310G=[1,^] and A0310H=[1] and A2400C - A2400B is greater than 2 and A2100=[01,02,04,05,06,07,08,09,99,^], then the following items must not be equal to [^]: GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170H3, GG0170Q3.</p> <p>b) If A0310G=[2] or A0310H=[0] or A2400C - A2400B is less than or equal to 2 or A2100=[03], then the following items must be equal to [^]: GG0170B3, GG0170C3, GG0170D3, GG0170E3, GG0170F3, GG0170H3, GG0170J3, GG0170K3, GG0170Q3, GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>Items: A0310G Planned/unplanned discharge A0310H SNF PPS Part A Discharge (End of Stay) Assessment A2100 Discharge status A2400B Start date of most recent Medicare stay A2400C End date of most recent Medicare stay GG0170B3 Sit to lying (Dschg Perf) GG0170C3 Lying to sitting on bed side (Dschg Perf) GG0170D3 Sit to stand (Dschg Perf) GG0170E3 Chair/bed-to-chair transfer (Dschg Perf) GG0170F3 Toilet transfer (Dschg Perf) GG0170H3 Does the resident walk? (Dschg Perf) GG0170J3 Walk 50 feet with two turns (Dschg Perf) GG0170K3 Walk 150 feet (Dschg Perf) GG0170Q3 Use of wheelchair/scooter (Dschg Perf) GG0170R3 Wheel 50 feet with two turns (Dschg Perf) GG0170RR3 Type wheelchair/scooter used (Dschg Perf) GG0170S3 Wheel 150 feet (Dschg Perf) GG0170SS3 Type wheelchair/scooter used (Dschg Perf)</p>	
-3875	Consistency	Fatal	<p>If A0310H=[1], then A2400C must not equal [-----,^].</p> <p>Items: A0310H SNF PPS Part A Discharge (End of Stay) Assessment A2400C End date of most recent Medicare stay</p>	
-3876	Consistency	Fatal	<p>Date restrictions when combining SNF PPS Part A Discharge assessments with other assessment types:</p> <p>(a) If A0200=[1] and (A0310A=[01,02,03,04,05,06] or A0310B=[01,02,03,04,05]) and A0310F=[99] and A0310H=[1], then A2300 must be equal to A2400C.</p> <p>(b) If A0200=[2] and A0310B=[01,02,03,04,05] and A0310F=[99] and A0310H=[1], then A2300 must be equal to A2400C.</p> <p>(c) If A0310F=[10,11] and A0310H=[1], then ((A2400C = A2000) OR (A2000 - A2400C = 1)).</p> <p>Items: A0200 Type of provider A0310A Type of assessment: OBRA</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			A0310B	Type of assessment: PPS
			A0310F	Entry/discharge reporting
			A0310H	SNF PPS Part A Discharge (End of Stay) Assessment
			A2000	Discharge date
			A2300	Assessment reference date
			A2400C	End date of most recent Medicare stay
-3877	Consistency	Fatal	<p>IF (A0310F = 10 or 11) AND ((A2400C = A2000) OR (A2000 - A2400C = 1)) THEN A0310H must be equal to 1.</p> <p>Items: A0310F Entry/discharge reporting</p> <p> A0310H SNF PPS Part A Discharge (End of Stay) Assessment</p> <p> A2000 Discharge date</p> <p> A2400C End date of most recent Medicare stay</p>	
-9001	Information	None	<p>Vendor's version number for the software that was used to create the MDS data submission file.</p> <p>Items: SFTWR_PROD_VRSN_CD Software product version code</p>	
-9002	Information	None	<p>Optional item. Can be used by facility for unique identification of record and for tracking records submitted to the MDS Submission System.</p> <p>Items: FAC_DOC_ID Facility document ID</p>	
-9003	Information	None	<p>Valid federal tax ID (EIN) for the company that developed the software used to create the MDS data submission file.</p> <p>Items: SFTWR_VNDR_ID Software vendor federal employer tax ID</p>	
-9004	Information	None	<p>Name of the software that was used to create the MDS data submission file.</p> <p>Items: SFTWR_PROD_NAME Software product name</p>	
-9005	Information	None	<p>Email address of the vendor who created the software that was used to produce the MDS submission file.</p> <p>Items: SFTWR_VNDR_EMAIL_ADR Software vendor email address</p>	
-9006	Information	None	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the MDS Submission System. System reports will therefore display upper case values.</p> <p>Items: FAC_ID Assigned facility/provider submission ID</p> <p> SFTWR_VNDR_ID Software vendor federal employer tax ID</p> <p> SFTWR_VNDR_NAME Software vendor company name</p> <p> SFTWR_PROD_NAME Software product name</p> <p> SFTWR_PROD_VRSN_CD Software product version code</p> <p> FAC_DOC_ID Facility document ID</p> <p> A0100B Facility CMS Certification Number (CCN)</p> <p> A0100C State provider number</p> <p> A0500A Resident first name</p> <p> A0500B Resident middle initial</p> <p> A0500C Resident last name</p> <p> A0500D Resident name suffix</p> <p> A0600B Resident Medicare/railroad insurance number</p> <p> A0700 Resident Medicaid number</p> <p> A1100B Preferred language</p> <p> A1300A Medical record number</p>	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

			A1300B	Room number
			A1300C	Name by which resident prefers to be addressed
			A1300D	Lifetime occupation(s)
			I8000A	Additional active ICD diagnosis 1
			I8000B	Additional active ICD diagnosis 2
			I8000C	Additional active ICD diagnosis 3
			I8000D	Additional active ICD diagnosis 4
			I8000E	Additional active ICD diagnosis 5
			I8000F	Additional active ICD diagnosis 6
			I8000G	Additional active ICD diagnosis 7
			I8000H	Additional active ICD diagnosis 8
			I8000I	Additional active ICD diagnosis 9
			I8000J	Additional active ICD diagnosis 10
			X0200A	Correction: resident first name
			X0200C	Correction: resident last name
			X1100A	Correction: attester first name
			X1100B	Correction: attester last name
			Z0100A	Medicare Part A: HIPPS code
			Z0100B	Medicare Part A: RUG version code
			Z0150A	Medicare Part A: non-therapy HIPPS code
			Z0150B	Medicare Part A: non-therapy RUG version code
			Z0200A	State case mix: RUG group
			Z0200B	State case mix: RUG version code
			Z0250A	State case mix: Alternate RUG group
			Z0250B	State case mix: Alternate RUG version code
-9008	Information	None	Submit [+] (the plus sign) to indicate that Medicaid number is pending.	
			Items: A0700	Resident Medicaid number
-9009	Information	None	Submit [N] to indicate that the resident is non-Medicaid.	
			Items: A0700	Resident Medicaid number
-9010	Information	None	Put [/] (slash) between two occupations.	
			Items: A1300D	Lifetime occupation(s)
-9012	Information	None	The maximum length of Z0100A and Z0150A is 7 characters even though the HIPPS code is currently 5 characters in length. The extra 2 characters are included to allow for future expansion.	
			Items: Z0100A	Medicare Part A: HIPPS code
			Z0150A	Medicare Part A: non-therapy HIPPS code
-9013	Information	None	Rounding of Integer Items:	
			This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.	
			Items: D0300	PHQ res: total mood severity score
			D0600	PHQ staff: total mood score
			K0200A	Height (in inches)
			K0200B	Weight (in pounds)
-9014	Information	None	Rounding of Numeric Items with Tenths Decimal Values:	
			This item should be rounded to the nearest tenth decimal place. If the value in the	

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

hundredth decimal place is equal to 0 through 4, round the value down to the nearest tenth (i.e., discard the fractional portion of the number after the tenth decimal place). If the value in the hundredth decimal place is equal to 5 through 9, round the value up to the next largest tenth decimal value.

Items: M0610A	Stage 3 or 4 pressure ulcer longest length
M0610B	Stage 3 or 4 pressure ulcer width (same ulcer)
M0610C	Stage 3 or 4 pressure ulcer depth (same ulcer)

-9015 Information Fatal

Items V0100A through V0100C are used to identify a prior OBRA or PPS assessment if one has been performed since the resident's most recent entry. If such an assessment exists, the values in V0100D, V0100E, and V0100F are used in the triggering logic for CAAs that depend upon values from a prior assessment.

Items: V0100A	Prior OBRA reason for assessment
V0100B	Prior PPS reason for assessment
V0100C	Prior assessment reference date
V0100D	Prior assessment BIMS summary score
V0100E	Prior asmt PHQ res: total mood severity score
V0100F	Prior asmt PHQ staff: total mood score

-9016 Information None

V0100A through V0100F should be completed only if there is a prior assessment (if A0310E=[0]) and if the following is true for the most recent prior assessment: A0310A is equal to [01,02,03,04,05,06] OR A0310B is equal to [01,02,03,04,05,06]. The purpose of V0100D through V0100F is to supply previous score values that are used for calculating some of the CATs. The purpose of V0100A through V0100C is to document the prior assessment that contained those values.

Items: V0100A	Prior OBRA reason for assessment
V0100B	Prior PPS reason for assessment
V0100C	Prior assessment reference date
V0100D	Prior assessment BIMS summary score
V0100E	Prior asmt PHQ res: total mood severity score
V0100F	Prior asmt PHQ staff: total mood score

-9017 Information None

The target date is defined as follows:

- a) If A0310F is equal to [01], then the target date is equal to A1600 (entry date).
- b) If A0310F is equal to [10,11,12], then the target date is equal to A2000 (discharge date).
- c) If A0310F is equal to [99], then the target date is equal to A2300 (assessment reference date).

Items: A0310F	Entry/discharge reporting
A1600	Entry date (date of admission/reentry in facility)
A2000	Discharge date
A2300	Assessment reference date
TARGET_DATE	Target date

-9019 Information None

For records with target dates on or after 10/1/2015, version 1.15 (or later) of the data specs applies to this item. This means that if this item is not equal to [^], it must contain an ICD-10 diagnosis code which must be formatted according to edit -3852. For records with target dates before 10/1/2015, previous versions of the data specs apply. This means that if this item is not equal to [^], it must contain an ICD-9 diagnosis code which must be formatted according to edit -3591 (which was discontinued in V1.15 of the data specs).

Items: I8000A	Additional active ICD diagnosis 1
I8000B	Additional active ICD diagnosis 2
I8000C	Additional active ICD diagnosis 3

MDS 3.0 Data Submission Specifications (V2.00.1)

Unduplicated Edits Report by Edit ID

I8000D	Additional active ICD diagnosis 4
I8000E	Additional active ICD diagnosis 5
I8000F	Additional active ICD diagnosis 6
I8000G	Additional active ICD diagnosis 7
I8000H	Additional active ICD diagnosis 8
I8000I	Additional active ICD diagnosis 9
I8000J	Additional active ICD diagnosis 10